

U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL WEATHER SERVICE  
NATIONAL METEOROLOGICAL CENTER

OFFICE NOTE 353

HEMISPHERIC AND GLOBAL MODEL  
12-72 HOUR S1 SCORES  
1978 - 1988

Robert Hirano  
Automation Division

February 27, 1989

This is an unreviewed manuscript, primarily  
intended for informal exchange of information  
among NMC staff members.

## INTRODUCTION

Hemispheric and global model 12-72 hour S1 score (see APPENDIX) verification records, January 1978 thru December 1988, are summarized in tables. The trend in 60 and 72 hour forecast scores is the primary concern of this paper; twelve thru 48 hour scores, presented previously in Office Note 343, are also included for completeness and as an aid in the evaluation of the longer range forecast tendencies.

NMC's operational model from January 1978 thru July 1980 was the Six-Layer Primitive Equation (6LPE) hemispheric model; the Spectral global model became operational in August 1980.

## S1 SCORE RECORD

Verification scores are presented for 49 point and 33 point grid networks; they are subareas of NMC's 63 point lat-lon grid; gridpoint spacing is five degrees latitude by ten degrees longitude for the area bounded by 25 to 55 degrees north latitude and 65 to 145 degrees west longitude. In Figure I, the 49 point grid (49PT) is shown on the top and the 33 point grids, west (WEST33) and east (EAST33), on the bottom.

S1 score tables for 12-72 hour 6LPE and Spectral model forecasts, 1978-1988, are tabulated as follows:

| TABLE | LEVEL      | PERIOD | AREA           |
|-------|------------|--------|----------------|
| I     | MSL        | Month  | 49PT           |
| II    | 500MB      | Month  | 49PT           |
| IIIA  | 500MB      | Month  | WEST33         |
| IIIB  | 500MB      | Month  | EAST33         |
| IV    | MSL, 500MB | Year   | 49PT           |
| V     | 500MB      | Year   | WEST33, EAST33 |

Note that the verification record for 60 and 72 hour forecasts is not comprised of a complete set of monthly forecasts; only forecasts from 00Z initial times were used in 60 hour evaluation from January 1978 thru October 1980 and in 72 hour verification from January 1978 thru July 1988.

## DISCUSSION

A sharp drop (improvement) in yearly S1 scores was observed between 1977 and 1978 (Hirano, 1988); this is a consequence of the reduction in 6LPE forecast mesh length in January 1978 to the original LFM grid mesh length. Specifying 1978 S1 scores as a standard ("base"), differences in both yearly and monthly scores with "base" year scores are analyzed.

### A. Annual Differences

Figure II is a graph of average yearly 49PT S1 differences with 1978 scores; MSL is on the left, 500MB on the right, and 24, 48, and 72 hours are plotted on the bottom, center, and top respectively; LFM score differences with the "base" year 6LPE are given as Xs for 24 and 48 hours. A heavy vertical line is used to highlight 1981 values; this is the first complete year of Spectral model forecasts. Negative differences, lower S1 scores than "base" year scores, imply that forecasts are better.

LFM 24 hour scores at MSL and 500MB are steady. At 48 hours, there is a gradual lowering of scores thru 1986, which suggests a continued decline in the difficulty in weather predictability. There is no immediate impact on forecast quality with the implementation of the Spectral model; thru 1986, the steady decrease in S1 scores is due to "ease" in predictability, however, the larger differences observed at 24 hours is probably the result of refinements made in the analysis and forecast system.

In 1987 and 1988, a significant drop in Spectral model scores is found at all forecast hours; this is a consequence of the modification in November 1986 of the Spectral model from 12 to 18 layers and the inclusion of better physics (GFDL). Improvement is observed at all forecast hours; it is greatest at 72 hours and much larger at MSL than at 500MB.

Figure III is a graph of average yearly 500MB S1 score differences with 1978 scores for WEST33 (leftside) and EAST33 (right side); the format is the same as Figure II. The "ease" of predictability is unchanging over the east and improving over the west; it is clear that there is a greater difference between Spectral model and LFM forecast quality in 1987 and 1988 than is accounted for strictly by predictability.

### B. Monthly Differences

Monthly S1 score differences with "base" year values at 72 hours are plotted on figures IV and V for MSL and 500MB 49PT and 500MB 33PT grids respectively. In both figures, monthly data is clustered by seasons: winter (WIN), autumn (AUT), summer (SUM),

and spring (SPR); December differences are displaced one year in order to maintain the seasonal trend with January and February data. Circles, dots, and xs are used for the first, second, and third months respectively of each season.

In Figure IV, improvement in MSL 1987 and 1988 forecasts is observed during all seasons; summertime forecasting is significantly altered, changing from poorer to much better than "base" year prediction. At 500MB the trend is similar; the most consistent seasonal patterns are found during SUM and AUT.

Monthly trends within seasons for 72 hour 500MB forecasts on the 33PT grid, Figure V, are quite variable over EAST33; over WEST33, rather consistent trends are found for SPR, SUM, and AUT.

#### CONCLUDING REMARKS

The most important change in the quality of longer range model forecasts occurred when the Spectral model vertical configuration was modified and improved physics was incorporated in November 1986. Summertime MSL forecasts were most profoundly affected.

Yearly MSL S1 scores given in Table IV indicate that 60 and 72 hour 1987 and 1988 values are comparable with 1978 scores at 36 and 48 hours respectively; this implies that there is a net gain of about 24 hours in forecast quality. At 500MB, improvement is slightly smaller, approximately 18 hours or so.

#### APPENDIX: S1 SCORE

Teweles-Wobus S1 Score (1954)

$$S1 \text{ SCORE} = 100 \frac{\sum |e_G|}{\sum |G_L|}$$

where,  $e_G$  = the error in the forecast gradient  
 $G_L$  = observed or forecast gradient, whichever is larger

## REFERENCES

- Hirano, R., 1988: S1 Score Verification, October 1975-December 1987. NMC Office Note 343.
- Teweles, S. and H. Wobus, 1954: Verification of Prognostic Charts. Bull. Amer. Meteor. Soc., 35, pp. 455-463.
- van Haaren, R. J., 1978: Comparative Verification of the National Meteorological Center's (NMC) Operational Forecast Models. Preprints, Conference on Weather Forecasting and Analysis and Aviation Meteorology, October 16-19, 1978, Silver Spring, MD. (AMS).

TABLE I: MEAN SEA LEVEL MONTHLY S1 SCORE  
12 THRU 72 HOURS

OPERATIONAL MODELS: 6-Layer Primitive Equation model thru JUL80,  
Spectral model AUG80 -

VERIFYING ANALYSES: Hough analysis thru 25JUL84, Optimum Interpo-  
lation method 25JUL84 -

VERIFICATION GRID: 49 point lat-lon grid. This is a subset of  
a 63 point grid which covers the area between  
65 and 145 west longitude and between 25 and  
55 north latitude. Gridpoint spacing is 5  
degrees latitude by 10 degrees longitude.

\*\*\*\*\*

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1978 | JAN   | 32.9 | 39.7 | 47.9 | 55.0 | 63.0 | 68.2 |
|      | FEB   | 35.0 | 41.8 | 51.7 | 55.5 | 61.7 | 67.8 |
|      | MAR   | 36.5 | 42.4 | 52.7 | 59.2 | 65.9 | 72.7 |
|      | APR   | 33.9 | 38.9 | 47.4 | 51.2 | 58.0 | 66.4 |
|      | MAY   | 35.9 | 42.5 | 52.3 | 58.7 | 63.3 | 71.1 |
|      | JUN   | 38.4 | 43.7 | 51.3 | 57.4 | 62.8 | 69.1 |
|      | JUL   | 39.7 | 43.6 | 51.1 | 56.5 | 61.0 | 64.9 |
|      | AUG   | 38.9 | 43.8 | 50.1 | 54.7 | 60.0 | 64.4 |
|      | SEP   | 38.5 | 44.8 | 55.6 | 62.0 | 70.4 | 74.7 |
|      | OCT   | 32.6 | 37.1 | 45.4 | 52.2 | 58.6 | 64.7 |
|      | NOV   | 34.7 | 41.9 | 49.7 | 54.1 | 61.3 | 69.4 |
|      | DEC   | 35.4 | 42.7 | 51.1 | 58.3 | 64.4 | 69.8 |
| 1979 | JAN   | 33.5 | 40.9 | 49.5 | 59.3 | 60.5 | 66.9 |
|      | FEB   | 34.6 | 40.9 | 48.8 | 52.9 | 58.2 | 61.6 |
|      | MAR   | 35.6 | 41.0 | 49.3 | 54.5 | 58.6 | 68.2 |
|      | APR   | 39.6 | 45.0 | 54.4 | 60.5 | 64.8 | 72.6 |
|      | MAY   | 38.4 | 43.5 | 52.6 | 58.5 | 64.7 | 72.7 |
|      | JUN   | 38.7 | 42.0 | 51.1 | 57.1 | 62.8 | 71.4 |
|      | JUL   | 41.1 | 44.3 | 53.3 | 58.9 | 63.3 | 67.7 |
|      | AUG   | 42.1 | 45.7 | 54.6 | 61.2 | 65.5 | 70.4 |
|      | SEP   | 37.0 | 40.6 | 48.9 | 55.6 | 63.3 | 67.9 |
|      | OCT   | 36.2 | 41.7 | 49.6 | 56.2 | 61.3 | 68.6 |
|      | NOV   | 35.2 | 41.2 | 49.0 | 55.0 | 62.1 | 68.1 |
|      | DEC   | 33.1 | 39.0 | 47.3 | 52.6 | 56.8 | 61.6 |
| 1980 | JAN   | 34.1 | 41.6 | 49.9 | 55.8 | 62.2 | 68.1 |
|      | FEB   | 35.2 | 41.6 | 50.8 | 56.5 | 62.9 | 66.7 |
|      | MAR   | 34.8 | 39.5 | 47.3 | 52.3 | 57.3 | 64.4 |
|      | APR   | 35.7 | 41.3 | 49.8 | 54.7 | 58.3 | 65.2 |
|      | MAY   | 38.0 | 42.5 | 51.0 | 56.6 | 63.4 | 68.3 |
|      | JUN   | 37.1 | 42.2 | 50.9 | 58.9 | 63.5 | 68.8 |
|      | JUL   | 38.4 | 44.7 | 54.8 | 62.0 | 69.1 | 73.7 |
|      | AUG   | 36.1 | 42.2 | 50.9 | 58.0 | 62.2 | 67.5 |

TABLE I (CONTD): MEAN SEA LEVEL MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1980 | SEP   | 35.4 | 43.0 | 51.4 | 57.8 | 64.1 | 70.8 |
|      | OCT   | 30.2 | 37.5 | 45.4 | 51.9 | 57.4 | 65.4 |
|      | NOV   | 28.1 | 36.1 | 43.4 | 51.2 | 58.1 | 63.3 |
|      | DEC   | 32.4 | 40.7 | 46.2 | 51.8 | 56.3 | 62.6 |
| 1981 | JAN   | 31.5 | 39.9 | 47.1 | 53.1 | 59.4 | 65.4 |
|      | FEB   | 31.2 | 39.1 | 46.3 | 54.3 | 62.1 | 66.7 |
|      | MAR   | 32.6 | 39.9 | 47.9 | 54.9 | 59.8 | 65.2 |
|      | APR   | 33.1 | 39.6 | 47.2 | 54.9 | 62.9 | 70.3 |
|      | MAY   | 35.2 | 42.5 | 51.4 | 58.3 | 65.5 | 73.4 |
|      | JUN   | 37.9 | 46.6 | 55.9 | 63.5 | 69.8 | 76.4 |
|      | JUL   | 38.9 | 45.8 | 54.3 | 61.4 | 68.7 | 74.6 |
|      | AUG   | 40.4 | 46.6 | 55.0 | 61.6 | 68.5 | 75.3 |
|      | SEP   | 35.0 | 41.6 | 50.3 | 57.6 | 63.9 | 71.0 |
|      | OCT   | 29.5 | 37.1 | 45.5 | 53.1 | 60.7 | 68.1 |
|      | NOV   | 29.7 | 38.9 | 46.5 | 53.5 | 59.3 | 66.8 |
|      | DEC   | 30.0 | 39.2 | 47.6 | 56.2 | 62.9 | 70.8 |
| 1982 | JAN   | 31.1 | 40.4 | 47.1 | 54.6 | 60.2 | 65.2 |
|      | FEB   | 31.4 | 40.3 | 48.0 | 56.6 | 61.1 | 68.4 |
|      | MAR   | 30.1 | 37.9 | 45.4 | 53.3 | 60.8 | 66.9 |
|      | APR   | 30.4 | 38.9 | 46.5 | 52.5 | 57.2 | 62.1 |
|      | MAY   | 36.0 | 44.8 | 54.4 | 61.5 | 67.4 | 73.5 |
|      | JUN   | 40.5 | 48.6 | 58.6 | 65.4 | 70.1 | 75.8 |
|      | JUL   | 41.6 | 48.6 | 57.3 | 63.1 | 69.2 | 73.9 |
|      | AUG   | 41.1 | 48.2 | 56.5 | 62.8 | 69.7 | 74.3 |
|      | SEP   | 35.4 | 42.5 | 50.7 | 57.5 | 64.4 | 70.8 |
|      | OCT   | 28.8 | 37.2 | 45.6 | 52.8 | 59.7 | 67.6 |
|      | NOV   | 28.5 | 37.7 | 45.9 | 51.2 | 57.1 | 61.9 |
|      | DEC   | 27.8 | 36.7 | 44.7 | 52.8 | 58.5 | 61.7 |
| 1983 | JAN   | 28.2 | 36.4 | 43.9 | 51.1 | 56.4 | 60.9 |
|      | FEB   | 28.3 | 37.1 | 46.0 | 53.4 | 60.3 | 67.9 |
|      | MAR   | 27.0 | 36.0 | 42.8 | 49.1 | 55.6 | 59.6 |
|      | APR   | 31.7 | 42.8 | 50.9 | 57.9 | 65.0 | 71.1 |
|      | MAY   | 32.8 | 42.4 | 50.3 | 56.2 | 60.6 | 68.2 |
|      | JUN   | 33.7 | 42.3 | 51.9 | 57.8 | 63.3 | 68.5 |
|      | JUL   | 33.8 | 42.0 | 52.8 | 60.2 | 68.0 | 72.6 |
|      | AUG   | 36.4 | 44.6 | 54.3 | 61.5 | 68.1 | 72.7 |
|      | SEP   | 29.6 | 37.9 | 46.6 | 53.1 | 59.1 | 65.0 |
|      | OCT   | 30.8 | 37.6 | 46.0 | 52.2 | 58.4 | 64.4 |
|      | NOV   | 31.7 | 39.0 | 46.8 | 53.6 | 59.5 | 63.6 |
|      | DEC   | 34.9 | 42.6 | 49.6 | 55.6 | 60.9 | 64.5 |
| 1984 | JAN   | 34.6 | 40.0 | 46.6 | 52.7 | 58.5 | 64.1 |
|      | FEB   | 30.6 | 38.8 | 47.1 | 55.1 | 63.0 | 69.0 |
|      | MAR   | 30.3 | 39.6 | 46.9 | 53.1 | 59.6 | 64.1 |
|      | APR   | 30.7 | 37.2 | 45.4 | 52.5 | 59.0 | 65.1 |
|      | MAY   | 33.6 | 40.4 | 48.8 | 55.0 | 61.5 | 67.6 |
|      | JUN   | 36.3 | 40.6 | 50.7 | 57.7 | 64.9 | 71.0 |

TABLE I (CONTD): MEAN SEA LEVEL MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1984 | JUL   | 38.5 | 40.5 | 49.0 | 55.3 | 62.7 | 68.2 |
|      | AUG   | 36.1 | 39.0 | 46.9 | 53.6 | 61.3 | 67.6 |
|      | SEP   | 29.3 | 39.9 | 44.9 | 55.2 | 58.5 | 63.0 |
|      | OCT   | 27.7 | 37.9 | 46.4 | 53.3 | 60.1 | 65.4 |
|      | NOV   | 26.7 | 37.4 | 44.9 | 51.7 | 57.4 | 63.7 |
|      | DEC   | 27.8 | 38.3 | 46.2 | 53.6 | 62.5 | 68.1 |
| 1985 | JAN   | 26.7 | 36.1 | 43.1 | 50.2 | 57.8 | 64.2 |
|      | FEB   | 26.2 | 36.5 | 45.4 | 53.2 | 61.4 | 66.3 |
|      | MAR   | 27.0 | 37.2 | 45.8 | 53.4 | 61.1 | 66.8 |
|      | APR   | 30.1 | 38.6 | 48.6 | 55.8 | 61.5 | 66.4 |
|      | MAY   | 32.2 | 40.2 | 50.6 | 59.0 | 66.9 | 71.7 |
|      | JUN   | 32.8 | 39.8 | 50.9 | 58.7 | 65.9 | 71.7 |
|      | JUL   | 37.6 | 40.6 | 51.2 | 58.5 | 64.9 | 68.3 |
|      | AUG   | 34.8 | 37.7 | 47.6 | 55.7 | 62.7 | 67.4 |
|      | SEP   | 28.3 | 35.8 | 44.9 | 52.6 | 59.4 | 64.8 |
|      | OCT   | 25.9 | 34.6 | 43.2 | 49.8 | 55.9 | 63.8 |
|      | NOV   | 28.3 | 40.4 | 49.5 | 58.0 | 64.7 | 71.2 |
|      | DEC   | 26.8 | 34.8 | 42.9 | 49.7 | 55.7 | 61.6 |
| 1986 | JAN   | 25.3 | 35.1 | 43.4 | 50.8 | 57.7 | 63.4 |
|      | FEB   | 28.0 | 38.6 | 47.3 | 55.3 | 62.4 | 68.8 |
|      | MAR   | 26.8 | 35.4 | 42.7 | 49.9 | 56.4 | 60.7 |
|      | APR   | 28.7 | 38.5 | 47.6 | 55.3 | 61.8 | 68.8 |
|      | MAY   | 30.1 | 37.4 | 46.7 | 53.3 | 59.4 | 64.9 |
|      | JUN   | 35.2 | 39.1 | 47.7 | 54.9 | 61.6 | 67.7 |
|      | JUL   | 37.1 | 39.3 | 49.2 | 56.6 | 62.8 | 67.3 |
|      | AUG   | 35.9 | 38.1 | 46.9 | 53.2 | 58.6 | 63.8 |
|      | SEP   | 30.3 | 35.4 | 43.8 | 51.0 | 58.8 | 64.6 |
|      | OCT   | 27.8 | 36.8 | 45.8 | 52.4 | 58.0 | 65.6 |
|      | NOV   | 24.4 | 34.4 | 42.6 | 50.2 | 58.4 | 66.2 |
|      | DEC   | 21.1 | 29.3 | 36.5 | 43.4 | 50.2 | 57.0 |
| 1987 | JAN   | 21.3 | 30.4 | 38.2 | 45.4 | 51.9 | 57.2 |
|      | FEB   | 20.9 | 30.6 | 40.0 | 47.1 | 53.3 | 58.7 |
|      | MAR   | 20.9 | 29.3 | 36.1 | 43.2 | 48.6 | 54.4 |
|      | APR   | 25.3 | 34.4 | 42.2 | 49.1 | 55.0 | 59.7 |
|      | MAY   | 29.1 | 33.5 | 40.0 | 45.5 | 51.7 | 56.4 |
|      | JUN   | 28.3 | 35.5 | 41.5 | 46.2 | 50.7 | 55.5 |
|      | JUL   | 31.0 | 36.8 | 42.2 | 47.1 | 52.7 | 57.8 |
|      | AUG   | 30.0 | 36.3 | 41.4 | 46.1 | 49.7 | 52.2 |
|      | SEP   | 28.6 | 36.2 | 42.5 | 48.6 | 54.0 | 57.4 |
|      | OCT   | 22.0 | 30.4 | 37.0 | 44.5 | 51.5 | 56.7 |
|      | NOV   | 19.5 | 27.4 | 34.0 | 40.2 | 45.8 | 52.1 |
|      | DEC   | 20.3 | 28.2 | 35.6 | 42.2 | 48.4 | 54.0 |
| 1988 | JAN   | 19.9 | 28.1 | 35.6 | 42.3 | 49.0 | 53.9 |
|      | FEB   | 21.7 | 28.9 | 35.7 | 42.7 | 49.3 | 56.5 |
|      | MAR   | 21.3 | 28.9 | 36.3 | 43.0 | 49.2 | 54.9 |
|      | APR   | 23.3 | 32.3 | 40.1 | 46.6 | 52.4 | 57.6 |



TABLE I (CONTD) : MEAN SEA LEVEL MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1988 | MAY   | 25.3 | 32.2 | 39.2 | 44.6 | 49.1 | 51.4 |
|      | JUN   | 26.9 | 33.7 | 38.9 | 44.0 | 48.3 | 52.0 |
|      | JUL   | 31.3 | 35.9 | 40.9 | 45.9 | 50.6 | 53.0 |
|      | AUG   | 27.1 | 32.5 | 38.2 | 44.2 | 49.3 | 52.2 |
|      | SEP   | 23.7 | 31.2 | 38.7 | 45.8 | 51.6 | 56.3 |
|      | OCT   | 21.0 | 27.8 | 35.0 | 41.8 | 48.9 | 54.4 |
|      | NOV   | 18.9 | 27.2 | 34.3 | 40.6 | 45.8 | 51.4 |
|      | DEC   | 19.4 | 27.4 | 35.6 | 42.6 | 47.3 | 52.9 |

TABLE II: 500MB MONTHLY S1 SCORE  
12 THRU 72 HOURS

OPERATIONAL MODELS: 6-Layer Primitive Equation model thru JUL80,  
Spectral model AUG80 -

VERIFYING ANALYSES: Hough analysis thru 25JUL84, Optimum Interpo-  
lation method 25JUL84 -

VERIFICATION GRID: 49 point lat-lon grid. This is a subset of  
a 63 point grid which covers the area between  
65 and 145 west longitude and between 25 and  
55 north latitude. Gridpoint spacing is 5  
degrees latitude by 10 degrees longitude.

\*\*\*\*\*

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1978 | JAN   | 20.5 | 26.4 | 32.5 | 38.3 | 43.7 | 49.4 |
|      | FEB   | 20.8 | 25.6 | 31.3 | 36.4 | 41.3 | 45.9 |
|      | MAR   | 18.1 | 23.3 | 29.8 | 35.7 | 40.4 | 45.8 |
|      | APR   | 22.0 | 27.8 | 34.9 | 41.3 | 47.7 | 54.1 |
|      | MAY   | 22.2 | 28.8 | 35.5 | 41.0 | 47.4 | 51.4 |
|      | JUN   | 22.7 | 27.2 | 33.7 | 38.9 | 42.8 | 48.7 |
|      | JUL   | 24.5 | 28.6 | 34.2 | 38.0 | 39.9 | 44.4 |
|      | AUG   | 22.9 | 27.6 | 32.8 | 37.5 | 41.7 | 46.0 |
|      | SEP   | 23.4 | 28.4 | 34.8 | 39.5 | 45.1 | 49.1 |
|      | OCT   | 19.8 | 25.0 | 31.4 | 36.3 | 40.4 | 44.8 |
|      | NOV   | 18.8 | 24.0 | 29.2 | 33.7 | 39.5 | 44.7 |
|      | DEC   | 18.0 | 23.7 | 29.8 | 34.9 | 39.3 | 42.9 |
| 1979 | JAN   | 18.9 | 25.3 | 32.3 | 38.6 | 44.0 | 48.5 |
|      | FEB   | 18.2 | 22.9 | 27.8 | 31.5 | 36.0 | 38.0 |
|      | MAR   | 20.0 | 25.4 | 32.1 | 37.7 | 42.0 | 47.7 |
|      | APR   | 19.5 | 25.3 | 31.5 | 38.2 | 43.3 | 48.9 |
|      | MAY   | 21.3 | 27.6 | 32.8 | 38.8 | 44.6 | 51.3 |
|      | JUN   | 22.2 | 27.3 | 32.4 | 37.7 | 42.4 | 48.2 |
|      | JUL   | 24.9 | 29.2 | 34.9 | 39.6 | 43.6 | 48.4 |
|      | AUG   | 23.4 | 27.8 | 33.2 | 37.9 | 43.4 | 47.6 |
|      | SEP   | 21.2 | 26.0 | 31.7 | 37.2 | 41.7 | 46.6 |
|      | OCT   | 19.4 | 25.2 | 30.2 | 34.9 | 38.7 | 43.1 |
|      | NOV   | 18.4 | 24.5 | 29.0 | 35.2 | 39.9 | 44.2 |
|      | DEC   | 18.3 | 23.4 | 28.8 | 33.6 | 37.9 | 41.1 |
| 1980 | JAN   | 18.2 | 23.6 | 28.3 | 34.1 | 39.4 | 45.3 |
|      | FEB   | 19.2 | 24.9 | 29.8 | 35.7 | 40.7 | 44.9 |
|      | MAR   | 18.9 | 23.9 | 28.7 | 34.4 | 40.3 | 44.9 |
|      | APR   | 20.4 | 26.5 | 32.3 | 38.0 | 42.7 | 47.4 |
|      | MAY   | 21.8 | 27.4 | 34.0 | 39.9 | 46.3 | 51.2 |
|      | JUN   | 21.4 | 25.8 | 31.4 | 36.5 | 40.2 | 45.9 |
|      | JUL   | 21.8 | 26.4 | 31.7 | 36.4 | 42.4 | 47.4 |
|      | AUG   | 20.5 | 25.6 | 30.8 | 35.4 | 40.7 | 46.0 |

TABLE II (CONTD): 500MB MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1980 | SEP   | 16.7 | 22.3 | 27.6 | 32.4 | 38.2 | 42.6 |
|      | OCT   | 15.1 | 21.1 | 27.0 | 32.8 | 38.6 | 43.1 |
|      | NOV   | 15.5 | 21.8 | 28.3 | 34.7 | 39.4 | 43.7 |
|      | DEC   | 13.7 | 18.9 | 24.1 | 29.2 | 33.2 | 38.8 |
| 1981 | JAN   | 15.6 | 21.2 | 27.0 | 32.3 | 38.1 | 43.5 |
|      | FEB   | 15.6 | 22.0 | 28.4 | 34.4 | 39.9 | 46.1 |
|      | MAR   | 18.2 | 25.3 | 32.4 | 38.3 | 43.8 | 49.3 |
|      | APR   | 16.0 | 22.1 | 27.8 | 33.2 | 38.3 | 43.4 |
|      | MAY   | 19.6 | 26.4 | 32.6 | 38.5 | 43.7 | 49.0 |
|      | JUN   | 19.6 | 26.5 | 32.2 | 37.8 | 42.2 | 46.2 |
|      | JUL   | 21.3 | 27.5 | 32.8 | 38.2 | 43.7 | 50.9 |
|      | AUG   | 22.3 | 28.2 | 33.6 | 38.2 | 42.9 | 49.0 |
|      | SEP   | 18.9 | 26.0 | 32.2 | 37.8 | 43.1 | 49.0 |
|      | OCT   | 15.0 | 20.7 | 26.8 | 33.0 | 38.9 | 45.7 |
|      | NOV   | 17.6 | 23.6 | 29.8 | 35.3 | 39.9 | 43.8 |
|      | DEC   | 15.4 | 21.7 | 27.8 | 33.9 | 39.1 | 45.1 |
| 1982 | JAN   | 13.8 | 19.0 | 24.0 | 28.7 | 32.8 | 38.2 |
|      | FEB   | 13.9 | 19.1 | 23.5 | 27.6 | 31.5 | 38.6 |
|      | MAR   | 15.7 | 21.8 | 27.0 | 32.3 | 37.7 | 44.9 |
|      | APR   | 16.4 | 21.8 | 27.2 | 33.0 | 36.7 | 42.3 |
|      | MAY   | 19.8 | 27.4 | 34.5 | 40.8 | 46.9 | 51.6 |
|      | JUN   | 19.3 | 25.5 | 31.3 | 36.2 | 41.8 | 46.9 |
|      | JUL   | 20.6 | 26.2 | 32.0 | 37.0 | 42.2 | 47.1 |
|      | AUG   | 18.2 | 22.8 | 27.5 | 32.0 | 38.0 | 45.3 |
|      | SEP   | 17.6 | 23.4 | 29.1 | 35.1 | 40.7 | 46.1 |
|      | OCT   | 17.1 | 22.9 | 28.9 | 35.1 | 41.2 | 48.2 |
|      | NOV   | 15.0 | 20.5 | 25.5 | 30.0 | 34.5 | 40.2 |
|      | DEC   | 15.2 | 21.4 | 27.1 | 32.6 | 38.0 | 44.1 |
| 1983 | JAN   | 16.1 | 22.2 | 28.2 | 34.1 | 39.0 | 43.8 |
|      | FEB   | 17.8 | 24.0 | 29.6 | 35.7 | 41.1 | 46.9 |
|      | MAR   | 18.7 | 25.3 | 30.7 | 36.2 | 42.9 | 50.8 |
|      | APR   | 17.6 | 24.6 | 30.8 | 37.4 | 42.4 | 48.9 |
|      | MAY   | 17.7 | 24.1 | 29.5 | 34.7 | 39.4 | 44.3 |
|      | JUN   | 19.7 | 26.4 | 32.1 | 38.4 | 44.2 | 48.1 |
|      | JUL   | 19.1 | 25.4 | 31.1 | 36.5 | 42.1 | 47.7 |
|      | AUG   | 17.9 | 23.4 | 28.3 | 33.0 | 37.9 | 42.2 |
|      | SEP   | 16.7 | 22.2 | 27.1 | 32.2 | 35.9 | 40.6 |
|      | OCT   | 16.8 | 23.5 | 29.1 | 35.0 | 39.4 | 46.5 |
|      | NOV   | 18.0 | 25.4 | 31.0 | 37.1 | 42.1 | 48.5 |
|      | DEC   | 15.9 | 20.5 | 25.6 | 30.6 | 35.4 | 41.8 |
| 1984 | JAN   | 15.6 | 19.7 | 24.5 | 29.7 | 34.2 | 40.0 |
|      | FEB   | 17.0 | 23.0 | 29.5 | 36.2 | 41.5 | 46.9 |
|      | MAR   | 16.6 | 22.3 | 27.9 | 33.4 | 38.4 | 43.4 |
|      | APR   | 18.0 | 24.4 | 30.6 | 36.1 | 41.6 | 47.0 |
|      | MAY   | 17.2 | 23.2 | 28.8 | 34.4 | 39.2 | 43.2 |
|      | JUN   | 18.9 | 25.2 | 31.4 | 37.0 | 41.6 | 44.5 |

TABLE II (CONTD): 500MB MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1984 | JUL   | 18.6 | 24.1 | 29.2 | 34.6 | 40.3 | 46.3 |
|      | AUG   | 16.7 | 23.2 | 29.4 | 35.3 | 41.4 | 46.8 |
|      | SEP   | 14.4 | 21.1 | 27.3 | 32.7 | 37.6 | 41.4 |
|      | OCT   | 13.6 | 20.6 | 26.6 | 32.1 | 36.6 | 41.0 |
|      | NOV   | 16.1 | 23.3 | 29.6 | 35.3 | 40.3 | 45.1 |
|      | DEC   | 11.8 | 18.3 | 24.7 | 31.0 | 36.8 | 39.8 |
| 1985 | JAN   | 12.5 | 18.7 | 25.4 | 32.5 | 40.3 | 47.5 |
|      | FEB   | 12.1 | 18.9 | 25.1 | 31.0 | 36.8 | 40.1 |
|      | MAR   | 14.3 | 21.3 | 27.7 | 32.8 | 38.0 | 42.6 |
|      | APR   | 13.3 | 19.9 | 25.7 | 31.6 | 37.0 | 41.4 |
|      | MAY   | 15.3 | 23.2 | 30.7 | 37.6 | 43.6 | 48.5 |
|      | JUN   | 15.9 | 24.2 | 31.8 | 39.1 | 44.4 | 49.4 |
|      | JUL   | 16.5 | 22.9 | 28.1 | 32.8 | 37.0 | 41.3 |
|      | AUG   | 16.5 | 23.6 | 29.4 | 34.7 | 40.3 | 45.7 |
|      | SEP   | 13.8 | 21.8 | 28.5 | 34.5 | 39.3 | 43.3 |
|      | OCT   | 12.8 | 19.4 | 25.3 | 30.9 | 35.4 | 40.5 |
|      | NOV   | 11.8 | 18.8 | 24.9 | 30.4 | 35.7 | 41.4 |
|      | DEC   | 11.0 | 16.8 | 22.7 | 28.6 | 33.4 | 38.2 |
| 1986 | JAN   | 12.0 | 18.6 | 25.0 | 31.3 | 36.2 | 40.3 |
|      | FEB   | 12.7 | 19.1 | 25.3 | 31.8 | 37.4 | 41.0 |
|      | MAR   | 12.7 | 18.5 | 24.0 | 28.9 | 34.0 | 37.8 |
|      | APR   | 14.0 | 21.4 | 27.9 | 34.2 | 40.1 | 46.1 |
|      | MAY   | 15.2 | 22.5 | 28.8 | 33.8 | 38.8 | 43.1 |
|      | JUN   | 14.6 | 20.6 | 26.1 | 31.6 | 37.4 | 42.4 |
|      | JUL   | 17.3 | 23.6 | 29.1 | 34.0 | 38.7 | 43.7 |
|      | AUG   | 15.9 | 22.0 | 28.0 | 33.4 | 38.8 | 45.0 |
|      | SEP   | 13.9 | 19.6 | 25.0 | 30.6 | 36.1 | 41.7 |
|      | OCT   | 13.0 | 19.7 | 26.6 | 32.5 | 37.3 | 42.0 |
|      | NOV   | 11.0 | 16.7 | 22.4 | 28.7 | 33.9 | 38.6 |
|      | DEC   | 12.0 | 18.5 | 24.4 | 29.9 | 35.8 | 41.6 |
| 1987 | JAN   | 11.3 | 18.1 | 24.9 | 30.9 | 36.2 | 39.6 |
|      | FEB   | 12.6 | 19.8 | 26.1 | 32.1 | 36.9 | 40.7 |
|      | MAR   | 12.5 | 19.4 | 25.6 | 31.5 | 37.3 | 42.4 |
|      | APR   | 13.0 | 20.7 | 27.7 | 33.6 | 38.4 | 42.9 |
|      | MAY   | 13.4 | 20.0 | 25.9 | 30.9 | 35.3 | 39.8 |
|      | JUN   | 13.1 | 18.9 | 24.3 | 28.7 | 33.1 | 38.4 |
|      | JUL   | 14.7 | 20.2 | 25.7 | 30.6 | 35.2 | 39.6 |
|      | AUG   | 13.6 | 19.8 | 25.0 | 29.6 | 33.2 | 37.4 |
|      | SEP   | 12.2 | 18.0 | 23.4 | 29.0 | 34.4 | 39.9 |
|      | OCT   | 10.6 | 16.3 | 21.6 | 26.9 | 32.1 | 37.8 |
|      | NOV   | 11.4 | 17.7 | 23.6 | 29.2 | 34.3 | 37.5 |
|      | DEC   | 11.0 | 16.9 | 22.7 | 28.2 | 33.1 | 37.8 |
| 1988 | JAN   | 9.7  | 15.2 | 20.8 | 26.0 | 30.9 | 34.2 |
|      | FEB   | 9.3  | 14.2 | 19.4 | 24.8 | 30.0 | 34.7 |
|      | MAR   | 10.8 | 17.2 | 22.8 | 28.4 | 33.4 | 37.9 |
|      | APR   | 12.4 | 19.9 | 26.6 | 32.9 | 38.9 | 43.4 |

TABLE II (CONTD): 500MB MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1988 | MAY   | 13.0 | 19.8 | 25.7 | 31.3 | 36.4 | 41.0 |
|      | JUN   | 13.4 | 19.1 | 24.6 | 28.9 | 33.5 | 37.6 |
|      | JUL   | 15.1 | 21.4 | 26.7 | 31.8 | 36.8 | 41.2 |
|      | AUG   | 15.2 | 22.2 | 28.9 | 34.6 | 39.9 | 43.2 |
|      | SEP   | 13.0 | 19.6 | 26.2 | 32.2 | 37.6 | 42.9 |
|      | OCT   | 11.1 | 17.0 | 22.4 | 27.8 | 33.0 | 38.4 |
|      | NOV   | 11.1 | 17.1 | 22.4 | 27.2 | 31.6 | 36.0 |
|      | DEC   | 9.0  | 14.2 | 19.5 | 24.4 | 28.4 | 32.3 |

TABLE IIIA: 500MB WEST33 MONTHLY S1 SCORE  
12 THRU 72 HOURS

OPERATIONAL MODELS: 6-Layer Primitive Equation model thru JUL80,  
Spectral model AUG80 -

VERIFYING ANALYSES: Hough analysis thru 25JUL84, Optimum Interpo-  
lation method 25JUL84 -

VERIFICATION GRID: 33 point lat-lon grids for western and eastern  
United States. Between 25N and 55N, WEST33 is  
the area from 105W to 145W and EAST33 is the  
area from 105W to 145W; gridpoint spacing is  
5 degrees latitude by 10 degrees longitude.

\*\*\*\*\*

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1978 | JAN   | 26.9 | 32.4 | 37.9 | 44.1 | 50.2 | 55.4 |
|      | FEB   | 25.8 | 31.6 | 36.6 | 41.0 | 45.4 | 45.9 |
|      | MAR   | 24.5 | 31.5 | 38.0 | 44.0 | 47.2 | 53.2 |
|      | APR   | 24.9 | 29.8 | 36.6 | 42.2 | 49.6 | 53.2 |
|      | MAY   | 24.1 | 32.4 | 39.3 | 42.8 | 50.1 | 52.6 |
|      | JUN   | 25.8 | 33.8 | 39.2 | 44.8 | 46.8 | 50.7 |
|      | JUL   | 29.4 | 34.0 | 39.1 | 45.5 | 45.5 | 50.3 |
|      | AUG   | 25.1 | 31.2 | 36.1 | 40.7 | 44.4 | 47.9 |
|      | SEP   | 26.5 | 31.8 | 37.1 | 42.8 | 47.4 | 52.0 |
|      | OCT   | 23.6 | 30.4 | 34.6 | 40.0 | 43.4 | 48.4 |
|      | NOV   | 23.0 | 31.1 | 33.9 | 39.6 | 43.2 | 48.7 |
|      | DEC   | 21.0 | 27.7 | 32.5 | 37.6 | 43.6 | 47.2 |
| 1979 | JAN   | 23.8 | 31.3 | 37.1 | 44.5 | 49.8 | 52.9 |
|      | FEB   | 21.4 | 25.6 | 29.5 | 32.9 | 38.7 | 40.9 |
|      | MAR   | 23.6 | 29.4 | 36.6 | 40.8 | 43.3 | 47.9 |
|      | APR   | 23.0 | 29.7 | 34.2 | 39.7 | 45.4 | 49.8 |
|      | MAY   | 23.9 | 31.1 | 36.3 | 41.5 | 46.3 | 51.3 |
|      | JUN   | 25.1 | 30.8 | 35.6 | 40.3 | 44.9 | 48.1 |
|      | JUL   | 28.0 | 32.8 | 38.2 | 43.0 | 46.6 | 52.7 |
|      | AUG   | 28.8 | 33.6 | 39.7 | 43.8 | 48.2 | 53.4 |
|      | SEP   | 27.3 | 31.6 | 38.5 | 42.8 | 46.3 | 50.6 |
|      | OCT   | 23.0 | 29.0 | 33.0 | 37.6 | 40.9 | 45.1 |
|      | NOV   | 22.8 | 29.4 | 33.0 | 37.4 | 40.4 | 44.9 |
|      | DEC   | 21.4 | 25.7 | 30.8 | 35.1 | 37.3 | 39.4 |
| 1980 | JAN   | 21.9 | 27.5 | 31.4 | 37.6 | 43.4 | 47.9 |
|      | FEB   | 24.4 | 30.9 | 35.7 | 40.0 | 43.8 | 47.8 |
|      | MAR   | 23.6 | 29.0 | 33.8 | 37.9 | 44.1 | 47.4 |
|      | APR   | 22.7 | 28.8 | 34.2 | 39.0 | 42.9 | 46.0 |
|      | MAY   | 24.2 | 30.4 | 36.4 | 41.7 | 46.6 | 50.8 |
|      | JUN   | 24.9 | 29.7 | 34.4 | 39.6 | 43.3 | 50.0 |
|      | JUL   | 24.1 | 28.6 | 33.4 | 38.5 | 43.0 | 48.6 |
|      | AUG   | 24.7 | 30.7 | 35.2 | 39.2 | 44.0 | 49.4 |

TABLE IIIA (CONTD): 500MB WEST33 MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1980 | SEP   | 20.7 | 26.4 | 31.8 | 36.6 | 41.7 | 46.6 |
|      | OCT   | 19.0 | 26.0 | 31.9 | 37.4 | 40.7 | 43.3 |
|      | NOV   | 19.5 | 26.4 | 32.5 | 40.2 | 39.2 | 43.4 |
|      | DEC   | 18.5 | 24.3 | 29.8 | 33.5 | 36.2 | 41.8 |
| 1981 | JAN   | 22.8 | 29.8 | 36.4 | 40.4 | 44.6 | 49.3 |
|      | FEB   | 20.2 | 26.7 | 33.6 | 39.9 | 44.7 | 51.7 |
|      | MAR   | 22.0 | 30.2 | 36.7 | 41.9 | 45.8 | 49.4 |
|      | APR   | 19.5 | 26.1 | 31.6 | 36.8 | 41.1 | 45.1 |
|      | MAY   | 22.1 | 28.8 | 34.1 | 39.2 | 43.6 | 50.1 |
|      | JUN   | 22.0 | 28.7 | 34.1 | 38.7 | 42.1 | 46.9 |
|      | JUL   | 27.2 | 33.6 | 38.3 | 43.6 | 49.2 | 58.2 |
|      | AUG   | 25.3 | 31.2 | 35.9 | 39.9 | 44.0 | 52.1 |
|      | SEP   | 22.0 | 29.6 | 35.5 | 40.5 | 44.3 | 49.0 |
|      | OCT   | 18.2 | 24.0 | 29.5 | 35.9 | 41.7 | 48.1 |
|      | NOV   | 21.2 | 26.7 | 31.9 | 35.5 | 38.5 | 41.9 |
|      | DEC   | 18.8 | 25.4 | 31.5 | 36.2 | 39.0 | 43.9 |
| 1982 | JAN   | 17.6 | 22.5 | 27.0 | 31.5 | 34.7 | 38.6 |
|      | FEB   | 18.5 | 23.7 | 27.3 | 30.9 | 34.8 | 42.6 |
|      | MAR   | 19.2 | 25.7 | 31.1 | 35.9 | 40.5 | 47.3 |
|      | APR   | 18.4 | 23.2 | 27.6 | 31.8 | 35.8 | 39.9 |
|      | MAY   | 21.3 | 29.0 | 35.8 | 42.5 | 47.6 | 51.7 |
|      | JUN   | 23.5 | 28.8 | 34.2 | 38.6 | 44.3 | 49.9 |
|      | JUL   | 24.7 | 30.3 | 36.4 | 40.4 | 45.8 | 52.2 |
|      | AUG   | 23.3 | 28.0 | 32.8 | 36.8 | 43.0 | 52.6 |
|      | SEP   | 21.1 | 26.8 | 33.0 | 39.2 | 45.0 | 51.6 |
|      | OCT   | 19.8 | 25.5 | 31.3 | 36.5 | 42.0 | 49.6 |
|      | NOV   | 18.5 | 24.6 | 30.1 | 34.5 | 37.9 | 42.7 |
|      | DEC   | 19.0 | 26.5 | 31.8 | 36.9 | 41.3 | 45.9 |
| 1983 | JAN   | 20.7 | 26.5 | 31.6 | 36.3 | 39.8 | 44.5 |
|      | FEB   | 20.4 | 26.6 | 31.7 | 35.2 | 38.5 | 44.5 |
|      | MAR   | 20.1 | 26.3 | 30.6 | 35.2 | 40.1 | 45.7 |
|      | APR   | 20.1 | 26.4 | 31.8 | 38.2 | 42.3 | 47.4 |
|      | MAY   | 21.2 | 27.2 | 32.9 | 38.2 | 42.3 | 47.4 |
|      | JUN   | 22.5 | 28.8 | 34.8 | 40.4 | 44.9 | 48.4 |
|      | JUL   | 21.5 | 27.9 | 33.1 | 37.1 | 42.0 | 47.8 |
|      | AUG   | 21.5 | 27.2 | 31.5 | 36.2 | 41.9 | 48.2 |
|      | SEP   | 21.3 | 27.0 | 31.8 | 36.0 | 39.3 | 45.3 |
|      | OCT   | 20.1 | 27.5 | 32.4 | 37.0 | 39.3 | 45.4 |
|      | NOV   | 19.7 | 27.0 | 31.5 | 34.8 | 39.3 | 43.7 |
|      | DEC   | 20.2 | 26.1 | 29.9 | 34.6 | 39.5 | 48.1 |
| 1984 | JAN   | 20.8 | 26.5 | 31.4 | 37.7 | 42.0 | 47.4 |
|      | FEB   | 21.7 | 28.0 | 33.5 | 37.9 | 40.9 | 45.4 |
|      | MAR   | 19.9 | 26.0 | 31.1 | 35.7 | 40.3 | 45.4 |
|      | APR   | 19.9 | 26.4 | 32.2 | 37.1 | 40.7 | 45.3 |
|      | MAY   | 20.8 | 27.0 | 32.4 | 36.7 | 39.7 | 43.3 |
|      | JUN   | 22.7 | 28.9 | 34.2 | 38.1 | 41.9 | 43.7 |

TABLE IIIA(CONTD): 500MB WEST33 MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1984 | JUL   | 23.2 | 28.8 | 33.8 | 39.1 | 43.8 | 50.4 |
|      | AUG   | 20.2 | 27.1 | 33.3 | 38.7 | 44.0 | 48.6 |
|      | SEP   | 18.4 | 25.3 | 30.7 | 35.6 | 40.6 | 45.8 |
|      | OCT   | 15.3 | 22.5 | 28.1 | 32.9 | 36.4 | 40.6 |
|      | NOV   | 19.8 | 26.6 | 32.6 | 37.4 | 40.9 | 43.4 |
|      | DEC   | 15.1 | 22.6 | 29.7 | 37.0 | 43.0 | 47.1 |
| 1985 | JAN   | 18.3 | 25.9 | 33.2 | 39.9 | 46.1 | 52.8 |
|      | FEB   | 15.7 | 22.7 | 28.1 | 33.8 | 39.4 | 42.5 |
|      | MAR   | 17.7 | 25.2 | 30.4 | 33.6 | 37.6 | 41.7 |
|      | APR   | 16.7 | 24.0 | 29.8 | 34.2 | 39.1 | 42.8 |
|      | MAY   | 19.2 | 27.3 | 34.1 | 40.3 | 44.9 | 46.4 |
|      | JUN   | 18.8 | 26.6 | 33.9 | 39.6 | 43.8 | 47.4 |
|      | JUL   | 20.5 | 28.1 | 33.4 | 37.6 | 42.2 | 45.8 |
|      | AUG   | 19.1 | 26.5 | 31.9 | 35.8 | 40.1 | 45.1 |
|      | SEP   | 16.7 | 25.1 | 31.9 | 37.9 | 43.4 | 48.0 |
|      | OCT   | 15.3 | 22.2 | 27.3 | 31.8 | 36.0 | 39.4 |
|      | NOV   | 14.3 | 21.1 | 27.0 | 33.4 | 38.6 | 43.4 |
|      | DEC   | 15.5 | 23.2 | 29.6 | 35.4 | 38.7 | 42.3 |
| 1986 | JAN   | 17.3 | 25.6 | 31.0 | 35.1 | 38.0 | 40.1 |
|      | FEB   | 16.3 | 22.8 | 28.5 | 34.1 | 38.0 | 40.4 |
|      | MAR   | 15.8 | 22.9 | 28.9 | 33.2 | 36.8 | 38.7 |
|      | APR   | 16.2 | 24.6 | 30.5 | 35.8 | 39.4 | 44.8 |
|      | MAY   | 16.2 | 23.4 | 29.3 | 33.1 | 37.4 | 41.1 |
|      | JUN   | 17.9 | 24.2 | 29.9 | 34.9 | 40.8 | 45.0 |
|      | JUL   | 20.0 | 26.5 | 31.9 | 36.3 | 41.6 | 47.5 |
|      | AUG   | 20.6 | 27.5 | 32.6 | 36.7 | 41.4 | 46.7 |
|      | SEP   | 16.0 | 21.9 | 27.8 | 34.1 | 40.5 | 45.9 |
|      | OCT   | 16.5 | 23.3 | 29.9 | 35.3 | 39.8 | 43.1 |
|      | NOV   | 14.4 | 20.4 | 26.2 | 31.8 | 36.4 | 41.1 |
|      | DEC   | 15.7 | 23.2 | 29.4 | 34.8 | 38.9 | 44.4 |
| 1987 | JAN   | 14.0 | 21.3 | 27.1 | 31.2 | 34.5 | 37.4 |
|      | FEB   | 15.1 | 23.4 | 30.0 | 35.0 | 39.6 | 44.4 |
|      | MAR   | 15.2 | 23.0 | 28.0 | 31.9 | 36.0 | 39.6 |
|      | APR   | 14.9 | 22.6 | 28.8 | 32.3 | 35.9 | 40.2 |
|      | MAY   | 15.8 | 23.3 | 29.7 | 34.4 | 38.7 | 42.6 |
|      | JUN   | 15.7 | 21.8 | 27.5 | 31.2 | 36.2 | 41.7 |
|      | JUL   | 15.8 | 21.8 | 27.3 | 31.5 | 35.8 | 39.4 |
|      | AUG   | 16.8 | 23.2 | 28.8 | 33.1 | 36.5 | 40.8 |
|      | SEP   | 14.8 | 21.2 | 26.3 | 31.6 | 36.6 | 41.6 |
|      | OCT   | 14.1 | 20.9 | 26.6 | 31.2 | 36.6 | 43.0 |
|      | NOV   | 13.8 | 20.6 | 26.4 | 30.8 | 35.2 | 37.4 |
|      | DEC   | 13.2 | 19.7 | 24.6 | 29.1 | 33.1 | 35.9 |
| 1988 | JAN   | 13.1 | 19.9 | 25.6 | 30.0 | 34.1 | 37.9 |
|      | FEB   | 13.4 | 20.1 | 26.9 | 33.1 | 37.4 | 40.4 |
|      | MAR   | 13.4 | 20.7 | 27.0 | 32.4 | 37.4 | 43.1 |
|      | APR   | 14.4 | 22.0 | 29.2 | 35.3 | 41.4 | 45.8 |



TABLE IIIA(CONTD): 500MB WEST33 MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1988 | MAY   | 14.6 | 20.9 | 25.6 | 30.4 | 34.7 | 38.4 |
|      | JUN   | 15.3 | 21.3 | 26.6 | 30.6 | 34.9 | 38.3 |
|      | JUL   | 17.5 | 23.7 | 29.0 | 33.5 | 38.4 | 42.0 |
|      | AUG   | 18.1 | 25.8 | 32.6 | 38.4 | 43.8 | 48.4 |
|      | SEP   | 15.6 | 22.9 | 29.6 | 35.3 | 40.7 | 46.1 |
|      | OCT   | 14.6 | 21.4 | 27.1 | 32.0 | 37.0 | 41.8 |
|      | NOV   | 12.8 | 18.7 | 23.2 | 27.3 | 30.6 | 34.2 |
|      | DEC   | 12.1 | 18.8 | 24.6 | 29.1 | 32.3 | 35.7 |

TABLE IIIB: 500MB EAST33 MONTHLY S1 SCORE  
12 THRU 72 HOURS

OPERATIONAL MODELS: 6-Layer Primitive Equation model thru JUL80,  
Spectral model AUG80 -

VERIFYING ANALYSES: Hough analysis thru 25JUL84, Optimum Interpo-  
lation method 25JUL84 -

VERIFICATION GRID: 33 point lat-lon grids for western and eastern  
United States. Between 25N and 55N, WEST33 is  
the area from 105W to 145W and EAST33 is the  
area from 105W to 145W; gridpoint spacing is  
5 degrees latitude by 10 degrees longitude.

\*\*\*\*\*

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1978 | JAN   | 17.8 | 23.4 | 29.3 | 34.8 | 39.4 | 44.3 |
|      | FEB   | 19.0 | 22.8 | 28.6 | 33.6 | 38.2 | 43.9 |
|      | MAR   | 15.5 | 19.4 | 25.5 | 31.1 | 36.4 | 41.1 |
|      | APR   | 19.7 | 23.9 | 29.4 | 36.3 | 42.8 | 51.0 |
|      | MAY   | 23.0 | 27.4 | 35.4 | 39.6 | 45.0 | 49.2 |
|      | JUN   | 22.4 | 24.6 | 30.6 | 34.4 | 40.1 | 46.3 |
|      | JUL   | 24.6 | 26.2 | 31.5 | 33.6 | 36.1 | 41.3 |
|      | AUG   | 24.6 | 28.7 | 33.8 | 38.6 | 40.7 | 45.0 |
|      | SEP   | 22.2 | 25.8 | 32.8 | 36.1 | 42.7 | 46.1 |
|      | OCT   | 18.7 | 23.1 | 30.8 | 34.7 | 39.3 | 43.1 |
|      | NOV   | 17.4 | 22.0 | 27.0 | 32.9 | 36.4 | 40.6 |
|      | DEC   | 17.0 | 21.7 | 27.9 | 31.5 | 37.3 | 41.1 |
| 1979 | JAN   | 17.3 | 22.0 | 29.0 | 33.5 | 39.4 | 45.2 |
|      | FEB   | 17.0 | 20.8 | 27.1 | 29.3 | 33.5 | 35.8 |
|      | MAR   | 18.0 | 22.5 | 28.6 | 34.9 | 39.9 | 45.4 |
|      | APR   | 18.5 | 23.1 | 29.5 | 36.1 | 41.6 | 47.6 |
|      | MAY   | 20.4 | 25.4 | 30.3 | 36.5 | 42.1 | 49.2 |
|      | JUN   | 21.9 | 26.3 | 31.3 | 36.3 | 40.6 | 47.4 |
|      | JUL   | 24.8 | 28.0 | 33.1 | 37.0 | 41.4 | 45.1 |
|      | AUG   | 22.2 | 25.6 | 30.3 | 34.6 | 41.1 | 44.0 |
|      | SEP   | 19.6 | 24.2 | 29.0 | 34.5 | 39.2 | 44.4 |
|      | OCT   | 17.8 | 22.7 | 28.0 | 32.5 | 36.9 | 41.4 |
|      | NOV   | 16.3 | 22.0 | 26.4 | 32.8 | 38.4 | 42.7 |
|      | DEC   | 17.3 | 22.9 | 28.3 | 32.8 | 37.8 | 41.9 |
| 1980 | JAN   | 17.2 | 22.3 | 27.0 | 32.2 | 37.3 | 43.3 |
|      | FEB   | 16.8 | 21.5 | 26.3 | 32.2 | 37.6 | 41.4 |
|      | MAR   | 16.7 | 20.8 | 25.2 | 31.3 | 35.9 | 41.2 |
|      | APR   | 19.5 | 24.8 | 30.5 | 36.5 | 41.0 | 46.8 |
|      | MAY   | 20.6 | 24.9 | 30.7 | 36.1 | 43.2 | 48.4 |
|      | JUN   | 20.3 | 24.0 | 29.3 | 33.8 | 37.6 | 42.4 |
|      | JUL   | 21.4 | 25.3 | 30.6 | 34.8 | 41.2 | 44.9 |
|      | AUG   | 19.7 | 23.9 | 29.5 | 34.6 | 40.7 | 45.4 |

TABLE IIIB(CONTD) : 500MB EAST33 MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1980 | SEP   | 15.2 | 20.3 | 25.4 | 30.6 | 35.8 | 39.8 |
|      | OCT   | 13.7 | 19.0 | 24.3 | 30.1 | 36.4 | 42.2 |
|      | NOV   | 13.1 | 18.8 | 25.5 | 32.4 | 39.1 | 43.2 |
|      | DEC   | 11.6 | 16.3 | 21.3 | 27.0 | 31.6 | 36.9 |
| 1981 | JAN   | 12.7 | 17.2 | 28.6 | 28.0 | 34.1 | 39.4 |
|      | FEB   | 13.4 | 19.6 | 26.0 | 31.6 | 37.0 | 42.5 |
|      | MAR   | 15.7 | 21.4 | 28.2 | 33.8 | 38.9 | 45.1 |
|      | APR   | 14.0 | 19.4 | 25.0 | 30.6 | 35.3 | 41.0 |
|      | MAY   | 18.0 | 24.1 | 30.7 | 36.7 | 42.3 | 46.3 |
|      | JUN   | 18.4 | 24.8 | 30.9 | 36.8 | 41.6 | 45.1 |
|      | JUL   | 19.3 | 25.0 | 31.2 | 36.6 | 41.7 | 46.8 |
|      | AUG   | 21.6 | 27.0 | 33.4 | 38.3 | 43.3 | 48.1 |
|      | SEP   | 17.5 | 24.1 | 29.8 | 35.7 | 41.6 | 48.2 |
|      | OCT   | 13.6 | 19.5 | 26.2 | 32.1 | 38.0 | 44.1 |
|      | NOV   | 14.8 | 20.7 | 27.4 | 34.2 | 39.4 | 43.6 |
|      | DEC   | 13.3 | 19.0 | 24.9 | 31.4 | 37.8 | 44.3 |
| 1982 | JAN   | 12.0 | 17.2 | 22.4 | 26.9 | 31.2 | 37.6 |
|      | FEB   | 11.7 | 17.0 | 22.2 | 26.5 | 30.2 | 36.4 |
|      | MAR   | 12.9 | 17.1 | 23.2 | 28.4 | 34.0 | 41.0 |
|      | APR   | 15.1 | 20.8 | 26.4 | 30.9 | 35.6 | 41.7 |
|      | MAY   | 19.7 | 26.6 | 33.2 | 38.9 | 45.2 | 50.6 |
|      | JUN   | 17.2 | 22.7 | 28.5 | 33.2 | 38.6 | 42.6 |
|      | JUL   | 18.6 | 23.5 | 29.3 | 34.5 | 39.4 | 42.6 |
|      | AUG   | 16.1 | 20.4 | 24.9 | 29.2 | 34.6 | 40.3 |
|      | SEP   | 17.0 | 22.4 | 27.8 | 33.2 | 38.3 | 42.3 |
|      | OCT   | 16.1 | 21.7 | 27.7 | 34.6 | 41.2 | 47.4 |
|      | NOV   | 12.8 | 17.5 | 22.0 | 26.2 | 31.4 | 37.6 |
|      | DEC   | 13.0 | 18.6 | 24.0 | 29.2 | 34.9 | 41.9 |
| 1983 | JAN   | 13.5 | 19.1 | 25.7 | 31.8 | 37.0 | 41.8 |
|      | FEB   | 15.5 | 21.2 | 27.6 | 34.4 | 40.7 | 46.1 |
|      | MAR   | 16.6 | 22.4 | 28.3 | 34.3 | 41.3 | 49.2 |
|      | APR   | 15.9 | 22.2 | 28.6 | 34.4 | 39.4 | 46.3 |
|      | MAY   | 16.3 | 21.9 | 26.8 | 31.1 | 35.6 | 40.4 |
|      | JUN   | 18.2 | 24.0 | 29.2 | 35.8 | 41.9 | 46.4 |
|      | JUL   | 18.3 | 23.5 | 29.8 | 36.0 | 41.7 | 47.0 |
|      | AUG   | 16.9 | 22.0 | 27.6 | 32.0 | 36.2 | 39.2 |
|      | SEP   | 15.0 | 20.1 | 25.3 | 30.7 | 34.7 | 38.6 |
|      | OCT   | 15.5 | 20.8 | 26.7 | 33.4 | 39.3 | 46.1 |
|      | NOV   | 16.5 | 22.7 | 29.0 | 36.7 | 42.2 | 49.1 |
|      | DEC   | 13.8 | 17.7 | 23.3 | 27.8 | 32.0 | 36.8 |
| 1984 | JAN   | 13.6 | 17.2 | 21.5 | 26.1 | 30.4 | 35.7 |
|      | FEB   | 14.6 | 20.2 | 27.1 | 34.8 | 41.7 | 47.0 |
|      | MAR   | 15.2 | 20.5 | 26.0 | 31.9 | 37.0 | 41.8 |
|      | APR   | 16.7 | 22.5 | 28.4 | 34.0 | 40.4 | 46.0 |
|      | MAY   | 15.6 | 21.0 | 26.3 | 32.3 | 38.3 | 42.5 |
|      | JUN   | 17.4 | 22.6 | 28.8 | 34.7 | 39.7 | 44.1 |

TABLE III B (CONTD) : 500MB EAST33 MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1984 | JUL   | 17.9 | 22.6 | 27.6 | 32.9 | 38.8 | 43.3 |
|      | AUG   | 16.6 | 22.4 | 28.7 | 35.0 | 41.3 | 47.3 |
|      | SEP   | 12.9 | 19.2 | 26.3 | 31.9 | 36.6 | 39.4 |
|      | OCT   | 12.6 | 19.5 | 25.9 | 31.6 | 37.2 | 42.3 |
|      | NOV   | 13.3 | 19.7 | 26.4 | 32.3 | 38.1 | 44.3 |
|      | DEC   | 10.0 | 15.5 | 21.3 | 26.8 | 32.2 | 35.4 |
| 1985 | JAN   | 10.6 | 16.0 | 22.0 | 28.6 | 36.4 | 43.4 |
|      | FEB   | 10.9 | 17.2 | 23.6 | 29.1 | 34.8 | 38.8 |
|      | MAR   | 12.0 | 18.3 | 24.9 | 30.9 | 36.2 | 40.6 |
|      | APR   | 12.1 | 18.4 | 24.4 | 30.7 | 36.3 | 41.3 |
|      | MAY   | 13.3 | 20.1 | 27.3 | 38.9 | 40.0 | 47.1 |
|      | JUN   | 15.3 | 22.9 | 30.8 | 38.9 | 44.7 | 50.4 |
|      | JUL   | 15.2 | 20.5 | 26.3 | 31.2 | 34.5 | 37.5 |
|      | AUG   | 16.6 | 23.1 | 29.8 | 35.9 | 41.8 | 46.7 |
|      | SEP   | 13.2 | 20.6 | 27.4 | 33.3 | 37.8 | 41.9 |
|      | OCT   | 11.4 | 17.6 | 24.0 | 30.3 | 35.3 | 41.4 |
|      | NOV   | 11.2 | 18.1 | 24.2 | 29.0 | 34.3 | 40.1 |
|      | DEC   | 9.3  | 14.4 | 19.8 | 25.3 | 30.9 | 36.1 |
| 1986 | JAN   | 9.8  | 15.1 | 21.6 | 29.0 | 35.2 | 39.8 |
|      | FEB   | 10.8 | 16.7 | 23.0 | 29.2 | 35.2 | 38.8 |
|      | MAR   | 10.8 | 15.4 | 20.2 | 25.0 | 30.4 | 35.3 |
|      | APR   | 13.0 | 19.7 | 26.3 | 32.7 | 39.9 | 46.2 |
|      | MAY   | 15.4 | 22.4 | 29.3 | 35.0 | 40.4 | 44.5 |
|      | JUN   | 13.7 | 19.1 | 24.5 | 30.3 | 36.0 | 41.3 |
|      | JUL   | 15.9 | 21.5 | 27.3 | 32.5 | 37.1 | 41.4 |
|      | AUG   | 14.7 | 20.3 | 26.8 | 32.9 | 38.4 | 44.8 |
|      | SEP   | 13.3 | 18.8 | 23.9 | 28.8 | 33.4 | 39.2 |
|      | OCT   | 11.5 | 18.1 | 31.6 | 31.0 | 35.8 | 40.8 |
|      | NOV   | 9.7  | 15.2 | 21.1 | 27.2 | 32.4 | 36.6 |
|      | DEC   | 10.1 | 15.5 | 21.1 | 26.4 | 32.9 | 38.9 |
| 1987 | JAN   | 10.0 | 16.3 | 23.1 | 29.6 | 35.9 | 39.8 |
|      | FEB   | 11.0 | 17.5 | 22.9 | 29.0 | 33.9 | 37.2 |
|      | MAR   | 11.1 | 17.2 | 23.7 | 30.4 | 37.1 | 43.0 |
|      | APR   | 12.1 | 19.8 | 27.4 | 34.4 | 40.3 | 45.1 |
|      | MAY   | 12.4 | 18.2 | 23.4 | 28.1 | 32.2 | 36.4 |
|      | JUN   | 12.3 | 17.6 | 22.9 | 27.2 | 31.4 | 36.6 |
|      | JUL   | 14.8 | 19.2 | 24.5 | 29.7 | 34.4 | 38.9 |
|      | AUG   | 13.1 | 18.5 | 23.3 | 27.7 | 31.2 | 35.1 |
|      | SEP   | 12.0 | 17.3 | 22.5 | 27.9 | 33.4 | 39.1 |
|      | OCT   | 9.7  | 14.8 | 19.9 | 24.9 | 29.7 | 34.6 |
|      | NOV   | 10.2 | 16.0 | 21.7 | 27.8 | 33.3 | 37.2 |
|      | DEC   | 9.7  | 15.2 | 21.3 | 27.0 | 32.1 | 38.1 |
| 1988 | JAN   | 8.2  | 12.9 | 18.2 | 23.5 | 28.5 | 31.8 |
|      | FEB   | 8.1  | 12.1 | 16.7 | 21.6 | 26.9 | 32.3 |
|      | MAR   | 9.7  | 15.2 | 20.6 | 25.6 | 30.1 | 33.4 |
|      | APR   | 11.4 | 18.3 | 24.5 | 30.6 | 36.2 | 41.0 |

TABLE III B(CONTD) : 500MB EAST33 MONTHLY S1 SCORE

| YEAR | MONTH | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------|-------|------|------|------|------|------|------|
| 1988 | MAY   | 12.5 | 19.1 | 25.8 | 32.2 | 37.4 | 41.8 |
|      | JUN   | 13.0 | 18.2 | 23.7 | 28.2 | 33.0 | 37.3 |
|      | JUL   | 15.1 | 20.8 | 26.3 | 31.2 | 36.3 | 40.7 |
|      | AUG   | 14.8 | 21.1 | 27.4 | 32.8 | 37.6 | 39.7 |
|      | SEP   | 13.0 | 19.2 | 25.4 | 31.2 | 36.4 | 41.4 |
|      | OCT   | 10.1 | 15.2 | 20.4 | 26.0 | 31.0 | 36.7 |
|      | NOV   | 10.1 | 15.4 | 21.0 | 26.2 | 31.4 | 36.4 |
|      | DEC   | 7.6  | 11.8 | 16.4 | 21.2 | 25.3 | 29.2 |

TABLE IV: AVERAGE YEARLY S1 SCORES  
MEAN SEA LEVEL AND 500MB, 12-72 HOURS

OPERATIONAL MODELS: 6-Layer Primitive Equation model thru JUL80,  
Spectral model AUG80 -

VERIFYING ANALYSES: Hough analysis thru 25JUL84, Optimum Interpo-  
lation method 25JUL84 -

VERIFICATION GRID: 49 point lat-lon grid. This is a subset of  
a 63 point grid which covers the area between  
65 and 145 west longitude and between 25 and  
55 north latitude. Gridpoint spacing is 5  
degrees latitude by 10 degrees longitude.

\*\*\*\*\*

|            |      | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|------------|------|------|------|------|------|------|------|
| MSL.....   |      |      |      |      |      |      |      |
| YEAR       | 1978 | 36.0 | 41.9 | 50.5 | 56.2 | 62.5 | 68.6 |
|            | 1979 | 37.1 | 42.2 | 50.7 | 56.9 | 61.8 | 68.2 |
|            | 1980 | 34.6 | 41.1 | 49.3 | 55.6 | 61.2 | 67.1 |
|            | 1981 | 33.8 | 41.4 | 49.6 | 56.9 | 63.6 | 70.4 |
|            | 1982 | 33.6 | 41.8 | 50.1 | 57.0 | 63.0 | 68.5 |
|            | 1983 | 31.6 | 40.1 | 48.5 | 55.2 | 61.3 | 66.6 |
|            | 1984 | 31.9 | 39.1 | 47.0 | 54.1 | 60.7 | 66.4 |
|            | 1985 | 29.8 | 37.7 | 47.0 | 54.5 | 61.5 | 67.0 |
|            | 1986 | 29.2 | 36.4 | 45.0 | 52.2 | 58.8 | 64.8 |
|            | 1987 | 24.8 | 32.4 | 39.2 | 45.4 | 51.1 | 56.0 |
|            | 1988 | 23.3 | 30.5 | 37.4 | 43.7 | 49.2 | 53.9 |
| 500MB..... |      |      |      |      |      |      |      |
| YEAR       | 1978 | 21.1 | 26.4 | 32.5 | 37.6 | 42.4 | 47.3 |
|            | 1979 | 20.5 | 25.8 | 31.4 | 36.8 | 41.5 | 46.2 |
|            | 1980 | 18.6 | 24.0 | 29.5 | 34.9 | 40.2 | 45.1 |
|            | 1981 | 17.9 | 24.3 | 30.3 | 35.9 | 41.1 | 46.8 |
|            | 1982 | 16.9 | 22.7 | 28.2 | 33.4 | 38.6 | 44.5 |
|            | 1983 | 17.7 | 23.9 | 29.4 | 35.1 | 40.1 | 45.8 |
|            | 1984 | 16.2 | 22.4 | 28.3 | 34.0 | 39.1 | 43.8 |
|            | 1985 | 13.8 | 20.8 | 27.1 | 33.0 | 38.4 | 43.3 |
|            | 1986 | 13.7 | 20.1 | 26.1 | 31.7 | 37.0 | 41.9 |
|            | 1987 | 12.4 | 18.8 | 24.7 | 30.1 | 34.9 | 39.5 |
|            | 1988 | 11.9 | 18.1 | 23.8 | 29.2 | 34.2 | 38.6 |

TABLE V: AVERAGE YEARLY 500MB S1 SCORES  
WEST33 AND EAST33, 12-72 HOURS


OPERATIONAL MODELS: 6-Layer Primitive Equation model thru JUL80,  
Spectral model AUG80 -

VERIFYING ANALYSES: Hough analysis thru 25JUL84, Optimum Interpo-  
lation method 25JUL84 -


VERIFICATION GRID: 33 point lat-lon grids for western and eastern  
United States. Between 25N and 55N, WEST33 is  
the area from 105W to 145W and EAST33 is the  
area from 105W to 145W; gridpoint spacing is  
5 degrees latitude by 10 degrees longitude.

\*\*\*\*\*

|             |      | 12HR | 24HR | 36HR | 48HR | 60HR | 72HR |
|-------------|------|------|------|------|------|------|------|
| WEST33..... |      |      |      |      |      |      |      |
| YEAR        | 1978 | 25.0 | 31.5 | 36.7 | 42.1 | 46.4 | 50.5 |
|             | 1979 | 24.4 | 30.0 | 35.3 | 40.0 | 44.0 | 48.1 |
|             | 1980 | 22.3 | 28.2 | 33.4 | 38.4 | 42.4 | 46.9 |
|             | 1981 | 21.8 | 28.4 | 34.1 | 39.0 | 43.2 | 48.8 |
|             | 1982 | 20.4 | 26.2 | 31.6 | 36.3 | 41.1 | 47.1 |
|             | 1983 | 20.8 | 27.0 | 32.0 | 36.6 | 40.8 | 46.4 |
|             | 1984 | 19.8 | 26.3 | 31.9 | 37.0 | 41.2 | 45.5 |
|             | 1985 | 17.3 | 24.8 | 30.9 | 36.1 | 40.8 | 44.8 |
|             | 1986 | 16.9 | 23.9 | 29.7 | 34.6 | 39.1 | 43.2 |
|             | 1987 | 14.9 | 21.9 | 27.6 | 31.9 | 36.2 | 40.3 |
|             | 1988 | 14.6 | 21.4 | 27.3 | 32.3 | 36.9 | 41.0 |
| EAST33..... |      |      |      |      |      |      |      |
| YEAR        | 1978 | 20.2 | 24.1 | 30.2 | 34.8 | 39.5 | 44.4 |
|             | 1979 | 19.3 | 23.8 | 29.3 | 34.3 | 39.4 | 44.2 |
|             | 1980 | 17.2 | 21.8 | 27.1 | 32.6 | 38.1 | 43.0 |
|             | 1981 | 16.0 | 21.8 | 28.5 | 33.8 | 39.3 | 44.6 |
|             | 1982 | 15.2 | 20.5 | 26.0 | 31.0 | 36.3 | 41.9 |
|             | 1983 | 16.0 | 21.5 | 27.3 | 33.2 | 38.5 | 43.9 |
|             | 1984 | 14.7 | 20.2 | 26.2 | 32.0 | 37.6 | 42.4 |
|             | 1985 | 12.6 | 18.9 | 25.4 | 31.9 | 36.9 | 42.1 |
|             | 1986 | 12.4 | 18.2 | 24.7 | 30.0 | 35.6 | 40.6 |
|             | 1987 | 11.5 | 17.3 | 23.0 | 28.6 | 33.7 | 38.4 |
|             | 1988 | 11.1 | 16.6 | 22.2 | 27.5 | 32.5 | 36.8 |





49 POINT (●) AND 63 POINT (○,●) GRIDS



33 POINT WEST AND EAST GRIDS









# AVERAGE S1 SCORE DIFFERENCE ( $S1_{yr} - S1_{1978}$ ) 49PT GRID



# AVERAGE S1 SCORE DIFFERENCE ( $S_{1yr} - S_{1978}$ ) 500MB, 33PT GRID

WEST33

EAST33




78 79 80 81 82 83 84 85 86 87 88

78 79 80 81 82 83 84 85 86 87 88

72HR S1 SCORE DIFFERENCE (S1<sub>yr</sub> - S1<sub>1978</sub>) : 49PT GRID


SPR

MAR(o)  
APR(●)  
MAY(x)




SUM

JUN(o)  
JUL(●)  
AUG(x)




AUT

SEP(o)  
OCT(●)  
NOV(x)



WIN

DEC(o)  
JAN(●)  
FEB(x)



7 8 8 8 8 8 8 8 8 8  
9 0 1 2 3 4 5 6 7 8

7 8 8 8 8 8 8 8 8 8  
9 0 1 2 3 4 5 6 7 8

72 HR S1 SCORE DIFFERENCE (S1<sub>yr</sub> - S1<sub>1978</sub>) : 33PT GRID


500MB

WEST33

EAST33


SPR

MAR(o)  
APR(●)  
MAY(x)




SUM

JUN(o)  
JUL(●)  
AUG(x)




AUT

SEP(o)  
OCT(●)  
NOV(x)



WIN

DEC(o)  
JAN(●)  
FEB(x)



7 8 9 0 1 2 3 4 5 6 7 8 9

7 8 9 0 1 2 3 4 5 6 7 8 9