

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL WEATHER SERVICE
NATIONAL METEOROLOGICAL CENTER

OFFICE NOTE 343

S1 SCORE VERIFICATION
OCTOBER 1975-DECEMBER 1987

Robert Hirano
Automation Division

August 1988

This is an unreviewed manuscript, primarily intended for informal exchange of information among NMC staff members.

INTRODUCTION

NMC has used the Teweles-Wobus S1 Score (1954) to evaluate the quality of weather forecasts for many years. The S1 Score is easy to calculate and simple to use. The score is defined:

$$S1 \text{ SCORE} = 100 \frac{\sum |e_G|}{\sum |G_L|}$$

where, e_G = the error in the forecast gradient
 G_L = observed or forecast gradient,
whichever is larger

An objective verification and comparison of NMC operational forecast models using the S1 Score was begun in October 1975 by Robert van Haaren (1978). In succeeding years, this program was maintained, in turn, by Donald Marks, Benjamin Watkins, and Carl McCalla.

NMC operational forecasts models in October 1975 were the Six-Layer Primitive Equation (6LPE), the Limited Area Fine-Mesh, and the Barotropic models. Forecast grid mesh lengths were 381 KM for the 6LPE (or coarse-mesh model) and 190.5KM for the LFM.

Operational analyses used at NMC in October 1975 were the Cressman (or successive correction technique) and the Hough (or Flattery Spectral) methods; the former was used in the LFM and the latter in the 6LPE and Barotropic models.

Verification results, October 1975 thru December 1987, are summarized in tables; a brief discussion is presented in the next section.

DISCUSSION

S1 Score verification results are most frequently cited for subareas of a 63 point lat-lon grid; gridpoint spacing is five degrees latitude by ten degrees longitude for the area bounded by 25 to 55 degrees north and 65 to 145 degrees west longitude. Subarea networks are shown in Figure I; the 49 point grid (49PT) is on the top half and the 33 point grids, west (WEST33) and east (EAST33), on the bottom half of the figure.

The 63 point grid closely approximates the station verification network used by Teweles-Wobus; the difference in gridpoint spacing across the verification area is ignored in the calculation of the S1 Score.

S1 scores are summarized in tables for the 49PT and 33 point grids as follows:

TABLE	AREA	LVL	PERIOD	RECORD	FCST	MODELS
I	49PT	MSL	Month	OCT75- DEC87	12-48HR	Coarse-mesh Fine-mesh
II	49PT	500MB	Month	OCT75- DEC87	12-48HR	Coarse-mesh Fine-mesh
III	49PT	500MB	Month	OCT75- DEC87	36HR	Barotropic
IV	WEST33 EAST33	500MB	Month	MAR78- DEC87	12-48HR	Coarse-mesh
V	WEST33 EAST33	500MB	Month	MAR78- DEC87	12-48HR	Fine-mesh
VI	WEST33 EAST33	500MB	Month	MAR78- DEC87	12-48HR	Barotropic
VII	49PT	MSL 500MB	Year	1976- 1987	12-48HR	Coarse-mesh Fine-mesh
VIII	WEST33 EAST33	500MB	Year	1979- 1987	12-48HR	Coarse-mesh Fine-mesh Barotropic

Note that Coarse-mesh refers to both PE and Spectral models.

S1 scores are affected by the relative smoothness or noisiness (higher values) of model forecast fields (see van Haaren, 1978). There is a seasonal variation in scores, larger in the warm season (due to weaker gradients) and lower in the cool seasons. Also, scores can vary with the choice in size and density of points in the verification networks.

Significant changes to the trend in model S1 scores are the result of modifications to forecast models and the ease of predictability of the weather regime; to illustrate this, the 36 hour monthly, seasonal, and yearly scores from the tables are plotted in a series of figures.

Figures IIa-c are the 36 hour mean sea level 49PT monthly, seasonal, and yearly S1 scores respectively; coarse-mesh scores (PE thru JUL80 and Spectral model from AUG80) are plotted along with the difference in score, LFM minus PE or Spectral. The seasonal variation is clearly depicted in Figure IIb. There is a sharp drop in yearly scores, Figure IIc, between 1977 and 1978 and between 1986 and 1987; the former drop was due to a halving of the PE forecast mesh length (to the original LFM length) in JAN78 and the latter drop was due to the change in Spectral model from 12 to 18 layers and the inclusion of GFDL physics in NOV86. In contrast, there was no immediate impact associated with the introduction of the Spectral model in AUG80.

Figures IIIa-c are the 36 hour 500MB 49PT monthly, seasonal and yearly S1 scores respectively; PE and Spectral scores plus differences, both the LFM and Barotropic minus the PE or

Spectral, are plotted on all three graphs; Barotropic S1 scores are also included on the seasonal and yearly graphs. In the yearly graph, Figure IIIc, the difference in PE-Spectral scores with the LFM and Barotropic improves by two points in 1978 and 1987. Barotropic yearly scores, rather consistent thru 1983, were lower during period 1984 thru 1987; part of the lowering of Spectral scores during the latter period was due to the overall "easier" weather regime, but model change contributed significantly to the improvement recorded in 1987.

EAST33 and WEST33 36 hour 500MB S1 scores are presented in Figures IV and V respectively; graphs a-c are for monthly, seasonal, and yearly data; PE-Spectral and Barotropic scores plus PE-Spectral differences with LFM and Barotropic scores are plotted. Yearly scores average five points higher over WEST33; Barotropic scores were lower over EAST33 during the last three years; the improvement in the Spectral model forecasts over both the LFM and Barotropic during 1987 is more strongly depicted over EAST33 than WEST33.

REFERENCES

- Teweles, S. and H. Wobus, 1954: Verification of Prognostic Charts. Bull. Amer. Meteor. Soc., 35, pp. 455-463.
- van Haaren, R. J., 1978: Comparative Verification of the National Meteorological Center's (NMC) Operational Forecast Models. Preprints, Conference on Weather Forecasting and Analysis and Aviation Meteorology, October 16-19, 1978, Silver Spring, MD. (AMS).

TABLE I: MONTHLY S1 SCORE ... MEAN SEA LEVEL

VERIFICATION GRID: 49 point lat-lon grid. This is a subset of a 63 point grid which covers the area between 65 and 145 west longitude and between 25 and 55 north latitude. Gridpoint spacing is 5 degrees latitude by 10 degrees longitude.

VERIFYING ANALYSES

COARSE-MESH MODEL: Hough analysis thru 25Jul84, Optimum Interpolation method 26Jul84 -

FINE-MESH MODEL: Cressman analysis

MON	YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
OCT	75	37.9	47.5	56.0		40.8	45.7	54.9	
NOV	75	37.7	46.2	55.3		40.9	46.7	54.9	
DEC	75	37.8	46.3	56.1	63.4	39.7	47.5	55.4	
JAN	76	36.8	45.4	53.8	60.7	37.6	44.5	54.0	
FEB	76	40.0	49.3	58.2	65.9	39.5	46.7	55.3	62.9
MAR	76	38.5	48.1	57.4	66.8	37.7	44.7	51.7	56.7
APR	76	39.2	46.4	55.3	62.5	39.0	44.5	51.7	59.8
MAY	76	39.2	47.1	55.8	64.1	38.6	45.0	51.9	58.6
JUN	76	41.9	48.1	56.5	63.0	40.0	46.6	54.8	59.5
JUL	76	42.6	47.0	54.0	60.4	40.5	46.8	53.9	58.4
AUG	76	43.7	49.5	55.2	61.5	41.4	47.1	53.7	59.6
SEP	76	43.5	51.8	59.4	67.4	41.9	47.2	52.8	60.7
OCT	76	36.4	43.7	51.8	59.1	37.2	42.0	49.4	57.2
NOV	76	35.3	42.1	49.2	55.2	37.5	43.5	50.6	58.0
DEC	76	38.6	45.7	54.4	61.7	38.3	44.3	52.0	59.0
JAN	77	38.3	48.4	56.3	63.3	37.6	45.8	53.3	62.1
FEB	77	37.2	45.7	54.3	61.7	36.1	44.9	53.7	62.0
MAR	77	35.9	44.7	53.2	59.4	34.5	42.3	49.7	56.7
APR	77	39.0	46.1	54.4	61.1	37.3	43.6	52.4	57.9
MAY	77	40.3	46.6	56.5	63.4	39.1	45.2	53.8	61.8
JUN	77	40.7	48.6	57.3	64.8	38.3	46.0	54.7	61.3
JUL	77	42.5	49.1	57.0	63.7	38.6	44.3	52.6	57.8
AUG	77	45.3	50.6	58.3	64.6	39.8	44.6	51.9	56.7
SEP	77	42.1	48.9	56.9	63.7	39.0	45.3	51.4	58.4
OCT	77	36.1	42.6	50.3	55.6	36.9	40.0	46.0	50.3
NOV	77	35.2	44.1	52.6	61.8	39.8	45.8	53.8	61.2
DEC	77	34.6	42.4	51.1	59.3	38.0	46.3	54.5	61.6

TABLE I (CONTINUED): MONTHLY S1 SCORE ... MEAN SEA LEVEL

MON YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN 78	32.9	39.7	47.9	55.0	34.9	42.2	50.4	58.3
FEB 78	35.0	41.8	51.7	55.5	35.0	44.0	50.5	57.8
MAR 78	36.5	42.4	52.7	59.2	34.1	41.2	50.7	57.4
APR 78	33.9	38.9	47.4	51.2	32.8	39.3	46.9	53.4
MAY 78	35.9	42.5	52.3	58.7	35.2	41.6	50.1	57.9
JUN 78	38.4	43.7	51.3	57.4	34.7	40.6	49.1	54.8
JUL 78	39.7	43.6	51.1	56.5	35.9	42.1	49.7	53.7
AUG 78	38.9	43.8	50.1	54.7	35.1	41.8	49.0	54.1
SEP 78	38.5	44.8	55.6	62.0	35.2	42.7	53.5	60.2
OCT 78	32.6	37.1	45.4	52.2	33.3	38.9	45.7	50.0
NOV 78	34.7	41.9	49.7	54.1	35.3	42.8	49.4	56.5
DEC 78	35.4	42.7	51.1	58.3	36.2	43.3	50.2	56.3
JAN 79	33.5	40.9	49.5	59.3	35.6	43.6	50.7	57.3
FEB 79	34.6	40.9	48.8	52.9	33.8	42.2	48.5	54.6
MAR 79	35.6	41.0	49.3	54.5	34.0	40.6	46.5	54.4
APR 79	39.6	45.0	54.4	60.5	37.0	44.3	52.8	59.6
MAY 79	38.4	43.5	52.6	58.5	36.5	42.8	50.6	57.8
JUN 79	38.7	42.0	51.1	57.1	35.9	41.7	49.4	56.9
JUL 79	41.1	44.3	53.3	58.9	35.5	42.2	51.1	55.7
AUG 79	42.1	45.7	54.6	61.2	37.5	42.6	51.9	57.9
SEP 79	37.0	40.6	48.9	55.6	34.4	39.8	47.6	52.8
OCT 79	36.2	41.7	49.6	56.2	34.6	41.3	49.0	55.4
NOV 79	35.2	41.2	49.0	55.0	35.0	41.9	48.6	56.3
DEC 79	33.1	39.0	47.3	52.6	34.3	41.4	48.6	55.9
JAN 80	34.1	41.6	49.9	55.8	35.6	43.2	49.5	57.4
FEB 80	35.2	41.6	50.8	56.5	35.5	44.0	51.1	57.8
MAR 80	34.8	39.5	47.3	52.3	34.2	41.4	47.0	53.1
APR 80	35.7	41.3	49.8	54.7	35.2	42.5	48.7	52.9
MAY 80	38.0	42.5	51.0	56.6	36.2	42.0	50.6	58.1
JUN 80	37.1	42.2	50.9	58.9	35.7	44.9	51.2	57.5
JUL 80	38.4	44.7	54.8	62.0	38.6	44.8	52.4	59.6
AUG 80	36.1	42.2	50.9	58.0	36.2	40.9	48.5	52.7
SEP 80	35.4	43.0	51.4	57.8	35.4	40.0	48.8	55.8
OCT 80	30.2	37.5	45.4	51.9	33.1	38.5	46.9	54.2
NOV 80	28.1	36.1	43.4	51.2	33.3	39.5	46.1	54.1
DEC 80	32.4	40.7	46.2	51.8	32.1	39.0	46.1	52.8
JAN 81	31.5	39.9	47.1	53.1	33.8	41.6	48.3	55.7
FEB 81	31.2	39.1	46.3	54.3	33.6	41.4	47.6	57.8
MAR 81	32.6	39.9	47.9	54.9	35.2	42.3	49.1	56.5
APR 81	33.1	39.6	47.2	54.9	34.2	40.6	47.9	54.4
MAY 81	35.2	42.5	51.4	58.3	36.8	41.1	48.1	54.3
JUN 81	37.9	46.6	55.9	63.5	36.9	43.1	51.7	58.1
JUL 81	38.9	45.8	54.3	61.4	35.4	39.3	47.0	51.7

TABLE I (CONTINUED): MONTHLY S1 SCORE ... MEAN SEA LEVEL

MON	YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
AUG	81	40.4	46.6	55.0	61.6	36.8	41.2	48.5	52.7
SEP	81	35.0	41.6	50.3	57.6	34.9	40.8	47.6	54.1
OCT	81	29.5	37.1	45.5	53.1	34.5	39.0	46.2	53.5
NOV	81	29.7	38.9	46.5	53.5	33.4	41.9	47.8	53.9
DEC	81	30.0	39.2	47.6	56.2	35.2	43.5	51.1	58.9
JAN	82	31.1	40.4	47.1	54.6	35.5	43.0	51.1	59.4
FEB	82	31.4	40.3	48.0	56.6	35.2	42.0	50.3	57.5
MAR	82	30.1	37.9	45.4	53.3	35.6	42.5	49.8	58.1
APR	82	30.4	38.9	46.5	52.5	32.9	40.0	47.6	54.3
MAY	82	36.0	44.8	54.4	61.5	35.8	42.5	50.4	56.9
JUN	82	40.5	48.6	58.6	65.4	38.3	44.6	52.3	56.4
JUL	82	41.6	48.6	57.3	63.1	37.4	41.4	50.0	53.7
AUG	82	41.1	48.2	56.5	62.8	36.7	41.7	48.6	55.1
SEP	82	35.4	42.5	50.7	57.5	34.6	39.5	45.9	57.8
OCT	82	28.8	37.2	45.6	52.8	32.4	39.7	46.7	53.1
NOV	82	28.5	37.7	45.9	51.2	33.7	40.7	48.4	54.8
DEC	82	27.8	36.7	44.7	52.8	33.1	41.8	49.6	57.6
JAN	83	28.2	36.4	43.9	51.1	33.9	41.9	49.8	56.5
FEB	83	28.3	37.1	46.0	53.4	32.7	40.7	48.4	57.5
MAR	83	27.0	36.0	42.8	49.1	30.2	37.8	45.2	52.3
APR	83	31.7	42.8	50.9	57.9	36.4	44.1	52.3	58.7
MAY	83	32.8	42.4	50.3	56.2	35.1	41.9	50.1	55.1
JUN	83	33.7	42.3	51.9	57.8	37.4	42.7	50.3	55.4
JUL	83	33.8	42.0	52.8	60.2	36.9	43.6	53.3	58.4
AUG	83	36.4	44.6	54.3	61.5	39.1	43.7	52.7	57.7
SEP	83	29.6	37.9	46.6	53.1	33.6	38.3	45.8	52.7
OCT	83	30.8	37.6	46.0	52.2	34.0	39.5	46.5	52.3
NOV	83	31.7	39.0	46.8	53.6	32.2	42.2	49.7	55.7
DEC	83	34.9	42.6	49.6	55.6	36.4	44.2	52.3	59.6
JAN	84	34.6	40.0	46.6	52.7	36.8	43.3	50.0	56.9
FEB	84	30.6	38.8	47.1	55.1	34.5	42.0	48.7	55.6
MAR	84	30.3	39.6	46.9	53.1	35.4	43.4	50.7	57.3
APR	84	30.7	37.2	45.4	52.5	35.0	42.3	49.1	55.8
MAY	84	33.6	40.4	48.8	55.0	35.1	41.2	49.5	54.3
JUN	84	36.3	40.6	50.7	57.7	35.5	41.1	50.6	56.5
JUL	84	38.5	40.5	49.0	55.3	35.0	39.0	48.2	53.3
AUG	84	36.1	39.0	46.9	53.6	35.5	39.7	47.0	51.9
SEP	84	29.3	39.9	44.9	55.2	33.8	38.6	46.9	51.6
OCT	84	27.7	37.9	46.4	53.3	34.3	41.8	50.2	57.1
NOV	84	26.7	37.4	44.9	51.7	33.2	41.1	47.6	52.9
DEC	84	27.8	38.3	46.2	53.6	36.7	43.8	51.2	59.7

TABLE I (CONTINUED): MONTHLY S1 SCORE ... MEAN SEA LEVEL

MON	YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN	85	26.7	36.1	43.1	50.2	34.4	42.3	48.7	54.1
FEB	85	26.2	36.5	45.4	53.2	35.1	41.3	48.1	53.9
MAR	85	27.0	37.2	45.8	53.4	34.2	42.2	48.7	55.8
APR	85	30.1	38.6	48.6	55.8	37.3	43.7	51.3	57.9
MAY	85	32.2	40.2	50.6	59.0	36.8	43.1	49.9	56.8
JUN	85	32.8	39.8	50.9	58.7	35.4	42.0	49.5	56.0
JUL	85	37.6	40.6	51.2	58.5	36.4	40.2	48.7	54.6
AUG	85	34.8	37.7	47.6	55.7	36.1	41.3	48.7	55.1
SEP	85	28.3	35.8	44.9	52.6	34.8	40.0	46.7	52.8
OCT	85	25.9	34.6	43.2	49.8	33.8	40.3	46.2	52.6
NOV	85	28.3	40.4	49.5	58.0	38.7	46.2	53.9	62.0
DEC	85	26.8	34.8	42.9	49.7	36.6	43.1	49.3	54.7
JAN	86	25.3	35.1	43.4	50.8	34.1	41.1	47.7	54.3
FEB	86	28.0	38.6	47.3	55.3	36.1	43.7	51.0	57.8
MAR	86	26.8	35.4	42.7	49.9	34.3	40.6	46.6	53.1
APR	86	28.7	38.5	47.6	55.3	35.2	41.7	48.1	57.8
MAY	86	30.1	37.4	46.7	53.3	35.8	42.2	49.0	53.5
JUN	86	35.2	39.1	47.7	54.9	35.0	40.4	48.3	52.8
JUL	86	37.1	39.3	49.2	56.6	35.9	41.9	49.9	54.9
AUG	86	35.9	38.1	46.9	53.2	35.2	38.6	46.5	50.7
SEP	86	30.3	35.4	43.8	51.0	33.6	39.6	46.1	52.0
OCT	86	27.8	36.8	45.8	52.4	33.1	39.1	44.5	50.4
NOV	86	24.4	34.4	42.6	50.2	35.5	42.2	48.9	56.5
DEC	86	21.1	29.3	36.5	43.4	35.3	41.8	48.2	54.3
JAN	87	21.3	30.4	38.2	45.4	35.5	43.3	49.2	55.4
FEB	87	20.9	30.6	40.0	47.1	33.6	41.5	49.1	55.5
MAR	87	20.9	29.3	36.1	43.2	34.0	39.7	45.9	52.0
APR	87	25.3	34.4	42.2	49.1	36.7	42.8	49.8	55.4
MAY	87	29.1	33.5	40.0	45.5	35.4	39.8	47.5	53.7
JUN	87	28.3	35.5	41.5	46.2	35.3	40.5	47.4	52.2
JUL	87	31.0	36.8	42.2	47.1	38.8	45.1	53.6	59.2
AUG	87	30.0	36.3	41.4	46.1	35.6	40.3	47.4	52.0
SEP	87	28.6	36.2	42.5	48.6	35.9	41.8	47.8	52.6
OCT	87	22.0	30.4	37.0	44.5	33.8	38.7	44.7	51.5
NOV	87	19.5	27.4	34.0	40.2	33.0	39.7	44.4	50.1
DEC	87	20.3	28.2	35.6	42.2	35.1	43.2	48.1	54.1

TABLE II: MONTHLY S1 SCORE ... 500MB

VERIFICATION GRID: 49 point lat-lon grid. This is a subset of a 63 point grid which covers the area between 65 and 145 west longitude and between 25 and 55 north latitude. Gridpoint spacing is 5 degrees latitude by 10 degrees longitude.

VERIFYING ANALYSES

COARSE-MESH MODEL: Hough analysis thru 25Jul84, Optimum Interpolation method 26Jul84 -

FINE-MESH MODEL: Cressman analysis

MON YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
OCT 75	23.3	31.7	38.7		18.7	25.5	34.7	
NOV 75	21.9	29.4	36.5		18.1	25.2	33.8	
DEC 75	20.9	28.4	35.1	40.1	16.4	22.8	29.9	
JAN 76	20.6	26.9	33.8	38.4	15.6	22.5	30.5	
FEB 76	20.2	26.5	32.0	37.3	15.7	21.2	28.0	36.1
MAR 76	19.7	26.8	34.0	40.0	15.8	21.8	28.8	34.2
APR 76	24.3	32.1	40.6	47.3	21.0	27.7	36.3	46.0
MAY 76	24.9	32.4	39.2	47.1	20.0	26.4	34.6	42.0
JUN 76	26.7	32.1	37.6	43.9	22.3	28.1	36.2	43.3
JUL 76	26.8	31.7	38.5	44.6	22.9	28.0	34.6	42.2
AUG 76	25.2	31.7	38.2	44.7	22.1	27.5	34.6	42.3
SEP 76	23.6	29.9	36.1	42.6	20.5	25.1	32.7	39.2
OCT 76	20.7	27.3	32.9	38.7	18.0	23.5	31.3	37.8
NOV 76	19.6	25.3	30.6	35.5	16.3	21.8	28.9	35.5
DEC 76	18.9	25.5	31.3	36.8	15.0	20.2	26.5	32.7
JAN 77	20.6	28.4	35.1	41.0	16.9	24.4	31.7	38.4
FEB 77	20.9	27.9	34.0	39.2	16.9	24.0	30.9	37.0
MAR 77	20.7	29.5	35.0	40.2	17.5	23.6	29.7	36.8
APR 77	20.8	26.5	31.7	37.6	17.6	22.6	28.9	34.8
MAY 77	22.5	29.1	35.3	41.1	20.2	26.4	33.4	41.0
JUN 77	25.0	31.6	38.5	44.3	22.6	28.4	35.4	42.3
JUL 77	24.3	30.2	36.7	42.1	21.3	25.6	31.5	36.3
AUG 77	22.4	27.3	33.7	38.9	19.9	24.2	31.1	35.6
SEP 77	23.5	30.0	36.5	42.4	21.3	26.1	32.7	38.5
OCT 77	21.9	29.8	37.6	44.1	19.3	25.0	31.3	36.4
NOV 77	20.0	27.9	33.5	39.8	17.9	23.3	30.1	37.5
DEC 77	19.6	25.5	31.6	36.7	17.7	23.9	31.2	38.5

TABLE II (CONTINUED): MONTHLY S1 SCORE ... 500MB

MON	YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN	78	20.5	26.4	32.5	38.3	18.0	23.8	31.5	39.0
FEB	78	20.8	25.6	31.3	36.4	19.2	25.2	32.1	38.1
MAR	78	18.1	23.3	29.8	35.7	17.2	23.0	29.7	36.3
APR	78	22.0	27.8	34.9	41.3	19.8	25.8	33.2	41.7
MAY	78	22.2	28.8	35.5	41.0	25.0	27.1	34.9	41.2
JUN	78	22.7	27.2	33.7	38.9	22.0	26.9	32.2	37.5
JUL	78	24.5	28.6	34.2	38.0	21.9	26.0	32.1	36.6
AUG	78	22.9	27.6	32.8	37.5	20.5	25.4	31.4	36.9
SEP	78	23.4	28.4	34.8	39.5	20.5	25.6	32.7	39.6
OCT	78	19.8	25.0	31.4	36.3	17.6	22.1	27.8	33.1
NOV	78	18.8	24.0	29.2	33.7	17.2	22.8	29.2	35.1
DEC	78	18.0	23.7	29.8	34.9	16.4	22.0	28.6	34.4
JAN	79	18.9	25.3	32.3	38.6	17.2	23.6	31.1	38.1
FEB	79	18.2	22.9	27.8	31.5	16.6	21.5	27.8	33.9
MAR	79	20.0	25.4	32.1	37.7	18.6	24.4	31.3	39.0
APR	79	19.5	25.3	31.5	38.2	18.4	24.1	30.5	37.4
MAY	79	21.3	27.6	32.8	38.8	21.2	26.6	34.0	40.2
JUN	79	22.2	27.3	32.4	37.7	20.3	25.1	31.3	37.4
JUL	79	24.9	29.2	34.9	39.6	23.9	28.0	34.1	39.3
AUG	79	23.4	27.8	33.2	37.9	22.0	26.2	32.1	37.0
SEP	79	21.2	26.0	31.7	37.2	20.3	24.8	30.9	36.2
OCT	79	19.4	25.2	30.2	34.9	20.3	24.6	30.9	37.0
NOV	79	18.4	24.5	29.0	35.2	18.2	23.5	29.9	36.3
DEC	79	18.3	23.4	28.8	33.6	17.9	23.6	30.7	36.8
JAN	80	18.2	23.6	28.3	34.1	17.6	23.9	31.7	38.4
FEB	80	19.2	24.9	29.8	35.7	18.1	24.5	31.3	38.9
MAR	80	18.9	23.9	28.7	34.4	17.7	23.3	29.5	35.4
APR	80	20.4	26.5	32.3	38.0	19.3	26.2	32.5	39.1
MAY	80	21.8	27.4	34.0	39.9	20.8	27.5	35.4	42.3
JUN	80	21.4	25.8	31.4	36.5	19.8	25.2	32.0	38.1
JUL	80	21.8	26.4	31.7	36.4	21.9	25.9	31.6	37.7
AUG	80	20.5	25.6	30.8	35.4	22.6	26.2	32.1	36.9
SEP	80	16.7	22.3	27.6	32.4	18.2	22.4	28.9	35.4
OCT	80	15.1	21.1	27.0	32.8	16.9	22.7	29.7	35.9
NOV	80	15.5	21.8	28.3	34.7	17.7	23.6	30.4	36.6
DEC	80	13.7	18.9	24.1	29.2	14.9	19.9	25.7	31.7
JAN	81	15.6	21.2	27.0	32.3	17.2	23.3	29.5	36.2
FEB	81	15.6	22.0	28.4	34.4	16.9	22.6	30.5	37.4
MAR	81	18.2	25.3	32.4	38.3	19.5	27.2	34.6	41.2
APR	81	16.0	22.1	27.8	33.2	17.0	22.3	29.7	36.8
MAY	81	19.6	26.4	32.6	38.5	20.0	26.0	33.2	40.0
JUN	81	19.6	26.5	32.2	37.8	20.5	26.3	34.0	40.2
JUL	81	21.3	27.5	32.8	38.2	23.1	27.4	33.5	39.8

TABLE II (CONTINUED): MONTHLY S1 SCORE ... 500MB

MON	YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
AUG	81	22.3	28.2	33.6	38.2	23.9	29.0	33.6	39.2
SEP	81	18.9	26.0	32.2	37.8	21.2	26.3	33.0	39.3
OCT	81	15.0	20.7	26.8	33.0	17.7	23.1	29.2	36.1
NOV	81	17.6	23.6	29.8	35.3	18.7	25.2	31.2	37.2
DEC	81	15.4	21.7	27.8	33.9	16.9	23.1	30.6	37.1
JAN	82	13.8	19.0	24.0	28.7	15.0	20.3	26.6	33.2
FEB	82	13.9	19.1	23.5	27.6	15.8	21.2	27.2	32.8
MAR	82	15.7	21.8	27.0	32.3	17.4	24.2	32.3	39.4
APR	82	16.4	21.8	27.2	33.0	17.3	22.8	30.0	36.8
MAY	82	19.8	27.4	34.5	40.8	20.4	26.3	33.7	41.5
JUN	82	19.3	25.5	31.3	36.2	20.2	24.8	31.5	36.8
JUL	82	20.6	26.2	32.0	37.0	21.9	26.2	32.8	38.4
AUG	82	18.2	22.8	27.5	32.0	18.6	23.1	28.5	35.0
SEP	82	17.6	23.4	29.1	35.1	20.4	25.3	31.4	37.1
OCT	82	17.1	22.9	28.9	35.1	16.9	22.8	29.1	35.5
NOV	82	15.0	20.5	25.5	30.0	16.1	21.1	26.6	31.8
DEC	82	15.2	21.4	27.1	32.6	16.5	22.7	29.7	36.7
JAN	83	16.1	22.2	28.2	34.1	16.9	23.6	30.6	36.7
FEB	83	17.8	24.0	29.6	35.7	17.5	23.6	30.8	39.0
MAR	83	18.7	25.3	30.7	36.2	19.2	26.0	32.4	40.2
APR	83	17.6	24.6	30.8	37.4	18.7	25.0	32.1	39.3
MAY	83	17.7	24.1	29.5	34.7	18.4	23.9	30.8	37.0
JUN	83	19.7	26.4	32.1	38.4	20.7	26.0	32.5	38.5
JUL	83	19.1	25.4	31.1	36.5	20.7	26.0	32.9	39.0
AUG	83	17.9	23.4	28.3	33.0	20.7	24.1	29.5	35.2
SEP	83	16.7	22.2	27.1	32.2	18.6	22.8	27.7	32.9
OCT	83	16.8	23.5	29.1	35.0	18.4	23.6	29.7	35.3
NOV	83	18.0	25.4	31.0	37.1	18.3	25.9	33.2	39.7
DEC	83	15.9	20.5	25.6	30.6	15.7	20.5	26.9	33.6
JAN	84	15.6	19.7	24.5	29.7	15.0	20.1	26.1	32.5
FEB	84	17.0	23.0	29.5	36.2	17.6	24.2	31.4	37.0
MAR	84	16.6	22.3	27.9	33.4	17.4	24.0	30.5	36.6
APR	84	18.0	24.4	30.6	36.1	18.5	25.5	33.4	40.4
MAY	84	17.2	23.2	28.8	34.4	17.7	22.7	28.9	34.6
JUN	84	18.9	25.2	31.4	37.0	20.1	25.4	32.2	37.8
JUL	84	18.6	24.1	29.2	34.6	20.6	24.8	30.3	35.5
AUG	84	16.7	23.2	29.4	35.3	20.9	25.2	30.8	36.5
SEP	84	14.4	21.1	27.3	32.7	18.6	22.6	29.0	33.3
OCT	84	13.6	20.6	26.6	32.1	18.2	24.0	30.0	34.9
NOV	84	16.1	23.3	29.6	35.3	17.9	24.5	31.1	37.1
DEC	84	11.8	18.3	24.7	31.0	15.0	20.7	26.3	32.6

TABLE II (CONTINUED): MONTHLY S1 SCORE ... 500MB

MON YR	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN 85	12.5	18.7	25.4	32.5	15.9	22.1	28.6	35.0
FEB 85	12.1	18.9	25.1	31.0	15.6	20.0	26.2	32.3
MAR 85	14.3	21.3	27.7	32.8	17.5	23.8	29.9	36.0
APR 85	13.3	19.9	25.7	31.6	17.8	23.1	28.7	34.7
MAY 85	15.3	23.2	30.7	37.6	19.3	24.9	31.6	38.3
JUN 85	15.9	24.2	31.8	39.1	19.4	24.6	31.4	38.2
JUL 85	16.5	22.9	28.1	32.8	20.9	25.1	30.5	35.1
AUG 85	16.5	23.6	29.4	34.7	22.0	26.2	31.1	36.4
SEP 85	13.8	21.8	28.5	34.5	20.6	24.3	29.1	34.2
OCT 85	12.8	19.4	25.3	30.9	17.2	21.9	27.0	32.0
NOV 85	11.8	18.8	24.9	30.4	16.7	22.1	27.8	34.0
DEC 85	11.0	16.8	22.7	28.6	14.9	20.5	26.3	31.6
JAN 86	12.0	18.6	25.0	31.3	15.6	21.5	27.7	34.2
FEB 86	12.7	19.1	25.3	31.8	15.8	21.1	27.8	33.6
MAR 86	12.7	18.5	24.0	28.9	16.5	21.8	27.3	32.8
APR 86	14.0	21.4	27.9	34.2	19.3	25.2	31.0	37.3
MAY 86	15.2	22.5	28.8	33.8	19.4	24.6	30.5	35.9
JUN 86	14.6	20.6	26.1	31.6	19.3	23.9	29.8	35.4
JUL 86	17.3	23.6	29.1	34.0	21.3	26.2	32.1	37.0
AUG 86	15.9	22.0	28.0	33.4	21.0	25.5	31.5	35.8
SEP 86	13.9	19.6	25.0	30.6	17.9	22.7	28.2	33.2
OCT 86	13.0	19.7	26.6	32.5	18.0	23.0	28.4	34.0
NOV 86	11.0	16.7	22.4	28.7	15.2	19.9	25.5	31.4
DEC 86	12.0	18.5	24.4	29.9	17.7	23.8	29.9	36.2
JAN 87	11.3	18.1	24.9	30.9	16.3	23.1	29.7	36.1
FEB 87	12.6	19.8	26.1	32.1	18.1	24.4	31.5	37.3
MAR 87	12.5	19.4	25.6	31.5	18.0	24.6	31.1	37.2
APR 87	13.0	20.7	27.7	33.6	18.4	24.5	30.6	36.8
MAY 87	13.4	20.0	25.9	30.9	19.2	24.5	30.1	35.6
JUN 87	13.1	18.9	24.3	28.7	19.4	23.7	29.3	34.5
JUL 87	14.7	20.2	25.7	30.6	20.9	25.3	30.4	35.1
AUG 87	13.6	19.8	25.0	29.6	20.2	24.1	28.9	33.1
SEP 87	12.2	18.0	23.4	29.0	18.6	23.4	28.6	33.7
OCT 87	10.6	16.3	21.6	26.9	17.1	21.8	27.7	33.5
NOV 87	11.4	17.7	23.6	29.2	17.2	23.3	28.5	33.7
DEC 87	11.0	16.9	22.7	28.2	17.0	23.2	29.0	34.9

TABLE III: MONTHLY S1 SCORE ... 500MB
36 HOUR FINAL BAROTROPIC

VERIFICATION GRID: 49 point lat-lon grid. This is a subset of a 63 point grid which covers the area between 65 and 145 west longitude and between 25 and 55 north latitude. Gridpoint spacing is 5 degrees latitude by 10 degrees longitude.

VERIFYING ANALYSES: Hough analysis thru 25Jul84, Optimum Interpolation method 25Jul84 -

36 HOUR FINAL BAROTROPIC									
MON	1975	1976	1977	1978	1979	1980	1981	1982	1983
JAN		37.6	40.3	39.4	40.1	40.6	38.6	36.5	39.2
FEB		36.7	38.9	39.8	39.1	38.8	39.9	35.6	41.1
MAR		37.8	40.4	38.4	41.3	44.2	41.4	38.9	44.4
APR		42.1	41.3	44.3	39.6	41.4	37.6	40.0	44.0
MAY		42.8	40.8	42.7	42.4	40.7	41.4	43.5	37.1
JUN		44.8	41.7	40.8	39.7	39.3	40.6	38.6	40.0
JUL		42.4	37.4	39.9	42.2	36.9	41.7	40.1	39.6
AUG		42.0	36.1	38.6	40.6	37.9	41.8	37.4	36.7
SEP		43.8	41.9	38.3	39.8	38.6	41.4	39.5	38.8
OCT	44.5	32.9	43.4	40.2	43.0	35.3	38.8	39.6	40.9
NOV		33.9	40.0	39.1	38.2	38.8	38.7	38.3	42.2
DEC	39.4	36.1	39.3	37.0	39.0	35.8	35.8	39.0	35.9
MON	1984	1985	1986	1987					
JAN	35.0	35.3	36.7	39.8					
FEB	40.0	35.0	36.5	39.5					
MAR	38.6	33.4	39.3	37.4					
APR	42.5	39.2	38.7	39.2					
MAY	39.4	39.3	36.1	39.6					
JUN	38.8	41.1	36.3	37.0					
JUL	37.0	36.9	36.3	36.8					
AUG	38.4	38.6	36.5	35.9					
SEP	38.4	38.3	36.0	35.3					
OCT	36.2	39.2	36.5	35.4					
NOV	44.0	36.2	35.6	39.5					
DEC	35.8	33.0	38.2	39.7					

TABLE IV: COARSE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

VERIFICATION GRID: 33 point lat-lon grids for western and eastern United States. WEST33 is the area between 105W and 145W, 25N and 55N; EAST33 is the area between 65W and 105W, 25N and 55N; gridpoint spacing is 5 degrees latitude by 10 degrees longitude.

VERIFYING ANALYSIS: Hough analysis thru 25Jul84, Optimum Interpolation method 26Jul84 -

MON YR	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
MAR 78	24.5	31.5	38.0	44.0	15.5	19.4	25.5	31.1
APR 78	24.9	29.8	36.6	42.2	19.7	23.9	29.4	36.3
MAY 78	24.1	32.4	39.3	42.8	23.0	27.4	35.4	39.6
JUN 78	25.8	33.8	39.2	44.8	22.4	24.6	30.6	34.4
JUL 78	29.4	34.0	39.1	45.5	24.6	26.2	31.5	33.6
AUG 78	25.1	31.2	36.1	40.7	24.6	28.7	33.8	38.6
SEP 78	26.5	31.8	37.1	42.8	22.2	25.8	32.8	36.1
OCT 78	23.6	30.4	34.6	40.0	18.7	23.1	30.8	34.7
NOV 78	23.0	31.1	33.9	39.6	17.4	22.0	27.0	32.9
DEC 78	21.0	27.7	32.5	37.6	17.0	21.7	27.9	31.5
JAN 79	23.8	31.3	37.1	44.5	17.3	22.0	29.0	33.5
FEB 79	21.4	25.6	29.5	32.9	17.0	20.8	27.1	29.3
MAR 79	23.6	29.4	36.6	40.8	18.0	22.5	28.6	34.9
APR 79	23.0	29.7	34.2	39.7	18.5	23.1	29.5	36.1
MAY 79	23.9	31.1	36.3	41.5	20.4	25.4	30.3	36.5
JUN 79	25.1	30.8	35.6	40.3	21.9	26.3	31.3	36.3
JUL 79	28.0	32.8	38.2	43.0	24.8	28.0	33.1	37.0
AUG 79	28.8	33.6	39.7	43.8	22.2	25.6	30.3	34.6
SEP 79	27.3	31.6	38.5	42.8	19.6	24.2	29.0	34.5
OCT 79	23.0	29.0	33.0	37.6	17.8	22.7	28.0	32.5
NOV 79	22.8	29.4	33.0	37.4	16.3	22.0	26.4	32.8
DEC 79	21.4	25.7	30.8	35.1	17.3	22.9	28.3	32.8
JAN 80	21.9	27.5	31.4	37.6	17.2	22.3	27.0	32.2
FEB 80	24.4	30.9	35.7	40.0	16.8	21.5	26.3	32.2
MAR 80	23.6	29.0	33.8	37.9	16.7	20.8	25.2	31.3
APR 80	22.7	28.8	34.2	39.0	19.5	24.8	30.5	36.5
MAY 80	24.2	30.4	36.4	41.7	20.6	24.9	30.7	36.1
JUN 80	24.9	29.7	34.4	39.6	20.3	24.0	29.3	33.8

TABLE IV(CONTINUED): COARSE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

MON	YR	WEST33.....				EAST33.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JUL	80	24.1	28.6	33.4	38.5	21.4	25.3	30.6	34.8
AUG	80	24.7	30.7	35.2	39.2	19.7	23.9	29.5	34.6
SEP	80	20.7	26.4	31.8	36.6	15.2	20.3	25.4	30.6
OCT	80	19.0	26.0	31.9	37.4	13.7	19.0	24.3	30.1
NOV	80	19.5	26.4	32.5	40.2	13.1	18.8	25.5	32.4
DEC	80	18.5	24.3	29.8	33.5	11.6	16.3	21.3	27.0
JAN	81	22.8	29.8	36.4	40.4	12.7	17.2	28.6	28.0
FEB	81	20.2	26.7	33.6	39.9	13.4	19.6	26.0	31.6
MAR	81	22.0	30.2	36.7	41.9	15.7	21.4	28.2	33.8
APR	81	19.5	26.1	31.6	36.8	14.0	19.4	25.0	30.6
MAY	81	22.1	28.8	34.1	39.2	18.0	24.1	30.7	36.7
JUN	81	22.0	28.7	34.1	38.7	18.4	24.8	30.9	36.8
JUL	81	27.2	33.6	38.3	43.6	19.3	25.0	31.2	36.6
AUG	81	25.3	31.2	35.9	39.9	21.6	27.0	33.4	38.3
SEP	81	22.0	29.6	35.5	40.5	17.5	24.1	29.8	35.7
OCT	81	18.2	24.0	29.5	35.9	13.6	19.5	26.2	32.1
NOV	81	21.2	26.7	31.9	35.5	14.8	20.7	27.4	34.2
DEC	81	18.8	25.4	31.5	36.2	13.3	19.0	24.9	31.4
JAN	82	17.6	22.5	27.0	31.5	12.0	17.2	22.4	26.9
FEB	82	18.5	23.7	27.3	30.9	11.7	17.0	22.2	26.5
MAR	82	19.2	25.7	31.1	35.9	12.9	17.1	23.2	28.4
APR	82	18.4	23.2	27.6	31.8	15.1	20.8	26.4	30.9
MAY	82	21.3	29.0	35.8	42.5	19.7	26.6	33.2	38.9
JUN	82	23.5	28.8	34.2	38.6	17.2	22.7	28.5	33.2
JUL	82	24.7	30.3	36.4	40.4	18.6	23.5	29.3	34.5
AUG	82	23.3	28.0	32.8	36.8	16.1	20.4	24.9	29.2
SEP	82	21.1	26.8	33.0	39.2	17.0	22.4	27.8	33.2
OCT	82	19.8	25.5	31.3	36.5	16.1	21.7	27.7	34.6
NOV	82	18.5	24.6	30.1	34.5	12.8	17.5	22.0	26.2
DEC	82	19.0	26.5	31.8	36.9	13.0	18.6	24.0	29.2
JAN	83	20.7	26.5	31.6	36.3	13.5	19.1	25.7	31.8
FEB	83	20.4	26.6	31.7	35.2	15.5	21.2	27.6	34.4
MAR	83	20.1	26.3	30.6	35.2	16.6	22.4	28.3	34.3
APR	83	20.1	26.4	31.8	38.2	15.9	22.2	28.6	34.4
MAY	83	21.2	27.2	32.9	38.2	16.3	21.9	26.8	31.1
JUN	83	22.5	28.8	34.8	40.4	18.2	24.0	29.2	35.8
JUL	83	21.5	27.9	33.1	37.1	18.3	23.5	29.8	36.0
AUG	83	21.5	27.2	31.5	36.2	16.9	22.0	27.6	32.0
SEP	83	21.3	27.0	31.8	36.0	15.0	20.1	25.3	30.7
OCT	83	20.1	27.5	32.4	37.0	15.5	20.8	26.7	33.4
NOV	83	19.7	27.0	31.5	34.8	16.5	22.7	29.0	36.7
DEC	83	20.2	26.1	29.9	34.6	13.8	17.7	23.3	27.8

TABLE IV (CONTINUED): COARSE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

MON YR	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN 84	20.8	26.5	31.4	37.7	13.6	17.2	21.5	26.1
FEB 84	21.7	28.0	33.5	37.9	14.6	20.2	27.1	34.8
MAR 84	19.9	26.0	31.1	35.7	15.2	20.5	26.0	31.9
APR 84	19.9	26.4	32.2	37.1	16.7	22.5	28.4	34.0
MAY 84	20.8	27.0	32.4	36.7	15.6	21.0	26.3	32.3
JUN 84	22.7	28.9	34.2	38.1	17.4	22.6	28.8	34.7
JUL 84	23.2	28.8	33.8	39.1	17.9	22.6	27.6	32.9
AUG 84	20.2	27.1	33.3	38.7	16.6	22.4	28.7	35.0
SEP 84	18.4	25.3	30.7	35.6	12.9	19.2	26.3	31.9
OCT 84	15.3	22.5	28.1	32.9	12.6	19.5	25.9	31.6
NOV 84	19.8	26.6	32.6	37.4	13.3	19.7	26.4	32.3
DEC 84	15.1	22.6	29.7	37.0	10.0	15.5	21.3	26.8
JAN 85	18.3	25.9	33.2	39.9	10.6	16.0	22.0	28.6
FEB 85	15.7	22.7	28.1	33.8	10.9	17.2	23.6	29.1
MAR 85	17.7	25.2	30.4	33.6	12.0	18.3	24.9	30.9
APR 85	16.7	24.0	29.8	34.2	12.1	18.4	24.4	30.7
MAY 85	19.2	27.3	34.1	40.3	13.3	20.1	27.3	38.9
JUN 85	18.8	26.6	33.9	39.6	15.3	22.9	30.8	38.9
JUL 85	20.5	28.1	33.4	37.6	15.2	20.5	26.3	31.2
AUG 85	19.1	26.5	31.9	35.8	16.6	23.1	29.8	35.9
SEP 85	16.7	25.1	31.9	37.9	13.2	20.6	27.4	33.3
OCT 85	15.3	22.2	27.3	31.8	11.4	17.6	24.0	30.3
NOV 85	14.3	21.1	27.0	33.4	11.2	18.1	24.2	29.0
DEC 85	15.5	23.2	29.6	35.4	9.3	14.4	19.8	25.3
JAN 86	17.3	25.6	31.0	35.1	9.8	15.1	21.6	29.0
FEB 86	16.3	22.8	28.5	34.1	10.8	16.7	23.0	29.2
MAR 86	15.8	22.9	28.9	33.2	10.8	15.4	20.2	25.0
APR 86	16.2	24.6	30.5	35.8	13.0	19.7	26.3	32.7
MAY 86	16.2	23.4	29.3	33.1	15.4	22.4	29.3	35.0
JUN 86	17.9	24.2	29.9	34.9	13.7	19.1	24.5	30.3
JUL 86	20.0	26.5	31.9	36.3	15.9	21.5	27.3	32.5
AUG 86	20.6	27.5	32.6	36.7	14.7	20.3	26.8	32.9
SEP 86	16.0	21.9	27.8	34.1	13.3	18.8	23.9	28.8
OCT 86	16.5	23.3	29.9	35.3	11.5	18.1	31.6	31.0
NOV 86	14.4	20.4	26.2	31.8	9.7	15.2	21.1	27.2
DEC 86	15.7	23.2	29.4	34.8	10.1	15.5	21.1	26.4

TABLE IV(CONTINUED): COARSE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

MON YR	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN 87	14.0	21.3	27.1	31.2	10.0	16.3	23.1	29.6
FEB 87	15.1	23.4	30.0	35.0	11.0	17.5	22.9	29.0
MAR 87	15.2	23.0	28.0	31.9	11.1	17.2	23.7	30.4
APR 87	14.9	22.6	28.8	32.3	12.1	19.8	27.4	34.4
MAY 87	15.8	23.3	29.7	34.4	12.4	18.2	23.4	28.1
JUN 87	15.7	21.8	27.5	31.2	12.3	17.6	22.9	27.2
JUL 87	15.8	21.8	27.3	31.5	14.8	19.2	24.5	29.7
AUG 87	16.8	23.2	28.8	33.1	13.1	18.5	23.3	27.7
SEP 87	14.8	21.2	26.3	31.6	12.0	17.3	22.5	27.9
OCT 87	14.1	20.9	26.6	31.2	9.7	14.8	19.9	24.9
NOV 87	13.8	20.6	26.4	30.8	10.2	16.0	21.7	27.8
DEC 87	13.2	19.7	24.6	29.1	9.7	15.2	21.3	27.0

TABLE V: FINE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

VERIFICATION GRID: 33 point lat-lon grids for western and eastern United States. WEST33 is the area between 105W and 145W, 25N and 55N; EAST33 is the area between 65W and 105W, 25N and 55N; gridpoint spacing is 5 degrees latitude by 10 degrees longitude.

VERIFYING ANALYSIS: Hough analysis thru 25Jul84, Optimum Interpolation method 26Jul84 -

MON YR	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
MAR 78	24.8	31.9	40.2	47.5	13.1	17.5	22.7	28.8
APR 78	25.3	29.9	37.8	44.0	16.2	21.7	26.7	35.6
MAY 78	22.9	30.1	38.7	42.2	19.4	24.3	30.6	35.6
JUN 78	24.4	30.3	36.6	43.8	20.1	23.5	28.4	32.4
JUL 78	27.0	33.0	37.5	45.5	19.9	24.3	28.0	33.6
AUG 78	22.7	27.5	32.9	37.7	19.5	23.7	28.9	34.8
SEP 78	24.4	31.0	37.1	44.1	19.1	22.7	29.3	36.2
OCT 78	22.3	29.6	33.1	39.8	16.5	19.4	25.5	30.2
NOV 78	21.0	29.7	34.6	41.4	14.5	19.3	23.4	29.9
DEC 78	20.8	26.6	34.1	40.4	15.0	19.4	24.9	30.0
JAN 79	22.5	29.2	36.5	44.1	15.6	20.3	26.5	32.0
FEB 79	19.4	25.8	32.3	37.9	14.7	16.7	22.5	26.6
MAR 79	21.8	28.2	36.8	43.6	16.3	19.9	26.8	33.6
APR 79	22.3	27.9	33.5	40.4	16.1	21.0	27.3	33.5
MAY 79	23.4	29.9	37.1	42.6	19.2	23.0	29.7	36.1
JUN 79	24.8	29.3	34.7	40.1	19.2	22.7	28.8	35.0
JUL 79	26.4	31.8	37.5	43.0	22.4	25.7	31.8	36.6
AUG 79	27.9	32.1	37.0	42.1	18.9	21.8	27.6	31.8
SEP 79	24.6	31.2	37.2	42.7	17.4	20.2	25.6	30.5
OCT 79	23.7	29.9	35.4	41.3	16.7	20.6	26.4	32.3
NOV 79	23.0	29.1	35.1	41.3	15.1	19.1	25.4	31.6
DEC 79	22.2	29.4	36.0	41.5	15.4	20.0	26.4	32.8
JAN 80	21.8	28.7	36.2	42.6	15.1	20.6	27.9	34.2
FEB 80	25.4	32.9	39.6	45.1	15.5	19.0	25.3	32.9
MAR 80	23.3	29.5	34.2	38.8	14.9	19.3	25.4	31.7
APR 80	23.2	30.2	35.7	41.4	17.7	22.9	28.6	35.4
MAY 80	24.5	31.6	39.8	45.8	18.1	23.1	29.9	37.1
JUN 80	23.4	29.1	36.1	42.0	17.9	22.2	28.2	34.0

TABLE V(CONTINUED): FINE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

MON	YR	WEST33.....				EAST33.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JUL	80	23.5	27.7	34.0	39.8	19.6	22.9	28.2	33.5
AUG	80	25.5	29.3	35.1	40.0	19.7	22.7	28.3	33.2
SEP	80	21.1	25.8	33.0	39.7	15.3	18.6	24.1	29.8
OCT	80	21.2	28.8	35.1	40.0	13.8	18.2	24.3	30.5
NOV	80	21.7	28.6	35.2	36.4	14.0	18.7	25.5	33.2
DEC	80	19.4	25.2	31.2	36.1	12.0	16.4	22.2	28.6
JAN	81	24.7	32.7	40.3	46.8	13.3	17.5	22.6	28.9
FEB	81	21.1	28.4	35.9	42.4	14.2	19.9	26.3	33.0
MAR	81	24.2	31.6	39.3	44.8	16.7	22.5	28.8	35.2
APR	81	20.9	27.4	34.5	40.4	15.0	19.7	26.1	33.6
MAY	81	23.0	30.5	37.9	45.1	18.5	22.5	28.8	34.4
JUN	81	23.4	31.0	37.7	42.1	17.8	21.9	28.8	36.1
JUL	81	28.0	33.8	40.0	47.9	21.0	24.0	29.6	34.6
AUG	81	27.2	31.0	37.3	42.9	22.3	25.5	31.5	36.9
SEP	81	23.5	30.1	36.6	42.4	18.3	22.3	28.8	34.8
OCT	81	19.6	25.2	32.1	38.9	14.6	19.5	25.5	32.9
NOV	81	21.8	29.3	34.9	39.4	15.4	19.9	26.2	33.3
DEC	81	20.2	27.2	33.4	39.5	13.9	19.0	26.5	33.6
JAN	82	18.0	23.1	28.5	34.6	12.6	17.8	24.3	30.7
FEB	82	18.9	24.2	29.9	33.7	14.3	19.8	26.3	32.9
MAR	82	20.4	28.2	34.8	40.4	14.0	19.3	27.5	35.4
APR	82	19.3	24.5	30.4	36.0	16.0	20.8	27.9	35.1
MAY	82	22.3	28.9	36.5	44.0	20.0	25.6	33.2	40.8
JUN	82	24.7	31.1	39.2	45.8	17.2	20.3	26.1	31.0
JUL	82	25.2	30.9	37.8	44.2	19.6	22.2	27.7	32.0
AUG	82	23.6	28.6	35.7	43.3	16.5	19.9	24.3	29.5
SEP	82	22.1	27.9	34.6	40.9	18.0	21.8	26.9	32.0
OCT	82	20.4	26.6	32.5	39.2	16.0	20.7	27.2	33.7
NOV	82	19.6	25.3	31.2	36.1	13.3	16.8	21.4	26.4
DEC	82	19.7	27.6	34.1	40.9	13.3	18.4	25.4	32.3
JAN	83	21.1	29.5	36.7	40.7	13.9	19.0	25.2	32.1
FEB	83	20.7	28.5	36.1	41.7	14.7	19.3	26.1	34.5
MAR	83	20.9	28.2	34.6	40.6	16.1	21.5	28.0	35.9
APR	83	21.1	27.2	33.8	39.8	16.4	22.3	28.7	36.0
MAY	83	21.2	26.7	33.9	40.3	16.2	20.5	26.4	31.8
JUN	83	22.9	29.0	35.3	41.0	19.2	22.9	28.6	34.6
JUL	83	22.4	27.8	34.8	40.8	20.0	23.6	29.7	35.6
AUG	83	22.5	26.5	32.6	40.0	18.9	21.7	26.5	30.6
SEP	83	21.1	26.2	31.8	37.4	16.1	19.4	24.3	28.9
OCT	83	20.5	26.9	32.4	37.9	15.6	19.7	26.3	32.0
NOV	83	20.7	28.7	34.8	39.4	15.3	21.1	28.6	36.4
DEC	83	20.3	26.9	33.9	40.9	13.2	17.3	22.4	28.4

TABLE V (CONTINUED): FINE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

MON	YR	WEST33.....				EAST33.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN	84	20.3	27.3	35.1	42.1	12.7	16.4	21.0	26.8
FEB	84	20.9	28.4	35.4	40.0	15.0	21.1	27.8	33.9
MAR	84	21.2	29.3	36.2	41.4	15.4	20.6	26.1	31.8
APR	84	20.2	28.0	35.6	41.3	16.2	21.7	29.3	36.3
MAY	84	21.1	26.9	33.3	38.7	15.8	19.3	25.1	31.4
JUN	84	23.4	29.3	35.0	40.7	18.4	22.0	28.2	33.4
JUL	84	24.5	28.6	34.3	39.5	19.1	21.8	27.0	31.6
AUG	84	22.7	27.6	33.8	40.0	19.2	22.8	28.1	32.9
SEP	84	21.5	26.5	33.1	36.9	16.2	19.5	25.4	30.2
OCT	84	19.2	25.2	31.5	35.9	16.3	21.3	27.3	33.0
NOV	84	21.5	29.3	35.7	41.1	15.8	21.2	27.6	33.7
DEC	84	18.0	24.6	32.0	38.3	12.7	17.0	22.2	28.2
JAN	85	21.9	29.8	37.8	44.6	12.8	17.6	22.9	28.8
FEB	85	18.1	22.2	29.3	34.5	13.6	18.3	24.0	30.3
MAR	85	19.4	26.8	33.3	39.2	14.5	20.2	26.2	31.8
APR	85	20.5	26.4	32.8	37.9	16.0	20.7	26.4	32.6
MAY	85	22.1	28.3	35.7	42.7	16.8	21.5	27.3	33.0
JUN	85	21.6	26.8	33.9	40.9	18.3	23.2	29.4	35.9
JUL	85	24.6	29.6	35.8	41.0	18.0	21.4	26.2	30.4
AUG	85	23.0	27.8	33.3	39.3	20.7	24.5	29.1	34.5
SEP	85	21.3	27.0	32.1	38.6	17.2	21.8	26.8	31.5
OCT	85	18.3	23.8	29.3	34.8	15.4	19.5	24.7	30.3
NOV	85	18.4	24.2	30.3	37.2	14.8	19.9	25.8	31.5
DEC	85	20.5	27.4	34.5	39.8	12.7	17.0	22.0	27.3
JAN	86	20.6	28.5	34.4	39.8	13.2	17.5	24.1	24.1
FEB	86	19.9	26.1	32.6	36.9	13.1	17.8	23.9	30.1
MAR	86	19.8	26.9	32.8	37.0	13.6	17.8	22.8	28.5
APR	86	20.5	26.1	32.1	37.3	17.8	23.7	29.5	36.2
MAY	86	19.5	26.0	32.7	37.8	19.1	23.4	29.1	34.6
JUN	86	21.6	27.3	34.3	41.0	16.3	20.6	25.8	31.2
JUL	86	22.9	27.8	35.0	41.5	18.6	23.0	28.7	33.1
AUG	86	24.6	28.9	35.6	40.0	17.2	22.0	27.9	32.4
SEP	86	19.6	24.7	31.2	37.6	15.6	19.8	24.9	29.6
OCT	86	20.8	26.2	31.6	38.2	14.4	19.4	25.1	30.5
NOV	86	17.9	23.6	30.1	35.6	13.3	17.5	22.0	28.2
DEC	86	21.4	29.1	36.2	42.4	14.2	19.0	24.1	30.7

TABLE V (CONTINUED): FINE-MESH MODEL 500MB S1 SCORE
WEST33 AND EAST33

MON YR	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN 87	19.2	26.5	32.5	38.1	13.6	19.6	25.7	32.7
FEB 87	19.5	27.5	35.6	40.6	14.8	20.3	26.4	32.5
MAR 87	18.7	25.6	31.1	36.2	15.8	22.5	29.2	35.9
APR 87	18.5	25.6	32.0	37.3	16.5	22.6	28.9	35.9
MAY 87	20.8	26.9	33.7	40.1	17.0	21.8	26.7	31.7
JUN 87	20.6	25.1	32.2	37.9	17.2	21.5	26.6	32.0
JUL 87	21.2	26.1	31.7	36.7	18.5	22.5	27.8	32.0
AUG 87	23.2	26.4	32.0	36.7	16.1	19.9	24.4	28.7
SEP 87	20.0	25.0	31.3	36.3	15.5	20.4	25.3	30.5
OCT 87	19.6	25.5	32.4	39.4	13.5	18.0	23.3	28.6
NOV 87	18.3	24.9	30.6	35.7	14.0	19.4	24.7	30.1
DEC 87	18.3	23.8	28.8	33.6	13.8	19.9	26.5	33.3

TABLE VI: FINAL BAROTROPIC 500MB S1 SCORE
WEST33 AND EAST33

VERIFICATION GRID: 33 point lat-lon grids for western and eastern United States. WEST33 is the area between 105W and 145W, 25N and 55N; EAST33 is the area between 65W and 105W, 25N and 55N; gridpoint spacing is 5 degrees latitude by 10 degrees longitude.

VERIFYING ANALYSIS: Hough analysis thru 25Jul84, Optimum Interpolation method 26Jul84 -

MON YR	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
MAR 78	24.2	36.2	44.6	52.3	16.6	26.1	33.3	39.6
APR 78	26.3	34.4	44.6	49.6	21.3	31.8	40.9	44.8
MAY 78	24.6	36.9	46.5	50.3	22.7	32.2	41.2	47.6
JUN 78	25.7	36.9	44.9	49.9	22.9	30.5	37.6	40.1
JUL 78	27.0	37.9	45.9	53.2	22.9	30.4	35.6	40.5
AUG 78	24.1	33.8	39.8	46.3	22.4	29.6	37.4	43.2
SEP 78	26.5	36.3	42.3	50.2	22.5	30.2	38.6	45.2
OCT 78	29.9	39.4	46.8	54.4	22.8	31.4	39.2	44.7
NOV 78	27.2	36.9	42.1	46.6	20.3	31.2	38.9	43.2
DEC 78	27.0	35.3	42.9	47.7	19.8	27.7	34.7	40.6
JAN 79	28.7	40.3	46.6	54.6	21.5	31.8	40.3	45.7
FEB 79	25.9	35.7	43.4	48.9	20.2	28.9	36.5	42.9
MAR 79	27.1	35.9	42.6	49.1	22.4	32.7	41.7	47.3
APR 79	27.6	34.3	39.5	46.1	21.5	31.6	39.0	45.0
MAY 79	27.6	36.2	42.3	49.6	24.9	33.9	41.4	48.6
JUN 79	31.2	38.0	44.8	48.7	27.4	36.6	44.6	51.9
JUL 79	31.9	37.1	44.5	51.3	30.0	37.2	42.4	47.1
AUG 79	34.6	40.0	48.1	55.0	25.0	31.7	38.8	43.6
SEP 79	27.5	35.7	43.9	49.8	22.4	30.4	38.4	43.9
OCT 79	25.0	34.2	43.2	51.9	21.5	30.2	38.7	45.7
NOV 79	25.3	33.5	41.1	47.7	19.4	28.4	36.6	44.7
DEC 79	26.1	33.4	41.1	49.5	21.3	31.0	38.5	44.6
JAN 80	27.1	36.1	43.5	49.9	21.9	32.4	41.0	46.5
FEB 80	28.0	38.1	44.9	51.3	19.9	27.1	36.7	41.5
MAR 80	28.9	39.7	45.9	52.8	22.0	31.4	37.8	49.1
APR 80	26.5	37.0	44.3	52.9	23.1	32.9	41.5	49.5
MAY 80	28.9	37.9	45.1	52.9	23.1	32.3	39.3	45.8
JUN 80	24.2	33.5	41.4	49.0	22.6	30.1	36.7	43.7

TABLE VI (CONTINUED): FINAL BAROTROPIC 500MB S1 SCORE
WEST33 AND EAST33

MON	YR	WEST33.....				EAST33.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JUL	80	23.7	35.7	39.2	48.0	21.9	28.1	34.8	39.7
AUG	80	24.7	33.3	39.8	45.9	23.0	32.0	37.4	42.5
SEP	80	22.0	32.5	38.6	47.4	19.9	27.6	35.3	39.2
OCT	80	21.9	32.4	38.7	46.1	17.7	26.6	34.0	40.2
NOV	80	22.1	29.6	37.2	42.2	18.8	28.8	35.7	42.5
DEC	80	21.3	29.4	35.9	42.8	18.1	27.7	34.8	40.1
JAN	81	25.2	35.7	45.6	52.7	18.0	28.5	35.3	42.9
FEB	81	22.6	30.8	38.2	49.6	20.1	30.8	38.2	44.0
MAR	81	23.8	34.5	42.2	50.5	21.2	30.1	37.8	45.6
APR	81	22.1	31.9	38.8	46.4	20.7	28.8	36.4	41.1
MAY	81	25.3	35.8	41.3	49.8	22.6	31.9	38.6	45.1
JUN	81	24.3	34.2	39.1	46.8	22.7	31.1	39.0	43.7
JUL	81	30.5	41.7	47.6	56.3	24.7	32.3	39.2	45.5
AUG	81	28.4	37.7	43.4	52.1	25.0	35.0	40.1	47.8
SEP	81	22.0	31.8	38.7	46.3	22.6	34.7	42.6	48.0
OCT	81	20.7	30.3	37.4	44.3	19.2	28.7	37.6	44.0
NOV	81	21.3	30.9	37.1	42.9	22.1	30.8	39.7	45.8
DEC	81	19.6	28.4	33.6	40.3	18.3	28.0	35.5	41.1
JAN	82	20.2	29.8	37.0	44.9	20.1	30.0	37.0	43.6
FEB	82	21.2	29.8	37.8	45.9	16.9	25.0	33.0	38.8
MAR	82	21.4	32.3	39.9	48.1	18.4	26.7	34.1	39.5
APR	82	21.9	32.2	39.5	45.7	20.1	29.4	36.9	44.1
MAY	82	23.4	32.9	41.2	50.1	24.6	32.8	41.3	47.7
JUN	82	25.1	31.2	38.7	43.7	21.5	28.4	34.9	40.8
JUL	82	25.6	34.1	41.4	47.4	23.7	29.8	36.3	41.6
AUG	82	24.6	31.9	39.1	45.5	20.6	27.5	32.9	38.5
SEP	82	23.5	33.8	40.8	49.4	20.4	28.9	36.6	42.7
OCT	82	23.8	33.3	43.3	48.6	20.2	31.1	38.3	46.2
NOV	82	22.1	31.6	39.5	46.0	18.2	27.9	35.3	40.3
DEC	82	23.4	34.2	42.9	50.3	18.1	28.0	36.4	43.0
JAN	83	22.3	33.3	42.2	50.3	18.0	26.8	35.9	42.2
FEB	83	22.1	32.2	41.0	48.6	20.3	30.3	40.1	47.1
MAR	83	22.1	33.2	41.5	48.8	21.1	32.6	41.7	48.8
APR	83	23.1	31.0	43.3	48.6	19.7	30.0	39.6	47.0
MAY	83	22.4	31.2	37.5	44.9	19.1	28.0	35.9	42.5
JUN	83	23.7	32.9	40.3	47.4	22.5	30.7	38.8	45.7
JUL	83	22.4	31.5	37.8	45.7	21.9	30.5	37.0	42.2
AUG	83	24.8	31.4	34.8	44.5	20.8	27.6	38.0	39.6
SEP	83	23.0	32.1	38.4	44.4	20.0	28.8	37.3	43.3
OCT	83	21.5	32.4	39.6	47.1	20.3	30.4	40.5	47.4
NOV	83	21.5	33.1	41.4	47.4	20.8	31.7	40.6	50.1
DEC	83	21.0	30.1	37.8	44.3	17.6	26.4	33.7	39.2

TABLE VI (CONTINUED): FINAL BAROTROPIC 500MB S1 SCORE
WEST33 AND EAST33

MON	YR	WEST33.....				EAST33.....			
		12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN	84	20.7	30.3	37.6	46.6	16.8	25.0	32.8	36.7
FEB	84	23.1	34.1	41.3	47.6	19.0	29.2	37.9	45.3
MAR	84	21.6	31.9	39.5	47.9	19.1	28.1	35.7	42.5
APR	84	21.6	33.6	41.3	49.9	20.9	32.0	40.5	48.9
MAY	84	24.4	33.0	40.1	45.6	23.0	32.5	39.3	45.4
JUN	84	25.4	35.5	41.7	48.4	22.8	31.2	38.7	44.2
JUL	84	25.9	33.1	39.5	45.8	21.8	29.7	36.3	42.1
AUG	84	22.8	32.0	41.0	47.2	19.7	29.8	36.6	42.8
SEP	84	20.5	32.3	40.4	48.1	18.2	29.0	37.3	45.3
OCT	84	19.7	30.3	35.6	42.0	17.6	27.4	35.0	43.1
NOV	84	23.4	33.8	41.3	48.6	21.1	33.3	41.9	48.7
DEC	84	17.9	28.3	36.2	45.0	15.8	25.6	32.8	36.7
JAN	85	20.8	31.7	43.0	51.9	16.0	24.3	31.8	38.9
FEB	85	19.7	29.8	38.1	44.7	16.3	26.1	32.8	35.8
MAR	85	19.8	31.9	41.1	50.2	17.3	27.8	36.6	43.6
APR	85	20.0	29.3	38.5	45.6	18.0	28.1	35.8	41.9
MAY	85	21.3	33.3	43.8	52.6	17.6	26.8	34.0	40.2
JUN	85	20.6	30.9	39.7	47.0	20.5	30.4	40.8	46.6
JUL	85	22.1	31.0	39.9	45.6	18.8	26.6	33.5	38.4
AUG	85	22.2	32.0	41.0	47.2	19.7	30.2	37.0	43.5
SEP	85	21.1	32.2	41.3	47.4	19.1	28.7	38.3	44.0
OCT	85	20.0	29.2	38.4	44.7	18.9	29.2	38.3	44.8
NOV	85	18.7	30.0	37.5	44.4	17.0	27.7	37.2	44.1
DEC	85	19.3	31.7	39.0	47.1	15.7	24.5	31.3	35.8
JAN	86	20.2	30.9	40.2	47.9	16.6	26.2	34.3	40.8
FEB	86	20.3	30.7	39.2	46.0	16.6	27.7	34.4	40.1
MAR	86	19.7	31.8	41.7	49.4	17.8	27.0	35.7	41.9
APR	86	19.2	30.3	39.2	48.6	18.3	28.6	37.9	46.3
MAY	86	18.3	28.0	36.3	42.5	19.7	29.7	37.5	43.9
JUN	86	21.4	28.8	41.5	46.5	19.6	24.3	35.3	39.0
JUL	86	19.9	30.2	38.4	45.8	18.8	27.6	35.2	41.5
AUG	86	21.8	32.4	40.2	47.3	18.4	28.1	34.3	41.3
SEP	86	19.6	29.8	37.6	45.2	18.1	27.5	34.9	41.0
OCT	86	19.1	29.2	37.3	46.0	17.4	26.9	36.9	43.1
NOV	86	19.1	29.9	38.3	45.2	16.2	26.5	33.8	40.1
DEC	86	20.5	32.6	41.8	50.9	16.3	26.7	34.7	40.9

TABLE VI (CONTINUED): FINAL BAROTROPIC 500MB S1 SCORE
WEST33 AND EAST33

MON YR	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
JAN 87	19.7	31.8	41.7	48.6	18.0	30.2	38.8	47.0
FEB 87	20.7	32.7	42.2	58.8	18.6	28.4	37.1	42.8
MAR 87	18.1	29.7	37.4	46.4	17.2	27.4	35.9	43.4
APR 87	19.7	30.4	38.7	46.0	18.1	30.0	39.6	48.2
MAY 87	20.6	31.6	40.9	48.1	18.6	28.5	37.4	42.9
JUN 87	21.9	32.3	44.9	49.3	17.0	26.8	34.0	40.1
JUL 87	20.1	30.5	37.9	44.6	18.7	26.8	35.0	39.4
AUG 87	21.8	31.2	40.2	47.5	18.0	26.8	33.6	39.1
SEP 87	19.5	29.1	38.5	44.6	17.4	26.5	34.4	42.3
OCT 87	19.1	29.4	39.0	46.7	15.5	24.7	33.3	39.4
NOV 87	18.4	31.0	38.7	48.0	16.7	29.2	38.8	46.1
DEC 87	20.0	32.5	41.8	49.5	16.6	28.1	36.8	44.7

TABLE VII: AVERAGE YEARLY S1 SCORES
MEAN SEA LEVEL AND 500MB

VERIFICATION GRID: 49 point lat-lon grid. This is a subset of a 63 point grid which covers the area between 65 and 145 west longitude and between 25 and 55 north latitude. Gridpoint spacing is 5 degrees latitude by 10 degrees longitude.

VERIFYING ANALYSES

COARSE-MESH MODEL: Hough analysis thru 25Jul84, Optimum Interpolation method 26Jul84 -

FINE-MESH MODEL: Cressman analysis

MEAN SEA LEVEL	COARSE-MESH MODEL.....				FINE-MESH MODEL.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
1976	39.6	47.0	55.1	62.3	39.1	45.2	52.6	59.1
1977	38.9	46.5	54.8	61.9	37.9	44.5	52.3	59.0
1978	36.0	41.9	50.5	56.2	34.8	41.7	49.6	55.8
1979	37.1	42.2	50.7	56.9	35.4	42.0	49.6	56.2
1980	34.6	41.1	49.3	55.6	35.1	41.7	48.9	55.5
1981	33.8	41.4	49.6	56.9	35.1	41.3	48.4	55.1
1982	33.6	41.8	50.1	57.0	35.1	41.6	49.2	56.2
1983	31.6	40.1	48.5	55.2	34.8	41.7	49.7	56.0
1984	31.9	39.1	47.0	54.1	35.1	41.4	49.2	55.3
1985	29.8	37.7	47.0	54.5	35.8	42.1	49.1	55.5
1986	29.2	36.4	45.0	52.2	34.9	41.1	47.9	54.0
1987	24.8	32.4	39.2	45.4	35.2	41.4	47.9	53.6
500 MB								
1976	22.6	29.0	35.4	41.4	18.8	24.5	31.9	39.2
1977	21.9	28.6	34.9	40.6	19.1	24.8	31.5	37.8
1978	21.1	26.4	32.5	37.6	19.6	24.6	31.3	37.4
1979	20.5	25.8	31.4	36.8	19.6	24.7	31.3	37.4
1980	18.6	24.0	29.5	34.9	18.8	24.3	30.9	37.2
1981	17.9	24.3	30.3	35.9	19.4	25.2	31.9	38.4
1982	16.9	22.7	28.2	33.4	18.1	23.4	30.0	36.3
1983	17.7	23.9	29.4	35.1	18.7	24.2	30.8	37.2
1984	16.2	22.4	28.3	34.0	18.1	23.6	30.0	35.7
1985	13.8	20.8	27.1	33.0	18.2	23.2	29.0	34.8
1986	13.7	20.1	26.1	31.7	18.1	23.3	29.2	34.7
1987	12.4	18.8	24.7	30.1	18.4	23.8	29.6	35.1


TABLE VIII: AVERAGE YEARLY 500MB S1 SCORES
WEST33 AND EAST33

VERIFICATION GRID: 33 point lat-lon grids for western and eastern United States. WEST33 is the area between 105W and 145W, 25N and 55N; EAST33 is the area between 65W and 105W, 25N and 55N; gridpoint spacing is 5 degrees latitude by 10 degrees longitude.


VERIFYING ANALYSIS: Hough analysis thru 25Jul84, Optimum Interpolation method 26Jul84 -

	WEST33.....				EAST33.....			
	12HR	24HR	36HR	48HR	12HR	24HR	36HR	48HR
COARSE-MESH								
1979	24.4	30.0	35.3	40.0	19.3	23.8	29.3	34.3
1980	22.3	28.2	33.4	38.4	17.2	21.8	27.1	32.6
1981	21.8	28.4	34.1	39.0	16.0	21.8	28.5	33.8
1982	20.4	26.2	31.6	36.3	15.2	20.5	26.0	31.0
1983	20.8	27.0	32.0	36.6	16.0	21.5	27.3	33.2
1984	19.8	26.3	31.9	37.0	14.7	20.2	26.2	32.0
1985	17.3	24.8	30.9	36.1	12.6	18.9	25.4	31.9
1986	16.9	23.9	29.7	34.6	12.4	18.2	24.7	30.0
1987	14.9	21.9	27.6	31.9	11.5	17.3	23.0	28.6
FINE-MESH								
1979	23.5	29.5	35.8	41.8	17.3	21.0	27.1	32.8
1980	22.8	28.9	35.4	40.6	16.1	20.4	26.5	32.8
1981	23.2	29.9	36.7	42.7	16.8	21.2	27.5	33.9
1982	21.2	27.3	33.8	40.0	15.9	20.3	26.5	32.7
1983	21.3	27.7	34.2	40.0	16.3	20.7	26.7	33.0
1984	21.2	27.6	34.2	39.7	16.1	20.4	26.2	31.9
1985	20.8	26.7	33.2	39.3	15.9	20.5	25.9	31.5
1986	20.8	26.8	33.2	38.8	15.6	20.1	25.7	30.8
1987	19.8	25.7	32.0	37.4	15.5	20.7	26.3	32.0
BARO								
1979	28.2	36.2	43.4	50.2	23.2	32.1	39.8	45.9
1980	24.9	34.6	41.2	48.4	21.0	29.8	37.1	43.4
1981	23.8	33.7	40.3	48.2	21.4	30.9	38.3	44.6
1982	23.0	32.3	40.1	47.2	20.3	28.8	36.1	42.3
1983	22.5	32.0	39.6	46.8	20.2	29.5	38.2	44.5
1984	22.2	32.3	39.6	46.9	19.6	29.4	37.0	43.4
1985	20.5	31.1	40.1	47.4	17.9	27.5	35.6	41.5
1986	19.9	30.4	39.3	46.8	17.8	27.2	35.4	41.7
1987	20.0	31.0	40.1	48.1	17.5	27.8	36.2	42.9

FIGURE I



49 POINT (●) AND 63 POINT (○, ●) GRIDS



33 POINT WEST AND EAST GRIDS

FIGURE IIa

36HR MONTHLY MSLP S1 SCORES AND DIF (LFM MINUS PE, SPECTRAL)



FIGURE Iib

36HR SEASONAL MSLP S1 SCORES AND DIF (LFM,BARO MINUS PE,SPECTRAL)




FIGURE IIc

36HR ANNUAL MSLP S1 SCORES AND DIF (LFM MINUS PE, SPECTRAL)




FIGURE IIIa

36HR MONTHLY 500MB S1 SCORES AND DIF (LFM,BAR0 MINUS PE,SPECTRAL)




FIGURE IIIb

36HR SEASONAL 500MB S1 SCORES AND DIF (LFM,BARO MINUS PE,SPECTRAL)




FIGURE IIIc

36HR ANNUAL 500MB S1 SCORES AND DIF (LFM, BARO MINUS PE, SPECTRAL)




FIGURE IVa

EAST33 36HR MONTHLY 500MB S1 SCORES, DIF (LFM,BARO MINUS PE,SPECTRAL)




FIGURE IVb

EAST33 36HR SEASONAL 500MB S1 SCORES, DIF (LFM,BARO MINUS PE,SPECTRAL)




FIGURE IVc

EAST33 36HR ANNUAL 500MB S1 SCORES AND DIF (LFM,BARO MINUS PE,SPECTRAL)




FIGURE Va

WEST33 36HR MONTHLY 500MB S1 SCORES, DIF (LFM,BARO MINUS PE,SPECTRAL)




FIGURE Vb

WEST33 36HR SEASONAL 500MB S1 SCORES, DIF (LFM,BARO MINUS PE,SPECTRAL)




FIGURE Vc

WEST33 36HR ANNUAL 500MB S1 SCORES AND DIF (LFM, BARO MINUS PE, SPECTRAL)

