NOAA Technical Memorandum NWS WR-115

PROGRAM TO CALCULATE WINDS ALOFT USING A HEWLETT-PACKARD 25 HAND CALCULATOR

Brian W. Finke

Weather Service Forecast Office Los Angeles, California

February 1977



UNITED STATES DEPARTMENT OF COMMERCE Juanita M. Kreps, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION Robert M. White, Administrator / NATIONAL WEATHER. SERVICE George P. Cressman, Director

CONTENTS

															Pa	ige	
۱.	Introdu	iction	•	٩	•	•	٩	•	•	•	٩	•	٠	٠	•	1	
11.	Method	• • •	•	•	•	•	•	•	•	٠	٠	•	٩	*	•	1	
111.	Conclus	sions	۲	۲	•	•	٠	•	·	•	•	٠	•	•	•	2	
Арре	ndix A			•	•	•	•	•	•	•	•	•	•	•	•	3	

ii

A PROGRAM TO CALCULATE WINDS ALOFT USING A HEWLETT-PACKARD 25 HAND CALCULATOR

Brian W. Finke Weather Service Forecast Office National Weather Service Western Region NOAA, Los Angeles, California

I. INTRODUCTION

A method of calculating winds aloft data from theodolite observation is offered without resorting to the use of plotting boards. This program, utilizing the Hewlett-Packard 25 hand calculator, was originally intended for fire weather mobile unit use at going fires where time and space are at a premium. No new theory has been developed. The tangent plane approximation is the only compromise; but within the accuracy of the observations, this approximation results in no error.

II. METHOD

The program (Appendix A) is keyed into the calculator. If an HP 25C model is utilized, the program need only be initially inserted--as the HP 25C has a nonvolatile memory and the program will remain in the calculator's program memory until cleared (even during battery changes).

A constant "K" must now be calculated and stored in memory register 0. This constant will determine units of output for given units of input, i.e., meters/sec., knots, m.p.h., etc. A factor of .01 must be included in this constant to scale the wind speed for the output display.

Wind calculations can now be made using assumed balloon ascension rates (from tables) or actual heights from the pressure-altitude curve from a radiosonde run and the theodolite data.

- 1) Let:
- HI = Height at time T
- Θ = Azimuth angle at time T
- ∝l = Elevation angle at time T
- H2 = Height at time T + ΔT
- $\Theta 2$ = Azimuth angle at time T + ΔT
- $\propto 2$ = Elevation angle at time T + ΔT .

2) Now store:

- HI in RI, (HI STO I)
 ∝I in R2, (∝I STO 2)
 ↔I in R3, (↔I STO 3)
 H2 in R4, (H2 STO 4)
 ∝2 in R5, (∝2 STO 5)
 ↔2 in R6, (↔2 STO 6).
- 3) Then push R/S key--in about 5 seconds the wind is displayed in the form DDD.VV where DDD is the wind direction in degrees and VV is the speed.
- For the next level store HI, ∝I, etc. Repeat to end of run.

This program was used operationally at WSO(Av) LAX by Mr. Don DePauw. He experienced a time-saving factor of 25 - 50%. Simultaneous calculations were made using both the calculator and plotting board. No discernible difference was noted in accuracy, although one would expect the calculator to be far superior as internal calculations are carried out to 10 significant digits.

III. CONCLUSIONS

This program was developed for fire-weather mobile-unit use; however, it can be applied to other needs with no change. The program was supplied to the State of North Carolina Forestry Department for use in a smoke management program. It was supplied to the United States Forest Service Pacific Northwest Fire Behavior Team for pibal calculations at going wild fires.

APPENDIX A

HP-25 Program Form

_____Page______of____

Title____PILOT BALLOON REDUCTION PROGRAM

Programmer___

Brian W. Finke

INPUT OUTPUT STEP INSTRUCTIONS KEYS DATA/UNITS DATA/UNITS KEY IN PROGRAM 1 COMPUTE CONSTANT K. 2 This constant is dependent on the units used in the altitude tables, the time interval, and the scaling factor to output wind speed for the display, i.e., to convert from ft/min to knots and scale result. K=(^{60min}/hr) $(10^{10}/6060 \text{ ft}) (10^{-2})$ Κ STO. 0 Κ 3 STO 1 HI 4 2 œ | STO 01 3 STO المحمد الدالي المراجع 4 STO - H2 STO 5 **œ**2 STO б 02 R/S DDD.VV For next case go to Step 4. Note result is displayed as follows: DDD.VV. Wind direction to loft of decimal point Wind speed to right of . decimal point. .

-3- ____

HP-25 Program Form

Title____PILOT BALLOON REDUCTION PROGRAM

Switch to PRGM mode, press f PRGM , then key in the program.

		г	r	r	,,			·
	ISPLAY	KEY ENTRY	x	Y	z	т	COMMENTS	REGISTERS
LINE	CODE	1						
00	<u> </u>		-	-		é4	Enter height and elevation angle.	Ro <u>K</u>
01		RCLI RCL2	HI		-	-	erevarion angre.	
02 03				HI HI	-			<u> </u>
03		f TAN g I/x	tan ∝l	HI			Calculate horizon- tal distance out.	R ₁ _HI
04			<u>ctn ∝l</u> HI ctn∝l	<u> </u>				<u>×I</u>
06		<u> </u>		HI c†n ∝I				~ ~
08		0	90	HI ctn ∝l			Azimuth angle	R 2
07		RCL3	90	90	Hl c†n ∝I		adjustment.	<u>yı</u>
09				<u> </u>		· · · · · · · ·		, o r
10	ļ	 X≶y	HI c†n ∝l					$R_3 - \frac{\Theta}{\Theta^2}$
11		$f \rightarrow R$	×I	y1		_	Calculate xi and	·
12		RCL4	CR4	×l	y I	-	yi. Retrieve R4	H2
13		g x=0	CR4	xl xl	y I	-	test R4. If R4=0,	$R_4 - \frac{HZ}{0}$
14		GTO 27		xI xI	y I	_	If R4≠0, X1 stored	
15		R↓-	XI	yl	_	CR4	in RI, YI stored	R ₅ _∝2
16		STO I	×I	y	_	CR4	in R2, retrieve 0 2	h 5
17		X≸v	V I	×I	_	CR4	and store in R3.	
18		X ≸ y STO 2	y I	×I		CR4		R ₆ _ 0 2
19		RCL6	0 2	y I	×I	-		6
20		STO 3	0 2	ýl.	×I	-		
21		RCL 4	H2	0 2	y I.	хI	Retrieve H2	R ₇
22		RCL 5	∝2	H2	9 2	y]	Retrieve ∝2	
23		0	•0	∝2	H2	9 2		
24		STO 4	.0	∝2	H2	0 2	Store 0 in R4	
25		R↓	∝2	H2	02	0	Position H2 and ∝2	
26		GTO 03		H2	0 2	0		
27		R₽	x2	y2		0	Position X2 and Y2	
28		RCL I	×I	<u>×2</u>	<u> </u>	0	Retrieve XI and	
29		-	x2-x1 y2	y2 x2-x1	0	0	obtain (X2-XI)	
30		×≲y					Position Y2	
31	· · · · · · · · · · · · · · · · · · ·	RCL 2	y I	<u>y2</u>	x2-x1	0	Retrieve YI	
32 33		- 	y2-y1	x2-x1	0	0	Obtain (Y2-Y1)	
34		l_x>y q→ P	<u>×2-×1</u> V	<u>y2-y1</u> β	0	0	Obtain windspeed and direction.	
35		RCL 0	K		β	0	Scale windspeed	
36		V V	. VV	β	0	0	make adjustment	
37		X ×\$y	β	.VV	0	0	back to meteorolo-	
38	· · · · ·	9	9	β	• VV	0	gical coordinate	
39		0	90	β	.VV	0	system.	
40		+	β	90	, VV	0		
41		CHS	90 - β	<u>v</u>	0	0	If wind direction	
42		g x≽0	90 - β	v	0	. 0	<0.	
43	·	GTO 48		V V	0	0	<u> </u>	
44		3	3	90 - β		0	Add 360° to wind	
45		6	36	90-B	. VV	0	direction.	
46		0	360	90-B	.vv	0	Truncate wind	
47		+	<u> β60+(90-β</u>	2.00	0	Ő	direction and add	
48		f INT	DDD.00	. ٧٧	0	0	to scaled wind	
49		+	DDD.VV	0	0	0	speed.	

HEWLETT (p PACKARD

_ Page__2___of__2_

Vestern Region Technice: Netorende: (Centinued)

	() ()	45/2	Ereciality for Probabilities in the Vestern Region Associated with Spring 200-mb Map Types. Richard
		49/3	Presisifetion Probabilities in the Vestern Region Associated with Saring 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189450) Precisitetion Probabilities in the Vestern Region Associated with Summer 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189414) Precisitation Probabilities in the Vestern Region Associated with Pail 500-mb Map Types. Richard P. Augulis, January (970. (Out of print.) (PB-189414) Augulis, January (970. (Out of print.) (PB-189435) Appliestions of the Not Redistrator to Short-Range Fog and Stretus Parecesting at Eugene, Oragon. J. You and P. Bathes, Onesmon (980. (EB-1904)
	X@+	43/4	P. Augulis, January 1970. (Suf of print.) (PB=189414) Precipitation Probabilities in the Western Region Associated with Pail 500-mb Map Types. Richard P.
	N@:	4E	Augulis, January (270, (Out of print.) (PE=199432) Appliestions of the Net Radionation to Short-Range Fog and Stretus Parasasting at Eugene, Oragon.
	(e)	<u>657</u>	er ite entres statues, beseines iterier instructure instructure i Sinteres Reporter 1969 (IFR-1997/1)
	10 10 10	99 (9	TEURARI, Richard R. Augulis, Fabruary (970, (PE-190137) Readleting Providentian Two, Pohemia & Research and Floyd F. Hus. Neach (970, (PE-190369)
	NO: NO:	50 50	rrabiernag mrasigirarnar type: Asserrer et at bentaan akt rieve at riev akt, wared type: Andriesses Statistical Report General Arcellargers (Pollans and Nolds) Fort Auschuez, Arizone, 1959. Wayne St Johnson Artii 1970. (PelleitAs)
	N©=		Statistical Analysis as a rised wearing less, wearing to barnesh, desamper 1969, 1969(99/27) Teunani, Richard B. Augulis, February 1970. (FE-190137) Predicting Predipitation Type. Robert J. G. Butnesh and Floyd E. Hug, Narch 1970. (FE-190362) Statistical Report on Aeroal Argens (Pollens and Nelde) Fort Hugehuez, Arizone, 1969. Newno S. Johnson, April 1970. (FE-191743) Western Region See State and Surf Forecester's Manual, Cordon G. Shields and Garald B. Burdwell, July 1970. (FE-192102)
) () ()	(8) (5) (8) (5)	szertalette lestter kestter situstelegy: kijs telestisske Valley. Novenskitte situsiske televenter Experimentel Alte Buchifter Expected in the September (Alley: Norman 5. Benes, August 1970). (Aut of
	X@::	5 4	print.) (RB-194128) A Refinement of the Vorticity Field to Belineetto Areas of Significent Presipitation. Barry B. Aronoviton, August 1970.
	N©:-	12	Application of the SSAAR Model to a Basin Without Discharge Record. Jail Scharmerhorr and Sonald W. Karahik Avance (1970) (RE-194394)
	<u>)</u> @.	50	arsan geverige at presignitetion in Kertingestein Gtens Frihter voltienes ets saa werter volkers. Sestensen 1870 (1955–19359)
	K© :		Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Velley af Gregon. Earl M. Setes and David O. Chileste, Saptember 1970. (PB-194710)
	N©:		air feilidtion by yot alferitt it seettie-teede alfgert. Keiles n. Deneiesen, veteber 1970. (631-71-63817)
	k©:	59	Ampliestion of P.E. Model Forcest Perameters to Local-Ares Forsesting. Leonard W. Snellman, Ostobar 1970. (990-71-00016)
			NOAA Technical Menorando MMS
	N© c	60	An Aid for Persesting the Minimum Temperature at Mediord, Oragon. Arthur W. Fritz, October 1970. (00%-71=00129)
	N© o		Relationship of Wind Velocity and Stability to SOg Concentrations at Salt Lake City, Utah. Worner J. Hack, January 1971. (CON-71-00232)
	No: No:	(8) (8) (8) (8)	(000mm)-001007007 Relationship of Wind Welcelty and Stability to S0g Cencentrations at Salt Lake City, Utah. Warnar J. Hock, January 1971. (CON-71-00222) Forecasting the Cataline Eddy. Arthur L. Elehelbarger, Fabruary 1971. (CON-71-002223) 700-mb Warm Air Advaction as a Forecasting Tool for Wentene and Worthern Idano. Norris E. Weerner, February 1971. (CON-71-00340) Wind and Machine Bedime at Broat Falls. Machan. Macron B. Baixe. Machine 1971.
	N©:-	64	regroery revis (0004/1020349) Wind and Weather Regimes at Great Falls, Mantana, Marran B. Frigs, Marah 1971.
	N©- N©-	69 66	Wind and Weather Regimes at Great Fells, Mantana. Verran B. Price, Merch 1971. Glinete of Sacramente, Galifernic. Wilbur E. Figgins, June 1971. (GOM=71=00764) A Projuminery Report on Correlation of ARTOS Radar Echoes and Fracipitation. Wilbur K. Mali, June 1971.
	N©c		(0000-71-000009) Presibilitàtion Defection Probabilities on Los Argeles ARTO Referes. Dennis E. Rome. July (071. (000 of
	10 10 10 10		print.) (001-71-00927) A Survey of Marine Maather Requirements. Menaert P. Banner, July 1971. (Out of print.) (00N=71=00689) National Maather Service Support to Searing Activities. Eilis Burton, August 1971. (Out of print.)
	N©:		(001977)=00253) Bradilating inversion Reaths and Tamperature influences in the Heliona Veliev. David E. Diser, Getaber
) () ()	70	(97): (97): (97): (900-7)-0)97) Western Region Swnoptic Analysis-Presians and Motheds. Philip Williams, Jr., Fabruary 1972. (980-52-
	NO :	72	nowszy A Paradex Principle in the Prediction of Presipitation Type. Themas J. Weitz, February 1972. (Out af
	No:	78	print.) (39N=72-10432) A Synaptic Glippiclegy for Snowstarms in Northwestern Nevede. Bort L. Nelson, Peul M. Fransiell, and Glarence M. Sekamata, February 1972. (Sut of ariat.) (38N=72-18538)
	N9. N9.	74) 75	Glerance M. Sekanova, February 1972. (Out of print.) (CON=72=10538) Thunderstorms and Heil Bays Probabilities in Novada: Glerance M. Sakamote, April 1972. (CON=72=10554) A Study of the Low Level Jet Stream of the Sen Jeaguin Velley. Romaid A. Willis and Philip Williams, Jr., May 1972. (COM=72=10707) Northly Elimptical (Society of the Petrylog of Second in Streams of Los Apriles Information) Alapate
		(@)	May 1972. (60%-72-10707) Monthly Climatelogical Charts of the Bahavior of Fog and Low Stratus at Los Angeles internation: Airport. Bonald M. Sales, July 1972. (60%-72-11140)
	NS-0	77	A streay of rease terms distribution in Arizons during July and August. John E. Holes, Jr., July 1972.
****	.k@	⁵⁷ 0	(00M=72=1)136) Forecasting Procipitation at Bakersfield, Galifornia, Using Pressure Gradient Vectors. Earl T. Riddiough, John 1997 John - Andrea Lines
	10: 10:	79 90	Jaly 1972. (COM-72-11142) Glimete ef Stockton, Eslifernic. Robert 6. Nelson, July 1972. (COM-72-10920) Estimation of Number of Days Above or Belou Selected Temporetures. Clerence M. Sakamató, Ostober 1972. (COM-72-10021)
	NG:-	8]	an Ale for Foreasting Sunner Maximum Temperatures at Seattle, Washington. Edgar 8. Johnson, November 1972. (SSN=73-10150)
	(@-	32	riest Flood Forcezetting end Werning Program in the Western Region. Phille Williems, Jr., Grester L. Glenn, and Rejand L. Reptz, Besenser 1972. (2000–75=00251)
	R@c	(6) (53)	a samperised of Menue Fere Senteuronetic Methods of Digitizing Alevse Wine Records. Givern 5. Resch.
	XC:		Verah (973. (800-73-(8659) Southwestern United States Summer Monegon Saurag==Sulf of Mexico or Facific Qosani John E. Haiss, Jr., Warch (973. (800-73-10769)
		(ia) (iii)	Range of Reder Beteerien Associated with Precipitation Eakes of Given Heights by the WSR-57 at Missoula, Wartens, Reymond Granger, April 1973, 1660-13-118361
		60	uonutruonet Proudubilities for Sequences of Ast devs it programs, Arizone. Peul S. Kengisser, June 1975. (2012-15=(1254)
		57	A Refixement of the use of K-Velues in Fereesting Thunderstorms in Mashington and Gregon. Rebort Y. S. Lee, sume (STS: 1884-75-11276)
		(e) (e)	- A Reproverse for Mannahalan Strandsking and Salashan and An Annahalan Salashan Malana Shakara - Bar C. Dessen
		60	A Surge of Marintonia tropical Attraction of California to the SouthWarden United States. The St Brander, Surge 1973. Objective Forseest of Precipitation Over the Western Region of the United States. Surfa N. Paegio and Larry F. Kieruiff, September 1975. (2004-73-11948/2083) A Thanderstern Team Wave of Midland, Texas, Richard P. Meed, September 1973. (2004-73-11845/AS) A Thanderstern Team Wave of Midland, Texas, Richard P. Meed, September 1973. (2004-73-11845/AS) A Thanderstern Team Wave of Midland, Texas, Richard P. Meed, September 1973. (2004-73-11845/AS) Artizene Weider Ternadest, Rebert S. Ingram, Ostoper 1973. (2004-74-18465)
		() () ()	a Thangerstenn Tverti leket et ateleng, texes, rierere a, nege, september (973, (000-73-(1845/AS) Arizere ^m eldva Torregess, Robert 5, ingrem, Ostober (973, (800-74-(8455)

305

(Continued) NOAVA Techimical Memorrandia NWSWRs Snoke Management in the Willamette Valley. 92 Earl M. Bates, May 1974. Noo (COM=74-11277/AS) An Operational Evaluation of 500-mb Type Stratified Regression Equations. 0. 93 Alexander E. MacDonald, June 1974. (COM-74-11407/AS) Conditional Probability of Visibility Less than One-half Mile in Rediation Noo 94 Fog at Fresno, Callfornia. John D. Thomas, August 1974. (COM-74-11555/AS) 95 Climate of Flagstaff, Arizona. Paul W. Sorenson, August 1974. NO. (COM=74=11678/AS) No 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM-75-10428/AS) Eastern Pacific Cut-off Low of April 21-28, 1974. William J. 97 William J. Alder and Non Ceorge R. Miller, January 1976. (PB-250-711/AS) Study on a Significant Precipitation Episode in the Western United States. Ira S. Brenner, April 1975. (COM-75-10719/AS) No. 98 <u>(</u>)(A Strudy of Flash Flood Susceptibility-A Basin in Southern Arizona. Noo Gerald Williams, August 1975. (COM-75-11360/AS) A Study of Flash-flood Occurrences at a Slite versus Over a Forecast Zone. Nor 00 Garald Williams, August 1975. (COM-75-11404/AS) 0 Digitized Eastern Pacific Tropical Cyclene Tracks, Robert A. Baum and NO o Glenn E. Rasch, September 1975. (COM-75-11479/AS) A Set of Rules for Forecasting Temperatures in Napa and Sonoma Countles. 102 Noo Wesley L. Tuft, October 1975. (PB-246-902/AS) Application of the National Weather Service Flash-flood Program in the No. 103 Western Region. Gerald Williams, January 1976. (PB-253-053/AS) Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, No. 104 During the Summer Months. Christopher D. Hill, Jenuary 1976. (P8252860/AS) Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976.(P8254650) NOS 105 Use of MOS Forecast Parameters in Temperature Forecasting. John C. NOc 106 Plankinton, Jr., March 1976. (PB254649) Map Types as Aid in Using MOS Pops in Western U. S. NO. 07 Ira S. Branner, Aveust 1976. (PB259594) Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB260437/AS) 108 Noo Forecasting North Winds in the Upper Sacramento Valley and Adjoining 109 No Forests. Christopher E. Fontana, September 1976. NOa 110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Danney, November 1975. 111 Operational Forecasting Using Automated Guidance. Leonard W. Snellman. Noo Februery 1977. The MAN/MOS Program. Alexander E. MacDonald, February 1977. 112 Noo Winter Season Minimum Temperature Formula for Bakersfield, California, NO. 113 Using Multiple Regression. Michael J. Oard, February 1977. NO. 114 Tropical Cyclone Kathleen, James R. Fors, February 1977.