

Fisheries **of the** ***United States*** **2001**

National Marine Fisheries Service
Office of Science and Technology
Fisheries Statistics and Economics Division

Mark C. Holliday, Chief

Barbara K. O'Bannon, Editor

Silver Spring, Maryland

September 2002



U.S. DEPARTMENT OF COMMERCE

Donald L. Evans, Secretary

National Oceanic and Atmospheric Administration

Conrad C. Lautenbacher Jr. Vice Admiral, U.S. Navy (Ret.), Under Secretary

National Marine Fisheries Service

William T. Hogarth, Ph.D., Assistant Administrator

Preface

FISHERIES OF THE UNITED STATES, 2001

This publication is a preliminary report for 2001 on commercial and recreational fisheries of the United States with landings from the U.S. territorial seas, the U.S. Exclusive Economic Zone (EEZ), and on the high seas. This annual report provides timely answers to frequently asked questions.

SOURCES OF DATA

Information in this report came from many sources. Field offices of the National Marine Fisheries Service (NMFS), with the generous cooperation of the coastal states, collected and compiled data on U.S. commercial landings and processed fishery products.

The NMFS Fisheries Statistics and Economics Division in Silver Spring, MD, managed the collection and compilation of recreational statistics, in cooperation with various States and Interstate Fisheries Commissions, and tabulated and prepared all data for publication. Sources of other data appearing in this publication are: U.S. Bureau of the Census, U.S. Bureau of Labor Statistics, U.S. Coast Guard, U.S. Customs Service, U.S. Department of the Interior, U.S. Department of Agriculture, and the Food and Agriculture Organization (FAO) of the United Nations.

PRELIMINARY AND FINAL DATA

Data on U.S. commercial landings, employment, prices, production of processed products, and recreational catches are preliminary for 2001. Final data will be published in other NMFS Current Fishery Statistics publications.

The Fisheries Statistics and Economics Division of NMFS takes this opportunity to thank states, industry, and foreign nations who provided the data that made this publication possible. Program leaders of the field offices were: Gregory Power, Scott McNamara, and Gene Steady for New England, Middle Atlantic, and Chesapeake; Scott Nelson, U.S. Geological Survey, Great Lakes States; Linda Hardy, Guy Davenport, and Maggie Bourgeois for the South Atlantic and Gulf States; Patricia J. Donley, California and Hawaii; John K. Bishop, Oregon and Washington; and David Ham assisting Peggy Murphy of the Pacific State Marine Fisheries Commission for Alaska.

NOTES

The time series of U.S. catch by species and distance from shore included in this year's "Fisheries of the U.S." is estimated by the National Marine Fisheries Service.

As in past issues of this publication, the units of quantity and value are defined as follows unless otherwise noted: U.S. landings are shown in round weight (except mollusks which are in meat weight); quantities shown for U.S. imports and exports are in product weight, as reported by the U.S. Bureau of the Census; the value of the U.S. domestic commercial landings is exvessel; in the Review Section on important species, deflated exvessel prices are shown. The deflated value was computed using the Gross Domestic Products Implicit Price Deflator using a base year 1992; the value for U.S. imports is generally the market value in the foreign (exporting) country and, therefore, excludes U.S. import duties, freight charges from the foreign country to the United States, and insurance; the value for exports is generally the value at the U.S. port of export, based on the selling price, including inland freight, insurance, and other charges. Countries and territories shown in the U.S. foreign trade section are established for statistical purposes in the Tariff Schedules of the United States Annotated (International Trade Commission) and reported by the U.S. Bureau of the Census.

SUGGESTIONS

The Fisheries Statistics and Economics Division wishes to provide the kinds of data sought by users of fishery statistics, and welcomes comments or suggestions that will improve this publication.

Address all comments or questions to:

Fisheries Statistics and Economics Division, (F/ST1)
National Marine Fisheries Service, NOAA
1315 East-West Highway - Rm. 12340
Silver Spring, MD 20910-3282
PHONE: 301-713-2328 / FAX: 301-713-4137
HOMEPAGE: <http://www.st.nmfs.gov/st1/>

Members of the Fisheries Statistics and Economics Division in Silver Spring who helped with this publication were: Susan Abbott-Jamieson, Rob Andrews, Daryl Bullock, Tina Chang, Trish Clay, Vicky Cornish, Rita Curtis, Terri DeLloyd, Josanne Fabian, Karen Foster, Amy Gautam, Brad Gentner, Dennis Hansford, John Hoey, Deborah Hogans, Mark Holliday, Steven Koplin, Alan Lowther, Sharon Newman, Barbara O'Bannon, Elizabeth Pritchard, Marica Rosado, Tom Sminkey, David Sutherland, Glen Taylor, Margaret Toner, William Uttley, David Van Voorhees, John Ward, and Lelia Wise, and Patty Zielinski.

Contents

| | | | |
|---|----|---|-------------------|
| PREFACE AND ACKNOWLEDGMENT | ii | Crabmeat | 73 |
| REVIEW | iv | Industrial | 74 |
| U. S. COMMERCIAL FISHERY LANDINGS: | | U. S. SUPPLY: | |
| Species | 1 | Edible and nonedible..... | 75 |
| Disposition | 5 | Finfish and shellfish | 76 |
| Regions and states | 6 | All fillets and steaks | 77 |
| Ports | 7 | Groundfish fillets and steaks | 77 |
| Catch by species and distance-from-shore (thousand pounds) | 8 | Tuna, fresh and frozen | 78 |
| Catch by species and distance-from-shore (metric tons) | 14 | Canned sardines..... | 79 |
| U.S. Landings for territorial possessions | 20 | Canned salmon | 79 |
| U.S. Aquaculture production, estimated 1994-99 | 23 | Canned tuna | 79 |
| U. S. MARINE RECREATIONAL FISHERIES: | | King crab | 80 |
| Harvest by species | 29 | Snow (tanner) crab..... | 80 |
| Harvest by mode of fishing and species group .. | 32 | Canned crabmeat | 80 |
| Harvest by distance-from-shore and species group | 36 | Lobster, American | 81 |
| Harvest and total live releases by species group | 40 | Lobster, spiny | 81 |
| Finfish harvest and releases by state | 45 | Clams | 82 |
| Number of anglers and trips by state | 46 | Oysters | 82 |
| WORLD FISHERIES: | | Scallops | 82 |
| Aquaculture and commercial catch | 47 | Shrimp | 83 |
| Species groups | 47 | Industrial | 84 |
| Countries | 48 | PER CAPITA: | |
| Fishing areas..... | 48 | U.S. Consumption | 86 |
| Imports and exports, by leading countries | 49 | Canned products | 87 |
| U. S. PRODUCTION OF PROCESSED FISHERY PRODUCTS: | | Certain items | 87 |
| Value | 51 | World, by region and country | 88 |
| Fish sticks, fish portions, and breaded shrimp .. | 51 | U.S. Use | 90 |
| Fillets and steaks | 52 | VALUE ADDED..... | 91 |
| Canned | 53 | PRICES, INDEX OF EXVESSEL..... | 93 |
| Industrial | 55 | EMPLOYMENT, CRAFT, AND PLANTS..... | 94 |
| U. S. COLD STORAGE HOLDINGS | 56 | FISHERY PRODUCTS INSPECTION | 96 |
| U. S. IMPORTS: | | MAGNUSON FISHERY CONSERVATION AND MANAGEMENT ACT OF 1976 (MFCMA): | |
| Principal items | 61 | General..... | 97 |
| Edible and nonedible | 62 | Optimum yield, U.S. capacity, reserve, and allocations | 100 |
| Continent and country | 63 | GENERAL ADMINISTRATIVE INFORMATION- NATIONAL MARINE FISHERIES SERVICE | |
| Blocks | 64 | Administrative Offices | 102 |
| Groundfish fillets and steaks, species | 64 | Region Offices | 104 |
| Canned tuna and quota | 65 | Statistical Port Agents | 106 |
| Shrimp, country of origin | 66 | PUBLICATONS: | |
| Shrimp, by product type..... | 67 | NOAA Library Services | 108 |
| Industrial | 67 | Government Printing Office | 108 |
| U. S. EXPORTS: | | National Marine Fisheries Service — National Technical Information Service | 109 |
| Principal items | 68 | SERVICES: | |
| Edible and nonedible | 69 | National Marine Fisheries Service: NMFS HomePages | 116 |
| Continent and country | 70 | Sea Grant Marine Advisory..... | 118 |
| Shrimp | 71 | Inspection | Inside back cover |
| Lobsters | 71 | GLOSSARY..... | 120 |
| Salmon | 72 | INDEX..... | 124 |
| Surimi | 72 | | |
| Crab..... | 73 | | |

U.S. LANDINGS

Commercial landings (edible and industrial) by U.S. fishermen at ports in the 50 states were 9.5 billion pounds or 4.3 million metric tons valued at \$3.2 billion in 2001—an increase of 422.9 million pounds (up 5 percent) but a decrease of \$321.2 million (down 9 percent) compared with 2000. Finfish accounted for 87 percent of the total landings, but only 46 percent of the value. The 2001 average exvessel price paid to fishermen was 34 cents compared to 39 cents in 2000.

Catches of Alaska pollock, Pacific whiting and other Pacific groundfish that are processed at-sea aboard U.S. vessels in the northeastern Pacific are credited as “landings” to the state nearest to the area of capture. Information on landing port or percentage of catch transferred to transport ships for delivery to foreign ports is unavailable. These at-sea processed fishery products, on a round (live) weight basis, exceeded 1.0 million metric tons in 2001 and comprised more than 25 percent of the total domestic landings in the 50 states

Commercial landings by U.S. fishermen at ports outside the 50 states along with Internal Water Processing (IWP) agreements (see glossary) provided an additional 305.5 million pounds (138,600 metric tons) valued at \$115.5 million. This was an increase of 5 percent, or 15.2 million pounds (6,900 metric tons) in quantity and \$26.6 million (30 percent) in value compared with 2000. Most of these landings consisted of halibut, sea herring and tuna landed in Canada, American Samoa and other foreign ports.

Edible fish and shellfish landings in the 50 states were 7.3 billion pounds (3.3 million metric tons) in 2001—an increase of 402.0 million pounds (182,400 metric tons) compared with 2000.

Landings for reduction and other industrial purposes were 2.2 billion pounds (998,200 metric tons) in 2001—an increase of 1 percent compared with 2000.

The 2001 U.S. marine recreational finfish catch (including fish kept and fish released (discarded)) on the Atlantic, Gulf, and Pacific coasts was an estimated 440.3 million fish taken on an estimated 84.3 million fishing trips. The harvest (fish kept or released dead) was estimated at 186.7 million fish weighing 262.4 million pounds.

WORLD LANDINGS

In 2000, the most recent year for which data are available, world commercial fishery landings and aquaculture were 130.4 million metric tons—an increase of 3.8 million metric tons (up 3 percent) compared with 1999.

China was the leading nation with 31.9 percent of the total harvest; Peru, second with 8.2 percent; Japan, third with 4.4 percent; India, fourth with 4.4 percent; and United States, fifth with 4.0 percent.

PRICES

The 2001 annual exvessel price index for edible fish decreased by 6 percent, shellfish decreased by 5 percent, and industrial fish remained unchanged when compared with 2000. Exvessel price indices increased for 18 of the 33 species groups being tracked, decreased for 11 species groups, were unchanged for four species groups, and weren't available for one species. The bay scallops price index had the largest increase (115 percent) while sockeye salmon and other shrimp price index showed the largest decrease (28 percent).

PROCESSED PRODUCTS

The estimated value of the 2001 domestic production of edible and nonedible fishery products was \$7.4 billion, \$731.5 million less than in 2000. The value of edible products was \$6.8 billion—a decrease of \$741.0 million compared with 2000. The value of industrial products was \$520.4 million in 2001—an increase of \$9.5 million compared with 2000.

FOREIGN TRADE

The total import value of edible and nonedible fishery products was \$18.5 billion in 2001—a decrease of \$466.3 million compared with 2000. Imports of edible fishery products (product weight) were 4.1 billion pounds (1.9 million metric tons) valued at \$9.9 billion in 2001—an increase of 123.8 million pounds but a decrease of \$189.6 million compared with 2000. Imports of nonedible (i.e., industrial) products were \$8.7 billion—a decrease of \$276.7 million compared with 2000.

Total export value of edible and nonedible fishery products was \$11.8 billion in 2001—an increase of \$1.1

Review

billion compared with 2000. United States firms exported 2.6 billion pounds (1.2 million metric tons) of edible products valued at \$3.2 billion—an increase of 400.0 million pounds, and \$242.8 million compared with 2000. Exports of nonedible products were valued at \$8.6 billion, \$809.3 million more than 2000.

SUPPLY

The U.S. supply of edible fishery products (domestic landings plus imports, round weight equivalent, minus exports) was 9.5 billion pounds (4.3 million metric tons) in 2001—a decrease of 621.7 million pounds (6 percent) compared with 2000. The supply of industrial fishery products was 1.5 billion pounds (671,200 metric tons) in 2001—an increase of 51.5 million pounds (4 percent) compared with 2000.


PER CAPITA CONSUMPTION

U.S. consumption of fishery products was 14.8 pounds of edible meat per person in 2001, down 0.4 pound from the revised 2000 per capita consumption of 15.2 pounds.


CONSUMER EXPENDITURES

U.S. consumers spent an estimated \$55.3 billion for fishery products in 2001. The 2001 total includes \$38.2 billion in expenditures at food service establishments (restaurants, carry-outs, caterers, etc.); \$16.8 billion in retail sales for home consumption; and \$276.3 million for industrial fish products. By producing and marketing a variety of fishery products for domestic and foreign markets, the commercial marine fishing industry contributed \$28.6 billion (in value added) to the U.S. Gross National Product.

Volume of Domestic Finfish and Shellfish Landings
1950 - 2001



Value of U.S. Domestic Finfish and Shellfish Landings
1950 - 2001



Alaska led all states in volume with landings of 5.0 billion pounds, followed by Louisiana, 1.2 billion; Virginia, 561.7 million pounds; California, 526.0 million pounds and Washington, 377.2 million pounds.

Alaska led all states in value of landings with \$869.9 million, followed by Louisiana, \$342.7 million; Massachusetts, \$281.1 million; Maine, \$251.4 million; and Texas, \$218.0 million.

Dutch Harbor-Unalaska, Alaska, was the leading U.S. port in quantity of commercial fishery landings, followed by: Reedville, Virginia; Empire-Venice, Louisiana; Cameron, Louisiana; and Intercoastal City, Louisiana.

New Bedford, Massachusetts was the leading U.S. port in terms of value, followed by: Dutch Harbor-Unalaska, Alaska; Kodiak, Alaska; Dulac-Chauvin, Louisiana; and Brownsville/Port Isabel, Texas.

Tuna landings by U.S.-flag vessels at ports outside the continental United States amounted to 279.3 million pounds. Halibut also were landed at ports outside the United States.


Major U.S. Domestic Species Landed in 2001 Ranked By Quantity and Value (Numbers in thousands)

| Rank | Species | Pounds | Rank | Species | Dollars |
|------|---------------|-----------|------|-----------|---------|
| 1 | Pollock | 3,188,465 | 1 | Shrimp | 568,547 |
| 2 | Menhaden | 1,741,430 | 2 | Crabs | 381,667 |
| 3 | Salmon | 722,832 | 3 | Lobsters | 275,728 |
| 4 | Cod | 504,922 | 4 | Pollock | 236,923 |
| 5 | Hakes | 497,152 | 5 | Salmon | 208,926 |
| 6 | Flounders | 352,363 | 6 | Scallops | 175,416 |
| 7 | Shrimp | 324,481 | 7 | Clams | 161,992 |
| 8 | Herring (sea) | 300,488 | 8 | Cod | 150,157 |
| 9 | Crabs | 272,246 | 9 | Halibut | 115,169 |
| 10 | Squid | 231,699 | 10 | Flounders | 105,240 |

ALASKA POLLOCK AND OTHER PACIFIC TRAWL FISH

U.S. landings of Pacific trawl fish (Pacific cod, flounders, hake, Pacific ocean perch, Alaska pollock, and rockfishes) were 4.4 billion pounds valued at \$420.9 million—an increase of 9 percent in quantity and 9 percent in value compared with 2000.

Landings of Alaska pollock increased 22 percent to 3.2 billion pounds and were 622.5 million pounds more than their 1996 - 2000 5 - year average. Landings of Pacific cod were 471.7 million pounds — a decrease of 11 percent from 530.5 million pounds in 2000. Pacific hake (whiting) landings were 379.3 million pounds (down 16 percent) valued at \$16.1 million (down 14 percent) compared to 2000. Landings of rockfishes were 43.9 million pounds (down 12 percent) and valued at \$21.2 million (down 9 percent) compared to 2000. The 2001 rockfish landings were 48 percent lower than the 5-year average.



ANCHOVIES

U.S. landings of anchovies were 42.5 million pounds—an increase of 17.2 million pounds (68 percent) compared with 2000. Seven percent of all landings were used for animal food or reduction and 93 percent were used for bait. We import all edible anchovies.

HALIBUT


U.S. landings of Atlantic and Pacific halibut were 78.0 million pounds (round weight) valued at \$115.2 million—an increase of 2.8 million pounds (4 percent), but a

decrease of \$28.7 million (20 percent) compared with 2000. The Pacific fishery accounted for all but 24,000 pounds of the 2001 total halibut catch. The average exvessel price per pound in 2001 was \$1.48 compared with \$1.91 in 2000.

HERRING, SEA

U.S. commercial landings of sea herring were 300.5 million pounds valued at \$26.2 million—an increase of 65.4 million pounds (28 percent), and \$4.2 million (19 percent) compared with 2000. Landings of Atlantic sea herring were 209.2 million pounds valued at \$12.7 million—an increase of 48.9 million pounds (31 percent), and \$2.7 million (28 percent) compared with 2000.

Landings of Pacific sea herring were 91.3 million pounds valued at \$13.5 million—an increase of 16.5 million pounds (22 percent), and \$1.5 million (12 percent) compared with 2000. Alaska landings accounted for 93 percent of the Pacific coast with 84.8 million pounds valued at \$10.4 million—an increase of 16.7 million pounds (25 percent), and 738,000 (8 percent) compared with 2000.



JACK MACKEREL

California accounted for 94 percent, Oregon for 5 percent, and Washington for 1 percent of the U.S. landings of jack mackerel in 2001. Total landings were 8.5 million pounds valued at \$614,000—an increase of 5.6 million pounds (192 percent), and \$367,000 (149 percent) compared with 2000. The 2001 average exvessel price per pound was 7 cents.

MACKEREL, ATLANTIC

U.S. landings of Atlantic mackerel were 27.2 million pounds valued at \$2.2 million—an increase of 14.7 million pounds (118 percent) and \$203,000 (10 percent) compared with 2000. New Jersey with 25.2 million pounds and Rhode Island with 1.1 million pounds accounted for 97 percent of the total landings. The average exvessel price per pound decreased to 8 cents in 2001 when compared to 16 cents in 2000.

MACKEREL, CHUB

Landings of chub mackerel were 16.0 million pounds valued at \$1.2 million—a decrease of 31.1 million pounds (66 percent) and \$1.7 million (59 percent) compared with 2000. California accounted for 96 percent of total landings. The average exvessel price per pound was 7 cents, an increase of one cent from 2000.

MENHADEN

The U.S. menhaden landings were 1.7 billion pounds valued at \$102.7 million—a decrease of 19.1 million pounds (1 percent) and \$9.7 million (9 percent) compared with 2000. Landings increased by 119.7 million pounds (26 percent) in the Atlantic states, but decreased by 138.7 million pounds (11 percent) in the Gulf states compared with 2000. Landings along the Atlantic coast were 572.3 million pounds valued at \$30.3 million. Gulf region landings were 1.2 billion pounds valued at \$72.4 million.

Menhaden are used primarily for the production of meal, oil, and solubles, while small quantities are used for bait.

NORTH ATLANTIC TRAWL FISH



Landings of butterfish, Atlantic cod, cusk, flounders (winter/blackback, summer/fluke, yellowtail and other), haddock, red and white hake, ocean perch, pollock and whiting (silver hake) in the North Atlantic (combination of New England, Middle Atlantic, and Chesapeake Regions) were 162.2 million pounds valued at \$134.5 million—an increase of 27.0 million pounds (20 percent), and \$12.5 million (10 percent) compared with 2000. Of these species, flounder led in total value in the North Atlantic, accounting for 35 percent of the total; followed by cod, 20 percent; and whiting, 18 percent.

The 2001 landings of Atlantic cod were 33.2 million pounds valued at \$32.1 million—an increase of 8.2 million pounds (33 percent) and \$5.7 million (22 percent) compared with 2000. The exvessel price per pound was 97 cents in 2001, down from \$1.05 per pound in 2000.

Landings of yellowtail flounder were 16.1 million pounds—an increase of 831,000 pounds (5 percent) from 2000, and about 80 percent higher than its 5-year average.

Haddock landings increased to 12.8 million pounds (46 percent) and \$14.5 million (25 percent) compared to 2000.

North Atlantic pollock landings were 9.0 million pounds valued at \$6.2 million—an increase of 145,000 pounds (2 percent), but a decrease of \$828,000 (12 percent) compared with 2000.



PACIFIC SALMON

U.S. commercial landings of salmon were 722.8 million pounds valued at \$208.9 million—an increase of 94.2 million pounds (15 percent) but a decrease of \$61.3 million (23 percent) compared with 2000. Alaska accounted for 95 percent of total landings; Washington, 4 percent; California, Oregon, and the Great Lakes accounted for 1 percent of the catch. Sockeye salmon landings were 170.1 million pounds valued at \$94.4 million—a decrease of 38.0 million pounds (18 percent) and \$65.2 million (41 percent) compared with 2000. Chinook salmon landings increased to 16.6 million pounds—up 491,000 pounds (3 percent) from 2000. Pink salmon landings were 381.5 million pounds—an increase of 173.3 million (83 percent); chum salmon landings were 116.2 million—a decrease of 46.2 million (28 percent); and coho salmon increased to 38.4 million—an increase of 4.5 million pounds (14 percent) compared with 2000.


Alaska landings were 686.4 million pounds valued at \$188.5 million—an increase of 79.7 million pounds (13 percent) but a decrease \$58.1 million (24 percent) compared with 2000. The distribution of Alaska salmon landings by species in 2001 was: pink, 378.4 million pounds (55 percent); sockeye, 168.6 million pounds (25 percent); chum, 101.8 million pounds (15 percent); coho, 32.1 million pounds (5 percent); and chinook, 5.4 million pounds (less than 1 percent). The average price per pound for all species in Alaska was 27 cents in 2001—a decrease of 14 cents from 2000.

Washington salmon landings were 27.9 million pounds valued at \$9.6 million—an increase of 15.7 million pounds (128 percent), and \$422,000 (5 percent) compared with 2000. The biennial fishery for pink salmon went from 2,000 pounds in 2000 to 3.2 million pounds in 2001. Washington landings of chum salmon were 14.3 million pounds (up 367 percent); followed by coho, 4.9 million pounds (up 32 percent); chinook salmon 4.0 million pounds (up 78 percent); and sockeye 1.5 million pounds (down 53 percent). The average exvessel price per pound for all species in Washington decreased from 75 cents in 2000 to 34 cents in 2001.

Oregon salmon landings were 5.3 million pounds valued at \$5.9 million—an increase of 2.1 million pounds (68 percent) and \$1.8 million (45 percent) compared with 2000. Chinook salmon landings were 3.9 million pounds

valued at \$5.5 million; coho landings were 1.4 million pounds valued at \$406,000; sockeye landings were 3,000 pounds valued at \$4,000; pink landings were only 1,000 pounds valued at \$1,000; and chum landings were less than 500 pounds value less than \$500. The average exvessel price per pound for chinook salmon in Oregon decreased from \$1.29 in 2000 to \$1.11 in 2001.

California salmon landings were 2.8 million pounds valued at \$4.7 million—a decrease of 3.1 million pounds (53 percent) and \$5.4 million (53 percent) compared with 2000. Chinook salmon were the principal species landed in the State. The average exvessel price per pound paid to fishermen in 2001 was \$1.72 compared with \$1.74 in 2000.



SABLEFISH

U.S. commercial landings of sablefish were 44.0 million pounds valued at \$80.4 million—a decrease of 5.7 million pounds (11 percent) and \$20.8 million (21 percent) compared with 2000. Landings decreased in Alaska to 31.3 million pounds—a decrease of 12 percent compared with 2000. Landings decreased in Washington to 3.6 million pounds (down 4 percent) and in value to \$553,000 (down 8 percent). The 2001 Oregon catch was 5.7 million pounds (down 9 percent), and \$1.3 million (down 14 percent) compared with 2000. California landings of 3.4 million pounds and \$4.2 million represent a 17 percent decrease in quantity and a 20 percent decrease in value from 2000. The average exvessel price per pound in 2001 was \$1.82 compared with \$2.04 in 2000.

TUNA

Landings of tuna by U.S. fishermen at ports in United States, American Samoa, other U.S. territories, and foreign ports were 331.1 million pounds valued at \$207.3 million—a decrease of 5.6 million pounds (2 percent), but an increase of \$27.3 million (15 percent) compared with 2000. The average exvessel price per pound of all species of tuna in 2001 was 63 cents compared with 53 cents in 2000.

Bigeye landings in 2001 were 13.0 million pounds—an increase of 401,000 pounds (3 percent) compared with 2000. The average exvessel price per pound was \$2.15 in 2001 the same price as was reported in 2000.

Skipjack landings were 196.3 million pounds—a decrease of 18.5 million pounds (9 percent) compared with 2000. The average exvessel price per pound was 36 cents in 2001, compared to 25 cents in 2000.

Yellowfin landings were 76.3 million pounds—an increase of 734,000 pounds (1 percent) compared with 2000. The average exvessel price per pound was 68 cents in 2001 compared with 70 cents in 2000.



Bluefin landings were 3.4 million pounds—an increase of 249,000 pounds (8 percent) compared with 2001. The average exvessel price per pound in 2001 was \$5.56 compared with \$5.98 in 2000.

CLAMS

Landings of all species yielded 122.8 million pounds of meats valued at \$162.0 million—an increase of 4.3 million pounds (4 percent), and \$8.0 million (5 percent) in value compared with 2000. The average exvessel price per pound in 2001 was \$1.32 compared with \$1.30 in 2000.

Surf clams yielded 68.9 million pounds of meats valued at \$39.6 million—an increase of 317,000 pounds (less than 1 percent) and \$1.6 million (4 percent) compared with 2000. New Jersey was the leading state with 52.9 million pounds (down 9 percent), followed by Maryland, 7.9 million pounds (up 88 percent) and New York, 7.5 million pounds (up 36 percent) compared with 2000. The average exvessel price per pound of meats was 57 cents in 2001, up 4 cents from 2000.

The ocean quahog fishery produced 38.0 million pounds of meats valued at \$23.9 million—an increase of 5.2 million pounds (16 percent) and \$6.9 million (41 percent) compared with 2000. New Jersey had landings of 21.0 million pounds (up 42 percent) valued at \$11.9 million (up 86 percent) while Massachusetts production was 10.4 million pounds (down 16 percent) valued at \$5.5 million (up 6 percent). Together, New Jersey and Massachusetts accounted for 83 percent of total ocean quahog production in 2001. The average exvessel price per pound of meats increased from 52 cents in 2000 to 63 cents in 2001.



The hard clam fishery produced 9.6 million pounds of meats valued at \$47.3 million—a decrease of 1.6 million pounds (15 percent) and \$6.5 million (12 percent) compared with 2000. Landings in the New England region were 4.6 million pounds of meats (down 16 percent); Middle Atlantic, 3.2 million pounds (down 20 percent); Chesapeake, 608,000 pounds (up 19 percent); and the South Atlantic region, 1.1 million pounds (down 8 percent). The average exvessel price per pound of meats increased from \$4.81 in 2000 to \$4.95 in 2001.

Soft clams yielded 3.5 million pounds of meats valued at \$19.1 million—an increase of 869,000 pounds (32 percent), and \$7.5 (65 percent) compared with 2000. Maine was the leading state with 3.3 million pounds of meats (up 42 percent), followed by New York with 106,000 pounds (down 41 percent), and Maryland with 62,000 pounds (down 63 percent). The average exvessel price per pound of meats was \$5.39 in 2001, compared with \$4.33 in 2000.

CRABS

Landings of all species of crabs were 272.2 million pounds valued at \$381.7 million—a decrease of 26.8 million pounds (9 percent), and \$23.3 million (6 percent) compared with 2000.


Hard blue crab landings were 151.0 million pounds valued at \$132.2 million—a decrease of 26.2 million pounds (15 percent), and \$3.4 million (3 percent) compared with 2000. Louisiana landed 27 percent of the total U.S. landings followed by: North Carolina, 20 percent; Maryland, 16 percent; and Virginia, 15 percent. Hard blue crab landings in the Chesapeake region were 46.9 million pounds—a decrease of 3 percent; the South Atlantic with 41.7 million pounds decreased 22 percent; and the Gulf region with 52.7 million pounds decreased 21 percent. The Middle Atlantic region with 9.7 million pounds valued at \$9.7 million had an increase of 808,000 pounds (9 percent) compared with 2000. The average exvessel price per pound of hard blue crabs was 88 cents in 2001, compared with 77 cents in 2000.

Dungeness crab landings were 36.4 million pounds valued at \$73.3 million—a decrease of 1.3 million pounds (3 percent) and \$5.7 million (7 percent) compared with 2000. Washington landings of 18.9 million pounds (up 8 percent) led all states with 52 percent of the total landings. Oregon landings were 9.7 million pounds (down 12 percent) or 27 percent of the total landings. Alaska landings were 4.3 million pounds (up 55 percent) and

California landings were 3.5 million pounds (down 45 percent) compared with 2000. The average exvessel price per pound was \$2.01 in 2001 compared with \$2.09 in 2000.

U.S. landings of king crab were 16.1 million pounds valued at \$65.6 million—an increase of 956,000 pounds (6 percent), and \$3.9 million (6 percent) compared with 2000. The average exvessel price per pound in 2001 was \$4.08 same as reported in 2000.

Snow crab landings were 24.8 million pounds valued at \$38.3 million—a decrease of 9.7 million pounds (28 percent), and a decrease of \$26.2 million (41 percent) compared with 2000. The average exvessel price per pound was \$1.55 cents in 2001, down from \$1.87 in 2000.



LOBSTER, AMERICAN

American lobster landings were 73.6 million pounds valued at \$254.3 million—a decrease of 9.5 million pounds (11 percent) and \$47.0 million (16 percent) compared with 2000. Maine led in landings for the 20th consecutive year with 50.7 million pounds valued at \$161.1 million—a decrease of 6.5 million pounds (11 percent) compared with 2000. Massachusetts, the second leading producer, had landings of 13.3 million pounds valued at \$54.5 million—a decrease of 1.3 million pounds (9 percent) compared with 2000. Together, Maine and Massachusetts produced 87 percent of the total national landings. The average exvessel price per pound was \$3.45 in 2001, compared with \$3.62 in 2000.

LOBSTERS, SPINY

U.S. landings of spiny lobster were 4.1 million pounds valued at \$21.4 million—a decrease of 2.4 million pounds (37 percent) and \$11.5 million (35 percent) compared with 2000. Florida, with landings of 3.4 million pounds valued at \$16.8 million, accounted for 82 percent of the total catch and 78 percent of the value. This was a decrease of 2.3 million pounds (40 percent), and \$10.8 million (39 percent) compared with 2000. Overall the average exvessel price per pound was \$5.24 in 2001 compared with \$5.09 in 2000.

OYSTERS

U.S. oyster landings yielded 32.7 million pounds of meats valued at \$80.9 million—a decrease of 8.5 million pounds (21 percent) and \$9.7 million (11 percent) compared with 2000. The Gulf region led in production with 23.0 million pounds of meats, 70 percent of the national total; followed by the Pacific region with 6.4 million pounds (20 percent), principally Washington, with 4.6 million pounds (71 percent of the region's total volume); and the Chesapeake region with 1.5 million pounds (5 percent). The average exvessel price per pound of meats was \$2.47 in 2001 compared with \$2.20 in 2000.

SCALLOPS


U.S. landings of bay and sea scallops totaled 47.0 million pounds of meats valued at \$175.3 million—an increase of 14.2 million pounds (43 percent) and \$10.7 million (7 percent) compared with 2000. The average exvessel price per pound of meats decreased from \$5.02 in 2000 to \$3.74 in 2001.

Bay scallop landings were 6,000 pounds of meats valued at \$67,000—a decrease of 19,000 pounds (76 percent) and \$63,000 (48 percent) compared with 2000. The average exvessel price per pound of meats was \$11.17 in 2001 compared with \$5.20 in 2000.

Calico scallops landings in 2001 were confidential and cannot be publically released.


Sea scallop landings were 47.0 million pounds of meats valued at \$175.3 million—an increase of 14.2 million pounds (43 percent) and \$10.7 million (7 percent) compared with 2000. Massachusetts and Virginia were the leading states in landings of sea scallops with 22.9 and 12.7 million pounds of meats, respectively, representing 76 percent of the national total. The average exvessel

price per pound of meats in 2001 was \$3.73 compared with \$5.03 in 2000.



SHRIMP

U.S. landings of shrimp were 324.5 million pounds valued at \$66.2 million—a decrease of 8.0 million pounds (2 percent) and \$121.9 million (18 percent) in value compared with 2000. Shrimp landings by region were New England down 48 percent; South Atlantic down 29 percent; Gulf down less than 1 percent and Pacific up 11 percent. The average exvessel price per pound of shrimp decreased to \$1.75 in 2001 compared with \$2.08 in 2000. Gulf region landings were the nation's largest with 256.2 million pounds and 79 percent of the national total. Louisiana led all Gulf states with 124.8 million pounds (down 6 percent); followed by Texas, 82.2



million pounds (up 11 percent); Florida (West Coast), 17.5 million pounds (up 18 percent); Mississippi, 15.9 million pounds (up 8 percent); and Alabama, 15.9 million pounds (down 20 percent). In the Pacific region, Oregon had landings of 28.5 million pounds (up 12 percent); Washington had landings of 7.6 million pounds (up 41 percent); and California had 4.6 million pounds (down 3 percent); compared with 2000.

SQUID

U.S. commercial landings of squid were 231.7 million pounds valued at \$40.5 million—a decrease of 85.3

million pounds (27 percent) and \$14.6 million (26 percent) compared with 2000. California was the leading state with 189.2 million pounds (82 percent) and was followed by Rhode Island with 22.8 million pounds (10 percent of the national total). The Pacific region landings were 191.1 million pounds (down 26 percent); followed by New England, 25.0 million (down 17 percent); Middle Atlantic, 14.5 million pounds (down 45 percent); and the Chesapeake region with 902,000 pounds (up 32 percent) compared with 2000. The average exvessel price per pound for squid was 17 cents in 2001 the same as reported in 2000.

U.S. Commercial Landings

U.S. DOMESTIC LANDINGS, BY SPECIES, 2000 AND 2001 (1)

| Species | 2000 | | | 2001 | | | Average (1996-2000) |
|-------------------------|--------------------|----------------|---------------------|--------------------|----------------|---------------------|------------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds |
| Fish | | | | | | | |
| Alewives | 642 | 291 | 171 | 1,576 | 715 | 297 | 1,118 |
| Anchovies | 25,324 | 11,487 | 1,129 | 42,460 | 19,260 | 1,422 | 12,632 |
| Atka mackerel | 98,308 | 44,592 | 8,848 | 125,874 | 57,096 | 1,710 | 130,149 |
| Bluefish | 8,072 | 3,661 | 2,796 | 8,804 | 3,993 | 3,088 | 8,488 |
| Blue runner | 288 | 131 | 183 | 348 | 158 | 206 | 382 |
| Bonito | 202 | 92 | 143 | 119 | 54 | 161 | 1,949 |
| Butterfish | 4,677 | 2,121 | 1,922 | 10,939 | 4,962 | 3,582 | 6,738 |
| Catfish and bullheads | 16,670 | 7,561 | 9,708 | 16,487 | 7,478 | 9,953 | 14,566 |
| Chubs | 2,167 | 983 | 1,646 | 1,625 | 737 | 1,588 | 3,242 |
| Cod: | | | | | | | |
| Atlantic | 25,060 | 11,367 | 26,384 | 33,211 | 15,064 | 32,086 | 26,212 |
| Pacific | 530,505 | 240,635 | 142,330 | 471,711 | 213,967 | 118,071 | 575,422 |
| Crevalle (jack) | 700 | 318 | 402 | 674 | 306 | 405 | 635 |
| Croaker: | | | | | | | |
| Atlantic | 26,760 | 12,138 | 10,093 | 28,699 | 13,018 | 8,170 | 25,275 |
| Pacific (white) | 231 | 105 | 156 | 301 | 137 | 145 | 287 |
| Cusk | 415 | 188 | 266 | 397 | 180 | 228 | 742 |
| Dolphinfish | 1,193 | 541 | 1,591 | 921 | 418 | 1,108 | 1,403 |
| Eels, American | 1,432 | 650 | 1,110 | 867 | 393 | 821 | 1,114 |
| Flounders: | | | | | | | |
| Arrowtooth | 41,305 | 18,736 | 2,007 | 31,619 | 14,342 | 1,109 | 24,691 |
| Winter (blackback) | 12,826 | 5,818 | 12,685 | 15,279 | 6,931 | 13,783 | 11,915 |
| Plaice, American | 9,288 | 4,213 | 9,539 | 9,755 | 4,425 | 9,516 | 8,529 |
| Summer (flake) | 11,214 | 5,087 | 19,947 | 10,836 | 4,915 | 18,051 | 11,733 |
| Sole: | | | | | | | |
| Dover | 20,750 | 9,412 | 6,968 | 16,406 | 7,442 | 5,600 | 23,316 |
| Flathead | 35,859 | 16,266 | 1,756 | 35,477 | 16,092 | 1,516 | 32,509 |
| Witch (gray) | 5,376 | 2,439 | 6,999 | 4,017 | 1,822 | 4,030 | 4,530 |
| Petrale | 4,124 | 1,871 | 4,184 | 53,379 | 24,213 | 4,919 | 3,721 |
| Rock | 60,665 | 27,517 | 7,521 | 6,658 | 3,020 | 7,855 | 52,408 |
| Yellowfin | 154,258 | 69,971 | 6,672 | 121,072 | 54,918 | 8,781 | 201,922 |
| Yellowtail | 15,272 | 6,927 | 15,352 | 16,103 | 7,304 | 15,264 | 8,942 |
| Atlantic/Gulf, Other | 4,702 | 2,133 | 7,305 | 4,670 | 2,118 | 7,628 | 4,061 |
| Pacific, Other | 37,084 | 16,821 | 8,975 | 27,092 | 12,289 | 7,188 | 54,848 |
| Total, flounders | 412,723 | 187,210 | 109,910 | 352,363 | 159,831 | 105,240 | 443,126 |
| Goosefish (anglerfish) | 45,869 | 20,806 | 53,504 | 51,296 | 23,268 | 44,159 | 54,637 |
| Groupers | 12,924 | 5,862 | 27,771 | 13,493 | 6,120 | 29,530 | 11,152 |
| Haddock | 8,823 | 4,002 | 11,575 | 12,845 | 5,826 | 14,513 | 5,317 |
| Hakes: | | | | | | | |
| Pacific (whiting) | 452,718 | 205,352 | 18,809 | 379,304 | 172,051 | 16,147 | 472,512 |
| Red | 3,463 | 1,571 | 892 | 3,701 | 1,679 | 916 | 3,036 |
| Silver (Atl. whiting) | 26,855 | 12,181 | 11,370 | 28,479 | 12,918 | 13,232 | 32,094 |
| White | 6,629 | 3,007 | 3,809 | 7,690 | 3,488 | 3,904 | 5,968 |
| Halibut | 75,190 | 34,106 | 143,826 | 77,978 | 35,371 | 115,169 | 69,547 |
| Herring: | | | | | | | |
| Sea: | | | | | | | |
| Atlantic | 160,269 | 72,698 | 9,972 | 209,191 | 94,888 | 12,717 | 184,720 |
| Pacific | 74,835 | 33,945 | 12,043 | 91,297 | 41,412 | 13,213 | 103,097 |
| Thread | 6,737 | 3,056 | 466 | 2,770 | 1,256 | 289 | 8,501 |
| Jack mackerel | 2,902 | 1,316 | 247 | 8,464 | 3,839 | 614 | 3,233 |

See notes at end of table.

(Continued)

U.S. Commercial Landings

U.S. DOMESTIC LANDINGS, BY SPECIES, 2000 AND 2001 (1) - Continued

| Species | 2000 | | | 2001 | | | Average (1996-2000) |
|--------------------------|--------------------|----------------|---------------------|--------------------|----------------|---------------------|------------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds |
| Fish - Continued: | | | | | | | |
| Lingcod | 379 | 172 | 381 | 411 | 186 | 425 | 2,472 |
| Mackerels: | | | | | | | |
| Atlantic | 12,454 | 5,649 | 2,018 | 27,155 | 12,317 | 2,221 | 27,068 |
| Chub | 47,065 | 21,349 | 2,826 | 15,981 | 7,249 | 1,172 | 34,772 |
| King and cero | 4,952 | 2,246 | 7,063 | 4,839 | 2,195 | 6,895 | 5,115 |
| Spanish | 3,636 | 1,649 | 2,076 | 4,223 | 1,916 | 2,466 | 3,400 |
| Menhaden: | | | | | | | |
| Atlantic | 456,623 | 207,123 | 31,733 | 576,286 | 261,402 | 30,336 | 570,497 |
| Gulf | 1,303,875 | 591,434 | 80,670 | 1,165,144 | 528,506 | 72,354 | 1,277,209 |
| Total, menhaden | 1,760,498 | 798,557 | 112,403 | 1,741,430 | 789,907 | 102,690 | 1,847,706 |
| Mullet | 20,554 | 9,323 | 13,652 | 18,535 | 8,407 | 11,332 | 18,100 |
| Ocean perch: | | | | | | | |
| Atlantic | 702 | 318 | 375 | 794 | 360 | 358 | 692 |
| Pacific | 39,521 | 17,927 | 2,597 | 38,997 | 17,689 | 1,692 | 43,011 |
| Pollock: | | | | | | | |
| Atlantic | 8,913 | 4,043 | 7,028 | 9,058 | 4,109 | 6,200 | 9,450 |
| Walleye (Alaska) | 2,606,802 | 1,182,438 | 160,525 | 3,179,407 | 1,442,170 | 230,723 | 2,556,947 |
| Rockfishes: | | | | | | | |
| Bocaccio | 60 | 27 | 43 | 75 | 34 | 54 | 851 |
| Canary | 134 | 61 | 78 | 108 | 49 | 61 | 1,878 |
| Chilipepper | 980 | 445 | 596 | 1,362 | 618 | 781 | 2,473 |
| Widow | 7,947 | 3,605 | 3,791 | 5,751 | 2,609 | 2,434 | 11,296 |
| Yellowtail | 6,988 | 3,170 | 3,138 | 4,580 | 2,077 | 2,059 | 7,156 |
| Other | 33,935 | 15,393 | 15,739 | 32,033 | 14,530 | 15,769 | 60,902 |
| Total, rockfishes | 50,044 | 22,700 | 23,385 | 43,909 | 19,917 | 21,158 | 84,556 |
| Sablefish | 49,680 | 22,535 | 101,161 | 44,037 | 19,975 | 80,361 | 50,862 |
| Salmon: | | | | | | | |
| Chinook or king | 16,099 | 7,302 | 26,194 | 16,588 | 7,524 | 22,527 | 17,968 |
| Chum or keta | 162,332 | 73,633 | 39,238 | 116,153 | 52,687 | 34,973 | 144,191 |
| Pink | 208,201 | 94,439 | 27,094 | 381,543 | 173,067 | 41,225 | 291,941 |
| Red or sockeye | 208,162 | 94,422 | 159,604 | 170,134 | 77,172 | 94,376 | 218,431 |
| Silver or coho | 33,841 | 15,350 | 18,083 | 38,414 | 17,424 | 15,825 | 34,005 |
| Total, salmon | 628,635 | 285,147 | 270,213 | 722,832 | 327,874 | 208,926 | 706,536 |
| Sardines: | | | | | | | |
| Pacific | 149,666 | 67,888 | 7,319 | 166,931 | 75,719 | 9,113 | 108,349 |
| Spanish | 1,355 | 615 | 84 | 1,374 | 623 | 366 | 1,200 |
| Scup or porgy | 3,018 | 1,369 | 3,670 | 4,538 | 2,058 | 3,857 | 4,885 |
| Sea bass: | | | | | | | |
| Black (Atlantic) | 3,343 | 1,516 | 5,657 | 3,674 | 1,667 | 5,389 | 3,675 |
| White (Pacific) | 223 | 101 | 425 | 274 | 124 | 506 | 158 |
| Sea trout or weakfish: | | | | | | | |
| Gray | 5,375 | 2,438 | 3,589 | 5,010 | 2,273 | 3,150 | 7,047 |
| Spotted | 572 | 259 | 775 | 335 | 152 | 560 | 807 |
| Sand (white) | 164 | 74 | 125 | 116 | 53 | 74 | 165 |
| Shads: | | | | | | | |
| American | 2,974 | 1,349 | 1,302 | 3,578 | 1,623 | 1,020 | 3,372 |
| Hickory | 111 | 50 | 23 | 199 | 90 | 35 | 142 |
| Sharks: | | | | | | | |
| Dogfish | 23,680 | 10,741 | 4,853 | 7,703 | 3,494 | 1,778 | 44,964 |
| Other | 11,333 | 5,141 | 6,303 | 8,705 | 3,949 | 5,822 | 14,744 |
| Sheepshead (Atlantic) | 3,369 | 1,528 | 1,061 | 2,677 | 1,214 | 935 | 3,228 |

See notes at end of table.

(Continued)

U.S. Commercial Landings

U.S. DOMESTIC LANDINGS, BY SPECIES, 2000 AND 2001 (1) - Continued

| Species | 2000 | | | 2001 | | | Average (1996-2000) |
|-------------------------------|--------------------|------------------|---------------------|--------------------|------------------|---------------------|------------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds |
| Fish - Continued: | | | | | | | |
| Skates | 33,184 | 15,052 | 4,431 | 32,237 | 14,623 | 3,948 | 32,026 |
| Smelts | 1,893 | 859 | 2,298 | 1,281 | 581 | 1,033 | 2,047 |
| Snappers: | | | | | | | |
| Red | 5,084 | 2,306 | 12,003 | 5,048 | 2,290 | 11,902 | 4,729 |
| Vermilion | 2,009 | 911 | 4,394 | 2,329 | 1,056 | 5,004 | 1,262 |
| Unclassified | 3,584 | 1,626 | 7,183 | 3,648 | 1,655 | 7,095 | 4,053 |
| Spearfish | 271 | 123 | 328 | 552 | 250 | 668 | 855 |
| Spot | 6,925 | 3,141 | 3,684 | 6,814 | 3,091 | 2,846 | 6,493 |
| Striped bass | 6,913 | 3,136 | 12,286 | 6,501 | 2,949 | 11,497 | 6,228 |
| Swordfish | 17,805 | 8,076 | 37,981 | 9,409 | 4,268 | 19,831 | 15,077 |
| Tenpounder (ladyfish) | 266 | 121 | 139 | 1,014 | 460 | 670 | 1,671 |
| Tilefish | 2,605 | 1,182 | 4,852 | 3,108 | 1,410 | 5,194 | 3,192 |
| Trout, rainbow | 321 | 146 | 224 | 486 | 220 | 212 | 393 |
| Tuna: | | | | | | | |
| Albacore | 22,455 | 10,185 | 20,630 | 28,011 | 12,706 | 25,149 | 28,807 |
| Bigeye | 7,245 | 3,286 | 24,862 | 7,652 | 3,471 | 25,588 | 7,448 |
| Bluefin | 3,167 | 1,436 | 18,954 | 3,150 | 1,429 | 18,900 | 6,386 |
| Little (tunny) | 484 | 220 | 113 | 787 | 357 | 430 | 694 |
| Skipjack | 3,378 | 1,532 | 2,551 | 1,909 | 866 | 2,176 | 11,642 |
| Yellowfin | 13,781 | 6,251 | 27,651 | 10,122 | 4,591 | 20,860 | 16,982 |
| Unclassified | 268 | 122 | 416 | 223 | 101 | 394 | 668 |
| Total, tuna | 50,779 | 23,033 | 95,176 | 51,854 | 23,521 | 93,497 | 72,626 |
| Whitefish, lake | 11,461 | 5,199 | 10,095 | 9,886 | 4,484 | 10,256 | 12,057 |
| Wolffish, Atlantic | 442 | 200 | 218 | 550 | 249 | 221 | 629 |
| Yellow perch | 1,249 | 567 | 2,929 | 1,411 | 640 | 3,382 | 1,320 |
| Other marine finfishes | 58,705 | 26,628 | 37,109 | 17,161 | 7,784 | 6,160 | 59,210 |
| Other freshwater finfishes | 14,564 | 6,606 | 5,524 | 48,595 | 22,043 | 34,664 | 15,725 |
| Total, fish | 7,689,661 | 3,488,007 | 1,594,815 | 8,242,490 | 3,738,769 | 1,479,988 | -- |
| Shellfish | | | | | | | |
| Clams: | | | | | | | |
| Quahog (hard) | 11,205 | 5,083 | 53,841 | 9,559 | 4,336 | 47,299 | 9,833 |
| Geoduck (Pacific) | 1,560 | 708 | 15,841 | 1,367 | 620 | 18,955 | 1,396 |
| Manila (Pacific) | 829 | 376 | 11,808 | 689 | 313 | 8,114 | 724 |
| Ocean quahog | 32,845 | 14,898 | 16,979 | 37,993 | 17,234 | 23,866 | 40,370 |
| Softshell | 2,680 | 1,216 | 11,604 | 3,549 | 1,610 | 19,136 | 2,530 |
| Surf (Atlantic) | 68,548 | 31,093 | 38,025 | 68,864 | 31,237 | 39,555 | 60,565 |
| Other | 815 | 370 | 5,875 | 743 | 337 | 5,067 | 1,206 |
| Total, clams | 118,482 | 53,743 | 153,973 | 122,764 | 55,685 | 161,992 | 116,623 |
| Conch (snails) | 2,086 | 946 | 3,649 | 2,864 | 1,299 | 4,711 | 3,243 |
| Crabs: | | | | | | | |
| Blue: Hard | 177,231 | 80,391 | 135,637 | 151,034 | 68,509 | 132,234 | 208,291 |
| Soft and peeler | 6,640 | 3,012 | 23,145 | 7,403 | 3,358 | 28,607 | 5,370 |
| Dungeness | 37,719 | 17,109 | 79,007 | 36,431 | 16,525 | 73,262 | 42,114 |
| Jonah | 2,455 | 1,114 | 1,479 | 2,745 | 1,245 | 1,678 | 2,203 |
| King | 15,098 | 6,848 | 61,641 | 16,054 | 7,282 | 65,560 | 19,033 |

See notes at end of table.

(Continued)

U.S. Commercial Landings

U.S. DOMESTIC LANDINGS, BY SPECIES, 2000 AND 2001 (1) - Continued

| Species | 2000 | | | 2001 | | | Average (1996-2000) |
|------------------------------|--------------------|------------------|---------------------|--------------------|------------------|---------------------|------------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds |
| Shellfish - Continued | | | | | | | |
| Crabs - Continued: | | | | | | | |
| Snow (Tanner): | | | | | | | |
| Opilio | 32,811 | 14,883 | 60,535 | 24,792 | 11,246 | 38,319 | 129,285 |
| Bairdi | 1,686 | 765 | 4,019 | 2,052 | 931 | 4,256 | 2,374 |
| Other | 25,366 | 11,506 | 39,543 | 31,735 | 14,395 | 37,751 | 18,106 |
| Total, crabs | 299,006 | 135,628 | 405,006 | 272,246 | 123,490 | 381,667 | 426,777 |
| Crawfish (freshwater) | 479 | 217 | 743 | 10,310 | 4,677 | 8212 | 14,024 |
| Horseshoe crab | 3,737 | 1,695 | 923 | 2,863 | 1,299 | 1,001 | 5,093 |
| Lobsters: | | | | | | | |
| American | 83,180 | 37,730 | 301,300 | 73,637 | 33,402 | 254,334 | 81,171 |
| Spiny | 6,463 | 2,932 | 32,926 | 4,082 | 1,852 | 21,394 | 6,928 |
| Mussels, blue (sea) | 3,264 | 1,481 | 5,083 | 3,378 | 1,532 | 4,804 | 3,705 |
| Oysters | 41,146 | 18,664 | 90,667 | 32,673 | 14,820 | 80,946 | 35,529 |
| Scallops: | | | | | | | |
| Bay | 25 | 11 | 130 | 6 | 3 | 67 | 54 |
| Calico, Atlantic Sea | (3) | (3) | (3) | (3) | (3) | (3) | 1,448 |
| | 32,747 | 14,854 | 164,609 | 46,958 | 21,300 | 175,349 | 20,159 |
| Shrimp: | | | | | | | |
| New England | 5,361 | 2,432 | 4,335 | 2,793 | 1,267 | 2,534 | 10,459 |
| South Atlantic | 32,288 | 14,646 | 77,735 | 23,010 | 10,437 | 50,111 | 30,506 |
| Gulf | 256,633 | 116,408 | 582,052 | 256,215 | 116,218 | 495,642 | 229,429 |
| Pacific | 38,203 | 17,329 | 26,325 | 42,455 | 19,257 | 20,197 | 33,891 |
| Other | 1 | (2) | 6 | 8 | 4 | 63 | 48 |
| Total, shrimp | 332,486 | 150,815 | 690,453 | 324,481 | 147,184 | 568,547 | 304,333 |
| Squid: | | | | | | | |
| Atlantic: | | | | | | | |
| Illex | 19,867 | 9,012 | 3,736 | 8,838 | 4,009 | 1,937 | 30,752 |
| Loligo | 37,351 | 16,942 | 24,062 | 31,329 | 14,211 | 20,684 | 36,694 |
| Unclassified | 302 | 137 | 158 | - | - | - | 35,855 |
| Pacific: | | | | | | | |
| Loligo | 259,506 | 117,711 | 27,076 | 189,219 | 85,829 | 17,547 | 155,425 |
| Unclassified | 2 | 1 | 1 | 2,313 | 1,049 | 287 | 71 |
| Total, Squid | 317,028 | 143,803 | 55,033 | 231,699 | 105,098 | 40,455 | 258,798 |
| Other shellfish | 15,132 | 6,864 | 14,204 | 10,551 | 4,786 | 7,912 | 13,199 |
| Total, Shellfish | 1,255,261 | 569,383 | 1,918,699 | 1,138,512 | 516,426 | 1,711,391 | -- |
| Other | | | | | | | |
| Sea urchins | 30,896 | 14,014 | 33,590 | 27,470 | 12,460 | 26,535 | 36,798 |
| Seaweed, unclassified | 92,531 | 41,972 | 163 | 81,905 | 37,152 | 681 | 119,416 |
| Kelp (with herring eggs) | 191 | 87 | 77 | 71 | 32 | 402 | 409 |
| Worms | 445 | 202 | 2,137 | 1,415 | 642 | 9,288 | 471 |
| Total, other | 124,063 | 56,275 | 35,967 | 110,861 | 50,286 | 36,906 | -- |
| Grand Total, U.S. | 9,068,985 | 4,113,664 | 3,549,481 | 9,491,863 | 4,305,481 | 3,228,285 | -- |

(1) Landings are reported in round (live) weight for all items except univalve and bivalve mollusks such as clams, oysters, and scallops, which are reported in weight of meats (excluding the shell). Landings for Mississippi River drainage are not available.

(2) Less than .5 metric ton.

(3) Data are confidential and included with unclassified shellfish.

Note:—Data are preliminary. Totals may not add due to rounding. Total U.S. Domestic landings include Alaska pollock, Pacific whiting and other Pacific groundfish that are caught in the U.S. EEZ off Washington, Oregon and Alaska and processed at-sea aboard U.S. vessels. Data do not include landings by U.S.-flag vessels at Puerto Rico or other ports outside the 50 States. Data do not include aquaculture products, except oysters and clams.

U.S. Commercial Landings

DISPOSITION OF U.S. DOMESTIC LANDINGS, 2000 AND 2001

| End Use | 2000 | | 2001 | |
|--------------------------------------|---------------------------|----------------|---------------------------|----------------|
| | <u>Million pounds</u> | <u>Percent</u> | <u>Million pounds</u> | <u>Percent</u> |
| Fresh and frozen: | | | | |
| For human food | 6,293 | 69.4 | 6,691 | 70.5 |
| For bait and animal food | 364 | 4.0 | 394 | 4.2 |
| Total | 6,657 | 73.4 | 7,085 | 74.6 |
| Canned: | | | | |
| For human food | 500 | 5.5 | 500 | 5.3 |
| For bait and animal food | 30 | 0.3 | 36 | 0.4 |
| Total | 530 | 5.8 | 536 | 5.6 |
| Cured for human food | 119 | 1.3 | 123 | 1.3 |
| Reduction to meal, oil, other | 1,763 | 19.4 | 1,748 | 18.4 |
| Grand total | 9,069 | 100.0 | 9,492 | 100.0 |

NOTE:--Data are preliminary. Table may not add due to rounding.

DISPOSITION OF U.S. DOMESTIC LANDINGS, BY MONTH, 2001

| Month | Landings for human food | | Landings for industrial purposes (1) | | Total | |
|--------------|---------------------------|----------------|--------------------------------------|----------------|---------------------------|----------------|
| | <u>Million pounds</u> | <u>Percent</u> | <u>Million pounds</u> | <u>Percent</u> | <u>Million pounds</u> | <u>Percent</u> |
| January | 290 | 4.0 | 37 | 1.7 | 327 | 3.4 |
| February | 790 | 10.8 | 32 | 1.5 | 822 | 8.7 |
| March | 904 | 12.4 | 31 | 1.4 | 935 | 9.9 |
| April | 327 | 4.5 | 94 | 4.3 | 421 | 4.4 |
| May | 367 | 5.0 | 192 | 8.8 | 559 | 5.9 |
| June | 407 | 5.6 | 277 | 12.7 | 684 | 7.2 |
| July | 1,004 | 13.7 | 400 | 18.4 | 1,404 | 14.8 |
| August | 1,179 | 16.1 | 380 | 17.4 | 1,559 | 16.4 |
| September | 1,029 | 14.1 | 300 | 13.8 | 1,329 | 14.0 |
| October | 611 | 8.4 | 283 | 13.0 | 894 | 9.4 |
| November | 240 | 3.3 | 84 | 3.9 | 324 | 3.4 |
| December | 167 | 2.3 | 68 | 3.1 | 235 | 2.5 |
| Total | 7,314 | 100.0 | 2,178 | 100.0 | 9,492 | 100.0 |

(1) Processed into meal, oil, solubles, and shell products, or used as bait and animal food.

U.S. COMMERCIAL LANDINGS OF FISH AND SHELLFISH, 1992-2001 (1)

| Year | Landings for human food | | Landings for industrial purposes (2) | | Total | |
|------|---------------------------|----------------------------|--------------------------------------|----------------------------|---------------------------|----------------------------|
| | <u>Million pounds</u> | <u>Million dollars</u> | <u>Million pounds</u> | <u>Million dollars</u> | <u>Million pounds</u> | <u>Million dollars</u> |
| 1992 | 7,618 | 3,531 | 2,019 | 147 | 9,637 | 3,678 |
| 1993 | *8,214 | 3,317 | 2,253 | 154 | 10,467 | 3,471 |
| 1994 | 7,936 | 3,714 | 2,525 | 95 | 10,461 | 3,809 |
| 1995 | 7,667 | 3,625 | 2,121 | 145 | 9,788 | 3,770 |
| 1996 | 7,474 | 3,355 | 2,091 | 132 | 9,565 | 3,487 |
| 1997 | 7,244 | 3,285 | 2,598 | 163 | 9,842 | 3,448 |
| 1998 | 7,173 | 3,009 | 2,021 | 119 | 9,194 | 3,128 |
| 1999 | 6,832 | 3,265 | 2,507 | 202 | 9,339 | 3,467 |
| 2000 | 6,912 | 3,398 | 2,157 | 152 | 9,069 | 3,550 |
| 2001 | 7,314 | 3,074 | 2,178 | 154 | 9,492 | 3,228 |

(1) Statistics on landings are shown in round weight for all items except univalve and bivalve mollusks such as clams, oysters, and scallops, which are shown in weight of meats (excluding the shell).

(2) Processed into meal, oil, solubles, and shell products, or used as bait or animal food.

*Record. Record—For industrial purposes 1983, 3,201 million lb.

NOTE:—Data are preliminary. Data do not include landings outside the 50 States or products of aquaculture, except oysters and clams.

U.S. Commercial Landings

U.S. DOMESTIC LANDINGS, BY REGION AND BY STATE, 2000 AND 2001 (1)

| Regions and States | 2000 | | 2001 | | Record Landings | |
|-----------------------------|------------------|------------------|------------------|------------------|-----------------|-----------------|
| | Thousand pounds | Thousand dollars | Thousand pounds | Thousand dollars | Year | Thousand pounds |
| New England: | 570,728 | 681,092 | 635,162 | 646,447 | - | - |
| Maine | 226,849 | 275,107 | 239,868 | 251,441 | 1950 | 356,266 |
| New Hampshire | 17,160 | 13,951 | 18,584 | 17,865 | - | (2) |
| Massachusetts | 187,861 | 288,263 | 242,066 | 281,059 | 1948 | 649,696 |
| Rhode Island | 119,295 | 72,544 | 115,957 | 65,457 | 1957 | 142,080 |
| Connecticut | 19,563 | 31,227 | 18,687 | 30,625 | 1930 | 88,012 |
| Middle Atlantic: | 219,661 | 173,296 | 217,975 | 172,503 | - | - |
| New York | 41,181 | 59,426 | 42,422 | 55,038 | 1880 | 335,000 |
| New Jersey | 171,804 | 107,163 | 168,430 | 109,820 | 1956 | 540,060 |
| Delaware | 6,676 | 6,707 | 7,123 | 7,645 | 1953 | 367,500 |
| Chesapeake: | 492,110 | 172,210 | 617,244 | 174,968 | - | - |
| Maryland | 48,913 | 53,874 | 55,536 | 55,586 | 1890 | 141,607 |
| Virginia | 443,197 | 118,336 | 561,708 | 119,382 | 1990 | 786,794 |
| South Atlantic: | 221,350 | 204,480 | 199,554 | 176,488 | - | - |
| North Carolina | 155,214 | 95,305 | 139,277 | 90,202 | 1981 | 432,006 |
| South Carolina | 15,835 | 30,344 | 14,111 | 23,398 | 1965 | 26,611 |
| Georgia | 9,694 | 21,331 | 9,036 | 14,752 | 1927 | 47,607 |
| Florida, East Coast | 40,607 | 57,500 | 37,130 | 48,136 | - | (2) |
| Gulf: | 1,759,993 | 910,685 | 1,605,564 | 798,319 | - | - |
| Florida, West Coast | 79,415 | 155,200 | 78,105 | 143,810 | - | (2) |
| Alabama | 29,931 | 63,275 | 24,740 | 43,170 | 1973 | 36,744 |
| Mississippi | 217,744 | 58,715 | 213,889 | 50,561 | 1984 | 476,997 |
| Louisiana | 1,344,913 | 401,095 | 1,191,460 | 342,748 | 1984 | 1,931,027 |
| Texas | 87,990 | 232,400 | 97,370 | 218,030 | 1960 | 237,684 |
| Pacific Coast: | 5,750,364 | 1,320,763 | 6,173,671 | 1,187,106 | - | - |
| Alaska | 4,465,987 | 956,990 | 5,036,338 | 869,885 | 1993 | 5,905,638 |
| Washington | 380,223 | 145,311 | 377,231 | 134,454 | 1994 | 527,804 |
| Oregon | 262,917 | 79,351 | 234,097 | 72,516 | 1997 | 273,503 |
| California | 641,237 | 139,111 | 526,005 | 110,251 | 1936 | 1,760,193 |
| Great Lakes: | 22,245 | 18,508 | 18,818 | 17,844 | - | - |
| Illinois | 49 | 35 | 16 | 14 | - | (2) |
| Michigan | 12,704 | 8,963 | 10,322 | 9,235 | 1930 | 35,580 |
| Minnesota | 377 | 172 | 501 | 202 | - | (2) |
| New York | 49 | 75 | 71 | 113 | - | |
| Ohio | 3,497 | 2,442 | 3,535 | 3,287 | 1936 | 31,083 |
| Pennsylvania | 20 | 29 | 25 | 44 | - | (2) |
| Wisconsin | 5,549 | 6,792 | 4,348 | 4,949 | - | (2) |
| Hawaii | 32,531 | 68,447 | 23,870 | 54,561 | 1999 | 36,907 |
| Total, United States | 9,068,982 | 3,549,481 | 9,491,858 | 3,228,236 | --- | --- |

(1) Landings are reported in round (live) weight for all items except univalve and bivalve mollusks such as clams, oysters, scallops, which are reported in weight of meats (excluding the shell). Landings for Mississippi River drainage area States are not available.

2) Data not available.

NOTE:—Data are preliminary. Landings of Alaska pollock, Pacific whiting, and other Pacific groundfish that are caught in waters off Washington, Oregon and Alaska and are processed at-sea aboard U.S. vessels are credited to the State nearest to the area of capture. Totals may not add due to roundings. Data do not include landings by U.S.-flag vessels at Puerto Rico and other ports outside the 50 States. Therefore, they will not agree with "U.S. Commercial Landings" beginning on page 8. Data do not include aquaculture products, except oysters and clams.

U.S. Commercial Landings

COMMERCIAL FISHERY LANDINGS AND VALUE AT MAJOR U.S. PORTS, 2000-2001

| Port | Quantity | | Port | Value | |
|---------------------------------|-----------------------|-------|---------------------------------|------------------------|-------|
| | 2000 | 2001 | | 2000 | 2001 |
| | <u>Million pounds</u> | | | <u>Million dollars</u> | |
| Dutch Harbor-Unalaska, AK | 699.8 | 834.5 | New Bedford, MA | 146.3 | 150.5 |
| Reedville, VA | 366.8 | 488.0 | Dutch Harbor-Unalaska, AK | 124.9 | 129.4 |
| Empire-Venice, LA | 396.2 | 370.7 | Kodiak, AK | 94.7 | 74.4 |
| Cameron, LA | 414.5 | 324.1 | Dulac-Chauvin, LA | 68.1 | 60.9 |
| Intracoastal City, LA | 321.7 | 303.6 | Brownsville-Port Isabel, TX | 88.6 | 59.8 |
| Kodiak, AK | 289.6 | 285.5 | Empire-Venice, LA | 61.6 | 59.1 |
| Los Angeles, CA | 254.7 | 219.1 | Hampton Roads Area, VA | 52.8 | 56.8 |
| Pascagoula-Moss Point, MS | 199.9 | 196.0 | Honolulu, HI | 56.0 | 40.0 |
| New Bedford, MA | 89.0 | 106.9 | Key West, FL | 50.6 | 40.0 |
| Port Hueneme-Oxnard-Ventura, CA | 162.2 | 104.8 | Bayou La Batre, AL | 48.9 | 38.9 |
| Astoria, OR | 130.1 | 102.9 | Palacios, TX | 41.8 | 37.1 |
| Newport, OR | 102.3 | 93.2 | Golden Meadow-Leeville, LA | 44.9 | 36.9 |
| Portland, ME | 62.8 | 86.4 | Port Arthur, TX | 49.3 | 36.8 |
| Cordova, AK | N/A | 78.3 | Galveston, TX | 40.8 | 36.0 |
| Gloucester, MA | 40.1 | 75.3 | Portland, ME | 45.4 | 33.7 |
| Beaufort-Morehead City, NC | 68.4 | 67.5 | Point Judith, RI | 41.4 | 33.6 |
| Cape May-Wildwood, NJ | 59.9 | 66.5 | Cape May-Wildwood, NJ | 28.6 | 33.1 |
| Sitka, AK | 95.5 | 64.4 | Cordova, AK | N/A | 32.5 |
| Moss Landing, CA | 50.5 | 56.1 | Seward, AK | 35.8 | 30.5 |
| Petersburg, AK | 32.3 | 51.2 | Los Angeles, CA | 38.1 | 29.8 |
| Point Judith, RI | 59.3 | 48.5 | Cameron, LA | 47.6 | 29.4 |
| Dulac-Chauvin, LA | 48.2 | 46.2 | Gloucester, MA | 30.0 | 29.4 |
| Atlantic City, NJ | 50.4 | 45.5 | Homer, AK | 30.9 | 29.4 |
| Seward, AK | 28.6 | 43.8 | Gulfport-Biloxi, MS | 35.5 | 29.1 |
| Ilwaco-Chinook, WA | 19.8 | 36.1 | Sitka, AK | 44.6 | 27.9 |
| Naknek-King Salmon, AK | 63.1 | 33.9 | Reedville, VA | 29.5 | 27.4 |
| Point Pleasant, NJ | 38.2 | 32.2 | Atlantic City, NJ | 26.1 | 27.2 |
| Wanchese-Stumpy Point, NC | 33.3 | 31.9 | Wanchese-Stumpy Point, NC | 24.0 | 26.1 |
| Hampton Roads Area, VA | 22.7 | 28.1 | Astoria, OR | 28.0 | 24.3 |
| Ketchikan, AK | 57.3 | 27.0 | Delcambre, LA | 30.8 | 22.6 |
| Rockland, ME | 28.3 | 24.7 | Petersburg, AK | 19.4 | 22.4 |
| Golden Meadow-Leeville, LA | 26.9 | 24.1 | Intracoastal City, LA | 24.5 | 22.1 |
| Morgan City-Berwick, LA | 20.2 | 23.3 | Newport, OR | 24.6 | 21.2 |
| Homer, AK | 18.1 | 23.0 | Tampa Bay-St. Petersburg, FL | 20.4 | 20.2 |
| Brownsville-Port Isabel, TX | 29.2 | 22.4 | Delacroix-Yscloskey, LA | 20.1 | 19.9 |
| Stonington, ME | 15.9 | 22.3 | Fort Myers, FL | 16.5 | 18.7 |
| Bellingham, WA | 18.0 | 20.1 | Point Pleasant, NJ | 17.8 | 18.7 |
| Honolulu, HI | 27.0 | 20.0 | Beaufort-Morehead City, NC | 16.9 | 17.9 |
| Galveston, TX | 17.4 | 18.6 | Bellingham, WA | 15.9 | 16.3 |
| Bayou La Batre, AL | 23.0 | 18.0 | Pascagoula-Moss Point, MS | 16.5 | 16.3 |
| Provincetown-Chatham, MA | 17.5 | 16.6 | Provincetown-Chatham, MA | 13.6 | 15.9 |
| Key West, FL | 16.9 | 16.4 | Grand Isle, LA | 26.4 | 15.5 |
| Palacios, TX | 14.8 | 16.1 | Freeport, TX | 22.8 | 15.2 |
| Gulfport-Biloxi, MS | 14.2 | 14.6 | Lafitte-Barataria, LA | 10.8 | 13.4 |
| Port Arthur, TX | 17.0 | 14.6 | Stonington, ME | 18.0 | 13.3 |
| Kenai, AK | 13.5 | 14.4 | Naknek-King Salmon, AK | 37.3 | 13.2 |
| Montauk, NY | 11.7 | 14.3 | Montauk, NY | 12.7 | 13.1 |
| Delacroix-Yscloskey, LA | 15.5 | 13.4 | Aransas Pass-Rockport, TX | 17.8 | 12.6 |
| Ocean City, MD | 9.6 | 13.2 | Port Hueneme-Oxnard-Ventura, CA | 20.2 | 12.6 |
| Tampa Bay-St. Petersburg, FL | 11.7 | 12.7 | Ilwaco-Chinook, WA | 6.9 | 11.4 |

Notes:—To avoid disclosure of private enterprise certain leading ports have not been included to preserve confidentiality. Catches of Alaska pollock, Pacific whiting and other Pacific groundfish caught in the northeast Pacific EEZ of the U.S. and processed at-sea are not attributed to a specific U.S. port. The record landings for quantity was 848.2 million pounds in Los Angeles, CA in 1960 and for value was \$224.1 million in Dutch Harbor-Unalaska, AK in 1994.

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|---------------------|---------------------------|------------------|-----------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 - 200 miles | | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars |
| | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | | | | |
| Fish | | | | | | | | |
| Alewives | 1,576 | 297 | - | - | - | - | 1,576 | 297 |
| Anchovies | 23,000 | 803 | 19,460 | 619 | - | - | 42,460 | 1,422 |
| Atka mackerel | - | - | 125,874 | 1,710 | - | - | 125,874 | 1,710 |
| Bluefish | 4,832 | 1,691 | 3,972 | 1,397 | - | - | 8,804 | 3,088 |
| Blue runner | 186 | 136 | 161 | 70 | - | - | 348 | 206 |
| Bonito | 50 | 76 | 70 | 85 | - | - | 119 | 161 |
| Butterfish | 914 | 449 | 10,025 | 3,133 | - | - | 10,939 | 3,582 |
| Catfish & bullheads | 16,486 | 9,952 | 1 | 1 | - | - | 16,487 | 9,953 |
| Chubs | 1,625 | 1,588 | - | - | - | - | 1,625 | 1,588 |
| Cod: | | | | | | | | |
| Atlantic | 959 | 980 | 32,252 | 31,106 | - | - | 33,211 | 32,086 |
| Pacific | 40,410 | 10,761 | 431,302 | 107,310 | - | - | 471,711 | 118,071 |
| Crevalle (jack) | 249 | 166 | 424 | 239 | - | - | 674 | 405 |
| Croaker: | | | | | | | | |
| Atlantic | 17,887 | 5,252 | 10,812 | 2,918 | - | - | 28,699 | 8,170 |
| Pacific (white) | 145 | 70 | 157 | 76 | - | - | 301 | 145 |
| Cusk | 9 | 6 | 388 | 222 | - | - | 397 | 228 |
| Dolphinfish | 2 | 2 | 904 | 1,095 | 15 | 10 | 921 | 1,108 |
| Eel, American | 867 | 821 | (2) | (2) | - | - | 867 | 821 |
| Flounders: | | | | | | | | |
| Arrowtooth | 1,732 | 86 | 29,887 | 1,023 | - | - | 31,619 | 1,109 |
| Winter (blackback) | 2,494 | 2,302 | 12,784 | 11,481 | - | - | 15,279 | 13,783 |
| Plaice, American | 765 | 747 | 8,990 | 8,769 | - | - | 9,755 | 9,516 |
| Summer (fluke) | 2,354 | 4,667 | 8,482 | 13,384 | - | - | 10,836 | 18,051 |
| Sole: | | | | | | | | |
| Dover | 3,484 | 1,277 | 12,922 | 4,323 | - | - | 16,406 | 5,600 |
| Flathead | 280 | 23 | 35,197 | 1,493 | - | - | 35,477 | 1,516 |
| Witch (gray) | 989 | 985 | 3,027 | 3,046 | - | - | 4,017 | 4,030 |
| Petrale | 73 | 13 | 53,306 | 4,906 | - | - | 53,379 | 4,919 |
| Rock | 256 | 338 | 6,401 | 7,516 | - | - | 6,658 | 7,855 |
| Yellowfin | - | - | 121,072 | 8,781 | - | - | 121,072 | 8,781 |

(Continued)

See footnotes at end of table

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | 3 - 200 miles | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|-------------------------------|---------------------------|-----------------|------------------|-----------------|---------------------------------|-----------------|---------------------|----------------|
| | 0 to 3 miles | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | |
| Fish - Continued | | | | | | | | |
| Flounders - Continued: | | | | | | | | |
| Yellowtail | 386 | | 372 | 15,717 | 14,892 | - | 16,103 | 15,264 |
| Atlantic/Gulf, other | 4,403 | | 7,511 | 267 | 116 | - | 4,670 | 7,628 |
| Pacific, other | 2,067 | | 1,576 | 25,025 | 5,613 | - | 27,092 | 7,188 |
| Total flounders | 19,283 | | 19,897 | 333,077 | 85,343 | - | 352,363 | 105,240 |
| Goosefish (anglerfish) | 1,967 | | 1,602 | 49,329 | 42,556 | - | 51,296 | 44,159 |
| Groupers | 600 | | 1,297 | 12,893 | 28,233 | - | 13,493 | 29,530 |
| Haddock | 183 | | 211 | 12,662 | 14,303 | - | 12,845 | 14,513 |
| Hakes: | | | | | | | | |
| Pacific (whiting) | - | | - | 379,304 | 16,147 | - | 379,304 | 16,147 |
| Red | 121 | | 35 | 3,697 | 923 | - | 3,818 | 958 |
| Silver (Atl. whiting) | 266 | | 108 | 28,414 | 13,237 | - | 28,679 | 13,345 |
| White | 117 | | 59 | 7,573 | 3,844 | - | 7,690 | 3,904 |
| Halibut | 2,758 | | 4,160 | 75,289 | 111,126 | - | 78,047 | 115,285 |
| Herring: | | | | | | | | |
| Sea: | | | | | | | | |
| Atlantic | 54,269 | | 3,336 | 180,684 | 10,703 | - | 234,953 | 14,039 |
| Pacific | 91,297 | | 13,213 | - | - | - | 91,297 | 13,213 |
| Thread | 2,770 | | 289 | - | - | - | 2,770 | 289 |
| Jack mackerel | 7,821 | | 553 | 643 | 61 | - | 8,464 | 614 |
| Lingcod | 126 | | 131 | 285 | 294 | - | 411 | 425 |
| Mackerels: | | | | | | | | |
| Atlantic | 823 | | 195 | 26,403 | 2,030 | - | 27,226 | 2,225 |
| Chub | 15,214 | | 1,113 | 768 | 59 | - | 15,981 | 1,172 |
| King and cero | 602 | | 808 | 4,236 | 6,087 | - | 4,839 | 6,895 |
| Spanish | 1,400 | | 973 | 2,823 | 1,492 | - | 4,223 | 2,466 |
| Menhaden: | | | | | | | | |
| Atlantic | 575,847 | | 30,305 | 438 | 31 | - | 576,286 | 30,336 |
| Gulf | 910,571 | | 56,810 | 254,573 | 15,545 | - | 1,165,144 | 72,354 |
| Total menhaden | 1,486,418 | | 87,115 | 255,011 | 15,576 | - | 1,741,430 | 102,690 |
| Mullets | 18,509 | | 11,317 | 26 | 15 | - | 18,535 | 11,332 |
| Ocean perch: | | | | | | | | |
| Atlantic | 4 | | 2 | 790 | 357 | - | 794 | 358 |
| Pacific | - | | - | 38,997 | 1,692 | - | 38,997 | 1,692 |

(Continued)

See footnotes at end of table

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|-------------------------|---------------------------|------------------|-----------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 - 200 miles | | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars |
| | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | | | | |
| Fish - Continued | | | | | | | | |
| Pollock: | | | | | | | | |
| Atlantic | 80 | 54 | 8,978 | 6,146 | - | - | 9,058 | 6,200 |
| Walleye (Alaska) | 75,525 | 4,976 | 3,103,882 | 225,747 | - | - | 3,179,407 | 230,723 |
| Rockfishes: | | | | | | | | |
| Bocaccio | 20 | 14 | 55 | 39 | - | - | 75 | 54 |
| Canary | 4 | 2 | 104 | 58 | - | - | 108 | 61 |
| Chilipepper | 417 | 239 | 946 | 542 | - | - | 1,362 | 781 |
| Widow | 257 | 120 | 5,494 | 2,314 | - | - | 5,751 | 2,434 |
| Yellowtail | 66 | 33 | 4,514 | 2,027 | - | - | 4,580 | 2,059 |
| Other | 3,096 | 2,455 | 28,937 | 13,314 | - | - | 32,033 | 15,769 |
| Total rockfishes | 3,860 | 2,863 | 40,050 | 18,294 | - | - | 43,909 | 21,158 |
| Sablefish | 5,743 | 10,150 | 38,294 | 70,211 | - | - | 44,037 | 80,361 |
| Salmon: | | | | | | | | |
| Chinook or king | 13,112 | 16,843 | 3,477 | 5,684 | - | - | 16,588 | 22,527 |
| Chum or keta | 116,150 | 34,972 | 3 | 1 | - | - | 116,153 | 34,973 |
| Pink | 381,541 | 41,225 | 1 | 1 | - | - | 381,543 | 41,225 |
| Red or sockeye | 170,134 | 94,376 | - | - | - | - | 170,134 | 94,376 |
| Silver or coho | 37,504 | 15,382 | 910 | 443 | - | - | 38,414 | 15,825 |
| Total salmon | 718,441 | 202,798 | 4,391 | 6,129 | - | - | 722,832 | 208,926 |
| Sardines: | | | | | | | | |
| Pacific | 156,651 | 8,548 | 10,280 | 565 | - | - | 166,931 | 9,113 |
| Spanish | 1,374 | 366 | | | - | - | 1,374 | 366 |
| Scup or porgy | 1,816 | 1,819 | 2,722 | 2,039 | - | - | 4,538 | 3,857 |
| Sea bass: | | | | | | | | |
| Black (Atlantic) | 923 | 1,377 | 2,751 | 4,013 | - | - | 3,674 | 5,389 |
| White (Pacific) | 129 | 238 | 145 | 268 | - | - | 274 | 506 |
| Sea trout or weakfish: | | | | | | | | |
| Gray | 3,474 | 2,206 | 1,536 | 944 | - | - | 5,010 | 3,150 |
| Spotted | 334 | 559 | 1 | 1 | - | - | 335 | 560 |
| Sand (white) | 82 | 62 | 34 | 12 | - | - | 116 | 74 |
| Shads: | | | | | | | | |
| American | 3,457 | 994 | 120 | 26 | - | - | 3,578 | 1,020 |
| Hickory | 198 | 35 | 1 | (2) | - | - | 199 | 35 |

See footnotes at end of table

(Continued)

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|----------------------------|---------------------------|------------------|------------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 - 200 miles | | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars |
| | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | | | | |
| Fish - Continued | | | | | | | | |
| Sharks: | | | | | | | | |
| Dogfish | 2,576 | 533 | 5,127 | 1,246 | - | - | 7,703 | 1,778 |
| Other | 871 | 461 | 7,715 | 5,307 | 138 | 69 | 8,724 | 5,838 |
| Sheepshead (Atlantic) | 2,665 | 931 | 12 | 4 | - | - | 2,677 | 935 |
| Skates | 7,854 | 1,065 | 24,384 | 2,883 | - | - | 32,237 | 3,948 |
| Smelts | 1,205 | 1,032 | 76 | 1 | - | - | 1,281 | 1,033 |
| Snappers: | | | | | | | | |
| Red | 104 | 460 | 4,944 | 11,442 | - | - | 5,048 | 11,902 |
| Vermillion | 1 | 1 | 2,329 | 5,002 | - | - | 2,329 | 5,004 |
| Unclassified | 260 | 544 | 3,387 | 6,551 | - | - | 3,648 | 7,095 |
| Spearfish | 8 | 10 | 334 | 405 | 209 | 253 | 552 | 668 |
| Spot | 6,572 | 2,750 | 243 | 97 | - | - | 6,814 | 2,846 |
| Striped bass | 6,341 | 11,264 | 160 | 232 | - | - | 6,501 | 11,497 |
| Swordfish | 248 | 445 | 6,931 | 15,308 | 2,230 | 4,078 | 9,409 | 19,831 |
| Tenpounder (ladyfish) | 1,014 | 670 | - | - | - | - | 1,014 | 670 |
| Tilefish | 7 | 14 | 3,100 | 5,179 | - | - | 3,108 | 5,194 |
| Trout, Rainbow | 486 | 212 | - | - | - | - | 486 | 212 |
| Tuna: | | | | | | | | |
| Albacore | 661 | 622 | 26,067 | 22,853 | 14,382 | 14,120 | 41,111 | 37,594 |
| Bigeye | 179 | 616 | 5,033 | 16,550 | 7,792 | 10,831 | 13,004 | 27,997 |
| Bluefin | 56 | 123 | 3,085 | 18,759 | 275 | 98 | 3,416 | 18,980 |
| Little tunny | 135 | 26 | 652 | 405 | - | - | 787 | 430 |
| Skipjack | 666 | 802 | 949 | 1,137 | 194,679 | 67,789 | 196,294 | 69,728 |
| Yellowfin | 792 | 1,839 | 8,166 | 16,578 | 67,342 | 33,805 | 76,300 | 52,222 |
| Unclassified | 16 | 29 | 206 | 364 | (2) | 1 | 223 | 394 |
| Total tuna | 2,505 | 4,057 | 44,158 | 76,646 | 284,470 | 126,644 | 331,135 | 207,345 |
| Whitefish, lake | 9,886 | 10,256 | - | - | - | - | 9,886 | 10,256 |
| Wolfish, Atlantic | 9 | 4 | 541 | 217 | - | - | 550 | 221 |
| Yellow perch | 1,411 | 3,382 | - | - | - | - | 1,411 | 3,382 |
| Other marine finfishes | 22,980 | 15,853 | 24,105 | 16,289 | 1,511 | 2,523 | 48,596 | 34,665 |
| Other freshwater finfishes | 16,037 | 6,047 | 1,124 | 112 | - | - | 17,161 | 6,160 |
| Total finfish | 2,868,872 | 476,500 | 5,390,561 | 985,375 | 288,573 | 133,577 | 8,548,010 | 1,595,450 |

See footnotes at end of table

(Continued)

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | 3 - 200 miles | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|----------------------|---------------------------|------------------|-----------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars |
| Shellfish | | | | | | | | |
| Clams: | | | | | | | | |
| Quahog (hard) | 9,559 | 47,299 | - | - | - | - | 9,559 | 47,299 |
| Geoduck (Pacific) | 1,367 | 18,955 | - | - | - | - | 1,367 | 18,955 |
| Manila (Pacific) | 689 | 8,114 | - | - | - | - | 689 | 8,114 |
| Ocean quahog | 11,458 | 7,922 | 26,535 | 15,944 | - | - | 37,993 | 23,866 |
| Softshell | 3,549 | 19,136 | - | - | - | - | 3,549 | 19,136 |
| Surf (Atlantic) | 25,702 | 15,760 | 43,162 | 23,795 | - | - | 68,864 | 39,555 |
| Other | 743 | 5,067 | - | - | - | - | 743 | 5,067 |
| Total clams | 53,067 | 122,253 | 69,697 | 39,739 | - | - | 122,764 | 161,992 |
| Conch (snails) | 2,300 | 3,375 | 563 | 1,336 | - | - | 2,864 | 4,711 |
| Crabs: | | | | | | | | |
| Blue: Hard | 151,024 | 132,226 | 10 | 8 | - | - | 151,034 | 132,234 |
| Soft or peeler | 7,403 | 28,607 | - | - | - | - | 7,403 | 28,607 |
| Dungeness | 34,192 | 68,633 | 2,239 | 4,629 | - | - | 36,431 | 73,262 |
| Jonah | 1,904 | 1,171 | 841 | 507 | - | - | 2,745 | 1,678 |
| King | 1,608 | 5,917 | 14,446 | 59,643 | - | - | 16,054 | 65,560 |
| Snow (tanner): | | | | | | | | |
| Opilio | - | - | 24,792 | 38,319 | - | - | 24,792 | 38,319 |
| Bairdi | 2,011 | 4,184 | 41 | 72 | - | - | 2,052 | 4,256 |
| Other | 11,867 | 9,370 | 19,868 | 28,381 | - | - | 31,735 | 37,751 |
| Total crabs | 210,009 | 250,108 | 62,237 | 131,559 | - | - | 272,246 | 381,667 |
| Crawfish, freshwater | 10,310 | 8,212 | - | - | - | - | 10,310 | 8,212 |
| Horseshoe crab | 2,642 | 885 | 221 | 116 | - | - | 2,863 | 1,001 |
| Lobsters: | | | | | | | | |
| American | 44,315 | 153,948 | 29,322 | 100,386 | - | - | 73,637 | 254,334 |
| Spiny | 1,886 | 10,377 | 2,196 | 11,017 | - | - | 4,082 | 21,394 |
| Mussels, blue (sea) | 3,378 | 4,804 | - | - | - | - | 3,378 | 4,804 |
| Oysters | 32,673 | 80,946 | - | - | - | - | 32,673 | 80,946 |

(Continued)

See footnotes at end of table

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|------------------------------|---------------------------|------------------|------------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 - 200 miles | | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars |
| Shellfish - Continued | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars | Thousand Pounds | Thousand Dollars |
| Scallops: | | | | | | | | |
| Bay | 6 | 67 | - | - | - | - | 6 | 67 |
| Calico, Atlantic | (3) | (3) | (3) | (3) | - | - | (3) | (3) |
| Sea | 363 | 1,727 | 46,595 | 173,622 | - | - | 46,958 | 175,349 |
| Shrimp: | | | | | | | | |
| New England | 749 | 677 | 2,044 | 1,857 | - | - | 2,793 | 2,534 |
| South Atlantic | 17,267 | 41,935 | 5,744 | 8,176 | - | - | 23,010 | 50,111 |
| Gulf | 139,095 | 229,320 | 117,120 | 266,322 | - | - | 256,215 | 495,642 |
| Pacific | 9,680 | 8,491 | 32,775 | 11,706 | - | - | 42,455 | 20,197 |
| Other | 4 | 31 | 4 | 31 | - | - | 8 | 63 |
| Total shrimp | 166,795 | 280,454 | 157,687 | 288,092 | - | - | 324,481 | 568,547 |
| Squid: | | | | | | | | |
| Atlantic: | | | | | | | | |
| Illex | 154 | 36 | 8,684 | 1,902 | - | - | 8,838 | 1,937 |
| Loligo | 3,803 | 2,717 | 27,526 | 17,967 | - | - | 31,329 | 20,684 |
| Pacific: | | | | | | | | |
| Loligo | 177,866 | 16,494 | 11,353 | 1053 | - | - | 189,219 | 17,547 |
| Unclassified | 126 | 90 | 2,187 | 197 | - | - | 2,313 | 287 |
| Total, squid | 181,949 | 19,337 | 49,750 | 21,119 | - | - | 231,699 | 40,455 |
| Other shellfish | 8,811 | 6,752 | 1,740 | 1,106 | - | - | 10,551 | 7,912 |
| Total shellfish | 718,504 | 943,245 | 420,008 | 768,092 | - | - | 1,138,512 | 1,711,391 |
| Other | | | | | | | | |
| Sea urchins | 27,470 | 26,535 | - | - | - | - | 27,470 | 26,535 |
| Seaweed, unclassified | 81,905 | 681 | - | - | - | - | 81,905 | 681 |
| Kelp (with herring eggs) | 71 | 402 | - | - | - | - | 71 | 402 |
| Worms | 1,415 | 9,288 | - | - | - | - | 1,415 | 9,288 |
| | 110,861 | 36,906 | - | - | - | - | 110,861 | 36,906 |
| Grand total, 2001 | 3,698,237 | 1,456,651 | 5,810,569 | 1,753,467 | 288,573 | 133,577 | 9,797,383 | 3,343,747 |
| Grand total, 2000 | 3,546,780 | 1,671,964 | 5,506,847 | 1,847,265 | 305,643 | 119,135 | 9,359,274 | 3,638,372 |

(1) Landings are reported in round (live) weight for all items except univalve and bivalve mollusks, such as clams, oysters, and scallops, which are reported in weight of meats (excluding the shell). The National Marine Fisheries Service estimated the distance-from-shore landings for data collected by the Service and States. Includes landings from the Great Lakes and other inland waters, but excludes Mississippi River Drainage Area States.

(2) Less than 500 LB or \$500. (3) Data are confidential and included with other shellfish.

NOTE:—Data are preliminary. Totals may not agree due to roundings. Data include landings by U.S.-flag vessels at Puerto Rico and other ports outside the 50 States. Therefore, they will not agree with "U.S. Commercial Landings" tables beginning on page 1. Data do not include aquaculture products, except oysters or clams.

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|---------------------|---------------------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 to 200 miles | | | |
| | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars |
| Fish | | | | | | |
| Alewives | 715 | 297 | - | - | 715 | 297 |
| Anchovies | 10,433 | 803 | 8,827 | 619 | 19,260 | 1,422 |
| Atka mackerel | - | - | 57,096 | 1,710 | 57,096 | 1,710 |
| Bluefish | 2,192 | 1,691 | 1,802 | 1,397 | 3,993 | 3,088 |
| Blue runner | 84 | 136 | 73 | 70 | 157 | 206 |
| Bonito | 23 | 76 | 32 | 85 | 54 | 161 |
| Butterfish | 415 | 449 | 4,547 | 3,133 | 4,962 | 3,582 |
| Catfish & bullheads | 7,478 | 9,952 | (2) | 1 | 7,478 | 9,953 |
| Chubs | 737 | 1,588 | - | - | 737 | 1,588 |
| Cod: | | | | | | |
| Atlantic | 435 | 980 | 14,629 | 31,106 | 15,064 | 32,086 |
| Pacific | 18,330 | 10,761 | 195,637 | 107,310 | 213,967 | 118,071 |
| Crevalle (jack) | 113 | 166 | 192 | 239 | 305 | 405 |
| Croaker: | | | | | | |
| Atlantic | 8,113 | 5,252 | 4,904 | 2,918 | 13,018 | 8,170 |
| Pacific (white) | 66 | 70 | 71 | 76 | 137 | 145 |
| Cusk | 4 | 6 | 176 | 222 | 180 | 228 |
| Dolphinfish | 1 | 2 | 410 | 1,095 | 418 | 1,108 |
| Eel, American | 393 | 821 | (2) | (2) | 393 | 821 |
| Flounders: | | | | | | |
| Arrowtooth | 786 | 86 | 13,557 | 1,023 | 14,342 | 1,109 |
| Winter (blackback) | 1,131 | 2,302 | 5,799 | 11,481 | 6,930 | 13,783 |
| Plaice, American | 347 | 747 | 4,078 | 8,769 | 4,425 | 9,516 |
| Summer (fluke) | 1,068 | 4,667 | 3,847 | 13,384 | 4,915 | 18,051 |
| Sole: | | | | | | |
| Dover | 1,580 | 1,277 | 5,861 | 4,323 | 7,442 | 5,600 |
| Flathead | 127 | 23 | 15,965 | 1,493 | 16,092 | 1,516 |
| Witch (gray) | 449 | 985 | 1,373 | 3,046 | 1,822 | 4,030 |
| Petrale | 33 | 13 | 24,179 | 4,906 | 24,213 | 4,919 |
| Rock | 116 | 338 | 2,903 | 7,516 | 3,020 | 7,855 |
| Yellowfin | - | - | 54,918 | 8,781 | 54,918 | 8,781 |

(Continued)

See footnotes at end of table

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|-------------------------------|---------------------------|------------------|----------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 to 200 miles | | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars |
| | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars | | | | |
| Fish - Continued | | | | | | | | |
| Flounders - Continued: | | | | | | | | |
| Yellowtail | 175 | 372 | 7,129 | 14,892 | - | - | 7,304 | 15,264 |
| Atlantic/Gulf, other | 1,997 | 7,511 | 121 | 116 | - | - | 2,118 | 7,628 |
| Pacific, other | 938 | 1,576 | 11,351 | 5,613 | - | - | 12,289 | 7,188 |
| Total Flounders | 8,747 | 19,897 | 151,083 | 85,343 | - | - | 159,829 | 105,240 |
| Goosefish (anglerfish) | 892 | 1,602 | 22,375 | 42,556 | - | - | 23,268 | 44,159 |
| Groupers | 272 | 1,297 | 5,848 | 28,233 | - | - | 6,120 | 29,530 |
| Haddock | 83 | 211 | 5,743 | 14,303 | - | - | 5,826 | 14,513 |
| Hakes: | | | | | | | | |
| Pacific (whiting) | - | - | 172,051 | 16,147 | - | - | 172,051 | 16,147 |
| Red | 55 | 35 | 1,677 | 923 | - | - | 1,732 | 958 |
| Silver (Atl. whiting) | 121 | 108 | 12,889 | 13,237 | - | - | 13,009 | 13,345 |
| White | 53 | 59 | 3,435 | 3,844 | - | - | 3,488 | 3,904 |
| Halibut | 1,251 | 4,160 | 34,151 | 111,126 | - | - | 35,402 | 115,285 |
| Herring: | | | | | | | | |
| Sea: | | | | | | | | |
| Atlantic | 24,616 | 3,336 | 81,958 | 10,703 | - | - | 106,574 | 14,039 |
| Pacific | 41,412 | 13,213 | - | - | - | - | 41,412 | 13,213 |
| Thread | 1,256 | 289 | - | - | - | - | 1,256 | 289 |
| Jack mackerel | 3,548 | 553 | 292 | 61 | - | - | 3,839 | 614 |
| Lingcod | 57 | 131 | 129 | 294 | - | - | 186 | 425 |
| Mackerels: | | | | | | | | |
| Atlantic | 373 | 195 | 11,976 | 2,030 | - | - | 12,350 | 2,225 |
| Chub | 6,901 | 1,113 | 348 | 59 | - | - | 7,249 | 1,172 |
| King and cero | 273 | 808 | 1,921 | 6,087 | - | - | 2,195 | 6,895 |
| Spanish | 635 | 973 | 1,281 | 1,492 | - | - | 1,916 | 2,466 |
| Menhaden: | | | | | | | | |
| Atlantic | 261,202 | 30,305 | 199 | 31 | - | - | 261,401 | 30,336 |
| Gulf | 413,032 | 56,810 | 115,474 | 15,545 | - | - | 528,506 | 72,354 |
| Total menhaden | 674,235 | 87,115 | 115,672 | 15,576 | - | - | 789,907 | 102,690 |
| Mulletts | 8,396 | 11,317 | 12 | 15 | - | - | 8,407 | 11,332 |
| Ocean perch: | | | | | | | | |
| Atlantic | 2 | 2 | 358 | 357 | - | - | 360 | 358 |
| Pacific | - | - | 17,689 | 1,692 | - | - | 17,689 | 1,692 |

(Continued)

See footnotes at end of table

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT, OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | 3 to 200 miles | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|-------------------------|---------------------------|------------------|----------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars |
| Fish - Continued | | | | | | | | |
| Pollock: | | | | | | | | |
| Atlantic | 36 | 54 | 4,072 | 6,146 | - | - | 4,109 | 6,200 |
| Walleye (Alaska) | 34,258 | 4,976 | 1,407,912 | 225,747 | - | - | 1,442,170 | 230,723 |
| Rockfishes: | | | | | | | | |
| Bocaccio | 9 | 14 | 25 | 39 | - | - | 34 | 54 |
| Canary | 2 | 2 | 47 | 58 | - | - | 49 | 61 |
| Chilipepper | 189 | 239 | 429 | 542 | - | - | 618 | 781 |
| Widow | 117 | 120 | 2,492 | 2,314 | - | - | 2,609 | 2,434 |
| Yellowtail | 30 | 33 | 2,048 | 2,027 | - | - | 2,077 | 2,059 |
| Other | 1,404 | 2,455 | 13,126 | 13,314 | - | - | 14,530 | 15,769 |
| Total rockfishes | 1,751 | 2,863 | 18,167 | 18,294 | - | - | 19,917 | 21,158 |
| Sablefish | 2,605 | 10,150 | 17,370 | 70,211 | - | - | 19,975 | 80,361 |
| Salmon: | | | | | | | | |
| Chinook or king | 5,948 | 16,843 | 1,577 | 5,684 | - | - | 7,525 | 22,527 |
| Chum or keta | 52,685 | 34,972 | 1 | 1 | - | - | 52,687 | 34,973 |
| Pink | 173,066 | 41,225 | - | - | - | - | 173,066 | 41,225 |
| Red or sockeye | 77,172 | 94,376 | (2) | (2) | - | - | 77,172 | 94,376 |
| Silver or coho | 17,012 | 15,382 | 413 | 443 | - | - | 17,424 | 15,825 |
| Total salmon | 325,883 | 202,798 | 1,992 | 6,128 | - | - | 327,874 | 208,926 |
| Sardines: | | | | | | | | |
| Pacific | 71,056 | 8,548 | 4,663 | 565 | - | - | 75,719 | 9,113 |
| Spanish | 623 | 366 | - | - | - | - | 623 | 366 |
| Scup or porgy | 824 | 1,819 | 1,235 | 2,039 | - | - | 2,058 | 3,857 |
| Sea bass: | | | | | | | | |
| Black (Atlantic) | 419 | 1,377 | 1,248 | 4,013 | - | - | 1,667 | 5,389 |
| White (Pacific) | 59 | 238 | 66 | 268 | - | - | 124 | 506 |
| Sea trout or weakfish: | | | | | | | | |
| Gray | 1,576 | 2,206 | 697 | 944 | - | - | 2,273 | 3,150 |
| Spotted | 152 | 559 | (2) | 1 | - | - | 152 | 560 |
| Sand (white) | 37 | 62 | 15 | 12 | - | - | 53 | 74 |
| Shads: | | | | | | | | |
| American | 1,568 | 994 | 54 | 26 | - | - | 1,623 | 1,020 |
| Hickory | 90 | 35 | (2) | (2) | - | - | 90 | 35 |

(Continued)

See footnotes at end of table

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT, OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|----------------------------|---------------------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 to 200 miles | | Metric Tons | Thousand Dollats |
| | Metric Tons | Thousand Dollats | Metric Tons | Thousand Dollats | | |
| Fish - Continued | | | | | | |
| Sharks: | | | | | | |
| Dogfish | 1,168 | 533 | 2,326 | 1,246 | - | 3,494 |
| Other | 395 | 461 | 3,500 | 5,307 | 63 | 3,957 |
| Sheepshead (Atlantic) | 1,209 | 931 | 5 | 4 | - | 1,214 |
| Skates | 3,563 | 1,065 | 11,061 | 2,883 | - | 14,623 |
| Smelts | 547 | 1,032 | 34 | 1 | - | 581 |
| Snappers: | | | | | | |
| Red | 47 | 460 | 2,243 | 11,442 | - | 2,290 |
| Vermillion | (2) | 1 | 1,056 | 5,002 | - | 1,056 |
| Unclassified | 118 | 544 | 1,536 | 6,551 | - | 1,654 |
| Spearfish | 4 | 10 | 152 | 405 | 95 | 250 |
| Spot | 2,981 | 2,750 | 110 | 97 | - | 3,091 |
| Striped bass | 2,876 | 11,264 | 73 | 232 | - | 2,949 |
| Swordfish | 112 | 445 | 3,144 | 15,308 | 1,012 | 4,268 |
| Tenpounder (ladyfish) | 460 | 670 | - | - | - | 460 |
| Tilefish | 3 | 14 | 1,406 | 5,179 | - | 1,409 |
| Trout, Rainbow | 220 | 212 | - | - | - | 220 |
| Tuna: | | | | | | |
| Albacore | 300 | 622 | 11,824 | 22,853 | 6,524 | 18,647 |
| Bigeye | 81 | 616 | 2,283 | 16,550 | 3,534 | 5,899 |
| Bluefin | 25 | 123 | 1,399 | 18,759 | 125 | 1,549 |
| Little tunny | 61 | 26 | 296 | 405 | - | 357 |
| Skipjack | 302 | 802 | 430 | 1,137 | 88,306 | 89,038 |
| Yellowfin | 359 | 1,839 | 3,704 | 16,578 | 30,546 | 34,609 |
| Unclassified | 7 | 29 | 93 | 364 | (2) | 101 |
| Total tuna | 1,136 | 4,057 | 20,030 | 76,646 | 129,035 | 150,201 |
| Whitefish, lake | 4,484 | 10,256 | - | - | - | 4,484 |
| Wolfish, Atlantic | 4 | 4 | 245 | 217 | - | 249 |
| Yellow perch | 640 | 3,382 | - | - | - | 640 |
| Other marine finfishes | 10,424 | 15,853 | 10,934 | 16,289 | 685 | 22,043 |
| Other freshwater finfishes | 7,274 | 6,047 | 510 | 112 | - | 7,784 |
| Total finfish | 1,301,312 | 476,500 | 2,445,142 | 985,374 | 130,896 | 3,877,352 |
| | | | | | | 1,595,450 |

(Continued)

See footnotes at end of table

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT, OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | 3 to 200 miles | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|----------------------|---------------------------|------------------|----------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars |
| Shellfish | | | | | | | | |
| Clams: | | | | | | | | |
| Quahog (hard) | 4,336 | 47,299 | - | - | - | - | 4,336 | 47,299 |
| Geoduck (Pacific) | 620 | 18,955 | - | - | - | - | 620 | 18,955 |
| Manila (Pacific) | 313 | 8,114 | - | - | - | - | 313 | 8,114 |
| Ocean quahog | 5,197 | 7,922 | 12,036 | 15,944 | - | - | 17,234 | 23,866 |
| Softshell | 1,610 | 19,136 | - | - | - | - | 1,610 | 19,136 |
| Surf (Atlantic) | 11,658 | 15,760 | 19,578 | 23,795 | - | - | 31,237 | 39,555 |
| Other | 337 | 5,067 | - | - | - | - | 337 | 5,067 |
| Total clams | 24,071 | 122,253 | 31,614 | 39,739 | - | - | 55,685 | 161,992 |
| Conch (snails) | 1,043 | 3,375 | 255 | 1,336 | - | - | 1,299 | 4,711 |
| Crabs: | | | | | | | | |
| Blue: Hard | 68,504 | 132,226 | 5 | 8 | - | - | 68,509 | 132,234 |
| Soft or peeler | 3,358 | 28,607 | - | - | - | - | 3,358 | 28,607 |
| Dungeness | 15,509 | 68,633 | 1,016 | 4,629 | - | - | 16,525 | 73,262 |
| Jonah | 864 | 1,171 | 381 | 507 | - | - | 1,245 | 1,678 |
| King | 729 | 5,917 | 6,553 | 59,643 | - | - | 7,282 | 65,560 |
| Snow (tanner): | | | | | | | | |
| Opilio | - | - | 11,246 | 38,319 | - | - | 11,246 | 38,319 |
| Bairdi | 912 | 4,184 | 19 | 72 | - | - | 931 | 4,256 |
| Other | 5,383 | 9,370 | 9,012 | 28,381 | - | - | 14,395 | 37,751 |
| Total crabs | 95,259 | 250,108 | 28,231 | 131,559 | - | - | 123,490 | 381,667 |
| Crawfish, freshwater | 4,677 | 8,212 | - | - | - | - | 4,677 | 8,212 |
| Horseshoe crab | 1,198 | 885 | 100 | 116 | - | - | 1,299 | 1,001 |
| Lobsters: | | | | | | | | |
| American | 20,101 | 153,948 | 13,300 | 100,386 | - | - | 33,402 | 254,334 |
| Spiny | 855 | 10,377 | 996 | 11,017 | - | - | 1,852 | 21,394 |
| Mussels, blue (sea) | 1,532 | 4,804 | - | - | - | - | 1,532 | 4,804 |
| Oysters | 14,820 | 80,946 | - | - | - | - | 14,820 | 80,946 |

(Continued)

See footnotes at end of table.

U.S. Commercial Landings

COMMERCIAL LANDINGS OF FISH AND SHELLFISH BY U.S. FISHING CRAFT: BY SPECIES, BY DISTANCE CAUGHT OFF U.S. SHORES AND IN INTERNATIONAL WATERS, 2001 (1)

| Species | Distance from U.S. shores | | | | High Seas or off Foreign Shores | | Total U.S. Landings | |
|------------------------------|---------------------------|------------------|------------------|------------------|---------------------------------|------------------|---------------------|------------------|
| | 0 to 3 miles | | 3 to 200 miles | | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars |
| | Metric Tons | Thousand Dollars | Metric Tons | Thousand Dollars | | | | |
| Shellfish - Continued | | | | | | | | |
| Scallops: Bay. | 3 | 67 | - | - | - | - | 3 | 67 |
| Calico, Atlantic Sea | (3) | (3) | (3) | (3) | - | - | (3) | (3) |
| | 165 | 1,727 | 21,135 | 173,622 | - | - | 21,300 | 175,349 |
| Shrimp: | | | | | | | | |
| New England | 340 | 677 | 927 | 1,857 | - | - | 1,267 | 2,534 |
| South Atlantic | 7,832 | 41,935 | 2,605 | 8,176 | - | - | 10,438 | 50,111 |
| Gulf | 63,093 | 229,320 | 53,125 | 266,322 | - | - | 116,218 | 495,642 |
| Pacific | 4,391 | 8,491 | 14,867 | 11,706 | - | - | 19,257 | 20,197 |
| Other | 2 | 3 | 2 | 3 | - | - | 4 | 63 |
| Total shrimp | 75,658 | 280,426 | 71,526 | 288,064 | - | - | 147,184 | 568,547 |
| Squid: | | | | | | | | |
| Atlantic: Illex | 70 | 36 | 3,939 | 1,902 | - | - | 4,009 | 1,937 |
| Lolligo | 1,725 | 2,717 | 12,486 | 17,967 | - | - | 14,211 | 20,684 |
| Pacific: Loligo | 80,679 | 16,494 | 5,150 | 1,053 | - | - | 85,829 | 287 |
| Unclassified | 57 | 90 | - | - | - | - | 57 | 90 |
| Total, squid | 82,532 | 19,337 | 22,566 | 21,119 | - | - | 104,106 | 40,455 |
| Other shellfish | 3,997 | 6,752 | 789 | 1,106 | - | - | 4,786 | 7,912 |
| Total shellfish | 325,911 | 943,245 | 190,514 | 768,092 | - | - | 516,426 | 1,711,391 |
| Other | | | | | | | | |
| Sea urchins | 12,460 | 26,535 | - | - | - | - | 12,460 | 26,535 |
| Seaweed, unclassified | 37,152 | 681 | - | - | - | - | 37,152 | 681 |
| Kelp (with herring eggs) | 32 | 402 | - | - | - | - | 32 | 402 |
| Worms | 642 | 9,288 | - | - | - | - | 642 | 9,288 |
| Total other | 50,286 | 36,906 | - | - | - | - | 50,286 | 36,906 |
| Grand total, 2001 | 1,677,509 | 1,456,651 | 2,635,657 | 1,753,466 | 130,896 | 133,577 | 4,444,064 | 3,343,747 |
| Grand total, 2000 | 1,608,809 | 1,671,964 | 2,497,889 | 1,847,265 | 138,639 | 119,135 | 4,245,337 | 3,638,372 |

(1) Landings are reported in round (live) weight for all items except univalve and bivalve mollusks, such as clams, oysters, and scallops, which are reported in weight of meats (excluding the shell). The National Marine Fisheries Service estimated the distance-from-shore landings for data collected by the Service and States. Includes landings from the Great Lakes and other inland waters, but excludes Mississippi River Drainage Area States.

(2) Less than .5 MT or \$500. (3) Data are confidential and included with other shellfish.

NOTE:—Data are preliminary. Totals may not agree due to roundings. Data include landings by U.S.-flag vessels at Puerto Rico and other ports outside the 50 States. Therefore, they will not agree with "U.S. Commercial Landings" tables beginning on page 1. Data do not include aquaculture products, except oysters or clams.

U.S. Commercial Landings

DOMESTIC LANDINGS FOR U.S. TERRITORIAL POSSESSIONS, 2001 (1)

| Group / Species | Puerto Rico | | Guam | |
|-------------------------|------------------|------------------|---------------|---------------|
| | Pounds | Dollars | Pounds | Dollars |
| Fish | | | | |
| Ballyhoo | 61,334 | 78,814 | - | - |
| Barracuda | 20,253 | 29,468 | 9,559 | 20,506 |
| Billfish: | | | | |
| Marlin | - | - | 33,759 | 38,687 |
| Sailfish | - | - | 1,238 | 1,450 |
| Spearfish | - | - | 111 | 138 |
| Dolphin (Mahi mahi) | 114,473 | 235,814 | 117,814 | 223,673 |
| Emperors | - | - | 6,987 | 19,262 |
| Goatfish | 22,901 | 38,817 | - | - |
| Groupers: | | | | |
| Red hind | 74,423 | 162,242 | - | - |
| Nassau | 19,250 | 35,228 | - | - |
| Other | 66,152 | 144,873 | 1,667 | 4,695 |
| Grunts: | | | | |
| Margate | 437 | 656 | - | - |
| Other | 157,565 | 217,440 | - | - |
| Hogfish | 74,787 | 169,206 | - | - |
| Jacks: | | | | |
| Amberjack | - | - | 524 | 1,340 |
| Bigeye Scad | - | - | 11,579 | 23,089 |
| Black jack | - | - | 124 | 307 |
| Rainbow Runner | - | - | 3,726 | 8,018 |
| Other | 100,943 | 139,049 | 2,634 | 6,299 |
| Mackerel, king and cero | 193,426 | 368,477 | - | - |
| Mojarra | 20,612 | 30,660 | - | - |
| Mullet | 62,781 | 75,494 | 78 | 166 |
| Parrotfish | 102,561 | 141,791 | 185 | 406 |
| Pomfrets | - | - | 226 | 544 |
| Rabbitfish | - | - | 15 | 46 |
| Scup or porgy | 36,899 | 53,504 | - | - |
| Sharks, other | 48,053 | 76,404 | 18 | 44 |
| Snappers: | | | | |
| Ehu | - | - | 694 | 2,767 |
| Gindai (Flower Snap) | - | - | 1,010 | 4,036 |
| Kalikali | - | - | 2,266 | 7,149 |
| Lane | 188,478 | 408,055 | - | - |
| Lehi | - | - | 1,458 | 5,803 |
| Mutton | 92,560 | 198,773 | - | - |
| Onaga | - | - | 4,013 | 17,743 |
| Opakapaka | - | - | 989 | 3,954 |
| Silk | 294,715 | 861,305 | - | - |
| Uku (Gray Snapper) | - | - | 822 | 2,147 |
| Yellowtail | 340,097 | 721,006 | - | - |
| Other | 120,124 | 260,969 | 376 | 945 |
| Total snappers | 1,035,974 | 2,450,107 | 11,628 | 44,544 |
| Snook | 49,370 | 86,151 | - | - |
| Spanish sardine | 26,969 | 31,217 | - | - |
| Squirrelfish | 18,367 | 21,398 | - | - |
| Surgeonfishes: | | | | |
| Unicornfish | - | - | 69 | 174 |
| Other | - | - | 16 | 49 |
| Tarpon | 2,186 | 1,049 | - | - |
| Triggerfish | 62,210 | 94,715 | - | - |
| Trunkfish (boxfish) | 79,326 | 149,133 | - | - |

(Continued)

U.S. Commercial Landings

DOMESTIC LANDINGS FOR U.S. TERRITORIAL POSSESSIONS, 2001 (1) - Continued

| Group / Species | Puerto Rico | | Guam | |
|--------------------------------|------------------|------------------|----------------|------------------|
| | <u>Pounds</u> | <u>Dollars</u> | <u>Pounds</u> | <u>Dollars</u> |
| <u>Fish</u> | | | | |
| Tuna: | | | | |
| Dogtooth | - | - | 4,596 | 5,961 |
| Kawakawa | - | - | 3 | 4 |
| Skipjack | - | - | 131,622 | 165,099 |
| Yellowfin | - | - | 31,278 | 62,767 |
| Unclassified | 146,492 | 193,369 | - | - |
| Total tuna | 146,492 | 193,369 | 167,499 | 233,831 |
| Wahoo | - | - | 51,194 | 112,317 |
| Wrasse (Hogfish) | - | - | 1,606 | 3,929 |
| Other marine finfishes | 230,530 | 343,510 | 187,695 | 543,101 |
| Total fish | 2,828,274 | 5,368,584 | 609,951 | 1,286,615 |
| <u>Shellfish, et al</u> | | | | |
| Crabs, other | 6,265 | 96,011 | 3 | 11 |
| Lobster, spiny | 313,366 | 1,754,066 | 1,296 | 4,966 |
| Conch (snail) meats | 272,151 | 674,254 | - | - |
| Oysters | 1,587 | 5,217 | - | - |
| Octopus | 37,759 | 97,229 | 3,379 | 9,469 |
| Shellfish, other | 14,747 | 44,388 | 41 | 115 |
| Total shellfish, et al. | 645,875 | 2,671,167 | 4,719 | 14,561 |
| Grand total | 3,474,149 | 8,039,751 | 614,670 | 1,301,176 |

| Group / Species | American Samoa | | Northern Marianas Islands | |
|-------------------------|----------------|----------------|---------------------------|----------------|
| | <u>Pounds</u> | <u>Dollars</u> | <u>Pounds</u> | <u>Dollars</u> |
| <u>Fish</u> | | | | |
| Barracudas | 908 | 1,958 | - | - |
| Billfishes: | | | | |
| Marlin | 10,307 | 11,494 | 1,924 | 2,702 |
| Sailfish | 2,245 | 2,402 | 91 | 183 |
| Dolphin (mahimahi) | 36,306 | 57,592 | 14,229 | 30,609 |
| Emperors | | | | |
| Longnose | 556 | 1,112 | - | - |
| Redgill | 2,418 | 4,867 | - | - |
| Others | 10,280 | 20,559 | 16,987 | 50,943 |
| Goatfish | - | - | 2,945 | 9,134 |
| Groupers: | | | | |
| Lunartail | 1,459 | 3,034 | - | - |
| Other | 1,244 | 2,456 | 7,719 | 19,928 |
| Jacks: | | | | |
| Bigeye Scad | 321 | 691 | 28,715 | 77,217 |
| Bigeye trevally | 716 | 1,570 | - | - |
| Black jack | 633 | 1,161 | - | - |
| Rainbow runner | 193 | 385 | 2,134 | 5,735 |
| Rudderfish | 46 | 91 | 1,660 | 5,344 |
| Other | 16 | 43 | 3,761 | 11,258 |
| Moonfish (Opah) | 1,311 | 1,310 | - | - |
| Mullet | 23 | 46 | - | - |
| Oilfish | 224 | 336 | - | - |
| Parrotfishes | 6,731 | 13,338 | 28,294 | 90,302 |
| Pomfrets | 2,303 | 5,758 | 404 | 719 |
| Rabbitfish | - | - | 8,408 | 28,691 |
| Snappers: | | | | |
| Blue lined snapper | 5,708 | 11,416 | - | - |
| Ehu | 3,135 | 8,137 | 8 | 23 |
| Gindai (flower snapper) | 226 | 549 | 1,916 | 5741 |

(Continued)

U.S. Commercial Landings

DOMESTIC LANDINGS FOR U.S. TERRITORIAL POSSESSIONS, 2001 (1) - Continued

| Group / Species | American Samoa | | Northern Marianas Islands | |
|--------------------------------|------------------|------------------|---------------------------|------------------|
| | <u>Pounds</u> | <u>Dollars</u> | <u>Pounds</u> | <u>Dollars</u> |
| Fish | | | | |
| Gray jobfish | 1,719 | 3,437 | - | - |
| Humpback | 3,491 | 6,982 | - | - |
| Lehi (silverjaw) | 829 | 2,496 | 2,585 | 8,611 |
| Onaga | 3,141 | 5,876 | 16,358 | 59,661 |
| Opakapaka | 343 | 739 | 3,951 | 13,633 |
| Yellow opakapaka | 1,612 | 4,655 | - | - |
| Snappers, other | 605 | 1,494 | 425 | 1,243 |
| Total snappers | 20,809 | 45,781 | 25,243 | 88,912 |
| Squirrelfish | 932 | 1,847 | 2,135 | 6,859 |
| Surgeonfishes: | | | | |
| Unicornfishes | 1,089 | 1,131 | 12,156 | 37,049 |
| Other | 5,003 | 10,006 | 9,698 | 29,874 |
| Swordfish | 1,663 | 3,542 | - | - |
| Tunas: | | | | |
| Albacore | 6,833,165 | 6,848,762 | - | - |
| Bigeye | 160,672 | 93,200 | - | - |
| Dogtooth | 1,216 | 1,775 | 3,445 | 7,203 |
| Kawakawa | 3 | 3 | 3,610 | 7,389 |
| Skipjack | 123,846 | 45,840 | 133,884 | 261,924 |
| Yellowfin | 397,288 | 259,869 | 14,526 | 30,703 |
| Other | - | - | 223 | 278 |
| Total, tuna | 7,516,190 | 7,249,449 | 155,688 | 307,497 |
| Wahoo | 102,651 | 101,574 | 4,550 | 10,775 |
| Wrasses | - | - | 923 | 2,787 |
| Other finfishes | 27 | 53 | 100,803 | 237,315 |
| Total fish | 7,726,604 | 7,543,586 | 428,467 | 1,053,833 |
| Shellfish, et al | | | | |
| Crabs | 134 | 201 | - | - |
| Lobster, spiny | 1,485 | 5,052 | 4,733 | 27,276 |
| Octopus | 171 | 355 | 704 | 1,757 |
| Total shellfish, et al. | 1,790 | 5,608 | 5,437 | 29,033 |
| Grand total | 7,728,394 | 7,549,194 | 433,904 | 1,082,866 |

(1) Data in this table are preliminary and represent the latest information available.

U.S. Commercial Landings

ESTIMATED U.S. AQUACULTURE PRODUCTION, 1995 - 2000


| Species | 1995 | | | 1996 | | |
|----------------------|------------------------|--------------------|-------------------------|------------------------|--------------------|-------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Finfish: | | | | | | |
| Baitfish | 21,759 | 9,870 | 72,522 | 20,849 | 9,457 | 70,254 |
| Catfish | 446,886 | 202,706 | 351,222 | 472,123 | 214,154 | 364,951 |
| Salmon | 31,315 | 14,204 | 75,991 | 30,657 | 13,906 | 60,995 |
| Striped bass | 8,315 | 3,772 | 21,156 | 7,850 | 3,561 | 20,308 |
| Tilapia | 15,075 | 6,838 | 22,613 | 15,965 | 7,242 | 23,948 |
| Trout | 55,934 | 25,371 | 61,447 | 53,620 | 24,322 | 56,958 |
| Shellfish: | | | | | | |
| Clams | 4,325 | 1,962 | 19,709 | 3,834 | 1,739 | 20,315 |
| Crawfish | 58,146 | 26,375 | 34,714 | 46,584 | 21,130 | 34,820 |
| Mussels | 410 | 186 | 1,221 | 986 | 447 | 5,085 |
| Oysters | 23,221 | 10,533 | 70,628 | 18,546 | 8,412 | 64,368 |
| Shrimp (SW) | 2,205 | 1,000 | 8,818 | 2,866 | 1,300 | 11,464 |
| Miscellaneous | 23,359 | 10,596 | 75,243 | 19,813 | 8,987 | 152,169 |
| Totals | 690,950 | 313,413 | 815,284 | 693,693 | 314,657 | 885,635 |
| Species | 1997 | | | 1998 | | |
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Finfish: | | | | | | |
| Baitfish | 19,929 | 9,040 | 73,580 | 16,389 | 7,434 | 57,392 |
| Catfish | 524,949 | 238,115 | 372,497 | 564,355 | 255,990 | 419,094 |
| Salmon | 39,745 | 18,028 | 65,053 | 32,017 | 14,523 | 62,694 |
| Striped bass | 8,400 | 3,810 | 21,783 | 9,385 | 4,257 | 24,128 |
| Tilapia | 16,860 | 7,648 | 29,505 | 18,191 | 8,251 | 27,287 |
| Trout | 56,710 | 25,723 | 60,212 | 55,103 | 24,995 | 59,710 |
| Shellfish: | | | | | | |
| Clams | 9,243 | 4,193 | 26,753 | 9,735 | 4,416 | 29,612 |
| Crawfish | 49,232 | 22,331 | 29,300 | 37,945 | 17,212 | 23,649 |
| Mussels | 597 | 271 | 3,365 | 527 | 239 | 2,801 |
| Oysters | 15,737 | 7,138 | 39,031 | 18,157 | 8,236 | 47,951 |
| Shrimp (SW) | 2,646 | 1,200 | 10,582 | 4,409 | 2,000 | 17,637 |
| Miscellaneous | 22,625 | 9,930 | 177,994 | 23,495 | 10,657 | 166,688 |
| Totals | 766,673 | 347,761 | 909,655 | 789,708 | 358,209 | 938,643 |
| Species | 1999 | | | 2000 | | |
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Finfish: | | | | | | |
| Baitfish | 16,389 | 7,434 | 57,392 | 13,954 | 6,329 | 45,790 |
| Catfish | 596,628 | 270,629 | 438,936 | 593,603 | 269,257 | 445,919 |
| Salmon | 39,114 | 17,742 | 76,778 | 49,372 | 22,395 | 99,208 |
| Striped bass | 9,734 | 4,415 | 21,927 | 11,237 | 5,097 | 29,513 |
| Tilapia | 17,750 | 8,051 | 26,625 | 20,000 | 9,072 | 30,000 |
| Trout | 60,283 | 27,344 | 64,954 | 59,164 | 26,837 | 63,690 |
| Shellfish: | | | | | | |
| Clams | 10,683 | 4,846 | 42,051 | 9,929 | 4,504 | 32,595 |
| Crawfish | 42,889 | 19,454 | 28,267 | 17,025 | 7,722 | 27,626 |
| Mussels | 531 | 241 | 799 | 424 | 192 | 525 |
| Oysters | 18,662 | 8,465 | 55,635 | 16,822 | 7,630 | 42,419 |
| Shrimp (SW) | 4,625 | 2,098 | 13,706 | 4,782 | 2,169 | 14,559 |
| Miscellaneous | 24,694 | 11,201 | 160,010 | 26,207 | 11,887 | 140,989 |
| Totals | 841,982 | 381,921 | 987,080 | 822,519 | 373,092 | 972,833 |

Note:--Table may not add due to rounding. Clams, oysters and mussels are reported as meat weights (excludes shell) while other identified species such as shrimp and finfishes are reported as whole (live) weights. Some clam and oyster aquaculture production are reported with U.S. commercial landings. Weights and values represent the final sales of products to processors and dealers. (1) "Miscellaneous" includes ornamental/tropical fish, alligators, algae, aquatic plants, eels, scallops, crabs, and others. The high value and low production of "Miscellaneous" occurs because production value, but not weight, are reported for many species such as ornamental fishes. SW:—Saltwater.


U.S. Commercial Landings

Volume of Domestic Commercial Landings and Aquaculture Production

Note: The 2001 aquaculture production is estimated




Value of Domestic Commercial Landings and Aquaculture Production




U.S. Commercial Landings

Comparisons between the top ten species in descending order of abundance by weight for U.S. commercial landings and recreational fish harvests. Does not include data for Alaska, Hawaii and Texas because no NMFS recreational surveys are conducted in those states. Menhaden, Pacific Hake, Atlantic Sea Herring, Pacific Sardine and Anchovy were excluded from commercial landings because they are industrial fisheries and recreational anglers do not target them.

**Top Ten Recreational Species - Harvest (A1 + B1)
Versus Commercial Harvest - 2001**



**Top Ten Commercial Species
Versus Recreational Harvest - 2001**



(1) Less than 1 percent

U.S. Marine Recreational Fisheries

DATA COLLECTION. Detailed information on marine recreational fishing is required to support a variety of fishery management and development purposes and is mandated by the Sustainable Fisheries Act, Public Law 94-265. In 1979, NMFS began the comprehensive Marine Recreational Fishery Statistical Survey (MRFSS). Although the recreational harvest is only about 6 percent of the total U.S. harvest of finfish for states covered by the MRFSS (see MRFSS coverage on page 28), the fishing activities of millions of marine anglers are important to monitor because they are directed at relatively few species. Data collected through the MRFSS show that recreational fishing significantly impacts the stocks of many marine finfish species. Recreational catches even surpass commercial landings of some species (see figure on preceding page).

METHODS. The MRFSS consists of a telephone survey of coastal county households and a field intercept survey of completed angler fishing trips. The telephone survey collects data on the number of marine recreational fishing trips by residents of coastal counties. The intercept survey collects data on the proportion of fishing trips by residents of non-coastal counties, the species composition of catches, catch rates by species, and lengths and weights of landed fish. These data are combined to produce estimates of catch and effort. Catch estimates are separated into two categories – harvested catch and catch released alive. Harvested catch includes landed fish, catch used for bait, and catch released dead. Whenever possible MRFSS field interviewers identify, count, weigh, and measure landed fish that are available in whole form (catch type A). Angler reports are obtained for catch released alive (catch type B2) and for all other harvested catch (catch type B1), such as catch released dead, used for bait, or landed as fillets. Catch estimates are stratified by subregion, state, wave (bimonthly sampling period), species, fishing mode (private/rental boat, party/charter boat, and shore), primary area fished, and catch type. In addition, economic data are obtained and estimates of participation are produced.

The MRFSS was conducted in 2001 in all coastal states except Texas and Alaska. In addition, sampling was conducted in the U.S. territory of Puerto Rico, and a pilot study was initiated in the Hawaiian Islands. Sampling coverage varies across the time series (see MRFSS coverage on page 28). Detailed information and access to the data are available on the Fisheries Statistics and Economics web page (<http://www.st.nmfs.gov/st1/recreational/>). Data from other NMFS and state surveys (e.g. southeast head boats,

Texas, California Passenger Fishing Vessels, Oregon/Washington ocean boats, Pacific salmon, Alaska) are not included in this report.

DATA TABLES. The estimated harvests (numbers and weight of fish) for the continental U.S. (excluding Texas, Alaska, Hawaii, Puerto Rico, and the U.S. Virgin Islands) are presented for 128 commonly caught species. Numbers of fish harvested and released alive are also presented for many important species groups. Estimated harvests are presented by subregion and primary fishing area: inland [sounds, rivers, bays], state territorial seas [ocean to 3 miles from shore, except for Florida's Gulf coast, where state territorial seas extend to 10 miles from shore], and Exclusive Economic Zone (EEZ) [ocean from the outer edge of the state territorial seas to 200 miles from shore]. The total numbers of estimated trips and participants are presented by state.

2001 MRFSS DATA. In 2001, over 12 million people made 84 million marine recreational fishing trips to the Atlantic, Gulf and Pacific coasts. The estimated total marine recreational catch was 442 million fish, of which over 57 percent were released alive. The estimated total weight of harvested catch was 266 million pounds. The Atlantic coast accounted for the majority of total marine angling participation (53 percent), trips (63 percent), and catch (55 percent). The Gulf coast (excluding Texas, see MRFSS coverage page) accounted for 25 percent of participation, 27 percent of trips, and 37 percent of the catch. The Pacific coast accounted for about 21 percent of participants, 12 percent of trips, and 8 percent of the catch. Nationally, most (57 percent in numbers of fish) of the recreational catch came from inland waters, 31 percent from state territorial seas, and 12 percent from the EEZ. The majority of Atlantic, Gulf and Pacific trips fished primarily in inland waters.

ATLANTIC. In 2001, over 6.4 million marine recreational fishing participants took over 53 million trips and caught a total of more than 244 million fish. Twenty-four percent of the trips were made in east Florida, followed by 14 percent in New Jersey, 13 percent in North Carolina, 9 percent in New York, 9 percent in Massachusetts, 8 percent in Virginia, and 7 percent in Maryland. Together, Connecticut, Rhode Island, and South Carolina accounted for 9 percent of the trips (3 percent each), and Delaware, Maine, Georgia, and New Hampshire accounted for the remaining 6 percent. The most commonly caught non-bait species (in numbers of fish) were summer flounder, Atlantic croaker, bluefish, black

U.S. Marine Recreational Fisheries

sea bass, and striped bass. The largest harvests by weight were striped bass, dolphin, bluefish, summer flounder, and yellowfin tuna.

The total annual catch of striped bass increased steadily and dramatically from 1.8 million fish in 1990 to 17.5 million fish in 1997. After increasing from 14.1 million fish in 1999 to nearly 19 million fish in 2000, striped bass catch declined slightly to 15.6 million fish in 2001. Over 86 percent of the striped bass caught in 2001 were released alive. Annual summer flounder catch has increased from 9.1 million fish in 1990 to over 28 million fish in 2001. Bluefish catch decreased from 16-18 million in 1990-1991 to levels varying between 9 and 13 million from 1992 through 1999, but reached 16 million in 2000, and over 20 million in 2001. Black sea bass catch, which varied between 6 and 16 million fish from 1990 through 1999, exceeded 18 million in 2000, but returned to around 16 million fish in 2001.

The species most commonly caught on Atlantic coast trips that fished primarily in federally managed waters were black sea bass, dolphin, Atlantic cod, summer flounder, Atlantic mackerel, and bluefish. Thirty percent of the total Atlantic catch came on saltwater trips that fished primarily in the state territorial seas, and 59 percent came on trips that fished primarily in inland waters.

GULF OF MEXICO. In 2001, over 3 million marine recreational fishing participants took over 22.8 million trips and caught a total of 163 million fish (excluding Texas). About 72 percent of the trips were made in west Florida, followed by 16 percent in Louisiana, 7 percent in Alabama, and 5 percent in Mississippi. The most commonly caught non-bait species (numbers of fish) were spotted seatrout, red drum, white grunt, blue runner, sand seatrout, Spanish mackerel, and Atlantic croaker. The largest harvests by weight were for red drum, spotted seatrout, sheepshead, red snapper, Spanish mackerel, king mackerel, and dolphin.

Red snapper catch has varied over the last ten years between 1.5 (1991 and 1995) and 3.2 (1999) million fish, with a total catch of over 2.6 million in 2001. King mackerel catch has varied between 420,000 (1999) and 750,000 (1991, 1996) over the last ten years, with a catch near the 10-year mean (580,000) in 2001. Spotted seatrout catch has varied between 19 million (1993, 1994, 1996) and 28 million (2001) over the last ten years, with

a catch of over 20 million in 2001. Red drum catch remained high, falling only slightly to 8.3 million in 2001 from a 10-year high of 8.7 million in 2000.

The species most commonly caught on Gulf of Mexico trips that fished primarily in federally managed waters were white grunt, red snapper, black sea bass, dolphin, and greater amberjack. Thirty percent of the total Gulf catch came on trips that fished primarily in the state territorial seas, and 60 percent came on trips that fished primarily in inland waters.

PACIFIC. In 2001, more than 2.5 million marine recreational fishing participants took over 9.6 million trips and caught a total of 35 million fish. Sixty-five percent of the trips were made in CA, followed by 23 percent in WA, and 12 percent in OR. The most commonly caught non-bait species (in numbers of fish) were surf smelt, barred sand bass, kelp bass, black rockfish, California halibut, white croaker, Pacific barracuda, and lingcod. By weight, the largest harvests were black rockfish, barred sand bass, California halibut, yellowtail, Pacific barracuda, lingcod, and blue rockfish.

Total annual catch of lingcod, which has varied between 240,000 (1995) and 584,000 (2000) fish from 1993 through 2000, exceeded 580,000 fish in 2001. Most of this increase was due to fish released alive. Total black rockfish catch, which has varied between 600,000 (1997) and 1.4 million (2000) fish since 1993, exceeded 1.2 million fish in 2001.

The most commonly caught Pacific coast species in federally managed waters were barred sand bass, kelp bass, sanddabs, Pacific barracuda, California scorpionfish, California halibut, yellowtail rockfish, bocaccio, and black rockfish. Fifty percent of the total Pacific catch came from trips that fished primarily in the state territorial seas, and 35 percent came from trips that fished primarily in inland waters.


PUERTO RICO. In 2001, about 220,000 marine recreational participants took 1.4 million trips and caught a total of about 2.2 million fish. The most commonly caught non-bait species (in numbers of fish) were dolphin (121,000 fish) and lane snapper (80,780 fish). Estimated fishing participation, effort and catch data for Puerto Rico have not been included in the tables.

U.S. Marine Recreational Fisheries

Coverage of Marine Recreational Fishery Statistics Survey

1979-2001

The Marine Recreational Fishery Statistics Survey provides coverage of saltwater sport fishing (including estuarine and brackish water) from private/rental boats, charter and head boats, and the shore. In 2001, the Survey included the Atlantic coast (Maine-East Florida), Gulf coast (Louisiana-West Florida), Pacific coast (Washington through California), Puerto Rico and Hawaii.



Care is advised when comparing catch estimates for the MRFSS time series because of differences in sampling coverage.

- In the South Atlantic and Gulf sub-regions (NC-LA) the MRFSS has not collected catch data from head boats since 1985, so estimates for these sub-regions now only include charter boats in the for-hire sector.
- Marine recreational fishing in Texas is monitored by the Texas Department of Parks and Wildlife and has not been surveyed by the MRFSS since 1985.
- Prior to 1998, on the Pacific coast, ocean boat trips and salmon trips were not sampled during certain waves because they were surveyed by state natural resource agencies.
- Alaska conducts an annual mail survey and has never been surveyed by the MRFSS.
- West Pacific U.S. territories have not been surveyed by the MRFSS since 1981.
- Hawaii was not surveyed between 1981 and 2001.
- The U.S. Caribbean was not surveyed between 1981 and 2000.

Historically, only about 5 percent of the annual recreational catch on the Atlantic and Gulf coasts is taken during Wave 1 (January - February). Costs to sample these months are very high due to low fishing activity. Therefore, in Jan/Feb of 1981 the MRFSS was not conducted in any region. In 1982, Jan/Feb data collection resumed on the Pacific and Gulf Coasts and also on the Atlantic Coast of Florida. With a few exceptions (GA 1985-1989, SC 1988, NC 1988-1992), the MRFSS has not been conducted in Jan/Feb on the Atlantic Coast north of Florida since 1980.

Exceptions to MRFSS Coverage:

Nov/Dec (ME & NH) - 1987 to present

Nov/Dec (OR) - 1994

Mar/Apr (ME & NH) - 1986 to present

All Waves (CA-WA) - 1990 to 1993

Jan/Feb (No. CA-OR) - 1994

All Waves (WA) - 1993 to 1994

Jan/Feb (So. CA-OR) - 1995

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY SPECIES, 2000 AND 2001

| Species | 2000 | | | 2001 | | | Average (1997-01) Thousand pounds |
|-----------------------------|--------------------|----------------|---------------------------------|--------------------|----------------|---------------------------------|--|
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | |
| Anchovies** | | | | | | | |
| Northern Anchovy | (1) | (1) | 419 | 44 | 20 | 579 | 20 |
| Other Anchovies | (1) | (1) | 8 | (1) | (1) | (1) | (1) |
| Barracudas | 929 | 421 | 135 | 1,327 | 602 | 163 | 1,266 |
| Bluefish | 10,945 | 4,965 | 5,048 | 13,930 | 6,318 | 7,016 | 12,165 |
| California Scorpionfish | 268 | 122 | 230 | 304 | 138 | 293 | 252 |
| Cartilaginous Fishes | | | | | | | |
| Dogfish Sharks** | 317 | 144 | 75 | 202 | 92 | 69 | 347 |
| Skates/Rays** | 176 | 80 | 137 | 113 | 51 | 85 | 170 |
| Other Sharks** | 3,244 | 1,471 | 336 | 2,211 | 1,003 | 379 | 2,830 |
| Catfishes** | | | | | | | |
| Freshwater Catfishes | 379 | 172 | 239 | 162 | 74 | 118 | 445 |
| Saltwater Catfishes | 1,091 | 495 | 683 | 987 | 448 | 629 | 989 |
| Cods And Hakes | | | | | | | |
| Atlantic Cod | 5,132 | 2,328 | 812 | 7,054 | 3,200 | 1,118 | 4,075 |
| Pacific Cod | (1) | (1) | (1) | 2 | 1 | 1 | 1 |
| Pacific Hake | (1) | (1) | (1) | (1) | (1) | (1) | 1 |
| Pacific Tomcod | 1 | (1) | 6 | (1) | (1) | 2 | 1 |
| Pollock | 874 | 396 | 437 | 1,424 | 646 | 356 | 642 |
| Red Hake | 17 | 8 | 101 | 19 | 8 | 58 | 142 |
| Other Cods/Hakes | 478 | 217 | 151 | 512 | 232 | 168 | 277 |
| Croakers | | | | | | | |
| California Corbina | 6 | 3 | 7 | 5 | 2 | 14 | 15 |
| Queenfish | 35 | 16 | 121 | 6 | 3 | 76 | 16 |
| White Croaker | 153 | 69 | 372 | 108 | 49 | 389 | 182 |
| Other Croakers | 630 | 286 | 94 | 598 | 271 | 172 | 430 |
| Dolphins** | 16,364 | 7,423 | 2,539 | 16,121 | 7,312 | 2,088 | 16,211 |
| Drums | | | | | | | |
| Atlantic Croaker | 10,516 | 4,770 | 12,494 | 11,762 | 5,335 | 14,681 | 9,244 |
| Black Drum | 5,061 | 2,296 | 1,320 | 3,648 | 1,654 | 990 | 3,180 |
| Kingfishes | 2,936 | 1,332 | 5,474 | 3,797 | 1,722 | 7,456 | 2,523 |
| Red Drum | 15,860 | 7,194 | 3,672 | 14,802 | 6,714 | 3,475 | 12,801 |
| Sand Seatrout | 2,685 | 1,218 | 4,508 | 1,906 | 864 | 3,308 | 2,144 |
| Silver Perch | 96 | 44 | 654 | 61 | 27 | 404 | 82 |
| Spot | 2,105 | 955 | 5,010 | 3,605 | 1,635 | 7,308 | 2,632 |
| Spotted Seatrout | 16,672 | 7,562 | 12,946 | 13,685 | 6,208 | 10,200 | 12,890 |
| Weakfish** | 4,155 | 1,885 | 2,089 | 2,723 | 1,235 | 1,527 | 3,552 |
| Other Drum | 127 | 58 | 448 | 38 | 17 | 278 | 133 |
| Eels** | 17 | 8 | 56 | 4 | 2 | 54 | 11 |
| Flounders | | | | | | | |
| California Halibut** | 1,569 | 712 | 168 | 1,510 | 685 | 202 | 1,238 |
| Gulf Flounder | 280 | 127 | 169 | 306 | 139 | 212 | 244 |
| Rock Sole | 15 | 7 | 19 | 7 | 3 | 12 | 16 |
| Sanddabs | 284 | 129 | 840 | 146 | 66 | 451 | 153 |
| Southern Flounder | 1,668 | 757 | 1,023 | 1,713 | 777 | 1,128 | 1,514 |
| Starry Flounder | 12 | 5 | 8 | 23 | 11 | 14 | 14 |
| Summer Flounder | 16,515 | 7,491 | 7,820 | 11,660 | 5,289 | 5,307 | 12,195 |
| Winter Flounder | 2,021 | 917 | 1,459 | 1,304 | 592 | 964 | 1,265 |
| Other Flounders** | 507 | 230 | 258 | 321 | 146 | 168 | 632 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY SPECIES, 2000 AND 2001

| Species | 2000 | | | 2001 | | | Average (1997-01) Thousand pounds |
|--------------------------------|--------------------|----------------|---------------------------------|--------------------|----------------|---------------------------------|--|
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | |
| Greenlings | | | | | | | |
| Kelp Greenling | 167 | 76 | 153 | 178 | 81 | 153 | 148 |
| Lingcod | 1,306 | 592 | 139 | 983 | 446 | 113 | 1,170 |
| Other Greenlings | 21 | 10 | 31 | 28 | 13 | 28 | 16 |
| Grunts | | | | | | | |
| Pigfish | 367 | 167 | 1,128 | 581 | 264 | 1,552 | 409 |
| White Grunt | 1,777 | 806 | 2,112 | 2,550 | 1,157 | 2,772 | 1,711 |
| Other Grunts | 158 | 72 | 608 | 193 | 87 | 463 | 312 |
| Herrings** | 565 | 256 | 29,572 | 1,179 | 535 | 34,272 | 1,054 |
| Jacks | | | | | | | |
| Blue Runner | 1,732 | 786 | 2,057 | 2,309 | 1,047 | 3,160 | 1,386 |
| Crevalle Jack | 1,753 | 795 | 601 | 2,116 | 960 | 812 | 1,540 |
| Florida Pompano | 780 | 354 | 650 | 808 | 366 | 614 | 668 |
| Greater Amberjack | 1,850 | 839 | 92 | 1,895 | 859 | 135 | 1,887 |
| Yellowtail | 2,303 | 1,045 | 164 | 1,190 | 540 | 87 | 2,646 |
| Other Jacks | 608 | 276 | 1,834 | 436 | 198 | 2,987 | 502 |
| Mullet** | 2,869 | 1,301 | 7,090 | 3,714 | 1,685 | 7,440 | 2,794 |
| Pacific Barracuda | 1,511 | 685 | 354 | 992 | 450 | 311 | 1,650 |
| Porgies | | | | | | | |
| Pinfishes | 2,420 | 1,098 | 6,892 | 2,293 | 1,040 | 9,469 | 2,075 |
| Red Porgy | 75 | 34 | 59 | 80 | 36 | 75 | 81 |
| Scup** | 5,443 | 2,469 | 7,244 | 4,262 | 1,933 | 5,099 | 2,734 |
| Sheepshead | 5,417 | 2,457 | 2,113 | 6,376 | 2,892 | 2,267 | 5,186 |
| Other Porgies** | 149 | 68 | 326 | 165 | 75 | 228 | 186 |
| Puffers | 112 | 51 | 219 | 181 | 82 | 346 | 114 |
| Rockfishes | | | | | | | |
| Black Rockfish | 2,724 | 1,236 | 1,423 | 2,364 | 1,072 | 1,119 | 2,085 |
| Blue Rockfish | 583 | 264 | 415 | 594 | 270 | 464 | 680 |
| Bocaccio | 525 | 238 | 203 | 307 | 139 | 199 | 277 |
| Brown Rockfish | 129 | 58 | 107 | 211 | 96 | 185 | 138 |
| Canary Rockfish | 292 | 132 | 147 | 171 | 78 | 78 | 220 |
| Chilipepper Rockfish | 104 | 47 | 73 | 136 | 62 | 77 | 54 |
| Copper Rockfish | 172 | 78 | 106 | 119 | 54 | 78 | 184 |
| Gopher Rockfish | 156 | 71 | 166 | 268 | 121 | 272 | 136 |
| Greenspotted Rockfish | 92 | 42 | 123 | 25 | 11 | 83 | 56 |
| Olive Rockfish | 114 | 52 | 68 | 132 | 60 | 159 | 101 |
| Quillback Rockfish | 70 | 32 | 34 | 57 | 26 | 26 | 76 |
| Widow Rockfish | 147 | 66 | 82 | 45 | 20 | 19 | 85 |
| Yellowtail Rockfish | 529 | 240 | 319 | 250 | 113 | 162 | 479 |
| Other Rockfishes** | 984 | 446 | 1,450 | 841 | 381 | 994 | 974 |
| Sablefishes | 2 | 1 | 1 | 1 | (1) | 1 | 5 |
| Sculpins | | | | | | | |
| Cabezon | 212 | 96 | 57 | 227 | 103 | 69 | 227 |
| Sculpins | 8 | 4 | 23 | 6 | 3 | 49 | 13 |
| Sea Basses | | | | | | | |
| Barred Sand Bass | 1,813 | 822 | 1,260 | 1,528 | 693 | 1,119 | 1,096 |
| Black Sea Bass | 4,766 | 2,162 | 4,546 | 4,483 | 2,033 | 3,932 | 3,652 |
| <i>Epinephelus</i> Groupers** | 2,341 | 1,062 | 355 | 1,606 | 729 | 248 | 1,456 |
| Kelp Bass | 1,007 | 457 | 648 | 509 | 231 | 633 | 627 |
| <i>Mycteroperca</i> Groupers** | 5,471 | 2,482 | 765 | 4,798 | 2,176 | 540 | 4,584 |
| Spotted Sand Bass | 96 | 44 | 76 | 49 | 22 | 49 | 54 |
| Other Sea Basses | 47 | 21 | 287 | 90 | 41 | 361 | 83 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY SPECIES, 2000 AND 2001

| Species | 2000 | | | 2001 | | | Average (1997-01) Thousand pounds |
|-----------------------------|--------------------|----------------|---------------------------------|--------------------|----------------|---------------------------------|--|
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | |
| Sea Chubs** | | | | | | | |
| Halfmoon | 83 | 38 | 76 | 118 | 54 | 132 | 57 |
| Opaleye | 54 | 24 | 49 | 90 | 41 | 59 | 60 |
| Other Sea Chubs | (1) | (1) | (1) | (1) | (1) | (1) | 1 |
| Searobins | 96 | 44 | 170 | 138 | 62 | 143 | 132 |
| Silversides | | | | | | | |
| Jacksmelt | 121 | 55 | 283 | 205 | 93 | 614 | 148 |
| Other Silversides | 3 | 1 | 30 | 5 | 2 | 46 | 5 |
| Smelts** | | | | | | | |
| Surf Smelt | 140 | 64 | 1,965 | 319 | 145 | 3,661 | 193 |
| Other Smelts | (1) | (1) | (1) | (1) | (1) | (1) | (1) |
| Snappers | | | | | | | |
| Gray Snapper | 1,838 | 834 | 1,265 | 1,899 | 861 | 1,199 | 1,555 |
| Lane Snapper | 207 | 94 | 212 | 381 | 173 | 392 | 283 |
| Red Snapper | 3,494 | 1,585 | 841 | 4,091 | 1,856 | 900 | 4,238 |
| Vermilion Snapper | 387 | 175 | 374 | 638 | 289 | 613 | 467 |
| Yellowtail Snapper | 316 | 143 | 245 | 251 | 114 | 189 | 378 |
| Other Snappers** | 319 | 145 | 95 | 296 | 134 | 79 | 307 |
| Sturgeons | 375 | 170 | 21 | 375 | 170 | 17 | 497 |
| Surfperches | | | | | | | |
| Barred Surfperch | 59 | 27 | 105 | 77 | 35 | 147 | 212 |
| Black Perch | 36 | 16 | 54 | 30 | 14 | 54 | 42 |
| Pile Perch | 15 | 7 | 19 | 32 | 15 | 32 | 32 |
| Redtail Surfperch | 122 | 55 | 126 | 112 | 51 | 123 | 84 |
| Shiner Perch | 13 | 6 | 292 | 8 | 4 | 183 | 9 |
| Silver Surfperch | 4 | 2 | 15 | 5 | 2 | 16 | 16 |
| Striped Seaperch | 44 | 20 | 47 | 86 | 39 | 96 | 90 |
| Walleye Surfperch | 13 | 6 | 51 | 25 | 11 | 163 | 24 |
| White Seaperch | 7 | 3 | 8 | 13 | 6 | 32 | 9 |
| Other Surfperches | 32 | 15 | 93 | 39 | 18 | 108 | 50 |
| Temperate Basses | | | | | | | |
| Striped Bass | 18,363 | 8,329 | 2,090 | 19,921 | 9,036 | 2,084 | 16,538 |
| White Perch | 691 | 314 | 1,758 | 288 | 131 | 664 | 635 |
| Other Temperate Basses | (1) | (1) | (1) | (1) | (1) | 1 | 1 |
| Toadfishes | (1) | (1) | 4 | (1) | (1) | 7 | 1 |
| Triggerfishes/Filefishes | 561 | 255 | 263 | 578 | 262 | 308 | 751 |
| Tunas And Mackerels | | | | | | | |
| Atlantic Mackerel | 3,192 | 1,448 | 4,194 | 3,386 | 1,536 | 4,127 | 2,974 |
| King Mackerel** | 8,728 | 3,959 | 930 | 7,507 | 3,405 | 691 | 8,835 |
| Little Tunny / Atl.Bonito** | 2,294 | 1,041 | 348 | 2,147 | 974 | 260 | 2,677 |
| Pacific Bonito** | 160 | 73 | 85 | 33 | 15 | 31 | 194 |
| Spanish Mackerel | 4,752 | 2,156 | 3,075 | 5,420 | 2,459 | 3,747 | 4,059 |
| Other Tunas/Mackerels** | 22,219 | 10,078 | 1,535 | 22,767 | 10,327 | 2,492 | 18,872 |
| Wrasses | | | | | | | |
| California Sheephead | 232 | 105 | 113 | 128 | 58 | 75 | 162 |
| Cunner | 50 | 23 | 77 | 2 | 1 | 56 | 31 |
| Tautog | 3,398 | 1,541 | 853 | 2,750 | 1,247 | 792 | 2,473 |
| Other Wrasses | 89 | 40 | 51 | 152 | 69 | 84 | 157 |
| Other Fishes** | 13,650 | 6,192 | 21,610 | 18,644 | 8,457 | 7,074 | 12,410 |
| Total Fish | 264,064 | 119,786 | 191,979 | 262,432 | 119,037 | 186,702 | -- |

(1) Number or pounds less than 1,000 or less than 1 metric ton.

Note:-- ** Fish included in these groups are not equivalent to those with similar names listed in the commercial tables.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY MODE OF FISHING AND SPECIES GROUP, 2001

| Species | Mode of fishing | | | | | | | | | | | |
|-----------------------------|-----------------|-------------|---------------------------|---------------------|-------------|---------------------------|-----------------|-------------|---------------------------|-----------------|-------------|---------------------------|
| | Charter boat | | | Private/Rental boat | | | Shore | | | Grand Total | | |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) |
| Anchovies | | | | | | | | | | | | |
| Northern Anchovy | - | - | - | 5 | 2 | 66 | 40 | 18 | 513 | 44 | 20 | 579 |
| Other Anchovies | - | - | - | - | - | - | - | - | - | - | - | - |
| Barracudas | 477 | 217 | 47 | 526 | 239 | 67 | 324 | 147 | 49 | 1,327 | 602 | 163 |
| Bluefish | 2,543 | 1,153 | 654 | 8,479 | 3,846 | 3,249 | 2,908 | 1,319 | 3,113 | 13,930 | 6,318 | 7,016 |
| California Scorpionfish | 186 | 85 | 171 | 115 | 52 | 119 | 3 | 1 | 3 | 304 | 138 | 293 |
| Cartilaginous Fishes | | | | | | | | | | | | |
| Dogfish Sharks** | 71 | 32 | 17 | 80 | 36 | 41 | 50 | 23 | 11 | 202 | 92 | 69 |
| Skates/Rays** | (1) | (1) | 3 | 63 | 29 | 39 | 50 | 23 | 44 | 113 | 51 | 85 |
| Other Sharks** | 410 | 186 | 28 | 1,463 | 664 | 265 | 338 | 153 | 86 | 2,211 | 1,003 | 379 |
| Catfishes** | | | | | | | | | | | | |
| Freshwater Catfishes | (1) | (1) | 1 | 108 | 49 | 84 | 54 | 25 | 33 | 162 | 74 | 118 |
| Saltwater Catfishes | 5 | 2 | 2 | 570 | 258 | 349 | 413 | 187 | 278 | 987 | 448 | 629 |
| Cods And Hakes | | | | | | | | | | | | |
| Atlantic Cod | 2,127 | 965 | 336 | 4,927 | 2,235 | 782 | (1) | (1) | (1) | 7,054 | 3,200 | 1,118 |
| Pacific Cod | (1) | (1) | (1) | 2 | 1 | 1 | (1) | (1) | (1) | 2 | 1 | 1 |
| Pacific Hake | (1) | (1) | (1) | (1) | (1) | (1) | - | - | - | (1) | (1) | (1) |
| Pacific Tomcod | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | 1 | (1) | (1) | 2 |
| Pollock | 408 | 185 | 96 | 956 | 433 | 246 | 60 | 27 | 14 | 1,424 | 646 | 356 |
| Red Hake | 4 | 2 | 48 | 15 | 7 | 10 | - | - | - | 19 | 8 | 58 |
| Other Cods/Hakes | 279 | 126 | 87 | 233 | 106 | 75 | (1) | (1) | 7 | 512 | 232 | 168 |
| Croakers | | | | | | | | | | | | |
| California Corbina | (1) | (1) | (1) | 1 | (1) | 1 | 5 | 2 | 14 | 5 | 2 | 14 |
| Queenfish | 2 | 1 | 4 | (1) | (1) | 2 | 4 | 2 | 70 | 6 | 3 | 76 |
| White Croaker | 6 | 3 | 17 | 66 | 30 | 167 | 36 | 16 | 205 | 108 | 49 | 389 |
| Other Croakers | 77 | 35 | 13 | 443 | 201 | 55 | 77 | 35 | 104 | 598 | 271 | 172 |
| Dolphins** | 5,240 | 2,377 | 674 | 10,881 | 4,936 | 1,414 | (1) | (1) | (1) | 16,121 | 7,312 | 2,088 |
| Drums | | | | | | | | | | | | |
| Atlantic Croaker | 827 | 375 | 984 | 9,973 | 4,524 | 11,630 | 962 | 436 | 2,066 | 11,762 | 5,335 | 14,681 |
| Black Drum | 383 | 174 | 35 | 2,236 | 1,014 | 606 | 1,028 | 466 | 348 | 3,648 | 1,654 | 990 |
| Kingfishes | 9 | 4 | 17 | 1,882 | 854 | 3,382 | 1,906 | 865 | 4,057 | 3,797 | 1,722 | 7,456 |
| Red Drum | 1,440 | 653 | 334 | 11,886 | 5,392 | 2,918 | 1,475 | 669 | 223 | 14,802 | 6,714 | 3,475 |
| Sand Seatrout | 24 | 11 | 29 | 1,447 | 656 | 2,455 | 435 | 197 | 824 | 1,906 | 864 | 3,308 |
| Silver Perch | (1) | (1) | (1) | 7 | 3 | 70 | 53 | 24 | 334 | 61 | 27 | 404 |
| Spot | 95 | 43 | 198 | 2,125 | 964 | 3,735 | 1,385 | 628 | 3,374 | 3,605 | 1,635 | 7,308 |
| Spotted Seatrout | 1,435 | 651 | 991 | 11,399 | 5,171 | 8,556 | 851 | 386 | 654 | 13,685 | 6,208 | 10,200 |
| Weakfish** | 148 | 67 | 94 | 2,293 | 1,040 | 1,302 | 282 | 128 | 131 | 2,723 | 1,235 | 1,527 |
| Other Drum | (1) | (1) | 5 | 15 | 7 | 150 | 23 | 10 | 123 | 38 | 17 | 278 |
| Eels** | 4 | 2 | 2 | (1) | (1) | 3 | (1) | (1) | 50 | 4 | 2 | 54 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY MODE OF FISHING AND SPECIES GROUP, 2001

| Species | Mode of fishing | | | | | | Shore | | | Grand Total | | |
|----------------------|-----------------|-------------|---------------------------|-----------------|-------------|---------------------------|-----------------|-------------|---------------------------|-----------------|-------------|---------------------------|
| | Charter boat | | Private/Rental boat | | Shore | | Shore | | Grand Total | | Grand Total | |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) |
| Flounders | | | | | | | | | | | | |
| California Halibut** | 199 | 90 | 30 | 1,265 | 574 | 164 | 46 | 21 | 8 | 1,510 | 685 | 202 |
| Gulf Flounder | 11 | 5 | 7 | 209 | 95 | 130 | 86 | 39 | 75 | 306 | 139 | 212 |
| Rock Sole | 1 | (1) | 2 | 6 | 3 | 10 | (1) | (1) | 1 | 7 | 3 | 12 |
| Sanddabs | 51 | 23 | 156 | 93 | 42 | 277 | 1 | (1) | 18 | 146 | 66 | 451 |
| Southern Flounder | 31 | 14 | 18 | 1,151 | 522 | 801 | 531 | 241 | 309 | 1,713 | 777 | 1,128 |
| Starry Flounder | (1) | (1) | (1) | 15 | 7 | 5 | 8 | 4 | 9 | 23 | 11 | 14 |
| Summer Flounder | 804 | 365 | 330 | 10,394 | 4,715 | 4,748 | 462 | 210 | 230 | 11,860 | 5,289 | 5,307 |
| Winter Flounder | 46 | 21 | 36 | 1,032 | 468 | 767 | 226 | 102 | 160 | 1,304 | 592 | 964 |
| Other Flounders** | 171 | 77 | 43 | 139 | 63 | 80 | 12 | 5 | 45 | 321 | 146 | 168 |
| Greenlings | | | | | | | | | | | | |
| Kelp Greenling | 33 | 15 | 19 | 96 | 43 | 77 | 49 | 22 | 57 | 178 | 81 | 153 |
| Lingcod | 382 | 173 | 47 | 567 | 257 | 62 | 34 | 15 | 4 | 983 | 446 | 113 |
| Other Greenlings | (1) | (1) | (1) | 2 | 1 | 3 | 26 | 12 | 25 | 28 | 13 | 28 |
| Grunts | | | | | | | | | | | | |
| Pigfish | 1 | (1) | 1 | 344 | 156 | 845 | 237 | 107 | 705 | 581 | 264 | 1,552 |
| White Grunt | 378 | 171 | 396 | 1,992 | 904 | 2,153 | 180 | 82 | 223 | 2,550 | 1,157 | 2,772 |
| Other Grunts | 5 | 2 | 12 | 90 | 41 | 227 | 98 | 44 | 224 | 193 | 87 | 463 |
| Herrings** | (1) | (1) | 131 | 578 | 262 | 19,799 | 601 | 273 | 14,342 | 1,179 | 535 | 34,272 |
| Jacks | | | | | | | | | | | | |
| Blue Runner | 31 | 14 | 25 | 248 | 112 | 360 | 2,030 | 921 | 2,776 | 2,309 | 1,047 | 3,160 |
| Crevalle Jack | 31 | 14 | 7 | 630 | 286 | 232 | 1,455 | 660 | 574 | 2,116 | 960 | 812 |
| Florida Pompano | 8 | 4 | 4 | 214 | 97 | 135 | 586 | 266 | 476 | 808 | 366 | 614 |
| Greater Amberjack | 976 | 443 | 74 | 868 | 394 | 56 | 51 | 23 | 5 | 1,895 | 859 | 135 |
| Yellowtail | 784 | 355 | 46 | 406 | 184 | 42 | - | - | - | 1,190 | 540 | 87 |
| Other Jacks | 192 | 87 | 69 | 138 | 63 | 576 | 105 | 48 | 2,342 | 436 | 198 | 2,987 |
| Mullet** | 10 | 5 | 6 | 2,264 | 1,027 | 3,641 | 1,439 | 653 | 3,794 | 3,714 | 1,685 | 7,440 |
| Pacific Barracuda | 739 | 335 | 222 | 251 | 114 | 88 | 2 | 1 | 1 | 992 | 450 | 311 |
| Porgies | | | | | | | | | | | | |
| Pinfishes | 9 | 4 | 29 | 1,450 | 658 | 5,445 | 834 | 378 | 3,995 | 2,293 | 1,040 | 9,469 |
| Red Porgy | 60 | 27 | 57 | 20 | 9 | 19 | - | - | - | 80 | 36 | 75 |
| Scup** | 585 | 265 | 769 | 3,151 | 1,429 | 3,564 | 526 | 239 | 766 | 4,262 | 1,933 | 5,099 |
| Sheepshead | 96 | 44 | 37 | 5,178 | 2,349 | 1,756 | 1,102 | 500 | 474 | 6,376 | 2,892 | 2,267 |
| Other Porgies** | 28 | 13 | 38 | 112 | 51 | 125 | 25 | 11 | 65 | 165 | 75 | 228 |
| Puffers | 3 | 2 | 5 | 100 | 45 | 159 | 77 | 35 | 183 | 181 | 82 | 346 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY MODE OF FISHING AND SPECIES GROUP, 2001

| Species | Mode of fishing | | | | | | | | | | | |
|-------------------------|-----------------|-------------|---------------------------|---------------------|-------------|---------------------------|-----------------|-------------|---------------------------|-----------------|-------------|---------------------------|
| | Charter boat | | | Private/Rental boat | | | Shore | | | Grand Total | | |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) |
| Rockfishes | | | | | | | | | | | | |
| Black Rockfish | 1288 | 584 | 595 | 1015 | 460 | 483 | 62 | 28 | 41 | 2,364 | 1,072 | 1,119 |
| Blue Rockfish | 412 | 187 | 337 | 174 | 79 | 125 | 8 | 4 | 3 | 594 | 270 | 464 |
| Bocaccio | 245 | 111 | 165 | 61 | 28 | 34 | - | - | - | 307 | 139 | 199 |
| Brown Rockfish | 88 | 40 | 100 | 121 | 55 | 83 | 1 | (1) | 1 | 211 | 96 | 185 |
| Canary Rockfish | 123 | 56 | 53 | 48 | 22 | 25 | 1 | (1) | (1) | 171 | 78 | 78 |
| Chilipepper Rockfish | 136 | 62 | 77 | (1) | (1) | (1) | - | - | - | 136 | 62 | 77 |
| Copper Rockfish | 62 | 28 | 42 | 56 | 25 | 34 | 2 | 1 | 1 | 119 | 54 | 78 |
| Gopher Rockfish | 192 | 87 | 195 | 74 | 34 | 75 | 1 | 1 | 1 | 268 | 121 | 272 |
| Greenspotted Rockfish | 21 | 10 | 56 | 4 | 2 | 27 | - | - | - | 25 | 11 | 83 |
| Olive Rockfish | 121 | 55 | 145 | 10 | 5 | 14 | 1 | (1) | 1 | 132 | 60 | 159 |
| Quilback Rockfish | 33 | 15 | 14 | 24 | 11 | 12 | - | - | - | 57 | 26 | 26 |
| Widow Rockfish | 45 | 20 | 18 | (1) | (1) | 1 | - | - | - | 45 | 20 | 19 |
| Yellowtail Rockfish | 211 | 96 | 140 | 39 | 18 | 22 | - | - | - | 250 | 113 | 162 |
| Other Rockfishes** | 503 | 228 | 645 | 306 | 139 | 325 | 32 | 14 | 23 | 841 | 381 | 994 |
| Sablefishes | 1 | (1) | 1 | (1) | (1) | (1) | - | - | - | 1 | (1) | 1 |
| Sculpins | | | | | | | | | | | | |
| Cabezon | 57 | 26 | 17 | 131 | 60 | 35 | 39 | 18 | 16 | 227 | 103 | 69 |
| Sculpins | (1) | (1) | (1) | 2 | 1 | 9 | 4 | 2 | 39 | 6 | 3 | 49 |
| Sea Bases | | | | | | | | | | | | |
| Barred Sand Bass | 738 | 335 | 556 | 786 | 356 | 558 | 5 | 2 | 4 | 1,528 | 693 | 1,119 |
| Black Sea Bass | 2104 | 954 | 1904 | 2346 | 1064 | 1993 | 33 | 15 | 36 | 4,483 | 2,033 | 3,932 |
| Epinephelus Groupers** | 439 | 199 | 72 | 1167 | 529 | 176 | (1) | (1) | (1) | 1606 | 729 | 248 |
| Kelp Bass | 227 | 103 | 332 | 280 | 127 | 299 | 1 | 1 | 2 | 509 | 231 | 633 |
| Mycteroperca Groupers** | 1227 | 557 | 132 | 3509 | 1592 | 404 | 62 | 28 | 4 | 4,798 | 2,176 | 540 |
| Spotted Sand Bass | (1) | (1) | (1) | 46 | 21 | 47 | 3 | 1 | 2 | 49 | 22 | 49 |
| Other Sea Bases | 2 | 1 | 23 | 75 | 34 | 241 | 13 | 6 | 97 | 90 | 41 | 361 |
| Sea Chubs** | | | | | | | | | | | | |
| Halfmoon | 95 | 43 | 110 | 23 | 11 | 20 | (1) | (1) | 2 | 118 | 54 | 132 |
| Opaleye | 9 | 4 | 7 | 9 | 4 | 6 | 72 | 33 | 46 | 90 | 41 | 59 |
| Other Sea Chubs | - | - | - | - | - | - | - | - | - | - | - | - |
| Searobins | 2 | 1 | 9 | 117 | 53 | 101 | 19 | 8 | 33 | 138 | 62 | 143 |
| Silversides | | | | | | | | | | | | |
| Jacksmelt | (1) | (1) | (1) | 124 | 56 | 367 | 81 | 37 | 247 | 205 | 93 | 614 |
| Other Silversides | (1) | (1) | (1) | (1) | (1) | (1) | 5 | 2 | 46 | 5 | 2 | 46 |
| Surf Smelt | (1) | (1) | (1) | (1) | (1) | 6 | 318 | 144 | 3656 | 319 | 145 | 3,661 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY MODE OF FISHING AND SPECIES GROUP, 2001

| Species | Charter boat | | | | | | Mode of fishing | | | | | | Grand Total | | |
|--------------------------------|-----------------|---------------|---------------------------|---------------------|---------------|---------------------------|-----------------|---------------|---------------------------|-----------------|----------------|---------------------------|-------------|--|--|
| | Charter boat | | | Private/Rental boat | | | Shore | | | Grand Total | | | | | |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | | | |
| Snappers | | | | | | | | | | | | | | | |
| Gray Snapper | 205 | 93 | 98 | 1,433 | 650 | 840 | 261 | 118 | 260 | 1,899 | 861 | 1,199 | | | |
| Lane Snapper | 31 | 14 | 33 | 329 | 149 | 343 | 21 | 9 | 17 | 381 | 173 | 392 | | | |
| Red Snapper | 1,524 | 691 | 408 | 2,557 | 1,160 | 491 | 11 | 5 | 1 | 4,091 | 1,856 | 900 | | | |
| Vermilion Snapper | 319 | 145 | 273 | 319 | 145 | 340 | - | - | - | 638 | 289 | 613 | | | |
| Yellowtail Snapper | 120 | 54 | 92 | 129 | 59 | 96 | 2 | 1 | 1 | 251 | 114 | 189 | | | |
| Other Snappers** | 87 | 40 | 24 | 180 | 81 | 47 | 29 | 13 | 8 | 296 | 134 | 79 | | | |
| Sturgeons | 36 | 16 | 2 | 326 | 148 | 15 | 12 | 6 | 1 | 375 | 170 | 17 | | | |
| Surfperches | | | | | | | | | | | | | | | |
| Barred Surfperch | (1) | (1) | (1) | (1) | (1) | (1) | 76 | 35 | 147 | 77 | 35 | 147 | | | |
| Black Perch | 1 | (1) | 1 | 16 | 7 | 21 | 13 | 6 | 32 | 30 | 14 | 54 | | | |
| Pile Perch | - | - | - | 8 | 4 | 10 | 24 | 11 | 21 | 32 | 15 | 32 | | | |
| Redtail Surfperch | - | - | - | 40 | 18 | 38 | 72 | 33 | 85 | 112 | 51 | 123 | | | |
| Shiner Perch | - | - | - | (1) | (1) | (1) | 8 | 4 | 183 | 8 | 4 | 183 | | | |
| Silver Surfperch | - | - | - | (1) | (1) | (1) | 5 | 2 | 15 | 5 | 2 | 16 | | | |
| Striped Seaperch | - | - | - | 34 | 16 | 40 | 51 | 23 | 56 | 86 | 39 | 96 | | | |
| Walleye Surfperch | - | - | - | 3 | 1 | 10 | 22 | 10 | 153 | 25 | 11 | 163 | | | |
| White Seaperch | (1) | (1) | (1) | 3 | 1 | 7 | 10 | 4 | 24 | 13 | 6 | 32 | | | |
| Other Surfperches | 3 | 1 | 6 | 9 | 4 | 17 | 27 | 12 | 86 | 39 | 18 | 108 | | | |
| Temperate Bases | | | | | | | | | | | | | | | |
| Striped Bass | 3,235 | 1,467 | 281 | 14,930 | 6,772 | 1,602 | 1,756 | 796 | 200 | 19,921 | 9,036 | 2,084 | | | |
| White Perch | 2 | 1 | 4 | 235 | 107 | 554 | 50 | 23 | 106 | 288 | 131 | 664 | | | |
| Other Temperate Bases | - | - | - | (1) | (1) | 1 | - | - | - | (1) | (1) | 1 | | | |
| Toadfishes | (1) | (1) | (1) | (1) | (1) | 6 | (1) | (1) | 1 | (1) | (1) | 7 | | | |
| Triggerfishes/Fliefishes | 264 | 120 | 140 | 306 | 139 | 162 | 8 | 4 | 5 | 578 | 262 | 308 | | | |
| Tunas And Mackerels | | | | | | | | | | | | | | | |
| Atlantic Mackerel | 362 | 164 | 444 | 2,844 | 1,290 | 3,286 | 180 | 82 | 397 | 3,386 | 1,536 | 4,127 | | | |
| King Mackerel** | 2,024 | 918 | 221 | 4,974 | 2,256 | 413 | 508 | 231 | 57 | 7,507 | 3,405 | 691 | | | |
| Little Tunny/Atlantic Bonito** | 738 | 335 | 94 | 906 | 411 | 111 | 503 | 228 | 55 | 2,147 | 974 | 260 | | | |
| Pacific Bonito** | 27 | 12 | 20 | 5 | 2 | 6 | 2 | 1 | 5 | 33 | 15 | 31 | | | |
| Spanish Mackerel | 392 | 178 | 243 | 2,633 | 1,194 | 1,685 | 2,395 | 1,086 | 1,820 | 5,420 | 2,459 | 3,747 | | | |
| Other Tunas/Mackerels** | 10,021 | 4,545 | 570 | 11,925 | 5,409 | 881 | 820 | 372 | 1,041 | 22,767 | 10,327 | 2,492 | | | |
| Wrasses | | | | | | | | | | | | | | | |
| California Sheephead | 73 | 33 | 43 | 55 | 25 | 32 | (1) | (1) | (1) | 128 | 58 | 75 | | | |
| Cunner | (1) | (1) | (1) | 1 | (1) | 41 | 1 | 1 | 15 | 2 | 1 | 56 | | | |
| Tautog | 304 | 138 | 96 | 2,247 | 1,019 | 622 | 199 | 90 | 74 | 2,750 | 1,247 | 792 | | | |
| Other Wrasses | 2 | 1 | 3 | 142 | 65 | 72 | 8 | 4 | 9 | 152 | 69 | 84 | | | |
| Other Fishes** | 2,380 | 1,079 | 464 | 14,304 | 6,488 | 3,269 | 1,960 | 889 | 3,341 | 18,644 | 8,457 | 7,074 | | | |
| Grand Total | 52,396 | 23,764 | 16,808 | 176,634 | 80,126 | 108,765 | 33,388 | 15,143 | 61,132 | 262,432 | 119,037 | 186,702 | | | |

(1) Number or pounds less than 1,000 or less than 1 metric ton.

Note: ** Fish included in these groups are not equivalent to those with similar names listed in the commercial tables.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY DISTANCE FROM SHORE AND SPECIES GROUP, 2001

| Species | Distance from U.S. shores | | | | | | | | | | | |
|-----------------------------|---------------------------|----------------|---------------------------------|---|----------------|---------------------------------|---|----------------|---------------------------------|--------------------|----------------|---------------------------------|
| | Inland | | | 0 to 3 miles (2) (State Territorial Sea) | | | 3 to 200 miles (Exclusive Economic Zone) | | | Grand Total | | |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) |
| Anchovies | | | | | | | | | | | | |
| Northern Anchovy | 37 | 16 | 547 | 8 | 4 | 32 | - | - | - | 44 | 20 | 579 |
| Other Anchovies | - | - | - | - | - | - | - | - | - | - | - | - |
| Barracudas | 170 | 77 | 25 | 676 | 308 | 89 | 481 | 218 | 49 | 1,327 | 602 | 163 |
| Bluefish | 6,221 | 2,822 | 3,615 | 4,952 | 2,246 | 2,757 | 2,757 | 1,250 | 644 | 13,930 | 6,318 | 7,016 |
| California Scorpionfish | 16 | 7 | 15 | 192 | 87 | 175 | 96 | 44 | 103 | 304 | 138 | 293 |
| Cartilaginous Fishes | | | | | | | | | | | | |
| Dogfish Sharks** | 118 | 53 | 44 | 15 | 7 | 10 | 68 | 31 | 15 | 202 | 92 | 69 |
| Skates/Rays** | 83 | 38 | 55 | 22 | 11 | 29 | 8 | 3 | 2 | 113 | 51 | 85 |
| Other Sharks** | 790 | 358 | 138 | 837 | 380 | 161 | 584 | 265 | 80 | 2,211 | 1,003 | 379 |
| Catfishes** | | | | | | | | | | | | |
| Freshwater Catfishes | 161 | 73 | 118 | 1 | 1 | (1) | (1) | (1) | (1) | 162 | 74 | 118 |
| Saltwater Catfishes | 706 | 320 | 474 | 272 | 122 | 146 | 10 | 5 | 9 | 987 | 448 | 629 |
| Cods And Hakes | | | | | | | | | | | | |
| Atlantic Cod | 787 | 357 | 134 | 1,123 | 510 | 192 | 5,144 | 2,333 | 792 | 7,054 | 3,200 | 1,118 |
| Pacific Cod | 2 | 1 | 1 | - | - | - | - | - | - | 2 | 1 | 1 |
| Pacific Hake | - | - | - | - | - | - | (1) | (1) | (1) | (1) | (1) | (1) |
| Pacific Tomcod | (1) | (1) | (1) | (1) | (1) | 1 | - | - | - | (1) | (1) | 2 |
| Pollock | 280 | 127 | 80 | 278 | 125 | 64 | 866 | 393 | 212 | 1,424 | 646 | 356 |
| Red Hake | (1) | (1) | 3 | (1) | (1) | (1) | 19 | 9 | 55 | 19 | 8 | 58 |
| Other Cods/Hakes | 4 | 2 | 7 | 17 | 8 | 7 | 491 | 222 | 155 | 512 | 232 | 168 |
| Croakers | | | | | | | | | | | | |
| California Corbina | 1 | 1 | 1 | 5 | 1 | 14 | - | - | - | 5 | 2 | 14 |
| Queenfish | 1 | (1) | 7 | 3 | 2 | 66 | 2 | 1 | 3 | 6 | 3 | 76 |
| White Croaker | 47 | 21 | 106 | 58 | 26 | 259 | 3 | 2 | 24 | 108 | 49 | 389 |
| Other Croakers | 15 | 7 | 22 | 582 | 264 | 149 | (1) | (1) | 1 | 598 | 271 | 172 |
| Dolphins** | 26 | 11 | 6 | 1,220 | 555 | 208 | 14,875 | 6,747 | 1,874 | 16,121 | 7,312 | 2,088 |
| Drums | | | | | | | | | | | | |
| Atlantic Croaker | 10,711 | 4,858 | 13,282 | 695 | 316 | 1,019 | 356 | 161 | 379 | 11,762 | 5,335 | 14,681 |
| Black Drum | 2,954 | 1,340 | 713 | 616 | 280 | 258 | 79 | 36 | 18 | 3,648 | 1,654 | 990 |
| Kingfishes | 1,598 | 725 | 2,795 | 2,129 | 966 | 4,517 | 70 | 32 | 144 | 3,797 | 1,722 | 7,456 |
| Red Drum | 12,065 | 5,473 | 3,052 | 2,401 | 1,089 | 377 | 335 | 152 | 46 | 14,802 | 6,714 | 3,475 |
| Sand Seatrout | 1,488 | 675 | 2,632 | 400 | 181 | 643 | 18 | 8 | 33 | 1,906 | 864 | 3,308 |
| Silver Perch | 44 | 20 | 280 | 16 | 7 | 120 | (1) | (1) | 4 | 61 | 27 | 404 |
| Spot | 2,630 | 1,193 | 4,876 | 959 | 435 | 2,404 | 16 | 7 | 27 | 3,605 | 1,635 | 7,308 |
| Spotted Seatrout | 10,451 | 4,742 | 8,278 | 2,858 | 1,296 | 1,676 | 376 | 170 | 247 | 13,685 | 6,208 | 10,200 |
| Weakfish** | 2,320 | 1,052 | 1,267 | 276 | 126 | 194 | 127 | 57 | 66 | 2,723 | 1,235 | 1,527 |
| Other Drum | 22 | 10 | 103 | 16 | 7 | 173 | (1) | (1) | 2 | 38 | 17 | 278 |
| Eels** | 1 | (1) | 46 | (1) | (1) | 8 | 3 | 2 | 1 | 4 | 2 | 54 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY DISTANCE FROM SHORE AND SPECIES GROUP, 2001

| Species | Distance from U.S. shores | | | | | | Grand Total | | | | | |
|----------------------|---------------------------|----------------|---|--------------------|---|---------------------------------|--------------------|----------------|---------------------------------|--------|-------|--------|
| | Inland | | 0 to 3 miles (2) (State Territorial Sea) | | 3 to 200 miles (Exclusive Economic Zone) | | Thousand pounds | Metric tons | Total Numbers (thousands) | | | |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | | | | | | |
| Flounders | | | | | | | | | | | | |
| California Halibut** | 591 | 268 | 89 | 833 | 378 | 100 | 86 | 39 | 13 | 1,510 | 685 | 202 |
| Gulf Flounder | 170 | 77 | 119 | 105 | 48 | 82 | 31 | 14 | 11 | 306 | 139 | 212 |
| Rock Sole | 6 | 3 | 11 | 1 | (1) | 1 | (1) | (1) | (1) | 7 | 3 | 12 |
| Sanddabs | 19 | 8 | 68 | 55 | 24 | 164 | 71 | 32 | 219 | 146 | 66 | 451 |
| Southern Flounder | 1,405 | 637 | 955 | 260 | 118 | 148 | 48 | 22 | 25 | 1,713 | 777 | 1,128 |
| Starry Flounder | 9 | 4 | 9 | 15 | 7 | 5 | (1) | (1) | (1) | 23 | 11 | 14 |
| Summer Flounder | 8,504 | 3,858 | 3,969 | 2,159 | 980 | 923 | 997 | 452 | 416 | 11,660 | 5,289 | 5,307 |
| Winter Flounder | 1,037 | 470 | 773 | 242 | 110 | 175 | 25 | 11 | 15 | 1,304 | 592 | 964 |
| Other Flounders** | 67 | 31 | 76 | 11 | 5 | 48 | 244 | 109 | 44 | 321 | 146 | 168 |
| Greenlings | | | | | | | | | | | | |
| Kelp Greenling | 106 | 48 | 105 | 65 | 29 | 44 | 7 | 3 | 4 | 178 | 81 | 153 |
| Lingcod | 203 | 92 | 22 | 600 | 271 | 71 | 180 | 82 | 20 | 983 | 446 | 113 |
| Other Greenlings | 6 | 3 | 8 | 22 | 10 | 20 | (1) | (1) | (1) | 28 | 13 | 28 |
| Grunts | | | | | | | | | | | | |
| Pigfish | 411 | 186 | 1,090 | 133 | 60 | 356 | 38 | 17 | 105 | 581 | 264 | 1,552 |
| White Grunt | 304 | 138 | 337 | 675 | 306 | 786 | 1,571 | 713 | 1,649 | 2,550 | 1,157 | 2,772 |
| Other Grunts | 69 | 31 | 88 | 91 | 41 | 250 | 33 | 15 | 125 | 193 | 87 | 463 |
| Herrings** | 892 | 405 | 22,348 | 234 | 106 | 9,912 | 53 | 24 | 2,012 | 1,179 | 535 | 34,272 |
| Jacks | | | | | | | | | | | | |
| Blue Runner | 266 | 121 | 400 | 1,949 | 883 | 2,646 | 94 | 43 | 115 | 2,309 | 1,047 | 3,160 |
| Crevalle Jack | 870 | 394 | 397 | 1,198 | 544 | 413 | 48 | 22 | 3 | 2,116 | 960 | 812 |
| Florida Pompano | 233 | 106 | 158 | 572 | 259 | 455 | 3 | 2 | 2 | 808 | 366 | 614 |
| Greater Amberjack | 12 | 5 | 2 | 299 | 136 | 15 | 1,584 | 719 | 118 | 1,895 | 859 | 135 |
| Yellowtail | - | - | - | 996 | 451 | 61 | 194 | 88 | 27 | 1,190 | 540 | 87 |
| Other Jacks | 48 | 22 | 286 | 88 | 40 | 2,405 | 299 | 136 | 296 | 436 | 198 | 2,987 |
| Mullet** | 2,793 | 1,267 | 4,675 | 901 | 409 | 2,534 | 19 | 9 | 232 | 3,714 | 1,685 | 7,440 |
| Pacific Barracuda | (1) | (1) | 2 | 694 | 315 | 207 | 298 | 135 | 102 | 992 | 450 | 311 |
| Porgies | | | | | | | | | | | | |
| Pinfishes | 1,458 | 661 | 6,161 | 628 | 285 | 2,594 | 207 | 94 | 714 | 2,293 | 1,040 | 9,469 |
| Red Porgy | - | - | - | 11 | 5 | 15 | 69 | 31 | 61 | 80 | 36 | 75 |
| Scup** | 3,057 | 1,387 | 3,619 | 931 | 422 | 1,149 | 274 | 124 | 331 | 4,262 | 1,933 | 5,099 |
| Sheepshead | 3,957 | 1,795 | 1,536 | 1,536 | 697 | 519 | 883 | 401 | 212 | 6,376 | 2,892 | 2,267 |
| Other Porgies** | 26 | 12 | 37 | 54 | 25 | 87 | 85 | 38 | 104 | 165 | 75 | 228 |
| Puffers | 97 | 44 | 193 | 80 | 37 | 143 | 3 | 1 | 11 | 181 | 82 | 346 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY DISTANCE FROM SHORE AND SPECIES GROUP, 2001

| Species | Distance from U.S. shores | | | | | | 3 to 200 miles (Exclusive Economic Zone) | | | Grand Total | | |
|-------------------------|---------------------------|----------------|---------------------------------|---|----------------|---------------------------------|---|----------------|---------------------------------|--------------------|----------------|---------------------------------|
| | Inland | | | 0 to 3 miles (2) (State Territorial Sea) | | | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | | | | | | |
| Rockfishes | | | | | | | | | | | | |
| Black Rockfish | 125 | 57 | 68 | 2,039 | 924 | 962 | 201 | 91 | 89 | 2,364 | 1,072 | 1,119 |
| Blue Rockfish | 4 | 2 | 3 | 538 | 244 | 418 | 52 | 24 | 44 | 594 | 270 | 464 |
| Bocaccio | - | - | - | 105 | 48 | 107 | 201 | 91 | 92 | 307 | 139 | 199 |
| Brown Rockfish | 24 | 11 | 11 | 149 | 67 | 147 | 37 | 17 | 26 | 211 | 96 | 185 |
| Canary Rockfish | 2 | 1 | 1 | 91 | 41 | 49 | 79 | 36 | 28 | 171 | 78 | 78 |
| Chilipepper Rockfish | - | - | - | 3 | 1 | 4 | 133 | 61 | 73 | 136 | 62 | 77 |
| Copper Rockfish | 29 | 13 | 17 | 54 | 24 | 38 | 37 | 17 | 22 | 119 | 54 | 78 |
| Gopher Rockfish | 2 | 1 | 3 | 257 | 117 | 259 | 8 | 4 | 9 | 268 | 121 | 272 |
| Green spotted Rockfish | - | - | - | 5 | 2 | 30 | 20 | 10 | 53 | 25 | 11 | 83 |
| Olive Rockfish | - | - | - | 54 | 24 | 99 | 78 | 36 | 61 | 132 | 60 | 159 |
| Quilback Rockfish | 20 | 9 | 10 | 23 | 10 | 11 | 14 | 7 | 5 | 57 | 26 | 26 |
| Widow Rockfish | - | - | - | 35 | 16 | 14 | 10 | 4 | 5 | 45 | 20 | 19 |
| Yellowtail Rockfish | 2 | 1 | 1 | 80 | 37 | 63 | 168 | 76 | 98 | 250 | 113 | 162 |
| Other Rockfishes** | 26 | 12 | 12 | 552 | 250 | 655 | 263 | 119 | 326 | 841 | 381 | 994 |
| Sablefishes | - | - | - | - | - | - | 1 | (1) | 1 | 1 | (1) | 1 |
| Sculpins | | | | | | | | | | | | |
| Cabezon | 32 | 15 | 12 | 180 | 82 | 50 | 15 | 7 | 6 | 227 | 103 | 69 |
| Sculpins | 4 | 2 | 28 | 2 | 1 | 20 | (1) | (1) | (1) | 6 | 3 | 49 |
| Sea Bases | | | | | | | | | | | | |
| Barred Sand Bass | 115 | 52 | 102 | 915 | 415 | 644 | 499 | 226 | 372 | 1,528 | 693 | 1,119 |
| Black Sea Bass | 403 | 183 | 279 | 658 | 299 | 608 | 3,422 | 1,551 | 3,046 | 4,483 | 2,033 | 3,932 |
| Epinephelus Groupers** | 10 | 4 | 2 | 109 | 49 | 19 | 1,487 | 675 | 227 | 1,606 | 729 | 248 |
| Kelp Bass | 5 | 2 | 6 | 393 | 179 | 525 | 110 | 50 | 102 | 509 | 231 | 633 |
| Mycteroperca Groupers** | 160 | 72 | 18 | 815 | 371 | 94 | 3,823 | 1,734 | 428 | 4,798 | 2,176 | 540 |
| Spotted Sand Bass | 38 | 18 | 42 | 10 | 4 | 6 | 1 | (1) | 1 | 49 | 22 | 49 |
| Other Sea Bases | 16 | 7 | 61 | 25 | 12 | 117 | 49 | 22 | 183 | 90 | 41 | 361 |
| Sea Chubs** | | | | | | | | | | | | |
| Halfmoon | - | - | - | 117 | 53 | 131 | 1 | 1 | 1 | 118 | 54 | 132 |
| Opaleye | 14 | 7 | 19 | 76 | 34 | 40 | - | - | - | 90 | 41 | 59 |
| Other Sea Chubs | | | | | | | | | | | | |
| Searobins | 119 | 54 | 113 | 12 | 5 | 17 | 7 | 3 | 13 | 138 | 62 | 143 |
| Silversides | | | | | | | | | | | | |
| Jacksnelt | 44 | 20 | 122 | 161 | 73 | 491 | (1) | (1) | 1 | 205 | 93 | 614 |
| Other Silversides | 2 | 1 | 12 | 3 | 1 | 33 | - | - | - | 5 | 2 | 46 |
| Surf Smelt | 273 | 124 | 3,246 | 45 | 20 | 416 | - | - | - | 319 | 145 | 3,661 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1), BY DISTANCE FROM SHORE AND SPECIES GROUP, 2001

| Species | Distance from U.S. shores | | | | | | Grand Total | | |
|--------------------------------|---------------------------|----------------|---|--------------------|---|---------------------------------|--------------------|----------------|---------------------------------|
| | Inland | | 0 to 3 miles (2) (State Territorial Sea) | | 3 to 200 miles (Exclusive Economic Zone) | | Thousand pounds | Metric tons | Total Numbers (thousands) |
| | Thousand pounds | Metric tons | Total Numbers (thousands) | Thousand pounds | Metric tons | Total Numbers (thousands) | | | |
| Snappers | | | | | | | | | |
| Gray Snapper | 494 | 224 | 511 | 481 | 218 | 364 | 924 | 419 | 323 |
| Lane Snapper | 36 | 15 | 34 | 77 | 35 | 270 | 268 | 122 | 270 |
| Red Snapper | 20 | 9 | 4 | 540 | 245 | 143 | 3,532 | 1,602 | 753 |
| Vermilion Snapper | (1) | (1) | (1) | 69 | 32 | 75 | 569 | 258 | 538 |
| Yellowtail Snapper | 2 | 1 | 1 | 67 | 31 | 59 | 182 | 82 | 129 |
| Other Snappers** | 40 | 18 | 10 | 119 | 54 | 30 | 137 | 62 | 39 |
| Sturgeons | 374 | 170 | 18 | - | - | - | - | - | - |
| Surfperches | | | | | | | | | |
| Barred Surfperch | 1 | (1) | 1 | 75 | 35 | 146 | - | - | - |
| Black Perch | 13 | 6 | 27 | 17 | 7 | 27 | - | - | - |
| Pile Perch | 25 | 11 | 24 | 7 | 4 | 7 | - | - | - |
| Redtail Surfperch | 46 | 21 | 47 | 66 | 30 | 76 | (1) | (1) | (1) |
| Shiner Perch | 4 | 2 | 84 | 4 | 2 | 99 | - | - | - |
| Silver Surfperch | 1 | (1) | 2 | 4 | 2 | 13 | - | - | - |
| Striped Seaperch | 47 | 22 | 63 | 38 | 17 | 33 | - | - | - |
| Walleye Surfperch | 5 | 2 | 19 | 20 | 9 | 144 | - | - | - |
| White Seaperch | 12 | 5 | 29 | 1 | (1) | 2 | - | - | - |
| Other Surfperches | 16 | 7 | 35 | 23 | 10 | 74 | (1) | (1) | (1) |
| Temperate Basses | | | | | | | | | |
| Striped Bass | 10,331 | 4,686 | 1,268 | 7,801 | 3,538 | 670 | 1,789 | 811 | 145 |
| White Perch | 287 | 131 | 664 | (1) | (1) | (1) | - | - | - |
| Other Temperate Basses | (1) | (1) | 1 | - | - | - | - | - | - |
| Toadfishes | (1) | (1) | 6 | (1) | (1) | 1 | (1) | (1) | (1) |
| Triggerfishes/Filefishes | 62 | 28 | 30 | 130 | 59 | 79 | 386 | 176 | 198 |
| Tunas And Mackerels | | | | | | | | | |
| Atlantic Mackerel | 1,166 | 529 | 1,173 | 1,336 | 606 | 1,823 | 884 | 401 | 1,131 |
| King Mackerel** | 49 | 22 | 8 | 3,004 | 1,363 | 258 | 4,453 | 2,020 | 425 |
| Little Tunny/Atlantic Bonito** | 9 | 4 | 1 | 1,237 | 561 | 143 | 901 | 409 | 116 |
| Pacific Bonito** | 2 | 1 | 5 | 32 | 14 | 24 | (1) | (1) | 2 |
| Spanish Mackerel | 1,345 | 610 | 920 | 3,490 | 1,583 | 2,458 | 585 | 265 | 370 |
| Other Tunas/Mackerels** | 557 | 252 | 620 | 1,039 | 471 | 897 | 2,170 | 9,603 | 975 |
| Wrasses | | | | | | | | | |
| California Sheephead | - | - | - | 103 | 47 | 63 | 25 | 11 | 12 |
| Cunner | (1) | (1) | 43 | 2 | 1 | 13 | (1) | (1) | (1) |
| Tautog | 1,216 | 551 | 328 | 957 | 434 | 290 | 577 | 262 | 174 |
| Other Wrasses | 1 | (1) | 6 | 64 | 29 | 33 | 87 | 41 | 45 |
| Other Fishes** | 8,103 | 3,675 | 3,981 | 5,453 | 2,474 | 2,356 | 5,088 | 2,307 | 737 |
| Grand Total | 106,098 | 48,122 | 104,406 | 69,827 | 31,675 | 58,632 | 86,501 | 39,237 | 23,665 |
| | | | | | | | 262,432 | 119,037 | 186,702 |

(1) Number or pounds less than 1,000 or less than 1 metric ton.

(2) Except West Florida where the state territorial seas extend 0 to 10 miles.

Note:-- ** Fish included in these groups are not equivalent to those with similar names listed in the commercial tables.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1) AND TOTAL LIVE RELEASES (B2), BY SPECIES GROUP, 1992-2001

| Year | Barracudas | | | Bluefish | | |
|------|--|--|---|--|--|---|
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 1,106 | 173 | 627 | 24,782 | 7,479 | 4,511 |
| 1993 | 1,323 | 196 | 592 | 20,641 | 5,917 | 4,384 |
| 1994 | 1,656 | 211 | 695 | 15,992 | 6,056 | 6,349 |
| 1995 | 1,627 | 246 | 673 | 14,901 | 5,411 | 5,552 |
| 1996 | 1,956 | 229 | 616 | 12,119 | 4,426 | 5,591 |
| 1997 | 1,719 | 162 | 437 | 14,559 | 5,585 | 7,609 |
| 1998 | 1,162 | 150 | 396 | 12,778 | 4,430 | 5,340 |
| 1999 | 1,192 | 139 | 393 | 8,612 | 3,856 | 8,022 |
| 2000 | 929 | 135 | 379 | 10,945 | 5,048 | 11,594 |
| 2001 | 1,327 | 163 | 331 | 13,930 | 7,016 | 14,142 |
| Year | Cartilaginous Fishes | | | Catfishes | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 5,076 | 544 | 4,113 | 2,181 | 1,704 | 12,862 |
| 1993 | 5,295 | 646 | 4,708 | 2,160 | 1,764 | 12,017 |
| 1994 | 4,351 | 596 | 5,903 | 1,887 | 1,595 | 14,223 |
| 1995 | 9,956 | 602 | 5,449 | 1,566 | 1,259 | 13,496 |
| 1996 | 4,955 | 557 | 6,107 | 1,586 | 1,008 | 8,334 |
| 1997 | 4,049 | 565 | 6,791 | 1,886 | 916 | 8,573 |
| 1998 | 3,313 | 523 | 6,787 | 1,663 | 973 | 7,961 |
| 1999 | 3,109 | 351 | 6,181 | 997 | 709 | 7,702 |
| 2000 | 3,737 | 548 | 8,864 | 1,470 | 922 | 11,332 |
| 2001 | 2,526 | 533 | 11,638 | 1,149 | 747 | 12,271 |
| Year | Cods and Hakes | | | Dolphins | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 2,995 | 1,178 | 473 | 9,791 | 1,318 | 166 |
| 1993 | 7,486 | 1,953 | 1,477 | 10,897 | 1,762 | 177 |
| 1994 | 5,124 | 1,636 | 1,590 | 12,799 | 2,215 | 236 |
| 1995 | 6,021 | 1,648 | 1,600 | 19,570 | 2,268 | 337 |
| 1996 | 3,908 | 877 | 832 | 12,511 | 1,668 | 241 |
| 1997 | 3,653 | 1,043 | 782 | 23,021 | 2,283 | 234 |
| 1998 | 3,552 | 849 | 1,049 | 12,125 | 1,889 | 187 |
| 1999 | 2,979 | 781 | 974 | 13,427 | 2,065 | 217 |
| 2000 | 6,502 | 1,507 | 2,061 | 16,364 | 2,539 | 308 |
| 2001 | 9,011 | 1,703 | 2,367 | 16,121 | 2,088 | 308 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1) AND TOTAL LIVE RELEASES (B2), BY SPECIES GROUP, 1992-2001

| Year | Drums | | | Flounders | | |
|------|--|--|---|--|--|---|
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 35,280 | 40,647 | 35,462 | 10,105 | 7,303 | 8,775 |
| 1993 | 33,683 | 38,143 | 39,676 | 13,257 | 10,525 | 20,420 |
| 1994 | 38,709 | 48,715 | 48,958 | 13,818 | 9,890 | 15,376 |
| 1995 | 42,214 | 41,412 | 41,611 | 11,276 | 6,666 | 16,079 |
| 1996 | 39,068 | 35,128 | 38,042 | 14,861 | 10,526 | 16,087 |
| 1997 | 44,600 | 39,757 | 50,684 | 16,971 | 10,286 | 16,849 |
| 1998 | 41,254 | 36,520 | 44,142 | 16,619 | 9,207 | 19,214 |
| 1999 | 43,813 | 39,517 | 49,966 | 12,908 | 6,500 | 19,855 |
| 2000 | 60,213 | 48,615 | 63,100 | 22,871 | 11,764 | 21,996 |
| 2001 | 56,027 | 49,627 | 50,125 | 16,990 | 8,458 | 27,177 |
| Year | Grunts | | | Herrings | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 2,980 | 4,831 | 6,757 | 2,034 | 23,974 | 4,959 |
| 1993 | 2,348 | 4,462 | 7,107 | 753 | 28,244 | 6,499 |
| 1994 | 2,891 | 5,632 | 8,256 | 763 | 26,411 | 12,137 |
| 1995 | 3,111 | 5,534 | 7,868 | 976 | 26,010 | 4,947 |
| 1996 | 2,450 | 3,962 | 6,395 | 1,096 | 22,735 | 8,402 |
| 1997 | 2,596 | 4,558 | 6,798 | 1,913 | 36,824 | 3,966 |
| 1998 | 1,903 | 3,436 | 5,805 | 964 | 26,927 | 7,316 |
| 1999 | 2,038 | 3,259 | 7,210 | 649 | 23,278 | 7,625 |
| 2000 | 2,302 | 3,848 | 6,465 | 565 | 29,572 | 7,999 |
| 2001 | 3,324 | 4,787 | 8,620 | 1,179 | 34,272 | 7,231 |
| Year | Jacks | | | Mulletts | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 5,936 | 5,550 | 6,017 | 5,187 | 5,240 | 331 |
| 1993 | 8,424 | 5,783 | 6,659 | 2,389 | 3,947 | 239 |
| 1994 | 6,270 | 4,151 | 7,197 | 3,096 | 3,893 | 495 |
| 1995 | 4,881 | 3,318 | 5,630 | 2,116 | 4,180 | 594 |
| 1996 | 6,059 | 3,625 | 5,091 | 1,902 | 2,796 | 937 |
| 1997 | 8,180 | 4,954 | 7,179 | 2,474 | 2,857 | 401 |
| 1998 | 10,222 | 4,200 | 7,959 | 2,674 | 3,240 | 516 |
| 1999 | 6,970 | 3,435 | 6,775 | 2,241 | 5,710 | 904 |
| 2000 | 9,026 | 5,398 | 7,736 | 2,869 | 7,090 | 2,188 |
| 2001 | 8,754 | 7,795 | 10,225 | 3,714 | 7,440 | 2,022 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1) AND TOTAL LIVE RELEASES (B2), BY SPECIES GROUP, 1992-2001

| Year | Porgies | | | Puffers | | |
|------|--|--|---|--|--|---|
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 13,393 | 17,502 | 12,316 | 359 | 743 | 1,357 |
| 1993 | 11,377 | 15,738 | 10,584 | 167 | 338 | 986 |
| 1994 | 10,057 | 13,659 | 13,049 | 97 | 248 | 893 |
| 1995 | 10,985 | 14,696 | 12,175 | 132 | 255 | 694 |
| 1996 | 9,182 | 13,475 | 11,115 | 116 | 247 | 579 |
| 1997 | 8,499 | 13,113 | 14,589 | 153 | 284 | 762 |
| 1998 | 7,734 | 10,777 | 13,803 | 63 | 148 | 615 |
| 1999 | 8,397 | 10,519 | 12,630 | 59 | 175 | 1,117 |
| 2000 | 13,504 | 16,634 | 17,077 | 112 | 219 | 1,189 |
| 2001 | 13,176 | 17,138 | 19,944 | 181 | 346 | 1,583 |
| Year | Sculpins | | | Sea Basses | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 7 | 9 | 45 | 9,762 | 6,628 | 12,587 |
| 1993 | 278 | 245 | 858 | 14,293 | 10,715 | 13,853 |
| 1994 | 187 | 87 | 289 | 11,792 | 7,921 | 14,503 |
| 1995 | 191 | 140 | 453 | 15,328 | 10,970 | 17,394 |
| 1996 | 294 | 164 | 386 | 10,896 | 7,413 | 12,838 |
| 1997 | 213 | 138 | 468 | 11,318 | 7,927 | 15,895 |
| 1998 | 312 | 129 | 319 | 8,479 | 3,560 | 11,888 |
| 1999 | 222 | 102 | 228 | 9,353 | 3,869 | 14,627 |
| 2000 | 220 | 80 | 457 | 15,541 | 7,937 | 26,757 |
| 2001 | 233 | 118 | 401 | 13,063 | 6,882 | 24,062 |
| Year | Searobins | | | Snappers | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 205 | 261 | 4,507 | 7,433 | 4,208 | 7,447 |
| 1993 | 156 | 245 | 7,481 | 8,217 | 4,989 | 7,940 |
| 1994 | 48 | 125 | 4,582 | 7,229 | 4,083 | 6,397 |
| 1995 | 22 | 101 | 4,710 | 6,161 | 3,534 | 6,591 |
| 1996 | 212 | 193 | 5,094 | 5,152 | 2,674 | 6,147 |
| 1997 | 242 | 238 | 5,528 | 7,587 | 3,504 | 8,259 |
| 1998 | 106 | 202 | 3,796 | 7,099 | 3,341 | 7,361 |
| 1999 | 78 | 122 | 5,950 | 7,344 | 3,385 | 7,332 |
| 2000 | 96 | 170 | 7,688 | 6,561 | 3,032 | 8,141 |
| 2001 | 138 | 143 | 8,176 | 7,556 | 3,372 | 6,945 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1) AND TOTAL LIVE RELEASES (B2), BY SPECIES GROUP, 1992-2001

| Year | Temperate Basses | | | Toadfishes | | |
|------|--|--|---|--|--|---|
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 4,684 | 1,977 | 5,538 | 19 | 152 | 1,631 |
| 1993 | 6,784 | 2,895 | 7,321 | 17 | 39 | 2,638 |
| 1994 | 7,891 | 2,827 | 10,490 | 28 | 61 | 1,720 |
| 1995 | 13,442 | 2,382 | 12,303 | 1 | 30 | 1,618 |
| 1996 | 14,542 | 3,560 | 14,882 | 1 | 14 | 1,048 |
| 1997 | 17,682 | 4,314 | 20,155 | 0 | 33 | 1,120 |
| 1998 | 14,084 | 3,323 | 18,577 | 2 | 10 | 998 |
| 1999 | 14,839 | 2,564 | 15,526 | 0 | 9 | 911 |
| 2000 | 19,054 | 3,848 | 21,360 | 0 | 4 | 1,481 |
| 2001 | 20,209 | 2,749 | 15,428 | 0 | 7 | 2,094 |
| Year | Triggerfishes/Filefishes | | | Tunas And Mackerels | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 1,654 | 796 | 307 | 24,519 | 7,067 | 3,027 |
| 1993 | 1,547 | 767 | 232 | 31,267 | 8,603 | 5,487 |
| 1994 | 1,414 | 740 | 179 | 36,291 | 12,039 | 5,507 |
| 1995 | 1,208 | 671 | 192 | 37,436 | 9,257 | 5,811 |
| 1996 | 849 | 468 | 268 | 34,421 | 9,164 | 6,477 |
| 1997 | 1,086 | 511 | 232 | 41,154 | 11,500 | 6,619 |
| 1998 | 775 | 390 | 233 | 30,354 | 7,207 | 4,114 |
| 1999 | 757 | 390 | 196 | 33,935 | 8,331 | 3,916 |
| 2000 | 561 | 263 | 199 | 41,345 | 10,167 | 5,457 |
| 2001 | 578 | 308 | 234 | 41,260 | 11,348 | 7,299 |
| Year | Wrasses | | | California Scorpionfish | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1992 | 8,240 | 3,088 | 3,313 | - | - | - |
| 1993 | 6,538 | 2,879 | 3,532 | 166 | 148 | 72 |
| 1994 | 4,149 | 1,761 | 2,484 | 258 | 242 | 126 |
| 1995 | 5,130 | 2,058 | 3,287 | 224 | 212 | 139 |
| 1996 | 3,548 | 1,292 | 1,740 | 339 | 342 | 234 |
| 1997 | 2,597 | 929 | 1,820 | 206 | 243 | 132 |
| 1998 | 1,757 | 572 | 2,053 | 185 | 160 | 66 |
| 1999 | 2,959 | 951 | 3,101 | 297 | 280 | 105 |
| 2000 | 3,769 | 1,094 | 2,467 | 268 | 230 | 237 |
| 2001 | 3,032 | 1,007 | 3,056 | 304 | 293 | 289 |

See footnotes at end of table.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL HARVEST (A+B1) AND TOTAL LIVE RELEASES (B2), BY SPECIES GROUP, 1992-2001

| Year | Croakers | | | Greenlings | | |
|------|--|--|---|--|--|---|
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1993 | 583 | 1,217 | 1,145 | 1,815 | 497 | 174 |
| 1994 | 447 | 739 | 521 | 1,016 | 294 | 109 |
| 1995 | 695 | 1,132 | 673 | 962 | 252 | 144 |
| 1996 | 919 | 1,544 | 864 | 1,369 | 408 | 285 |
| 1997 | 556 | 774 | 712 | 1,062 | 299 | 244 |
| 1998 | 426 | 610 | 355 | 1,408 | 270 | 299 |
| 1999 | 689 | 533 | 469 | 1,516 | 269 | 248 |
| 2000 | 824 | 594 | 649 | 1,494 | 323 | 551 |
| 2001 | 717 | 651 | 662 | 1,189 | 294 | 593 |
| Year | Pacific Barracuda | | | Rockfishes | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1993 | 1,688 | 428 | 822 | 6,089 | 4,901 | 1,447 |
| 1994 | 2,016 | 526 | 1,239 | 4,811 | 3,797 | 698 |
| 1995 | 2,491 | 563 | 816 | 4,190 | 2,918 | 666 |
| 1996 | 1,011 | 234 | 350 | 4,812 | 3,740 | 808 |
| 1997 | 1,700 | 374 | 475 | 3,799 | 2,986 | 679 |
| 1998 | 2,058 | 450 | 752 | 5,593 | 4,134 | 735 |
| 1999 | 1,988 | 423 | 475 | 6,196 | 4,943 | 478 |
| 2000 | 1,511 | 354 | 517 | 6,621 | 4,716 | 612 |
| 2001 | 992 | 311 | 515 | 5,520 | 3,915 | 785 |
| Year | Sea Chubs | | | Silversides | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1993 | 87 | 129 | 59 | 440 | 1,078 | 152 |
| 1994 | 106 | 107 | 42 | 138 | 323 | 96 |
| 1995 | 224 | 217 | 31 | 317 | 801 | 171 |
| 1996 | 78 | 72 | 18 | 296 | 658 | 120 |
| 1997 | 66 | 58 | 12 | 169 | 492 | 242 |
| 1998 | 87 | 108 | 46 | 152 | 395 | 158 |
| 1999 | 92 | 82 | 13 | 109 | 316 | 96 |
| 2000 | 137 | 125 | 72 | 124 | 313 | 46 |
| 2001 | 208 | 191 | 96 | 210 | 660 | 120 |
| Year | Smelts | | | Surfperches | | |
| | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) | <u>Pounds harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| 1993 | 159 | 1,628 | 31 | 757 | 1,364 | 608 |
| 1994 | 90 | 1,208 | 0 | 442 | 819 | 365 |
| 1995 | 122 | 1,416 | 0 | 710 | 1,181 | 648 |
| 1996 | 474 | 4,351 | 4 | 950 | 1,464 | 686 |
| 1997 | 120 | 1,617 | 9 | 640 | 1,179 | 755 |
| 1998 | 357 | 4,825 | 9 | 1,006 | 1,435 | 488 |
| 1999 | 28 | 1,221 | 7 | 415 | 701 | 356 |
| 2000 | 140 | 1,965 | 3 | 345 | 810 | 428 |
| 2001 | 319 | 3,661 | 76 | 427 | 954 | 523 |

(1) Number or pounds less than 1,000 or less than 1 metric ton.

Note: The MRFSS was not conducted on the Pacific Coast from 1990 to 1992.

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL FINFISH HARVEST (A+B1) AND RELEASED (B2), BY STATE, 2000 and 2001

| State | 2000 | | |
|--------------------|--|--|---|
| | <u>Pounds Harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| Maine | 1,571 | 1,662 | 1,531 |
| New Hampshire | 1,074 | 911 | 942 |
| Massachusetts | 15,538 | 5,839 | 12,157 |
| Rhode Island | 7,020 | 3,097 | 3,782 |
| Connecticut | 3,029 | 5,676 | 4,370 |
| New York | 17,050 | 20,502 | 13,848 |
| New Jersey | 24,645 | 11,487 | 25,448 |
| Delaware | 3,486 | 1,770 | 4,250 |
| Maryland | 8,872 | 7,882 | 22,099 |
| Virginia | 13,112 | 9,013 | 17,541 |
| North Carolina | 22,699 | 8,963 | 14,541 |
| South Carolina | 2,834 | 1,931 | 3,708 |
| Georgia | 2,202 | 1,928 | 3,245 |
| Florida | 65,937 | 71,578 | 83,117 |
| Alabama | 5,859 | 3,259 | 4,127 |
| Mississippi | 2,815 | 2,610 | 2,441 |
| Louisiana | 31,970 | 17,508 | 22,772 |
| Washington | 4,793 | 3,236 | 2,370 |
| Oregon | 5,635 | 1,848 | 514 |
| California | 23,913 | 11,275 | 9,963 |
| Grand Total | 264,054 | 191,975 | 252,766 |

| State | 2001 | | |
|--------------------|--|--|---|
| | <u>Pounds Harvested</u> (thousands) | <u>Number Harvested</u> (thousands) | <u>Number Released</u> (thousands) |
| Maine | 1,964 | 1,460 | 1,518 |
| New Hampshire | 2,150 | 1,256 | 1,119 |
| Massachusetts | 15,984 | 5,120 | 10,598 |
| Rhode Island | 4,457 | 2,298 | 3,443 |
| Connecticut | 3,432 | 2,014 | 4,447 |
| New York | 11,127 | 4,332 | 16,394 |
| New Jersey | 22,323 | 11,152 | 27,758 |
| Delaware | 3,246 | 1,128 | 4,598 |
| Maryland | 8,366 | 4,509 | 13,723 |
| Virginia | 17,732 | 13,580 | 17,583 |
| North Carolina | 24,146 | 11,753 | 16,531 |
| South Carolina | 3,156 | 2,520 | 3,345 |
| Georgia | 2,017 | 1,820 | 3,085 |
| Florida | 68,236 | 82,117 | 89,485 |
| Alabama | 9,574 | 5,399 | 5,599 |
| Mississippi | 3,620 | 3,305 | 4,715 |
| Louisiana | 26,365 | 13,489 | 14,307 |
| Washington | 7,640 | 4,797 | 2,321 |
| Oregon | 6,114 | 2,120 | 861 |
| California | 20,783 | 12,527 | 12,195 |
| Grand Total | 262,432 | 186,696 | 253,625 |

U.S. Marine Recreational Fisheries

U.S. RECREATIONAL NUMBERS OF ANGLERS AND TRIPS BY STATES, 2000 AND 2001

| State | 2000 | | | |
|----------------------------------|----------------------|-----------------------|---------------------------|------------------------|
| | Out-of-State Anglers | In-State Anglers | | Number of Angler Trips |
| | | From Coastal Counties | From Non-Coastal Counties | |
| ----- Numbers in thousands ----- | | | | |
| Maine | 150 | 139 | 20 | 895 |
| New Hampshire | 85 | 77 | 10 | 368 |
| Massachusetts | 265 | 493 | 90 | 4,622 |
| Rhode Island | 184 | 112 | - | 1,373 |
| Connecticut | 53 | 222 | - | 1,508 |
| New York | 20 | 469 | 12 | 4,645 |
| New Jersey | 430 | 544 | 17 | 6,469 |
| Delaware | 201 | 82 | - | 1,096 |
| Maryland | 481 | 461 | 51 | 3,851 |
| Virginia | 262 | 388 | 68 | 3,391 |
| North Carolina | 1,277 | 416 | 229 | 6,460 |
| South Carolina | 250 | 190 | 70 | 1,340 |
| Georgia | 44 | 89 | 86 | 796 |
| Florida | 2,945 | 3,061 | - | 26,566 |
| Alabama | 121 | 141 | 81 | 1,087 |
| Mississippi | 44 | 160 | 26 | 1,093 |
| Louisiana | 104 | 548 | 66 | 3,752 |
| Washington | 47 | 423 | 32 | 1,643 |
| Oregon | 83 | 271 | 23 | 930 |
| California | 225 | 1,419 | 64 | 5,944 |
| Grand Total | 7,271 | 9,705 | 945 | 77,829 |

| State | 2001 | | | |
|----------------------------------|----------------------|-----------------------|---------------------------|------------------------|
| | Out-of-State Anglers | In-State Anglers | | Number of Angler Trips |
| | | From Coastal Counties | From Non-Coastal Counties | |
| ----- Numbers in thousands ----- | | | | |
| Maine | 166 | 126 | 16 | 932 |
| New Hampshire | 74 | 68 | 13 | 360 |
| Massachusetts | 279 | 392 | 79 | 4,524 |
| Rhode Island | 260 | 137 | - | 1,496 |
| Connecticut | 78 | 246 | - | 1,723 |
| New York | 29 | 474 | 11 | 4,624 |
| New Jersey | 543 | 721 | 42 | 7,484 |
| Delaware | 226 | 107 | - | 1,180 |
| Maryland | 426 | 565 | 50 | 3,790 |
| Virginia | 520 | 423 | 88 | 4,128 |
| North Carolina | 1,301 | 454 | 251 | 6,650 |
| South Carolina | 224 | 180 | 77 | 1,676 |
| Georgia | 38 | 83 | 91 | 807 |
| Florida | 3,296 | 3,439 | - | 28,853 |
| Alabama | 194 | 211 | 98 | 1,636 |
| Mississippi | 70 | 197 | 44 | 1,250 |
| Louisiana | 122 | 588 | 65 | 3,615 |
| Washington | 49 | 571 | 36 | 2,191 |
| Oregon | 84 | 312 | 30 | 1,170 |
| California | 248 | 1,508 | 88 | 6,260 |
| Grand Total | 8,227 | 10,802 | 1,079 | 84,349 |

NOTE: All counties in RI, CT, DE, and FL are considered coastal.

NOTE: Out-of-state angler estimates are not additive across states.

WORLD AQUACULTURE AND COMMERCIAL CATCHES, 1991-2000

| Year | World aquaculture | | | World commercial catch | | | Grand Total |
|------|--|------------|------------|--|------------|------------|-------------|
| | Inland | Marine | Total | Inland | Marine | Total | |
| | ----- Metric tons ----- Live weight | | | ----- Metric tons ----- Live weight | | | |
| 1991 | 8,348,950 | 5,375,264 | 13,724,214 | 6,235,251 | 78,301,736 | 84,536,987 | 98,261,201 |
| 1992 | 9,276,274 | 6,128,579 | 15,404,853 | 6,203,820 | 79,276,052 | 85,479,872 | 100,884,725 |
| 1993 | 10,489,728 | 7,325,916 | 17,815,644 | 6,590,087 | 80,071,146 | 86,661,233 | 104,476,877 |
| 1994 | 12,187,335 | 8,663,434 | 20,850,769 | 6,707,091 | 85,001,408 | 91,708,499 | 112,559,268 |
| 1995 | 13,963,639 | 10,438,828 | 24,402,467 | 7,264,729 | 84,744,777 | 92,009,506 | 116,411,973 |
| 1996 | 15,887,599 | 10,827,928 | 26,715,527 | 7,434,102 | 86,049,218 | 93,483,320 | 120,198,847 |
| 1997 | 17,462,264 | 11,170,242 | 28,632,506 | 7,551,326 | 86,358,306 | 93,909,632 | 122,542,138 |
| 1998 | 18,466,459 | 12,040,740 | 30,507,199 | 8,040,972 | 79,242,027 | 87,282,999 | 117,790,198 |
| 1999 | 20,170,246 | 13,276,565 | 33,446,811 | 8,495,750 | 84,709,184 | 93,204,934 | 126,651,745 |
| 2000 | 21,440,103 | 14,145,008 | 35,585,111 | 8,801,070 | 86,047,604 | 94,848,674 | 130,433,785 |

Note:--Data for marine mammals and aquatic plants are excluded.

Source:--Food and Agriculture Organization of the United Nations (FAO).

WORLD AQUACULTURE AND COMMERCIAL CATCHES OF FISH, CRUSTACEANS, AND MOLLUSKS, 1999-2000

| Species group | 1999 | | | 2000 | | |
|--------------------------------|--|-------------------|--------------------|--|-------------------|--------------------|
| | Aquaculture | Catch | Total | Aquaculture | Catch | Total |
| | ----- Metric tons ----- Live-weight | | | ----- Metric tons ----- Live-weight | | |
| Herrings, sardines, anchovies | - | 22,571,151 | 22,571,151 | - | 24,715,410 | 24,715,410 |
| Carps, barbels, cyprinids | 15,000,497 | 610,595 | 15,611,092 | 15,707,109 | 898,670 | 16,605,779 |
| Cods, hakes, haddocks | 157 | 9,402,173 | 9,402,330 | 167 | 8,717,146 | 8,717,313 |
| Tunas, bonitos, billfishes | 9,711 | 5,978,655 | 5,988,366 | 11,485 | 5,725,277 | 5,736,762 |
| Salmons, trouts, smelts | 1,395,739 | 910,560 | 2,306,299 | 1,533,824 | 813,664 | 2,347,488 |
| Tilapias | 1,099,053 | 620,231 | 1,719,284 | 1,265,780 | 677,609 | 1,943,389 |
| Flatfish | 33,061 | 956,861 | 989,922 | 26,309 | 1,024,117 | 1,050,426 |
| Sharks, rays, chimaeras | - | 823,844 | 823,844 | - | 828,364 | 828,364 |
| Shads | - | 780,859 | 780,859 | - | 721,532 | 721,532 |
| River eels | 218,695 | 12,453 | 231,148 | 232,815 | 12,708 | 245,523 |
| Sturgeons, paddlefish | 2,465 | 2,845 | 5,310 | 3,158 | 2,658 | 5,816 |
| Other fishes | 3,865,828 | 36,144,581 | 40,010,409 | 4,287,326 | 35,830,328 | 40,117,654 |
| Shrimp | 1,084,875 | 3,034,046 | 4,118,921 | 1,087,111 | 3,081,255 | 4,168,366 |
| Crabs | 109,416 | 1,139,400 | 1,248,816 | 140,256 | 1,128,906 | 1,269,162 |
| Lobsters | 58 | 231,042 | 231,100 | 51 | 231,215 | 231,266 |
| Krill | - | 103,318 | 103,318 | - | 104,263 | 104,263 |
| Other crustaceans | 348,968 | 1,789,102 | 2,138,070 | 420,302 | 1,954,484 | 2,374,786 |
| Oysters | 3,719,957 | 157,532 | 3,877,489 | 4,011,052 | 292,859 | 4,303,911 |
| Squids, cuttlefishes, octopus | 33 | 3,437,214 | 3,437,247 | 28 | 3,603,784 | 3,603,812 |
| Clams, cockles, arkshells | 2,760,242 | 819,027 | 3,579,269 | 2,643,264 | 798,890 | 3,442,154 |
| Scallops | 951,390 | 568,866 | 1,520,256 | 1,154,410 | 655,280 | 1,809,690 |
| Mussels | 1,441,297 | 236,868 | 1,678,165 | 1,318,278 | 238,508 | 1,556,786 |
| Abalones, winkles, conchs | 2,444 | 105,022 | 107,466 | 3,210 | 108,714 | 111,924 |
| Other mollusks | 1,269,854 | 2,116,456 | 3,386,310 | 1,601,940 | 2,094,922 | 3,696,862 |
| Sea urchins, other echinoderms | - | 118,334 | 118,334 | - | 118,083 | 118,083 |
| Miscellaneous | 133,071 | 533,899 | 666,970 | 137,236 | 470,028 | 607,264 |
| Total | 33,446,811 | 93,204,934 | 126,651,745 | 35,585,111 | 94,848,674 | 130,433,785 |

Note:--Data for 1999 are revised. Data for marine mammals and aquatic plants are excluded.

Source:--Food and Agriculture Organization of the United Nations (FAO).

WORLD AQUACULTURE AND COMMERCIAL CATCHES BY COUNTRY OF FISH, CRUSTACEANS, AND MOLLUSKS, 1999-2000

| Country | 1999 | | | 2000 | | |
|--------------------|-----------------------|-------------------|--------------------|-----------------------|-------------------|--------------------|
| | Aquaculture | Catch | Total | Aquaculture | Catch | Total |
| | -----Metric tons----- | | | -----Metric tons----- | | |
| | <u>Live-weight</u> | | | <u>Live-weight</u> | | |
| China | 22,789,887 | 17,240,032 | 40,029,919 | 24,580,671 | 16,987,325 | 41,567,996 |
| Peru | 8,275 | 8,428,601 | 8,436,876 | 6,801 | 10,658,620 | 10,665,421 |
| Japan | 759,262 | 5,201,805 | 5,961,067 | 762,824 | 4,989,354 | 5,752,178 |
| India | 2,120,316 | 3,472,150 | 5,592,466 | 2,095,072 | 3,594,396 | 5,689,468 |
| United States | 478,679 | 4,749,646 | 5,228,325 | 428,262 | 4,745,321 | 5,173,583 |
| Indonesia | 749,269 | 3,986,919 | 4,736,188 | 788,500 | 4,140,045 | 4,928,545 |
| Chile | 274,216 | 5,050,528 | 5,324,744 | 391,587 | 4,300,160 | 4,691,747 |
| Russian Federation | 68,615 | 4,141,158 | 4,209,773 | 74,124 | 3,973,535 | 4,047,659 |
| Thailand | 691,790 | 2,928,806 | 3,620,596 | 706,999 | 2,923,579 | 3,630,578 |
| Norway | 475,830 | 2,620,073 | 3,095,903 | 487,920 | 2,703,415 | 3,191,335 |
| Philippines | 328,375 | 1,872,827 | 2,201,202 | 387,680 | 1,892,832 | 2,280,512 |
| South Korea | 303,106 | 2,119,678 | 2,422,784 | 323,218 | 1,823,175 | 2,146,393 |
| Iceland | 3,897 | 1,736,267 | 1,740,164 | 3,623 | 1,982,522 | 1,986,145 |
| Viet Nam | 467,267 | 1,386,300 | 1,853,567 | 510,555 | 1,441,590 | 1,952,145 |
| Bangladesh | 620,114 | 959,215 | 1,579,329 | 657,121 | 1,004,264 | 1,661,385 |
| Denmark | 42,670 | 1,405,005 | 1,447,675 | 43,609 | 1,534,089 | 1,577,698 |
| Malaysia | 155,127 | 1,251,768 | 1,406,895 | 151,773 | 1,289,245 | 1,441,018 |
| Mexico | 48,414 | 1,202,178 | 1,250,592 | 53,802 | 1,314,219 | 1,368,021 |
| Taiwan | 247,732 | 1,099,715 | 1,347,447 | 243,856 | 1,093,889 | 1,337,745 |
| Spain | 321,145 | 1,190,071 | 1,511,216 | 312,171 | 976,910 | 1,289,081 |
| All others | 2,492,825 | 21,162,192 | 23,655,017 | 2,574,943 | 21,480,189 | 24,055,132 |
| Total | 33,446,811 | 93,204,934 | 126,651,745 | 35,585,111 | 94,848,674 | 130,433,785 |

Note:--For the United States the weight of clams, oyster, scallop, and other mollusk includes the shell weight. This weight is not included in U.S. landings shown elsewhere. Data for marine mammals and aquatic plants are excluded.

Source:--Food and Agriculture Organization of the United Nations (FAO).

WORLD AQUACULTURE AND COMMERCIAL CATCHES BY AREA OF FISH, CRUSTACEANS, AND MOLLUSKS, 1999-2000

| Country | 1999 | | | 2000 | | |
|------------------------------------|-----------------------|-------------------|--------------------|-----------------------|-------------------|--------------------|
| | Aquaculture | Catch | Total | Aquaculture | Catch | Total |
| | -----Metric tons----- | | | -----Metric tons----- | | |
| | <u>Live-weight</u> | | | <u>Live-weight</u> | | |
| Marine Areas | | | | | | |
| Atlantic Ocean: | | | | | | |
| Northeast | 1,345,433 | 10,506,120 | 11,851,553 | 1,302,905 | 10,919,569 | 12,222,474 |
| Northwest | 89,615 | 2,035,257 | 2,124,872 | 103,177 | 2,063,313 | 2,166,490 |
| Eastern central | 196 | 3,572,062 | 3,572,258 | 177 | 3,523,106 | 3,523,283 |
| Western central | 74,991 | 1,775,473 | 1,850,464 | 37,800 | 1,830,588 | 1,868,388 |
| Southeast | 2,892 | 1,248,675 | 1,251,567 | 2,240 | 1,343,814 | 1,346,054 |
| Southwest | 26,518 | 2,534,844 | 2,561,362 | 32,245 | 2,313,922 | 2,346,167 |
| Mediterranean and Black Sea | 315,785 | 1,536,359 | 1,852,144 | 355,614 | 1,485,046 | 1,840,660 |
| Indian Ocean: | | | | | | |
| Eastern | 412,904 | 4,466,571 | 4,879,475 | 372,044 | 4,707,807 | 5,079,851 |
| Western | 44,965 | 4,013,963 | 4,058,928 | 40,301 | 3,902,294 | 3,942,595 |
| Pacific Ocean: | | | | | | |
| Northeast | 93,412 | 2,591,652 | 2,685,064 | 97,531 | 2,517,680 | 2,615,211 |
| Northwest | 9,715,590 | 24,132,762 | 33,848,352 | 10,577,062 | 23,140,780 | 33,717,842 |
| Eastern central | 49,588 | 1,441,299 | 1,490,887 | 50,946 | 1,702,527 | 1,753,473 |
| Western central | 598,755 | 9,747,598 | 10,346,353 | 623,577 | 9,898,768 | 10,522,345 |
| Southeast | 400,091 | 14,178,059 | 14,578,150 | 447,481 | 15,822,076 | 16,269,557 |
| Southwest | 105,830 | 807,076 | 912,906 | 101,908 | 752,766 | 854,674 |
| Antarctic | - | 121,414 | 121,414 | - | 123,548 | 123,548 |
| Inland Areas | | | | | | |
| Africa | 246,951 | 1,995,628 | 2,242,579 | 340,951 | 2,186,170 | 2,527,121 |
| Asia | 18,859,768 | 5,497,050 | 24,356,818 | 20,026,679 | 5,620,718 | 25,647,397 |
| Europe | 444,046 | 447,620 | 891,666 | 448,049 | 434,198 | 882,247 |
| North America | 440,229 | 186,505 | 626,734 | 426,743 | 190,849 | 617,592 |
| South America | 176,172 | 345,608 | 521,780 | 193,919 | 346,690 | 540,609 |
| Oceania | 3,080 | 23,339 | 26,419 | 3,762 | 22,445 | 26,207 |
| Total | 33,446,811 | 93,204,934 | 126,651,745 | 35,585,111 | 94,848,674 | 130,433,785 |

Note:--Data for marine mammals and aquatic plants are excluded.

Source:--Food and Agriculture Organization of the United Nations (FAO).

WORLD IMPORTS AND EXPORTS OF SEVEN FISHERY COMMODITY GROUPS, BY LEADING COUNTRIES, 1996-2000

| Country | 1996 | 1997 | 1998 | 1999 | 2000 |
|-----------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| ----- Thousand U.S. dollars ----- | | | | | |
| IMPORTS: | | | | | |
| Japan | 17,023,945 | 15,539,507 | 12,826,543 | 14,748,712 | 15,513,059 |
| United States | 7,080,411 | 8,138,840 | 8,578,766 | 9,407,307 | 10,453,251 |
| Spain | 3,134,893 | 3,069,601 | 3,545,751 | 3,286,831 | 3,351,670 |
| France | 3,194,133 | 3,062,051 | 3,505,333 | 3,280,940 | 2,983,618 |
| Italy | 2,590,985 | 2,571,868 | 2,808,587 | 2,728,568 | 2,535,269 |
| Germany | 2,542,957 | 2,362,914 | 2,623,741 | 2,288,523 | 2,262,018 |
| United Kingdom | 2,065,025 | 2,141,619 | 2,384,028 | 2,276,998 | 2,183,811 |
| Hong Kong | 1,928,143 | 2,096,894 | 1,611,747 | 1,593,661 | 1,948,824 |
| Denmark | 1,618,669 | 1,521,181 | 1,704,234 | 1,771,500 | 1,806,365 |
| China | 1,184,170 | 1,183,283 | 991,463 | 1,127,412 | 1,795,953 |
| Other Countries | 13,322,325 | 15,068,911 | 14,672,726 | 15,098,125 | 15,155,360 |
| Total | 55,685,656 | 56,756,669 | 55,252,919 | 57,608,577 | 59,989,198 |
| EXPORTS: | | | | | |
| Thailand | 4,117,865 | 4,329,541 | 4,031,279 | 4,109,860 | 4,367,332 |
| China | 2,856,986 | 2,937,281 | 2,656,117 | 2,959,530 | 3,605,838 |
| Norway | 3,415,696 | 3,399,229 | 3,661,174 | 3,764,790 | 3,532,841 |
| United States | 3,147,858 | 2,850,311 | 2,400,338 | 2,945,014 | 3,055,261 |
| Canada | 2,291,261 | 2,270,725 | 2,265,236 | 2,617,759 | 2,818,433 |
| Denmark | 2,698,976 | 2,648,911 | 2,897,707 | 2,884,334 | 2,755,676 |
| Chile | 1,697,211 | 1,781,805 | 1,596,800 | 1,699,516 | 1,784,560 |
| Taiwan | 1,762,132 | 1,779,800 | 1,579,836 | 1,702,363 | 1,756,133 |
| Spain | 1,447,170 | 1,471,306 | 1,529,315 | 1,604,237 | 1,599,631 |
| Indonesia | 1,678,222 | 1,620,628 | 1,628,494 | 1,527,092 | 1,584,454 |
| Other Countries | 27,684,118 | 28,291,890 | 26,917,092 | 26,993,949 | 28,355,542 |
| Total | 52,797,495 | 53,381,427 | 51,163,388 | 52,808,444 | 55,215,701 |

Note:-- Data for 1996-1999 are revised. Data on imports and exports cover the international trade of 176 countries or areas. The total value of exports is consistently less than the value of imports, probably because charges for insurance, freight, and similar expenses were included in the import value, but not in the export value. The seven fishery commodity groups covered by this table are: 1. Fish, fresh, chilled or frozen; 2. Fish, dried, salted, or smoked; 3. Crustaceans and mollusks, fresh, dried, salted, etc.; 4. Fish products and preparations, whether or not in airtight containers; 5. Crustacean and mollusk products preparations, whether or not in airtight containers; 6. Oils and fats, crude or refined, of aquatic animal origin; and 7. Meals, solubles, and similar animal foodstuffs of aquatic animal origin.
Source:--Food and Agriculture Organization of the United Nations (FAO).

DISPOSITION OF WORLD AQUACULTURE AND COMMERCIAL CATCHES, 1996-2000

| Item | 1996 | 1997 | 1998 | 1999 | 2000 |
|------------------------------|--------------|--------------|--------------|--------------|--------------|
| ----- Percent of Total ----- | | | | | |
| Marketed fresh | 36.3 | 38.2 | 41.1 | 39.4 | 39.8 |
| Frozen | 20.3 | 20.1 | 20.6 | 19.3 | 19.0 |
| Canned | 8.6 | 8.7 | 8.9 | 8.4 | 8.2 |
| Cured | 8.0 | 7.2 | 8.1 | 7.4 | 7.1 |
| Reduced to meal and oil (1) | 22.9 | 21.1 | 16.9 | 20.2 | 21.1 |
| Miscellaneous purposes | 3.9 | 4.7 | 4.4 | 5.3 | 4.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Note:-- Data for 1996-1999 are revised. Data for marine mammals and aquatic plants are excluded.
(1) Only whole fish destined for the manufacture of oils and meals are included. Raw material for reduction derived from fish primarily destined for marketing fresh, frozen, canned, cured, and miscellaneous purposes is excluded; such waste quantities are included under the other disposition channels.
Source:--Food and Agriculture Organization of the United Nations (FAO).

Processed Fishery Products

FRESH AND FROZEN

FISH FILLETS AND STEAKS. In 2001 the U.S. production of raw (uncooked) fish fillets and steaks, including blocks, was 476.9 million pounds—109.2 million pounds more than the 367.7 million pounds in 2000. These fillets and steaks were valued at \$915.0 million. Alaska pollock fillets and blocks led all species with 271.3 million pounds—57 percent of the total. Production of groundfish fillets and steaks (see Glossary Section—Groundfish) was 336.8 million pounds.

FISH STICKS AND PORTIONS. The combined production of fish sticks and portions was 232.2 million pounds valued at \$276.7 million compared with the 2000 production of 222.7 million pounds valued at \$275.9 million.

The total production of fish sticks amounted to 43.0 million pounds valued at \$41.5 million. The total production of fish portions amounted to 189.2 million pounds valued at \$235.2 million.

BREADED SHRIMP. The production of breaded shrimp in 2001 was 152.2 million pounds valued at \$539.6 million, compared with the 2000 production of 121.4 million pounds valued at \$375.5 million.

FROZEN FISHERY TRADE. In 2001, stocks of frozen fishery products in cold storage were at a low of 313.6 million pounds on July 31 and a high of 399.1 million pounds on November 30. Cold storage holdings of shrimp products were at a high of 57.1 million pounds on December 31 and a low of 33.3 million pounds on August 31. Holdings of saltwater fillets and steaks reached a high of 90.9 million pounds on April 30 and were at a low of 66.6 million pounds on July 31. Holdings of blocks and slabs were at a high of 44.6 million pounds on December 31 and a low of 22.5 million pounds on March 31. Surimi reached a high of 19.7 million pounds on March 31 and was at a low of 13.1 million pounds on December 31. Analog Products reached a high of 11.3 million pounds on October 31 and a low of 4.6 million pounds on February 28.

CANNED PRODUCTS

CANNED FISHERY PRODUCTS. The pack of canned fishery products in the 50 states, American Samoa, and Puerto Rico was 1.7 billion pounds valued at \$1.4 billion—a decrease of 83.0 million pounds and \$224.1 million compared with the 2000 pack. The 2001

pack included 885.3 million pounds valued at \$1.1 billion for human consumption and 778.6 million pounds valued at \$290.8 million for bait and animal food.

CANNED SALMON. The 2001 U.S. pack of salmon was 211.8 million pounds valued at \$258.9 million, compared with 171.1 million pounds valued at \$287.9 million packed in 2000.

CANNED SARDINES. The pack of Maine sardines (small herring) can not be shown due to the confidential nature of the data.

CANNED TUNA. The U.S. pack of tuna was 507.4 million pounds valued at \$658.2 million—a decrease of 163.9 million pounds in quantity and \$197.4 million in value compared with the 2000 pack. The pack of albacore tuna was 184.1 million pounds comprising 36 percent of the tuna pack in 2001. Lightmeat tuna (bigeye, bluefin, skipjack, and yellowfin) comprised the remainder with a pack of 323.3 million pounds.

CANNED CLAMS. The 2001 U.S. pack of clams (whole, minced, chowder, juice, and specialties) was 126.2 million pounds valued at \$124.5 million. The pack of whole and minced clams was 41.7 million pounds and accounted for 33 percent of the total clam pack. Clam chowder and clam juice was 76.6 million pounds and made up the majority of the pack.

OTHER CANNED ITEMS. The pack of pet food was 778.6 million pounds valued at \$290.8 million—an increase of 39.8 million pounds compared with the 2000 pack.

INDUSTRIAL FISHERY PRODUCTS

INDUSTRIAL FISHERY PRODUCTS. The value of the domestic production of industrial fishery products was \$229.5 million—an increase of \$10.7 million compared with the 2000 value of \$218.8 million.

FISH MEAL. The domestic production of fish and shellfish meal was 644.0 million pounds valued at \$126.2 million—an increase of 5.8 million pounds, and \$11.3 million compared with 2000. Fish meal production was 635.9 million pounds valued at \$125.7 million—an increase of 8.8 million pounds and \$11.4 million from the 2000 production. Shellfish meal production was 8.0 million pounds—a decrease of 3.0 million pounds from the 2000 level.

Processed Fishery Products

FISH OILS. The domestic production of fish oils was 279.4 million pounds valued at \$47.7 million—an increase of 87.1 million pounds and \$26.7 million in value compared with 2000 production.

OTHER INDUSTRIAL PRODUCTS. Oyster shell products, together with agar-agar, animal feeds, crab and

clam shells processed for food serving, fish pellets, Irish moss extracts, kelp products, dry and liquid fertilizers, pearl essence, and mussel shell buttons were valued at \$55.6 million, compared with \$83.0 million in 2000—a decrease of \$27.4 million

VALUE OF PROCESSED FISHERY PRODUCTS, 2000 AND 2001
(Processed from domestic catch and imported products)

| Item | 2000 (1) | | 2001 | |
|-------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | <u>Thousand dollars</u> | <u>Percent of total</u> | <u>Thousand dollars</u> | <u>Percent of total</u> |
| Edible: | | | | |
| Fresh and frozen | 6,062,616 | 75 | 5,562,973 | 76 |
| Canned | 1,334,012 | 16 | 1,111,072 | 15 |
| Cured | 179,144 | 2 | 160,637 | 2 |
| Total edible | 7,575,772 | 94 | 6,834,682 | 93 |
| Industrial: | | | | |
| Bait and animal food (canned) | 291,992 | 4 | 290,840 | 4 |
| Meal and oil | 135,815 | 2 | 173,908 | 2 |
| Other | 83,023 | 1 | 55,628 | 1 |
| Total industrial | 510,830 | 6 | 520,376 | 7 |
| Grand total | 8,086,602 | 100 | 7,355,058 | 100 |

(1) Revised. May not add due to rounding. Value is based on selling price at the plant.

U.S. PRODUCTION OF FISH STICKS, FISH PORTIONS, AND BREADED SHRIMP, 1992-2001

| Year | Fish sticks | | | Fish portions | | | Breaded shrimp | | |
|------|------------------------|--------------------|-------------------------|------------------------|--------------------|-------------------------|------------------------|--------------------|-------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| 1992 | 58,295 | 26,442 | 56,020 | 194,307 | 88,137 | 296,214 | 122,266 | 55,459 | 350,497 |
| 1993 | 67,959 | 30,826 | 67,975 | 206,165 | 93,516 | 313,195 | 111,489 | 50,571 | 316,722 |
| 1994 | 58,789 | 26,667 | 51,429 | 196,289 | 89,036 | 268,353 | 113,461 | 51,466 | 304,931 |
| 1995 | 74,066 | 33,596 | 73,478 | 251,217 | 113,951 | 356,518 | 100,522 | 45,596 | 299,355 |
| 1996 | 65,244 | 29,594 | 55,802 | 213,962 | 97,053 | 306,501 | 108,486 | 49,209 | 341,770 |
| 1997 | 69,167 | 31,374 | 64,298 | 195,554 | 88,703 | 285,348 | 117,471 | 53,284 | 334,939 |
| 1998 | 68,778 | 31,197 | 63,473 | 184,681 | 83,771 | 211,356 | 109,481 | 49,660 | 333,257 |
| 1999 | 65,019 | 29,492 | 63,396 | 203,279 | 92,207 | 269,125 | 119,149 | 54,046 | 351,891 |
| 2000 | 39,925 | 18,110 | 42,549 | 182,736 | 82,889 | 233,368 | 121,399 | 55,066 | 375,453 |
| 2001 | 43,014 | 19,511 | 41,539 | 189,186 | 85,814 | 235,192 | 152,192 | 69,034 | 539,631 |

Processed Fishery Products

PRODUCTION OF FRESH AND FROZEN FILLETS AND STEAKS, BY SPECIES, 2000 AND 2001

| Species | 2000 (1) | | | 2001 | | |
|--------------------|--------------------|----------------|---------------------|--------------------|----------------|---------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Fillets: | | | | | | |
| Amberjack | 104 | 47 | 419 | 110 | 50 | 426 |
| Anglerfish | 2,624 | 1,190 | 7,514 | 1,981 | 899 | 5,526 |
| Bluefish | 96 | 44 | 253 | 234 | 106 | 662 |
| Cod | 55,599 | 25,220 | 166,576 | 40,106 | 18,192 | 123,278 |
| Cusk | 79 | 36 | 276 | 70 | 32 | 240 |
| Dolphin | 3,329 | 1,510 | 13,647 | 3,738 | 1,696 | 15,623 |
| Drum | 7 | 3 | 29 | 7 | 3 | 30 |
| Flounders | 26,620 | 12,075 | 71,454 | 30,558 | 13,861 | 75,977 |
| Groupers | 1,771 | 803 | 12,389 | 2,881 | 1,307 | 18,698 |
| Haddock | 5,804 | 2,633 | 23,780 | 6,330 | 2,871 | 27,088 |
| Hake | 8,279 | 3,755 | 6,149 | 14,287 | 6,481 | 9,595 |
| Halibut | 2,852 | 1,294 | 16,516 | 3,496 | 1,586 | 18,080 |
| Lingcod | 183 | 83 | 526 | 248 | 112 | 670 |
| Marlins | 440 | 200 | 1,404 | 161 | 73 | 682 |
| Ocean perch: | | | | | | |
| Atlantic | 464 | 210 | 1,416 | 400 | 181 | 1,214 |
| Pacific | 2,181 | 989 | 4,963 | 1,914 | 868 | 4,405 |
| Pollock: | | | | | | |
| Atlantic | 1,893 | 859 | 3,976 | 2,474 | 1,122 | 7,560 |
| Alaska | 159,754 | 72,464 | 177,916 | 271,254 | 123,040 | 296,456 |
| Rockfishes | 10,583 | 4,800 | 24,559 | 9,200 | 4,173 | 21,370 |
| Sablefish | 188 | 85 | 806 | 92 | 42 | 455 |
| Salmon | 23,749 | 10,772 | 67,368 | 29,827 | 13,529 | 83,390 |
| Sea bass | 405 | 184 | 2,757 | 477 | 216 | 3,251 |
| Sea trout | 157 | 71 | 681 | 177 | 80 | 757 |
| Shark | 683 | 310 | 1,639 | 556 | 252 | 1,401 |
| Snapper | 1,731 | 785 | 11,194 | 1,184 | 537 | 7,458 |
| Swordfish | 5,335 | 2,420 | 31,407 | 3,910 | 1,774 | 24,425 |
| Tilapia | 673 | 305 | 1,837 | 1,180 | 535 | 3,430 |
| Tuna | 7,178 | 3,256 | 47,449 | 7,089 | 3,216 | 49,627 |
| Wahoo | 215 | 98 | 1,155 | 155 | 70 | 907 |
| Whitefish | 801 | 363 | 2,124 | 289 | 131 | 1,104 |
| Wolffish | 68 | 31 | 169 | 76 | 34 | 222 |
| Unclassified | 11,986 | 5,437 | 39,030 | 12,404 | 5,626 | 41,207 |
| Total | 335,831 | 152,332 | 741,378 | 446,865 | 202,697 | 845,214 |
| Steaks: | | | | | | |
| Halibut | 8,049 | 3,651 | 34,459 | 6,926 | 3,142 | 27,732 |
| Salmon | 1,977 | 897 | 6,840 | 2,178 | 988 | 6,942 |
| Swordfish | 2,736 | 1,241 | 11,944 | 1,771 | 803 | 7,496 |
| Tuna | 4,069 | 1,846 | 12,934 | 3,837 | 1,740 | 11,860 |
| Unclassified | 15,018 | 6,812 | 15,838 | 15,283 | 6,932 | 15,743 |
| Total | 31,849 | 14,447 | 82,015 | 29,995 | 13,606 | 69,773 |
| Grand total | 367,680 | 166,779 | 823,393 | 476,860 | 216,302 | 914,987 |

(1) Revised

Note:--Some fillet products were further processed into frozen blocks.

Processed Fishery Products

PRODUCTION OF CANNED FISHERY PRODUCTS, BY SPECIES, 2000 AND 2001

| Species | Pounds per case | 2000 (1) | | | 2001 | | |
|------------------------------------|-----------------------|-------------------|--------------------|---------------------|-------------------|--------------------|---------------------|
| | | Standard cases | Thousand pounds | Thousand dollars | Standard cases | Thousand pounds | Thousand dollars |
| For human consumption: | | | | | | | |
| Fish: | | | | | | | |
| Herring | 23.4 | (5) | (5) | (5) | (5) | (5) | (5) |
| Salmon: | | | | | | | |
| Chinook | 44.25 | 2,689 | 119 | 146 | 4,181 | 185 | 312 |
| Chum | 44.25 | 192,814 | 8,532 | 6,406 | 92,814 | 4,107 | 2,973 |
| Pink | 44.25 | 2,352,972 | 104,119 | 111,517 | 3,759,842 | 166,373 | 166,932 |
| Coho | 44.25 | 75,684 | 3,349 | 5,624 | 73,311 | 3,244 | 5,162 |
| Sockeye | 44.25 | 1,243,073 | 55,006 | 164,171 | 855,955 | 37,876 | 83,570 |
| Total salmon | | 3,867,232 | 171,125 | 287,864 | 4,786,102 | 211,785 | 258,949 |
| Specialties | 48 | 16,104 | 773 | 6,214 | 15,167 | 728 | 5,721 |
| Sardines, Maine | 23.4 | (5) | (5) | (5) | (5) | (5) | (5) |
| Tuna: (2) | | | | | | | |
| Albacore: | | | | | | | |
| Solid | 18 | 8,888,056 | 159,985 | 334,573 | 8,502,111 | 153,038 | 314,267 |
| Chunk | 18 | 1,815,667 | 32,682 | 58,408 | 1,725,000 | 31,050 | 57,251 |
| Total albacore | | 10,703,722 | 192,667 | 392,981 | 10,227,111 | 184,088 | 371,518 |
| Lightmeat: | | | | | | | |
| Solid | 18 | 424,667 | 7,644 | 10,590 | 391,389 | 7,045 | 9,228 |
| Chunk | 18 | 26,168,333 | 471,030 | 451,964 | 17,571,333 | 316,284 | 277,409 |
| Total lightmeat | | 26,593,000 | 478,674 | 462,554 | 17,962,722 | 323,329 | 286,637 |
| Total tuna | | 37,296,722 | 671,341 | 855,535 | 28,189,833 | 507,417 | 658,155 |
| Specialties | 48 | 833 | 40 | 351 | 917 | 44 | 378 |
| Other | 48 | 624,313 | 29,967 | 44,374 | 650,354 | 31,217 | 46,159 |
| Total fish | -- | 41,805,204 | 873,246 | 1,194,338 | 33,642,373 | 751,191 | 969,362 |
| Shellfish: | | | | | | | |
| Clam and clam products: (3) | | | | | | | |
| Whole and minced | 15 | 2,859,400 | 42,891 | 70,885 | 2,777,400 | 41,661 | 74,561 |
| Chowder and juice | 30 | 2,487,833 | 74,635 | 41,491 | 2,554,433 | 76,633 | 42,824 |
| Specialties | 48 | 191,083 | 9,172 | 7,399 | 165,604 | 7,949 | 7,134 |
| Total clams | -- | 5,538,317 | 126,698 | 119,775 | 5,497,438 | 126,243 | 124,519 |
| Crabs, natural | 20 | 1,590 | 31 | 374 | 308 | 6 | 109 |
| Lobster meat and specialties | 48 | 12,125 | 582 | 662 | 8,292 | 398 | 538 |
| Oyster, specialties | 48 | 8,938 | 429 | 628 | 11,896 | 571 | 817 |
| Shrimp, natural (4) | 6.75 | 282,963 | 1,910 | 11,430 | 235,852 | 1,592 | 10,098 |
| Other | 48 | 108,375 | 5,202 | 6,805 | 111,375 | 5,346 | 5,629 |
| Total shellfish | -- | 5,952,307 | 134,852 | 139,674 | 5,865,160 | 134,156 | 141,710 |
| Total for human consumption | -- | 47,757,511 | 1,008,098 | 1,334,012 | 39,507,532 | 885,347 | 1,111,072 |
| For bait and animal food | 48 | 15,392,104 | 738,821 | 291,992 | 16,220,688 | 778,593 | 290,840 |
| Grand total | -- | 63,149,615 | 1,746,919 | 1,626,004 | 55,728,220 | 1,663,940 | 1,401,912 |

(1) Revised.

(2) Flakes included with chunk.

(3) "Cut out" or "drained" weight of can contents are given for whole or minced clams, and net contents for other clam products.

(4) Drained weight.


(5) Confidential included with 'Other.'

Processed Fishery Products

PRODUCTION OF CANNED FISHERY PRODUCTS, 1992-2001

| Year | For human consumption | | | For animal food and bait | | | Total | | |
|------|-----------------------|-------------|------------------|--------------------------|-------------|------------------|-----------------|-------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| 1992 | 936,117 | 424,620 | 1,330,173 | 607,678 | 275,641 | 247,261 | 1,543,795 | 700,261 | 1,577,434 |
| 1993 | 983,225 | 445,988 | 1,375,377 | 725,822 | 329,231 | 312,597 | 1,709,047 | 775,219 | 1,687,974 |
| 1994 | 985,675 | 447,099 | 1,470,234 | 782,272 | 354,836 | 325,264 | 1,767,947 | 801,935 | 1,795,498 |
| 1995 | 1,084,866 | 492,092 | 1,544,208 | 842,351 | 382,088 | 342,842 | 1,927,217 | 874,180 | 1,887,050 |
| 1996 | 1,052,909 | 477,596 | 1,428,937 | 824,094 | 373,807 | 370,945 | 1,877,003 | 851,403 | 1,799,882 |
| 1997 | 952,755 | 432,167 | 1,361,437 | 612,320 | 277,747 | 231,756 | 1,565,075 | 709,913 | 1,593,193 |
| 1998 | 988,693 | 448,468 | 1,425,564 | 544,328 | 246,906 | 349,765 | 1,533,021 | 695,374 | 1,775,329 |
| 1999 | 1,100,329 | 499,106 | 1,521,880 | 796,769 | 361,412 | 339,548 | 1,897,098 | 860,518 | 1,861,428 |
| 2000 | 1,008,098 | 457,270 | 1,334,012 | 738,821 | 335,127 | 291,992 | 1,746,919 | 792,397 | 1,626,004 |
| 2001 | 885,347 | 401,591 | 1,111,072 | 778,593 | 353,167 | 290,840 | 1,663,940 | 754,758 | 1,401,912 |

Production of Canned Fishery Products, 1992-2001



Processed Fishery Products

PRODUCTION OF MEAL AND OIL, 2000 AND 2001

| Product | 2000 | | | 2001 | | |
|------------------------------|------------------------|--------------------|-------------------------|------------------------|--------------------|-------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Dried scrap and meal: | | | | | | |
| Fish | 627,180 | 284,487 | 114,247 | 635,945 | 288,463 | 125,679 |
| Shellfish | 11,064 | 5,019 | 654 | 8,049 | 3,651 | 567 |
| Total, scrap and meal | 638,244 | 289,506 | 114,901 | 643,994 | 292,114 | 126,246 |
| Body oil, total | 192,348 | 87,248 | 20,914 | 279,416 | 126,742 | 47,662 |

Note:--To convert pounds of oil to gallons divide by 7.75.

The above data includes products in American Samoa and Puerto Rico.

PRODUCTION OF INDUSTRIAL PRODUCTS, 1992-2001

| Year | Scrap and meal | | Marine animal oil | | Meal and oil | Other industrial products | Grand total |
|------|------------------------|--------------------|------------------------|--------------------|------------------------------|---------------------------|-------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | | | |
| | | | | | ----- Thousand dollars ----- | | |
| 1992 | 644,512 | 292,349 | 184,725 | 83,791 | 157,693 | 45,310 | 203,003 |
| 1993 | 750,744 | 340,535 | 293,452 | 133,109 | 182,170 | 43,689 | 225,859 |
| 1994 | 807,833 | 366,431 | 291,882 | 132,397 | 186,222 | 61,992 | 248,214 |
| 1995 | 667,240 | 302,658 | 241,941 | 109,744 | 172,279 | 74,264 | 246,543 |
| 1996 | 643,124 | 291,719 | 248,399 | 112,673 | 187,968 | 85,583 | 273,551 |
| 1997 | 724,668 | 328,707 | 283,379 | 128,540 | 229,222 | 118,128 | 347,350 |
| 1998 | 613,434 | 278,252 | 222,697 | 101,015 | 172,574 | 60,800 | 233,374 |
| 1999 | 686,250 | 311,281 | 286,182 | 129,811 | 188,854 | 79,325 | 268,179 |
| 2000 | 638,244 | 289,506 | 192,348 | 87,248 | 135,815 | 83,023 | 218,838 |
| 2001 | 643,994 | 292,114 | 279,416 | 126,742 | 173,908 | 55,628 | 229,536 |

Note:--Does not include the value of imported items that may be further processed.

U.S. Cold Storage Holdings

U.S. COLD STORAGE HOLDINGS OF FISHERY PRODUCTS, 2001

| Species | January | February | March | April | May | June |
|------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| ----- Thousand pounds ----- | | | | | | |
| Fish | | | | | | |
| Saltwater: | | | | | | |
| Blocks and slabs: | | | | | | |
| Cod | 1,699 | 1,619 | 2,299 | 1,415 | 1,537 | 1,457 |
| Flounder and sole | 368 | 381 | 301 | 243 | 137 | 271 |
| Haddock | 576 | 595 | 464 | 276 | 489 | 391 |
| Ocean perch | 339 | 302 | 359 | 299 | 290 | 131 |
| Pollock: | | | | | | |
| Alaska (walleye) | 9537 | 7074 | 6028 | 5639 | 12462 | 7463 |
| Atlantic or other | 9,741 | 9,302 | 7,881 | 5,343 | 5,493 | 8,633 |
| Whiting: | | | | | | |
| Silver (Atlantic) hake | 505 | 496 | 277 | 175 | 447 | 518 |
| Pacific hake | 0 | 0 | 0 | 191 | 41 | 63 |
| Minced | 10,764 | 9,200 | 3,273 | 3,991 | 5,427 | 6,375 |
| Unclassified (1) | 1,483 | 1,622 | 1,596 | 1,377 | 1,613 | 1,501 |
| Total, blocks and slabs | 35,013 | 30,591 | 22,479 | 18,948 | 27,936 | 26,803 |
| Fillet and steaks: | | | | | | |
| Cod | 26,076 | 24,506 | 24,559 | 26,412 | 27,723 | 26,095 |
| Flounder and sole | 5,360 | 5,009 | 4,363 | 4,557 | 5,096 | 5,576 |
| Haddock | 2,596 | 2,482 | 2,486 | 2,338 | 617 | 600 |
| Halibut | 2,353 | 2,225 | 2,113 | 2,136 | 2,239 | 2,229 |
| Ocean perch | 1,030 | 1,062 | 1,151 | 1,144 | 1,422 | 1,668 |
| Pollock: | | | | | | |
| Alaska (walleye) | 20,345 | 18,399 | 22,081 | 23,283 | 18,043 | 13,266 |
| Atlantic or other | 2,557 | 2,298 | 2,006 | 1,887 | 2,238 | 1,867 |
| Rockfish | 600 | 584 | 474 | 392 | 341 | 306 |
| Salmon | 4,593 | 3,773 | 3,263 | 3,533 | 3,065 | 2,901 |
| Whiting: | | | | | | |
| Silver (Atlantic) hake | 4,337 | 3,789 | 3,173 | 2,616 | 2,682 | 3,898 |
| Pacific hake | 74 | 38 | 36 | 33 | 27 | 58 |
| Unclassified | 10,366 | 9,564 | 23,186 | 22,610 | 25,388 | 23,387 |
| Total, fillets and steaks | 80,286 | 73,728 | 88,891 | 90,940 | 88,881 | 81,851 |
| Round, dressed, etc.: | | | | | | |
| Halibut (exc. California) | 6,665 | 4,649 | 3,209 | 2,753 | 2,993 | 4,965 |
| Sablefish | 456 | 277 | 220 | 386 | 793 | 1,061 |
| Salmon: | | | | | | |
| Chinook or king | 1,269 | 1,074 | 888 | 712 | 586 | 753 |
| Silver or coho | 6,798 | 5,190 | 3,219 | 2,592 | 1,712 | 1,227 |
| Chum or fall | 18,433 | 14,310 | 9,177 | 5,727 | 2,278 | 2,798 |
| Pink | 1,655 | 726 | 551 | 328 | 265 | 232 |
| Sockeye | 1,221 | 877 | 740 | 629 | 466 | 889 |
| Unclassified | 2,944 | 2,843 | 2,513 | 2,106 | 1,383 | 1,282 |
| Total, salmon | 32,320 | 25,019 | 17,087 | 12,094 | 6,689 | 7,181 |
| Whiting: | | | | | | |
| Silver (Atlantic) hake | 32 | 56 | 84 | 111 | 253 | 82 |
| Pacific hake | 98 | 31 | 22 | 21 | 6 | 0 |
| Unclassified (exc. bait) | 25,785 | 23,886 | 23,768 | 21,028 | 21,691 | 20,008 |
| Total, round, dressed, etc. | 65,356 | 53,918 | 44,390 | 36,393 | 32,425 | 33,297 |

See footnotes at end of table.

(Continued)

U.S. Cold Storage Holdings

U.S. COLD STORAGE HOLDINGS OF FISHERY PRODUCTS, 2001 - Continued

| Species | July | August | September | October | November | December |
|------------------------------------|-----------------------------|---------------|---------------|---------------|---------------|---------------|
| Fish | ----- Thousand pounds ----- | | | | | |
| Saltwater: | | | | | | |
| Blocks and slabs: | | | | | | |
| Cod | 1,650 | 1,534 | 1,367 | 1,652 | 1,662 | 2,180 |
| Flounder and sole | 324 | 363 | 279 | 195 | 220 | 274 |
| Haddock | 336 | 185 | 367 | 348 | 664 | 409 |
| Ocean perch | 221 | 176 | 113 | 118 | 136 | 538 |
| Pollock: | | | | | | |
| Alaska (walleye) | 5,792 | 6,412 | 8,944 | 7,970 | 17,168 | 16,871 |
| Atlantic or other | 8,544 | 9,130 | 13,066 | 12,904 | 5,183 | 8,514 |
| Whiting: | | | | | | |
| Silver (Atlantic) hake | 284 | 163 | 716 | 488 | 429 | 375 |
| Pacific hake | 175 | 149 | 68 | 6 | 6 | 38 |
| Minced | 6,141 | 5,458 | 6,648 | 7,417 | 8,040 | 9,011 |
| Unclassified (1) | 1,486 | 1,677 | 1,663 | 2,215 | 3,192 | 6,435 |
| Total, blocks and slabs | 24,954 | 25,246 | 33,230 | 33,312 | 36,700 | 44,646 |
| Filletts and steaks: | | | | | | |
| Cod | 24,866 | 22,631 | 18,395 | 21,410 | 21,549 | 19,533 |
| Flounder and sole | 5,131 | 5,332 | 5,166 | 5,812 | 5,750 | 5,723 |
| Haddock | 3,262 | 2,932 | 2,850 | 2,787 | 2,939 | 3,161 |
| Halibut | 2,134 | 2,249 | 2,498 | 2,579 | 2,615 | 2,412 |
| Ocean perch | 1,072 | 1,095 | 1,058 | 1,076 | 1,926 | 2,175 |
| Pollock: | | | | | | |
| Alaska (walleye) | 11,019 | 12,738 | 16,384 | 19,194 | 18,890 | 14,430 |
| Atlantic or other | 1,738 | 1,542 | 1,484 | 1,526 | 3,610 | 4,232 |
| Rockfish | 681 | 984 | 990 | 698 | 623 | 461 |
| Salmon | 3,462 | 5,214 | 6,130 | 6,228 | 6,800 | 6,458 |
| Whiting: | | | | | | |
| Silver (Atlantic) hake | 3,321 | 3,279 | 3,386 | 3,709 | 5,058 | 4,945 |
| Pacific hake | 152 | 37 | 176 | 37 | 3,034 | 399 |
| Unclassified | 9,780 | 10,198 | 8,793 | 9,324 | 17,680 | 15,369 |
| Total, filletts and steaks | 66,619 | 68,232 | 67,310 | 74,379 | 90,473 | 79,296 |
| Round, dressed, etc.: | | | | | | |
| Halibut (exc. California) | 6,761 | 8,597 | 9,390 | 9,848 | 8,414 | 7,033 |
| Sablefish | 1,782 | 1,043 | 1,650 | 1,141 | 889 | 790 |
| Salmon: | | | | | | |
| Chinook or king | 2,248 | 2,480 | 3,684 | 3,459 | 3,231 | 3,041 |
| Silver or coho | 2,531 | 6,197 | 8,893 | 10,420 | 9,940 | 8,677 |
| Chum or fall | 16,443 | 27,327 | 27,978 | 27,132 | 31,606 | 27,879 |
| Pink | 2,454 | 7,849 | 7,665 | 4,998 | 4,454 | 3,499 |
| Sockeye | 2,905 | 5,543 | 5,948 | 4,961 | 3,544 | 2,852 |
| Unclassified | 1,407 | 2,134 | 2,452 | 2,655 | 2,752 | 2,817 |
| Total, salmon | 27,987 | 51,530 | 56,620 | 53,625 | 55,528 | 48,766 |
| Whiting: | | | | | | |
| Silver (Atlantic) hake | 1 | 1 | 575 | 444 | 172 | 1 |
| Pacific hake | 49 | 2 | 1 | 15 | 283 | 2,462 |
| Unclassified (exc. bait) | 23,278 | 20,295 | 24,398 | 23,705 | 16,513 | 15,364 |
| Total, round, dressed, etc. | 59,858 | 81,468 | 92,634 | 88,778 | 81,799 | 74,416 |

See footnotes at end of table.

(Continued)

U.S. Cold Storage Holdings

U.S. COLD STORAGE HOLDINGS OF FISHERY PRODUCTS, 2001 - Continued

| Species | January | February | March | April | May | June |
|--------------------------------------|-----------------------------|----------------|----------------|----------------|----------------|----------------|
| | ----- Thousand pounds ----- | | | | | |
| Fish | | | | | | |
| Fish sticks and portions (2): | 32,893 | 28,817 | 26,009 | 27,687 | 29,759 | 29,644 |
| Analog products | 5,789 | 4,611 | 5,335 | 5,166 | 5,044 | 4,631 |
| Surimi: Pollock | 13,153 | 11,765 | 11,941 | 11,783 | 10,100 | 12,253 |
| Other | 4,342 | 3,996 | 7,710 | 7,476 | 5,918 | 4,524 |
| Total, saltwater | 236,832 | 207,426 | 206,755 | 198,392 | 200,063 | 193,003 |
| Freshwater | | | | | | |
| Fillets and steaks: | 366 | 119 | 173 | 112 | 120 | 98 |
| Catfish | 12,358 | 11,187 | 11,583 | 12,064 | 12,525 | 12,630 |
| Rainbow trout | 1,130 | 1,291 | 1,211 | 1,148 | 1,221 | 1,328 |
| Unclassified (exc. bait) | 282 | 273 | 59 | 58 | 131 | 86 |
| Total, freshwater | 14,135 | 12,870 | 13,026 | 13,382 | 13,998 | 14,143 |
| Bait & animal food | 9,207 | 9,818 | 15,584 | 15,310 | 14,555 | 14,533 |
| Shellfish | | | | | | |
| Clams and clam meats | 2,281 | 1,390 | 1,528 | 1,004 | 1,645 | 2,016 |
| Crabs: | | | | | | |
| Dungeness | 535 | 407 | 235 | 147 | 126 | 374 |
| King: | | | | | | |
| Meat | 111 | 122 | 86 | 120 | 156 | 208 |
| Sections | 8,992 | 8,058 | 7,556 | 6,128 | 5,702 | 4,198 |
| Snow: | | | | | | |
| Meat | 925 | 767 | 962 | 835 | 736 | 786 |
| Sections | 14,052 | 12,693 | 15,565 | 14,742 | 14,781 | 14,565 |
| Unclassified | 3,224 | 2,494 | 1,532 | 1,101 | 2,518 | 3,459 |
| Total, crab | 27,838 | 24,540 | 25,937 | 23,074 | 24,020 | 23,589 |
| Lobsters: | | | | | | |
| Spiny (tails) | 1,822 | 1,997 | 1,588 | 1,502 | 1,158 | 1,175 |
| Unclassified (whole & meat) | 5,151 | 4,410 | 4,324 | 3,430 | 2,397 | 2,704 |
| Oyster meats | 200 | 265 | 322 | 373 | 404 | 456 |
| Scallop meats | 6,053 | 7,560 | 6,896 | 6,943 | 7,033 | 7,416 |
| Shrimp: | | | | | | |
| Raw, headless | 5,271 | 5,120 | 4,176 | 3,703 | 3,013 | 2,664 |
| Breaded | 4,048 | 4,233 | 4,075 | 4,247 | 4,224 | 4,267 |
| Peeled | 19,669 | 19,357 | 18,196 | 18,751 | 16,744 | 18,128 |
| Unclassified | 15,720 | 15,667 | 13,751 | 12,724 | 9,988 | 11,129 |
| Total, shrimp | 44,707 | 44,377 | 40,198 | 39,425 | 33,970 | 36,189 |
| Squid | 11,967 | 14,811 | 14,106 | 13,774 | 10,814 | 9,285 |
| Unclassified shellfish | 13,197 | 10,050 | 6,958 | 6,698 | 7,661 | 7,523 |
| Total, shellfish | 113,217 | 109,401 | 101,857 | 96,222 | 89,102 | 90,352 |
| Total, fish and shellfish | 373,391 | 339,514 | 337,222 | 323,306 | 317,717 | 312,031 |
| Cured fish (all categories) | 1,459 | 1,683 | 2,102 | 1,914 | 1,590 | 2,106 |
| Grand total | 374,851 | 341,197 | 339,324 | 325,219 | 319,307 | 314,137 |

See footnotes at end of table.

(Continued)

U.S. Cold Storage Holdings

U.S. COLD STORAGE HOLDINGS OF FISHERY PRODUCTS, 2001 - Continued

| Species | July | August | September | October | November | December |
|--------------------------------------|-----------------------------|----------------|----------------|----------------|----------------|----------------|
| | ----- Thousand pounds ----- | | | | | |
| Fish | | | | | | |
| Fish sticks and portions (2): | 28,003 | 27,820 | 26,702 | 20,010 | 23,062 | 32,162 |
| Analog products | 5,014 | 5,207 | 5,264 | 11,262 | 5,391 | 4,920 |
| Surimi: Pollock | 9,948 | 12,212 | 11,704 | 10,329 | 12,148 | 10,673 |
| Other | 4,098 | 4,094 | 5,525 | 5,383 | 2,577 | 2,396 |
| Total, saltwater | 198,495 | 224,279 | 242,370 | 243,452 | 252,150 | 248,510 |
| Freshwater | | | | | | |
| Fillets and steaks | 67 | 87 | 348 | 379 | 89 | 332 |
| Catfish | 12,308 | 12,167 | 13,290 | 14,298 | 14,830 | 15,508 |
| Rainbow trout | 1,608 | 1,638 | 1,415 | 1,444 | 1,782 | 1,872 |
| Unclassified (exc. bait) | 123 | 194 | 184 | 202 | 237 | 307 |
| Total, freshwater | 14,106 | 14,087 | 15,238 | 16,323 | 16,937 | 18,019 |
| Bait & animal food | 13,444 | 14,691 | 16,184 | 14,259 | 11,836 | 9,593 |
| Shellfish | | | | | | |
| Clams and clam meats | 2,956 | 2,608 | 2,577 | 1,802 | 1,291 | 1,243 |
| Crabs: | | | | | | |
| Dungeness | 1,393 | 1,286 | 1,164 | 1,390 | 1,107 | 1,247 |
| King: | | | | | | |
| Meat | 181 | 235 | 239 | 207 | 220 | 203 |
| Sections | 3,771 | 3,472 | 4,404 | 3,340 | 6,036 | 6,138 |
| Snow: | | | | | | |
| Meat | 759 | 874 | 915 | 661 | 865 | 1,012 |
| Sections | 11,823 | 10,891 | 10,021 | 12,070 | 12,519 | 10,219 |
| Unclassified | 5,173 | 5,709 | 5,829 | 6,057 | 4,677 | 3,842 |
| Total, crab | 23,099 | 22,466 | 22,572 | 23,725 | 25,426 | 22,661 |
| Lobsters: | | | | | | |
| Spiny (tails) | 1,044 | 1,067 | 1,159 | 1,511 | 1,502 | 1,544 |
| Unclassified (whole & meat) | 3,217 | 3,851 | 5,361 | 6,560 | 6,528 | 6,715 |
| Oyster meats | 464 | 463 | 469 | 418 | 383 | 340 |
| Scallop meats | 6,605 | 6,050 | 5,742 | 5,205 | 3,500 | 3,108 |
| Shrimp: | | | | | | |
| Raw, headless | 3,014 | 3,636 | 5,229 | 7,832 | 8,708 | 9,182 |
| Breaded | 3,644 | 3,725 | 4,138 | 4,219 | 5,125 | 5,284 |
| Peeled | 18,648 | 16,701 | 19,349 | 24,007 | 27,375 | 29,404 |
| Unclassified | 9,755 | 9,199 | 11,409 | 12,476 | 13,679 | 13,206 |
| Total, shrimp | 35,061 | 33,260 | 40,125 | 48,535 | 54,888 | 57,076 |
| Squid | 6,553 | 6,648 | 5,252 | 7,722 | 10,996 | 6,816 |
| Unclassified shellfish | 6,243 | 6,326 | 6,895 | 8,711 | 9,815 | 10,250 |
| Total, shellfish | 85,242 | 82,740 | 90,151 | 104,189 | 114,328 | 109,752 |
| Total, fish and shellfish | 311,287 | 335,796 | 363,942 | 378,223 | 395,251 | 385,873 |
| Cured fish (all categories) | 2,290 | 3,067 | 4,037 | 4,249 | 3,843 | 3,135 |
| Grand total | 313,577 | 338,863 | 367,979 | 382,471 | 399,094 | 389,009 |

(1) Unclassified may also include blacks and slabs made from species listed separately.

(2) Fish sticks and portions include all species that are either cooked or uncooked.

Note:--Data includes imported fishery products. Data for these tables were collected from public and private warehouses where fishery products are normally stored for 30 days or more. Totals may not agree with annual report due to rounding.

IMPORTS

U.S. imports of edible fishery products in 2001 were valued at a record \$9.9 billion, \$189.6 million less than in 2000. The quantity of edible imports was 4.1 billion pounds, 123.8 million pounds more than the quantity imported in 2000.

Edible imports consisted of 3.4 billion pounds of fresh and frozen products valued at \$8.8 billion, 539.3 million pounds of canned products valued at \$774.2 million, 71.7 million pounds of cured products valued at \$150.1 million, 5.1 million pounds of caviar and roe products valued at \$43.2 million, and 37.1 million pounds of other products valued at \$64.8 million.

The quantity of shrimp imported in 2001 was 882.6 million pounds, 121.8 million pounds more than the quantity imported in 2000. Valued at \$3.6 billion, shrimp imports accounted for 37 percent of the value of total edible imports. Imports of fresh and frozen tuna were 404.8 million pounds, 40.4 million pounds less than the 445.2 million pounds imported in 2000. Imports of canned tuna were 292.2 million pounds, 20.8 million pounds less than in 2000. Imports of fresh and frozen fillets and steaks amounted to 795.5 million pounds, an increase of 60.8 million pounds from 2000. Regular and minced block imports were 146.7 million pounds, a decrease of 57.2 million pounds from 2000.

Imports of nonedible fishery products were valued at \$8.7 billion -- a decrease of \$276.7 million compared with 2000. The total value of edible and nonedible

products was \$18.5 billion in 2001, 466.3 million less than in 2000 when \$19.0 billion of fishery products were imported.


EXPORTS

U.S. exports of edible fishery products were 2.6 billion pounds valued at \$3.2 billion, an increase of 400.0 million pounds and \$242.8 million when compared with 2000. Fresh and frozen items were 2.2 billion pounds valued at \$2.3 billion, an increase of 364.2 million pounds, and \$81.8 million compared with 2000. In terms of individual items, fresh and frozen exports consisted principally of 209.1 million pounds of salmon valued at \$300.7 million, 402.3 million pounds of surimi valued at \$301.5 million and 59.6 million pounds of lobsters valued at \$260.3 million.

Canned items were 183.2 million pounds valued at \$240.0 million. Salmon was the major canned item exported, with 110.1 million pounds valued at \$168.3 million. Cured items were 22.8 million pounds valued at \$31.3 million. Caviar and roe exports were 107.5 million pounds valued at \$566.9 million.

Exports of nonedible products were valued at \$8.6 billion compared with \$7.8 billion in 2000. Exports of fish meal amounted to 238.0 million pounds valued at \$67.7 million. The total value of edible and nonedible exports was \$11.8 billion--an increase of \$1.1 billion compared with 2000.

U.S. Trade in Edible Fishery Products, 2001



FISHERY PRODUCTS IMPORTS, BY PRINCIPAL ITEMS, 2000 AND 2001

| Item | 2000 | | | 2001 | | |
|---|--------------------|------------------|---------------------|--------------------|------------------|---------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Edible fishery products: | | | | | | |
| Fresh and frozen: | | | | | | |
| Whole or eviscerated: | | | | | | |
| Freshwater | 100,208 | 45,454 | 91,320 | 131,723 | 59,749 | 98,351 |
| Flatfish | 35,298 | 16,011 | 87,624 | 33,534 | 15,211 | 78,141 |
| Groundfish | 57,218 | 25,954 | 55,830 | 51,764 | 23,480 | 48,897 |
| Salmon | 151,339 | 68,647 | 333,059 | 158,835 | 72,047 | 323,476 |
| Tuna (1) | 445,212 | 201,947 | 520,143 | 404,811 | 183,621 | 515,327 |
| Other | 273,600 | 124,104 | 390,505 | 261,406 | 118,573 | 361,126 |
| Fillets and steaks: | | | | | | |
| Freshwater | 64,767 | 29,378 | 157,741 | 91,083 | 41,315 | 204,150 |
| Flatfish | 58,880 | 26,708 | 124,064 | 47,952 | 21,751 | 103,447 |
| Groundfish | 224,955 | 102,039 | 420,673 | 194,684 | 88,308 | 358,316 |
| Other | 386,109 | 175,138 | 951,094 | 461,806 | 209,474 | 955,023 |
| Blocks and slabs | 203,903 | 92,490 | 208,700 | 146,681 | 66,534 | 158,952 |
| Surimi | 1,733 | 786 | 1,660 | 1,642 | 745 | 1,403 |
| Shrimp | 757,099 | 343,418 | 3,748,667 | 878,308 | 398,398 | 3,617,141 |
| Crabmeat | 21,270 | 9,648 | 114,604 | 28,470 | 12,914 | 153,862 |
| Lobster: | | | | | | |
| American | 64,211 | 29,126 | 417,542 | 67,485 | 30,611 | 431,470 |
| Spiny | 30,406 | 13,792 | 354,253 | 24,226 | 10,989 | 295,662 |
| Scallops (meats) | 53,649 | 24,335 | 212,424 | 39,696 | 18,006 | 128,365 |
| Other fish and shellfish | 380,518 | 172,602 | 929,833 | 424,661 | 192,625 | 998,963 |
| Total, fresh and frozen | 3,310,377 | 1,501,577 | 9,119,736 | 3,448,768 | 1,564,351 | 8,832,072 |
| Canned: | | | | | | |
| Anchovy | 7,870 | 3,570 | 19,966 | 7,582 | 3,439 | 18,058 |
| Herring | 11,654 | 5,286 | 14,054 | 9,090 | 4,123 | 9,775 |
| Mackerel | 26,733 | 12,126 | 13,664 | 26,327 | 11,942 | 12,717 |
| Salmon | 5,161 | 2,341 | 11,480 | 6,362 | 2,886 | 11,815 |
| Sardines | 62,236 | 28,230 | 70,941 | 54,758 | 24,838 | 60,888 |
| Tuna | 312,967 | 141,961 | 258,531 | 292,202 | 132,542 | 314,105 |
| Clams | 12,773 | 5,794 | 12,921 | 14,284 | 6,479 | 15,684 |
| Crabmeat | 31,246 | 14,173 | 154,062 | 36,923 | 16,748 | 214,243 |
| Lobsters | 46 | 21 | 634 | 79 | 36 | 981 |
| Oysters | 13,591 | 6,165 | 26,389 | 11,945 | 5,418 | 23,668 |
| Shrimp | 3,655 | 1,658 | 8,661 | 4,273 | 1,938 | 9,657 |
| Balls, cakes, and puddings | 15,679 | 7,112 | 22,044 | 18,635 | 8,453 | 24,905 |
| Other fish and shellfish | 52,679 | 23,895 | 56,721 | 56,808 | 25,768 | 57,741 |
| Total, canned | 556,291 | 252,332 | 670,068 | 539,267 | 244,610 | 774,237 |
| Cured: | | | | | | |
| Dried | 17,454 | 7,917 | 53,046 | 15,509 | 7,035 | 46,481 |
| Pickled or salted | 41,969 | 19,037 | 60,118 | 42,943 | 19,479 | 60,891 |
| Smoked or kippered | 9,471 | 4,296 | 31,677 | 13,212 | 5,993 | 42,744 |
| Total, cured | 68,894 | 31,250 | 144,841 | 71,665 | 32,507 | 150,116 |
| Caviar and roe | 5,739 | 2,603 | 45,803 | 5,154 | 2,338 | 43,210 |
| Prepared meals | 5,523 | 2,505 | 16,410 | 5,798 | 2,630 | 19,614 |
| Other fish and shellfish | 31,420 | 14,252 | 57,187 | 31,341 | 14,216 | 45,183 |
| Total edible fishery products | 3,978,243 | 1,804,519 | 10,054,045 | 4,101,993 | 1,860,652 | 9,864,432 |
| Nonedible fishery products: | | | | | | |
| Meal and scrap | 79,013 | 35,840 | 18,122 | 113,277 | 51,382 | 26,838 |
| Fish oils | 27,220 | 12,347 | 19,093 | 23,532 | 10,674 | 16,832 |
| Other | - | - | 8,922,176 | - | - | 8,639,068 |
| Total nonedible fishery products | - | - | 8,959,391 | - | - | 8,682,738 |
| Grand total | - | - | 19,013,436 | - | - | 18,547,170 |

(1) Includes loins and discs.

Note:--Data include imports into the United States and Puerto Rico and landings of tuna by foreign vessels at American Samoa. Statistics on imports are the weight of individual products as exported, i.e., fillets, steaks, headed, etc. Imports and Exports of Fishery Products, Annual Summary, 2001, Current Fishery Statistics No. 2001-2 provides additional information.


Source:—U.S. Department of Commerce, Bureau of the Census.

EDIBLE AND NONEDIBLE FISHERY PRODUCTS IMPORTS, 1992-2001


| Year | Edible | | -----Thousand dollars----- | Nonedible | Total |
|------|-----------------|-------------|----------------------------|-----------|------------|
| | Thousand pounds | Metric tons | | | |
| 1992 | 2,893,954 | 1,312,689 | 5,705,876 | 4,165,386 | 9,871,262 |
| 1993 | 2,917,160 | 1,323,215 | 5,848,738 | 4,773,649 | 10,622,387 |
| 1994 | 3,034,841 | 1,376,595 | 6,645,132 | 5,341,740 | 11,986,872 |
| 1995 | 3,066,458 | 1,390,936 | 6,791,690 | 5,659,933 | 12,451,623 |
| 1996 | 3,169,787 | 1,437,806 | 6,729,614 | 6,330,741 | 13,060,355 |
| 1997 | 3,338,849 | 1,514,492 | 7,754,243 | 6,774,083 | 14,528,326 |
| 1998 | 3,647,021 | 1,654,278 | 8,173,185 | 7,459,487 | 15,632,672 |
| 1999 | 3,887,891 | 1,763,536 | 9,013,886 | 8,025,696 | 17,039,582 |
| 2000 | 3,978,243 | 1,804,519 | 10,054,045 | 8,959,391 | 19,013,436 |
| 2001 | 4,101,993 | 1,860,652 | 9,864,432 | 8,682,738 | 18,547,170 |

Source:--U.S. Department of Commerce, Bureau of the Census.


**U.S. Imports from Major Areas, 2001
by Volume**



**U.S. Imports from Major Exporters, 2001
by Volume**



U.S. Fishery Product Imports



EDIBLE AND NONEDIBLE FISHERY PRODUCTS IMPORTS, 2001

| Continent and Country | Edible | | -----Thousand dollars----- | Nonedible | Total |
|------------------------|------------------|------------------|----------------------------|------------------|-------------------|
| | Thousand pounds | Metric tons | | | |
| North America: | | | | | |
| Canada | 730,144 | 331,191 | 1,945,879 | 897,918 | 2,843,797 |
| Mexico | 120,746 | 54,770 | 487,492 | 246,998 | 734,490 |
| Dominican Republic | 1,301 | 590 | 1,196 | 171,840 | 173,036 |
| Honduras | 32,046 | 14,536 | 124,750 | 55 | 124,805 |
| Panama | 32,251 | 14,629 | 104,626 | 2,513 | 107,139 |
| Other | 151,954 | 68,926 | 402,228 | 67,201 | 469,429 |
| Total | 1,068,442 | 484,642 | 3,066,171 | 1,386,525 | 4,452,696 |
| South America: | | | | | |
| Chile | 259,823 | 117,855 | 483,384 | 17,008 | 500,392 |
| Ecuador | 177,007 | 80,290 | 396,051 | 11,817 | 407,868 |
| Brazil | 51,689 | 23,446 | 155,419 | 39,085 | 194,504 |
| Argentina | 67,507 | 30,621 | 105,127 | 17,316 | 122,443 |
| Venezuela | 31,314 | 14,204 | 118,698 | 2,520 | 121,218 |
| Other | 93,876 | 42,582 | 176,405 | 135,800 | 312,205 |
| Total | 681,217 | 308,998 | 1,435,084 | 223,546 | 1,658,630 |
| Europe: | | | | | |
| European Union: | | | | | |
| Italy | 1,612 | 731 | 4,018 | 1,460,451 | 1,464,469 |
| France | 4,918 | 2,231 | 12,105 | 740,167 | 752,272 |
| United Kingdom | 16,678 | 7,565 | 25,685 | 257,825 | 283,510 |
| Germany | 3,472 | 1,575 | 4,862 | 272,850 | 277,712 |
| Spain | 13,393 | 6,075 | 27,657 | 74,276 | 101,933 |
| Other | 22,954 | 10,412 | 48,547 | 171,474 | 220,021 |
| Total | 63,027 | 28,589 | 122,874 | 2,977,043 | 3,099,917 |
| Other: | | | | | |
| Russian Federation | 60,095 | 27,259 | 215,381 | 1,539 | 216,920 |
| Switzerland | 40 | 18 | 141 | 170,990 | 171,131 |
| Turkey | 2,328 | 1,056 | 7,063 | 162,716 | 169,779 |
| Iceland | 60,845 | 27,599 | 151,746 | 8,171 | 159,917 |
| Norway | 50,117 | 22,733 | 115,112 | 24,280 | 139,392 |
| Other | 15,659 | 7,103 | 42,151 | 74,355 | 116,506 |
| Total | 189,084 | 85,768 | 531,594 | 442,051 | 973,645 |
| Asia: | | | | | |
| Thailand | 551,066 | 249,962 | 1,607,657 | 652,857 | 2,260,514 |
| China | 412,104 | 186,929 | 663,477 | 584,984 | 1,248,461 |
| India | 101,520 | 46,049 | 296,123 | 601,970 | 898,093 |
| Hong Kong | 4,980 | 2,259 | 7,885 | 544,711 | 552,596 |
| Viet Nam | 137,239 | 62,251 | 477,888 | 494 | 478,382 |
| Other | 671,116 | 304,416 | 1,247,667 | 1,077,691 | 2,325,358 |
| Total | 1,878,024 | 851,866 | 4,300,697 | 3,462,707 | 7,763,404 |
| Oceania: | | | | | |
| Australia | 10,617 | 4,816 | 70,157 | 76,779 | 146,936 |
| New Zealand | 69,734 | 31,631 | 118,578 | 17,222 | 135,800 |
| Fiji | 34,110 | 15,472 | 62,237 | 2,523 | 64,760 |
| French Polynesia | 2,030 | 921 | 4,622 | 29,289 | 33,911 |
| Western Samoa | 9,665 | 4,384 | 12,792 | 3 | 12,795 |
| Other | 42,789 | 19,409 | 32,029 | 2,268 | 34,297 |
| Total | 168,945 | 76,633 | 300,415 | 128,084 | 428,499 |
| Africa: | | | | | |
| South Africa | 21,446 | 9,728 | 40,185 | 44,672 | 84,857 |
| Morocco | 12,848 | 5,828 | 21,512 | 4,803 | 26,315 |
| Seychelles | 5,141 | 2,332 | 17,741 | - | 17,741 |
| Namibia | 5,593 | 2,537 | 12,434 | 44 | 12,478 |
| Zimbabwe | - | - | - | 6,830 | 6,830 |
| Other | 8,225 | 3,731 | 15,725 | 6,433 | 22,158 |
| Total | 53,254 | 24,156 | 107,597 | 62,782 | 170,379 |
| Grand total | 4,101,993 | 1,860,652 | 9,864,432 | 8,682,738 | 18,547,170 |

Source:--U.S. Department of Commerce, Bureau of the Census.

**REGULAR AND MINCED FISH BLOCKS AND SLABS IMPORTS,
BY SPECIES AND TYPE, 2000 AND 2001**

| Species and type | 2000 | | | 2001 | | |
|----------------------------------|----------------------------|------------------------|-----------------------------|----------------------------|------------------------|-----------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Regular blocks and slabs: | | | | | | |
| Cod | 27,738 | 12,582 | 49,558 | 21,515 | 9,759 | 38,510 |
| Flatfish | 6,437 | 2,920 | 11,731 | 4,784 | 2,170 | 5,630 |
| Haddock | 5,635 | 2,556 | 12,669 | 4,228 | 1,918 | 8,647 |
| Ocean perch | 487 | 221 | 826 | 377 | 171 | 641 |
| Pollock | 115,356 | 52,325 | 90,609 | 74,401 | 33,748 | 61,390 |
| Whiting | 12,101 | 5,489 | 9,967 | 9,705 | 4,402 | 7,984 |
| Other | 11,482 | 5,208 | 14,457 | 4,059 | 1,841 | 7,251 |
| Total | 179,236 | 81,301 | 189,817 | 119,068 | 54,009 | 130,053 |
| Minced blocks and slabs | 24,667 | 11,189 | 18,883 | 27,613 | 12,525 | 28,899 |
| Grand total | 203,903 | 92,490 | 208,700 | 146,681 | 66,534 | 158,952 |

Source:--U.S. Department of Commerce, Bureau of the Census.

**REGULAR AND MINCED FISH BLOCKS AND SLABS IMPORTS,
BY COUNTRY OF ORIGIN, 2000 AND 2001**

| Country | 2000 | | | 2001 | | |
|--------------------|----------------------------|------------------------|-----------------------------|----------------------------|------------------------|-----------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| China | 94,979 | 43,082 | 77,633 | 72,040 | 32,677 | 63,717 |
| Russian Federation | 45,818 | 20,783 | 44,625 | 20,205 | 9,165 | 21,310 |
| Canada | 14,912 | 6,764 | 16,692 | 11,900 | 5,398 | 13,300 |
| Denmark | 5,452 | 2,473 | 11,187 | 5,622 | 2,550 | 10,939 |
| Norway | 3,452 | 1,566 | 6,906 | 3,349 | 1,519 | 6,408 |
| Iceland | 5,957 | 2,702 | 9,216 | 3,492 | 1,584 | 5,473 |
| Chile | 4,638 | 2,104 | 4,548 | 4,314 | 1,957 | 5,328 |
| Japan | 2,288 | 1,038 | 2,165 | 4,650 | 2,109 | 4,609 |
| Thailand | 282 | 128 | 457 | 2,824 | 1,281 | 4,529 |
| Other | 26,125 | 11,850 | 35,271 | 18,285 | 8,294 | 23,339 |
| Total | 203,903 | 92,490 | 208,700 | 146,681 | 66,534 | 158,952 |

Source:--U.S. Department of Commerce, Bureau of the Census.

GROUND FISH FILLET AND STEAK IMPORTS, BY SPECIES, 2000 AND 2001 (1)

| Species | 2000 | | | 2001 | | |
|--------------|----------------------------|------------------------|-----------------------------|----------------------------|------------------------|-----------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Cod | 93,433 | 42,381 | 251,350 | 83,085 | 37,687 | 207,525 |
| Haddock (2) | 113,513 | 51,489 | 137,979 | 92,767 | 42,079 | 119,796 |
| Ocean perch | 18,009 | 8,169 | 31,344 | 18,832 | 8,542 | 30,995 |
| Total | 224,955 | 102,039 | 420,673 | 194,684 | 88,308 | 358,316 |

(1) Does not include data on fish blocks and slabs.

(2) Includes some quantities of cusk, hake, and pollock fillets.

Source:--U.S. Department of Commerce, Bureau of the Census.

CANNED TUNA NOT IN OIL, QUOTA AND IMPORTS, 2000-2001

| Year | Quota (1) | | Over quota (2) | | Total | |
|------|--------------------|----------------|--------------------|----------------|--------------------|----------------|
| | Thousand pounds | Metric tons | Thousand pounds | Metric tons | Thousand pounds | Metric tons |
| 1992 | 73,724 | 33,441 | 259,739 | 117,817 | 333,463 | 151,258 |
| 1993 | 72,681 | 32,968 | 144,287 | 65,448 | 216,968 | 98,416 |
| 1994 | 73,294 | 33,246 | 168,224 | 76,306 | 241,518 | 109,552 |
| 1995 | 73,367 | 33,279 | 126,176 | 57,233 | 199,543 | 90,512 |
| 1996 | 80,027 | 36,300 | 117,205 | 53,164 | 197,232 | 89,464 |
| 1997 | 78,620 | 35,662 | 139,714 | 63,374 | 218,335 | 99,036 |
| 1998 | 67,317 | 30,535 | 176,648 | 80,127 | 243,965 | 110,662 |
| 1999 | 72,086 | 32,698 | 249,016 | 112,953 | 321,102 | 145,651 |
| 2000 | 62,403 | 28,306 | 245,211 | 111,227 | 307,614 | 139,533 |
| 2001 | 65,155 | 29,554 | 220,528 | 100,031 | 285,683 | 129,585 |


(1) Imports have been subject to tariff quotas since April 14, 1956, and are based on 20 percent of the previous year's domestic pack, excluding the pack in American Samoa. Dutiable in 1956 to 1967 at 12.5 percent ad valorem; 1968, 11 percent; 1969, 10 percent; 1970, 8.5 percent; 1971, 7 percent; and 1972 to 2001, 6 percent.

(2) Dutiable in 1972 to 2001, 12.5 percent.


Note:—Data in this table will not agree with tuna import data released by the U.S. Department of Commerce, Bureau of the Census. Any tuna entered for consumption or withdrawn from a warehouse for consumption during the calendar year, except for receipts for possessions of the U.S., is subject to this quota.

Source:—U.S. Department of the Treasury, U.S. Customs Service.

Canned Tuna Quota and Imports



Imports of Canned Tuna by Major Exporter, 2001 by Volume



CANNED TUNA, BY COUNTRY OF ORIGIN, 2000 AND 2001

| Country | 2000 | | | 2001 | | |
|------------------|--------------------|----------------|---------------------|--------------------|----------------|---------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Thailand | 176,211 | 79,929 | 155,435 | 141,176 | 64,037 | 167,503 |
| Ecuador | 5,245 | 2,379 | 6,267 | 32,225 | 14,617 | 44,221 |
| Philippines | 77,719 | 35,253 | 46,530 | 62,090 | 28,164 | 42,582 |
| Indonesia | 29,524 | 13,392 | 30,383 | 33,543 | 15,215 | 37,044 |
| Papua New Guinea | 16,852 | 7,644 | 10,504 | 11,482 | 5,208 | 7,976 |
| Malaysia | 3,953 | 1,793 | 5,783 | 3,034 | 1,376 | 4,926 |
| South Korea | 818 | 371 | 736 | 2,776 | 1,259 | 3,632 |
| Viet Nam | 807 | 366 | 515 | 3,477 | 1,577 | 2,667 |
| Spain | 284 | 129 | 643 | 452 | 205 | 958 |
| Other | 1,554 | 705 | 1,735 | 1,949 | 884 | 2,596 |
| Total | 312,967 | 141,961 | 258,531 | 292,202 | 132,542 | 314,105 |

Source:—U.S. Department of Commerce, Bureau of the Census.

SHRIMP IMPORTS, BY COUNTRY OF ORIGIN, 2000 AND 2001

| Country | 2000 | | | 2001 | | |
|------------------------|--------------------|----------------|---------------------|--------------------|----------------|---------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| North America: | | | | | | |
| Mexico | 64,097 | 29,074 | 403,014 | 66,175 | 30,017 | 380,961 |
| Honduras | 17,372 | 7,880 | 84,179 | 21,352 | 9,685 | 72,575 |
| Panama | 12,899 | 5,851 | 64,648 | 15,176 | 6,884 | 70,452 |
| Canada | 19,513 | 8,851 | 57,511 | 14,775 | 6,702 | 40,767 |
| Nicaragua | 10,642 | 4,827 | 44,137 | 11,098 | 5,034 | 36,266 |
| Belize | 4,934 | 2,238 | 22,111 | 6,089 | 2,762 | 20,623 |
| Guatemala | 3,607 | 1,636 | 15,776 | 5,922 | 2,686 | 19,121 |
| El Salvador | 3,056 | 1,386 | 14,758 | 3,477 | 1,577 | 16,258 |
| Costa Rica | 2,407 | 1,092 | 14,176 | 2,269 | 1,029 | 10,280 |
| Aruba | 13 | 6 | 81 | 459 | 208 | 1,073 |
| Other | 187 | 85 | 946 | 165 | 75 | 516 |
| Total | 138,727 | 62,926 | 721,337 | 146,956 | 66,659 | 668,892 |
| South America: | | | | | | |
| Ecuador | 42,101 | 19,097 | 190,393 | 58,995 | 26,760 | 224,288 |
| Venezuela | 32,815 | 14,885 | 141,495 | 20,981 | 9,517 | 78,697 |
| Brazil | 12,998 | 5,896 | 53,131 | 21,647 | 9,819 | 63,639 |
| Guyana | 19,032 | 8,633 | 40,371 | 25,772 | 11,690 | 53,188 |
| Colombia | 6,166 | 2,797 | 32,815 | 6,967 | 3,160 | 31,176 |
| Argentina | 157 | 71 | 878 | 5,075 | 2,302 | 28,329 |
| Suriname | 5,873 | 2,664 | 13,171 | 5,333 | 2,419 | 11,728 |
| Peru | 1,074 | 487 | 4,145 | 1,649 | 748 | 6,028 |
| Chile | 970 | 440 | 3,355 | 260 | 118 | 1,078 |
| Uruguay | 150 | 68 | 777 | - | - | - |
| Total | 121,337 | 55,038 | 480,531 | 146,679 | 66,533 | 498,151 |
| Europe: | | | | | | |
| European Union: | | | | | | |
| United Kingdom | 291 | 132 | 1,380 | 265 | 120 | 851 |
| France | 42 | 19 | 163 | 71 | 32 | 322 |
| Belgium | 9 | 4 | 58 | 49 | 22 | 238 |
| Denmark | 75 | 34 | 151 | 86 | 39 | 211 |
| Ireland | - | - | - | 40 | 18 | 92 |
| Other | 377 | 39 | 319 | 366 | 28 | 216 |
| Total | 503 | 228 | 2,071 | 571 | 259 | 1,930 |
| Other: | | | | | | |
| Iceland | 15 | 7 | 67 | 86 | 39 | 301 |
| Norway | 298 | 135 | 729 | 84 | 38 | 260 |
| Estonia | 73 | 33 | 284 | - | - | - |
| Faroe Islands | 46 | 21 | 150 | - | - | - |
| Other | - | - | - | - | - | - |
| Total | 432 | 196 | 1,230 | 170 | 77 | 561 |
| Asia: | | | | | | |
| Thailand | 278,767 | 126,448 | 1,498,353 | 299,998 | 136,078 | 1,266,056 |
| Viet Nam | 34,652 | 15,718 | 235,557 | 73,343 | 33,268 | 381,504 |
| India | 62,556 | 28,375 | 239,582 | 72,485 | 32,879 | 264,750 |
| China | 40,130 | 18,203 | 136,451 | 61,766 | 28,017 | 191,593 |
| Indonesia | 36,942 | 16,757 | 190,727 | 34,939 | 15,848 | 155,525 |
| Bangladesh | 22,535 | 10,222 | 145,307 | 19,237 | 8,726 | 92,244 |
| Burma | 6,058 | 2,748 | 26,905 | 5,734 | 2,601 | 24,262 |
| Philippines | 4,127 | 1,872 | 22,891 | 3,876 | 1,758 | 17,352 |
| Malaysia | 2,401 | 1,089 | 12,665 | 3,291 | 1,493 | 14,942 |
| Pakistan | 2,158 | 979 | 7,462 | 3,300 | 1,497 | 10,939 |
| Other | 8,816 | 3,999 | 33,011 | 9,233 | 4,188 | 32,307 |
| Total | 499,143 | 226,410 | 2,548,911 | 587,202 | 266,353 | 2,451,474 |
| Oceania | 300 | 136 | 1,804 | 884 | 401 | 4,912 |
| Africa | 313 | 142 | 1,444 | 119 | 54 | 878 |
| Grand total | 760,755 | 345,076 | 3,757,328 | 882,581 | 400,336 | 3,626,798 |

Note:--Statistics on imports are the weights of the individual products as received, i.e., raw headless, peeled, etc.


Source:--U.S. Department of Commerce, Bureau of the Census.

SHRIMP IMPORTS, BY TYPE OF PRODUCT, 2000 AND 2001


| Type of product | 2000 | | | 2001 | | |
|----------------------|-----------------|----------------|------------------|-----------------|----------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Shell-on (heads off) | 338,737 | 153,650 | 1,814,996 | 441,577 | 200,298 | 1,922,905 |
| Peeled: | | | | | | |
| Canned | 3,655 | 1,658 | 8,661 | 4,273 | 1,938 | 9,657 |
| Not breaded: | | | | | | |
| Raw | 285,762 | 129,621 | 1,254,505 | 276,516 | 125,427 | 1,056,559 |
| Other | 128,369 | 58,228 | 663,457 | 153,114 | 69,452 | 612,274 |
| Breaded | 4,231 | 1,919 | 15,709 | 7,101 | 3,221 | 25,403 |
| Total | 760,755 | 345,076 | 3,757,328 | 882,581 | 400,336 | 3,626,798 |

Source:--U.S. Department of Commerce, Bureau of the Census.

Shrimp Imports by Major Exporter, 2001 by Volume



Shrimp Imports by Type, 2001 by Volume



FISH MEAL AND SCRAP IMPORTS, BY COUNTRY OF ORIGIN, 2000 AND 2001

| Country | 2000 | | | 2001 | | |
|--------------|-----------------|---------------|------------------|-----------------|---------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Iceland | 31,431 | 14,257 | 6,688 | 30,880 | 14,007 | 7,596 |
| Peru | 14,813 | 6,719 | 2,854 | 24,048 | 10,908 | 5,235 |
| Canada | 13,986 | 6,344 | 4,169 | 17,919 | 8,128 | 4,925 |
| Mexico | 3,964 | 1,798 | 840 | 24,281 | 11,014 | 4,746 |
| Ecuador | 2,449 | 1,111 | 329 | 5,617 | 2,548 | 1,005 |
| Japan | 3,512 | 1,593 | 778 | 3,552 | 1,611 | 837 |
| Denmark | 2,582 | 1,171 | 710 | 2,551 | 1,157 | 757 |
| Chile | 4,202 | 1,906 | 827 | 3,272 | 1,484 | 657 |
| China | 1,638 | 743 | 637 | 448 | 203 | 550 |
| Other | 437 | 198 | 290 | 710 | 322 | 530 |
| Total | 79,013 | 35,840 | 18,122 | 113,277 | 51,382 | 26,838 |

Source:--U.S. Department of Commerce, Bureau of the Census.

FISHERY PRODUCTS EXPORTS, BY PRINCIPAL ITEMS, 2000 AND 2001 (1)


| Item | 2000 | | | 2001 | | |
|---------------------------------|--------------------|----------------|---------------------|--------------------|------------------|---------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Edible fishery products: | | | | | | |
| Fresh and frozen: | | | | | | |
| Whole or eviscerated: | | | | | | |
| Freshwater | 7,319 | 3,320 | 7,086 | 9,209 | 4,177 | 7,180 |
| Flatfish | 146,112 | 66,276 | 125,955 | 136,681 | 61,998 | 113,824 |
| Groundfish | 181,760 | 82,446 | 170,953 | 247,365 | 112,204 | 223,893 |
| Herring | 37,648 | 17,077 | 24,142 | 86,447 | 39,212 | 34,708 |
| Sablefish | 37,619 | 17,064 | 86,545 | 21,568 | 9,783 | 56,419 |
| Salmon | 218,941 | 99,311 | 351,752 | 209,115 | 94,854 | 300,695 |
| Tuna | 16,775 | 7,609 | 26,088 | 30,569 | 13,866 | 36,748 |
| Other | 315,540 | 143,128 | 206,649 | 308,448 | 139,911 | 192,116 |
| Fillets, and steaks: | | | | | | |
| Freshwater | 613 | 278 | 609 | 1,162 | 527 | 2,022 |
| Groundfish | 52,145 | 23,653 | 49,671 | 162,353 | 73,643 | 154,424 |
| Other | 34,753 | 15,764 | 66,385 | 72,055 | 32,684 | 115,189 |
| Blocks and slabs | 58,437 | 26,507 | 53,005 | 92,276 | 41,856 | 77,127 |
| Surimi | 330,778 | 150,040 | 285,292 | 402,309 | 182,486 | 301,503 |
| Fish sticks | 31,338 | 14,215 | 36,539 | 51,797 | 23,495 | 48,579 |
| Clams | 1,111 | 504 | 2,032 | 800 | 363 | 1,969 |
| Crabs | 36,347 | 16,487 | 121,783 | 26,129 | 11,852 | 80,710 |
| Crabmeat | 3,289 | 1,492 | 7,877 | 6,074 | 2,755 | 18,813 |
| Lobsters | 63,929 | 28,998 | 290,748 | 59,606 | 27,037 | 260,290 |
| Scallops (meats) | 8,911 | 4,042 | 36,154 | 10,295 | 4,670 | 38,217 |
| Sea urchins | 4,941 | 2,241 | 11,178 | 4,266 | 1,935 | 10,506 |
| Shrimp | 35,344 | 16,032 | 136,698 | 32,531 | 14,756 | 122,162 |
| Squid | 191,902 | 87,046 | 81,060 | 212,087 | 96,202 | 74,276 |
| Other fish and shellfish | 31,378 | 10,913 | 60,238 | 29,930 | 9,399 | 48,902 |
| Total, fresh and frozen | 1,839,613 | 834,443 | 2,238,439 | 2,203,861 | 999,665 | 2,320,272 |
| Canned: | | | | | | |
| Salmon | 81,006 | 36,744 | 145,991 | 110,076 | 49,930 | 168,254 |
| Sardines | 9,306 | 4,221 | 6,236 | 21,248 | 9,638 | 11,047 |
| Tuna | 4,178 | 1,895 | 6,409 | 3,521 | 1,597 | 4,389 |
| Abalone | 66 | 30 | 897 | 115 | 52 | 1,429 |
| Crabmeat | 2,586 | 1,173 | 5,677 | 1,931 | 876 | 5,632 |
| Shrimp | 2,549 | 1,156 | 14,410 | 3,091 | 1,402 | 16,096 |
| Squid | 17,756 | 8,054 | 7,303 | 23,647 | 10,726 | 8,572 |
| Other fish and shellfish | 40,827 | 18,519 | 30,925 | 19,568 | 8,876 | 24,612 |
| Total, canned | 158,273 | 71,792 | 217,848 | 183,196 | 83,097 | 240,031 |
| Cured: | | | | | | |
| Dried | 2,458 | 1,115 | 6,966 | 2,370 | 1,075 | 6,202 |
| Pickled or salted | 11,072 | 5,022 | 10,878 | 19,833 | 8,996 | 22,519 |
| Smoked or kippered | 403 | 183 | 1,815 | 589 | 267 | 2,571 |
| Total, cured | 13,933 | 6,320 | 19,659 | 22,791 | 10,338 | 31,292 |
| Caviar and roe: | | | | | | |
| Herring | 21,940 | 9,952 | 23,519 | 15,470 | 7,017 | 23,658 |
| Pollock | 30,119 | 13,662 | 165,164 | 57,000 | 25,855 | 350,162 |
| Salmon | 21,241 | 9,635 | 104,995 | 21,010 | 9,530 | 100,288 |
| Sea urchin | 3,679 | 1,669 | 66,197 | 2,707 | 1,228 | 48,631 |
| Other | 18,020 | 8,174 | 73,672 | 11,301 | 5,126 | 44,148 |
| Total, caviar and roe | 95,001 | 43,092 | 433,547 | 107,487 | 48,756 | 566,887 |
| Prepared meals | 5,256 | 2,384 | 9,871 | 6,347 | 2,879 | 14,689 |
| Other fish and shellfish | 52,919 | 24,004 | 32,353 | 41,277 | 18,723 | 21,329 |
| Total edible products | 2,164,994 | 982,035 | 2,951,717 | 2,564,960 | 1,163,458 | 3,194,500 |
| Nonedible products: | | | | | | |
| Meal and scrap | 209,177 | 94,882 | 75,327 | 238,013 | 107,962 | 67,682 |
| Fish oils | 142,221 | 64,511 | 24,057 | 248,798 | 112,854 | 41,669 |
| Other | - | - | 7,754,491 | - | - | 8,571,429 |
| Total nonedible products | - | - | 7,829,818 | - | - | 8,639,111 |
| Grand total | - | - | 10,781,535 | - | - | 11,833,611 |

EDIBLE AND NONEDIBLE FISHERY PRODUCTS EXPORTS, 2000-2001 (1)


| Year | Edible | | Nonedible | Total |
|------|-----------------|-------------|----------------------------|------------|
| | Thousand pounds | Metric tons | | |
| | | | -----Thousand dollars----- | |
| 1992 | 2,087,606 | 946,932 | 3,465,667 | 7,119,632 |
| 1993 | 1,986,027 | 900,856 | 3,076,813 | 6,924,724 |
| 1994 | 1,978,507 | 897,445 | 3,126,120 | 7,380,861 |
| 1995 | 2,047,181 | 928,595 | 3,262,242 | 8,268,120 |
| 1996 | 2,112,055 | 958,022 | 3,032,282 | 8,653,451 |
| 1997 | 2,018,889 | 915,762 | 2,713,082 | 9,353,615 |
| 1998 | 1,663,889 | 754,735 | 2,259,727 | 8,697,112 |
| 1999 | 1,961,122 | 889,559 | 2,848,548 | 10,006,850 |
| 2000 | 2,164,994 | 982,035 | 2,951,717 | 10,781,535 |
| 2001 | 2,564,960 | 1,163,458 | 3,194,500 | 11,833,611 |

(1) Figures reflect both domestic and foreign (re-exports).
 Source:--U.S. Department of Commerce, Bureau of the Census.


**U.S. Exports to Major Areas, 2001
by Volume**



**U.S. Exports to Major Importers, 2001
by Volume**



U.S. Fishery Product Exports



EDIBLE AND NONEDIBLE FISHERY PRODUCTS EXPORTS, 2001 (1)

| Continent and Country | Edible | | -----Thousand dollars----- | Nonedible | Total |
|--------------------------|------------------|------------------|----------------------------|------------------|-------------------|
| | Thousand pounds | Metric tons | | | |
| North America: | | | | | |
| Canada | 367,053 | 166,494 | 640,940 | 1,615,615 | 2,256,555 |
| Mexico | 39,059 | 17,717 | 72,063 | 1,012,820 | 1,084,883 |
| Dominican Republic | 33,124 | 15,025 | 47,173 | 127,889 | 175,062 |
| Netherlands Antilles | 668 | 303 | 2,005 | 165,003 | 167,008 |
| Panama | 1,852 | 840 | 3,195 | 58,053 | 61,248 |
| Other | 16,393 | 7,436 | 31,259 | 272,384 | 303,643 |
| Total | 458,149 | 207,815 | 796,635 | 3,251,764 | 4,048,399 |
| South America: | | | | | |
| Brazil | 7,004 | 3,177 | 6,406 | 224,328 | 230,734 |
| Venezuela | 12,780 | 5,797 | 6,902 | 87,276 | 94,178 |
| Argentina | 320 | 145 | 422 | 62,538 | 62,960 |
| Colombia | 961 | 436 | 1,309 | 58,210 | 59,519 |
| Chile | 529 | 240 | 656 | 38,696 | 39,352 |
| Other | 3,796 | 1,722 | 6,093 | 81,623 | 87,716 |
| Total | 25,390 | 11,517 | 21,788 | 552,671 | 574,459 |
| Europe: | | | | | |
| European Union: | | | | | |
| United Kingdom | 72,057 | 32,685 | 105,800 | 309,203 | 415,003 |
| Germany | 145,257 | 65,888 | 135,240 | 154,965 | 290,205 |
| France | 54,864 | 24,886 | 84,670 | 182,781 | 267,451 |
| Netherlands | 28,464 | 12,911 | 29,367 | 203,708 | 233,075 |
| Belgium | 8,250 | 3,742 | 15,168 | 157,557 | 172,725 |
| Other | 136,244 | 61,800 | 172,679 | 237,462 | 410,141 |
| Total | 445,135 | 201,912 | 542,924 | 1,245,676 | 1,788,600 |
| Other: | | | | | |
| Switzerland | 17,302 | 7,848 | 10,099 | 733,887 | 743,986 |
| Norway | 24,482 | 11,105 | 28,374 | 15,990 | 44,364 |
| Russian Federation | 9,284 | 4,211 | 8,743 | 22,042 | 30,785 |
| Turkey | 75 | 34 | 149 | 12,654 | 12,803 |
| Estonia | 990 | 449 | 643 | 9,611 | 10,254 |
| Other | 22,088 | 10,019 | 14,765 | 44,985 | 59,750 |
| Total | 74,220 | 33,666 | 62,773 | 839,169 | 901,942 |
| Asia: | | | | | |
| Japan | 767,893 | 348,314 | 1,139,354 | 972,478 | 2,111,832 |
| South Korea | 295,976 | 134,254 | 315,360 | 197,226 | 512,586 |
| Hong Kong | 13,858 | 6,286 | 30,305 | 441,815 | 472,120 |
| China | 230,160 | 104,400 | 128,627 | 160,980 | 289,607 |
| Taiwan | 17,824 | 8,085 | 31,263 | 117,644 | 148,907 |
| Other | 102,765 | 46,614 | 78,685 | 641,667 | 720,352 |
| Total | 1,428,477 | 647,953 | 1,723,594 | 2,531,810 | 4,255,404 |
| Oceania: | | | | | |
| Australia | 79,134 | 35,895 | 31,242 | 120,688 | 151,930 |
| New Zealand | 2,399 | 1,088 | 1,705 | 25,042 | 26,747 |
| French Polynesia | 2,970 | 1,347 | 1,718 | 1,308 | 3,026 |
| Fiji | 3,320 | 1,506 | 1,165 | 134 | 1,299 |
| Fed.States of Micronesia | 152 | 69 | 80 | 285 | 365 |
| Other | 1,045 | 474 | 465 | 868 | 1,333 |
| Total | 89,020 | 40,379 | 36,375 | 148,325 | 184,700 |
| Africa: | | | | | |
| South Africa | 1,978 | 897 | 1,623 | 27,733 | 29,356 |
| Egypt | 25,928 | 11,761 | 4,373 | 20,406 | 24,779 |
| Kenya | 4 | 2 | 20 | 9,338 | 9,358 |
| Nigeria | 14,129 | 6,409 | 2,908 | 3,196 | 6,104 |
| Algeria | - | - | - | 1,307 | 1,307 |
| Other | 2,529 | 1,147 | 1,487 | 7,716 | 9,203 |
| Total | 44,568 | 20,216 | 10,411 | 69,696 | 80,107 |
| Grand total | 2,564,960 | 1,163,458 | 3,194,500 | 8,639,111 | 11,833,611 |

(1) Figures reflect both domestic and foreign (re-exports).

Source:--U.S. Department of Commerce, Bureau of the Census.


FRESH AND FROZEN SHRIMP EXPORTS, BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)

| Country | 2000 | | | 2001 | | |
|--------------|-----------------|---------------|------------------|-----------------|---------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Canada | 14,839 | 6,731 | 59,193 | 14,870 | 6,745 | 53,657 |
| Mexico | 9,579 | 4,345 | 31,945 | 10,454 | 4,742 | 36,554 |
| Japan | 2,359 | 1,070 | 11,628 | 897 | 407 | 5,021 |
| Honduras | 1,272 | 577 | 5,721 | 763 | 346 | 3,653 |
| Thailand | 348 | 158 | 1,279 | 679 | 308 | 2,655 |
| China | 1,757 | 797 | 4,942 | 617 | 280 | 1,734 |
| Panama | 564 | 256 | 3,454 | 298 | 135 | 1,661 |
| Ecuador | 467 | 212 | 1,790 | 357 | 162 | 1,597 |
| Viet Nam | 273 | 124 | 1,266 | 236 | 107 | 1,452 |
| Other | 3,885 | 1,762 | 15,480 | 3,360 | 1,524 | 14,178 |
| Total | 35,344 | 16,032 | 136,698 | 32,531 | 14,756 | 122,162 |


(1) Figures reflect both domestic and foreign (re-exports).

Source:--U.S. Department of Commerce, Bureau of the Census.

**U.S. Exports of Shrimp, 2001
by Volume**



**U.S. Exports of Lobster, 2001
by Volume**



FRESH AND FROZEN LOBSTER EXPORTS, BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)

| Country | 2000 | | | 2001 | | |
|--------------|-----------------|---------------|------------------|-----------------|---------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Canada | 37,833 | 17,161 | 138,829 | 35,644 | 16,168 | 127,158 |
| Italy | 6,762 | 3,067 | 36,404 | 6,909 | 3,134 | 35,458 |
| France | 6,272 | 2,845 | 35,159 | 5,110 | 2,318 | 26,652 |
| Spain | 4,773 | 2,165 | 26,176 | 5,004 | 2,270 | 25,510 |
| Japan | 1,922 | 872 | 14,232 | 1,682 | 763 | 11,885 |
| Taiwan | 1,226 | 556 | 9,632 | 798 | 362 | 6,658 |
| South Korea | 518 | 235 | 4,122 | 664 | 301 | 4,663 |
| Germany | 756 | 343 | 4,792 | 719 | 326 | 4,488 |
| Belgium | 906 | 411 | 5,221 | 637 | 289 | 3,650 |
| Other | 2,961 | 1,343 | 16,181 | 2,438 | 1,106 | 14,168 |
| Total | 63,929 | 28,998 | 290,748 | 59,606 | 27,037 | 260,290 |

(1) Figures reflect both domestic and foreign (re-exports).

Source:--U.S. Department of Commerce, Bureau of the Census.

**FRESH AND FROZEN SALMON EXPORTS, WHOLE OR EVISCERATED,
BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)**

| Country | 2000 | | | 2001 | | |
|--------------|----------------------------|------------------------|-----------------------------|----------------------------|------------------------|-----------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Japan | 84,238 | 38,210 | 178,223 | 71,094 | 32,248 | 145,069 |
| Canada | 65,358 | 29,646 | 86,428 | 43,129 | 19,563 | 63,959 |
| China | 10,922 | 4,954 | 16,322 | 20,448 | 9,275 | 16,304 |
| Thailand | 4,153 | 1,884 | 7,325 | 14,372 | 6,519 | 16,089 |
| France | 14,050 | 6,373 | 14,238 | 15,322 | 6,950 | 13,669 |
| Germany | 10,463 | 4,746 | 11,416 | 8,100 | 3,674 | 8,380 |
| South Korea | 1,973 | 895 | 3,452 | 6,111 | 2,772 | 5,129 |
| Switzerland | 1,382 | 627 | 2,988 | 1,801 | 817 | 3,952 |
| Belgium | 3,935 | 1,785 | 5,220 | 3,900 | 1,769 | 3,906 |
| Other | 22,467 | 10,191 | 26,140 | 24,839 | 11,267 | 24,238 |
| Total | 218,941 | 99,311 | 351,752 | 209,115 | 94,854 | 300,695 |

(1) Figures reflect both domestic and foreign (re-exports).
Source:--U.S. Department of Commerce, Bureau of the Census.

**CANNED SALMON EXPORTS,
BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)**

| Country | 2000 | | | 2001 | | |
|----------------|----------------------------|------------------------|-----------------------------|----------------------------|------------------------|-----------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| United Kingdom | 31,762 | 14,407 | 55,787 | 40,205 | 18,237 | 65,305 |
| Canada | 25,340 | 11,494 | 53,991 | 33,490 | 15,191 | 51,820 |
| Australia | 9,859 | 4,472 | 14,149 | 12,288 | 5,574 | 15,655 |
| Japan | 913 | 414 | 2,343 | 4,720 | 2,141 | 8,548 |
| Netherlands | 4,156 | 1,885 | 6,682 | 5,185 | 2,352 | 6,837 |
| Germany | 503 | 228 | 1,090 | 1,477 | 670 | 2,909 |
| Israel | 966 | 438 | 1,584 | 1,645 | 746 | 2,648 |
| France | 1,590 | 721 | 2,041 | 1,892 | 858 | 2,621 |
| China | 417 | 189 | 684 | 2,097 | 951 | 2,131 |
| Other | 5,503 | 2,496 | 7,640 | 7,077 | 3,210 | 9,780 |
| Total | 81,006 | 36,744 | 145,991 | 110,076 | 49,930 | 168,254 |

(1) Figures reflect both domestic and foreign (re-exports).
Source:--U.S. Department of Commerce, Bureau of the Census.

**FROZEN SURIMI EXPORTS,
BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)**

| Country | 2000 | | | 2001 | | |
|--------------------|----------------------------|------------------------|-----------------------------|----------------------------|------------------------|-----------------------------|
| | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> | <u>Thousand pounds</u> | <u>Metric tons</u> | <u>Thousand dollars</u> |
| Japan | 195,164 | 88,526 | 188,984 | 207,327 | 94,043 | 154,297 |
| South Korea | 100,964 | 45,797 | 68,878 | 133,672 | 60,633 | 99,600 |
| France | 12,452 | 5,648 | 10,162 | 12,176 | 5,523 | 10,127 |
| China | 5,309 | 2,408 | 3,223 | 11,457 | 5,197 | 6,564 |
| Lithuania | 1,164 | 528 | 997 | 6,519 | 2,957 | 5,503 |
| Germany | 2,097 | 951 | 1,489 | 5,750 | 2,608 | 5,108 |
| Taiwan | 3,448 | 1,564 | 3,018 | 5,968 | 2,707 | 5,081 |
| Spain | 1,299 | 589 | 905 | 4,841 | 2,196 | 3,546 |
| Russian Federation | 1,078 | 489 | 877 | 3,571 | 1,620 | 2,676 |
| Other | 7,804 | 3,540 | 6,759 | 11,027 | 5,002 | 9,001 |
| Total | 330,778 | 150,040 | 285,292 | 402,309 | 182,486 | 301,503 |


(1) Figures reflect both domestic and foreign (re-exports).
Source:--U.S. Department of Commerce, Bureau of the Census.

FRESH AND FROZEN CRAB EXPORTS, BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)


| Country | 2000 | | | 2001 | | |
|----------------|-----------------|---------------|------------------|-----------------|---------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Japan | 15,016 | 6,811 | 76,838 | 6,482 | 2,940 | 38,196 |
| Canada | 17,271 | 7,834 | 29,689 | 16,393 | 7,436 | 30,470 |
| China | 2,736 | 1,241 | 10,703 | 2,242 | 1,017 | 8,343 |
| Thailand | 66 | 30 | 2,003 | 249 | 113 | 758 |
| Mexico | 77 | 35 | 426 | 126 | 57 | 362 |
| Belgium | 68 | 31 | 407 | 62 | 28 | 289 |
| Singapore | 53 | 24 | 275 | 101 | 46 | 276 |
| United Kingdom | 582 | 264 | 251 | 42 | 19 | 271 |
| Bahrain | - | - | - | 57 | 26 | 266 |
| Other | 478 | 217 | 1,191 | 375 | 170 | 1,479 |
| Total | 36,347 | 16,487 | 121,783 | 26,129 | 11,852 | 80,710 |

(1) Figures reflect both domestic and foreign (re-exports).
Source:--U.S. Department of Commerce, Bureau of the Census.

**U.S Exports of Crabs, 2001
by Volume**



**U.S Exports of Crabmeat, 2001
by Volume**



FRESH AND FROZEN CRABMEAT EXPORTS, BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)

| Country | 2000 | | | 2001 | | |
|----------------|-----------------|--------------|------------------|-----------------|--------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Japan | 1,481 | 672 | 3,299 | 2,502 | 1,135 | 8,092 |
| China | 306 | 139 | 603 | 1,986 | 901 | 6,045 |
| Mexico | 68 | 31 | 252 | 289 | 131 | 762 |
| Thailand | 207 | 94 | 401 | 154 | 70 | 579 |
| Canada | 123 | 56 | 460 | 183 | 83 | 464 |
| Hong Kong | 258 | 117 | 862 | 104 | 47 | 461 |
| Viet Nam | - | - | - | 90 | 41 | 453 |
| Taiwan | 174 | 79 | 355 | 101 | 46 | 226 |
| Turks & Caicos | 68 | 31 | 200 | 31 | 14 | 217 |
| Other | 602 | 273 | 1,445 | 633 | 287 | 1,514 |
| Total | 3,289 | 1,492 | 7,877 | 6,074 | 2,755 | 18,813 |

(1) Figures reflect both domestic and foreign (re-exports).
Source:--U.S. Department of Commerce, Bureau of the Census.


FISH MEAL EXPORTS, BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)

| Country | 2000 | | | 2001 | | |
|--------------|-----------------|---------------|------------------|-----------------|----------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| China | 79,557 | 36,087 | 29,705 | 79,447 | 36,037 | 28,022 |
| Taiwan | 20,992 | 9,522 | 9,419 | 21,506 | 9,755 | 7,974 |
| Japan | 24,925 | 11,306 | 12,015 | 29,015 | 13,161 | 6,425 |
| Canada | 22,258 | 10,096 | 4,876 | 26,592 | 12,062 | 6,015 |
| Egypt | 417 | 189 | 146 | 24,361 | 11,050 | 4,342 |
| Mexico | 17,189 | 7,797 | 4,272 | 13,309 | 6,037 | 4,008 |
| Philippines | 2,954 | 1,340 | 450 | 11,931 | 5,412 | 2,353 |
| South Korea | 5,659 | 2,567 | 1,957 | 6,451 | 2,926 | 2,261 |
| Bangladesh | 7,227 | 3,278 | 596 | 9,550 | 4,332 | 1,645 |
| Other | 27,998 | 12,700 | 11,891 | 15,851 | 7,190 | 4,637 |
| Total | 209,177 | 94,882 | 75,327 | 238,013 | 107,962 | 67,682 |


(1) Figures reflect both domestic and foreign (re-exports).

Source:--U.S. Department of Commerce, Bureau of the Census.

**U.S Exports of Fish Meal, 2001
by Volume**



**U.S Exports of Fish Oil, 2001
by Volume**



FISH AND MARINE ANIMAL OIL EXPORTS, BY COUNTRY OF DESTINATION, 2000 AND 2001 (1)

| Country | 2000 | | | 2001 | | |
|--------------|-----------------|---------------|------------------|-----------------|----------------|------------------|
| | Thousand pounds | Metric tons | Thousand dollars | Thousand pounds | Metric tons | Thousand dollars |
| Japan | 2,707 | 1,228 | 1,113 | 55,618 | 25,228 | 9,191 |
| Netherlands | 36,246 | 16,441 | 3,679 | 71,766 | 32,553 | 9,180 |
| Norway | 23,040 | 10,451 | 2,458 | 50,234 | 22,786 | 7,206 |
| Canada | 9,050 | 4,105 | 2,192 | 16,949 | 7,688 | 3,759 |
| Denmark | - | - | - | 10,569 | 4,794 | 2,301 |
| Mexico | 58,384 | 26,483 | 5,979 | 16,085 | 7,296 | 1,757 |
| Chile | - | - | - | 8,821 | 4,001 | 1,706 |
| South Korea | 6,329 | 2,871 | 3,205 | 7,105 | 3,223 | 1,562 |
| Italy | 7 | 3 | 3 | 4,661 | 2,114 | 991 |
| Other | 6,457 | 2,929 | 5,428 | 6,991 | 3,171 | 4,016 |
| Total | 142,221 | 64,511 | 24,057 | 248,798 | 112,854 | 41,669 |

(1) Figures reflect both domestic and foreign (re-exports).

Source:--U.S. Department of Commerce, Bureau of the Census.

Supply of Fishery Products

U.S. SUPPLY OF EDIBLE AND INDUSTRIAL FISHERY PRODUCTS, 1992-2001 (Round weight)

| Year | Domestic commercial landings (1) | Imports | Exports | Total |
|---------------------------|----------------------------------|---------|---------|--------|
| ----- Million pounds----- | | | | |
| 1992 | 9,637 | 6,469 | 5,278 | 10,828 |
| 1993 | 10,467 | 9,867 | 5,578 | 14,756 |
| 1994 | 10,461 | 8,848 | 5,202 | 14,107 |
| 1995 | 9,788 | 6,696 | 5,252 | 11,232 |
| 1996 | 9,565 | 6,909 | 5,418 | 11,056 |
| 1997 | 9,842 | 7,290 | 5,537 | 11,595 |
| 1998 | 9,194 | 7,703 | 4,889 | 12,008 |
| 1999 | 9,339 | 8,039 | 5,207 | 12,171 |
| 2000 | 9,069 | 8,271 | 5,758 | 11,582 |
| 2001 | 9,492 | 8,627 | 7,107 | 11,012 |

(1) Preliminary.

Note: The weight of U.S. landings and imports represent the round(live) weight of all items except univalve and bivalve mollusks (conchs, clams, oysters, scallops, etc) which are shown in weight of meats excluding the shell.

U.S. SUPPLY OF EDIBLE FISHERY PRODUCTS, 1992-2001 (Round weight)

| Year | Domestic commercial landings (1) | Imports | Exports | Total |
|---------------------------|----------------------------------|---------|---------|--------|
| ----- Million pounds----- | | | | |
| 1992 | 7,618 | 5,624 | 4,123 | 9,119 |
| 1993 | 8,214 | 5,607 | 4,386 | 9,435 |
| 1994 | 7,936 | 5,778 | 4,306 | 9,408 |
| 1995 | 7,667 | 5,917 | 4,261 | 9,323 |
| 1996 | 7,474 | 6,150 | 4,374 | 9,250 |
| 1997 | 7,244 | 6,495 | 4,326 | 9,413 |
| 1998 | 7,173 | 7,001 | 3,709 | 10,465 |
| 1999 | 6,832 | 7,630 | 4,129 | 10,333 |
| 2000 | 6,912 | 7,828 | 4,587 | 10,153 |
| 2001 | 7,314 | 7,992 | 5,774 | 9,532 |

(1) Preliminary.

U.S. SUPPLY OF INDUSTRIAL FISHERY PRODUCTS, 1992-2001 (Round weight)

| Year | Domestic commercial landings (1) | Imports | Exports | Total |
|---------------------------|----------------------------------|---------|---------|-------|
| ----- Million pounds----- | | | | |
| 1992 | 2,019 | 845 | 1,448 | 1,416 |
| 1993 | 2,253 | 4,260 | 1,192 | 5,321 |
| 1994 | 2,525 | 3,070 | 896 | 4,699 |
| 1995 | 2,121 | 779 | 991 | 1,909 |
| 1996 | 2,091 | 759 | 1,044 | 1,806 |
| 1997 | 2,598 | 795 | 1,211 | 2,182 |
| 1998 | 2,021 | 702 | 1,180 | 1,543 |
| 1999 | 2,507 | 409 | 1,078 | 1,838 |
| 2000 | 2,157 | 443 | 1,171 | 1,429 |
| 2001 | 2,178 | 635 | 1,333 | 1,480 |

(1) Preliminary.

Supply of Fishery Products

U.S. SUPPLY OF COMMERCIAL FINFISH AND SHELLFISH, 2000 and 2001

| Item | Domestic commercial landings | | Imports | | Exports | | Total | |
|---|------------------------------|------------------|------------------|------------------|------------------|------------------|-------------------|-------------------|
| | 2000 | 2001 | 2000 | 2001 | 2000 | 2001 | 2000 | 2001 |
| -----Thousand pounds--round weight----- | | | | | | | | |
| Edible | | | | | | | | |
| Finfish | 5,637,273 | 6,161,936 | 5,369,032 | 5,167,584 | 4,080,242 | 5,263,049 | 6,926,063 | 6,066,471 |
| Shellfish, et al | 1,274,870 | 1,151,946 | 2,459,025 | 2,824,639 | 506,420 | 511,193 | 3,227,475 | 3,465,392 |
| Subtotal | 6,912,143 | 7,313,882 | 7,828,057 | 7,992,223 | 4,586,662 | 5,774,242 | 10,153,538 | 9,531,863 |
| Industrial (1) | | | | | | | | |
| Finfish | 2,052,388 | 2,080,554 | 442,472 | 634,350 | 1,171,391 | 1,332,873 | 1,323,469 | 1,382,031 |
| Shellfish, et al | 104,454 | 97,427 | (2) | (2) | (2) | (2) | 104,454 | 97,427 |
| Subtotal | 2,156,842 | 2,177,981 | 442,472 | 634,350 | 1,171,391 | 1,332,873 | 1,427,923 | 1,479,458 |
| Total: | | | | | | | | |
| Finfish | 7,689,661 | 8,242,490 | 5,811,504 | 5,801,934 | 5,251,633 | 6,595,922 | 8,249,532 | 7,448,502 |
| Shellfish, et al | 1,379,324 | 1,249,373 | 2,459,025 | 2,824,639 | 506,420 | 511,193 | 3,331,929 | 3,562,819 |
| Grand total | 9,068,985 | 9,491,863 | 8,270,529 | 8,626,573 | 5,758,053 | 7,107,115 | 11,581,461 | 11,011,321 |

(1) Includes only quantity harvested for fish meal.

(2) Not available.

NOTE: Total landings shown in this table may not agree with landings reported in other tables due to rounding.


Supply of Fishery Products

U.S. SUPPLY OF ALL FILLETS AND STEAKS, 1992-2001 (Edible weight)

| Year | U.S. production (1) | Imports | Total | Exports | Total supply |
|-----------------------------|---------------------|---------|-----------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 448,664 | 408,059 | 856,723 | 52,247 | 804,476 |
| 1993 | 420,169 | 440,354 | 860,523 | 48,847 | 811,676 |
| 1994 | 425,022 | 439,059 | 864,081 | 43,252 | 820,829 |
| 1995 | 385,293 | 477,483 | 862,776 | 50,785 | 811,991 |
| 1996 | 423,309 | 476,469 | 899,778 | 74,368 | 825,410 |
| 1997 | 409,652 | 514,805 | 924,457 | 55,014 | 869,443 |
| 1998 | 422,418 | 578,561 | 1,000,979 | 101,016 | 899,963 |
| 1999 | 362,303 | 654,301 | 1,016,604 | 83,557 | 933,047 |
| 2000 | 367,680 | 734,711 | 1,102,391 | 87,511 | 1,014,880 |
| 2001 | 476,860 | 795,525 | 1,272,385 | 235,570 | 1,036,815 |

(1) Includes fillets used to produce blocks.

U.S. Supply of Fillets and Steaks



U.S. SUPPLY OF GROUND FISH FILLETS AND STEAKS, 1992-2001 (Edible weight)

| Year | U.S. production (1) | Imports | Total | Exports (2) | Total supply |
|-----------------------------|---------------------|---------|---------|-------------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 252,358 | 172,755 | 425,113 | 17,507 | 407,606 |
| 1993 | 233,755 | 186,516 | 420,271 | 12,242 | 408,029 |
| 1994 | 220,357 | 189,097 | 409,454 | 17,639 | 391,815 |
| 1995 | 216,699 | 184,845 | 401,544 | 24,606 | 376,938 |
| 1996 | 245,406 | 178,209 | 423,615 | 41,691 | 381,924 |
| 1997 | 220,403 | 176,125 | 396,528 | 23,367 | 373,161 |
| 1998 | 255,291 | 186,937 | 442,228 | 63,481 | 378,747 |
| 1999 | 218,765 | 224,944 | 443,709 | 37,474 | 406,235 |
| 2000 | 233,186 | 224,955 | 458,141 | 52,145 | 405,996 |
| 2001 | 336,835 | 194,684 | 531,519 | 162,353 | 369,166 |

(1) Includes fillets used to produce blocks. Species include cod, cusk, haddock, hake, pollock, and ocean perch.

(2) Species include: cod and pollock.

Supply of Fishery Products


U.S. SUPPLY OF FRESH AND FROZEN TUNA, 1992-2001 (Round weight)

| Year | U.S. commercial landings (1) | | | Imports (2) | | | Exports total | Total supply |
|-----------------------------|------------------------------|---------|---------|-------------|---------|---------|---------------|--------------|
| | For canning | Other | Total | For canning | Other | Total | | |
| ----- Thousand pounds ----- | | | | | | | | |
| 1992 | 435,924 | 137,933 | 573,857 | 482,677 | 63,524 | 546,201 | 20,011 | 1,100,047 |
| 1993 | 426,036 | 62,933 | 488,969 | 453,046 | 92,965 | 546,011 | 21,660 | 1,013,320 |
| 1994 | 401,732 | 157,695 | 559,427 | 469,514 | 92,352 | 561,866 | 28,512 | 1,092,781 |
| 1995 | 407,036 | 86,956 | 493,992 | 531,266 | 105,304 | 636,570 | 28,869 | 1,101,693 |
| 1996 | 364,652 | 91,612 | 456,264 | 567,266 | 119,247 | 686,513 | 31,382 | 1,111,395 |
| 1997 | 354,074 | 102,567 | 456,641 | 467,526 | 105,806 | 573,332 | 24,092 | 1,005,881 |
| 1998 | 318,144 | 161,305 | 479,449 | 590,568 | 137,852 | 728,420 | 34,026 | 1,173,843 |
| 1999 | 368,716 | 111,658 | 480,374 | 571,976 | 135,966 | 707,942 | 22,018 | 1,166,298 |
| 2000 | 281,982 | 54,668 | 336,650 | 550,552 | 107,116 | 657,668 | 16,775 | 977,543 |
| 2001 | 230,990 | 100,145 | 331,135 | 434,358 | 124,423 | 558,781 | 30,569 | 859,347 |

(1) Includes a quantity of fish landed at other ports by U.S.-flag vessels.

(2) Includes landings in American Samoa of foreign caught fish.

U.S. Supply of Fresh and Frozen Tuna



Supply of Fishery Products

U.S. SUPPLY OF CANNED SARDINES, 1992-2001 (Canned weight)

| Year | U.S. pack | Imports | Total | Exports | Total supply |
|-----------------------------|-----------|---------|--------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 17,437 | 36,511 | 53,948 | 12,690 | 41,258 |
| 1993 | 14,354 | 39,111 | 53,465 | 12,275 | 41,190 |
| 1994 | 15,560 | 43,942 | 59,502 | 11,010 | 48,492 |
| 1995 | 13,567 | 42,280 | 55,847 | 11,773 | 44,074 |
| 1996 | 17,672 | 40,926 | 58,598 | 12,207 | 46,391 |
| 1997 | 15,976 | 42,771 | 58,747 | 9,321 | 49,426 |
| 1998 | 11,842 | 44,328 | 56,170 | 6,314 | 49,856 |
| 1999 | 12,017 | 48,722 | 60,739 | 3,803 | 56,936 |
| 2000 | (1) | 62,236 | NA | 9,306 | NA |
| 2001 | (1) | 54,758 | NA | 21,248 | NA |

(1) Data are confidential
NA Not available

U.S. SUPPLY OF CANNED SALMON, 1992-2001 (Canned weight)

| Year | U.S. pack | Imports | Total | Exports | Total supply |
|-----------------------------|-----------|---------|---------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 149,453 | 974 | 150,427 | 77,895 | 72,532 |
| 1993 | 198,344 | 428 | 198,772 | 84,610 | 114,162 |
| 1994 | 206,841 | 1,093 | 207,934 | 90,915 | 117,019 |
| 1995 | 243,568 | 1,202 | 244,770 | 98,197 | 146,573 |
| 1996 | 197,163 | 2,266 | 199,429 | 95,530 | 103,899 |
| 1997 | 162,106 | 1,228 | 163,334 | 81,621 | 81,713 |
| 1998 | 158,798 | 1,323 | 160,121 | 77,450 | 82,671 |
| 1999 | 234,155 | 2,229 | 236,384 | 113,726 | 122,658 |
| 2000 | 171,125 | 5,161 | 176,286 | 81,006 | 95,280 |
| 2001 | 211,785 | 6,362 | 218,147 | 110,076 | 108,071 |

U.S. SUPPLY OF CANNED TUNA, 1992-2001 (Canned weight)

| Year | U.S. pack | Imports | Total | Exports | Total supply |
|-----------------------------|-----------|---------|-----------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 608,981 | 323,413 | 932,394 | 10,141 | 922,253 |
| 1993 | 618,743 | 224,419 | 843,162 | 8,534 | 834,628 |
| 1994 | 609,514 | 249,043 | 858,557 | 8,391 | 850,166 |
| 1995 | 666,581 | 215,365 | 881,946 | 7,385 | 874,561 |
| 1996 | 675,816 | 193,037 | 868,853 | 9,866 | 858,987 |
| 1997 | 627,032 | 212,171 | 839,203 | 9,967 | 829,236 |
| 1998 | 680,860 | 240,409 | 921,269 | 9,319 | 911,950 |
| 1999 | 693,816 | 334,537 | 1,028,353 | 7,945 | 1,020,408 |
| 2000 | 671,341 | 312,967 | 984,308 | 4,178 | 980,130 |
| 2001 | 507,417 | 292,202 | 799,619 | 3,521 | 796,098 |

Supply of Fishery Products

U.S. SUPPLY OF KING CRAB, 1992-2001 (Round weight)

| Year | U.S. commercial landings | Imports (1) | Total | Exports (1) | Total supply |
|-----------------------------|--------------------------|-------------|--------|-------------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 19,056 | 11,958 | 31,014 | 16,241 | 14,773 |
| 1993 | 24,732 | 7,395 | 32,127 | 24,372 | 7,755 |
| 1994 | 11,960 | 15,035 | 26,995 | 15,013 | 11,982 |
| 1995 | 14,673 | 18,360 | 33,033 | 11,847 | 21,186 |
| 1996 | 21,000 | 26,533 | 47,533 | 17,650 | 29,883 |
| 1997 | 18,027 | 39,666 | 57,693 | 12,516 | 45,177 |
| 1998 | 24,122 | 51,655 | 75,777 | 13,575 | 62,202 |
| 1999 | 16,920 | 46,922 | 63,842 | 11,483 | 52,359 |
| 2000 | 15,098 | 40,233 | 55,331 | 14,578 | 40,753 |
| 2001 | 16,054 | 37,731 | 53,785 | 15,416 | 38,369 |

(1) Imports, exports, foreign exports converted to round (live) weight by using these conversion factors: frozen, 1.75; meat, 4.50; and canned, 5.33.

U.S. SUPPLY OF SNOW (TANNER) CRABS, 1992-2001 (Round weight)

| Year | U.S. commercial landings | Imports (1) | Total | Exports (2) | Total supply |
|-----------------------------|--------------------------|-------------|---------|-------------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 350,039 | 18,882 | 368,921 | 281,214 | 87,707 |
| 1993 | 255,733 | 31,224 | 286,957 | 220,618 | 66,339 |
| 1994 | 159,574 | 27,446 | 187,020 | 147,006 | 40,014 |
| 1995 | 80,817 | 20,969 | 101,786 | 59,805 | 41,981 |
| 1996 | 67,867 | 28,336 | 96,203 | 50,509 | 45,694 |
| 1997 | 118,898 | 41,959 | 160,857 | 50,604 | 110,253 |
| 1998 | 251,831 | 60,166 | 311,997 | 58,366 | 253,631 |
| 1999 | 185,162 | 110,041 | 295,203 | 78,918 | 216,285 |
| 2000 | 34,497 | 119,443 | 153,940 | 32,239 | 121,701 |
| 2001 | 26,844 | 172,581 | 199,425 | 28,589 | 170,836 |

(1) Converted to round(live) weight by multiplying fresh and frozen by 1.50; meat, 4.50; and canned, 5.00.

(2) Domestic merchandise converted to round(live) weight by multiplying frozen weight by 2.13 (believed to be mostly sections); meat, 4.50; and canned, 5.33. Foreign exports converted using the same factors as imports.

(3) Estimated, based on available foreign import data.

U.S. SUPPLY OF CANNED CRABMEAT, 1992-2001 (Canned weight)

| Year | U.S. pack | Imports | Total | Exports | Total supply |
|-----------------------------|-----------|---------|--------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 99 | 9,577 | 9,676 | 789 | 8,887 |
| 1993 | 70 | 9,817 | 9,887 | 668 | 9,219 |
| 1994 | 17 | 9,852 | 9,869 | 511 | 9,358 |
| 1995 | 65 | 12,441 | 12,506 | 276 | 12,230 |
| 1996 | 93 | 12,773 | 12,866 | 337 | 12,529 |
| 1997 | 83 | 15,871 | 15,954 | 608 | 15,346 |
| 1998 | 67 | 22,020 | 22,087 | 558 | 21,529 |
| 1999 | 27 | 27,707 | 27,734 | 1,329 | 26,405 |
| 2000 | 31 | 31,246 | 31,277 | 2,586 | 28,691 |
| 2001 | 6 | 36,923 | 36,929 | 1,931 | 34,998 |

Supply of Fishery Products


U.S. SUPPLY OF AMERICAN LOBSTERS, 1992-2001 (Round weight)

| Year | U.S. commercial landings | Imports (1) | Total | Exports (2) | Total supply |
|-----------------------------|--------------------------|-------------|---------|-------------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 55,841 | 59,335 | 115,176 | 20,332 | 94,844 |
| 1993 | 56,513 | 55,570 | 112,083 | 20,354 | 91,729 |
| 1994 | 66,416 | 65,949 | 132,365 | 31,646 | 100,719 |
| 1995 | 66,406 | 62,923 | 129,329 | 35,587 | 93,742 |
| 1996 | 71,641 | 65,379 | 137,020 | 39,919 | 97,101 |
| 1997 | 83,921 | 73,033 | 156,954 | 45,262 | 111,692 |
| 1998 | 79,642 | 73,601 | 153,243 | 42,874 | 110,369 |
| 1999 | 87,469 | 90,830 | 178,299 | 56,755 | 121,544 |
| 2000 | 83,180 | 105,964 | 189,144 | 64,452 | 124,692 |
| 2001 | 73,637 | 111,149 | 184,786 | 59,898 | 124,888 |

(1) Only imports from Canada and St. Pierre and Miquelon are considered American lobsters and were converted to round weight by using these conversion factors: 1.00, whole; 4.50, meat, and 4.64, canned.

(2) Domestic exports conversion to live weight by 1.00, whole; 4.00, meat; and 4.50, canned. Foreign exports converted using import factors.

U.S. Supply of Lobster



U.S. SUPPLY OF SPINY LOBSTERS, 1992-2001 (Round weight)

| Year | U.S. commercial landings | Imports (1) | Total | Exports (2) | Total supply |
|-----------------------------|--------------------------|-------------|---------|-------------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 4,872 | 77,848 | 82,720 | 2,001 | 80,719 |
| 1993 | 6,076 | 70,884 | 76,960 | 1,306 | 75,654 |
| 1994 | 8,104 | 68,787 | 76,891 | 1,304 | 75,587 |
| 1995 | 7,123 | 86,900 | 94,023 | 5,035 | 88,988 |
| 1996 | 8,308 | 75,595 | 83,903 | 3,033 | 80,870 |
| 1997 | 7,240 | 74,120 | 81,360 | 5,842 | 75,518 |
| 1998 | 5,935 | 95,801 | 101,736 | 1,802 | 99,934 |
| 1999 | 6,692 | 86,240 | 92,932 | 2,346 | 90,586 |
| 2000 | 6,463 | 94,433 | 100,896 | 1,571 | 99,325 |
| 2001 | 4,082 | 76,667 | 80,749 | 2,158 | 78,591 |

(1) Imports were converted to round (live) weight by using these conversion factors: 1.00, whole; 3.00, tails; 4.35, other; and 4.50 canned.

(2) Domestic exports converted to round (live) weight by using: 1.00, whole; 3.00, tails; 4.00, other; and 4.50, canned. Foreign exports converted using import factors.

Supply of Fishery Products

U.S. SUPPLY OF CLAMS, 1992-2001 (Meat weight)

| Year | U.S. commercial landings (1) | Imports (2) | Total | Exports | Total supply |
|-----------------------------|------------------------------|-------------|---------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 142,449 | 14,262 | 156,711 | 1,662 | 155,049 |
| 1993 | 147,752 | 9,579 | 157,331 | 1,809 | 155,522 |
| 1994 | 131,427 | 15,507 | 146,934 | 2,617 | 144,317 |
| 1995 | 134,224 | 12,645 | 146,869 | 2,853 | 144,016 |
| 1996 | 123,239 | 14,340 | 137,579 | 3,448 | 134,131 |
| 1997 | 114,180 | 13,184 | 127,364 | 3,651 | 123,713 |
| 1998 | 107,959 | 15,666 | 123,625 | 4,318 | 119,307 |
| 1999 | 112,230 | 16,315 | 128,545 | 3,898 | 124,647 |
| 2000 | 118,482 | 17,767 | 136,249 | 3,627 | 132,622 |
| 2001 | 122,764 | 19,962 | 142,726 | 4,080 | 138,646 |

(1) For species breakout see table on page 1.

(2) Imports and exports were converted to meat weight by using these conversion factors: 0.40 in shell or shucked; 0.30, canned chowder and juice; and 0.93, other.

U.S. SUPPLY OF OYSTERS, 1992-2001 (Meat weight)

| Year | U.S. commercial landings | Imports (1) | Total | Exports | Total supply |
|-----------------------------|--------------------------|-------------|--------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 36,156 | 26,529 | 62,685 | 797 | 61,888 |
| 1993 | 33,575 | 28,244 | 61,819 | 1,131 | 60,688 |
| 1994 | 38,086 | 24,694 | 62,780 | 1,988 | 60,792 |
| 1995 | 40,380 | 24,200 | 64,580 | 1,908 | 62,672 |
| 1996 | 38,007 | 21,708 | 59,715 | 1,648 | 58,067 |
| 1997 | 39,652 | 20,533 | 60,185 | 2,191 | 57,994 |
| 1998 | 33,538 | 29,575 | 63,113 | 1,877 | 61,236 |
| 1999 | 26,983 | 30,012 | 56,995 | 2,047 | 54,948 |
| 2000 | 41,146 | 32,735 | 73,881 | 2,447 | 71,434 |
| 2001 | 32,673 | 28,416 | 61,089 | 3,007 | 58,082 |

(1) Imports and exports were converted to meat weight by using these conversion factors: 0.93, canned; 3.12, canned smoked; and 0.75, other.

U.S. SUPPLY OF SCALLOPS, 1992-2001 (Meat weight)

| Year | U.S. commercial landings (1) | Imports | Total | Exports | Total supply |
|-----------------------------|------------------------------|---------|--------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 33,884 | 38,682 | 72,566 | 3,589 | 68,977 |
| 1993 | 18,638 | 51,973 | 70,611 | 4,147 | 66,464 |
| 1994 | 25,469 | 56,676 | 82,145 | 5,990 | 76,155 |
| 1995 | 19,526 | 48,331 | 67,857 | 5,926 | 61,931 |
| 1996 | 18,197 | 58,686 | 76,883 | 6,191 | 70,692 |
| 1997 | 15,474 | 60,146 | 75,620 | 9,861 | 65,759 |
| 1998 | 13,166 | 52,445 | 65,611 | 7,306 | 58,305 |
| 1999 | 27,178 | 44,079 | 71,257 | 6,982 | 64,275 |
| 2000 | 32,772 | 53,649 | 86,421 | 8,911 | 77,510 |
| 2001 | 46,964 | 39,696 | 86,660 | 10,295 | 76,365 |

(1) For species breakout see table on page 1.

Supply of Fishery Products

U.S. SUPPLY OF ALL FORMS OF SHRIMP, 1992-2001 (Heads-off weight)


| Year | U.S. commercial landings (1) | Imports (2) | Total | Exports (3) | Total supply |
|-----------------------------|------------------------------|-------------|-----------|-------------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 207,086 | 694,254 | 901,340 | 81,604 | 819,736 |
| 1993 | 180,687 | 708,683 | 889,370 | 81,447 | 807,923 |
| 1994 | 174,969 | 749,993 | 924,962 | 77,755 | 847,207 |
| 1995 | 190,208 | 719,463 | 909,671 | 77,677 | 831,994 |
| 1996 | 195,902 | 720,852 | 916,754 | 75,130 | 841,624 |
| 1997 | 179,084 | 810,696 | 989,780 | 66,674 | 923,106 |
| 1998 | 173,304 | 893,578 | 1,066,882 | 65,302 | 1,001,580 |
| 1999 | 189,112 | 959,915 | 1,149,027 | 65,427 | 1,083,600 |
| 2000 | 218,542 | 1,024,476 | 1,243,018 | 70,383 | 1,172,635 |
| 2001 | 201,428 | 1,178,232 | 1,379,660 | 67,975 | 1,311,685 |

(1) Commercial landings were converted to heads-off weight by using these conversion factors: South Atlantic and Gulf, 0.629; and New England, Pacific and other, 0.57.

(2) Imports were converted to heads-off weight by using these conversion factors: breaded, 0.63; shell-on, 1.00; peeled raw, 1.28; canned, 2.52; and other, 2.40.

(3) Exports were converted to heads-off weight by using these conversion factors: domestic fresh and frozen, 1.18; canned, 2.02; other, 2.40; foreign--fresh and frozen, 1.00; canned, 2.52; and other, 2.40.

U.S. Supply of Shrimp



U.S. SUPPLY OF CANNED SHRIMP, 1992-2001 (Canned weight)

| Year | U.S. pack | Imports | Total | Exports | Total supply |
|-----------------------------|-----------|---------|-------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 640 | 9,273 | 9,913 | 1,931 | 7,982 |
| 1993 | 658 | 8,170 | 8,828 | 2,557 | 6,271 |
| 1994 | 463 | 6,314 | 6,777 | 1,841 | 4,936 |
| 1995 | 912 | 6,570 | 7,482 | 3,250 | 4,232 |
| 1996 | 819 | 3,563 | 4,382 | 2,665 | 1,717 |
| 1997 | 1,168 | 3,620 | 4,788 | 1,470 | 3,318 |
| 1998 | 2,253 | 3,406 | 5,659 | 1,660 | 3,999 |
| 1999 | 1,955 | 2,945 | 4,900 | 2,355 | 2,545 |
| 2000 | 1,910 | 3,655 | 5,565 | 2,549 | 3,016 |
| 2001 | 1,592 | 4,273 | 5,865 | 3,091 | 2,774 |


Supply of Fishery Products

U.S. SUPPLY OF FISH MEAL, 1992-2001 (Product weight)


| Year | U.S. production (1) | Imports | Total | Exports | Total supply |
|-----------------------------|---------------------|---------|-----------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 644,512 | 150,911 | 795,423 | 258,511 | 536,912 |
| 1993 | 750,744 | 760,664 | 1,511,408 | 212,859 | 1,298,549 |
| 1994 | 807,833 | 548,288 | 1,356,121 | 159,937 | 1,196,184 |
| 1995 | 667,240 | 139,101 | 806,341 | 176,981 | 629,360 |
| 1996 | 643,124 | 135,561 | 778,685 | 186,412 | 592,273 |
| 1997 | 724,668 | 142,049 | 866,717 | 216,289 | 650,428 |
| 1998 | 613,434 | 125,404 | 738,838 | 210,658 | 528,180 |
| 1999 | 686,250 | 73,069 | 759,319 | 192,512 | 566,807 |
| 2000 | 638,244 | 79,013 | 717,257 | 209,177 | 508,080 |
| 2001 | 643,994 | 113,277 | 757,271 | 238,013 | 519,258 |

(1) Includes shellfish meal.

U.S. Supply of Fish Meal



U.S. Supply of Fish Oils



U.S. SUPPLY OF FISH OILS, 1992-2001 (Product weight)

| Year | U.S. production | Imports | Total | Exports | Total supply |
|-----------------------------|-----------------|---------|---------|---------|--------------|
| ----- Thousand pounds ----- | | | | | |
| 1992 | 184,725 | 23,772 | 208,497 | 177,444 | 31,053 |
| 1993 | 293,452 | 26,052 | 319,504 | 184,488 | 135,016 |
| 1994 | 291,189 | 40,642 | 331,831 | 242,788 | 89,043 |
| 1995 | 241,941 | 23,913 | 265,854 | 260,394 | 5,460 |
| 1996 | 248,399 | 35,622 | 284,021 | 187,294 | 96,727 |
| 1997 | 283,379 | 25,622 | 309,001 | 215,255 | 93,746 |
| 1998 | 222,697 | 24,213 | 246,910 | 196,664 | 50,246 |
| 1999 | 286,182 | 25,677 | 311,859 | 232,546 | 79,313 |
| 2000 | 192,348 | 27,220 | 219,568 | 142,221 | 77,347 |
| 2001 | 279,416 | 23,532 | 302,948 | 248,798 | 54,150 |

Per Capita Consumption

The NMFS calculation of per capita consumption is based on a “disappearance” model. The total U.S. supply of imports and landings is converted to edible weight, and decreases in supply such as exports and inventories are subtracted out. The remaining total is divided by a population value to estimate per capita consumption. Data for the model are derived primarily from secondary sources and are subject to incomplete reporting; changes in source data or invalid model assumptions may each have a significant effect on the resulting calculation.

U.S. per capita consumption of fish and shellfish was 14.8 pounds (edible meat) in 2001. This total was 0.4 pounds less than the revised 15.2 pounds consumed in 2000. Per capita consumption of fresh and frozen products was 10.3 pounds, 0.1 pound more than 2000.

Fresh and frozen finfish accounted for 5.7 pounds while fresh and frozen shellfish consumption was 4.6 pounds per capita. The fresh and frozen finfish includes approximately 1.1 pounds of farm raised catfish.

Consumption of canned fishery products was 4.2 pounds per capita in 2001, 0.5 pounds less than the revised 4.7 in 2000. Cured fish accounted for 0.3 pound per capita, the same as in previous years. Imports of edible seafood made up 76 percent of the consumption.

PER CAPITA USE. Per capita use is based on the supply of fishery products, both edible and non-edible (industrial), on a round-weight equivalent basis without considering beginning or ending stocks, defense purchases, or exports. The per capita use of all edible and industrial fishery products in 2001 was 63.6 pounds, up 2.2 pounds compared with 2000.

WORLD CONSUMPTION. The FAO calculation for apparent consumption is also based on a disappearance model. The three year average considers, on a round weight equivalent basis, a country's landings, imports, and exports. The 1997-99 data indicates that the United States ranks as the third largest consumer of seafood in the world.

Annual per capita consumption of seafood products represents the pounds of edible meat consumed from domestically-caught and imported fish and shellfish adjusted for beginning and ending inventories and exports, divided by the civilian population of the United States as of July 1 of each year.

U.S. ANNUAL PER CAPITA CONSUMPTION OF COMMERCIAL FISH AND SHELLFISH, 1910-2001

| Year | Civilian resident population July 1 (1) <u>Million persons</u> | Per capita consumption | | | |
|-----------------|---|-------------------------------|------------|-----------|-------|
| | | Fresh and frozen (2) | Canned (3) | Cured (4) | Total |
| | | -----Pounds, edible meat----- | | | |
| 1910 | 92.2 | 4.5 | 2.8 | 3.9 | 11.2 |
| 1920 | 106.5 | 6.3 | 3.2 | 2.3 | 11.8 |
| 1930 | 122.9 | 5.8 | 3.4 | 1.0 | 10.2 |
| 1940 | 132.1 | 5.7 | 4.6 | 0.7 | 11.0 |
| 1950 | 150.8 | 6.3 | 4.9 | 0.6 | 11.8 |
| 1960 | 178.1 | 5.7 | 4.0 | 0.6 | 10.3 |
| 1970 | 201.9 | 6.9 | 4.5 | 0.4 | 11.8 |
| 1980 | 225.6 | 7.9 | 4.3 | 0.3 | 12.5 |
| 1981 | 227.8 | 7.8 | 4.6 | 0.3 | 12.7 |
| 1982 | 230.0 | 7.9 | 4.3 | 0.3 | 12.5 |
| 1983 | 232.1 | 8.4 | 4.7 | 0.3 | 13.4 |
| 1984 | 234.1 | 9.0 | 4.9 | 0.3 | 14.2 |
| 1985 | 236.2 | 9.8 | 5.0 | 0.3 | 15.1 |
| 1986 | 238.4 | 9.8 | 5.4 | 0.3 | 15.5 |
| 1987 | 240.6 | 10.7 | 5.2 | 0.3 | 16.2 |
| 1988 | 242.8 | 10.0 | 4.9 | 0.3 | 15.2 |
| 1989 | 245.1 | 10.2 | 5.1 | 0.3 | 15.6 |
| 1990 | 247.8 | 9.6 | 5.1 | 0.3 | 15.0 |
| 1991 (5) | 250.5 | 9.7 | 4.9 | 0.3 | 14.9 |
| 1992 (5) | 253.5 | 9.9 | 4.6 | 0.3 | 14.8 |
| 1993 (5) | 256.4 | 10.2 | 4.5 | 0.3 | 15.0 |
| 1994 (5) | 259.2 | 10.4 | 4.5 | 0.3 | 15.2 |
| 1995 (5) | 261.4 | 10.0 | 4.7 | 0.3 | 15.0 |
| 1996 (5) | 264.0 | 10.0 | 4.5 | 0.3 | 14.8 |
| 1997 (5) | 266.4 | 9.9 | 4.4 | 0.3 | 14.6 |
| 1998 (5) | 269.1 | 10.2 | 4.4 | 0.3 | 14.9 |
| 1999 (5) | 271.5 | 10.4 | 4.7 | 0.3 | 15.4 |
| 2000 (6) | 280.9 | 10.2 | 4.7 | 0.3 | 15.2 |
| 2001 | 283.6 | 10.3 | 4.2 | 0.3 | 14.8 |

(1) Resident population for 1910 and 1920 and civilian resident population for 1930 to date.

(2) Fresh and frozen fish consumption for 1910 and 1920 is estimated. Beginning in 1973, data include consumption of cultivated catfish.

(3) Canned fish consumption for 1920 is estimated. Beginning in 1921, it is based on production reports, packer stocks, and foreign trade statistics for individual years.

(4) Cured fish consumption for 1910 and 1920 is estimated.

(5) Resident population estimates for 1991 through 1999 have not been released. Consumption estimates will be revised accordingly upon new population estimates.

(6) Resident population for 2000 has been revised and data adjusted to reflect change.

*Record years: Fresh and Frozen--10.7 lb, 1987; Canned--5.8, 1936; Cured--4.0, 1909; and Total--16.2 lb, 1987.

U.S. ANNUAL PER CAPITA CONSUMPTION OF CANNED FISHERY PRODUCTS, 1980-2001

| Year | Salmon | Sardines | Tuna | Shellfish | Other | Total |
|--------------------|--------|----------|------|-----------|-------|-------|
| ----- Pounds ----- | | | | | | |
| 1980 | 0.5 | 0.3 | 3.0 | 0.4 | 0.1 | 4.3 |
| 1981 | 0.5 | 0.4 | 3.0 | 0.4 | 0.3 | 4.6 |
| 1982 | 0.5 | 0.3 | 2.8 | 0.4 | 0.3 | 4.3 |
| 1983 | 0.5 | 0.2 | 3.2 | 0.4 | 0.4 | 4.7 |
| 1984 | 0.6 | 0.2 | 3.2 | 0.4 | 0.5 | 4.9 |
| 1985 | 0.5 | 0.3 | 3.3 | 0.5 | 0.4 | 5.0 |
| 1986 | 0.5 | 0.3 | 3.6 | 0.5 | 0.5 | 5.4 |
| 1987 | 0.4 | 0.3 | 3.5 | 0.5 | 0.5 | 5.2 |
| 1988 | 0.3 | 0.3 | 3.6 | 0.4 | 0.3 | 4.9 |
| 1989 | 0.3 | 0.3 | 3.9 | 0.4 | 0.2 | 5.1 |
| 1990 | 0.4 | 0.3 | 3.7 | 0.3 | 0.4 | 5.1 |
| 1991 (1) | 0.5 | 0.2 | 3.6 | 0.4 | 0.2 | 4.9 |
| 1992 (1) | 0.5 | 0.2 | 3.5 | 0.3 | 0.1 | 4.6 |
| 1993 (1) | 0.4 | 0.2 | 3.5 | 0.3 | 0.1 | 4.5 |
| 1994 (1) | 0.4 | 0.2 | 3.3 | 0.3 | 0.3 | 4.5 |
| 1995 (1) | 0.5 | 0.2 | 3.4 | 0.3 | 0.3 | 4.7 |
| 1996 (1) | 0.5 | 0.2 | 3.2 | 0.3 | 0.3 | 4.5 |
| 1997 (1) | 0.4 | 0.2 | 3.1 | 0.3 | 0.4 | 4.4 |
| 1998 (1) | 0.3 | 0.2 | 3.4 | 0.3 | 0.2 | 4.4 |
| 1999 (1) | 0.3 | 0.2 | 3.5 | 0.4 | 0.3 | 4.7 |
| 2000 (2) | 0.3 | 0.2 | 3.5 | 0.3 | 0.4 | 4.7 |
| 2001 | 0.4 | 0.2 | 2.9 | 0.3 | 0.4 | 4.2 |

(1) Residential population estimates for 1991 through 1999 have not been released. Consumption estimates will be revised accordingly upon new population estimates.

(2) Resident population for 2000 has been revised and data adjusted to reflect changes.

U.S. ANNUAL PER CAPITA CONSUMPTION OF CERTAIN FISHERY ITEMS, 1980-2001

| Year | Fillets and steaks (1) | Sticks and portions (2) | Shrimp, all preparation |
|------------------------|------------------------|-------------------------|-------------------------|
| ----- Pounds (2) ----- | | | |
| 1980 | 2.4 | 2.0 | 1.4 |
| 1981 | 2.4 | 1.8 | 1.5 |
| 1982 | 2.5 | 1.7 | 1.5 |
| 1983 | 2.7 | 1.8 | 1.7 |
| 1984 | 3.0 | 1.8 | 1.9 |
| 1985 | 3.2 | 1.8 | 2.0 |
| 1986 | 3.4 | 1.8 | 2.2 |
| 1987 | * 3.6 | 1.7 | 2.4 |
| 1988 | 3.2 | 1.5 | 2.4 |
| 1989 | 3.1 | 1.5 | 2.3 |
| 1990 | 3.1 | 1.5 | 2.2 |
| 1991 (3) | 3.0 | 1.2 | 2.4 |
| 1992 (3) | 2.9 | 0.9 | 2.5 |
| 1993 (3) | 2.9 | 1.0 | 2.5 |
| 1994 (3) | 3.1 | 0.9 | 2.6 |
| 1995 (3) | 2.9 | 1.2 | 2.5 |
| 1996 (3) | 3.0 | 1.0 | 2.5 |
| 1997 (3) | 3.0 | 1.0 | 2.7 |
| 1998 (3) | 3.2 | 0.9 | 2.8 |
| 1999 (3) | 3.2 | 1.0 | 3.0 |
| 2000 (4) | 3.3 | 0.9 | 3.2 |
| 2001 | 3.4 | 0.8 | * 3.4 |

(1) Data include groundfish and other species. Data do not include blocks, but fillets could be made into blocks from which sticks and portions could be produced.

(2) Products weight of fillets and steaks, sticks and portions; edible (meat) weight of shrimp.

(3) Resident population estimates for 1991 through 1999 have not been released. Consumption estimates will be revised accordingly upon new population estimates.

(4) Resident population for 2000 has been revised and data adjusted to reflect changes.

*Record

ANNUAL PER CAPITA CONSUMPTION OF FISH AND SHELLFISH FOR HUMAN FOOD, BY REGION AND COUNTRY, 1997-99 AVERAGE

| Region and Country | Estimated live weight equivalent | | Region and Country | Estimated live weight equivalent | |
|-------------------------|----------------------------------|--------|----------------------------|----------------------------------|--------|
| | Kilograms | Pounds | | Kilograms | Pounds |
| North America: | | | Europe - Continued: | | |
| Canada | 23.0 | 50.7 | Belgium and Luxembourg | 19.9 | 43.9 |
| Greenland | 84.3 | 185.8 | Bosnia-Herzegovina | 1.6 | 3.5 |
| St. Pierre and Miquelon | 64.2 | 141.5 | Bulgaria | 4.2 | 9.3 |
| United States | 21.2 | 46.7 | Croatia | 4.7 | 10.4 |
| Caribbean: | | | Czech Republic | 9.7 | 21.4 |
| Anguilla | 23.5 | 51.8 | Denmark | 23.4 | 51.6 |
| Antigua | 40.5 | 89.3 | Estonia | 19.0 | 41.9 |
| Aruba | 44.1 | 97.2 | Faeroe Island | 86.5 | 190.7 |
| Bahamas | 21.9 | 48.3 | Finland | 31.2 | 68.8 |
| Barbados | 30.3 | 66.8 | France | 29.9 | 65.9 |
| Bermuda | 36.4 | 80.2 | Georgia | 1.2 | 2.6 |
| British Virgin Islands | 5.0 | 11.0 | Germany | 12.8 | 28.2 |
| Cayman Islands | 6.2 | 13.7 | Greece | 25.7 | 56.7 |
| Cuba | 13.0 | 28.7 | Hungary | 3.8 | 8.4 |
| Dominica | 34.8 | 76.7 | Iceland | 90.2 | 198.9 |
| Dominican Republic | 8.4 | 18.5 | Ireland | 15.4 | 34.0 |
| Grenada | 21.8 | 48.1 | Italy | 22.9 | 50.5 |
| Guadeloupe | 22.8 | 50.3 | Kazakhstan | 1.7 | 3.7 |
| Haiti | 2.9 | 6.4 | Kyrgyzstan | 0.7 | 1.5 |
| Jamaica | 19.8 | 43.7 | Latvia | 14.1 | 31.1 |
| Martinique | 32.6 | 71.9 | Lithuania | 20.7 | 45.6 |
| Netherlands Antilles | 17.2 | 37.9 | Macedonia | 4.5 | 9.9 |
| Puerto Rico | 0.7 | 1.5 | Malta | 29.9 | 65.9 |
| Saint Lucia | 27.4 | 60.4 | Moldova | 3.2 | 7.1 |
| Saint Kitts and Nevis | 26.7 | 58.9 | Netherlands | 19.2 | 42.3 |
| Saint Vincent | 14.1 | 31.1 | Norway | 51.9 | 114.4 |
| Trinidad-Tobago | 12.0 | 26.5 | Poland | 10.4 | 22.9 |
| Turks & Caicos | 29.9 | 65.9 | Portugal | 60.1 | 132.5 |
| U.S. Virgin Islands | 6.8 | 15.0 | Romania | 2.3 | 5.1 |
| Latin America: | | | Russian Federation | 21.6 | 47.6 |
| Argentina | 8.4 | 18.5 | Slovakia | 7.5 | 16.5 |
| Belize | 12.4 | 27.3 | Slovenia | 6.7 | 14.8 |
| Bolivia | 1.6 | 3.5 | Spain | 44.0 | 97.0 |
| Brazil | 6.5 | 14.3 | Sweden | 26.6 | 58.6 |
| Chile | 20.6 | 45.4 | Switzerland | 14.5 | 32.0 |
| Colombia | 4.4 | 9.7 | Tajikistan | 0.1 | 0.2 |
| Costa Rica | 5.4 | 11.9 | Turkmenistan | 1.6 | 3.5 |
| Ecuador | 7.0 | 15.4 | Ukraine | 11.3 | 24.9 |
| El Salvador | 2.5 | 5.5 | United Kingdom | 20.3 | 44.8 |
| French Guiana | 50.3 | 110.9 | Uzbekistan | 0.5 | 1.1 |
| Guatemala | 1.4 | 3.1 | Yugoslavia | 2.7 | 6.0 |
| Guyana | 59.6 | 131.4 | Near East: | | |
| Honduras | 2.5 | 5.5 | Afghanistan | 0.1 | 0.2 |
| Mexico | 9.6 | 21.2 | Bahrain | 13.8 | 30.4 |
| Nicaragua | 3.0 | 6.6 | Cyprus | 22.0 | 48.5 |
| Panama | 9.5 | 20.9 | Egypt | 11.0 | 24.3 |
| Paraguay | 5.4 | 11.9 | Iran | 4.4 | 9.7 |
| Peru | 20.3 | 44.8 | Iraq | 1.5 | 3.3 |
| Suriname | 22.8 | 50.3 | Israel | 22.9 | 50.5 |
| Uruguay | 8.2 | 18.1 | Jordan | 4.2 | 9.3 |
| Venezuela | 18.3 | 40.3 | Kuwait | 12.1 | 26.7 |
| Europe: | | | Lebanon | 6.6 | 14.6 |
| Albania | 2.0 | 4.4 | Libya | 6.1 | 13.4 |
| Armenia | 0.4 | 0.9 | Oman | 25.5 | 56.2 |
| Austria | 11.3 | 24.9 | Qatar | 10.9 | 24.0 |
| Azerbaijan | 0.7 | 1.5 | Saudi Arabia | 7.2 | 15.9 |
| Belarus | 8.2 | 18.1 | Sudan | 1.7 | 3.7 |
| | | | Syria | 1.5 | 3.3 |
| | | | Turkey | 8.0 | 17.6 |
| | | | United Arab Emirates | 24.5 | 54.0 |
| | | | Yemen Republic | 6.8 | 15.0 |

See note at end of table.

(Continued on next page)

ANNUAL PER CAPITA CONSUMPTION OF FISH AND SHELLFISH FOR HUMAN FOOD, BY REGION AND COUNTRY, 1997-99 AVERAGE

| Region and Country | Estimated live weight equivalent | | Region and Country | Estimated live weight equivalent | |
|---------------------|----------------------------------|--------|----------------------------|----------------------------------|-------------|
| | Kilograms | Pounds | | Kilograms | Pounds |
| Far East: | | | Africa - Continued: | | |
| Bangladesh | 10.2 | 22.5 | Malawi | 4.5 | 9.9 |
| Bhutan | 0.2 | 0.4 | Mali | 8.7 | 19.2 |
| Brunei | 22.7 | 50.0 | Mauritania | 10.5 | 23.1 |
| Burma | 15.8 | 34.8 | Mauritius | 22.9 | 50.5 |
| Cambodia | 11.8 | 26.0 | Morocco | 8.4 | 18.5 |
| China | 24.4 | 53.8 | Mozambique | 2.6 | 5.7 |
| Hong Kong | 54.7 | 120.6 | Namibia | 11.6 | 25.6 |
| India | 4.7 | 10.4 | Niger | 0.9 | 2.0 |
| Indonesia | 19.0 | 41.9 | Nigeria | 8.8 | 19.4 |
| Japan | 65.2 | 143.7 | Reunion | 12.2 | 26.9 |
| Laos | 9.9 | 21.8 | Rwanda | 1.0 | 2.2 |
| Macao | 33.9 | 74.7 | Sao Tome | 18.5 | 40.8 |
| Maldives | 203.1 | 447.8 | Senegal | 32.1 | 70.8 |
| Malaysia | 57.7 | 60.6 | Seychelles | 62.7 | 138.2 |
| Mongolia | 0.0 | 0.0 | Sierra Leone | 13.6 | 30.0 |
| Nepal | 1.1 | 2.4 | Somalia | 2.4 | 5.3 |
| North Korea | 9.4 | 20.7 | South Africa | 6.7 | 14.8 |
| Pakistan | 2.5 | 5.5 | Saint Helena | 55.4 | 122.1 |
| Philippines | 29.6 | 65.3 | Swaziland | 10.3 | 22.7 |
| Singapore | 26.7 | 58.9 | Tanzania | 8.9 | 19.6 |
| South Korea | 47.7 | 105.2 | Togo | 13.3 | 29.3 |
| Sri Lanka | 20.3 | 44.8 | Tunisia | 9.4 | 20.7 |
| Taiwan | 35.0 | 77.2 | Uganda | 8.9 | 19.6 |
| Thailand | 28.6 | 63.1 | Zambia | 7.3 | 16.1 |
| Vietnam | 18.1 | 39.9 | Zimbabwe | 2.5 | 5.5 |
| Africa: | | | Oceania: | | |
| Algeria | 3.5 | 7.7 | American Samoa | 7.9 | 17.4 |
| Angola | 10.2 | 22.5 | Australia | 20.4 | 45.0 |
| Benin | 8.6 | 19.0 | Cook Island | 52.2 | 115.1 |
| Botswana | 5.2 | 11.5 | Fiji | 32.3 | 71.2 |
| Burkina | 1.6 | 3.5 | French Polynesia | 46.9 | 103.4 |
| Burundi | 2.4 | 5.3 | Guam | 2.9 | 6.4 |
| Cameroon | 12.3 | 27.1 | Kiribati | 75.1 | 165.6 |
| Cape Verde | 20.1 | 44.3 | Marshall Islands | 6.6 | 14.6 |
| Central African Rep | 4.2 | 9.3 | Micronesia | 39.0 | 86.0 |
| Chad | 6.9 | 15.2 | Nauru | 25.9 | 57.1 |
| Comoros | 19.4 | 42.8 | New Caledonia | 23.5 | 51.8 |
| Congo (Brazzaville) | 21.0 | 46.3 | New Zealand | 30.0 | 66.1 |
| Congo (Kinshasa) | 6.3 | 13.9 | Niue | 60.0 | 132.3 |
| Djibouti | 2.2 | 4.9 | Northern Mariana Islands | 3.4 | 7.5 |
| Equatorial Guinea | 20.1 | 44.3 | Palau | 91.4 | 201.5 |
| Eritrea | 0.9 | 2.0 | Papua New Guinea | 14.9 | 32.8 |
| Ethiopia | 0.2 | 0.4 | Solomon Islands | 52.5 | 115.7 |
| Gabon | 47.6 | 104.9 | Tokelau | 200.0 | 440.9 |
| Gambia | 23.9 | 52.7 | Tonga | 40.7 | 89.7 |
| Ghana | 28.1 | 61.9 | Tuvalu | 32.8 | 72.3 |
| Guinea | 11.1 | 24.5 | Vanuatu | 31.6 | 69.7 |
| Guinea-Bissau | 4.2 | 9.3 | Wallis and Futuna Islands | 14.0 | 30.9 |
| Ivory Coast | 14.1 | 31.1 | Western Samoa | 50.8 | 112.0 |
| Kenya | 5.4 | 11.9 | | | |
| Liberia | 5.8 | 12.8 | | | |
| Madagascar | 7.5 | 16.5 | | | |
| | | | World | 15.8 | 34.8 |

Note:--Data for most countries are tentative. Aquatic plants are included where applicable.

Source:--Food and Agriculture Organization of the United Nations (FAO)

Per capita use of commercial fish and shellfish is based on the supply of fishery products, both edible and nonedible (industrial), on a round weight equivalent basis, without considering the beginning or ending stocks, defense purchases, or export.

Per capita use figures are not comparable with per capita consumption data. Per capita consumption figures represent edible (for human use) meat weight consumption rather than round weight consumption. In addition, per capita consumption includes allowances for beginning and ending stocks and exports, whereas the use does not include such allowances.

Per capita use is derived by using total population including U.S. Armed Forces overseas. The per capita consumption is derived by using civilian resident population.

U.S. ANNUAL PER CAPITA USE OF COMMERCIAL FISH AND SHELLFISH, 1960-2001 (1)

| Year | Total population including armed forces overseas July 1 | U.S. supply | Per capita utilization | | |
|-----------------|--|----------------|------------------------|---------|-------|
| | | | Commercial landings | Imports | Total |
| | Million persons | Million pounds | Pounds | | |
| 1960 | 180.7 | 8,223 | 27.3 | 18.2 | 45.5 |
| 1961 | 183.7 | 9,570 | 28.2 | 23.9 | 52.1 |
| 1962 | 186.5 | 10,408 | 28.7 | 27.1 | 55.8 |
| 1963 | 189.2 | 11,434 | 25.6 | 34.8 | 60.4 |
| 1964 | 191.9 | 12,031 | 23.7 | 39.0 | 62.7 |
| 1965 | 194.3 | 10,535 | 24.6 | 29.6 | 54.2 |
| 1966 | 196.6 | 12,469 | 22.2 | 41.2 | 63.4 |
| 1967 | 198.7 | 13,991 | 20.4 | 50.0 | 70.4 |
| 1968 | 200.7 | 17,381 | 20.7 | 65.9 | 86.6 |
| 1969 | 202.7 | 11,847 | 21.4 | 37.0 | 58.4 |
| 1970 | 205.1 | 11,474 | 24.0 | 31.9 | 55.9 |
| 1971 | 207.7 | 11,804 | 24.1 | 32.7 | 56.8 |
| 1972 | 209.9 | 13,849 | 22.9 | 43.1 | 66.0 |
| 1973 | 211.9 | 10,378 | 22.9 | 26.1 | 49.0 |
| 1974 | 213.9 | 9,875 | 23.2 | 23.0 | 46.2 |
| 1975 | 216.0 | 10,164 | 22.6 | 24.5 | 47.1 |
| 1976 | 218.0 | 11,593 | 24.7 | 28.5 | 53.2 |
| 1977 | 220.2 | 10,652 | 23.9 | 24.4 | 48.3 |
| 1978 | 222.6 | 11,509 | 27.1 | 24.6 | 51.7 |
| 1979 | 225.1 | 11,831 | 27.9 | 24.7 | 52.6 |
| 1980 | 227.7 | 11,357 | 28.5 | 21.4 | 49.9 |
| 1981 | 230.0 | 11,353 | 26.0 | 23.4 | 49.4 |
| 1982 | 232.2 | 12,011 | 27.4 | 24.3 | 51.7 |
| 1983 | 234.3 | 12,352 | 27.5 | 25.2 | 52.7 |
| 1984 | 236.3 | 12,552 | 27.3 | 25.8 | 53.1 |
| 1985 | 238.5 | 15,150 | 26.2 | 37.3 | 63.5 |
| 1986 | 240.7 | 14,368 | 25.1 | 34.6 | 59.7 |
| 1987 | 242.8 | 15,744 | 28.4 | 36.4 | 64.8 |
| 1988 | 245.0 | 14,628 | 29.3 | 30.4 | 59.7 |
| 1989 | 247.3 | 15,485 | 34.2 | 28.4 | 62.6 |
| 1990 | 249.9 | 16,349 | 37.6 | 27.8 | 65.4 |
| 1991 (2) | 252.7 | 16,363 | 37.5 | 27.3 | 64.8 |
| 1992 (2) | 255.5 | 16,106 | 37.7 | 25.3 | 63.0 |
| 1993 (2) | 258.2 | 20,334 | 40.6 | 38.2 | 78.8 |
| 1994 (2) | 260.7 | 19,309 | 40.1 | 34.0 | 74.1 |
| 1995 (2) | 263.0 | 16,484 | 37.2 | 25.5 | 62.7 |
| 1996 (2) | 265.3 | 16,474 | 36.1 | 26.0 | 62.1 |
| 1997 (2) | 268.2 | 17,132 | 36.7 | 27.2 | 63.9 |
| 1998 (2) | 270.6 | 16,897 | 34.0 | 28.5 | 62.5 |
| 1999 (2) | 272.9 | 17,378 | 34.2 | 29.5 | 63.7 |
| 2000 (3) | 282.3 | 17,338 | 32.1 | 29.3 | 61.4 |
| 2001 | 285.0 | 18,118 | 33.3 | 30.3 | 63.6 |

(1) Data include U.S. commercial landings and imports of both edible and nonedible (industrial) fishery products on a round weight basis. "Total supply" is not adjusted for beginning and ending stocks, defense purchases, or exports.

(2) Resident population estimates for 1991 through 1999 have not been released. Consumption estimates will be revised accordingly upon new population estimates.

(3) Resident population for 2000 has been revised and data adjusted to reflect change.

SUMMARY OF 2001 VALUE ADDED, MARGINS, AND CONSUMER EXPENDITURES FOR COMMERCIAL MARINE FISHERY PRODUCTS IN THE UNITED STATES (1)

| Sector or type of activity | Purchase of fishery inputs Thousand Dollars | Mark-up of fishery inputs Percentage of Fishery Inputs | Total mark-up within sector Thousand Dollars | Value added as percent of total mark-up Percentage | Value added within sector Thousand Dollars | Value of sales by sector Thousand Dollars | Value added contribution Percentage of GNP Contribution | Offshore fleet & exported fishery products Thousand Dollars |
|--|--|---|---|---|---|--|--|--|
| Domestic Harvest: Edible | - | 100.0 | \$3,090,188 | 62.5 | \$1,931,183 | \$3,090,188 | 6.7 | - |
| Industrial | - | 100.0 | \$102,690 | 59.5 | \$61,101 | \$102,690 | 0.2 | - |
| Harvest not landed in U.S | - | 100.0 | \$113,963 | 69.7 | \$79,383 | \$113,963 | 0.3 | \$113,963 |
| Imports, Unprocessed | \$4,029,660 | - | - | - | - | \$4,029,660 | - | - |
| Exports, Unprocessed | - | - | - | - | - | - | - | \$941,472 |
| Primary Wholesale and Processing | \$6,281,066 | 99.9 | \$6,274,680 | 60.4 | \$3,787,531 | \$12,555,745 | 13.2 | - |
| Imports, Processed | \$5,983,185 | - | - | - | - | \$5,983,185 | - | - |
| Exports, Processed | - | - | - | - | - | - | - | \$2,300,832 |
| Secondary Wholesale and Processing: Edible | \$16,068,269 | 62.7 | \$10,076,428 | 28.0 | \$2,825,787 | \$26,144,697 | 9.9 | - |
| Industrial | \$169,830 | 62.7 | \$106,500 | 28.0 | \$29,866 | \$276,330 | 0.1 | - |
| Retail Trade from Food Service | \$13,528,552 | 182.4 | \$24,676,905 | 69.8 | \$17,215,379 | \$38,205,457 | 60.1 | - |
| Retail Trade from Stores | \$12,616,144 | 33.4 | \$4,216,603 | 64.2 | \$2,708,389 | \$16,832,747 | 9.5 | - |
| TOTAL U.S. VALUE ADDED ACTIVITY: | | | \$28,638,619 | | | | 100.0 | |
| CONSUMERS EXPENDITURES (& WHOLESALE PURCHASES OF INDUSTRIAL PRODUCTS) FOR FISHERY PRODUCTS: | | | | | | | | |
| | | | | | | \$55,314,535 | | |

(1) Includes industrial products and landings by U.S.-flag vessels at U.S. ports, foreign ports, and transfers to internal water processing vessels.

Note.-- The table reports the contribution of commercial marine fishing to the national economy as measured by margin, value added, and sales. These measures are consistent with the Bureau of the Census definitions.

Margin or mark-up is the difference between the price paid for the product by the consumer or wholesale purchaser and the dockside or wholesale value for an equivalent weight of the product. (It is assumed that fishermen catch their fish without paying purchase price and therefore the entire dockside or exvessel price is considered margin.) Value added is a measure of the factors added to the total worth of a product at each stage of the production process. It is defined as the gross receipts of firms minus the cost of purchased goods and services needed to fabricate the products. Gross National Product (GNP) is equal to the sum of the value added of all economic entities in the economy. Value added within a sector represents that sector's contribution to GNP.

Value added includes wages, salaries, interest, depreciation, rent, taxes and profit. Consumer expenditures are the final retail value of seafood products sold through stores and food service outlets plus secondary wholesale and processing of industrial products.

Prices

The Exvessel Price table is an index of changes in the relative dockside value of fish and shellfish sold by fishing vessels. The table indexes the average annual exvessel value (price per pound) received for each species or group to the average price per pound received for the same species or group in the base year 1982.


The exvessel price for each year was obtained by dividing total value for each species or group by its total quantity as reported in the U. S. commercial landings tables on pages 8 thru 13. The index for each species or group was obtained by multiplying the current annual price by the total quantity caught in 1982 (the base year). That

number was then divided by the 1982 value to obtain the final index:

$$\frac{(100 \times \text{Current price} \times \text{1982 quantity})}{\text{1982 Annual value}} = \text{Index}$$

Each index number measures price changes from the 1982 reference period when the index equaled 100. A species of fish that sold for \$0.75 a pound in 1986 and a \$1.00 a pound in 1982 would have an index of 75 in 1986. In 2000, if the price of the same species increased to \$1.07, the index in 2001 would be 107.

Percent Changes in the Exvessel Price Index, 1995-2001
(Change Relative to Base Year = 1982)



INDEXES OF EXVESSEL PRICES FOR FISH AND SHELLFISH, BY YEARS, 1995-2001 (1982=100)

| Species | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 |
|--|------------|------------|------------|------------|------------|------------|------------|
| Groundfish, et al: | | | | | | | |
| Cod | 77 | 76 | 84 | 68 | 68 | 106 | 103 |
| Haddock | 277 | 239 | 218 | 253 | 264 | 264 | 227 |
| Pollock: | | | | | | | |
| Atlantic | 412 | 311 | 255 | 294 | 372 | 352 | 306 |
| Alaska | 161 | 160 | 170 | 124 | 124 | 109 | 128 |
| Flounders | 96 | 91 | 63 | 67 | 74 | 72 | 81 |
| Total groundfish, et al. | 125 | 115 | 100 | 99 | 106 | 144 | 114 |
| Halibut | 173 | 199 | 195 | 165 | 180 | 225 | 172 |
| Sea herring | 126 | 137 | 63 | 46 | 57 | 51 | 51 |
| Salmon: | | | | | | | |
| Chinook | 76 | 63 | 70 | 64 | 92 | 89 | 74 |
| Chum | 66 | 36 | 49 | 39 | 40 | 54 | 67 |
| Pink | 67 | 38 | 52 | 61 | 61 | 58 | 48 |
| Sockeye | 100 | 94 | 103 | 131 | 87 | 86 | 62 |
| Coho | 54 | 48 | 70 | 54 | 96 | 54 | 41 |
| Total salmon | 82 | 69 | 81 | 90 | 81 | 75 | 60 |
| Swordfish | 104 | 103 | 91 | 70 | 76 | 78 | 77 |
| Tuna: | | | | | | | |
| Albacore | 120 | 130 | 124 | 99 | 125 | 134 | 132 |
| Bluefin | 954 | 229 | 353 | 295 | 736 | 760 | 706 |
| Skipjack | 83 | 82 | 93 | 79 | 63 | 52 | 74 |
| Yellowfin | 283 | 113 | 126 | 100 | 88 | 122 | 120 |
| Total tuna | 212 | 105 | 118 | 96 | 94 | 109 | 116 |
| Total edible finfish | 130 | 96 | 97 | 94 | 92 | 96 | 90 |
| Clams: | | | | | | | |
| Hard | 113 | 148 | 163 | 174 | 160 | 144 | 148 |
| Ocean Quahog | 136 | 142 | 145 | 148 | 154 | 166 | 201 |
| Soft | 250 | 205 | 236 | 238 | 255 | 237 | 295 |
| Surf | 118 | 115 | 116 | 103 | 99 | 106 | 110 |
| Total clams | 138 | 147 | 159 | 161 | 157 | 150 | 167 |
| Crabs: | | | | | | | |
| Blue | 284 | 266 | 271 | 271 | 303 | 303 | 346 |
| Dungeness | 176 | 143 | 210 | 192 | 213 | 222 | 213 |
| King | 104 | 100 | 94 | 80 | 175 | 137 | 137 |
| Snow | 237 | 130 | 76 | 54 | 85 | 177 | 150 |
| Total crabs | 182 | 144 | 135 | 121 | 178 | 188 | 188 |
| American lobster | 141 | 147 | 138 | 138 | 160 | 157 | 150 |
| Oysters | 179 | 214 | 199 | 188 | 191 | 156 | 176 |
| Scallops: | | | | | | | |
| Bay | 55 | 69 | 111 | 90 | 133 | 134 | 288 |
| Calico | 124 | - | 217 | (1) | 93 | (1) | (1) |
| Sea | 138 | 153 | 179 | 166 | 166 | 137 | 102 |
| Total scallops | 131 | 129 | 178 | 141 | 155 | 121 | 103 |
| Shrimp: | | | | | | | |
| Gulf and South Atlantic | 99 | 88 | 106 | 94 | 97 | 111 | 95 |
| Other | 179 | 148 | 134 | 331 | 152 | 144 | 103 |
| Total shrimp | 103 | 91 | 107 | 105 | 100 | 112 | 95 |
| Total edible shellfish | 135 | 124 | 133 | 125 | 139 | 141 | 133 |
| Total edible fish and shellfish | 133 | 111 | 117 | 111 | 118 | 121 | 114 |
| Industrial fish, Menhaden | 128 | 128 | 154 | 154 | 154 | 154 | 154 |
| All fish and shellfish | 132 | 112 | 119 | 113 | 119 | 122 | 116 |

(1) Confidential data.

Employment, Craft, and Plants

ESTIMATED NUMBER OF COMMERCIAL FISHING VESSELS (1) AND FISHING BOATS (2) BY REGION AND STATE, 1999 - 2000

| Area and State | 1999 | | | 2000 | | |
|---------------------------------|---------|--------|--------|---------|--------|--------|
| | Vessels | Boats | Total | Vessels | Boats | Total |
| Northeast: | | | | | | |
| Connecticut | 232 | 281 | 513 | 182 | 243 | 425 |
| Delaware | 178 | NA | NA | 184 | NA | NA |
| Maine | 1,653 | 5,821 | 7,474 | 1,656 | 5,836 | 7,492 |
| Maryland (3) | 34 | NA | NA | 32 | NA | NA |
| Massachusetts | 700 | 4,520 | 5,220 | 695 | 4,540 | 5,235 |
| New Hampshire | 121 | 468 | 589 | 109 | 471 | 580 |
| New Jersey | 421 | NA | NA | 397 | NA | NA |
| New York (4) | 678 | 2,825 | 3,503 | NA | NA | NA |
| Rhode Island | 330 | 2,239 | 2,569 | 344 | 2,920 | 3,264 |
| Virginia (3) | 241 | NA | NA | 261 | NA | NA |
| South Atlantic and Gulf: | | | | | | |
| North Carolina | 667 | NA | NA | 773 | NA | NA |
| South Carolina | 577 | NA | NA | 520 | NA | NA |
| Georgia | 350 | NA | NA | 265 | NA | NA |
| Florida | 2,214 | 5,602 | 7,816 | 2,136 | 5,502 | 7,638 |
| Alabama | 454 | 1,231 | 1,685 | 443 | 1,328 | 1,771 |
| Mississippi | 502 | 707 | 1,209 | 504 | 743 | 1,247 |
| Louisiana | 2,450 | 11,414 | 13,864 | 2,393 | 11,830 | 14,223 |
| Texas | NA | NA | NA | NA | NA | NA |
| West Coast: | | | | | | |
| Alaska | 6,232 | 9,374 | 15,606 | 6,169 | 9,461 | 15,630 |
| Washington | 783 | 343 | 1,126 | 726 | 355 | 1,081 |
| Oregon | 643 | 308 | 951 | 721 | 376 | 1,097 |
| California | 1,438 | 1,142 | 2,580 | 1,307 | 1,132 | 2,439 |
| Hawaii | NA | NA | NA | 347 | 2,467 | 2,901 |
| Great Lakes (5) | | | | | | |
| Illinois | 5 | NA | NA | 5 | NA | NA |
| Indiana | NA | NA | NA | NA | NA | NA |
| Michigan | NA | NA | NA | NA | NA | NA |
| Minnesota | 1 | 24 | 25 | 1 | 24 | 25 |
| New York | 2 | NA | NA | 1 | NA | NA |
| Ohio | 34 | 21 | 55 | 31 | 19 | 50 |
| Pennsylvania | 2 | 1 | 3 | 2 | 1 | 3 |
| Wisconsin | 68 | 18 | 86 | 78 | 18 | 96 |

(1) Vessels are documented craft greater than 5 net registered tons.

(2) Boats are craft less than 5 net registered ton.

(3) Only Federally collected data are available. Inshore data are not available.

(4) Excludes vessels andboats in the Great Lakes.

(5) Commercial fishing fleet size of the Great Lakes states represent only the number of licenses issued by the State; therefore , may not be an accurate total. Tribal data are not included in this table.

NA -- Data not available or provided seperately.

Employment, Craft, and Plants

PROCESSORS AND WHOLESALERS: PLANTS, AND EMPLOYMENT, 2000

| Area and State | Processing | | Wholesale (1) | | Total | |
|-------------------------------|------------------|---------------|---------------|---------------|--------------|---------------|
| | Plants | Employment | Plants | Employment | Plants | Employment |
| | -----Number----- | | | | | |
| New England: | | | | | | |
| Maine | 46 | 1,439 | 224 | 1,514 | 270 | 2,953 |
| New Hampshire | 6 | 241 | 31 | 184 | 37 | 425 |
| Massachusetts | 58 | 2,247 | 287 | 2,778 | 345 | 5,025 |
| Rhode Island | 17 | 446 | 52 | 344 | 69 | 790 |
| Connecticut | 4 | 64 | 40 | 365 | 44 | 429 |
| Total | 131 | 4,437 | 634 | 5,185 | 765 | 9,622 |
| Mid-Atlantic: | | | | | | |
| New York | 6 | 165 | 356 | 2,614 | 362 | 2,779 |
| New Jersey | 14 | 1,152 | 117 | 920 | 131 | 2,072 |
| Pennsylvania | 5 | 1,556 | 66 | 844 | 71 | 2,400 |
| Delaware | (2) | (2) | (2) | (2) | (2) | (2) |
| District of Columbia | - | - | (2) | (2) | (2) | (2) |
| Maryland | 19 | 967 | 80 | 659 | 99 | 1,626 |
| Virginia | 38 | 1,532 | 75 | 555 | 113 | 2,087 |
| Total | 82 | 5,372 | 694 | 5,592 | 776 | 10,964 |
| South Atlantic: | | | | | | |
| North Carolina | 40 | 1,082 | 100 | 870 | 140 | 1,952 |
| South Carolina | (2) | (2) | 30 | 177 | 30 | 177 |
| Georgia | 5 | 1,124 | 56 | 664 | 61 | 1,788 |
| Florida | 101 | 2,928 | 363 | 3,183 | 464 | 6,111 |
| Total | 146 | 5,134 | 549 | 4,894 | 695 | 10,028 |
| Gulf: | | | | | | |
| Alabama | 78 | 1,411 | 47 | 783 | 125 | 2,194 |
| Mississippi | 36 | 2,679 | 34 | 208 | 70 | 2,887 |
| Louisiana | 111 | 2,325 | 157 | 1,019 | 268 | 3,344 |
| Texas | 27 | 1,707 | 115 | 1,354 | 142 | 3,061 |
| Total | 252 | 8,122 | 353 | 3,364 | 605 | 11,486 |
| Pacific: | | | | | | |
| Alaska | 179 | 8,435 | 192 | 337 | 371 | 8,772 |
| Washington | 85 | 3,919 | 204 | 1,436 | 289 | 5,355 |
| Oregon | 33 | 1,168 | (2) | (2) | 33 | 1,168 |
| California | 110 | 6,173 | 363 | 4,902 | 473 | 11,075 |
| Total | 407 | 19,695 | 759 | 6,675 | 1,166 | 26,370 |
| Inland States, Total | 31 | 1,488 | 273 | 2,898 | 304 | 4,386 |
| Other Areas or States: | | | | | | |
| (3), Total | 24 | 8,895 | 72 | 831 | 96 | 9,726 |
| Grand total | 1,073 | 53,143 | 3,334 | 29,439 | 4,407 | 82,582 |

(1) Data are based on Standard Industrial Classification Code 5146, as reported by the Bureau of Labor Statistics.

(2) Included with Inland States for confidentiality reasons.

(3) Includes American Samoa, Hawaii, and Puerto Rico.

Fishery Products Inspection

FISHERY PRODUCTS AND ESTABLISHMENTS INSPECTED IN CALENDAR YEAR, 2001

| Region | Edible fishery products | | | | | | |
|--------------|-------------------------|---------------------|-----------------------------|----------------|-------------------|----------------|--------------------|
| | Establishment (1) | | Amount inspected | | | | |
| | SIFE (2) | In- plant (3) | Grade A (4) | PUFI (4) | No mark (5) | Lot (6) | Total |
| | -Average number- | | ----- Thousand pounds ----- | | | | |
| Northeast | 1 | 84 | 16,730 | 131,359 | 55,665 | 110,782 | 314,536 |
| Southeast | 0 | 100 | 13,784 | 65,781 | 58,499 | 94,664 | 232,729 |
| West | 1 | 59 | 16,286 | 23,398 | 953 | 267,920 | 308,558 |
| Total | 2 | 243 | 46,799 | 220,539 | 115,117 | 473,367 | (7) 855,822 |

(1) These establishments are inspected under contract and certified as meeting U.S. Department of Commerce (USDC) regulations for construction and maintenance of facilities and equipment processing techniques, and employment practices.

(2) Fish processing establishments approved for sanitation under the Sanitary Inspected Fish Establishment Service (SIFE). Products are not processed under inspection.

(3) Sanitarily inspected fish establishments processing fishery products under USDC inspection. As of December 2001, 73 of these were in the Hazard Analysis Critical Control Point (HACCP) Program.

(4) Products processed under USDC inspection in inspected establishments and labeled with USDC inspection mark as "Processed Under Federal Inspection" (PUFI) and/or "U.S. Grade A."

(5) Products processed under inspection in inspected establishments but bearing no USDC inspection mark.

(6) Lot inspected and marked products checked for quality and condition at the time of examination and located in processing plants, warehouses, cold storage facilities, or terminal markets anywhere in the United States.

(7) Based on 2000 per capita consumption data, approximately 17.0 percent of seafood consumed in the U.S. is certified under the auspices of the Seafood Inspection Program.

Note:--Table may not add due to rounding.

Source:--NMFS, Seafood Inspection Program, F/Sl.

The Magnuson-Stevens Fishery Conservation and Management Act

The Magnuson-Stevens Fishery Conservation and Management Act, Public Law 94-265 as amended (Magnuson-Stevens Act), provides for the conservation and management of fishery resources within the U.S. Exclusive Economic Zone (EEZ). It also provides for fishery management authority over continental shelf resources and anadromous species beyond the EEZ, except when they are found within a foreign nation's territorial sea or fishery conservation zone (or equivalent), to the extent that such sea or zone is recognized by the United States.

The EEZ extends from the seaward boundary of each of the coastal States (generally 3 nautical miles from shore for all but two States) to 200 nautical miles from shore. The seaward boundaries of Texas, Puerto Rico, and the Gulf coast of Florida are 3 marine leagues (9 nautical miles). The EEZ encompasses approximately 3.36 million square nautical miles.

GOVERNING INTERNATIONAL FISHERY AGREEMENT

Under the Magnuson-Stevens Act, the Secretary of State, in cooperation with the Secretary of Commerce, negotiates Governing International Fishery Agreements (GIFAs) with foreign nations requesting to fish within the EEZ. After a GIFA is signed, it is transmitted by the President to the Congress for ratification.

FOREIGN FISHING PERMITS

Title II of the Magnuson-Stevens Act governs foreign fishing in the EEZ. The process applied to foreign fishing has been described in prior issues of this publication. As U.S. fishing capacity grew, foreign participation in directed fisheries, as well as in foreign joint ventures in which U.S. vessels delivered U.S. harvested fish to permitted foreign vessels in the EEZ diminished until, in 1991, foreign vessels no longer were permitted to conduct directed fishing in the EEZ. This marked the achievement of one of the objectives of the Magnuson-Stevens Act, that is, the development of the U.S. fishing industry to take what were in 1976 underutilized species, and the displacement of directed foreign fishing effort in the EEZ.

As a result of the above, there has been very little total allowable level of foreign fishing (TALFF) issued since

1991. NMFS continues to maintain certain regulations pertaining to foreign fishing should there be a situation in the future in which allowing limited foreign fishing in an underutilized fishery would be of advantage to the U.S. fishing industry.

FMPs and PMPs

Under the Magnuson-Stevens Act, eight Regional Fishery Management Councils are charged with preparing Fishery Management Plans (FMPs) for the fisheries needing management within their areas of authority. After the Councils prepare FMPs that cover domestic and foreign fishing efforts, the FMPs are submitted to the Secretary of Commerce (Secretary) for approval and implementation. The Department, through NMFS agents and the U.S. Coast Guard, is responsible for enforcing the law and regulations.

The Secretary is empowered to prepare FMPs in the Atlantic and Gulf of Mexico for highly migratory species. Where no FMP exists, Preliminary Fishery Management Plans (PMPs), which only cover foreign fishing efforts, are prepared by the Secretary for each fishery for which a foreign nation requests a permit. The Secretary is also empowered to produce an FMP for any fishery that a Council has not duly produced. In this latter case, the Secretary's FMP covers domestic and foreign fishing.

The Atlantic swordfish, Atlantic sharks, and Atlantic billfish fisheries are currently being managed by the Secretary under the Magnuson-Stevens Act, and the Western Atlantic bluefin tuna fishery is managed under the Magnuson-Stevens Act and the Atlantic Tunas Convention Act.

FISHERY MANAGEMENT PLANS (FMPs)

Under section 304 of the Magnuson-Stevens Act, all Council-prepared FMPs must be reviewed for approval by the Secretary. After FMPs have been approved under section 304 of the Magnuson-Stevens Act, they are implemented by Federal regulations, under section 305 of the Act. *As of December 31, 2001*, there are 41 FMPs in place. Of these, two are Secretarial FMPs for Atlantic highly migratory species. The 39 FMPs the Councils prepared are listed below. The FMPs are amended by the Councils and the amendments are submitted for

The Magnuson-Stevens Fishery Conservation and Management Act

approval under the same Secretarial review process as new FMPs. Most of the FMPs listed have been amended since initial implementation.

Northeast Multispecies

Atlantic Herring

Monkfish

Atlantic Bluefish

Atlantic Coast Red Drum

Atlantic Mackerel, Squid, and Butterfish

Mid-Atlantic Tilefish (new)

Atlantic Salmon

Atlantic Sea Scallops

Atlantic Surf Clams and Ocean Quahogs

Summer Flounder, Scup, and Black Sea

Bass

Spiny Dogfish

Gulf and South Atlantic Spiny Lobster

Caribbean Reef Fish

Gulf of Mexico Reef Fish

Gulf of Mexico Corals

South Atlantic Corals

South Atlantic Golden Crab

Caribbean Coral Reef Resources

Gulf of Mexico Shrimp

Gulf of Mexico Stone Crab

Gulf of Mexico Red Drum

Coastal Migratory Pelagics

Caribbean Queen Conch

Caribbean Spiny Lobster

South Atlantic Snapper/Grouper

South Atlantic Shrimp

Pacific Coastal Pelagic Species

King and Tanner Crab

Commercial and Recreational Salmon

High Seas Salmon

Pacific Coast Groundfish

Gulf of Alaska Groundfish

Bering Sea and Aleutian Islands

Groundfish

Alaska Scallops

Western Pacific Crustaceans

Western Pacific Precious Corals

Western Pacific Bottomfish and Seamount

Groundfish

Western Pacific Pelagics

In 2001, NMFS published 853 documents in the Federal Register that affected domestic fishing issues and either proposed or implemented fishery management actions (i.e., FMP and amendments). The documents published included hearing, meeting, correction, and proposed and final rule documents.

The Magnuson-Stevens Fishery Conservation and Management Act

REGIONAL FISHERY MANAGEMENT COUNCILS

| <u>Council</u> | <u>Constituent States</u> | <u>Telephone Number</u> | <u>Executive Directors and Addresses</u> |
|------------------------|--|-------------------------------|---|
| NEW ENGLAND | (Maine, New Hampshire, Massachusetts, Rhode Island, and Connecticut) | 978-465-0492 FAX: 465-3116 | Paul J. Howard 50 Water St. The Tannery -- Mill 2 Newburyport, MA 01950 |
| MID-ATLANTIC | (New York, New Jersey, Delaware, Pennsylvania, Maryland, Virginia, and North Carolina) | 302-674-2331 FAX: 674-5399 | Daniel T. Furlong Federal Bldg., Rm. 2115 300 South New St. Dover, DE 19904 |
| SOUTH ATLANTIC | (North Carolina, South Carolina, Georgia and Florida) | 843-571-4366 FAX: 769-4520 | Robert K. Mahood Southpark Bldg. - Rm. 306 1 Southpart Circle Charleston, SC 29407 |
| GULF OF MEXICO | (Texas, Louisiana, Mississippi, Alabama, and Florida) | 813-228-2815 FAX: 225-7015 | Wayne E. Swingle 3018 U.S. Highway 301, North Suite 1000 Tampa, FL 33619 |
| CARIBBEAN | (U.S. Virgin Islands and Commonwealth of Puerto Rico) | 787-766-5926 FAX: 766-6239 | Miquel A. Rolon 268 Ave. Munoz Rivera Suite 1108 San Juan, PR 00918 |
| PACIFIC | (California, Washington, Oregon, and Idaho) | 503-820-2280 FAX: 820-2299 | Donald O. McIsaac 7700 NE Ambassador Place Suite 200 Portland, OR 97220 |
| NORTH PACIFIC | (Alaska, Washington, and Oregon) | 907-271-2809 FAX: 271-2817 | Chris W. Oliver 605 W. 4th Ave. Room 306 Anchorage, AK 99501 |
| WESTERN PACIFIC | (Hawaii, American Samoa, Guam, and Commonwealth of the Northern Mariana Islands) | 808-522-8220 FAX: 522-8226 | Kitty M. Simonds 1164 Bishop St. Suite 1400 Honolulu, HI 96813 |

The Magnuson-Stevens Fishery Conservation and Management Act

OPTIMUM YIELD (OY) AND OTHER SPECIFICATIONS, INCLUDING AMOUNTS AVAILABLE FOR JOINT VENTURE PROCESSING: NORTH ATLANTIC, BY SPECIES, 2001 (1)

| Item | Loligo squid | Illex squid | Atlantic mackerel | Butterfish | Atlantic herring |
|---------------------------------------|--------------|-------------|-------------------|------------|------------------|
| ----- Metric tons, round weight ----- | | | | | |
| Maximum OY | (2) 26,000 | (2) 24,000 | (3) | (2) 16,000 | (4) 250,000 |
| ABC | 17,000 | 24,000 | 347,000 | 7,200 | 300,000 |
| Initial OY | 17,000 | 24,000 | (5) 88,000 | 5,900 | 250,000 |
| DAH | 17,000 | 24,000 | (6) 85,000 | 5,897 | 245,000 |
| DAP | 17,000 | 24,000 | 50,000 | 5,897 | 221,000 |
| JVP | 0 | 0 | 20,000 | 0 | 20,000 |
| Other | NA | NA | NA | NA | (7) 4,000 |
| TALFF | 0 | 0 | 3,000 | 3 | 5,000 |

(1) OY=Optimum Yield; ABC=Allowable Biological Catch; DAH=Domestic Annual Harvest; DAP=Domestic Annual Processing; JVP=Joint Venture Processing; and TALFF=Total Allowable Level of Foreign Fishing.

(2) Maximum OY based on the Fishery Management Plan for Atlantic mackerel, squid and butterfish.

(3) Not applicable based on the Fishery Management Plan for Atlantic mackerel, squid and butterfish.

(4) Maximum OY based on the Fishery Management Plan for Atlantic Herring.

(5) Initial OY can increase during the year, but the total cannot exceed 347,000 metric tons.


(6) Includes 15,000 metric tons of Atlantic mackerel recreational allocation.

(7) Represents 20,000 4,000 metric tons specified for transfers to Canadian herring carriers.

NA--Not available

Source:--NMFS, Office of Sustainable Fisheries, F/SF; and NMFS, Northeast Region, F/NER.

NMFS Regional Offices NMFS Fisheries Science Centers Regional Fishery Management Councils Headquarters Locations



General Administrative Information ---

UNITED STATES DEPARTMENT OF COMMERCE

14th and Constitution Ave., NW
Washington, DC 20230

| <u>MAIL ROUTING CODE</u> | | <u>TELEPHONE NUMBER</u> |
|----------------------------------|--|-----------------------------|
| -- | Secretary of Commerce Donald L. Evans | 202-482-2112 |
| A | Under Secretary of Commerce for Oceans and Atmospheric Conrad C. Lautenbacher, Jr., Vice Admiral, U.S. Navy (Ret.) | 202-482-3436 |

NATIONAL MARINE FISHERIES SERVICE

1315 East-West Highway
Silver Spring Metro Center #3 (SSMC)
Silver Spring, MD 20910

| | | |
|--------|--|--------------|
| F | Assistant Administrator for Fisheries -- William T. Hogarth, Ph.D. | 301-713-2239 |
| | Deputy Assistant Administrator for Regulatory Programs -- Rebecca J. Lent, Ph.D. | 301-713-2239 |
| | Deputy Assistant Administrator for Operations John Oliver | 301-713-2239 |
| | Chief Information Officer -- Larry Tyminski | 301-713-2372 |
| | Equal Employment Opportunity -- Natalie Huff | 301-713-1456 |
| F/CS | Constituent Services -- Linda Chaves (Acting) | 301-713-2379 |
| F/CS1 | Constituent and Outreach Services | 301-713-2379 |
| F/CS2 | Financial Services | 301-713-2390 |
| F/EN | Office of Law Enforcement -- Dale Jones | 301-427-2300 |
| F/EN1 | Enforcement Operations Division | 301-427-2300 |
| F/SI | Seafood Inspection Program -- Samuel W. McKeen | 301-713-2351 |
| F/HC | Office of Habitat Conservation -- Rolland A. Schmitten | 301-713-2325 |
| F/HCx1 | Chesapeake Bay Program Office | 410-267-5660 |
| F/HC1 | Watershed Division | 301-713-2325 |
| F/HC2 | Habitat Protection Division | 301-713-2325 |
| F/HC3 | Habitat Restoration Division | 301-713-0174 |

General Administrative Information ---

UNITED STATES DEPARTMENT OF COMMERCE

Silver Spring, Md. 20910

| <u>MAIL ROUTING CODE</u> | | <u>TELEPHONE NUMBER</u> |
|----------------------------------|--|-----------------------------|
| F/MB | Office of Management and Budget -- Mark C. Holliday, Ph.D. (Acting) | 301-713-2259 |
| F/MB 1 | Budget Execution Division | 301-713-2245 |
| F/MB 2 | Management and Administration Division | 301-713-2259 |
| F/MB 3 | Program Planning and Evaluation Division | 301-713-2370 |
| F/MB 4 | Budget Formulation and Appropriations Division | 301-713-2325 |
| F/PR | Office of Protected Resources -- Donald Knowles | 301-713-2332 |
| F/PR1 | Permits Conservation and Education Division | 301-713-2289 |
| F/PR2 | Marine Mammal Conservation Division | 301-713-2322 |
| F/PR3 | Endangered Species Division | 301-713-2219 |
| F/PR4 | Planning and Program Coordination Division | 301-713-1401 |
| F/SF | Office of Sustainable Fisheries -- John H. Dunnigan | 301-713-2334 |
| F/SF1 | Highly Migratory Species Division | 301-713-2347 |
| F/SF3 | Domestic Fisheries Division | 301-713-2341 |
| F/SF4 | International Fisheries Division | 301-713-2276 |
| F/SF5 | Regulatory Services Division | 301-713-2337 |
| F/SF6 | Seafood Inspection Laboratory | 301-713-2334 |
| F/ST | Office of Science and Technology -- William Fox, Jr., Ph.D. | 301-713-2367 |
| F/ST1 | Fisheries Statistics & Economics Division | 301-713-2328 |
| F/ST2 | Research Analysis and Coordination Division | 301-713-2363 |
| F/ST21 | Scientific Publications Unit | 206-526-6107 |
| F/ST3 | International Science Coordination and Analysis Division | 301-713-2288 |
| LA11 | Office of Congressional Affairs - Fisheries -- Steve Leathery (Acting) | 301-713-2263 |
| PAF | Office of Public Affairs - Fisheries -- Gordon Helm | 301-713-2370 |
| GCF | Office of General Counsel - Fisheries -- Mariam McCall | 301-713-2231 |

General Administrative Information ---

NATIONAL MARINE FISHERIES SERVICE REGIONAL FACILITIES

| <u>MAIL ROUTING CODE</u> | <u>OFFICE</u> | <u>TELEPHONE and FAX NUMBER</u> | <u>LOCATION</u> |
|----------------------------------|--|---|---------------------------|
| F/NER | Northeast Region One Blackburn Drive Gloucester, MA 01930 | 978-281-9300 Fax-281-9371 | Gloucester, MA |
| F/NEC3 | Northeast Fisheries Science Center 166 Water St. - Rm. 312 Woods Hole, MA 02543 | 508-495-2233 Fax-548-2258 | Woods Hole, MA |
| | Woods Hole Laboratory 166 Water St. Woods Hole, MA 02543 | 508-495-2000 Fax-495-2258 | Woods Hole, MA |
| | Narragansett Laboratory 28 Tarzwell Drive Narragansett, RI 02882 | 401-782-3200 Fax-782-3201 | Narragansett, RI |
| | Milford Laboratory 212 Rigers Ave. Milford, CT 06460 | 203-579-7000 FAX-579-7070 | Milford, CT |
| | Sandy Hook Laboratory Building 74, McGruder Highlands, NJ 07732 | 732-872-3000 FAX-872-3088 | Highlands, NJ |
| F/NEC3 | Natl. Systematics Laboratory, MRC15: 10th & Constitution Ave., NW Washington, DC 20560 | 202-357-2550 FAX-357-1896 | Washington, DC |
| F/SER | Southeast Region 9721 Executive Center Drive, N. St. Petersburg, FL 33702 | 727-570-5301 FAX-570-5300 | St. Petersburg, FL |
| F/SEC | Southeast Fisheries Science Center 75 Virginia Beach Dr. Miami, FL 33149 | 305-361-4284 FAX-361-4219 | Miami, FL |
| F/SEC4 | Miami Laboratory 75 Virginia Beach Dr. Miami, FL 33149 | 305-361-4225 FAX-361-4499 | Miami, FL |
| F/SEC5 | Mississippi Laboratory 3209 Frederick St., P.O. Drawer 1207 Pascagoula, MS 39567 | 228-762-4591 FAX-769-9200 | Pascagoula, MS |
| F/SEC6 | Panama City Laboratory 3500 Delwood Beach Rd. Panama City, FL 32408 | 850-234-6541 FAX-235-3559 | Panama City, FL |
| F/SEC7 | Galveston Laboratory 4700 Avenue U Galveston, TX 77551 | 409-766-3500 FAX-766-3508 | Galveston, TX |

(CONTINUED)

General Administrative Information

NATIONAL MARINE FISHERIES SERVICE REGIONAL FACILITIES

| <u>MAIL ROUTING CODE</u> | <u>OFFICE</u> | <u>TELEPHONE and FAX NUMBER</u> | <u>LOCATION</u> |
|----------------------------------|---|--|-----------------------|
| F/SEC9 | Beaufort Laboratory 101 Pivers Island Rd Beaufort, NC 28516 | 252-728-3595 FAX-728-8784 | Beaufort, NC |
| F/NWR | Northwest Region 7600 Sand Point Way, N.E., Bldg. 1 Seattle, WA 98115 | 206-526-6150 FAX-526-6426 | Seattle, WA |
| F/NWC | Northwest Fisheries Science Center West Bldg. - Rm. 363 2725 Montlake Boulevard, East Seattle, WA 98112 | 206-860-3200 FAX-860-3217 | Seattle, WA |
| F/SW | Southwest Region 501 West Ocean Blvd., Suite 4200 Long Beach, CA 90802 | 562-980-4000 FAX-980-4018 | Long Beach, CA |
| F/SWC | Southwest Fisheries Science Center 8604 La Jolla Shores Dr. P.O. Box 271 La Jolla, CA 92038 | 858-546-7000 FAX-546-5655 | La Jolla, CA |
| F/SWC2 | Honolulu Laboratory 2570 Dole Street, Rm. 106 Honolulu, HI 96822 | 808-983-5300 FAX-983-2902 | Honolulu, HI |
| | Pacific Islands Area Office 1601 Kapiolani Blvd., Rm. 1110 Honolulu, HI 96814 | 808-973-2937 FAX-973-2941 | Honolulu, HI |
| F/SWC3 | Santa Cruz / Tiburon Laboratory 110 Shaffer Rd. Santa Cruz, CA 95060 | 415-435-3149 FAX-435-3675 | Santa Cruz, CA |
| F/SWC4 | Pacific Fisheries Environmental Group 1352 Lighthouse Ave. Pacific Grove, CA 93950 | 408-648-8515 FAX-648-8440 | Pacific Grove, CA |
| F/AKR | Alaska Region 709 West 9th Street, Room 453 P.O. Box 21668 Juneau, AK 99802 | 907-586-7221 FAX-586-7249 | Juneau, AK |
| F/AKC | Alaska Fisheries Science Center, 7600 Sand Point Way, N.E. P.O. Box C15700 - Bldg. #4 - Rm. 2149 Seattle, WA 98115 | 206-526-4000 FAX-526-4004 | Seattle, WA |
| | Kodiak Laboratory 301 Research Court Kodiak, AK 99615 | 907-481-1700 FAX-481-1701 | Kodiak, AK |
| F/AKC4 | Auke Bay Laboratory 11305 Glacier Highway Auke Bay, AK 99801 | 907-789-6000 FAX-789-6094 | Auke Bay, AK |

General Administrative Information

NATIONAL MARINE FISHERIES SERVICE NATIONAL FISHERY STATISTICS OFFICES

| <u>CITY</u> | <u>TELEPHONE NUMBER</u> | <u>NAME AND ADDRESS</u> |
|---|--|--|
| <u>NEW ENGLAND:</u> | | |
| (1) Portland | 207-780-3322 FAX:780-3340 | Scott McNamara / Jessica Holton, Marine Trade Center, Suite 212, Two Portland Fish Pier, Portland, ME 04101 |
| Boston | 617-223-8018 FAX:223-8526 | Jack French, Boston Market News, 408 Atlantic Ave., Rm. 141, Boston, MA 02210 |
| (1) Gloucester | 978-281-9304 FAX:281-9161 | Gregory R. Power, Fishery Inf. Section, One Blackburn Dr., Blackburn Dr., Gloucester, MA 01930 |
| Gloucester | 978-281-9363 / 9286 FAX:281-9372 | Don Mason / William Heiskel, 11-15 Parker St., Fish Pier, Gloucester, MA 01930 |
| New Bedford | 508-999-2452 FAX:990-2506 | Dennis E. Main / Sarah Babson-Pike, U.S. Custom House, 37 No. Second St., New Bedford, MA 02740 |
| Chatham | 508-945-5961 FAX:945-3793 | Lorraine Spenle, 29C Stage Harbor Road, Chatham, MA 02633 |
| Woods Hole | 508-495-2309 FAX:495-2258 | John Mahoney, NMFS, Northeast Fisheries Science Center, 166 Water St., Woods Hole, MA 02543 |
| Point Judith | 401-783-7797 FAX:782-2113 | Walter Anoushian, 83 State St., 2nd Floor, P.O. Box 547, Narragansett, RI 02882 |
| <u>MIDDLE ATLANTIC AND CHESAPEAKE:</u> | | |
| New York | 212-620-3405 FAX:620-3577 | Leo Gaudin / R. Santangelo, New York Market News, 201 Varick St. Rm. 701, New York, NY 10014 |
| East Hampton | 631-324-3569 FAX:324-3314 | Erik Braun, 62 Newtown Lane, Suite 203, East Hampton, NY 11937 |
| Patchogue | 631-475-6988 FAX:289-8361 | David McKernan, Social Security Bldg., 50 Maple Ave., P.O.Box 606 Patchogue, L.I., NY 11772 |
| (1) Toms River | 732-349-3533 FAX:349-4319 | Eugene Steady / Nicole Wesley, 26 Main St., P.O. Box 143, Toms River, NJ 08754 |
| Cape May | 609-884-2113 FAX:884-4908 | Walt Makowski / Ingo Fleming, 1382 Lafayette St., P.O. Box 624, Cape May, NJ 08204 |
| Hampton | 757-723-3369 FAX:728-3947 | David Ulmer / Steve Ellis / George Mattingly, 1026 Settlers Landings Suite F, P.O. Box 436, Hampton, VA 23669 |
| Beaufort | 252-728-8788 FAX:728-8772 | David Gloeckner, Beaufort Laboratory, 101 Pivers Island Rd., Beaufort, NC 28516 |
| <u>SOUTH ATLANTIC AND GULF:</u> | | |
| (1) Beaufort | 252-728-8721 FAX:728-8772 | Linda Hardy, Beaufort Laboratory, 101 Piver Island Rd., Beaufort, NC 28516 |
| New Smyrna Beach | 904-427-6562 FAX: SAME | Claudia Dennis, Coast Guard Station/Ponce, P.O. Box 2025, New Smyrna Beach, FL 32170 |
| Tequesta | 561-575-4461 FAX:361-4565 | H.Charles Schaefer / Michelle Gamby, 19100 S.E. Fedl. Highway, Tequesta, FL 33469 |
| (1) Miami | 305-361-4468 FAX:361-4460 | Guy S. Davenport / Pam Brown-Eyo, 75 Virginia Beach Dr., Miami, FL 33149 |
| Key West | 305-294-1921 FAX: SAME | Edward J. Little, Jr., Federal Bldg. Rm. 208, 301 Simington St. Key West, FL 33040 |
| Fort Myers | 239-334-4364 FAX: SAME | Tom Herbert, 2000 Main St., Suite 409 Fort Myers, FL 33901 |
| St. Petersburg | 727-570-5393 FAX: 570-5300 | Renee Roman / Greg Fairclough, 9721 Executive Center Dr., St. Petersburg, FL 33702 |

(CONTINUED)

General Administrative Information ---

NATIONAL MARINE FISHERIES SERVICE NATIONAL FISHERY STATISTICS OFFICES

| <u>CITY</u> | <u>TELEPHONE NUMBER</u> | <u>NAME AND ADDRESS</u> |
|--|-------------------------------|--|
| <u>SOUTH ATLANTIC AND GULF:</u> | | |
| Panama City | 850-234-6541 FAX: 235-3558 | Deborah Fable / June Weeks, 3500 Delwood Beach Rd., Panama City, FL 32407 |
| Mobile | 334-441-6193 FAX: SAME | Ted Flowers, U.S.Coast Guard - ATC, P.O. Box 97, Mobile, AL 36608 |
| Pascagoula | 228-762-7402 FAX: 769-9200 | Rene Labadens / Charles Armstrong, 3209 Frederic St., P.O. Box Drawer 1207, Pascagoula, MS 39567 |
| Golden Meadow | 504-632-4324 FAX: SAME | Gary J. Rousse, 115 Piciola Pkwy., (Galliano, LA), P.O.Box 623, Golden Meadow, LA 70357 |
| Houma | 504-872-3321 FAX: SAME | Kathleen Hebert, 425 Lafayette St., Rm. 128, Houma, LA 70360 |
| | 504-872-1403 FAX: SAME | Billy Ray Tucker, 1340 W. Tunnel Blvd., Suite 222, Houma, LA 70360 |
| Lafayette | 373-291-2119 FAX: 291-2120 | Linda F. Guidry, NOAA Fisheries Lab., 646 Cajundome Blvd., Room Lafayette, LA 70506 |
| | 373-291-2117 FAX: 291-2118 | Beth Bourgeois, NOAA Fisheries Lab., 646 Cajundome Blvd., Room Lafayette, LA 70506 |
| New Orleans | 504-365-0314 FAX: 363-0297 | Debbie Batiste (Market News Office), Naval Support Activity, 2300 G Myers Ave., Bldg. H-100, Rm. 282, New Orleans, LA 70142 |
| | 504-362-3089 504-362-8508 | Maggie Bourgeois, Address & Fax number same as above. Jay Boulet, Address and Fax number same as above. |
| | 504-362-7705 | Jan Simpson, Address and Fax number same as above. |
| Aransas Pass | 361-758-0436 FAX: 758-1043 | Roy Spears, 132 Cleveland Blvd., P.O. Box 1815, Aransas Pass, TX 78336 |
| Brownsville/ Port Isabel | 956-548-2516 FAX: SAME | Kit Doncaster / Edie Lopez, Shrimp Turning Basin, HC 70 Box 15, Brownsville, TX 78521 |
| Freeport | 979-233-4551 FAX: SAME | Michelle Padgett, Texas Gulf Bank, Suite 213, P.O.Box 2533, Freeport, TX 77542 |
| Galveston | 409-766-3515 FAX:766-3543 | W. Keith Roberts, 4700 Avenue U, Bldg. 302 Galveston, TX 77551 |
| Port Arthur | 409-727-2271 FAX: SAME | Linda S. Trahan, Federal Bldg., Rm. 113, 2875 Jimmy Johnson Blvd Port Arthur, TX 77640 |

SOUTHWEST PACIFIC:

(1) Long Beach, Ca 562-980-4033 Patricia J. Donley, 501 West Ocean Boulevard, Rm. 4200,
FAX:980-4047 P.O. Box 32469, Long Beach, CA 90832

NORTHWEST PACIFIC:

(1) Seattle 206-526-6119 John K. Bishop, Bldg. 1, 7600 Sand Point Way, NE,
FAX:526-4461 Seattle, WA 98115

ALASKA :

(1) Juneau 907-586-7323 David Ham, Federal Building, 4th Floor, 709 West 9th St.,
FAX:586-7465 P.O. Box 21668, Juneau, AK 99802

(1) Regional or area headquarters for statistics offices.

LIBRARY INFORMATION

The NOAA Library and Information Network Catalog (NOAALINC) represents the automated bibliographic holdings of the NOAA Central Library in Silver Spring, Maryland and 27 other NOAA libraries located around the U.S. Currently, the NOAALINC contains records for more than 250,000 items with 5,000-10,000 added each year.

NOAALINC provides several search methods to locate records of items. Users can search for keywords in titles, subject headings, authors, or series. Users can browse indexes of titles, subject headings, authors, series, or call number. Each bibliographic record shows a brief description of the item with a list of which libraries hold the item. The list of libraries will show the call number, item's specific information, and whether the item is available for circulation.

NOAALINC is available to anyone, without restriction, 24 hours a day, every day of the year. Visitors to the NOAA Central Library can access the catalog thru workstations located throughout the Library. Remote users can access the catalog thru a link from the NOAA Central Library's homepage at <http://www.lib.noaa.gov/>.

NOAA personnel may contact their nearest NOAA Library or the NOAA Central Library and arrange to borrow materials. Members of the general public should contact their local library to arrange for an interlibrary loan. Restrictions apply on circulation of certain materials.

For further information contact the NOAA Central Library, 1315 East-West Highway, 2nd Floor, Silver Spring, MD 20910-3282. Telephone: 301-713-2600 (Ext. 124) or E-mail: reference@nodc.noaa.gov.

PUBLICATIONS AVAILABLE FROM U.S. GOVERNMENT PRINTING OFFICE

STATISTICAL REPORTS

003-020-00000-0 Fisheries of the United States, 2001...N/A

003-020-00174-2 Fisheries of the United States, 2000...\$18.00

003-020-00169-6 Fisheries of the United States, 1997...\$18.00

MISCELLANEOUS REPORTS

003-020-00171-8 Our Living Oceans, Report on the Status of U.S. Living Marine Resources, 1999...\$43.00

003-009-00650-3 U.S. Global Outlook (Name change) 1995: Business Forecasts for 350 Industries ...\$24.00

S/N703-023-00000-22 Fishery Bulletin (Quarterly) Publishes Original Research (FB) 2d Papers, etc...\$45.00 a year

*For information or to purchase publications listed above
(Advance Payment Required), call or write:*

**Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20202
PHONE: 202-512-1800
FAX: 202-512-2250**

Internet Orders: <http://bookstore.gpo.gov/>

PUBLICATIONS AVAILABLE FROM NATIONAL MARINE FISHERIES SERVICE AND NATIONAL TECHNICAL INFORMATION SERVICE (NTIS)

SCIENTIFIC PUBLICATIONS:

Information on formal scientific publications by NMFS (such as NMFS journals and technical publications) may be obtained from the Scientific Publications Office (F/ST1), 7600 Sand Point Way, N.E., BIN C 15700, Seattle, WA 98115.

Telephone: 206-526-6107 - <http://spo.nwr.noaa.gov/>

CURRENT FISHERY STATISTICS (CFS) SERIES:

The reports listed below are in the Current Fisheries Statistics (CFS) series. They are statistical bulletins on marine recreational fishing, commercial fishing, and on the manufacture and commerce of fishery products. For further information or to obtain a subscription to these publications, contact the office shown below:

NOAA, National Marine Fisheries Service
Fisheries Statistics and Economics Division (F/ST1)
1315 East-West Highway - Station 12340
Silver Spring, MD 20910
Telephone: 301-713-2328

Homepage: <http://www.st.nmfs.gov/st1/>

The bulletins shown below cover freezings and holdings prior to 1997 and holdings only for 1997, and the U.S. foreign trade in fishery products. This information may be obtained through our homepage listing under Fishery Market News (the address is listed above).

- () FF - Frozen Fishery Products (Annuals 1990-2000)
- () FT - Imports and Exports of Fishery Products (Annuals 1996 - 2000)

Foreign Trade Information from 1989 through the current month is available through our homepage.

OTHER PUBLICATIONS:

All publications listed below may be obtained from NTIS (address and phone number listed on page 115), the originating office (code follows in parentheses) or the appropriate homepage. Copies are available only as long as supply lasts.

() Counting on Anglers, a Video Tape Overview of the NMFS Marine Recreational Fisheries Statistics Survey. (F/ST1)

() Protecting and Restoring Essential Fish Habitat. (F/HC).

() Report on Apportionments of Membership on the Regional Fishery Management Council (RFMCs) in 2000. (F/SF).

() The Saltonstall-Kennedy Grant Program: Fisheries Development and Utilization Research and Development Report to Congress on Status of Fisheries of the United States. National Marine Fisheries Service. October 1998. (SFA homepage) Grants - Annotated Bibliography (F/SF).

() USDC Approved List of Fish Establishments and Products — Semi-Annual Report. (Documentation Approval and Supply Service, Pascagoula, MS., Phone: 228-762-1892).

Atlantic Striped Bass Studies: 1999 Biennial Report to Congress. National Marine Fisheries Service and U.S. Fish and Wildlife Service, 1999. Silver Spring, MD. 33 p. (Fx2).

Marine Mammal Protection Act Annual Report to Congress. National Marine Fisheries Service. 1998. Silver Spring, MD. (F/PR)

Marine Mammal Protection Act Bulletin. National Marine Fisheries Service. Quarterly Newsletter. Silver Spring, MD (F/PR)

Recovery Plan for U.S. Pacific Population of the Green Turtle (*Chelonia mydas*). National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998. Silver Spring, MD. (F/PR).

Recovery Plan for U.S. Pacific Population of Hawksbill Turtle (*Eretmochelys imbricata*). National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998. Silver Spring, MD. (F/PR).

Publications

Recovery Plan for U.S. Pacific Leatherback Turtle (*Dermochelys coriacea*). National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998. Silver Spring, MD (F/PR).

Recovery Plan for U.S. Pacific Population of the Loggerhead Turtle (*Chelonia caretta*). National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998. Silver Spring, MD. (F/PR).

Recovery Plan for the Olive Ridley Turtle (*Lepidochelys olivacea*). National Marine Fisheries Service and the U.S. Fish and Wildlife Service, 1998. Silver Spring, MD. (F/PR).

Report to Congress on Status of Fisheries of the United States. National Marine Fisheries Service. January, 2000. (SFA homepage).

Recreational Fishery Resources Conservation Plan, Accomplishment Report for FY1998. National Marine Fisheries Service, 1999. 75 p. Silver Spring, MD. (Fx2).

Viewing Marine Mammals in the Wild- Responsible Guidelines and Regulations for Minimizing Disturbance. National Marine Fisheries Service. 2001. Silver Spring, MD. (F/PR)

COMMERCIAL FISHERIES:

Fisheries of the United States is a preliminary report with historical comparisons on the Nation's fishing, fish processing, and foreign trade in fishery products. The following reports are available through NTIS.

| Year | Accession No. |
|------|---------------|
| 1966 | COM-75-10662 |
| 1967 | COM-75-10663 |
| 1968 | COM-75-10664 |
| 1969 | COM-75-10665 |
| 1970 | COM-71-50081 |
| 1971 | COM-75-10666 |
| 1972 | COM-73-50644 |
| 1973 | COM-74-50546 |
| 1974 | COM-75-10862 |
| 1975 | PB-253966 |
| 1976 | PB-268662 |
| 1977 | PB-282741 |
| 1978 | PB-297083 |
| 1979 | PB-80-201593 |

| Year | Accession No. |
|------|-----------------|
| 1980 | PB-81-241648 |
| 1981 | PB-82-215542 |
| 1982 | PB-83-216473 |
| 1983 | PB-84-195148 |
| 1984 | PB-86-144953 |
| 1985 | PB-87-143145 |
| 1986 | PB-88-164132 |
| 1987 | PB-88-215173 |
| 1988 | PB-89-216485 |
| 1989 | PB-91-129-320 |
| 1990 | PB-92-174523/AS |
| 1991 | PB-93-204536/AS |
| 1992 | PB-94-156387 |
| 1993 | PB-95-219192 |

Fisheries Statistics of the United States (Statistical Digest) is a final report on the Nation's commercial fisheries showing more detail than Fisheries of the United States.

| Year | Accession No. |
|------|---------------|
| 1939 | COM-75-11265 |
| 1940 | COM-75-11266 |
| 1941 | COM-75-11267 |
| 1942 | COM-75-11268 |
| 1943 | COM-75-11269 |
| 1944 | COM-75-11270 |
| 1945 | COM-75-11271 |
| 1946 | COM-75-11272 |
| 1947 | COM-75-11273 |
| 1948 | COM-75-11274 |
| 1949 | COM-75-11275 |
| 1950 | COM-75-11056 |
| 1951 | COM-75-11053 |
| 1952 | COM-75-11054 |
| 1953 | COM-75-11055 |
| 1954 | COM-75-11057 |
| 1955 | COM-75-11058 |
| 1956 | COM-75-11059 |
| 1957 | COM-75-11060 |
| 1958 | COM-75-11061 |
| 1959 | COM-75-11062 |
| 1960 | COM-75-11063 |
| 1961 | COM-75-11064 |
| 1962 | COM-75-11065 |

Publications

Fisheries Statistics of the United States *(continued)*

| Year | Accession No. |
|------|---------------|
| 1963 | COM-75-11066 |
| 1964 | COM-75-11067 |
| 1965 | COM-75-11068 |
| 1966 | PB-246429 |
| 1967 | PB-246430 |
| 1968 | COM-72-50249 |
| 1969 | COM-75-10887 |
| 1970 | COM-75-10643 |
| 1971 | COM-74-51227 |
| 1972 | COM-75-11430 |
| 1973 | PB-262058 |
| 1974 | PB-277796 |
| 1975 | PB-300625 |
| 1976 | PB-81-163438 |
| 1977 | PB-84-192038 |

HISTORICAL REPORTS:

Historical Catch Statistics is a series of publications reporting catch of certain species in the United States for historical purposes. The following reports are available through NTIS:

Atlantic and Gulf Coast States, 1879 - 1989. Current Fisheries Statistics No. 9010 - Historical Series Nos. 5-9 Revised. Report covers total landings for major species, by state and by region. (NTIS No. PB-93-174266).

Atlantic and Gulf Coast States, 1950 - 1991. Current Fisheries Statistics No. 9210 - Historical Series No. 10-Revised. Report covers landings and value of major species, by Region. (NTIS No. PB-93-174274).

IMPORTS AND EXPORTS OF FISHERY PRODUCTS

Annual Summary:

| Year | Accession No. |
|------|---------------|
| 1982 | PB-92-218635 |
| 1983 | PB-92-218643 |
| 1984 | PB-92-214972 |
| 1985 | PB-92-222280 |
| 1986 | PB-92-228196 |
| 1987 | PB-92-228055 |
| 1988 | PB-92-222272 |
| 1989 | PB-92-222264 |

| | |
|------|--------------|
| 1990 | PB-92-222256 |
| 1991 | PB-92-221803 |
| 1992 | PB-95-219499 |
| 1993 | PB-95-219481 |
| 1994 | PB-95-219507 |

MARINE RECREATIONAL FISHING:

Determination of the Number of Commercial and Non-Commercial Recreational Boats in the United States, Their Use, and Selected Characteristics, COM-74-11186.

Biennial Report to the President of the United States - Federal Agency Implementation of Executive Order 12962 - Recreational Fisheries. National Recreational Fisheries Coordination Council. 12p. 1998. (Fx2).

The NMFS-Specific Plan to Meet the Goals and Objectives of the Recreational Fishery Resources Conservation Plan. National Marine Fisheries Service. 8p. 1997. (Fx2).

Recreational Fishery Resources Conservation Plan. National Marine Fisheries Service. 16p. 1996. (Fx2).

MARINE RECREATIONAL FISHERY STATISTICS SURVEY:

Atlantic and Gulf Coasts:

| Year | Accession No. |
|---------------------|---------------|
| 1979-80 | PB-84-199652 |
| 1979 (Revised)-1980 | PB-89-102552 |
| 1981-1982 | PB-89-102560 |
| 1983-1984 | PB-89-102628 |
| 1985 | PB-89-102669 |
| 1986 | PB-89-102701 |
| 1987-1989 | PB-92-174820 |
| 1990-1991 | (F/ST1) |

Pacific Coast:

| Year | Accession No. |
|-----------|-----------------|
| 1981-1982 | PB-89-102925/AS |
| 1983-1984 | PB-89-102933/AS |
| 1985 | PB-89-102941/AS |
| 1986 | PB-89-102958/AS |
| 1987-1989 | (F/ST1) |

PROCESSED FISHERY PRODUCTS:

Annual Summary:

| Year | Accession No. |
|------|-----------------|
| 1979 | PB-89-215248/AS |
| 1980 | PB-89-215255/AS |
| 1981 | PB-89-215263/AS |
| 1982 | PB-89-215289/AS |
| 1883 | PB-89-215271/AS |
| 1984 | PB-89-215297/AS |
| 1985 | PB-89-215305/AS |
| 1986 | PB-89-215313/AS |
| 1987 | PB-92-172956 |
| 1988 | PB-92-204528/AS |

STATE LANDINGS:

Maine: 1946-76, PB-271-296;
1977-79, PB-128258.

Massachusetts: 1943-76, PB-275866;
1977-79, PB-81-143182.

Rhode Island: 1954-77; PB-287627;
1978-79, PB-81-157158.

New York: 1954-76, PB-275449;
1977-79, PB-81-134546.

New Jersey: 1952-76, PB-275696;
1977-79, PB-81-159048

Maryland: 1960-76, PB-300636;
1977-79, PB-81-159003.

Virginia: 1960-76, PB-300637;
1977-79, PB-82-151960.

North Carolina: 1955-76, PB-288928;
1977-79, PB-82-151978.

South Carolina: 1957-76, PB-289405;
1977-79, PB-81-163198.

Georgia: 1956-76, PB-289814;
1977-79, PB-81- 157166.

Florida: 1950-76, PB-292068.

Alabama: 1950-77, PB-80-121262;
1978, PB-82-168071.

Mississippi: 1951-77, PB-80-121270;
1978, PB-82-169079.

Louisiana: 1957-77, PB-300583;
1978, PB82-168063.

Texas: 1949-77, PB-300603;
1978-79, PB-82-169004.

Shrimp Landings: 1956-76, PB-80-124696;
1978-79, PB-82-156183.

Gulf Coast Shrimp Data: 1958-76, PB-80-126899;
1978-79, PB-82-170390.

INTERNATIONAL REPORTS:

The Division of International Science and Technology, NMFS, prepares assessments of major fisheries to support priority NMFS programs. These reports may be of interest to the wider fishery community as they include biological, commercial, and technical information of potential use to academicians, industry, and environmentalists.

Swordfish:

In 1997 work was completed on a six-volume study, culminating a five-year research project to compile and analyze information on every key swordfish catching nation in the world. World Swordfish Fisheries, is the most comprehensive documentation of this fishery ever produced. Each volume of the study contains information on catch, fishing grounds, fishing fleets, gear and methods, markets, trade, bycatch, research, international relations, and other facets of the fishery. The books are carefully documented and have extensive statistical appendices, graphics, and photographic images to help explain the fishery and illustrate key trends. Reports on the swordfish fisheries of the Atlantic-coast countries of Latin America was published in 1999 and reports on the Caribbean islands in 2001. The reports were published as NOAA Fisheries Technical Memoranda. These books are available from the NOAA Library: Steve Quillen, NOAA Library, 1315 East-West Highway, Silver Spring, MD 20910 (Steve.Quillen@noaa.gov)

If NOAA Library supplies are exhausted, xerox copies of these reports can be purchased from the National Technical Information Service (NTIS). NTIS order numbers are available from: Jacki Strader, NMFS Scientific Publications, Northwest Regional Office, 7600 Sandpoint Way NE, Bldg 1, Seattle, WA 98115 (Steve.Quillen@noaa.gov)

Publications

Volume I: Executive Overview. Summary of World Fisheries for Swordfish and Overview of Global and Regional Trends. (NMFS-F/SPO23, 1997), 53 p.

Volume II: Africa and the Middle East. Examination of Fisheries and Overview of Regional Trends in Africa and in Select Middle Eastern countries. (NMFS-F/SPO24, 1997), 235 p.

Volume III: Asia. Summary of Asian Fisheries and Overview of Regional Trends. Special Coverage of Japan, Korea, and Taiwan. (NMFS-F/SPO25, 1997), 44 p.

Volume IV: Latin America.

Part A1: Summary of Swordfish Fisheries, along the Pacific coast of South America. Detailed coverage of Chile. (NMFS-F/SPO26-27, 1997), two books 843 p.

Part A2: Summary of Swordfish Fisheries, along the Atlantic coast of South America. Detailed coverage of Brazil. (NMFS-F/SPO34-36, 1999), three books 916p.

Part B: Summary of Swordfish Fisheries of the Caribbean islands. Detailed coverage of Cuba. (NMFS-F/SPO50-53, 2001), four books 1,316p.

Volume V: North America. Overview of Canadian and U.S. Fisheries for Swordfish. (NMFS-F/SPO28, 1997), 136 p.

Volume VI: Western Europe. Examination of European fisheries with special emphasis on the European Union member states (especially Spain, Italy, Greece and France). Non-EU countries are also considered. (NMFS-F/SPO29, 1997), 324p.

NORTHEAST REGION:

<http://www.nefsc.nmfs.gov/nefsc/publications/>

Status of Fishery Resources off the Northeastern United States. Various authors for various sections of the document. Continuously updated Web-only document. (<http://www.nefsc.nmfs.gov/sos/>). (F/NEC).

Ten-Year Projections of Landings, Spawning Stock Biomass, and Recruitment for Five New England Groundfish Stocks. Overholtz, W.J., S.A. Murawski,

P.J. Rago, W.L. Gabriel, M. Terceiro, and J.K.T. Brodziak. 1999. (NEFSC-CRD-99-05). 74 p. (F/NEC).

Essential Fish Habitat Source Document[s]: Life History and Habitat Characteristics [for 31 species managed under fishery management plans by the New England and Mid-Atlantic Fishery Management Councils]. Various authors for various species. September 1999 for 29 species; January 2001 for one species. (NOAA-TM-NMFS-NE-122-152 & 163). Various pages for various species. (F/NEC).

Contaminant Levels in Muscle of Four Species of Recreational Fish from the New York Bight Apex. Deshpande, A.D., A.F.J. Draxler, V.S. Zdanowicz, M.E. Schrock, A.J. Paulson, T.W. Finneran, B.L. Sharack, K. Corbo, L. Arlen, E.A. Leimburg, B.W. Dockum, R.A. Pikanowski, B. May, and L.B. Rosman. 2000. (NOAA-TM-NMFS-NE-157). 99 p. (F/NEC).

U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2001. Waring, G.T., J.M. Quintal, and S.L. Swartz, eds., and P.J. Clapham, T.V.N. Cole, C.P. Fairfield, A. Hohn, D.L. Palka, M.C. Rossman, U.S. Fish and Wildlife Service, and C. Yeung, contribs. (listed alphabetically). 2001.

(NOAA-TM-NMFS-NE-168). 310 p. (F/NEC).
Northeast Fisheries Science Center Publications, Reports, and Abstracts for Calendar Year [1998 / 1999 / 2000]. Gibson, J.A. / Garner, L., and J.A. Gibson / id. 1999 / 2000 / 2001. (NEFSC-CRD-99-15 / 00-13 / 01-12). Various pages for various years. (F/NEC)

SOUTHEAST REGION:

<http://caldera.sero.nmfs.gov/>

A Review of the Fishing Gear Utilized within the Southeast Region and their Potential Impacts on Essential Fish Habitat. Barnette, M.C. 2001 (NOAA-TM-NMFS-SEFSC-449). 62 p. (F/SER).

SOUTHWEST REGION:

<http://swfsc.nmfs.noaa.gov/publications/publicat.htm>

U.S. Pacific Marine Mammal Stock Assessments: 2000. Forney, K. A., M. M. Muto, M. Lowry, J. Baker,

G. Cameron, J. Mobley, C. Stinchcomb, and J. V. Carrette. (NOAA-TM-NMFS-SWFSC-300). 283p. (F/SWC)

Japanese Study and Market for Sablefish. Sonu, Sunee C., 2000. (NOAA-TM-NMFS-SWR-037) 61 p. (F/SWR).

Marine and Estuarine Ecosystem and Habitat Classification. Allee, R.J., M. Dethier, D. Brown, L. Deegan, R.G. Ford, T.F. Hourigan, J. Maragos, C. Schoch, K. Sealey, R. Twilley, M.P. Weinstein, and M. Yoklavich. 2000. (NOAA-TM-NMFS-F/SPO-43). 43 p.

Sardine Fisheries, Trade, and Market of Japan. Sonu, Sunee C., 2001. (NOAA-TM-NMFS-SWR-038). 51 p., (F/SWR).

Stock Assessment of Pacific Sardine with Management Recommendations for 2002. Conser, R.J., K.T. Hill, P.R. Crone, N.C.H. Lo, and D. Bergen. 2001. Report submitted to the Pacific Fishery Management Council. 11 p.

The Hawaiian Monk Seal in the Northwestern Hawaiian Islands, 1999. Johanos, T.C., and J.D. Baker. 2001. (NOAA-TM-NMFS-SWFSC-310).

The Physical Oceanography off the Central California Coast during May-June, 1999: A Summary of CTD Data from Pelagic Juvenile Rockfish Surveys. Sakuma, K.M., F.B. Schwing, M.H. Pickett, D. Roberts, and S. Ralston. 2001. (NOAA-TM-NMFS-SWFSC-315). 86 p.

U.S. Antarctic Marine Living Resources AMLR 2000/2001 Field Season Report. Lipsky, J.D. (ed.). 2001. (NOAA-TM-NMFS-SWFSC-314). 192 p. (NTIS No. PB2002-102281).

U.S. Pacific Marine Mammal Stock Assessments: 2001. Carretta, J.V., J. Barlow, K.A. Forney, M.M. Muto, and J. Baker. 2001. (NOAA-TM-NMFS-SWFSC-317). 280 p.

NORTHWEST REGION:

<http://www.nwfsc.noaa.gov/pubs/nwfscpubs.html>

Status Review of Coastal Cutthroat Trout from Washington, Oregon, and California. Johnson, O.W., M.H. Ruckelshaus, W.S. Grant, F.W. Waknitz, A.M. Garrett, G.J. Bryant, K. Neely, and J.J. Hard. 1999. (NOAA-TM-NMFS-NWFSC-37) 292 p. (NTIS PB99-140469)

Status Review of Chinook Salmon from Washington, Idaho, Oregon, and California. Myers, J.M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grant, F.W. Waknitz, K. Neely, S.T. Lindley, and R.S. Waples. 1998. (NOAA-TM-NMFS-NWFSC-35) 443 p. (NTIS PB98-128473).

Status Review of Pacific Hake, Pacific Cod, and Walleye Pollock from Puget Sound, Washington. Gustafson, R.G., H.W. Lenarz, B.B. McCain, C.C. Schmitt, W.S. Grant, T.L. Builder, and R.D. Methot. 2000. (NOAA-TM-NMFS-NWFSC-44) 275 p. (NTIS PB2001-105562).

Viable Salmon Populations and the Recovery of Evolutionarily Significant Units. McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. (NOAA-TM-NMFS-NWFSC-42) 443 p. (NTIS PB2000-106905).

Status Review of Pacific Herring in Puget Sound, Washington. Stout, H.A., R.G. Gustafson, W.H. Lenarz, B.B. McCain, D.M. VanDoornik, T.L. Builder, and R.D. Methot. 2001. (NOAA-TM-NMFS-NWFSC-45) 175 p. (NTIS PB2001-105561).

Status review of Copper Rockfish, Quillback Rockfish, and Brown Rockfish in Puget Sound, Washington. Stout, H.A., B. B. McCain, R. D. Vetter, T. L. Builder, W. H. Lenarz, L. L. Johnson, and R.D. Methot. 2001. (NOAA-TM-NMFS-NWFSC-46) 158 p. (NTIS PB 2001-105559).

ALASKA REGION:

<http://www.afsc.noaa.gov/Publications/publications.htm>

Aerial and land-based surveys of Steller sea lions (*Eumetopias jubatus*) in Alaska, June and July 1999 and 2000. Sease, J. L., W. P. Taylor, T. R. Loughlin, and K. W. Pitcher. 2001. (NOAA-TM-AFSC-122). 52 p. (NTIS No. PB2001-107277).

Alaska Marine Mammal Stock Assessments, 2000. Ferrero, R. C., Hill, D. P. DeMaster, P. S. Hill, M. M. Muto, and A. L. Lopez. 2000. (NOAA-TM-AFSC-119). 191p. (NTIS No. PB2001-102015).

Annual, Seasonal, and Diel Composition of Larval and Juvenile Fishes Collected by Dip-net in Clam Bay, Puget Sound, Washington, from 1985 to 1995. Busby, M. S., A. C. Matarese, and K. L. Meir. 2000.

Publications

(NOAA-TM-AFSC-111). 36 p. (NTIS No. PB2000-103424).

Data report: 1999 Gulf of Alaska bottom trawl survey. Britt, L. L., and M. H. Martin. 2001. (NOAA-TM-AFSC-121). 249 p. (NTIS No. PB2001-105324).

Echo Integration-trawl Survey of Pacific hake, *Merluccius productus*, off the Pacific Coast of the United States and Canada During July-August, 1998. Wilson, C. D., M. A. Guttormsen, K. Cooke, M. W. Saunders, and R. Kieser. 2000. (NOAA-TM-AFSC-118). 103 p. (NTIS No. PB2000-108482).

Food Habits of the Commercially Important Groundfishes in the Gulf of Alaska in 1990, 1993, and 1996. Yang, M-S., and M. W. Nelson. 2000. (NOAA-TM-AFSC-112). 174 p. (NTIS No. PB2000-103403).

Fur seal investigations, 1999. Robson, B. W. (editor). 2001. (NOAA-TM-AFSC-123). 52 p. (NTIS No. PB2002-100418).

Fur Seal Investigations, 1998. Robson, B. W. (editor). 2000. (NOAA-TM-AFSC-113). 101 p. (NTIS No. PB2000-104258).

Guide to Rockfishes (*Scorpaenidae*) of the Genera *Sebastes*, *Sebastolobus*, and *Adelosebastes* of the Northeast Pacific Ocean, Second Edition. Orr, J.

W., M. A. Brown, and D. C. Baker. 2000. (NOAA-TM-AFSC-117). 47 p. (NTIS No. PB2001-100757).

Mobile Fishing Gear Effects on Benthic Habitats: A Bibliography. Wion, D. A., and R. A. McConnaughey (editors). (NOAA-TM-AFSC-116). 2000. 163 p. (NTIS No. PB2000-108106).

The 2000 Pacific West Coast Upper Continental Slope Trawl Survey of Groundfish Resources off Washington, Oregon, and California: Estimates of Distribution, Abundance, and Length Composition. Lauth, R. R. 2001. (NOAA-TM-AFSC-120). 284 p. (NTIS No. PB2001-105327).

The 1999 Pacific West Coast Upper Continental Slope Trawl Survey of Groundfish Resources off Washington, Oregon, and California: Estimates of Distribution, Abundance, and Length Composition. Lauth, R. R. 2000. (NOAA-TM-AFSC-115). 287 p. (NTIS No. PB2000-106004).

The 1998 Pacific West Coast Bottom Trawl Survey of Groundfish Resources: Estimates of Distribution, Abundance, and Length and Age Composition. Shaw, F. R., M. E. Wilkins, K. L. Weinberg, M. Zimmermann, and R. R. Lauth. 2000. (NOAA-TM-AFSC-114). 138 p. + Appendices. (NTIS No. PB2000-105410).

To purchase the preceding reports listed with NTIS, call or write:

NTIS -- ATTN: Order Desk
5285 Port Royal Road
Springfield, VA 22161

PHONE: 703-605-6000 (1-800-553-6847)
FAX: 703-605-6900

Internet Orders: <http://www.ntis.gov>

NATIONAL MARINE FISHERIES SERVICE HOME PAGES

The National Marine Fisheries Service provides information on programs and data available to the public and fishing industry via home page. Please use the following address for **NMFS'** home page - <http://www.nmfs.noaa.gov> through a personal computer. If you wish to access individual office home pages the addresses and a brief description follows:

Fisheries Statistics - <http://www.st.nmfs.gov/st1/> — Descriptions of commercial and recreational fisheries statistics data collection and economic programs. Access to commercial monthly landings data bases, Marine Recreational Fisheries Statistics Survey (MRFSS) data, cold storage, Market News Reports, processed products data, trade data base, vessel documentation data, and electronic copies of “Fisheries of the United States.”

Atlantic Highly Migratory Species (HMS) - <http://www.nmfs.noaa.gov/sfa/hmspg.html> — HMS and Billfish Fishery Management Plans, implementing regulations and related documents. The Stock Assessment and Fishery Evaluation Report for HMS: SAFE2000. Information on Atlantic tunas permits and link to online permit shop. Lists of members of the Advisory Panels, upcoming meetings and other HMS news

Habitat Conservation - <http://www.nmfs.noaa.gov/habitat/> — Describes NOAA programs to conserve, protect, and restore habitats for living marine resources. Information on essential fish habitat, the NOAA Restoration Center and its Community-based Restoration Program, Damage Assessment and Restoration Program (DARP), and Coastal Wetlands Planning, Protection, and Restoration Act program (CWPPRA), and the NOAA Chesapeake Bay Office.

Inspection Program - <http://seafood.nmfs.noaa.gov> — Provides information on the voluntary National Seafood Inspection Program, including the services offered in the US and foreign countries to harvesters, processors, distributors, importers/exporters, buyers, and retailers; list of approved fish establishments and products; fees and charges; policies for advertising services; and official inspection marks and certificates.

Protected Resources - http://www.nmfs.noaa.gov/prot_res/prot_res.html — Contains recovery efforts for species considered endangered or threatened; depleted species of marine mammals; and a comprehensive list of other Internet resources pertaining to protection programs and other issues. Information on Endangered Species Act and Marine Mammal Protection Act.

Saltonstall-Kennedy Grant Program - <http://www.nmfs.noaa.gov/sfweb/skhome.html> — Description of the Saltonstall-Kennedy (S-K) Program, the most recent solicitation for proposals, application forms and instructions, FAQs, and Regional contacts for the S-K Program, as well as the latest update to the S-K Annotated Bibliography of completed projects.

Northeast Region - <http://www.nero.nmfs.gov/doc/nero.html> — Describes the mission and responsibilities of the Regional Office Staffs and Divisions. Provides information on northeast fisheries regulations, quota reports for specific species, multi-species preliminary statistics reports; scallop and multi-species days-at-sea activity reports; federal aid for MARFIN and SK grant programs; vessel permit system data; and links to other NOAA sites.

Northeast Fisheries Science Center - <http://www.nefsc.nmfs.gov> — Provides current and historical northeast fisheries information and data about research facilities, vessels, programs, publications, management, laws and regulations, and answers to frequently asked questions on fish and fisheries research. Features in-depth information on northeast stock status and realtime, at-sea, display of research vessel activities, measurements, and observations.

NATIONAL MARINE FISHERIES SERVICE HOME PAGES

Southeast Region - <http://caldera.sero.nmfs.gov/> — Provides information on regional Federal activities including: fisheries regulations, news releases and fisheries bulletins, fisheries regulations, vessel and dealer permits, fishery management plan implementation/quotas, marine mammals and endangered species management and protection, habitat protection and restoration activities, and federal aid programs for grants and cooperative agreements.

Southeast Fisheries Science Center - <http://www.sefsc.noaa.gov/> — Describes the Center's programs, mission, laboratories, geographic scope, organization, research vessels, and upper-level scientific and management staff. Includes publications, news releases, newsletters (tuna and billfish), and information on the types of research being conducted on Pacific and Antarctic fishes, marine mammals, sea turtles, habitats, and marine ecosystems.

Alaska Region - <http://www.fakr.noaa.gov> — Provides information on in-season state of groundfish catch, current news releases and information bulletins, and current fisheries outlook and effort reports. Information on the Community Development Quota (CDQ) Program, At-Sea Scales Program, fisheries regulations and the manual for Groundfish Recordkeeping and Reporting. Information on the Individual Fishing Quota (IFQ) Program, marine mammals, habitat conservation, and links to other fisheries web sites.

Alaska Fisheries Science Center - <http://www.afsc.noaa.gov/> — Describes the mission of the Center and the organization and purpose of its laboratories, divisions, and programs dedicated to Federal fisheries and marine mammal research in the coastal oceans off Alaska and the West Coast of the United States. Provides stock assessments, databases, AFSC Quarterly Report, cruise reports and schedules, other online documents, publication lists, image gallery of marine mammals, fishes, and crabs, and educational materials.

Northwest Region - <http://www.nwr.noaa.gov> — Provides information on the region's activities, mission and responsibilities. It includes news releases, announcements, documents and Federal Register notices about fisheries management plans, public hearings, programs, regulations, Endangered Species Act listings and proposals, habitat conservation, and regional hydro power activities.

Northwest Fisheries Science Center - <http://research.nwfsc.noaa.gov/nwfsc-homepage.html> — Describes Center research, including status and recovery of endangered salmon and new hatchery-rearing techniques; rapid-response analyzes of chemical pollution and harmful algae blooms in fishery grounds nationwide; assessing the west coast groundfish fishery; and developing new bycatch utilization technologies. News topics, current publications, library resources, and the Center's state-of-the-art water-recycling fish culture facility are also featured.

Southwest Region - <http://swr.ucsd.edu> — Describes the mission and responsibilities of the regional office. Announcements of Federal Register notices on seasons, trip limits, and quotas. Provides information on fisheries statistics, trade data, canned tuna updates and status of tuna import quotas, and catch reports for various California fisheries. Japanese market reports are available on sablefish, shrimp, landings and wholesale prices, etc., and links to other pertinent sites of interest to fishery and seafood industries.

Southwest Fisheries Science Center - <http://swfsc.ucsd.edu> — Describes the Center's programs, mission, laboratories, geographic scope, organization, research vessels, and upper-level scientific and management staff. Includes publications, news releases, billfish newsletter, and information on the types of research being conducted on Pacific and Antarctic fishes, marine mammals, sea turtles, habitats, and marine ecosystems.

NOAA Public Affairs - <http://www.noaaneews.noaa.gov> — All NOAA and NMFS related Press Releases and links to other NOAA material available to the public. If you would like these releases through electronic mail rather than FAX, send e-mail to jslaff@hq.noaa.gov.

SEA GRANT EXTENSION SERVICE

The Office of Sea Grant is a major program element of the National Oceanic and Atmospheric Administration. The National Sea Grant College Program is funded jointly by the Federal Government and colleges or universities. Sea Grant's Extension Service offers a broad range of information concerning the Nation's fisheries to recreational and commercial fishermen, fish processors, and others. The following program leaders, listed alphabetically by State, can provide information on Sea Grant activities:

James D. Murray
National Sea Grant Extension Leader
National Sea Grant Office/NOAA
1315 East-West Highway, Room 11752
Silver Spring, MD 20910
(301) 713-2431 x152 FAX: 713-0799
jim.d.murray@noaa.gov

Rick Wallace, Extension Leader
Alabama Sea Grant - Auburn Univ.
Mississippi-Alabama Sea Grant
4170 Commander's Drive
Mobile, AL 36615
(334) 438-5690 FAX: 438-5670
rwallace@acesag.auburn.edu

Donald E. Kramer, Extension Leader
Alaska Sea Grant - Univ. of AK
2221 E. Northern Lights., #110
Anchorage, AK 99508-4140
(907) 274-9691 FAX: 277-5242
fndek@uaa.alaska.edu

Paul Olin, Interim Extension Leader
California Sea Grant College Program
University of California
2604 Ventura Avenue, Room 100
Santa Rosa, CA 95403
(707) 565-2621 FAX: 565-2623
pgolin@ucdavis.edu

Nancy C. Balcom, Extension Leader
Connecticut Sea Grant - Univ. of CN
1084 Shennecossett Road
Groton, CT 06340-6097
(860) 405-9107 FAX: 405-9109
balcom@uconnvm.uconn.edu

James M. Falk, Extension Leader
Delaware Sea Grant - Univ. of DE
700 Pilottown Road
Lewes, DE 19958-1298
(302) 645-4235 FAX: 645-4007
jfalk@udel.edu

Michael Spranger, Extension Leader
Florida Sea Grant - Univ. of FL
PO Box 110405
Gainesville, FL 32611-0405
(352) 392-1837 x226 FAX: 392-5113
msspranger@mail.ifas.ufl.edu

Keith W. Gates, Extension Leader
Georgia Sea Grant - Univ. of GA
715 Bay Street
Brunswick, GA 31520-4601
(912) 264-7268 FAX: 264-7312
kgates@arches.uga.edu

Richard Brock
Hawaii Sea Grant - Univ. of HI
2525 Correa Road, HIG 232
Honolulu, HI 96822
(808) 956-8191 FAX: 956-2858
Brockr@Hawaii.edu

Brian Miller, Extension Leader
Illinois-Indiana Sea Grant-Purdue Univ.
1200 Forest Products Building
West Lafayette, IN 47907
(765) 494-3573 FAX: 496-6026
bmiller@fnr.purdue.edu

Michael M. Liffman, Extension Leader
Louisiana Sea Grant - LA State Univ.
234 Sea Grant Building
Baton Rouge, LA 70803-7507
(225) 578-6290 FAX: 578-6331
mikelif@lsu.edu

Paul Anderson, Extension Leader
Maine Sea Grant - Univ. of ME
5715 Coburn Hall
Orono, ME 04469-5715
(207) 581-1422 FAX: 581-1426
panderson@maine.edu

Douglas Lipton, Extension Leader
Maryland Sea Grant - Univ. of MD
2200 Symons Hall

College Park, MD 20742
(301) 314-1280 FAX: 314-9091
dlipton@arec.umd.edu

Clifford Goudey, Extension Leader
**MIT Sea Grant - MASSACHUSETTS
Institute of Technology**
Building E38-300/Kendall Square
292 Main Street
Cambridge, MA 02139
(617) 253-7079 FAX: 252-1615
cgoudey@mit.edu

John D. Schwartz, Extension Leader
Michigan Sea Grant - MI State Univ.
334 Natural Resources Building
East Lansing, MI 48824-1222
(517) 355-9637 FAX: 353-6496
schwartzj@msue.msu.edu

Jeffrey L. Gunderson, Extension Leader
Minnesota Sea Grant - Univ. of MN.
2305 E. 5th Street
Duluth, MN 55812
(218) 726-8715 FAX: 726-6556
jgunder1@d.umn.edu

David C. Veal, Extension Leader
Mississippi Sea Grant Extension
Mississippi-Alabama Sea Grant
Mississippi State University
2710 Beach Blvd., Suite 1-E
Biloxi, MS 39531
(228) 388-4710 FAX: 388-1375
cdv@ra.msstate.edu

Susan Halsey, Extension Leader
New Jersey Sea Grant
New Jersey Marine Science Consortium
Building No. 22
Fort Hancock, NJ 07732
(732) 872-1300 x32 FAX: 291-4483
shalsey@njmsc.org

SEA GRANT EXTENSION SERVICE

Dale R. Baker, Extension Leader
New York Sea Grant - Cornell Univ.
340 Roberts Hall
Ithaca, NY 14853-5905
(607) 255-2832 FAX: 255-2812
drb17@cornell.edu

Jack Thigpen, Extension Leader
North Carolina Sea Grant-NC State Univ.
P.O. Box 699
Manteo, NC 27954
(252) 441-3663 FAX: 441-7403
jthigpen@pinn.net

Frank R. Lichtkoppler
Co-Leader Extension
Ohio Sea Grant - OH State Univ.
99 East Erie Street
Painesville, OH 44077
(440) 350-2582 FAX: 350-5928
lichtkoppler.1@osu.edu

Fred L. Snyder, Co-Leader Extension
Ohio Sea Grant - OH State Univ.
Camp Perry - Building 3, Room 12
Port Clinton, OH 43452
(419) 635-1022 FAX: 635-1022
snyder.8@osu.edu

Jay Rasmussen, Extension Leader
Oregon Sea Grant - OR State Univ.
2030 South Marine Science Drive
Newport, OR 97365-5296
(541) 867-0368 FAX: 867-0369
Jay.Rasmussen@hmsc.orst.edu

Eric C. Obert, Extension Leader
Pennsylvania Sea Grant-PA State Univ.
Station Road

Erie, PA 16563
(814) 898-6420 FAX: 898-6462
ecol@psu.edu

Ruperto Chaparro, Extension Leader
Puerto Rico Sea Grant - Univ. of P.R.
PO Box 9011
Mayaguez, PR 00681-9011
(787) 832-8045 FAX: 265-2880
r_chaparro@rumac.uprm.edu

Ames B. Colt, Extension Leader
Rhode Island Sea Grant - Univ. of RI
Narragansett Bay Campus
Coastal Institute Building
Narragansett, RI 02882
(401) 874-6800 FAX: 789-8340
acol@gsu.uri.edu

Robert H. Bacon, Extension Leader
South Carolina Sea Grant
287 Meeting Street
Charleston, SC 29401
(843) 727-2075 FAX: 727-2080
Robert.Bacon@scseagrant.org

Judith D. Lemus, Extension Leader
Southern California Sea Grant
Univ. of Southern CA - Univ. Park
Los Angeles, CA 90089-0373
(213) 740-1965 FAX: 740-5936
jdlamus@usc.edu

Ralph Rayburn, Extension Leader
Texas Sea Grant - TX A&M Univ.
2700 Earl Rudder Fwy South, Suite 1800
College Station, TX 77845
(979) 845-7524 FAX: 845-7525
ralphr@unix.tamu.edu

Jurij Homziak, Extension Asst. Prof.
Vermont Sea Grant - Univ. of VT
317 Aiken Center
Burlington, VT 05405
(802) 656-0682 FAX: 656-0683
jurij.homziak@uvm.edu

William D. DuPaul, Extension Leader
**Virginia Sea Grant - VA. Institute
of Marine Science**
Gloucester Pt., VA 23062
(804) 684-7163 FAX: 684-7161
dupaul@vims.edu

Pete Granger
Washington Sea Grant - Univ. of WA
Marine Advisory Services
3716 Brooklyn Avenue, NE
Seattle, Washington 98105
(206) 685-9261 FAX: 685-0380
pgranger@u.washington.edu

Jim Hurley, Assistant Director for
Research and Outreach
Wisconsin Sea Grant - Univ. of WI
Goodnight Hall, Floor 2
1975 Willow Drive
Madison, WI 53706-1103
(608) 262-0645 FAX: 262-0591
hurley@aquawisc.edu

Dale F. Leavitt, Extension Leader
Woods Hole Sea Grant Program
Woods Hole Oceanographic Institution
193 Oyster Pond Road, MS #2
Woods Hole, MA 02543-1525
(508) 289-2997 FAX: 457-2172
dleavitt@whoi.edu

NATIONAL SEA GRANT LIBRARY
(Clearinghouse for all Sea Grant Publications)
Pell Library, University of Rhode Island - Bay Campus
Narragansett, HI 02882
PHONE: 401-874-6160 -- nsgd.gso.uri.edu

ANADROMOUS SPECIES. These are species of fish that mature in the ocean, and then ascend streams to spawn in freshwater. In the Magnuson Act, these species include, but are not limited to, Atlantic and Pacific salmon, steelhead trout, and striped bass. See 42 FR 60682, Nov. 28, 1977.

ANALOG PRODUCTS. These include imitation and simulated crab, lobster, shrimp, scallops, and other fish and shellfish products fabricated from processed fish meat (such as surimi).

AQUACULTURE. The farming of aquatic organisms in marine, brackish or fresh water. Farming implies private or corporate ownership of the organism and enhancement of production by stocking, feeding, providing protection from predators, or other management measures. Aquaculture production is reported as the weight and value of cultured organisms at their point of final sale.

BATTER-COATED FISH PRODUCTS. Sticks and portions or other forms of fish or shellfish coated with a batter containing a leavening agent and mixture of cereal products, flavoring, and other ingredients, and partially cooked in hot oil a short time to expand and set the batter.

BOAT, OTHER. Commercial fishing craft not powered by a motor, e.g., rowboat or sailboat, having a capacity of less than 5 net tons. See motorboat.

BREADED FISH PRODUCTS. Sticks and portions or other forms of fish or shellfish coated with a non-leavened mixture containing cereal products, flavorings, and other ingredients. Breaded products are sold raw or partially cooked.

BREADED SHRIMP. Peeled shrimp coated with breading. The product may be identified as fantail (butterfly) and round, with or without tail fins and last shell segment; also known as portions, sticks, steaks, etc., when prepared from a composite unit of two or more shrimp pieces whole shrimp or a combination of both without fins or shells.

BUTTERFLY FILLET. Two skin-on fillets of a fish joined together by the belly skin. See fillets.

CANNED FISHERY PRODUCTS. Fish, shellfish, or other aquatic animals packed in cans, or other containers, which are hermetically sealed and heat-sterilized. Canned fishery products may include milk, vegetables, or other products. Most, but not all, canned fishery prod-

ucts can be stored at room temperature for an indefinite time without spoiling.

COMMERCIAL FISHERMAN. An individual who derives income from catching and selling living resources taken from inland or marine waters.

CONSUMPTION OF EDIBLE FISHERY PRODUCTS. Estimated amount of commercially landed fish, shellfish, and other aquatic animals consumed by the civilian population of the United States. Estimates are on an edible-weight basis and have been adjusted for beginning and ending inventories of edible fishery products. Consumption includes U.S. production of fishery products from both domestically caught and imported fish, shellfish, other edible aquatic plants, animals, and imported products and excludes exports and purchases by the U.S. Armed Forces.

CONTINENTAL SHELF FISHERY RESOURCES. These are living organisms of any sedentary species that at the harvestable stage are either (a) immobile on or under the seabed, (b) unable to move except in constant physical contact with the seabed or subsoil of the continental shelf. The Magnuson Act now lists them as certain abalones, surf clam and ocean quahog, queen conch, Atlantic deep-sea red crab, dungeness crab, stone crab, king crabs, snow (tanner) crabs, American lobster, certain corals, and sponges.

CURED FISHERY PRODUCTS. Products preserved by drying, pickling, salting, or smoking; not including canned, frozen, irradiated, or pasteurized products. Dried products are cured by sun or air-drying; pickled or salted products are those products preserved by applying salt, or by pickling (immersing in brine or in a vinegar or other preservative solution); smoked products are cured with smoke or a combination of smoking and drying or salting.

DEFLATED VALUE. The deflated values referred to in this document are calculated with the Gross Domestic Products Implicit Price Deflator. The base year for this index is 1987.

EDIBLE WEIGHT. The weight of a seafood item exclusive of bones, offal, etc.

EEZ. See U.S. Exclusive Economic Zone.

EL NINO. This anomalous ocean warming of the eastern Equatorial Pacific occurs at time intervals varying from 2-10 years. El Nino conditions result in an accu-

mulation of warm water off South America which reduced the upwelling of nutrient-rich water necessary to support fisheries production. These conditions extended northward to the U.S. Pacific Coast. In addition to affecting the food available for fish, El Nino appears to alter the normal ranges, distributions, and migrations of fish populations.

EUROPEAN UNION. Austria, Belgium and Luxembourg, Denmark, Federal Republic of Germany, Finland, Greece, France, Ireland, Italy, Netherlands, Portugal, Spain, Sweden, and United Kingdom.

EXPORT VALUE. The value reported is generally equivalent to f.a.s. (free alongside ship) value at the U.S. port of export, based on the transaction price, including inland freight, insurance, and other charges incurred in placing the merchandise alongside the carrier at the U.S. port of exportation. The value excludes the cost of loading, freight, insurance, and other charges or transportation cost beyond the port of exportation.

EXPORT WEIGHT. The weight of individual products as exported, i.e., fillets, steaks, whole, breaded, etc. Includes both domestic and foreign re-exports data.

EXVESSEL PRICE. Price received by the harvester for fish, shellfish, and other aquatic plants and animals.

FISH BLOCKS. Regular fish blocks are frozen blocks or slabs of fillets or pieces of fillets cut or sliced from fish. Minced fish blocks are frozen blocks or slabs of minced flesh produced by a meat and bone separating machine.

FISH FILLETS. The sides of fish that are either skinned or have the skin on, cut lengthwise from the backbone. Most types of fillets are boneless or virtually boneless; some may be labeled as “boneless fillets.”

FISH MEAL. A high-protein animal feed supplement made by cooking, pressing, drying, and grinding fish or shellfish.

FISH OIL. An oil extracted from body (body oil) or liver (liver oil) of fish and marine mammals; mostly a byproduct of fish meal production.

FISH PORTION. A piece of fish flesh that is generally of uniform size with thickness of 3/8 of an inch or more and differs from a fish stick in being wider or of a different shape. A fish portion is generally cut from a fish block.

FISH SOLUBLES. A water-soluble protein byproduct of fish meal production. Fish solubles are generally

condensed to 50 percent solids and marketed as “condensed fish solubles.”

FISH STEAK. A cross-section slice cut from a large dressed fish. A steak is usually about 3/4 of an inch thick.

FISH STICK. An elongated piece of breaded fish flesh weighing not less than 3/4 of an ounce and not more than 1-1/2 ounces with the largest dimension at least three times that of the next largest dimension. A fish stick is generally cut from a fish block.

FISHERY MANAGEMENT PLAN (FMP). A plan developed by a Regional Fishery Management Council, or the Secretary of Commerce under certain circumstances, to manage a fishery resource in the U.S. EEZ pursuant to the MFCMA (Magnuson Act).

FISHING CRAFT, COMMERCIAL. Boats and vessels engaged in capturing fish, shellfish, and other aquatic plants and animals for sale.

FULL-TIME COMMERCIAL FISHERMAN. An individual who receives more than 50 percent of his or her annual income from commercial fishing activities, including port activity, such as vessel repair and re-rigging.

GROUND FISH. Broadly, fish that are caught on or near the sea floor. The term includes a wide variety of bottom fishes, rockfishes, and flatfishes. However, NMFS sometimes uses the term in a narrower sense. In “Fisheries of the United States,” the term applies to the following species--Atlantic and Pacific: cod, hake, ocean perch, and pollock; cusk; and haddock.

IMPORT VALUE. Value of imports as appraised by the U.S. Customs Service according to the Tariff Act of 1930, as amended. It may be based on foreign market value, constructed value, American selling price, etc. It generally represents a value in a foreign country, and therefore excludes U.S. import duties, freight, insurance, and other charges incurred in bringing the merchandise to the United States.

IMPORT WEIGHT. The weights of individual products as received, i.e., fillets, steaks, whole, headed, etc.

INDUSTRIAL FISHERY PRODUCTS. Items processed from fish, shellfish, or other aquatic plants and animals that are not consumed directly by humans. These items contain products from seaweeds, fish meal, fish oils, fish solubles, pearl essence, shark and other aquatic animal skins, and shells.

INTERNAL WATER PROCESSING (IWPs). An operation in which a foreign vessel is authorized by the governor of a state to receive and process fish in the internal waters of a state. The Magnuson Act refers to internal waters as all waters within the boundaries of a state except those seaward of the baseline from which the territorial sea is measured.

JOINT VENTURE. An operation authorized under the MFCMA (Magnuson Act) in which a foreign vessel is authorized to receive fish from U.S. fishermen in the U.S. EEZ. The fish received from the U.S. vessel are part of the U.S. harvest.

LANDINGS, COMMERCIAL. Quantities of fish, shellfish, and other aquatic plants and animals brought ashore and sold. Landings of fish may be in terms of round (live) weight or dressed weight. Landings of crustaceans are generally on a live-weight basis except for shrimp which may be on a heads-on or heads-off basis. Mollusks are generally landed with the shell on, but for some species only the meats are landed, such as sea scallops. Data for all mollusks are published on a meat-weight basis.

MAGNUSON-STEVENSON FISHERY CONSERVATION AND MANAGEMENT ACT, Public Law 94-265, as amended. The Magnuson-Stevens Act provides a national program for the conservation and management of fisheries to allow for an optimum yield (OY) on a continuing basis and to realize the full potential of the Nation's fishery resources. It established the U.S. Exclusive Economic Zone (EEZ) (formerly the FCZ - Fishery Conservation Zone) and a means to control foreign and certain domestic fisheries through PMPs and FMPs. Within the U.S. EEZ, the United States has exclusive management authority over fish (meaning finfish, mollusks, crustaceans, and all other forms of marine animal and plant life other than marine mammals, birds, and highly migratory species of tuna). The Magnuson Act provides further exclusive management authority beyond the U.S. EEZ for all continental shelf fishery resources and all anadromous species throughout the migratory range of each such species, except during the time they are found within any foreign nation's territorial sea or fishery conservation zone (or the equivalent), to the extent that such a sea or zone is recognized by the United States.

MARINE RECREATIONAL FISHING. Fishing for pleasure, amusement, relaxation, or home consumption.

MARINE RECREATIONAL CATCH. Quantities of finfish, shellfish, and other living aquatic organisms caught, but not necessarily brought ashore, by marine recreational fisherman.

MARINE RECREATIONAL FISHERMEN. Those people who fish in marine waters primarily for recreational purposes. Their catch is primarily for home consumption, although occasionally a part or all of their catch may be sold and enter commercial channels. This definition is used in the NMFS Marine Recreational Fishery Statistics Survey, and is not intended to represent a NMFS policy on the sale of angler-caught fish.

MAXIMUM SUSTAINABLE YIELD (MSY). MSY from a fishery is the largest annual catch or yield in terms of weight of fish caught by both commercial and recreational fishermen that can be taken continuously from a stock under existing environmental conditions. A determination of MSY, which should be an estimate based upon the best scientific information available, is a biological measure necessary in the development of optimum yield.

METRIC TONS. A measure of weight equal to 1,000 kilograms, 0.984 long tons, 1.1023 short tons, or 2,204.6 pounds.

MOTORBOAT. A motor-driven commercial fishing craft having a capacity of less than 5 net tons, or not officially documented by the Coast Guard. See "boat, other".

NORTHWEST ATLANTIC FISHERIES ORGANIZATION (NAFO). This convention, entered into force January 1, 1979, replaces ICNAF. NAFO provides a forum for continued multilateral scientific research and investigation of fishery resources that occur beyond the limits of coastal nations' fishery jurisdiction in the northwest Atlantic, and will ensure consistency between NAFO management measures in this area and those adopted by the coastal nations within the limits of their fishery jurisdiction.

OPTIMUM YIELD (OY). In the MFCMA (Magnuson Act), OY with respect to the yield from a fishery, is the amount of fish that (1) will provide the greatest overall benefit to the United States, with particular reference to food production and recreational opportunities; and (2) is prescribed as such on the basis of maximum sustainable yield from such fishery, as modified by any relevant ecological, economic, or social factors.

PART-TIME COMMERCIAL FISHERMAN. An individual who receives less than 50 percent of his or her annual income from commercial fishing activities.

PER CAPITA CONSUMPTION. Consumption of edible fishery products in the United States divided by the total civilian population. In calculating annual per capita consumption, estimates of the civilian resident population of the United States on July 1 of each year are used. These estimates are taken from current population reports, series P-25, published by the U.S. Bureau of the Census.

PER CAPITA USE. The use of all fishery products, both edible and nonedible, in the United States divided by the total population of the United States.

PRELIMINARY FISHERY MANAGEMENT PLAN (PMP). The Secretary of Commerce prepares a PMP whenever a foreign nation with which the United States has made a Governing International Fishery Agreement (GIFA) submits an application to fish in a fishery not managed by an FMP. A PMP is replaced by an FMP as soon as the latter is implemented. A PMP applies only to foreign fishing.

RE-EXPORTS. Re-exports are commodities which have entered the U.S. as imports and are subsequently exported in substantially the same condition as when originally imported.

RETAIL PRICE. The price of fish and shellfish sold to the final consumer by food stores and other retail outlets.

ROUND (LIVE) WEIGHT. The weight of fish, shellfish, or other aquatic plants and animals as taken from the water; the complete or full weight as caught. The tables on world catch found in this publication include, in the case of mollusks, the weight of both the shells and the meats, whereas the tables on U.S. landings include only the weight of the meats.

SURIMI. Minced fish meat (usually Alaska pollock) which has been washed to remove fat and undesirable matters (such as blood, pigments, and odorous substances), and mixed with cryoprotectants, such as sugar and/or sorbitol, for a good frozen shelf life.

TOTAL ALLOWABLE LEVEL OF FOREIGN FISHING (TALFF). The TALFF, if any, with respect to any fishery subject to the exclusive fishery management authority of the United States, is that portion of the optimum yield of such fishery which will not be harvested by vessels of the United States, as determined by provisions of the MFCMA.

U.S. EXCLUSIVE ECONOMIC ZONE (EEZ). The MSFCMA (Magnuson-Stevens Act) defines this zone as contiguous to the territorial sea of the United States and extending seaward 200 nautical miles measured from the baseline from which the territorial sea is measured. This was formerly referred to as the FCZ (Fishery Conservation Zone).

U.S.-FLAG VESSEL LANDINGS. Includes landings by all U.S. fishing vessels regardless of where landed as opposed to landings at ports in the 50 United States. These include landings at foreign ports, U.S. territories, and foreign vessels in the U.S. FCZ under joint venture agreements. U.S. law prohibits vessels constructed or registered in foreign countries to land fish catches at U.S. ports.

U.S. TERRITORIAL SEA. A zone extending 3 nautical miles from shore for all states except Texas and the Gulf Coast of Florida where the seaward boundary is 3 marine leagues (9 nautical miles)

USE OF FISHERY PRODUCTS. Estimated disappearance of the total supply of fishery products, both edible and nonedible, on a round-weight basis without considering beginning or ending stocks, exports, military purchases, or shipments to U.S. territories.

VESSEL. A commercial fishing craft having a capacity of 5 net tons or more. These craft are either enrolled or documented by the U.S. Coast Guard and have an official number assigned by that agency.

WHOLESALE FISH AND SHELLFISH PRICES. Those prices received at principal fishery markets by primary wholesalers (processors, importers, and brokers) for customary quantities, free on board (f.o.b.) warehouse.

Statistical Subject Index

AQUACULTURE

Production 23

CLAMS

Aquaculture, 23
Canned, 53
Exports, 68, 82
Frozen holdings, 58, 59
Imports, 61, 82
Landings, 3, 12, 18, 82
Supply, 82
Value of landings, 3, 12, 18

COLDSTORAGE

Holdings, monthly, 56-59

CONSUMPTION

Canned, 86, 87
Cured, 86
Fillets and steaks, 87
Fresh and frozen, 86
Per capita, U.S., 86
Per capita, use, 90
Salmon, canned, 87
Sardines, canned, 87
Shellfish, canned, 87
Shrimp, 87
Sticks and portions, 87
Tuna, canned, 87
World, 88

CRABS

Canned, 53, 80
Exports, 68, 73, 80
Frozen holdings, 58, 59
Imports, 61, 82
Landings, 4, 12, 18, 21, 22
Supply, 80
Value of landings, 4, 12, 18, 21, 22
World catch, 47

CRAFT, FISHING

Number, by region and state, 94

DISPOSITION OF LANDINGS

United States, 5
World, 49

EMPLOYMENT

Processors and wholesalers, 95
Region and State, 95

EXPORTS

All fishery products, 68
Crabs, 68, 73
Crabmeat, 68, 73
Continent and country, by, 70
Cured, 68
Edible, by years, 69
Fish meal, 68, 74, 84
Herring, 68
Nonedible, by years, 69
Oils, 68, 74, 84
Principal items, 68
Salmon, canned, 68, 72, 79
Salmon, whole or eviscerated, 68, 72
Sardines, canned, 68, 79
Shrimp, canned, 68, 83
Shrimp, domestic and foreign products, 71, 83
Shrimp, fresh and frozen, 68, 71
Snow (tanner) crab, 80
Value, by years, 69
Volume, by years, 69
World, by country, 49

FLOUNDERS

Fillets, 52
Frozen holdings, 56, 57
Landings, 1, 8, 14
Value of landings, 1, 8, 14

GROUND FISH FILLETS AND STEAKS

Exports, 68
Fillets, supply, 77
Imports, 61, 77

HALIBUT

Fillets and steaks, 52
Frozen holdings, 56, 57
Landings, 1, 9, 15
Value of landings, 1, 9, 15

HERRING, SEA

Canned (sardines), 53
Consumption (sardines), per capita, 87
Landings, 1, 9, 15
Exports (sardines), 68
Imports (sardines), 61
Value of landings, 1, 9, 15

World catch, 47

IMPORTS

All fishery products, 61, 62
Blocks and slabs, 61, 64
Clams, canned, 61
Continent and country, by, 63
Crabmeat, canned, fresh and frozen, 61, 80
Cured, 61
Edible, 61, 62, 63, 76, 77
Fillets, groundfish, 61, 64, 77
Fillets, other than groundfish and ocean perch, 61
Finfish, 69
Groundfish, 61, 64, 77
Herring, canned, 61
Industrial, 76, 77
Lobsters, canned, 61
Lobsters, fresh and frozen, 61
Meal and scrap, 61, 67
Nonedible, 61, 62, 63
Oils, 61, 84
Oysters, canned, 61
Principal items, 61
Quota, canned tuna, not in oil, 65
Salmon, canned, 61, 79
Salmon, fresh and frozen, 61
Sardines, canned, 61, 79
Scallop meats, 61, 82
Shellfish, 76
Shrimp, by country, 66
Shrimp, by products, 67
Tuna, canned, 61, 65, 79
Tuna, fresh and frozen, 61, 79
Value, by years, 62
Volume, by year, 62
World, by country, 49

INSPECTION

Establishments and amount inspected, 96

LANDINGS

Disposition, 5
Foreign shores, off, 8, 14
Human food (edible), 5
Industrial, 5
Months, by, 5
Ports, major U.S., 7
Record year, by states, 6
Species, 1, 8, 14
State and region, current, 6

Statistical Subject Index

LANDINGS

Territory, 20
U.S. shores, distance from, 8, 14
World, 47, 48, 49

LOBSTERS, AMERICAN

Imports, 61, 81
Landings, 4, 12, 18, 81
Supply, 81
Value of landings, 4, 12, 18

LOBSTER, SPINY

Frozen holdings, 58, 59
Imports, 61, 81
Landings, 4, 12, 18, 21, 22, 81
Supply, 81
Value of landings, 4, 12, 18, 21, 81

MACKERELS

Landings, 2, 9, 15, 20
Value of landings, 2, 9, 15, 20
World catch, 47

MAGNUSON FISHERY

CONSERVATION AND

MANAGEMENT ACT (MFCMA)

Fishery Management Plan, 97
General description, 97
Optimum yield by species, 100
Permits, foreign fishing, 97
Regional Fishery Management
Councils, 99

MEAL AND SCRAP

Exports, 68, 74
Imports, 61, 67
Production, U.S., 55
Supply, 83
World disposition, 49

MENHADEN

Landings, 2, 9, 15
Value of landings, 2, 9, 15

OIL

Exports, 68, 83
Imports, 61, 83
Production, 55
Supply, 83
World disposition, 49

OYSTERS

Aquaculture, 23
Canned, 53
Imports, 61, 82
Landings, 4, 12, 18, 21, 23
Supply, 82
Value of landings, 4, 12, 18, 21, 23
World catch, 47

PLANTS AND FIRMS

Employment, 95
Processors and wholesalers, 95

PRICES

Exvessel index, 93

PROCESSING

Animal food and bait, canned, 51, 54
Canned products, 53, 54, 68
Clams, canned, 53
Crabs, canned, 53, 80
Employment in, 95
Fillets and steaks, fresh
and frozen, 52
Frozen holdings, 56 - 59
Industrial products, 55
Meal, oil, 51, 55
Oysters, canned, 53
Plants, number of, 95
Salmon canned, 53
Sardines, canned, 53
Shrimp, canned, 53
Sticks, portions, and
breaded shrimp, 51

RECREATIONAL FISHERIES

Harvest by species, 29
Harvest by species and by fishing
mode, 32
Harvest by species and by distance
from shore, 36
Harvest and live releases by year, 40
Harvest and live releases by state, 45
MRFSS, program description, 26
Number of anglers by state, 46
Number of fishing trips by state, 46
Statistical survey coverage, 28
Statistical data types/definitions, 26

SALMON

Aquaculture, 23
Canned, 53, 79

SALMON

Consumption, per capita, 87
Exports, 68, 72
Fillets and steaks, 52
Frozen holdings, 56, 58
Imports, 61
Landings, 2, 10, 16
Supply, canned, 79
Value of landings, 2, 10, 16
World catch, 47

SARDINES

Canned, 53, 79
Consumption, per capita, 87
Exports, 68, 79
Imports, 61, 68
Landings, 2, 10, 16
Supply, canned, 79
World catch, 47

SCALLOPS

Exports, 68, 82
Imports, 61, 82
Landings, 4, 13, 19
Supply, 82
Value of landings, 4, 13, 19
World catch, 47

SHRIMP

Aquaculture, 23
Breaded, 51
Canned, 53, 61, 83
Consumption, per capita, 87
Exports, 70, 71, 83
Frozen holdings, 58, 59
Imports, 61, 66, 67, 83
Landings, head-off, 83
Landings, head-on, 4, 13, 19, 21
Supply, canned, 83
Supply, total, 83
Value of landings, 4, 13, 19, 21
World catch, 47

SUPPLY

All fishery products, 75, 76
Clam meats, 82
Crabs, 80
Crabmeat, 80
Edible fishery products, 75, 76
Fillets and steaks, all, 77
Fillets and steaks, groundfish, 77
Finfish, 76

Statistical Subject Index

SUPPLY

Industrial Products, 75, 76
Lobster, American, 81
Lobster, spiny, 81
Meal, 84
Oil, 84
Oysters, 82
Salmon, canned, 79
Sardines, canned, 79
Scallop meats, 82
Shellfish, 76
Shrimp, 83
Tuna, 78

SWORDFISH

Landings, 3, 11, 17, 22
Value of landings, 3, 11, 17, 22

TUNA

Canned, 53, 61, 65, 79
Consumption, per capita, 88

TUNA

Exports, 68
Fresh and Frozen, 78
Imports, 61, 65, 79
Landings, 3, 11, 17, 21, 22
Quota, imports, canned, 65
Supply, canned, 79
Value of landings, 3, 11, 17,
21, 22
World catch, 47

USE

Per capita, 90
Landings, by month, 5
Valued added, 91

WHITING

Frozen holdings, 56, 57
Landings, 1, 9, 15
Value of landings, 1, 9, 15

WORLD FISHERIES

Acquaculture, 47
Catch by countries, 48
Catch by major fishing areas, 48
Catch by species groups, 47
Catch by year, 47
Catch by water type, 47, 48
Consumption, 88
Disposition, 49
Imports and exports value, 49

Federal Inspection Marks for Fishery Products

NATIONAL FISHERY PRODUCTS INSPECTION PROGRAM. The U.S. Department of Commerce (USDC), National Marine Fisheries Service, a part of the National Oceanic and Atmospheric Administration, conducts a voluntary seafood inspection program on a fee-for-service basis. A HACCP-based service is also available. Services provided by the program include vessel and plant sanitation, product inspection and grading, label reviews, product specification reviews, laboratory analyses, training, education and information. Inspection and certification services are available nationwide and in U.S. territories for all interested parties. Consultative services are provided in foreign countries. Inspection and certification services are also provided for imported and exported products. The USDC Seafood Inspection Division also provides HACCP training, plan development, implementation assistance, and verification service to industry (domestic and foreign) for the purpose of demonstrating compliance with FDA's HACCP rule (21 CFR Parts 123 and 1240) regarding "Procedures for the Safe and Sanitary Processing and Importing of Fish and Fishery Products" which was implemented December 18, 1997.

USERS OF INSPECTION SERVICES. The users of the voluntary seafood inspection service include vessel owners, processors, distributors, brokers, retailers, food service operators, exporters, importers, and those who have a financial interest in buying and selling seafood products. The U.S. Department of Agriculture recommends that USDC inspected products be purchased for its food feeding programs. The **USDC APPROVED LIST OF FISH ESTABLISHMENTS AND PRODUCTS**, published bi-annually, provides a listing of products and participants who contract with USDC.

USDC INSPECTION MARKS. These marks designate the level and the type of inspection performed by the federal inspector. The marks can be used in advertising and labeling under the guidelines provided by the Seafood Inspection Division and in accordance with federal and state regulations regarding advertising and labeling. Products bearing the USDC official marks have been certified as being safe, wholesome, and properly labeled.

"US GRADE A" MARK. The U.S. GRADE A mark signifies that a product has been processed under federal inspection in an approved facility and meets the established level of quality of an existing U.S. grade standard. The U.S. Grade A mark indicates that the product is of high quality, uniform in size, practically free from blemishes and defects, in excellent condition and possessing good flavor and odor.

"PROCESSED UNDER FEDERAL INSPECTION" MARK. The PUF mark or statement signifies that the product has been inspected in an approved facility and was found to be safe, wholesome and properly labeled according to approved specifications or criteria. The language within the PUF mark has been amended to "Processed Under Federal Inspection" to reflect actual inspection procedures and the regulatory requirements for use of the mark.

"LOT INSPECTED" MARK. A new USDC Lot Inspected mark was created to replace the "Officially Sampled" and "Accepted Per Specifications" lot inspection marks used on retail labels. The latter marks were no longer allowed/accepted after September 30, 1997. The use of the new mark meets the needs of both industry and consumers by conveying that the products bearing the mark have been examined by the USDC Program.

"RETAIL" MARK. In response to requests made by industry, a new mark has been created for retail or food service establishments. Participants qualify for use of the "Retail Mark" by receiving the USDC HACCP-based service or being under contract for sanitation services and associated product evaluation. Usage of such a mark will give the retail industry the opportunity to advertise on their banners, logos, or menus that their facility has been recognized by USDC for proper sanitation and handling of fishery products.



USDC HACCP MARK. The USDC HACCP-based service is available to all interested parties on a fee-for-service basis. Label approval, record keeping and analytical testing are program requirements. An industry USDC-certified employee trained in HACCP principles is also required for each facility/site in the program. Compliance ratings determine frequency of official visits. Benefits to participants include increased controls through a more scientific approach, use of established marks, increased efficiency of federal inspection personnel, and enhanced consumer confidence. The USDC has made available a HACCP mark and a "banner" to distinguish products that have been produced under the HACCP-based program. The HACCP banner must be used as an attachment to existing inspection grade marks. Establishments meeting HACCP program requirements may use these marks in conjunction with promotional material, packaging, point-of-sale notices, and menus.

FOR FURTHER INFORMATION:

U.S. Department of Commerce, NOAA/NMFS
Seafood Inspection Division - F/SF6

1315 East-West Highway
Silver Spring, MD 20910
(301) 713-2355 (FAX: 713-1081)
Toll Free: 1-800-422-2750

Internet: <http://seafood.ssp.nmfs.gov/iss/issue.html>