

PENNSYLVANIA COASTAL ZONE MANAGEMENT PROGRAM

**WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

SEPTEMBER 1996

Project: 2758-001

CZM Project No.: CZ1:94.06PE

**A REPORT OF THE PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION
TO THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
PURSUANT TO NOAA AWARD NO. - NA47OZ0248**



This project was financed through a Federal Coastal Zone Management Grant from the Pennsylvania Department of Environmental Protection with funds provided by the National Oceanic and Atmospheric Administration (NOAA). The views expressed herein are those of the author(s) and do not necessarily reflect the view of NOAA or any of its subagencies.

**MALCOLM
PIRNIE**


ENVIRONMENTAL ENGINEERS, SCIENTISTS & PLANNERS

**APPENDIX A
PRECIPITATION DATA**

TD 225 .E7 435 1996 V13 C12

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_RG1




1995

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_RG2




1995

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_RC3




1995

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_RG4




1995

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_R05




1995

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_RG6




1995

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_RG7




1995

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_01




1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_01




1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_02




1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_03




1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_04




1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_05




1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_06




1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

ERIE_07



1996

RAIN

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG1

RAIN

	TOTAL RAIN (in) =====
05/01/95	
05/02/95	
05/03/95	
05/04/95	
05/05/95	
05/06/95	
05/07/95	
05/08/95	
05/09/95	0.11
05/10/95	0.23
05/11/95	0.23
05/12/95	0.02
05/13/95	
05/14/95	0.20
05/15/95	
05/16/95	
05/17/95	0.15
05/18/95	0.01
05/19/95	0.02
05/20/95	
05/21/95	
05/22/95	
05/23/95	
05/24/95	0.72
05/25/95	
05/26/95	0.13
05/27/95	
05/28/95	
05/29/95	0.24
05/30/95	0.03
05/31/95	

TIME OF REPORT: 07/11/95 12:32:24 TOTAL RAIN FOR MONTH: 2.09

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG2

RAIN

TOTAL RAIN
(in)

=====

05/01/95
05/02/95
05/03/95
05/04/95
05/05/95
05/06/95
05/07/95
05/08/95
05/09/95
05/10/95
05/11/95
05/12/95
05/13/95
05/14/95
05/15/95
05/16/95
05/17/95
05/18/95
05/19/95
05/20/95
05/21/95
05/22/95
05/23/95
05/24/95
05/25/95
05/26/95
05/27/95
05/28/95
05/29/95
05/30/95
05/31/95

TIME OF REPORT: 07/11/95 12:58:59 TOTAL RAIN FOR MONTH: 0.00

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG3

RAIN

	TOTAL RAIN (in)
	=====
05/01/95	
05/02/95	
05/03/95	
05/04/95	
05/05/95	
05/06/95	
05/07/95	
05/08/95	
05/09/95	0.13
05/10/95	0.42
05/11/95	0.50
05/12/95	0.01
05/13/95	0.01
05/14/95	0.37
05/15/95	
05/16/95	
05/17/95	0.35
05/18/95	0.04
05/19/95	0.02
05/20/95	
05/21/95	
05/22/95	
05/23/95	
05/24/95	0.75
05/25/95	
05/26/95	0.16
05/27/95	
05/28/95	0.01
05/29/95	0.19
05/30/95	0.11
05/31/95	0.01

TIME OF REPORT: 07/12/95 12:01:52 TOTAL RAIN FOR MONTH: 3.08

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG4

RAIN

	TOTAL RAIN (in)
	=====
05/01/95	
05/02/95	
05/03/95	
05/04/95	
05/05/95	
05/06/95	
05/07/95	
05/08/95	
05/09/95	0.11
05/10/95	0.36
05/11/95	0.29
05/12/95	
05/13/95	0.01
05/14/95	0.35
05/15/95	
05/16/95	
05/17/95	0.21
05/18/95	0.01
05/19/95	0.02
05/20/95	
05/21/95	
05/22/95	
05/23/95	
05/24/95	0.77
05/25/95	
05/26/95	0.24
05/27/95	
05/28/95	
05/29/95	0.33
05/30/95	0.07
05/31/95	

TIME OF REPORT: 07/11/95 12:59:02 TOTAL RAIN FOR MONTH: 2.77

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG5

RAIN

	TOTAL RAIN (in) =====
05/01/95	
05/02/95	
05/03/95	
05/04/95	
05/05/95	
05/06/95	
05/07/95	
05/08/95	
05/09/95	0.08
05/10/95	0.40
05/11/95	0.45
05/12/95	0.03
05/13/95	
05/14/95	0.27
05/15/95	
05/16/95	
05/17/95	0.35
05/18/95	0.02
05/19/95	0.03
05/20/95	
05/21/95	
05/22/95	
05/23/95	
05/24/95	0.73
05/25/95	
05/26/95	0.10
05/27/95	
05/28/95	
05/29/95	0.17
05/30/95	0.16
05/31/95	

TIME OF REPORT: 07/12/95 12:07:26 TOTAL RAIN FOR MONTH: 2.79

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG6

RAIN

	TOTAL RAIN (in) =====
05/01/95	
05/02/95	
05/03/95	
05/04/95	
05/05/95	
05/06/95	
05/07/95	
05/08/95	
05/09/95	0.11
05/10/95	0.25
05/11/95	0.41
05/12/95	0.01
05/13/95	
05/14/95	0.29
05/15/95	
05/16/95	
05/17/95	0.20
05/18/95	0.01
05/19/95	0.04
05/20/95	
05/21/95	
05/22/95	
05/23/95	
05/24/95	0.77
05/25/95	
05/26/95	0.18
05/27/95	
05/28/95	
05/29/95	0.32
05/30/95	0.07
05/31/95	

TIME OF REPORT: 07/12/95 12:01:54 TOTAL RAIN FOR MONTH: 2.66

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG7

RAIN

	TOTAL RAIN (in) =====
05/01/95	
05/02/95	
05/03/95	
05/04/95	
05/05/95	
05/06/95	
05/07/95	
05/08/95	
05/09/95	0.10
05/10/95	0.38
05/11/95	0.43
05/12/95	0.01
05/13/95	
05/14/95	0.40
05/15/95	
05/16/95	
05/17/95	0.39
05/18/95	0.04
05/19/95	0.02
05/20/95	
05/21/95	
05/22/95	
05/23/95	
05/24/95	0.67
05/25/95	0.09
05/26/95	
05/27/95	
05/28/95	
05/29/95	0.20
05/30/95	0.09
05/31/95	

TIME OF REPORT: 07/12/95 12:01:56 TOTAL RAIN FOR MONTH: 2.82

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG1

RAIN

	TOTAL RAIN (in)
	=====
06/01/95	0.02
06/02/95	0.40
06/03/95	0.02
06/04/95	
06/05/95	
06/06/95	
06/07/95	0.23
06/08/95	0.01
06/09/95	
06/10/95	
06/11/95	
06/12/95	
06/13/95	
06/14/95	
06/15/95	
06/16/95	
06/17/95	
06/18/95	
06/19/95	
06/20/95	
06/21/95	
06/22/95	
06/23/95	
06/24/95	
06/25/95	0.03
06/26/95	0.04
06/27/95	0.02
06/28/95	
06/29/95	0.04
06/30/95	0.08

TIME OF REPORT: 07/12/95 12:01:58 TOTAL RAIN FOR MONTH: 0.89

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG2

RAIN

	TOTAL RAIN (in)
	=====
06/01/95	0.02
06/02/95	0.37
06/03/95	0.01
06/04/95	
06/05/95	
06/06/95	
06/07/95	0.21
06/08/95	0.01
06/09/95	
06/10/95	
06/11/95	
06/12/95	
06/13/95	
06/14/95	
06/15/95	
06/16/95	
06/17/95	
06/18/95	
06/19/95	
06/20/95	
06/21/95	
06/22/95	
06/23/95	
06/24/95	
06/25/95	0.02
06/26/95	0.05
06/27/95	
06/28/95	
06/29/95	0.04
06/30/95	0.10

TIME OF REPORT: 07/12/95 12:02:01 TOTAL RAIN FOR MONTH: 0.83

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG3

RAIN

	TOTAL RAIN (in)
	=====
06/01/95	0.04
06/02/95	0.18
06/03/95	
06/04/95	
06/05/95	
06/06/95	
06/07/95	0.24
06/08/95	0.01
06/09/95	
06/10/95	
06/11/95	
06/12/95	
06/13/95	
06/14/95	
06/15/95	
06/16/95	
06/17/95	
06/18/95	
06/19/95	
06/20/95	
06/21/95	
06/22/95	
06/23/95	
06/24/95	
06/25/95	0.05
06/26/95	0.17
06/27/95	0.02
06/28/95	
06/29/95	0.06
06/30/95	0.18

TIME OF REPORT: 07/12/95 12:02:03 TOTAL RAIN FOR MONTH: 0.95

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG4

RAIN

	TOTAL RAIN (in) =====
06/01/95	0.02
06/02/95	0.45
06/03/95	0.04
06/04/95	0.01
06/05/95	
06/06/95	
06/07/95	0.17
06/08/95	0.02
06/09/95	
06/10/95	
06/11/95	
06/12/95	
06/13/95	
06/14/95	
06/15/95	
06/16/95	
06/17/95	
06/18/95	
06/19/95	
06/20/95	
06/21/95	
06/22/95	
06/23/95	
06/24/95	
06/25/95	0.02
06/26/95	0.02
06/27/95	0.02
06/28/95	
06/29/95	0.04
06/30/95	0.08

TIME OF REPORT: 07/12/95 12:02:04 TOTAL RAIN FOR MONTH: 0.89

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG5

RAIN

	TOTAL RAIN (in)
	=====
06/01/95	0.02
06/02/95	0.18
06/03/95	
06/04/95	
06/05/95	
06/06/95	
06/07/95	0.22
06/08/95	0.03
06/09/95	
06/10/95	
06/11/95	
06/12/95	
06/13/95	
06/14/95	
06/15/95	
06/16/95	
06/17/95	
06/18/95	
06/19/95	
06/20/95	
06/21/95	
06/22/95	
06/23/95	
06/24/95	
06/25/95	0.03
06/26/95	0.03
06/27/95	0.01
06/28/95	
06/29/95	0.09
06/30/95	0.12

TIME OF REPORT: 07/12/95 12:02:06 TOTAL RAIN FOR MONTH: 0.73

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG6

RAIN

	TOTAL RAIN (in)
	=====
06/01/95	0.03
06/02/95	0.33
06/03/95	
06/04/95	
06/05/95	
06/06/95	
06/07/95	0.22
06/08/95	0.01
06/09/95	
06/10/95	
06/11/95	
06/12/95	
06/13/95	
06/14/95	
06/15/95	
06/16/95	
06/17/95	
06/18/95	
06/19/95	
06/20/95	
06/21/95	
06/22/95	
06/23/95	
06/24/95	0.02
06/25/95	0.06
06/26/95	
06/27/95	
06/28/95	
06/29/95	
06/30/95	

TIME OF REPORT: 07/12/95 08:04:54 TOTAL RAIN FOR MONTH: 0.67

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG7

RAIN

	TOTAL RAIN (in)
	=====
06/01/95	0.03
06/02/95	0.23
06/03/95	
06/04/95	
06/05/95	
06/06/95	
06/07/95	0.18
06/08/95	0.01
06/09/95	
06/10/95	
06/11/95	
06/12/95	
06/13/95	
06/14/95	
06/15/95	
06/16/95	
06/17/95	
06/18/95	
06/19/95	
06/20/95	
06/21/95	0.14
06/22/95	0.24
06/23/95	
06/24/95	0.01
06/25/95	0.06
06/26/95	0.18
06/27/95	0.01
06/28/95	0.43
06/29/95	
06/30/95	

TIME OF REPORT: 07/12/95 08:04:51 TOTAL RAIN FOR MONTH: 1.52

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG1

RAIN

	TOTAL RAIN (in) =====
07/01/95	
07/02/95	
07/03/95	
07/04/95	
07/05/95	
07/06/95	0.73
07/07/95	0.05
07/08/95	0.03
07/09/95	0.01
07/10/95	
07/11/95	
07/12/95	
07/13/95	0.24
07/14/95	
07/15/95	
07/16/95	0.01
07/17/95	0.01
07/18/95	
07/19/95	
07/20/95	0.01
07/21/95	0.14
07/22/95	
07/23/95	0.22
07/24/95	0.01
07/25/95	0.12
07/26/95	
07/27/95	0.22
07/28/95	0.01
07/29/95	0.04
07/30/95	
07/31/95	

TIME OF REPORT: 08/14/95 13:32:25 TOTAL RAIN FOR MONTH: 1.85

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG2

RAIN

	TOTAL RAIN (in) =====
07/01/95	
07/02/95	
07/03/95	
07/04/95	
07/05/95	
07/06/95	0.56
07/07/95	0.01
07/08/95	0.04
07/09/95	0.01
07/10/95	
07/11/95	
07/12/95	
07/13/95	0.20
07/14/95	
07/15/95	0.01
07/16/95	0.01
07/17/95	
07/18/95	
07/19/95	
07/20/95	0.01
07/21/95	0.09
07/22/95	
07/23/95	0.22
07/24/95	
07/25/95	0.14
07/26/95	
07/27/95	0.22
07/28/95	
07/29/95	0.06
07/30/95	
07/31/95	

TIME OF REPORT: 08/14/95 10:38:38 TOTAL RAIN FOR MONTH: 1.58

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG3

RAIN

	TOTAL RAIN (in)
	=====
07/01/95	0.01
07/02/95	
07/03/95	
07/04/95	
07/05/95	
07/06/95	0.30
07/07/95	0.32
07/08/95	0.09
07/09/95	0.02
07/10/95	
07/11/95	
07/12/95	
07/13/95	0.18
07/14/95	
07/15/95	0.02
07/16/95	0.05
07/17/95	
07/18/95	
07/19/95	
07/20/95	0.02
07/21/95	0.07
07/22/95	
07/23/95	0.22
07/24/95	
07/25/95	0.13
07/26/95	
07/27/95	0.20
07/28/95	
07/29/95	0.07
07/30/95	
07/31/95	

TIME OF REPORT: 08/14/95 13:32:27 TOTAL RAIN FOR MONTH: 1.70

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG4

RAIN

	TOTAL RAIN (in)
	=====
07/01/95	
07/02/95	
07/03/95	
07/04/95	
07/05/95	
07/06/95	0.67
07/07/95	0.03
07/08/95	0.06
07/09/95	0.02
07/10/95	
07/11/95	
07/12/95	
07/13/95	0.22
07/14/95	
07/15/95	0.01
07/16/95	0.02
07/17/95	
07/18/95	
07/19/95	0.05
07/20/95	0.03
07/21/95	0.17
07/22/95	
07/23/95	0.27
07/24/95	
07/25/95	0.13
07/26/95	
07/27/95	0.28
07/28/95	0.01
07/29/95	0.05
07/30/95	
07/31/95	

TIME OF REPORT: 08/14/95 13:32:29 TOTAL RAIN FOR MONTH: 2.02

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG5

RAIN

	TOTAL RAIN (in) =====
07/01/95	
07/02/95	
07/03/95	0.28
07/04/95	
07/05/95	0.25
07/06/95	0.50
07/07/95	0.02
07/08/95	0.12
07/09/95	0.02
07/10/95	
07/11/95	
07/12/95	
07/13/95	0.28
07/14/95	
07/15/95	0.04
07/16/95	0.02
07/17/95	0.01
07/18/95	
07/19/95	
07/20/95	0.02
07/21/95	0.14
07/22/95	
07/23/95	0.17
07/24/95	
07/25/95	0.17
07/26/95	
07/27/95	0.32
07/28/95	
07/29/95	0.10
07/30/95	
07/31/95	

TIME OF REPORT: 08/14/95 13:32:31 TOTAL RAIN FOR MONTH: 2.46

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG6

RAIN

	TOTAL RAIN (in) =====
07/01/95	
07/02/95	
07/03/95	
07/04/95	
07/05/95	
07/06/95	0.44
07/07/95	0.03
07/08/95	0.03
07/09/95	0.01
07/10/95	
07/11/95	
07/12/95	
07/13/95	0.26
07/14/95	
07/15/95	
07/16/95	0.04
07/17/95	
07/18/95	
07/19/95	
07/20/95	0.02
07/21/95	0.07
07/22/95	
07/23/95	0.31
07/24/95	0.01
07/25/95	0.13
07/26/95	
07/27/95	0.25
07/28/95	
07/29/95	0.11
07/30/95	
07/31/95	

TIME OF REPORT: 08/14/95 13:32:33 TOTAL RAIN FOR MONTH: 1.71

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG7

RAIN

	TOTAL RAIN (in) =====
07/01/95	
07/02/95	
07/03/95	
07/04/95	
07/05/95	
07/06/95	0.24
07/07/95	0.15
07/08/95	0.11
07/09/95	0.01
07/10/95	
07/11/95	
07/12/95	
07/13/95	0.19
07/14/95	
07/15/95	0.03
07/16/95	0.11
07/17/95	
07/18/95	
07/19/95	
07/20/95	0.03
07/21/95	0.05
07/22/95	
07/23/95	0.21
07/24/95	0.01
07/25/95	0.15
07/26/95	
07/27/95	0.20
07/28/95	
07/29/95	0.04
07/30/95	
07/31/95	

TIME OF REPORT: 08/14/95 13:32:35 TOTAL RAIN FOR MONTH: 1.53

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG1

RAIN

	TOTAL RAIN (in)
	=====
08/01/95	
08/02/95	0.01
08/03/95	0.02
08/04/95	
08/05/95	1.40
08/06/95	
08/07/95	
08/08/95	
08/09/95	
08/10/95	
08/11/95	0.93
08/12/95	0.23
08/13/95	0.08
08/14/95	0.11
08/15/95	
08/16/95	
08/17/95	
08/18/95	
08/19/95	
08/20/95	
08/21/95	
08/22/95	
08/23/95	
08/24/95	
08/25/95	
08/26/95	
08/27/95	
08/28/95	
08/29/95	
08/30/95	
08/31/95	0.04

TIME OF REPORT: 12/16/95 17:35:45 TOTAL RAIN FOR MONTH: 2.82

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG2

RAIN

	TOTAL RAIN (in) =====
08/01/95	
08/02/95	0.05
08/03/95	
08/04/95	
08/05/95	1.21
08/06/95	
08/07/95	
08/08/95	
08/09/95	
08/10/95	
08/11/95	0.98
08/12/95	0.38
08/13/95	0.07
08/14/95	0.21
08/15/95	
08/16/95	
08/17/95	
08/18/95	
08/19/95	
08/20/95	
08/21/95	
08/22/95	
08/23/95	
08/24/95	
08/25/95	
08/26/95	
08/27/95	
08/28/95	
08/29/95	
08/30/95	
08/31/95	0.03

TIME OF REPORT: 12/16/95 17:58:00 TOTAL RAIN FOR MONTH: 2.93

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG3

RAIN

	TOTAL RAIN (in)
	=====
08/01/95	
08/02/95	0.07
08/03/95	0.01
08/04/95	
08/05/95	1.00
08/06/95	
08/07/95	
08/08/95	
08/09/95	
08/10/95	
08/11/95	1.25
08/12/95	0.47
08/13/95	0.08
08/14/95	0.27
08/15/95	
08/16/95	
08/17/95	
08/18/95	
08/19/95	
08/20/95	
08/21/95	
08/22/95	
08/23/95	
08/24/95	
08/25/95	
08/26/95	
08/27/95	
08/28/95	
08/29/95	
08/30/95	
08/31/95	

TIME OF REPORT: 12/16/95 17:58:02 TOTAL RAIN FOR MONTH: 3.15

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG4

RAIN

	TOTAL RAIN (in) =====
08/01/95	
08/02/95	0.01
08/03/95	
08/04/95	
08/05/95	1.74
08/06/95	0.01
08/07/95	
08/08/95	
08/09/95	
08/10/95	
08/11/95	0.94
08/12/95	0.09
08/13/95	0.14
08/14/95	0.23
08/15/95	
08/16/95	
08/17/95	
08/18/95	
08/19/95	
08/20/95	
08/21/95	
08/22/95	
08/23/95	
08/24/95	
08/25/95	
08/26/95	
08/27/95	
08/28/95	
08/29/95	
08/30/95	
08/31/95	

TIME OF REPORT: 12/16/95 17:58:04 TOTAL RAIN FOR MONTH: 3.16

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG5

RAIN

	TOTAL RAIN (in) *****
08/01/95	
08/02/95	0.07
08/03/95	
08/04/95	
08/05/95	1.29
08/06/95	
08/07/95	
08/08/95	
08/09/95	
08/10/95	
08/11/95	0.92
08/12/95	0.36
08/13/95	0.11
08/14/95	0.19
08/15/95	
08/16/95	
08/17/95	
08/18/95	
08/19/95	
08/20/95	
08/21/95	
08/22/95	
08/23/95	
08/24/95	
08/25/95	
08/26/95	
08/27/95	
08/28/95	
08/29/95	
08/30/95	
08/31/95	0.03

TIME OF REPORT: 12/16/95 17:58:06 TOTAL RAIN FOR MONTH: 2.97

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG6

RAIN

	TOTAL RAIN (in) =====
08/01/95	
08/02/95	0.03
08/03/95	0.04
08/04/95	
08/05/95	1.23
08/06/95	
08/07/95	
08/08/95	
08/09/95	
08/10/95	
08/11/95	1.13
08/12/95	0.38
08/13/95	0.11
08/14/95	0.32
08/15/95	
08/16/95	
08/17/95	
08/18/95	
08/19/95	
08/20/95	
08/21/95	
08/22/95	
08/23/95	
08/24/95	
08/25/95	
08/26/95	
08/27/95	
08/28/95	
08/29/95	
08/30/95	
08/31/95	0.03

TIME OF REPORT: 12/16/95 17:58:08 TOTAL RAIN FOR MONTH: 3.27

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG7

RAIN

	TOTAL RAIN (in) =====
08/01/95	
08/02/95	0.06
08/03/95	
08/04/95	0.01
08/05/95	0.80
08/06/95	
08/07/95	
08/08/95	
08/09/95	
08/10/95	
08/11/95	1.27
08/12/95	0.31
08/13/95	0.08
08/14/95	0.51
08/15/95	
08/16/95	
08/17/95	
08/18/95	
08/19/95	
08/20/95	
08/21/95	
08/22/95	
08/23/95	
08/24/95	
08/25/95	
08/26/95	
08/27/95	
08/28/95	
08/29/95	
08/30/95	
08/31/95	

TIME OF REPORT: 12/16/95 17:58:10 TOTAL RAIN FOR MONTH: 3.04

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG1

RAIN

	TOTAL RAIN (in)
	=====
09/01/95	
09/02/95	
09/03/95	
09/04/95	
09/05/95	
09/06/95	
09/07/95	0.21
09/08/95	0.06
09/09/95	0.01
09/10/95	
09/11/95	
09/12/95	0.01
09/13/95	0.10
09/14/95	0.05
09/15/95	
09/16/95	
09/17/95	
09/18/95	
09/19/95	
09/20/95	0.47
09/21/95	0.02
09/22/95	0.20
09/23/95	
09/24/95	
09/25/95	
09/26/95	
09/27/95	
09/28/95	
09/29/95	
09/30/95	

TIME OF REPORT: 12/16/95 17:58:12 TOTAL RAIN FOR MONTH: 1.13

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG2

RAIN

	TOTAL RAIN (in) =====
09/01/95	
09/02/95	
09/03/95	
09/04/95	
09/05/95	
09/06/95	
09/07/95	0.03
09/08/95	0.05
09/09/95	
09/10/95	
09/11/95	
09/12/95	0.01
09/13/95	0.19
09/14/95	0.06
09/15/95	
09/16/95	
09/17/95	
09/18/95	
09/19/95	
09/20/95	0.43
09/21/95	0.03
09/22/95	0.34
09/23/95	
09/24/95	
09/25/95	
09/26/95	
09/27/95	
09/28/95	
09/29/95	
09/30/95	

TIME OF REPORT: 12/16/95 17:58:14 TOTAL RAIN FOR MONTH: 1.14

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG3

RAIN

	TOTAL RAIN (in) =====
09/01/95	
09/02/95	
09/03/95	
09/04/95	
09/05/95	
09/06/95	
09/07/95	0.04
09/08/95	0.06
09/09/95	0.01
09/10/95	
09/11/95	
09/12/95	0.03
09/13/95	0.37
09/14/95	
09/15/95	
09/16/95	
09/17/95	0.01
09/18/95	
09/19/95	
09/20/95	0.44
09/21/95	0.04
09/22/95	0.46
09/23/95	
09/24/95	
09/25/95	
09/26/95	0.11
09/27/95	
09/28/95	
09/29/95	
09/30/95	

TIME OF REPORT: 12/16/95 17:58:16 TOTAL RAIN FOR MONTH: 1.57

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG4

RAIN

	TOTAL RAIN (in)
	=====
09/01/95	
09/02/95	
09/03/95	
09/04/95	
09/05/95	
09/06/95	
09/07/95	
09/08/95	
09/09/95	
09/10/95	
09/11/95	
09/12/95	
09/13/95	
09/14/95	
09/15/95	
09/16/95	
09/17/95	
09/18/95	
09/19/95	
09/20/95	
09/21/95	1.19
09/22/95	0.35
09/23/95	
09/24/95	
09/25/95	
09/26/95	0.10
09/27/95	
09/28/95	
09/29/95	
09/30/95	

TIME OF REPORT: 12/16/95 17:58:17 TOTAL RAIN FOR MONTH: 1.64

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG5

RAIN

	TOTAL RAIN (in) =====
09/01/95	
09/02/95	
09/03/95	
09/04/95	
09/05/95	
09/06/95	
09/07/95	0.15
09/08/95	0.06
09/09/95	0.02
09/10/95	
09/11/95	
09/12/95	0.02
09/13/95	0.30
09/14/95	0.04
09/15/95	
09/16/95	
09/17/95	
09/18/95	
09/19/95	
09/20/95	0.37
09/21/95	0.05
09/22/95	0.43
09/23/95	
09/24/95	
09/25/95	
09/26/95	
09/27/95	
09/28/95	
09/29/95	
09/30/95	

TIME OF REPORT: 12/16/95 17:58:19 TOTAL RAIN FOR MONTH: 1.44

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG6

RAIN

	TOTAL RAIN (in) =====
09/01/95	
09/02/95	
09/03/95	
09/04/95	
09/05/95	
09/06/95	
09/07/95	0.02
09/08/95	0.06
09/09/95	
09/10/95	
09/11/95	
09/12/95	0.02
09/13/95	0.17
09/14/95	0.03
09/15/95	
09/16/95	
09/17/95	
09/18/95	
09/19/95	
09/20/95	0.49
09/21/95	0.02
09/22/95	0.36
09/23/95	
09/24/95	
09/25/95	
09/26/95	
09/27/95	
09/28/95	
09/29/95	
09/30/95	

TIME OF REPORT: 12/16/95 17:58:21 TOTAL RAIN FOR MONTH: 1.17

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG7

RAIN

	TOTAL RAIN (in) =====
09/01/95	
09/02/95	
09/03/95	
09/04/95	
09/05/95	
09/06/95	
09/07/95	0.04
09/08/95	0.06
09/09/95	0.02
09/10/95	
09/11/95	
09/12/95	0.02
09/13/95	0.38
09/14/95	
09/15/95	
09/16/95	
09/17/95	
09/18/95	
09/19/95	
09/20/95	0.43
09/21/95	0.04
09/22/95	0.46
09/23/95	
09/24/95	
09/25/95	
09/26/95	
09/27/95	
09/28/95	
09/29/95	
09/30/95	

TIME OF REPORT: 12/16/95 17:58:23 TOTAL RAIN FOR MONTH: 1.45

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG1

RAIN

	TOTAL RAIN (in)
	=====
10/01/95	
10/02/95	
10/03/95	0.62
10/04/95	0.35
10/05/95	1.67
10/06/95	0.03
10/07/95	0.02
10/08/95	
10/09/95	
10/10/95	
10/11/95	
10/12/95	
10/13/95	
10/14/95	0.69
10/15/95	0.32
10/16/95	
10/17/95	
10/18/95	
10/19/95	
10/20/95	0.69
10/21/95	
10/22/95	0.04
10/23/95	
10/24/95	
10/25/95	
10/26/95	
10/27/95	0.09
10/28/95	0.19
10/29/95	0.15
10/30/95	0.05
10/31/95	0.07

TIME OF REPORT: 12/16/95 17:58:25 TOTAL RAIN FOR MONTH: 4.98

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG2

RAIN

	TOTAL RAIN (in) =====
10/01/95	
10/02/95	
10/03/95	0.58
10/04/95	0.30
10/05/95	1.44
10/06/95	0.15
10/07/95	0.14
10/08/95	0.04
10/09/95	
10/10/95	
10/11/95	
10/12/95	
10/13/95	
10/14/95	0.73
10/15/95	0.38
10/16/95	
10/17/95	
10/18/95	
10/19/95	
10/20/95	0.85
10/21/95	
10/22/95	0.06
10/23/95	
10/24/95	
10/25/95	
10/26/95	
10/27/95	0.12
10/28/95	0.33
10/29/95	0.10
10/30/95	0.08
10/31/95	0.09

TIME OF REPORT: 12/16/95 17:58:26 TOTAL RAIN FOR MONTH: 5.39

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG3

RAIN

	TOTAL RAIN (in) =====
10/01/95	
10/02/95	
10/03/95	0.64
10/04/95	0.31
10/05/95	1.76
10/06/95	0.16
10/07/95	0.18
10/08/95	0.02
10/09/95	
10/10/95	
10/11/95	
10/12/95	
10/13/95	
10/14/95	0.79
10/15/95	0.38
10/16/95	
10/17/95	
10/18/95	
10/19/95	
10/20/95	0.90
10/21/95	
10/22/95	0.09
10/23/95	
10/24/95	0.01
10/25/95	
10/26/95	
10/27/95	0.17
10/28/95	0.41
10/29/95	0.17
10/30/95	0.05
10/31/95	0.09

TIME OF REPORT: 12/16/95 17:58:28 TOTAL RAIN FOR MONTH: 6.13

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG4

RAIN

	TOTAL RAIN (in) =====
10/01/95	
10/02/95	
10/03/95	0.63
10/04/95	0.38
10/05/95	1.76
10/06/95	0.23
10/07/95	0.17
10/08/95	0.06
10/09/95	
10/10/95	
10/11/95	
10/12/95	
10/13/95	
10/14/95	0.92
10/15/95	0.51
10/16/95	
10/17/95	
10/18/95	
10/19/95	
10/20/95	1.18
10/21/95	
10/22/95	0.07
10/23/95	
10/24/95	
10/25/95	
10/26/95	
10/27/95	0.12
10/28/95	0.30
10/29/95	0.28
10/30/95	0.08
10/31/95	0.09

TIME OF REPORT: 12/16/95 17:58:30 TOTAL RAIN FOR MONTH: 6.78

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RGS

RAIN

	TOTAL RAIN (in)
	=====
10/01/95	
10/02/95	
10/03/95	0.57
10/04/95	0.32
10/05/95	1.64
10/06/95	0.17
10/07/95	0.12
10/08/95	0.04
10/09/95	
10/10/95	
10/11/95	
10/12/95	
10/13/95	
10/14/95	0.80
10/15/95	0.38
10/16/95	
10/17/95	
10/18/95	
10/19/95	
10/20/95	0.91
10/21/95	
10/22/95	0.09
10/23/95	
10/24/95	0.01
10/25/95	
10/26/95	
10/27/95	0.16
10/28/95	0.34
10/29/95	0.25
10/30/95	0.07
10/31/95	0.08

TIME OF REPORT: 12/16/95 17:58:32 TOTAL RAIN FOR MONTH: 5.95

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG6

RAIN

	TOTAL RAIN (in) =====
10/01/95	
10/02/95	
10/03/95	0.61
10/04/95	0.38
10/05/95	1.75
10/06/95	0.20
10/07/95	0.21
10/08/95	0.04
10/09/95	
10/10/95	
10/11/95	
10/12/95	
10/13/95	
10/14/95	0.84
10/15/95	0.43
10/16/95	
10/17/95	
10/18/95	
10/19/95	
10/20/95	0.80
10/21/95	
10/22/95	0.06
10/23/95	
10/24/95	
10/25/95	
10/26/95	
10/27/95	0.09
10/28/95	0.33
10/29/95	0.12
10/30/95	0.06
10/31/95	0.08

TIME OF REPORT: 12/16/95 17:58:34 TOTAL RAIN FOR MONTH: 6.00

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG7

RAIN

	TOTAL RAIN (in) =====
10/01/95	
10/02/95	
10/03/95	0.67
10/04/95	0.31
10/05/95	1.67
10/06/95	0.15
10/07/95	0.20
10/08/95	0.03
10/09/95	
10/10/95	
10/11/95	
10/12/95	
10/13/95	
10/14/95	0.80
10/15/95	0.34
10/16/95	
10/17/95	
10/18/95	
10/19/95	
10/20/95	0.76
10/21/95	
10/22/95	0.09
10/23/95	
10/24/95	
10/25/95	
10/26/95	
10/27/95	0.15
10/28/95	0.40
10/29/95	0.12
10/30/95	0.03
10/31/95	0.09

TIME OF REPORT: 12/16/95 17:58:35 TOTAL RAIN FOR MONTH: 5.81

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG1

RAIN

	TOTAL RAIN (in) =====
11/01/95	
11/02/95	0.52
11/03/95	0.01
11/04/95	0.05
11/05/95	
11/06/95	
11/07/95	0.51
11/08/95	0.01
11/09/95	
11/10/95	0.65
11/11/95	0.96
11/12/95	
11/13/95	0.02
11/14/95	0.27
11/15/95	0.31
11/16/95	0.02
11/17/95	0.06
11/18/95	0.12
11/19/95	
11/20/95	
11/21/95	0.32
11/22/95	
11/23/95	
11/24/95	0.01
11/25/95	
11/26/95	
11/27/95	
11/28/95	
11/29/95	
11/30/95	

TIME OF REPORT: 12/16/95 17:58:37 TOTAL RAIN FOR MONTH: 3.84

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG2

RAIN

	TOTAL RAIN (in)
	=====
11/01/95	
11/02/95	0.64
11/03/95	0.05
11/04/95	0.14
11/05/95	0.01
11/06/95	
11/07/95	0.49
11/08/95	
11/09/95	0.02
11/10/95	0.64
11/11/95	1.16
11/12/95	
11/13/95	0.02
11/14/95	0.26
11/15/95	0.31
11/16/95	0.03
11/17/95	0.07
11/18/95	0.17
11/19/95	0.01
11/20/95	
11/21/95	0.24
11/22/95	
11/23/95	0.02
11/24/95	
11/25/95	0.01
11/26/95	
11/27/95	
11/28/95	
11/29/95	
11/30/95	

TIME OF REPORT: 12/16/95 17:58:39 TOTAL RAIN FOR MONTH: 4.29

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG3

RAIN

	TOTAL RAIN (in)
	=====
11/01/95	
11/02/95	0.71
11/03/95	0.06
11/04/95	0.21
11/05/95	0.09
11/06/95	
11/07/95	0.50
11/08/95	0.03
11/09/95	0.05
11/10/95	0.69
11/11/95	1.43
11/12/95	
11/13/95	0.04
11/14/95	0.34
11/15/95	0.14
11/16/95	0.16
11/17/95	0.47
11/18/95	0.26
11/19/95	0.01
11/20/95	
11/21/95	0.22
11/22/95	0.10
11/23/95	0.07
11/24/95	0.04
11/25/95	0.13
11/26/95	
11/27/95	
11/28/95	0.01
11/29/95	0.07
11/30/95	0.02

TIME OF REPORT: 12/16/95 17:58:41 TOTAL RAIN FOR MONTH: 5.85

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG4

RAIN

	TOTAL RAIN (in)
	=====
11/01/95	
11/02/95	0.69
11/03/95	0.03
11/04/95	0.18
11/05/95	0.01
11/06/95	0.01
11/07/95	0.59
11/08/95	0.05
11/09/95	0.01
11/10/95	0.79
11/11/95	1.35
11/12/95	
11/13/95	0.04
11/14/95	0.33
11/15/95	0.62
11/16/95	0.12
11/17/95	0.07
11/18/95	0.18
11/19/95	0.02
11/20/95	
11/21/95	0.45
11/22/95	0.01
11/23/95	0.03
11/24/95	0.03
11/25/95	
11/26/95	
11/27/95	
11/28/95	
11/29/95	0.06
11/30/95	0.01

TIME OF REPORT: 12/16/95 17:58:43 TOTAL RAIN FOR MONTH: 5.68

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG5

RAIN

	TOTAL RAIN (in) =====
11/01/95	
11/02/95	0.59
11/03/95	0.07
11/04/95	0.20
11/05/95	0.03
11/06/95	
11/07/95	0.52
11/08/95	0.03
11/09/95	0.01
11/10/95	0.64
11/11/95	1.39
11/12/95	
11/13/95	0.02
11/14/95	0.40
11/15/95	0.21
11/16/95	0.04
11/17/95	0.34
11/18/95	0.26
11/19/95	0.02
11/20/95	
11/21/95	0.21
11/22/95	0.13
11/23/95	0.06
11/24/95	0.02
11/25/95	0.07
11/26/95	0.04
11/27/95	
11/28/95	
11/29/95	0.05
11/30/95	0.01

TIME OF REPORT: 12/16/95 17:58:45 TOTAL RAIN FOR MONTH: 5.36

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG6

RAIN

	TOTAL RAIN (in)
	=====
11/01/95	
11/02/95	0.64
11/03/95	0.02
11/04/95	0.16
11/05/95	0.02
11/06/95	
11/07/95	0.54
11/08/95	0.02
11/09/95	0.02
11/10/95	0.71
11/11/95	1.16
11/12/95	
11/13/95	0.05
11/14/95	0.33
11/15/95	0.34
11/16/95	0.07
11/17/95	0.24
11/18/95	0.24
11/19/95	0.01
11/20/95	
11/21/95	0.23
11/22/95	0.08
11/23/95	0.06
11/24/95	0.03
11/25/95	0.12
11/26/95	
11/27/95	
11/28/95	
11/29/95	0.07
11/30/95	

TIME OF REPORT: 12/16/95 17:58:46 TOTAL RAIN FOR MONTH: 5.16

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_RG7

RAIN

	TOTAL RAIN (in)
	=====
11/01/95	
11/02/95	0.68
11/03/95	0.05
11/04/95	0.08
11/05/95	0.03
11/06/95	
11/07/95	0.49
11/08/95	0.02
11/09/95	0.01
11/10/95	0.63
11/11/95	1.26
11/12/95	
11/13/95	0.02
11/14/95	0.37
11/15/95	0.45
11/16/95	0.04
11/17/95	0.03
11/18/95	0.16
11/19/95	0.01
11/20/95	
11/21/95	0.31
11/22/95	0.03
11/23/95	0.02
11/24/95	
11/25/95	
11/26/95	
11/27/95	
11/28/95	0.01
11/29/95	0.07
11/30/95	0.01

TIME OF REPORT: 12/16/95 17:58:48 TOTAL RAIN FOR MONTH: 4.78

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_01

RAIN

TOTAL RAIN
(in)

12/01/95
12/02/95
12/03/95
12/04/95
12/05/95
12/06/95
12/07/95
12/08/95
12/09/95
12/10/95
12/11/95
12/12/95
12/13/95
12/14/95
12/15/95
12/16/95
12/17/95
12/18/95
12/19/95
12/20/95
12/21/95
12/22/95
12/23/95
12/24/95
12/25/95
12/26/95
12/27/95
12/28/95
12/29/95
12/30/95
12/31/95

TIME OF REPORT: 05/13/96 15:07:23 TOTAL RAIN FOR MONTH: 0.00

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_02

RAIN

	TOTAL RAIN (in)

12/01/95	0.02
12/02/95	
12/03/95	0.07
12/04/95	
12/05/95	
12/06/95	
12/07/95	
12/08/95	
12/09/95	
12/10/95	
12/11/95	
12/12/95	
12/13/95	
12/14/95	
12/15/95	
12/16/95	
12/17/95	
12/18/95	
12/19/95	
12/20/95	
12/21/95	
12/22/95	
12/23/95	
12/24/95	
12/25/95	
12/26/95	
12/27/95	
12/28/95	
12/29/95	
12/30/95	
12/31/95	

TIME OF REPORT: 05/13/96 15:18:38 TOTAL RAIN FOR MONTH: 0.09

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_03

RAIN

	TOTAL RAIN (in)

12/01/95	0.04
12/02/95	
12/03/95	0.15
12/04/95	
12/05/95	0.02
12/06/95	
12/07/95	
12/08/95	
12/09/95	
12/10/95	
12/11/95	
12/12/95	
12/13/95	
12/14/95	1.10
12/15/95	
12/16/95	
12/17/95	
12/18/95	
12/19/95	
12/20/95	
12/21/95	
12/22/95	
12/23/95	
12/24/95	
12/25/95	
12/26/95	
12/27/95	
12/28/95	
12/29/95	
12/30/95	0.17
12/31/95	0.21

TIME OF REPORT: 05/13/96 15:19:04 TOTAL RAIN FOR MONTH: 1.69

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_04

RAIN

	TOTAL RAIN (in)

12/01/95	0.05
12/02/95	
12/03/95	0.12
12/04/95	
12/05/95	0.01
12/06/95	
12/07/95	
12/08/95	
12/09/95	
12/10/95	
12/11/95	
12/12/95	
12/13/95	
12/14/95	0.81
12/15/95	
12/16/95	
12/17/95	
12/18/95	
12/19/95	
12/20/95	
12/21/95	
12/22/95	0.02
12/23/95	
12/24/95	
12/25/95	0.06
12/26/95	
12/27/95	
12/28/95	
12/29/95	
12/30/95	
12/31/95	

TIME OF REPORT: 05/13/96 15:22:20 TOTAL RAIN FOR MONTH: 1.07

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_05

RAIN

	TOTAL RAIN (in)

12/01/95	0.04
12/02/95	
12/03/95	0.16
12/04/95	
12/05/95	0.02
12/06/95	
12/07/95	
12/08/95	
12/09/95	
12/10/95	
12/11/95	
12/12/95	
12/13/95	
12/14/95	0.71
12/15/95	0.01
12/16/95	
12/17/95	
12/18/95	
12/19/95	
12/20/95	
12/21/95	
12/22/95	
12/23/95	
12/24/95	
12/25/95	
12/26/95	
12/27/95	
12/28/95	
12/29/95	0.01
12/30/95	0.15
12/31/95	0.16

TIME OF REPORT: 05/13/96 15:24:27 TOTAL RAIN FOR MONTH: 1.26

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_06

RAIN

	TOTAL RAIN (in)

12/01/95	0.03
12/02/95	
12/03/95	0.11
12/04/95	
12/05/95	0.01
12/06/95	0.01
12/07/95	
12/08/95	
12/09/95	
12/10/95	
12/11/95	
12/12/95	
12/13/95	
12/14/95	0.35
12/15/95	0.01
12/16/95	
12/17/95	
12/18/95	
12/19/95	
12/20/95	
12/21/95	0.03
12/22/95	
12/23/95	
12/24/95	
12/25/95	0.01
12/26/95	
12/27/95	
12/28/95	0.06
12/29/95	0.03
12/30/95	0.13
12/31/95	0.14

TIME OF REPORT: 05/13/96 15:20:04 TOTAL RAIN FOR MONTH: 0.92

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_07

RAIN

	TOTAL RAIN (in)

12/01/95	0.03
12/02/95	
12/03/95	0.12
12/04/95	
12/05/95	0.01
12/06/95	
12/07/95	
12/08/95	
12/09/95	
12/10/95	
12/11/95	
12/12/95	
12/13/95	
12/14/95	0.67
12/15/95	
12/16/95	
12/17/95	
12/18/95	
12/19/95	
12/20/95	
12/21/95	0.03
12/22/95	0.04
12/23/95	
12/24/95	
12/25/95	
12/26/95	
12/27/95	0.01
12/28/95	0.07
12/29/95	
12/30/95	0.02
12/31/95	0.08

TIME OF REPORT: 05/13/96 15:20:13 TOTAL RAIN FOR MONTH: 1.08

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_01

RAIN

	TOTAL RAIN (in)

01/01/96	0.02
01/02/96	
01/03/96	
01/04/96	
01/05/96	
01/06/96	
01/07/96	
01/08/96	
01/09/96	
01/10/96	
01/11/96	
01/12/96	0.01
01/13/96	
01/14/96	
01/15/96	
01/16/96	0.01
01/17/96	0.05
01/18/96	0.11
01/19/96	0.66
01/20/96	
01/21/96	
01/22/96	
01/23/96	0.36
01/24/96	0.32
01/25/96	
01/26/96	
01/27/96	0.08
01/28/96	
01/29/96	0.01
01/30/96	
01/31/96	

TIME OF REPORT: 05/13/96 15:06:43 TOTAL RAIN FOR MONTH: 1.63

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_02

RAIN

TOTAL RAIN
(in)

=====

01/01/96	
01/02/96	
01/03/96	
01/04/96	
01/05/96	
01/06/96	
01/07/96	
01/08/96	
01/09/96	
01/10/96	
01/11/96	
01/12/96	
01/13/96	0.11
01/14/96	0.09
01/15/96	
01/16/96	
01/17/96	
01/18/96	0.08
01/19/96	0.79
01/20/96	
01/21/96	
01/22/96	0.02
01/23/96	0.36
01/24/96	0.21
01/25/96	
01/26/96	0.20
01/27/96	0.15
01/28/96	
01/29/96	0.02
01/30/96	
01/31/96	

TIME OF REPORT: 05/13/96 15:25:36 TOTAL RAIN FOR MONTH: 2.03

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_03

RAIN

	TOTAL RAIN (in)

01/01/96	0.15
01/02/96	
01/03/96	
01/04/96	0.03
01/05/96	
01/06/96	0.03
01/07/96	
01/08/96	
01/09/96	
01/10/96	
01/11/96	0.01
01/12/96	0.02
01/13/96	
01/14/96	0.26
01/15/96	
01/16/96	0.02
01/17/96	0.11
01/18/96	0.01
01/19/96	0.90
01/20/96	0.02
01/21/96	0.08
01/22/96	0.01
01/23/96	0.40
01/24/96	0.44
01/25/96	
01/26/96	0.01
01/27/96	0.19
01/28/96	0.02
01/29/96	0.08
01/30/96	
01/31/96	

TIME OF REPORT: 05/13/96 15:26:24 TOTAL RAIN FOR MONTH: 2.79

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_04

RAIN

	TOTAL RAIN (in)

01/01/96	0.03
01/02/96	
01/03/96	
01/04/96	0.01
01/05/96	
01/06/96	
01/07/96	
01/08/96	
01/09/96	
01/10/96	
01/11/96	
01/12/96	0.03
01/13/96	
01/14/96	0.02
01/15/96	
01/16/96	0.01
01/17/96	0.07
01/18/96	
01/19/96	0.98
01/20/96	
01/21/96	
01/22/96	
01/23/96	0.48
01/24/96	0.41
01/25/96	
01/26/96	
01/27/96	0.19
01/28/96	0.01
01/29/96	0.07
01/30/96	
01/31/96	

TIME OF REPORT: 05/13/96 15:27:04 TOTAL RAIN FOR MONTH: 2.31

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_05

RAIN

	TOTAL RAIN (in)
	=====
01/01/96	0.04
01/02/96	
01/03/96	
01/04/96	
01/05/96	
01/06/96	0.01
01/07/96	
01/08/96	
01/09/96	
01/10/96	
01/11/96	
01/12/96	0.01
01/13/96	
01/14/96	0.04
01/15/96	
01/16/96	0.02
01/17/96	0.08
01/18/96	
01/19/96	0.91
01/20/96	
01/21/96	
01/22/96	
01/23/96	0.37
01/24/96	0.38
01/25/96	
01/26/96	0.01
01/27/96	0.15
01/28/96	0.01
01/29/96	0.04
01/30/96	
01/31/96	

TIME OF REPORT: 05/13/96 15:27:59 TOTAL RAIN FOR MONTH: 2.07

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_06

RAIN

	TOTAL RAIN (in)

01/01/96	0.02
01/02/96	
01/03/96	
01/04/96	0.01
01/05/96	0.01
01/06/96	
01/07/96	
01/08/96	
01/09/96	
01/10/96	
01/11/96	
01/12/96	0.03
01/13/96	
01/14/96	0.13
01/15/96	
01/16/96	0.02
01/17/96	0.08
01/18/96	0.01
01/19/96	0.84
01/20/96	0.01
01/21/96	0.01
01/22/96	0.01
01/23/96	0.43
01/24/96	0.36
01/25/96	0.01
01/26/96	
01/27/96	0.08
01/28/96	0.02
01/29/96	0.09
01/30/96	
01/31/96	

TIME OF REPORT: 05/13/96 15:28:39 TOTAL RAIN FOR MONTH: 2.17

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_07

RAIN

	TOTAL RAIN (in)
01/01/96	0.02
01/02/96	
01/03/96	
01/04/96	0.01
01/05/96	
01/06/96	
01/07/96	
01/08/96	
01/09/96	
01/10/96	
01/11/96	
01/12/96	0.03
01/13/96	
01/14/96	
01/15/96	
01/16/96	0.02
01/17/96	0.08
01/18/96	0.02
01/19/96	0.84
01/20/96	0.01
01/21/96	
01/22/96	
01/23/96	0.38
01/24/96	0.41
01/25/96	
01/26/96	
01/27/96	0.12
01/28/96	
01/29/96	0.06
01/30/96	
01/31/96	

TIME OF REPORT: 05/13/96 15:29:07 TOTAL RAIN FOR MONTH: 2.00

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_01

RAIN

	TOTAL RAIN (in)

02/01/96	
02/02/96	
02/03/96	
02/04/96	
02/05/96	
02/06/96	
02/07/96	0.05
02/08/96	0.36
02/09/96	
02/10/96	
02/11/96	0.02
02/12/96	
02/13/96	
02/14/96	0.06
02/15/96	
02/16/96	
02/17/96	
02/18/96	
02/19/96	0.02
02/20/96	0.31
02/21/96	0.12
02/22/96	
02/23/96	
02/24/96	
02/25/96	
02/26/96	
02/27/96	0.45
02/28/96	0.03
02/29/96	

TIME OF REPORT: 05/13/96 15:08:01 TOTAL RAIN FOR MONTH: 1.42

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_02

RAIN

TOTAL RAIN
(in)

02/01/96	
02/02/96	
02/03/96	
02/04/96	
02/05/96	
02/06/96	
02/07/96	
02/08/96	
02/09/96	
02/10/96	
02/11/96	
02/12/96	
02/13/96	
02/14/96	
02/15/96	
02/16/96	
02/17/96	
02/18/96	
02/19/96	
02/20/96	
02/21/96	
02/22/96	
02/23/96	
02/24/96	1.26
02/25/96	
02/26/96	
02/27/96	0.05
02/28/96	
02/29/96	

TIME OF REPORT: 05/13/96 15:31:22 TOTAL RAIN FOR MONTH: 1.31

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_03

RAIN

TOTAL RAIN
(in)

02/01/96	
02/02/96	
02/03/96	
02/04/96	
02/05/96	
02/06/96	0.10
02/07/96	0.24
02/08/96	0.63
02/09/96	
02/10/96	
02/11/96	0.12
02/12/96	
02/13/96	0.06
02/14/96	0.05
02/15/96	0.12
02/16/96	0.02
02/17/96	0.01
02/18/96	0.03
02/19/96	0.06
02/20/96	0.38
02/21/96	0.13
02/22/96	0.01
02/23/96	
02/24/96	0.05
02/25/96	
02/26/96	
02/27/96	0.49
02/28/96	0.08
02/29/96	

TIME OF REPORT: 05/13/96 15:32:01 TOTAL RAIN FOR MONTH: 2.58

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_04

RAIN

	TOTAL RAIN (in)

02/01/96	
02/02/96	
02/03/96	
02/04/96	
02/05/96	
02/06/96	
02/07/96	0.07
02/08/96	0.55
02/09/96	
02/10/96	
02/11/96	0.11
02/12/96	
02/13/96	
02/14/96	0.10
02/15/96	
02/16/96	
02/17/96	
02/18/96	0.03
02/19/96	0.04
02/20/96	0.28
02/21/96	0.09
02/22/96	0.01
02/23/96	
02/24/96	0.01
02/25/96	
02/26/96	
02/27/96	0.56
02/28/96	0.05
02/29/96	

TIME OF REPORT: 05/13/96 15:33:53 TOTAL RAIN FOR MONTH: 1.90

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_05

RAIN

TOTAL RAIN
(in)

02/01/96	
02/02/96	
02/03/96	
02/04/96	
02/05/96	
02/06/96	
02/07/96	0.07
02/08/96	0.53
02/09/96	
02/10/96	0.01
02/11/96	0.08
02/12/96	
02/13/96	0.01
02/14/96	0.06
02/15/96	0.03
02/16/96	
02/17/96	
02/18/96	
02/19/96	0.08
02/20/96	0.33
02/21/96	0.06
02/22/96	0.02
02/23/96	
02/24/96	0.01
02/25/96	
02/26/96	
02/27/96	0.43
02/28/96	0.07
02/29/96	

TIME OF REPORT: 05/13/96 17:01:33 TOTAL RAIN FOR MONTH: 1.79

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_06

RAIN

	TOTAL RAIN (in)

02/01/96	
02/02/96	
02/03/96	
02/04/96	
02/05/96	
02/06/96	0.03
02/07/96	0.08
02/08/96	0.48
02/09/96	
02/10/96	
02/11/96	0.11
02/12/96	
02/13/96	0.02
02/14/96	0.11
02/15/96	0.01
02/16/96	
02/17/96	
02/18/96	0.03
02/19/96	0.08
02/20/96	0.28
02/21/96	0.20
02/22/96	0.01
02/23/96	
02/24/96	0.01
02/25/96	
02/26/96	
02/27/96	0.51
02/28/96	0.04
02/29/96	

TIME OF REPORT: 05/13/96 15:32:48 TOTAL RAIN FOR MONTH: 2.00

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_07

RAIN

	TOTAL RAIN (in)

02/01/96	
02/02/96	
02/03/96	
02/04/96	
02/05/96	
02/06/96	
02/07/96	0.08
02/08/96	0.56
02/09/96	
02/10/96	
02/11/96	0.06
02/12/96	
02/13/96	
02/14/96	0.03
02/15/96	
02/16/96	
02/17/96	
02/18/96	
02/19/96	0.02
02/20/96	0.30
02/21/96	0.17
02/22/96	0.01
02/23/96	
02/24/96	0.04
02/25/96	
02/26/96	
02/27/96	0.51
02/28/96	0.06
02/29/96	

TIME OF REPORT: 05/13/96 17:02:05 TOTAL RAIN FOR MONTH: 1.84

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_01

RAIN

	TOTAL RAIN (in)

03/01/96	
03/02/96	0.03
03/03/96	
03/04/96	0.03
03/05/96	0.60
03/06/96	
03/07/96	
03/08/96	
03/09/96	
03/10/96	
03/11/96	
03/12/96	
03/13/96	
03/14/96	
03/15/96	
03/16/96	
03/17/96	
03/18/96	
03/19/96	0.12
03/20/96	0.23
03/21/96	0.05
03/22/96	0.02
03/23/96	0.03
03/24/96	
03/25/96	0.07
03/26/96	
03/27/96	
03/28/96	
03/29/96	
03/30/96	
03/31/96	

TIME OF REPORT: 05/13/96 15:08:23 TOTAL RAIN FOR MONTH: 1.18

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_02

RAIN

	TOTAL RAIN (in)

03/01/96	
03/02/96	
03/03/96	
03/04/96	
03/05/96	1.07
03/06/96	
03/07/96	
03/08/96	
03/09/96	
03/10/96	0.01
03/11/96	
03/12/96	
03/13/96	
03/14/96	
03/15/96	
03/16/96	
03/17/96	
03/18/96	
03/19/96	0.10
03/20/96	0.18
03/21/96	0.01
03/22/96	
03/23/96	0.13
03/24/96	
03/25/96	0.10
03/26/96	
03/27/96	
03/28/96	
03/29/96	
03/30/96	
03/31/96	

TIME OF REPORT: 05/13/96 17:03:48 TOTAL RAIN FOR MONTH: 1.60

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_03

RAIN

	TOTAL RAIN (in)
03/01/96	0.02
03/02/96	0.03
03/03/96	
03/04/96	0.36
03/05/96	0.73
03/06/96	
03/07/96	
03/08/96	
03/09/96	0.01
03/10/96	
03/11/96	
03/12/96	
03/13/96	
03/14/96	
03/15/96	
03/16/96	
03/17/96	
03/18/96	
03/19/96	0.13
03/20/96	0.10
03/21/96	0.07
03/22/96	0.13
03/23/96	0.45
03/24/96	
03/25/96	0.14
03/26/96	
03/27/96	
03/28/96	
03/29/96	
03/30/96	0.01
03/31/96	

TIME OF REPORT: 05/13/96 17:04:38 TOTAL RAIN FOR MONTH: 2.18

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_04

RAIN

	TOTAL RAIN (in)

03/01/96	
03/02/96	0.06
03/03/96	
03/04/96	0.23
03/05/96	0.73
03/06/96	
03/07/96	
03/08/96	
03/09/96	
03/10/96	
03/11/96	
03/12/96	
03/13/96	
03/14/96	
03/15/96	
03/16/96	
03/17/96	
03/18/96	
03/19/96	0.20
03/20/96	0.49
03/21/96	0.10
03/22/96	0.10
03/23/96	0.05
03/24/96	
03/25/96	0.12
03/26/96	
03/27/96	
03/28/96	
03/29/96	
03/30/96	
03/31/96	

TIME OF REPORT: 05/13/96 17:05:13 TOTAL RAIN FOR MONTH: 2.08

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_05

RAIN

	TOTAL RAIN (in)

03/01/96	
03/02/96	0.03
03/03/96	
03/04/96	0.14
03/05/96	0.44
03/06/96	
03/07/96	
03/08/96	
03/09/96	
03/10/96	
03/11/96	
03/12/96	
03/13/96	
03/14/96	
03/15/96	
03/16/96	
03/17/96	
03/18/96	
03/19/96	0.20
03/20/96	0.09
03/21/96	0.01
03/22/96	0.10
03/23/96	0.29
03/24/96	0.01
03/25/96	0.11
03/26/96	
03/27/96	
03/28/96	
03/29/96	
03/30/96	
03/31/96	

TIME OF REPORT: 05/13/96 17:05:41 TOTAL RAIN FOR MONTH: 1.42

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_06

RAIN

	TOTAL RAIN (in)

03/01/96	0.01
03/02/96	0.05
03/03/96	
03/04/96	0.24
03/05/96	0.50
03/06/96	
03/07/96	
03/08/96	
03/09/96	
03/10/96	
03/11/96	
03/12/96	
03/13/96	
03/14/96	
03/15/96	
03/16/96	
03/17/96	
03/18/96	
03/19/96	0.13
03/20/96	0.20
03/21/96	0.08
03/22/96	0.20
03/23/96	0.22
03/24/96	
03/25/96	0.10
03/26/96	
03/27/96	
03/28/96	
03/29/96	
03/30/96	
03/31/96	

TIME OF REPORT: 05/13/96 17:07:22 TOTAL RAIN FOR MONTH: 1.73

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_07

RAIN

	TOTAL RAIN (in)

03/01/96	
03/02/96	0.03
03/03/96	
03/04/96	0.01
03/05/96	0.57
03/06/96	
03/07/96	
03/08/96	
03/09/96	
03/10/96	
03/11/96	
03/12/96	
03/13/96	
03/14/96	
03/15/96	
03/16/96	
03/17/96	
03/18/96	
03/19/96	0.14
03/20/96	0.34
03/21/96	0.11
03/22/96	0.06
03/23/96	0.01
03/24/96	
03/25/96	0.13
03/26/96	
03/27/96	
03/28/96	
03/29/96	
03/30/96	
03/31/96	

TIME OF REPORT: 05/13/96 17:06:12 TOTAL RAIN FOR MONTH: 1.40

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_01

RAIN

	TOTAL RAIN (in)

04/01/96	0.22
04/02/96	
04/03/96	
04/04/96	0.11
04/05/96	0.02
04/06/96	
04/07/96	0.01
04/08/96	
04/09/96	
04/10/96	
04/11/96	
04/12/96	0.65
04/13/96	0.64
04/14/96	
04/15/96	0.36
04/16/96	0.14
04/17/96	
04/18/96	
04/19/96	0.35
04/20/96	0.18
04/21/96	
04/22/96	0.51
04/23/96	1.33
04/24/96	0.04
04/25/96	
04/26/96	0.13
04/27/96	
04/28/96	
04/29/96	0.39
04/30/96	0.51

TIME OF REPORT: 05/13/96 15:08:49 TOTAL RAIN FOR MONTH: 5.59

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_02

RAIN

	TOTAL RAIN (in)

04/01/96	0.27
04/02/96	
04/03/96	
04/04/96	0.05
04/05/96	0.07
04/06/96	
04/07/96	
04/08/96	
04/09/96	
04/10/96	0.01
04/11/96	
04/12/96	0.87
04/13/96	0.59
04/14/96	
04/15/96	0.36
04/16/96	0.23
04/17/96	
04/18/96	
04/19/96	0.26
04/20/96	0.17
04/21/96	
04/22/96	0.58
04/23/96	1.39
04/24/96	0.05
04/25/96	
04/26/96	0.15
04/27/96	
04/28/96	
04/29/96	0.33
04/30/96	0.67

TIME OF REPORT: 05/13/96 17:08:24 TOTAL RAIN FOR MONTH: 6.05

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_03

RAIN

	TOTAL RAIN (in)

04/01/96	0.32
04/02/96	
04/03/96	
04/04/96	0.09
04/05/96	0.06
04/06/96	
04/07/96	
04/08/96	
04/09/96	
04/10/96	0.02
04/11/96	0.01
04/12/96	0.59
04/13/96	0.66
04/14/96	
04/15/96	0.42
04/16/96	0.32
04/17/96	
04/18/96	
04/19/96	0.25
04/20/96	0.24
04/21/96	
04/22/96	0.55
04/23/96	1.66
04/24/96	0.04
04/25/96	0.01
04/26/96	0.20
04/27/96	
04/28/96	
04/29/96	0.34
04/30/96	0.77

TIME OF REPORT: 05/13/96 17:09:26 TOTAL RAIN FOR MONTH: 6.55

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_04

RAIN

	TOTAL RAIN (in)

04/01/96	0.31
04/02/96	
04/03/96	
04/04/96	0.16
04/05/96	0.03
04/06/96	
04/07/96	0.02
04/08/96	
04/09/96	
04/10/96	0.01
04/11/96	
04/12/96	0.86
04/13/96	0.79
04/14/96	
04/15/96	0.39
04/16/96	0.21
04/17/96	
04/18/96	
04/19/96	0.33
04/20/96	0.21
04/21/96	
04/22/96	0.72
04/23/96	1.49
04/24/96	0.03
04/25/96	
04/26/96	0.16
04/27/96	
04/28/96	0.01
04/29/96	0.49
04/30/96	0.73

TIME OF REPORT: 05/13/96 17:09:57 TOTAL RAIN FOR MONTH: 6.95

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_05

RAIN

	TOTAL RAIN (in)

04/01/96	0.29
04/02/96	0.03
04/03/96	
04/04/96	0.09
04/05/96	0.03
04/06/96	
04/07/96	
04/08/96	
04/09/96	
04/10/96	0.02
04/11/96	0.01
04/12/96	0.59
04/13/96	0.62
04/14/96	
04/15/96	0.39
04/16/96	0.27
04/17/96	0.01
04/18/96	
04/19/96	0.24
04/20/96	0.21
04/21/96	
04/22/96	0.49
04/23/96	1.79
04/24/96	0.05
04/25/96	
04/26/96	0.15
04/27/96	
04/28/96	
04/29/96	0.07
04/30/96	0.92

TIME OF REPORT: 05/13/96 17:11:05 TOTAL RAIN FOR MONTH: 6.27

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_06

RAIN

	TOTAL RAIN (in)

04/01/96	0.26
04/02/96	
04/03/96	
04/04/96	0.13
04/05/96	0.07
04/06/96	
04/07/96	
04/08/96	
04/09/96	
04/10/96	0.03
04/11/96	
04/12/96	0.63
04/13/96	0.67
04/14/96	
04/15/96	0.38
04/16/96	0.23
04/17/96	
04/18/96	
04/19/96	0.36
04/20/96	0.21
04/21/96	
04/22/96	0.64
04/23/96	1.63
04/24/96	0.03
04/25/96	
04/26/96	0.22
04/27/96	
04/28/96	0.01
04/29/96	0.36
04/30/96	0.68

TIME OF REPORT: 05/13/96 17:11:30 TOTAL RAIN FOR MONTH: 6.54

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_07

RAIN

	TOTAL RAIN (in)

04/01/96	0.29
04/02/96	
04/03/96	
04/04/96	0.10
04/05/96	0.04
04/06/96	
04/07/96	
04/08/96	
04/09/96	
04/10/96	
04/11/96	
04/12/96	
04/13/96	
04/14/96	
04/15/96	0.38
04/16/96	0.31
04/17/96	
04/18/96	
04/19/96	0.25
04/20/96	0.19
04/21/96	
04/22/96	0.52
04/23/96	1.55
04/24/96	0.01
04/25/96	0.53
04/26/96	0.83
04/27/96	
04/28/96	0.01
04/29/96	0.29
04/30/96	0.69

TIME OF REPORT: 05/13/96 17:12:02 TOTAL RAIN FOR MONTH: 5.99

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_01

RAIN

	TOTAL RAIN (in)
=====	
05/01/96	0.10
05/02/96	
05/03/96	0.08
05/04/96	0.23
05/05/96	0.12
05/06/96	
05/07/96	
05/08/96	0.14
05/09/96	0.87
05/10/96	0.45
05/11/96	0.99
05/12/96	0.01
05/13/96	
05/14/96	
05/15/96	
05/16/96	
05/17/96	
05/18/96	
05/19/96	
05/20/96	
05/21/96	0.40
05/22/96	
05/23/96	
05/24/96	
05/25/96	
05/26/96	
05/27/96	
05/28/96	
05/29/96	
05/30/96	
05/31/96	

TIME OF REPORT: 05/24/96 12:39:11 TOTAL RAIN FOR MONTH: 3.39

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_02

RAIN

	TOTAL RAIN (in)

05/01/96	0.17
05/02/96	
05/03/96	0.08
05/04/96	0.20
05/05/96	0.10
05/06/96	
05/07/96	
05/08/96	
05/09/96	
05/10/96	
05/11/96	
05/12/96	
05/13/96	
05/14/96	
05/15/96	
05/16/96	
05/17/96	
05/18/96	
05/19/96	
05/20/96	
05/21/96	
05/22/96	
05/23/96	
05/24/96	
05/25/96	
05/26/96	
05/27/96	
05/28/96	
05/29/96	
05/30/96	
05/31/96	

TIME OF REPORT: 05/14/96 10:45:07 TOTAL RAIN FOR MONTH: 0.55

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_03

RAIN

	TOTAL RAIN (in)
=====	
05/01/96	0.26
05/02/96	
05/03/96	0.11
05/04/96	0.22
05/05/96	0.12
05/06/96	0.01
05/07/96	
05/08/96	0.09
05/09/96	0.81
05/10/96	1.03
05/11/96	1.19
05/12/96	0.01
05/13/96	
05/14/96	
05/15/96	
05/16/96	
05/17/96	
05/18/96	
05/19/96	
05/20/96	
05/21/96	0.42
05/22/96	0.01
05/23/96	
05/24/96	
05/25/96	
05/26/96	
05/27/96	
05/28/96	
05/29/96	
05/30/96	
05/31/96	

TIME OF REPORT: 05/24/96 12:40:21 TOTAL RAIN FOR MONTH: 4.28

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_04

RAIN

	TOTAL RAIN (in)
	=====
05/01/96	0.17
05/02/96	
05/03/96	0.09
05/04/96	0.23
05/05/96	0.14
05/06/96	0.01
05/07/96	
05/08/96	0.23
05/09/96	0.64
05/10/96	0.57
05/11/96	1.21
05/12/96	0.02
05/13/96	
05/14/96	
05/15/96	
05/16/96	
05/17/96	
05/18/96	
05/19/96	
05/20/96	
05/21/96	0.52
05/22/96	
05/23/96	
05/24/96	
05/25/96	
05/26/96	
05/27/96	
05/28/96	
05/29/96	
05/30/96	
05/31/96	

TIME OF REPORT: 05/24/96 12:41:10 TOTAL RAIN FOR MONTH: 3.83

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_05

RAIN

	TOTAL RAIN (in)
	=====
05/01/96	0.20
05/02/96	
05/03/96	0.11
05/04/96	0.23
05/05/96	0.13
05/06/96	0.01
05/07/96	
05/08/96	0.08
05/09/96	0.62
05/10/96	0.86
05/11/96	1.32
05/12/96	0.03
05/13/96	
05/14/96	
05/15/96	
05/16/96	
05/17/96	
05/18/96	
05/19/96	
05/20/96	
05/21/96	0.44
05/22/96	
05/23/96	
05/24/96	
05/25/96	
05/26/96	
05/27/96	
05/28/96	
05/29/96	
05/30/96	
05/31/96	

TIME OF REPORT: 05/24/96 12:42:07 TOTAL RAIN FOR MONTH: 4.03

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_06

RAIN

	TOTAL RAIN (in)
=====	
05/01/96	0.17
05/02/96	
05/03/96	0.09
05/04/96	0.23
05/05/96	0.12
05/06/96	0.01
05/07/96	
05/08/96	0.09
05/09/96	0.81
05/10/96	0.57
05/11/96	1.11
05/12/96	0.01
05/13/96	
05/14/96	
05/15/96	
05/16/96	
05/17/96	
05/18/96	
05/19/96	0.01
05/20/96	
05/21/96	0.36
05/22/96	0.01
05/23/96	
05/24/96	
05/25/96	
05/26/96	
05/27/96	
05/28/96	
05/29/96	
05/30/96	
05/31/96	

TIME OF REPORT: 05/24/96 12:42:54 TOTAL RAIN FOR MONTH: 3.59

ADS ENVIRONMENTAL SERVICES, INC.

LOCATION: ERIE_07

RAIN

	TOTAL RAIN (in)
=====	
05/01/96	0.23
05/02/96	
05/03/96	0.10
05/04/96	0.20
05/05/96	0.10
05/06/96	0.02
05/07/96	
05/08/96	0.07
05/09/96	0.85
05/10/96	1.03
05/11/96	1.10
05/12/96	0.01
05/13/96	
05/14/96	
05/15/96	
05/16/96	
05/17/96	
05/18/96	
05/19/96	
05/20/96	
05/21/96	0.33
05/22/96	0.01
05/23/96	
05/24/96	
05/25/96	
05/26/96	
05/27/96	
05/28/96	
05/29/96	
05/30/96	
05/31/96	

TIME OF REPORT: 05/24/96 12:44:01 TOTAL RAIN FOR MONTH: 4.05

**MALCOLM
PIRNIE**

**APPENDIX B
ANALYTICAL RESULTS**

2758-001

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **01D**

PESTICIDES/PCBs

Date Event Units	June 14, 1995 01D (µg/L)	June 14, 1995 01D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC	<0.02	<0.0004	n/a	n/a	
beta-BHC	<0.02	<0.0004	n/a	n/a	
delta-BHC	<0.02	<0.0004	n/a	n/a	
gamma-BHC (Lindane)	<0.02	<0.0004			0.001 (X)
Heptachlor	<0.04	<0.0008			0.001 (X)
Aldrin	<0.4	<0.008			0.001 (X)
Heptachlor epoxide	<0.02	<0.0004	0.1	0.8	
alpha-Endosulfan (I)	<0.01	<0.0002	0.056	0.22	
Dieldrin	<0.5	<0.010			0.001 (X)
4,4'-DDE	<0.01	<0.0002	0.001	1.1	
Endrin	<0.01	<0.0002			0.002 (X)
beta-Endosulfan (II)	<0.01	<0.0002	0.056	0.22	
4,4'-DDD	<0.01	<0.0002	0.001	1.1	
Endosulfan sulfate	<0.01	<0.0002	n/a	n/a	
4,4'-DDT	<0.01	<0.0002	0.001	1.1	
alpha-Chlordane	<0.2	<0.004			** (X)
gamma-Chlordane	<0.2	<0.004			** (X)
Toxaphene	<1.0	<0.020			0.008 (X)
Endrin Aldehyde	<0.01	<0.0002	n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 3.72 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **01D**

INORGANICS

Date Event Units	June 14, 1995 01D (µg/L)	June 14, 1995 01D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<2.01			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<0.060	219	1,095		
Arsenic [total]	<0.001	<0.0201	190(As3+)	360(As3+)		
Beryllium [total]	<0.005	<0.100	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0201			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<1.00	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	<0.00020	11	16		
Copper \$ [total]	<0.001	<0.0201	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.62	0.00			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<0.0201	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	<0.01	<0.00020			1 mg/l	2
Mercury [total]	<0.0002	<0.0040			0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<0.00020	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	<0.040			10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.0040	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<0.0201	0.018	0.09		
Zinc \$ [total]	<0.012	<0.241	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 3.72 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **01D**

ADDITIONAL PARAMETERS

Date Event Units	June 14, 1995 01D (mg/l)	June 14, 1995 01D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	81	n/a			minimum of 20	1
Chloride (mg/l)	38	0			250	2
Cyanide, free (µg/l)	<0.005	<0.100	5	22		
Grease & Oil Grab (mg/l)	1.2	0			2	2
Ammonia-Nitrogen	0.05	0.00			(NH ₃ -N) × (log-1[pK _T -pH]+1)	
Nitrite-Nitrogen (mg/l)	<0.01	<0.200			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	2.45	0.0				
CBOD ₅	3	n/a				
Chemical Oxygen Demand	<10	n/a				
Fecal Coliform (#/100mL)	141	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	<0.01	<0.200				
Total Suspended Solids	2	0				
Hardness (mg/L CaCO ₃)	157	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	8.4	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	18.0	n/a				1
Conductivity (mv/cm) ** [field]	413	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	5.37	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 3.72 cfs

**[field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: 01D

PESTICIDES/PCBs

Date Event Units	June 14, 1995	June 14, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	01D (µg/L)	01D (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC	<0.02	<0.0056	n/a	n/a	
beta-BHC	<0.02	<0.0056	n/a	n/a	
delta-BHC	<0.02	<0.0056	n/a	n/a	
gamma-BHC (Lindane)	<0.02	<0.0056			0.001 (X)
Heptachlor	<0.04	<0.0111			0.001 (X)
Aldrin	<0.4	<0.111			0.001 (X)
Heptachlor epoxide	<0.02	<0.0056	0.1	0.8	
alpha-Endosulfan (I)	<0.01	<0.0028	0.056	0.22	
Dieldrin	<0.5	<0.140			0.001 (X)
4,4'-DDE	<0.01	<0.0028	0.001	1.1	
Endrin	<0.01	<0.0028			0.002 (X)
beta-Endosulfan (II)	<0.01	<0.0028	0.056	0.22	
4,4'-DDD	<0.01	<0.0028	0.001	1.1	
Endosulfan sulfate	<0.01	<0.0028	n/a	n/a	
4,4'-DDT	<0.01	<0.0028	0.001	1.1	
alpha-Chlordane	<0.2	<0.056			** (X)
gamma-Chlordane	<0.2	<0.056			** (X)
Toxaphene	<1.0	<0.280			0.008 (X)
Endrin Aldehyde	<0.01	<0.0028	n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 51.82 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **01D**

INORGANICS

Date Event Units	June 14, 1995 01D (µg/L)	June 14, 1995 01D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<27.95			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<0.839	219	1,095		
Arsenic [total]	<0.001	<0.280	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]	<0.005	<1.40	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0280			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<14.0	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	<2.80	11	16		
Copper \$ [total]	<0.001	<0.280	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.38	0.00			0.3 mg/l** (X)	1
Lead \$ [total]	<0.001	<0.280	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.01	0.00			1 mg/l	2
Mercury [total]	<0.0002	<0.0560			0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<2.80	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	<0.560			10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.0560	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<0.280	0.018	0.09		
Zinc \$ [total]	0.048	0.00	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 51.82 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **01D**

ADDITIONAL PARAMETERS

Date	June 14, 1995 01D (mg/l)	June 14, 1995 01D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	140	n/a			minimum of 20	1
Chloride (mg/l)	59	0			250	2
Cyanide, free (µg/l)	<0.005	<1.40	5	22		
Grease & Oil Grab (mg/l)	1.33	0			2	2
Ammonia-Nitrogen	0.04	0.0			(NH ₃ -N) × (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	<0.01	<2.80			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	0.41	0				
CBOD ₅	2	n/a				
Chemical Oxygen Demand	<10	n/a				
Fecal Coliform (#/100mL)	80	n/a			BAC1 (X)	3
Phosphorus, total	<0.01	<2.80			(P) (X)	
Total Suspended Solids	2	0				
Hardness (mg/L CaCO ₃)	209	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.7	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	21.5	n/a				1
Conductivity (mv/cm) ** [field]	553	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	5.4	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 51.82 cfs

** - [field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **ELK CREEK**

EVENT: **01D**

PESTICIDES/PCBs

Date Event Units	June 14, 1995	June 14, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	01D (µg/L)	01D (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC	<0.02	<0.0020	n/a	n/a	
beta-BHC	<0.02	<0.0020	n/a	n/a	
delta-BHC	<0.02	<0.0020	n/a	n/a	
gamma-BHC (Lindane)	<0.02	<0.0020			0.001 (X)
Heptachlor	<0.04	<0.0040			0.001 (X)
Aldrin	<0.4	<0.040			0.001 (X)
Heptachlor epoxide	<0.02	<0.0020	0.1	0.8	
alpha-Endosulfan (I)	<0.01	<0.0010	0.056	0.22	
Dieldrin	<0.5	<0.050			0.001 (X)
4,4'-DDE	<0.01	<0.0010	0.001	1.1	
Endrin	<0.01	<0.0010			0.002 (X)
beta-Endosulfan (II)	<0.01	<0.0010	0.056	0.22	
4,4'-DDD	<0.01	<0.0010	0.001	1.1	
Endosulfan sulfate	<0.01	<0.0010	n/a	n/a	
4,4'-DDT	<0.01	<0.0010	0.001	1.1	
alpha-Chlordane	<0.2	<0.020			** (X)
gamma-Chlordane	<0.2	<0.020			** (X)
Toxaphene	<1	<0.100			0.008 (X)
Endrin Aldehyde	<0.01	<0.0010	n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 18.47 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **01D**

INORGANICS

Date Event Units	June 14, 1995 01D (mg/L)	June 14, 1995 01D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<9.96			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<0.299	219	1,095		
Arsenic [total]	<0.001	<0.0966	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]	<0.005	<0.498	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0100			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<4.98	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (µg/l)	<0.01	<0.0010	11	16		
Copper \$ [total]	<0.001	<0.0966	EXP(8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.47	0.0			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<0.0966	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	<0.01	<0.0010			1 mg/l	2
Mercury [total]	0.0002	<0.0199			0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<0.0010	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	0.002	0.000			10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.0199	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<0.0966	0.018	0.09		
Zinc \$ [total]	0.011	0.000	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)
CMC - criterion maximum concentration (for short-term protection)
Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards
CU = Critical Use: 1) Aquatic Life; 2) Water Supply
LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.
H = Hardness
* - loading based on a flow of 18.47 cfs
** - This value or natural levels, whichever is greater
*** - in an unfiltered water sample
(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: ELK CREEK
 EVENT: 01D

ADDITIONAL PARAMETERS

Date	June 14, 1995 01D (mg/L)	June 14, 1995 01D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	100	n/a			minimum of 20	1
Chloride (mg/l)	35	0			250	2
Cyanide, free (µg/l)	<0.005	<0.498	5	22		
Grease & Oil Grab (mg/l)	1.6	0			2	2
Ammonia-Nitrogen	0.09	0.00			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	<0.01	<1.00			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.97	0.0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	10	n/a				
Fecal Coliform (#/100mL)	28	n/a			BAC1 (X)	3
Phosphorus, total	0.01	0.00			(P) (X)	
Total Suspended Solids	2	0				
Hardness (mg/L CaCO ₃)	154	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	9.0	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	23.3	n/a				1
Conductivity (mv/cm) ** [field]	405	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	5.44	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 18.47 cfs

** - [field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **02W**

PESTICIDES/PCBs

Date Event Units	Aug. 11, 1995 02W (µg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC	<0.02	<0.0137	n/a	n/a	
beta-BHC	<0.02	<0.0137	n/a	n/a	
delta-BHC	<0.02	<0.0137	n/a	n/a	
gamma-BHC (Lindane)	<0.02	<0.0137			0.001 (X)
Heptachlor	<0.04	<0.0275			0.001 (X)
Aldrin	<0.4	<0.275			0.001 (X)
Heptachlor epoxide	<0.02	<0.0137	0.1	0.8	
alpha-Endosulfan (I)	<0.01	<0.0069	0.056	0.22	
Dieldrin	<0.5	<0.343			0.001 (X)
4,4'-DDE	<0.01	<0.0069	0.001	1.1	
Endrin	<0.01	<0.0069			0.002 (X)
beta-Endosulfan (II)	<0.01	<0.0069	0.056	0.22	
4,4'-DDD	<0.01	<0.0069	0.001	1.1	
Endosulfan sulfate	<0.01	<0.0069	n/a	n/a	
4,4'-DDT	<0.01	<0.0069	0.001	1.1	
alpha-Chlordane	<0.2	<0.137			** (X)
gamma-Chlordane	<0.2	<0.137			** (X)
Toxaphene	<1.0	<0.687			0.008 (X)
Endrin Aldehyde	<0.01	<0.0069	n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 127.29 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **02W**

INORGANICS

Date Event Units	Aug. 11, 1995 02W (mg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	13.8	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<2.060	219	1,095		
Arsenic [total]	0.011	0.00	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]	<0.005	<3.433	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	0.0004	0.000			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	0.13	0.0	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	<0.0069	11	16		
Copper \$ [total]	0.021	0.0	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	19.5	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.018	0.0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	1.34	0			1 mg/l	2
Mercury [total]	<0.0002	<0.1373			0.2 µg/l*** (X)	
Nickel \$ [total]	0.04	0.0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	<1.373			10 µg/l (X)	
Silver \$ [total]	0.0003	0.000	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<0.687	0.018	0.09		
Zinc \$ [total]	0.2	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 127.29 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **02W**

ADDITIONAL PARAMETERS

Date Event Units	Aug. 11, 1995 02W (mg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	44	n/a			minimum of 20	1
Chloride (mg/l)	35	0			250	2
Cyanide, free (µg/l)	<0.005	<3.43	5	22		
Grease & Oil Grab (mg/l)	0.5	0			2	2
Ammonia-Nitrogen	0.19	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.06	0.0			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	3.28	0				
CBOD ₅	10	n/a				
Chemical Oxygen Demand	115	n/a				
Fecal Coliform (#/100mL)	13,100	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	0.89	0				
Total Suspended Solids	680	0				
Hardness (mg/L CaCO ₃)	112	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.1	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	20.8	n/a				1
Conductivity (mv/cm) ** [field]	309	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	4.58	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 127.29 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **02W**

PESTICIDES/PCBs

Date Event Units	Aug. 11, 1995 02W (µg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC	<0.02	<0.0237	n/a	n/a	
beta-BHC	<0.02	<0.0237	n/a	n/a	
delta-BHC	<0.02	<0.0237	n/a	n/a	
gamma-BHC (Lindane)	<0.02	<0.0237			0.001 (X)
Heptachlor	<0.04	<0.0474			0.001 (X)
Aldrin	<0.4	<0.474			0.001 (X)
Heptachlor epoxide	<0.02	<0.0237	0.1	0.8	
alpha-Endosulfan (I)	<0.01	<0.0118	0.056	0.22	
Dieldrin	<0.5	<0.592			0.001 (X)
4,4'-DDE	<0.01	<0.0118	0.001	1.1	
Endrin	<0.01	<0.0118			0.002 (X)
beta-Endosulfan (II)	<0.01	<0.0118	0.056	0.22	
4,4'-DDD	<0.01	<0.0118	0.001	1.1	
Endosulfan sulfate	<0.01	<0.0118	n/a	n/a	
4,4'-DDT	<0.01	<0.0118	0.001	1.1	
alpha-Chlordane	<0.2	<0.237			** (X)
gamma-Chlordane	<0.2	<0.237			** (X)
Toxaphene	<1.0	<1.18			0.008 (X)
Endrin Aldehyde	<0.01	<0.0118	n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 219.53cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **WALNUT CREEK**
 EVENT: **02W**

INORGANICS

Date Event Units	Aug. 11, 1995 02W (mg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	38.5	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<3.55	219	1,095		
Arsenic [total]	0.010	0.0	190(As3+)	360(As3+)		
Beryllium [total]	<0.005	<5.92	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	0.0005	0.000			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	0.29	0	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	<0.01	11	16		
Copper \$ [total]	0.033	0.0	EXP(8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	35.5	0			0.3 mg/l** (X)	1
Lead \$ [total]	0.049	0.0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	2.44	0			1 mg/l	2
Mercury [total]	<0.0002	<0.236			0.2 µg/l*** (X)	
Nickel \$ [total]	0.10	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	<2.36			10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.236	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<1.18	0.018	0.09		
Zinc \$ [total]	0.67	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 219.53cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: WALNUT CREEK

EVENT: 02W

ADDITIONAL PARAMETERS

Date	Aug. 11, 1995 02W (mg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	165	n/a			minimum of 20	1
Chloride (mg/l)	29	0			250	2
Cyanide, free (µg/l)	<0.005	<5.92	5	22		
Grease & Oil Grab (mg/l)	2.0	0			2	2
Ammonia-Nitrogen	0.33	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.10	0			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	0.59	0				
CBOD ₅	15	n/a				
Chemical Oxygen Demand	125	n/a				
Fecal Coliform (#/100mL)	11,500	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	1.74	0				
Total Suspended Solids	1,508	0				
Hardness (mg/L CaCO ₃)	144	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	7.9	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	21.7	n/a				1
Conductivity (mv/cm) ** [field]	332	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	7.8	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 219.53 cfs

**[field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **02W**

PESTICIDES/PCBs

Date Event Units	Aug. 11, 1995 02W (µg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC	<0.02	<0.0107	n/a	n/a	
beta-BHC	<0.02	<0.0107	n/a	n/a	
delta-BHC	<0.02	<0.0107	n/a	n/a	
gamma-BHC (Lindane)	<0.02	<0.0107			0.001 (X)
Heptachlor	<0.04	<0.0215			0.001 (X)
Aldrin	<0.4	<0.215			0.001 (X)
Heptachlor epoxide	<0.02	<0.0107	0.1	0.8	
alpha-Endosulfan (I)	<0.01	<0.0054	0.056	0.22	
Dieldrin	<0.5	<0.269			0.001 (X)
4,4'-DDE	<0.01	<0.0054	0.001	1.1	
Endrin	<0.01	<0.0054			0.002 (X)
beta-Endosulfan (II)	<0.01	<0.0054	0.056	0.22	
4,4'-DDD	<0.01	<0.0054	0.001	1.1	
Endosulfan sulfate	<0.01	<0.0054	n/a	n/a	
4,4'-DDT	<0.01	<0.0054	0.001	1.1	
alpha-Chlordane	<0.2	<0.107			** (X)
gamma-Chlordane	<0.2	<0.107			** (X)
Toxaphene	<1.0	<0.537			0.008 (X)
Endrin Aldehyde	<0.01	<0.0054	n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 99.62 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **02W**

INORGANICS

Date	Aug. 11, 1995		DEP CHPT 16 WQC		DEP CHPT 93 WQS	
	Event	Aug. 11, 1995	CCC	CMC	TABLE 3	CU
Units	02W	02W	(µg/L)	(µg/L)		
	(mg/L)	(lb/day)*				
Aluminum [total]	1.28	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<1.61	219	1,095		
Arsenic [total]	0.003	0.00	190(As3+)	360(As3+)		
Beryllium [total]	<0.005	<2.69	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0537			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<26.9	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819*(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	<0.0054	11	16		
Copper \$ [total]	0.0002	0.000	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.82	0			0.3 mg/l** (X)	1
Lead \$ [total]	<0.001	<0.537	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.06	0.0			1 mg/l	2
Mercury [total]	<0.0002	<0.107			0.2 µg/l*** (X)	
Nickel \$ [total]	0.02	0.0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	<1.07			10 µg/l (X)	
Silver \$ [total]	0.0008	0.000	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<0.537	0.018	0.09		
Zinc \$ [total]	<0.005	<2.69	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 99.62 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **02W**

ADDITIONAL PARAMETERS

Date Event Units	Aug. 11, 1995 02W (mg/L)	Aug. 11, 1995 02W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	105	n/a			minimum of 20	1
Chloride (mg/l)	37	0			250	2
Cyanide, free (µg/l)	<0.005	0	5	22		
Grease & Oil Grab (mg/l)	0.4	0			2	2
Ammonia-Nitrogen	0.10	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.03	0.0			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	1.27	0				
CBOD ₅	6	n/a				
Chemical Oxygen Demand	10	n/a				
Fecal Coliform (#/100mL)	1,940	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	0.04	0.0				
Total Suspended Solids	24	0				
Hardness (mg/L CaCO ₃)	184	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.0	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	24.5	n/a				1
Conductivity (mv/cm) ** [field]	468	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	8.86	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 99.62 cfs

** [field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **03W**

PESTICIDES/PCBs

Date Event Units	Sept. 20, 1995 03W (µg/L)	Sept. 20, 1995 03W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 4.96 cfs

** - limit for Chlordane = 0.06 µg/L (X)

- analyte eliminated from sampling program

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **03W**

INORGANICS

Date Event Units	Sept. 20, 1995 03W (mg/L)	Sept. 20, 1995 03W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	0.31	0.00			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<0.0803	219	1,095		
Arsenic [total]	<0.001	<0.0268	190(As3+)	360(As3+)		
Beryllium [total]	<0.005	<0.134	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0027			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<1.34	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	<0.268	11	16		
Copper \$ [total]	<0.001	<0.0268	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.15	0.0			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<0.0268	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.04	0.0			1 mg/l	2
Mercury [total]	<0.0002	<0.0054			0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<0.268	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	<0.054			10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.0054	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<0.0268	0.018	0.09		
Zinc \$ [total]	<0.005	<0.134	179.3	198.0		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection

Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection

Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of 186 mg/L

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 4.96 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **03W**

ADDITIONAL PARAMETERS

Date Event Units	Sept. 20, 1995 03W (mg/L)	Sept. 20, 1995 03W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	79	n/a			minimum of 20	1
Chloride (mg/l)	34	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	<0.01	<0.268			(NH ₃ -N) \times (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.01	0.000			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	2.85	0.0				
CBOD ₅	7	n/a				
Chemical Oxygen Demand	<10	n/a				
Fecal Coliform (#/100mL)	1,150	n/a			BAC1 (X)	3
Phosphorus, total	0.01	0.000			(P) (X)	
Total Suspended Solids	4	0				
Hardness (mg/L CaCO ₃)	186	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	8.2	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	15.8	n/a				1
Conductivity (mw/cm) ** [field]	426	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	4.57	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life, 2) Water Supply, 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 4.96 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

[shaded box] - analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **03W**

PESTICIDES/PCBs

Date Event Units	Sept. 20, 1995	Sept. 20, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	03W (µg/L)	03W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 29.75 cfs

** - limit for Chlordane = 0.06 µg/L (X)

- analyte eliminated from sampling program

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **03W**

INORGANICS

Date Event Units	Sept. 20, 1995 03W (mg/L)	Sept. 20, 1995 03W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<16.0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	<0.481	219	1,095		
Arsenic [total]	<0.001	<0.160	190(As3+)	360(As3+)		
Beryllium [total]	<0.005	<0.802	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.016			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<8.02	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	<1.60	11	16		
Copper \$ [total]	<0.001	<0.160	EXP(8.545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.13	0.0			0.3 mg/l** (X)	1
Lead \$ [total]	<0.001	<0.160	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.03	0.00			1 mg/l	2
Mercury [total]	<0.0002	<0.032			0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<1.60	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	<0.32			10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.032	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	<0.160	0.018	0.09		
Zinc \$ [total]	<0.005	<0.802	12.7	14.0		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 29.75 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **03W**

ADDITIONAL PARAMETERS

Date Event Units	Sept. 20, 1995 03W (mg/L)	Sept. 20, 1995 03W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	104	n/a			minimum of 20	1
Chloride (mg/l)	42	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.05	0.00			(NH ₃ -N) × (log -1 [pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.02	0.00			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	0.70	0				
CBOD ₅	5	n/a				
Chemical Oxygen Demand	10	n/a				
Fecal Coliform (#/100mL)	2,140	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	<0.014	<2.25				
Total Suspended Solids	4	0				
Hardness (mg/L CaCO ₃)	144	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.19	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	16.0	n/a				1
Conductivity (mv/cm) ** [field]	487	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	11.3	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 29.75 cfs

** [field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

[shaded box] - analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **03W**

PESTICIDES/PCBs

Date Event Units	Sept. 20, 1995 03W (µg/L)	Sept. 20, 1995 03W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of - n/a

** - limit for Chlordane = 0.06 µg/L (X)

- analyte eliminated from sampling program

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **03W**

INORGANICS

Date	Sept. 20, 1995		DEP CHPT 16 WQC		DEP CHPT 93 WQS	
	Event	Units	CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
	03W	(mg/L)				
		(lb/day)*				
Aluminum [total]	<0.1	-			0.1(96hrLC ₅₀) (X)	1
Antimony [total]	<0.003	-	219	1,095		
Arsenic [total]	<0.001	-	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]	<0.005	-	0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	-			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	-	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819*(lnH)+3.688)		
Chromium VI (ug/l)	<0.01	-	11	16		
Copper \$ [total]	<0.001	-	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.09	-			0.3 mg/l** (X)	1
Lead \$ [total]	<0.001	-	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.03	-			1 mg/l	2
Mercury [total]	<0.0002	-			0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	-	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]	<0.002	-			10 µg/l (X)	
Silver \$ [total]	<0.0002	-	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]	<0.001	-	0.018	0.09		
Zinc \$ [total]	<0.005	-	12.6	14.0		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - flow information not available

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **03W**

ADDITIONAL PARAMETERS

Date Event Units	Sept. 20, 1995 03W (mg/L)	Sept. 20, 1995 03W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	98	-			minimum of 20	1
Chloride (mg/l)	46	-			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.07	-			(NH ₃ -N) _x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.03	-			NO ₂ + NO ₃ -10	2
Nitrate-Nitrogen (mg/l)	1.87	-			(as nitrogen)	
CBOD ₅	6	-				
Chemical Oxygen Demand	10	-				
Fecal Coliform (#/100mL)	290	-			BAC1 (X)	3
Phosphorus, total	0.06	-			(P) (X)	
Total Suspended Solids	2	-				
Hardness (mg/L CaCO ₃)	222	-			max. monthly mean of 150	
pH (s.u.) ** [field]	8.1	-			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	17.2	-				1
Conductivity (mv/cm) ** [field]	544	-				
Dissolved Oxygen (mg/L O ₂) ** [field]	12.4	-			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection

Chpt 16 Water Quality Criteria for Toxic Substances

effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection

Chapter 93 Water Quality Standards

effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - flow information not available

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

[shaded box] - analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **04D**

PESTICIDES/PCBs

Date Event Units	Oct. 3, 1995	Oct. 3, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	04D (µg/L)	04D (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable - analyte eliminated from sampling program

* - loading based on a flow of 0.55 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **04D**

INORGANICS

Date Event Units	Oct. 3, 1995 04D (mg/L)	Oct. 3, 1995 04D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<0.297			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	<0.001	<0.00297	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.000297			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<0.148	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.001	0.00000	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	<0.03	<0.089			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<0.00297	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.01	0.0000			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.02	0.000	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.00059	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<0.0148	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)
CMC - criterion maximum concentration (for short-term protection)
Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards
CU = Critical Use: 1) Aquatic Life; 2) Water Supply
LC₅₀ = The concentration of pollutant in test wat - analyte eliminated from sampling program
H = Hardness
* - loading based on a flow of 0.55 cfs
** - This value or natural levels, whichever is greater
*** - in an unfiltered water sample
(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **04D**

ADDITIONAL PARAMETERS

Date Event Units	Oct. 3, 1995 04D (mg/L)	Oct. 3, 1995 04D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	88	n/a			minimum of 20	1
Chloride (mg/l)	40	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	<0.01	<0.0297			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	<0.01	<0.0297			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	1.95	0.00			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	<10	n/a				
Fecal Coliform (#/100mL)	29	n/a			BAC1 (X)	3
Phosphorus, total	<0.01	<0.0297			(P) (X)	
Total Suspended Solids	2	0				
Hardness (mg/L CaCO ₃)	198	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.2	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	13.7	n/a				1
Conductivity (mv/cm) ** [field]	486	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	6.71	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100m based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 0.55 cfs

** [field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **04D**

PESTICIDES/PCBs

Date Event Units	Oct. 3, 1995	Oct. 3, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	04D (µg/L)	04D (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 17.61 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **04D**

INORGANICS

Date	Oct. 3, 1995 04D (mg/L)	Oct. 3, 1995 04D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<9.50			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	<0.001	<0.095	190(As3+)	360(As3+)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0095			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<4.75	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	<0.001	<0.095	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	<0.03	<2.85			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<0.095	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.02	0.00			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.01	0.00	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.019	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<0.475	EXP(0.8473(lnH)-0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test wat - analyte eliminated from sampling program

H = Hardness

* - loading based on a flow of 17.61 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: WALNUT CREEK
 EVENT: 04D

ADDITIONAL PARAMETERS

Date	Oct. 3, 1995 04D (mg/L)	Oct. 3, 1995 04D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	122	n/a			minimum of 20	1
Chloride (mg/l)	51	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.02	0.00			(NH ₃ -N) x (log ₁₀ [pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	<0.01	<0.95			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.10	0.00			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	<10	n/a				
Fecal Coliform (#/100mL)	45	n/a			BAC1 (X)	3
Phosphorus, total	<0.01	<0.95			(P) (X)	
Total Suspended Solids	4	0				
Hardness (mg/L CaCO ₃)	220	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	8.3	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	13.5	n/a				1
Conductivity (mv/cm) ** [field]	559	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.1	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 17.61 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **04D**

PESTICIDES/PCBs

Date Event Units	Oct. 3, 1995	Oct. 3, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	04D (µg/L)	04D (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 29.46 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **04D**

INORGANICS

Date Event Units	Oct. 3, 1995 04D (mg/L)	Oct. 3, 1995 04D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<15.9			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	<0.001	<0.159	190(As3+)	360(As3+)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0159			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<7.95	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	<0.001	<0.159	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.06	0.00			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<0.159	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.03	0.00			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.01	0.00	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.0318	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<0.795	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test wat - analyte eliminated from sampling program

H = Hardness

* - loading based on a flow of 29.46 cfs

** -This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **ELK CREEK**
 EVENT: **04D**

ADDITIONAL PARAMETERS

Date Event Units	Oct. 3, 1995 04D (mg/L)	Oct. 3, 1995 04D (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	108	n/a			minimum of 20	1
Chloride (mg/l)	51	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.11	0.0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.01	0.00			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	2.40	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	<10	n/a				
Fecal Coliform (#/100mL)	12	n/a			BAC1 (X)	3
Phosphorus, total	0.08	0.0			(P) (X)	
Total Suspended Solids	2	0				
Hardness (mg/L CaCO ₃)	226	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.2	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	14.8	n/a				1
Conductivity (mv/cm) ** [field]	598	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.1	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 29.46 cfs

** [field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: 05W

PESTICIDES/PCBs

Date Event Units	Oct. 5, 1995	Oct. 5, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	05W (µg/L)	05W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 55.58 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **05W**

INORGANICS

Date Event Units	Oct. 5, 1995 05W (mg/L)	Oct. 5, 1995 05W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	0.59	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	<0.001	<0.300	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.030			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<15.0	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.002	0.000	EXP(8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	3.14	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.001	0.000	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.49	0			1 mg/l	2
Mercury [total]					0.2 µg/l****(X)	
Nickel \$ [total]	<0.01	<3.00	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.060	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<1.50	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection

Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection

Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 55.58 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: TWELVEMILE CREEK

EVENT: 05W

ADDITIONAL PARAMETERS

Date Event Units	Oct. 5, 1995 05W (mg/L)	Oct. 5, 1995 05W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	53	n/a			minimum of 20	1
Chloride (mg/l)	37	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.02	0.00			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	<0.01	<3.00			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	1.37	0			(as nitrogen)	
CBOD ₅	11	n/a				
Chemical Oxygen Demand	30	n/a				
Fecal Coliform (#/100mL)	940	n/a			BAC1 (X)	3
Phosphorus, total	0.34	0			(P) (X)	
Total Suspended Solids	198	0				
Hardness (mg/L CaCO ₃)	164	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	8.7	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	15.2	n/a				1
Conductivity (mv/cm) ** [field]	319	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	7.38	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 55.58 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

[shaded box] - analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **05W**

PESTICIDES/PCBs

Date Event Units	Oct. 5, 1995	Oct. 5, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	05W (µg/L)	05W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 212.99 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **05W**

INORGANICS

Date Event Units	Oct. 5, 1995 05W (mg/L)	Oct. 5, 1995 05W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	<0.1	<115			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.002	0.00	190(As ³⁺)	360(As ³⁺)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.115			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<5.74	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.008	0.00	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	14.40	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.014	0.0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.80	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<11.5	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.230	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<5.74	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test water - analyte eliminated from sampling program

H = Hardness

* - loading based on a flow of 212.99 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: WALNUT CREEK
 EVENT: 05W

ADDITIONAL PARAMETERS

Date Event Units	Oct. 5, 1995 05W (mg/L)	Oct. 5, 1995 05W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	122	n/a			minimum of 20	1
Chloride (mg/l)	37	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.02	0.0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.05	0.0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.56	0			(as nitrogen)	
CBOD ₅	10	n/a				
Chemical Oxygen Demand	50	n/a				
Fecal Coliform (#/100mL)	2,940	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	1.08	0				
Total Suspended Solids	892	0				
Hardness (mg/L CaCO ₃)	144	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	7.4	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	15.2	n/a				1
Conductivity (mv/cm) ** [field]	315	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	9.7	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 212.99 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **05W**

PESTICIDES/PCBs

Date Event Units	Oct. 5, 1995 05W (µg/L)	Oct. 5, 1995 05W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldchyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable - analyte eliminated from sampling program

* - loading based on a flow of 162.19 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **05W**

INORGANICS

Date Event Units	Oct. 5, 1995 05W (mg/L)	Oct. 5, 1995 05W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	0.56	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	<0.001	<0.875	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0875			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<43.7	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.001	0.000	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	2.23	0			0.3 mg/l** (X)	1
Lead \$ [total]	0.003	0.00	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.26	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<8.75	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.175	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<4.37	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test wat - analyte eliminated from sampling program

H = Hardness

* - loading based on a flow of 162.19 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: ELK CREEK
 EVENT: 05W

ADDITIONAL PARAMETERS

Date Event Units	Oct. 5, 1995 05W (mg/L)	Oct. 5, 1995 05W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	75	n/a			minimum of 20	1
Chloride (mg/l)	33	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.08	0.0			(NH ₃ -N) × (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.01	0.00			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.88	0			(as nitrogen)	
CBOD ₅	5	n/a				
Chemical Oxygen Demand	20	n/a				
Fecal Coliform (#/100mL)	1,410	n/a			BAC1 (X)	3
Phosphorus, total	0.17	0			(P) (X)	
Total Suspended Solids	142	0				
Hardness (mg/L CaCO ₃)	200	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	7.8	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	15.4	n/a				1
Conductivity (mv/cm) ** [field]	499	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.0	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 162.19 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: 06W

PESTICIDES/PCBs

Date Event Units	Nov. 7, 1995	Nov. 7, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	06W (µg/L)	06W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 146.88cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **TWELVEMILE CREEK**
 EVENT: **06W**

INORGANICS

Date Event Units	Nov. 7, 1995	Nov. 7, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
	06W (mg/L)	06W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	0.76	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.002	0.00	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.080			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<39.1	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.004	0.00	EXP(8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	1.63	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.004	0.00	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.20	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<7.92	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.158	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.008	0.00	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 146.88 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **06W**

ADDITIONAL PARAMETERS

Date Event Units	Nov. 7, 1995 06W (mg/L)	Nov. 7, 1995 06W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	30	n/a			minimum of 20	1
Chloride (mg/l)	38	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.01	0.00			(NH ₃ -N) x (log -1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.01	0.00			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.97	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	35	n/a				
Fecal Coliform (#/100mL)	1,200	n/a			BAC1 (X)	3
Phosphorus, total	0.28	0			(P) (X)	
Total Suspended Solids	134	0				
Hardness (mg/L CaCO ₃)	106	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.9	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	7.1	n/a				1
Conductivity (mv/cm) ** [field]	291	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.65	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 146.88 cfs

** [field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **06W**

PESTICIDES/PCBs

Date Event Units	Nov. 7, 1995 06W (µg/L)	Nov. 7, 1995 06W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 146.96 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **06W**

INORGANICS

Date Event Units	Nov. 7, 1995 06W (mg/L)	Nov. 7, 1995 06W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	1.51	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.002	0.00	190(As ³⁺)	360(As ³⁺)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0973			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<39.6	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.004	0.00	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	2.54	0			0.3 mg/l** (X)	1
Lead \$ [total]	0.005	0.00	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.21	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<7.93	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.159	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.022	0.0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 146.96 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **06W**

ADDITIONAL PARAMETERS

Date Event Units	Nov. 7, 1995 06W (mg/L)	Nov. 7, 1995 06W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	75	n/a			minimum of 20	1
Chloride (mg/l)	62	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.05	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.04	0			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	0.95	0				
CBOD ₅	3	n/a				
Chemical Oxygen Demand	20	n/a				
Fecal Coliform (#/100mL)	330	n/a			BAC1 (X)	3
Phosphorus, total	0.31	0			(P) (X)	
Total Suspended Solids	212	0				
Hardness (mg/L CaCO ₃)	176	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	7.73	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	5.0	n/a				1
Conductivity (mv/cm) ** [field]	516	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	11.4	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 146.96 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **ELK CREEK**

EVENT: **06W**

PESTICIDES/PCBs

Date Event Units	Nov. 7, 1995 06W (µg/L)	Nov. 7, 1995 06W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 222.02 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **06W**

INORGANICS

Date Event Units	Nov. 7, 1995 06W (mg/L)	Nov. 7, 1995 06W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	0.21	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.002	0.00	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.120			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<59.9	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	<0.001	<1.20	EXP(8.545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	0.23	0			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<1.20	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.05	0.0			1 mg/l	2
Mercury [total]					0.2 µg/l***(X)	
Nickel \$ [total]	<0.01	<12.0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.240	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<5.99	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 222.02 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **06W**

ADDITIONAL PARAMETERS

Date Event Units	Nov. 7, 1995 06W (mg/L)	Nov. 7, 1995 06W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	55	n/a			minimum of 20	1
Chloride (mg/l)	41	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.02	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	<0.01	<12.0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	1.22	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	15	n/a				
Fecal Coliform (#/100mL)	300	n/a			BAC1 (X)	3
Phosphorus, total	0.10	0			(P) (X)	
Total Suspended Solids	24	0				
Hardness (mg/L CaCO ₃)	156	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	7.5	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	4.9	n/a				1
Conductivity (mv/cm) ** [field]	413	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	11.3	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 222.02 cfs

** [field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **07W**

PESTICIDES/PCBs

Date Event Units	Nov. 11, 1995 07W (µg/L)	Nov. 11, 1995 07W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 830.28 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **07W**

INORGANICS

Date Event Units	Nov. 11, 1995 07W (mg/L)	Nov. 11, 1995 07W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	8.59	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.004	0.0	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	0.0004	0.00			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<224	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.015	0.0	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	6.92	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.015	0.0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.65	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.01	0.0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.896	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.050	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 830.28 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **07W**

ADDITIONAL PARAMETERS

Date Event Units	Nov. 11, 1995 07W (mg/L)	Nov. 11, 1995 07W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	14	n/a			minimum of 20	1
Chloride (mg/l)	21	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.08	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.07	0			NO ₂ + NO ₃ -10	2
Nitrate-Nitrogen (mg/l)	1.16	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	60	n/a				
Fecal Coliform (#/100mL)	10,400	n/a			BAC1 (X)	3
Phosphorus, total	0.84	0			(P) (X)	
Total Suspended Solids	828	0				
Hardness (mg/L CaCO ₃)	72	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	9.1	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	7.5	n/a				1
Conductivity (mv/cm) ** [field]	182	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	12.45	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 830.28 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **07W**

PESTICIDES/PCBs

Date Event Units	Nov. 11, 1995	Nov. 11, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	07W (µg/L)	07W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 1,107.59 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: 07W

INORGANICS

Date Event Units	Nov. 11, 1995 07W (mg/L)	Nov. 11, 1995 07W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	13.10	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.006	0.0	190(As ³⁺)	360(As ³⁺)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	0.0004	0.00			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<299	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	<0.016	<95.6	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	10.22	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.025	0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.79	0			1 mg/l	2
Mercury [total]					0.2 µg/l****(X)	
Nickel \$ [total]	0.02	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<1.19	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.089	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 1,107.59 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **07W**

ADDITIONAL PARAMETERS

Date Event Units	Nov. 11, 1995 07W (mg/L)	Nov. 11, 1995 07W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	40	n/a			minimum of 20	1
Chloride (mg/l)	37	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.06	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.09	0			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	1.17	0				
CBOD ₅	3	n/a				
Chemical Oxygen Demand	60	n/a				
Fecal Coliform (#/100mL)	5,200	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	0.95	0				
Total Suspended Solids	892	0				
Hardness (mg/L CaCO ₃)	104	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	7.19	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	7.5	n/a				1
Conductivity (mv/cm) ** [field]	310	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	11.0	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 1,107.59 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **07W**

PESTICIDES/PCBs

Date Event Units	Nov. 11, 1995	Nov. 11, 1995	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	07W (µg/L)	07W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 2,152.29 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **07W**

INORGANICS

Date Event Units	Nov. 11, 1995 07W (mg/L)	Nov. 11, 1995 07W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	8.20	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.004	0.0	190(As ₃₊)	360(As ₃₊)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	0.0001	0.00			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<580	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.010	0	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	7.49	0			0.3 mg/l** (X)	1
Lead \$ [total]	0.013	0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.50	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.02	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<2.32	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.045	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test wat - analyte eliminated from sampling program

H = Hardness

* - loading based on a flow of 2,152.29 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: ELK CREEK

EVENT: 07W

ADDITIONAL PARAMETERS

Date Event Units	Nov. 11, 1995 07W (mg/L)	Nov. 11, 1995 07W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	31	n/a			minimum of 20	1
Chloride (mg/l)	24	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.06	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.07	0			NO ₂ + NO ₃ =10 (as nitrogen)	2
Nitrate-Nitrogen (mg/l)	1.36	0				
CBOD ₅	2	n/a				
Chemical Oxygen Demand	50	n/a				
Fecal Coliform (#/100mL)	4,700	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	0.79	0				
Total Suspended Solids	768	0				
Hardness (mg/L CaCO ₃)	102	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	7.1	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	7.3	n/a				1
Conductivity (mv/cm) ** [field]	252	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.9	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 2,152.29 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **08W**

PESTICIDES/PCBs

Date Event Units	April 12, 1996 08W (µg/L)	April 12, 1996 08W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 136.67 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **08W**

INORGANICS

Date Event Units	April 12, 1996 08W (mg/L)	April 12, 1996 08W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	5.28	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.001	0.000	190(As3+)	360(As3+)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0737			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<36.9	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.004	0.000	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	6.95	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.008	0.00	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.15	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.01	0.00	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.147	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.028	0.0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 136.67 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **08W**

ADDITIONAL PARAMETERS

Date Event Units	April 12, 1996 08W (mg/L)	April 12, 1996 08W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	44	n/a			minimum of 20	1
Chloride (mg/l)	42	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.2	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.05	0.0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	2.05	0			(as nitrogen)	
CBOD ₅	3	n/a				
Chemical Oxygen Demand	20	n/a				
Fecal Coliform (#/100mL)	198	n/a			BAC1 (X)	3
Phosphorus, total	0.36	0			(P) (X)	
Total Suspended Solids	180	0				
Hardness (mg/L CaCO ₃)	116	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	7.8	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	7.7	n/a				1
Conductivity (mv/cm) ** [field]	331	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	12.75	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Cht 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 136.67 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **WALNUT CREEK**
 EVENT: **08W**

PESTICIDES/PCBs

Date Event Units	April 12, 1996	April 12, 1996	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	08W (µg/L)	08W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chapter 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 121.78 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **WALNUT CREEK**
 EVENT: **08W**

INORGANICS

Date Event Units	April 12, 1996 08W (mg/L)	April 12, 1996 08W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	1.67	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	<0.001	<0.657	190(As3+)	360(As3+)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0657			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<3.28	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.003	0.00	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	2.16	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.003	0.00	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.07	0.0			1 mg/l	2
Mercury [total]					0.2 µg/l****(X)	
Nickel \$ [total]	0.01	0.00	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.131	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.032	0.0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 121.78 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **08W**

ADDITIONAL PARAMETERS

Date Event Units	April 12, 1996 08W (mg/L)	April 12, 1996 08W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	97	n/a			minimum of 20	1
Chloride (mg/l)	65	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.12	0.0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.02	0.0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.71	0			(as nitrogen)	
CBOD ₅	3	n/a				
Chemical Oxygen Demand	10	n/a				
Fecal Coliform (#/100mL)	143	n/a			BAC1 (X)	3
Phosphorus, total	0.15	0.0			(P) (X)	
Total Suspended Solids	68	0				
Hardness (mg/L CaCO ₃)	158	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.03	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	8.0	n/a				1
Conductivity (mv/cm) ** [field]	539	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.6	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 121.78 cfs

** [field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **08W**

PESTICIDES/PCBs

Date Event Units	April 12, 1996	April 12, 1996	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	08W (mg/L)	08W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 160.06 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **08W**

INORGANICS

Date	April 12, 1996	April 12, 1996	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Event	08W	08W				
Units	(µg/L)	(lb/day)*	(µg/L)	(µg/L)		
Aluminum [total]	1.35	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	<0.001	<0.863	190(As ³⁺)	360(As ³⁺)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.0863			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<43.2	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	<0.001	<0.863	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	1.95	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.002	0.00	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.05	0.0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.01	0.00	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.173	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	<0.005	<4.32	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 160.06 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: **2758-001**
 SAMPLE LOCATION: **ELK CREEK**
 EVENT: **08W**

ADDITIONAL PARAMETERS

Date Event Units	April 12, 1996 08W (mg/L)	April 12, 1996 08W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	70	n/a			minimum of 20	1
Chloride (mg/l)	30	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.11	0.0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.02	0.0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	1.16	0			(as nitrogen)	
CBOD ₅	4	n/a				
Chemical Oxygen Demand	<10	n/a				
Fecal Coliform (#/100mL)	9	n/a			BAC1 (X) (P) (X)	3
Phosphorus, total	0.14	0				
Total Suspended Solids	62	0				
Hardness (mg/L CaCO ₃)	132	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	7.9	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	9.2	n/a				1
Conductivity (mv/cm) ** [field]	347	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.2	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 160.06 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **TWELVEMILE CREEK**
 EVENT: **09W**

PESTICIDES/PCBs

Date Event Units	April 30, 1996 09W (µg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chapter 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 387.22 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **TWELVEMILE CREEK**
 EVENT: **09W**

INORGANICS

Date Event Units	April 30, 1996 09W (mg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	5.07	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.007	0.0	190(As3+)	360(As3+)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.209			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<104	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.002	0.00	EXP(8.545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	7.12	0			0.3 mg/l**(X)	1
Lead \$ [total]	<0.001	<2.09	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.13	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.05	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.418	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.023	0.0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 387.22 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **TWELVEMILE CREEK**
 EVENT: 09W

ADDITIONAL PARAMETERS

Date Event Units	April 30, 1996 09W (mg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	33	n/a			minimum of 20	1
Chloride (mg/l)	24	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.04	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.01	0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	1.02	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	25	n/a				
Fecal Coliform (#/100mL)	504	n/a			BAC1 (X)	3
Phosphorus, total	0.32	0			(P) (X)	
Total Suspended Solids	180	0				
Hardness (mg/L CaCO ₃)	70	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	8.1	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	9.7	n/a				1
Conductivity (mv/cm) ** [field]	210	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	10.80	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 387.22 cfs

** [field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **09W**

PESTICIDES/PCBs

Date Event Units	April 30, 1996	April 30, 1996	DEP CHPT 16 WQC		DEP CHPT 93 WQS
	09W (µg/L)	09W (lb/day)*	CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 875.19 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **WALNUT CREEK**
 EVENT: **09W**

INORGANICS

Date Event Units	April 30, 1996 09W (mg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	17.48	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.003	0.0	190(As ³⁺)	360(As ³⁺)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<0.472			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<236	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.001	0.00	EXP(0.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	25.87	0			0.3 mg/l** (X)	1
Lead \$ [total]	0.002	0.00	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.45	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.07	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.944	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.084	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life, 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 875.19 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: **WALNUT CREEK**
 EVENT: **09W**

ADDITIONAL PARAMETERS

Date Event Units	April 30, 1996 09W (mg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	62	n/a			minimum of 20	1
Chloride (mg/l)	43	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.12	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.02	0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.47	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	40	n/a				
Fecal Coliform (#/100mL)	792	n/a			BAC1 (X)	3
Phosphorus, total	0.78	0			(P) (X)	
Total Suspended Solids	784	0				
Hardness (mg/L CaCO ₃)	100	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	7.53	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	9.4	n/a				1
Conductivity (mv/cm) ** [field]	338	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	9.1	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 875.19 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **09W**

PESTICIDES/PCBs

Date Event Units	April 30, 1996 09W (µg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 1,910.87 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **09W**

INORGANICS

Date Event Units	April 30, 1996 09W (mg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	17.95	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.002	0.0	190(As ³⁺)	360(As ³⁺)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<1.03			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<515	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.003	0.0	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	35.64	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.001	0.0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.42	0			1 mg/l	2
Mercury [total]					0.2 µg/l****(X)	
Nickel \$ [total]	0.09	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<2.06	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.079	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)
CMC - criterion maximum concentration (for short-term protection)
Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards
CU = Critical Use: 1) Aquatic Life; 2) Water Supply
LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.
H = Hardness
* - loading based on a flow of 1,910.87 cfs
** - This value or natural levels, whichever is greater
*** - in an unfiltered water sample
(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie
- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: **2758-001**

SAMPLE LOCATION: **ELK CREEK**

EVENT: **09W**

ADDITIONAL PARAMETERS

Date Event Units	April 30, 1996 09W (mg/L)	April 30, 1996 09W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	40	n/a			minimum of 20	1
Chloride (mg/l)	15	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.16	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.03	0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.54	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	30	n/a				
Fecal Coliform (#/100mL)	1,116	n/a			BAC1 (X) (F) (X)	3
Phosphorus, total	0.95	0				
Total Suspended Solids	836	0				
Hardness (mg/L CaCO ₃)	80	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	7.4	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	9.6	n/a				1
Conductivity (mv/cm) ** [field]	194	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	8.9	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 1,910.87 cfs

** [field] - average of the 3 grab samples measured in the field

(P) - Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **TWELVEMILE CREEK**

EVENT: **10W**

PESTICIDES/PCBs

Date Event Units	May 9, 1996 10W (µg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 202.07 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: TWELVEMILE CREEK
 EVENT: 10W

INORGANICS

Date Event Units	May 9, 1996 10W (mg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	1.09	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.001	0.00	190(As ³⁺)	360(As ³⁺)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	0.0001	0.000			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	<0.05	<54.5	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	<0.001	<1.09	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	1.29	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.002	0.00	EXP(1.256(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.05	0.0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	<0.01	<10.9	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<0.218	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.006	0.00	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 202.07 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: TWELVEMILE CREEK
 EVENT: 10W

ADDITIONAL PARAMETERS

Date Event Units	May 9, 1996 10W (mg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	43	n/a			minimum of 20	1
Chloride (mg/l)	31	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.42	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.02	0.0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	2.98	0			(as nitrogen)	
CBOD ₅	2	n/a				
Chemical Oxygen Demand	20	n/a				
Fecal Coliform (#/100mL)	700	n/a			BAC1 (X)	3
Phosphorus, total	0.01	0.0			(P) (X)	
Total Suspended Solids	50	0				
Hardness (mg/L CaCO ₃)	90	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	8.8	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	14.7	n/a				1
Conductivity (mw/cm) ** [field]	266	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	7.56	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
 Chpt 16 Water Quality Criteria for Toxic Substances
 effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
 Chapter 93 Water Quality Standards
 effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 202.07 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **10W**

PESTICIDES/PCBs

Date Event Units	May 9, 1996 10W (µg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 1,745.92 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**
 JOB NUMBER: 2758-001
 SAMPLE LOCATION: WALNUT CREEK
 EVENT: 10W

INORGANICS

Date Event Units	May 9, 1996 10W (mg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	19.03	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.002	0.0	190(As3+)	360(As3+)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	0.0002	0.00			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	0.05	0	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.007	0.0	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	20.22	0			0.3 mg/l**(X)	1
Lead \$ [total]	0.014	0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.30	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.02	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<1.88	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.076	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection

Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection

Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 1,745.92 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **WALNUT CREEK**

EVENT: **10W**

ADDITIONAL PARAMETERS

Date Event Units	May 9, 1996 10W (mg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	45	n/a			minimum of 20	1
Chloride (mg/l)	22	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.09	0			(NH ₃ -N) x (log-1[pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.14	0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.44	0			(as nitrogen)	
CBOD ₅	8	n/a				
Chemical Oxygen Demand	20	n/a				
Fecal Coliform (#/100mL)	10,100	n/a			BAC1 (X)	3
Phosphorus, total	2.08	0			(P) (X)	
Total Suspended Solids	2,504	0				
Hardness (mg/L CaCO ₃)	74	n/a			max. monthly mean of 150	
pH (s.u.) ** [field]	7.43	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	14.6	n/a				1
Conductivity (mv/cm) ** [field]	202	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	8.2	n/a			minimum of 5.0	1

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 1,745.92 cfs

** [field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **10W**

PESTICIDES/PCBs

Date Event Units	May 9, 1996 10W (µg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS
			CCC (µg/L)	CMC (µg/L)	TABLE 3 (µg/L)
alpha-BHC			n/a	n/a	
beta-BHC			n/a	n/a	
delta-BHC			n/a	n/a	
gamma-BHC (Lindane)					0.001 (X)
Heptachlor					0.001 (X)
Aldrin					0.001 (X)
Heptachlor epoxide			0.1	0.8	
alpha-Endosulfan (I)			0.056	0.22	
Dieldrin					0.001 (X)
4,4'-DDE			0.001	1.1	
Endrin					0.002 (X)
beta-Endosulfan (II)			0.056	0.22	
4,4'-DDD			0.001	1.1	
Endosulfan sulfate			n/a	n/a	
4,4'-DDT			0.001	1.1	
alpha-Chlordane					** (X)
gamma-Chlordane					** (X)
Toxaphene					0.008 (X)
Endrin Aldehyde			n/a	n/a	

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chapter 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

n/a - not applicable

* - loading based on a flow of 2,812.07 cfs

** - limit for Chlordane = 0.06 µg/L (X)

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **10W**

INORGANICS

Date	May 9, 1996 10W (mg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC (µg/L)	CMC (µg/L)	TABLE 3	CU
Aluminum [total]	18.18	0			0.1(96hrLC ₅₀) (X)	1
Antimony [total]			219	1,095		
Arsenic [total]	0.003	0.0	190(As3+)	360(As3+)		
Beryllium [total]			0.01(96hrLC ₅₀)	0.05(96hrLC ₅₀)		
Cadmium \$ [total]	<0.0001	<1.52			0.01(96hrLC ₅₀) (X)	
Chromium Total \$	0.06	0	11+EXP(0.819*(lnH)+1.561)	16+EXP(0.819(lnH)+3.688)		
Chromium VI (ug/l)			11	16		
Copper \$ [total]	0.003	0.0	EXP(.8545(lnH)-1.465)	EXP(0.9422(lnH)-1.464)		
Iron [total]	19.87	0			0.3 mg/l** (X)	1
Lead \$ [total]	0.009	0	EXP(1.266(lnH)-4.661)	EXP(1.266(lnH)-1.416)		
Manganese [total]	0.25	0			1 mg/l	2
Mercury [total]					0.2 µg/l*** (X)	
Nickel \$ [total]	0.02	0	EXP(0.846(lnH)+1.1645)	EXP(0.846(lnH)+3.3612)		
Selenium [total]					10 µg/l (X)	
Silver \$ [total]	<0.0002	<3.03	0.2	EXP(1.72(lnH)-6.52)		
Thallium [total]			0.018	0.09		
Zinc \$ [total]	0.079	0	EXP(0.8473(lnH)+0.7614)	EXP(0.8473(lnH)+0.8604)		

NOTES:

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection

Chpt 16 Water Quality Criteria for Toxic Substances and Chpt 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection

Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply

LC₅₀ = The concentration of pollutant in test waters that is lethal to 50% of test organisms over a specified time period.

H = Hardness

* - loading based on a flow of 2,812.07 cfs

** - This value or natural levels, whichever is greater

*** - in an unfiltered water sample

(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

PROJECT NAME: **WATER QUALITY MONITORING STUDY
FOR THE LAKE ERIE WATERSHED**

JOB NUMBER: 2758-001

SAMPLE LOCATION: **ELK CREEK**

EVENT: **10W**

ADDITIONAL PARAMETERS

Date	May 9, 1996 10W (mg/L)	May 9, 1996 10W (lb/day)*	DEP CHPT 16 WQC		DEP CHPT 93 WQS	
			CCC	CMC	TABLE 3	CU
Alkalinity (mg/L CaCO ₃)	30	n/a			minimum of 20	1
Chloride (mg/l)	8.4	0			250	2
Cyanide, free (µg/l)			5	22		
Grease & Oil Grab (mg/l)					2	2
Ammonia-Nitrogen	0.07	0			(NH ₃ -N) x (log ₁₀ [pKT-pH]+1)	
Nitrite-Nitrogen (mg/l)	0.2	0			NO ₂ + NO ₃ =10	2
Nitrate-Nitrogen (mg/l)	0.47	0			(as nitrogen)	
CBOD ₅	6	n/a				
Chemical Oxygen Demand	30	n/a				
Fecal Coliform (#/100mL)	6,400	n/a			BAC1 (X)	3
Phosphorus, total	2.30	0			(P) (X)	
Total Suspended Solids	3,428	0				
Hardness (mg/L CaCO ₃)	55	n/a			max. monthly mean of 150	
pH (s.u.) **[field]	6.9	n/a			6.5 - 9.0 (X)	1
Temperature (°C) ** [field]	14.6	n/a				1
Conductivity (mv/cm) ** [field]	125	n/a				
Dissolved Oxygen (mg/L O ₂) ** [field]	8.6	n/a			minimum of 5.0	1.

NOTES:

n/a - not applicable

DEP CHPT 16 WQC = Pennsylvania Department of Environmental Protection
Chpt 16 Water Quality Criteria for Toxic Substances
effective March 11, 1989, 19 Pa. B. 1059

DEP CHPT 93 WQS = Pennsylvania Department of Environmental Protection
Chapter 93 Water Quality Standards
effective March 11, 1989, 19 Pa. B. 1059

CCC - criterion continuous concentration (for long-term protection)

CMC - criterion maximum concentration (for short-term protection)

Table 3 - located on pages 93.7 through 93.15 of Chapter 93 Water Quality Standards

CU = Critical Use: 1) Aquatic Life; 2) Water Supply; 3) Recreation

- colonies

BAC1 - MAX = geometric mean of 200/100ml based on not less than 5 samples taken over not more than a thirty-day period

* - loading based on a flow of 2,812.07 cfs

**[field] - average of the 3 grab samples measured in the field

(P)-Concentrations should be limited to the extent necessary to prevent nuisance growths of algae, weeds, and slimes that are or may become injurious to any beneficial water use.


(X) - Chapter 93 Water Quality Criteria Designated Water Use Drainage List - Lake Erie

- analyte eliminated from sampling program

**MALCOLM
PIRNIE**

**APPENDIX C
CREEK CROSS-SECTION
SURVEY DATA**


2758-001



**HENRY T. WELKA
ASSOCIATES**

3200 WEST 35th STREET
ERIE, PENNSYLVANIA 16506

SURVEYING - ENGINEERING
PH. (814) 633-3800
FAX (814) 633-9660



12 MILE CREEK CROSS SECTION

LOOKING EAST


SCALE: 1" = 10' HORIZ

1" = 5' VERT

BENCHMARK:

State Route 5 Bridge over Twahamile
Creek. Square cut in Northeast corner
of Arch Parapet. - Elev. = 600.70

U.S.G.S. Disk stamped TT18BEFB 1956,
25' Right of Sta. 557+14. Southwest
corner of intersection of L.R. 495 (S.R.
5) and L.R. 25070 (S.R. 1006) -
Elev. = 613.89



WALNUT CREEK BRIDGE CROSS SECTION

LOOKING NORTH


SCALE: 1" = 20' HORIZ

1" = 5' VERT

BENCHMARK:
 Top of Pennsylvania Department of Highways
 Standard Disk on the southeast corner of
 Dutch Road Bridge on Walnut Creek at the
 entrance to State Park. Located approximately
 210' west along Dutch Road from the
 intersection of Manchester Road and Dutch Road.
 Elev. = 594.85


HENRY T. WELKA ASSOCIATES
 3300 WEST 33RD STREET
 BETHLEHEM, PENNSYLVANIA 18006
 SURVEYING - ENGINEERING
 TEL. (610) 282-2200
 FAX (610) 282-2222

HENRY T. WELKA ASSOCIATES
 3200 WEST 35th STREET
 ARIE, PENNSYLVANIA 16808
SURVEYING - ENGINEERING
 PH. (814) 639-3900
 FAX (814) 633-9650




ELK CREEK CROSS SECTION
 LOOKING NORTH
 SHOTS TAKEN FROM EAST TO WEST
 SCALE: 1" = 10' HORIZ
 1" = 5' VERT

BENCHMARK:
 Top of Pennsylvania Department of Highways
 Disk Q13, set at the northeast corner of
 bridge on North Creek Road - Elev = 702.68



FAX TRANSMITTAL COVER SHEET



Date: MAY 30, 1996
 FAX No: 1-716-828-0431
 To: JOHN D. McMAHON
610 MALCOLM BIRNIE INC.
 From: HENRY T. WELKA & ASSOCIATES
 Subject: CROSS SECTIONS FOR CREEKS

These are Transmitted:

- For your use.
- As requested.
- For Review and Comment
- _____

Number of Pages (including cover sheet) 5

Additional Comments:

IF ANY QUESTIONS PLEASE FEEL FREE
TO CALL.

If you do not receive all of this transmission, Please call 814-833-3900.

