CRUISE RESULTS

F/V E.S.S. Pursuit (Contracted Survey Vessel) Cruise No. EP 18-01 (Parts I-III) Surfclam and Ocean Quahog Survey

Submitted to: NOAA, NEFSC

For further information contact Peter Chase, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts 02543-1097. Phone (508) 495-2348; FAX (508) 495-2380; Peter.Chase@noaa.gov.

Date: August 25, 2018



August 25, 2018

CRUISE RESULTS

F/V E.S.S. Pursuit (Contracted Survey Vessel) Cruise No. EP 18-01 (Parts I-III) Surfclam and Ocean Quahog Survey

CRUISE PERIOD AND AREA

The EP 18-01 Surfclam and Ocean Quahog Survey cruise period was from 3 – 15 August 2018 and was conducted in three parts: Part I was from 3 - 7 August 2018, Part II was from 8 - 12 August 2018, and Part III was from 13 - 15 August 2018. The area of operation was the Mid-Atlantic Bight. Approximate station locations are shown in Figures 1 and 2.

OBJECTIVES

The objectives of the survey were to: (1) determine the distribution, relative abundance and obtain biological data for surfclams (*Spisula solidissima*) and ocean quahogs (*Arctica islandica*); (2) collect dredge performance readings on each dredge haul by deploying a set of archiving, multi-sensor sampling devices attached to the commercial clam dredge; (3) collect adductor muscle meat weights and shells from surfclams and ocean quahogs on a subset of station locations.

METHODS

A five-minute dredge tow was made at each randomly pre-selected station indicated on electronic cruise charts. The standardized towing speed was set between a range of 3.0 to 3.5 knots, speed over ground, and the scope ratio was approximately 2:1. Sampling was conducted using a standardized, commercial-sized hydraulic jet dredge, equipped with a 156-inch (13-foot) wide cutting blade with 1 3/8 inch bar spacing inside the dredge. The dredge was supplied with water from a ship mounted surface supplied pump. The vessel surface pump was set to 145 psi and 1800 RPM for most tows and monitored by the vessel operator. Catch was deposited into hoppers that delivered it up and over a shaking table with 3/4 inch spacing. After, the shaker table catch was deposited onto a second conveyor that brought the catch to the scientists for sorting into component species.

All catch and biological data were recorded using the shipboard automated data entry system, Fisheries Scientific Computing System (FSCS 1.6). This system uses digital scales, electronic measuring boards (Ichthysticks), and touch screen displays to record data, in addition to archiving the data on the ship's computer network. On the commercial platform, NEFSC installed its own SCS system and tied into the ships GPS and Sounder. After each tow, the catch was sorted by species and weighed using motion compensated digital scales. Representative length frequencies were collected for surfclams, ocean quahogs, southern quahogs, and sea scallops. Sampled species were assigned individual identification numbers, measured, weighed to the nearest 0.001 kilogram (kg) and further sampled for age and growth studies. Shell lengths were measured to the nearest millimeter for surfclams, ocean quahogs, sea scallops and southern quahogs. Biological samples were collected concurrently with measuring operations (Table 1). Weights and total numbers were not recorded for by-catch fish and invertebrate species other than those mentioned above. The remainder of the catch (miscellaneous invertebrates, shells, substrate, et cetera) was discarded and not enumerated.

RESULTS

The survey successfully sampled at 179 stations, with 69, 82, and 28 stations completed on Parts I, II and III, respectively. A total of 472 age and growth samples were collected from Atlantic surfclams (Table 1). A total of 1,299 samples were collected to support additional internal investigations (Table 2).

DISPOSITION OF SAMPLES AND DATA

Age and growth samples, as well as trawl catch data, will be analyzed at the NEFSC Woods Hole, Massachusetts Laboratory. Resulting data will be audited, edited, and loaded into the NEFSC survey database.

SCIENTIFIC PERSONNEL

National Marine Fisheries Service, NEFSC, Woods Hole, MA

Greg Ardini ²
Nicole Charriere ³, Chief Scientist ^{1, 2}
Jonathan Duquette ¹
Sara Emery ¹
Daniel Hennen ¹
Joshua O'Connor ²
Peter Plantamura ¹
Eric Robillard ²

Contractors, Integrated Statistics, Woods Hole, MA

Michael Bergman ^{1, 2}, Chief Scientist ³
Corinne Endres ³
Kristof Ketch ²
Jill Price ³
Meghan Plourde ³

NOAA Port Agent, Northfield, NJ

Joshua O'Connor²

Virginia Institute for Marine Science, Gloucester Point, VA

Theresa Redmond ² Khalil Russell ²

Volunteers

Cristian Carneiro ³
Simon Ellerbusch ³
Kristin Huizenga ³
Victoria Oriole ²
Leanne Poussard ¹
Skye Thomas ³
Trevor Webb ¹
Daniel Harris Wolfe ¹

University of N. Carolina Honolulu, HI University of Rhode Island AIS Fisheries Observer University of S. Mississippi Virginia Tech SUNY Maritime Sea Grant Knauss Fellow

¹ 3 – 7August 2018

² 8 – 12 August 2018

³ 13 – 15 August 2018

Table 1: Field observations and samples collected for age and growth studies on contracted F/V E.S.S. Pursuit, Surfclam and Ocean Quahog Survey, during August 3-15, 2018.

Species	Age and Growth Samples	
Atlantic surfclam	472	

Table 2: Miscellaneous scientific collections made on F/V E.S.S. Pursuit, Surfclam and Ocean Quahog Survey, during August 3 - 15, 2018.

Investigator and Affiliation	Species Sampled	Approximate Number
Hennen, Daniel	Atlantic surfclam	688 meats examined
NMFS, NEFSC, Woods Hole, MA	ocean quahog	1 frozen whole 610 meats examined
	ocean quahog	010 meats examined




Figure 1. Dredge Hauls made from F/V E.S.S. Pursuit during NOAA Fisheries Service, Northeast Fisheries Science Center's Surfclam/Ocean Quahog Survey, 3 August - 15 August 2018.




Figure 2. Dredge hauls made from F/V E.S.S. Pursuit during NOAA Fisheries Service, Northeast Fisheries Science Center's Surfclam/Ocean Quahog survey, 3 August - 15 August 2018.