

The **GULF OF MEXICO** *at a GLANCE*



GULF OF
MEXICO
ALLIANCE



A Tool for the Gulf of Mexico Alliance and the American Public

This document was compiled by the following individuals (in alphabetical order):

Brent Ache
David Bylsma
Kristen Crossett
Chris David
Alyssa Edwards
Nancy Wallace

Suggested citation:

National Ocean Service, NOAA. 2008. Gulf of Mexico at a Glance. Washington, D.C.: U.S. Department of Commerce, National Oceanic and Atmospheric Administration.

Cover photo credits:

Front cover, large image: Barbara Ambrose, National Coastal Data Development Center, NOAA
Front cover, panel images from left to right: Melissa Schneider, Mississippi-Alabama Sea Grant Consortium; Earl Nottingham, TPWD; Chase Fountain, TPWD; Earl Nottingham, TPWD
Back cover: Earl Nottingham, TPWD

Dear Readers,

The Gulf of Mexico region provides the Nation with valuable energy resources, abundant seafood, extraordinary beaches and leisure activities, and a rich cultural heritage. At the same time, residents must prepare for and respond to some of the most devastating weather events in the Nation, including the most costly natural disaster in U.S. history – Hurricane Katrina in 2005. There are also complex ecosystem health and water quality and quantity challenges being addressed in the Gulf of Mexico region.

The Gulf of Mexico Alliance, as a venue for dramatically increased regional collaboration at the state, local, and federal levels, holds great promise to improve the ecological and economic health of the Gulf region. NOAA is proud to be a partner in this collaborative approach where shared scientific strengths are matched with shared management strengths.

One objective of the Gulf of Mexico Alliance is to build public awareness about the linkages between the Gulf region's ecological health, the high quality of residents' everyday lives, and the economic vitality of the region. To this end, *The Gulf of Mexico at a Glance* provides memorable representations of selected social, economic, and environmental attributes of the Gulf of Mexico region. While this report presents only a few key attributes, it is our hope that others will be inspired to develop broader and more in-depth representations that increase public understanding of these linkages.

Sincerely,



Margaret Davidson
Director
NOAA Coastal Services Center



Buck Sutter
Deputy Regional Administrator
Southeast Regional Office
NOAA National Marine Fisheries Service

TABLE OF CONTENTS

The **GULF OF MEXICO** at a **GLANCE**

June 2008

<i>Introduction</i>	1
<i>Gulf Communities</i>	
Population.....	4
Housing and Development.....	6
Coastal Vulnerability.....	8
<i>Gulf Economy</i>	
Recreational Fishing.....	9
Commercial Fishing	10
Tourism and Recreation.....	12
Oil and Gas Production	14
Waterborne Commerce.....	16
<i>Gulf Ecology</i>	
Celebrating Diversity.....	18
Ecoregions and Threats.....	20
Hypoxia in the Gulf of Mexico..	22

A publication of the National Oceanic and Atmospheric Administration,
Department of Commerce, developed in partnership with the U.S. Environmental
Protection Agency Gulf of Mexico Program, for the Gulf of Mexico Alliance.



The Gulf of Mexico Alliance is a partnership among the states of Alabama, Florida, Louisiana, Mississippi, and Texas, with the goal of significantly increasing regional collaboration to enhance the environmental and economic health of the Gulf of Mexico.




Credit: Earl Nottingham, TPWD

The Gulf of Mexico at a Glance presents memorable representations of selected social, economic, and environmental attributes with the intent of building public awareness about the linkages between the Gulf of Mexico region's ecological health, the high quality of residents' everyday lives, and the economic vitality of the region.

Introduction

The United States portion of the Gulf of Mexico region extends from the Florida Keys westward to the southern tip of Texas, following the coastline of five states. The combined coastline of these states totals over 47,000 miles (when including the shores of all barrier islands, wetlands, inland bays, and inland bodies of water).¹ The Gulf of Mexico has an area of approximately 580,000 square miles, contains an approximate 584,000 cubic miles of water, and has an average depth of 5,299 feet (Nipper et al., 2008).



West Louisiana Gulf shoreline near Rockefeller Refuge. Credit: John Foret

The Gulf of Mexico Alliance is a partnership among the states of Alabama, Florida, Louisiana, Mississippi, and Texas, with the goal of significantly increasing regional collaboration to enhance the environmental and economic health of the Gulf of Mexico. By working together on priority regional issues, the five Gulf States are committed to realizing the benefits of shared management successes and coordinated environmental monitoring and ultimately striving towards a common regional vision and strategy for enhancing the Gulf of Mexico region.

The Gulf of Mexico Alliance actively works to collaborate with the six Mexican Gulf States and is engaged in a number of ongoing activities in Mexico. Both parties acknowledge that the environmental and economic health of the Gulf of Mexico is contingent upon responsible management by both the United States and Mexico.

The Gulf of Mexico at a Glance

One objective of the Gulf of Mexico Alliance is to build public awareness about the linkages between the Gulf region's ecological health, the high quality of residents' everyday lives, and the economic vitality of the region. To this end, *The Gulf of Mexico at a Glance* presents regional aggregations of selected economic activities that are focused in coastal and ocean areas, as well as selected social and environmental attributes of the region. It is hoped that these memorable facts will inspire interested citizens to further explore these subjects and their linkages. While this report addresses only a few key regional attributes, it is also hoped that others will be motivated to develop broader and more in-depth representations. Information in this report is organized by the following themes:

Gulf Communities

Gulf Economy

Gulf Ecology



An aerial view of a shrimp vessel on opening day of shrimp season in Mississippi territorial waters. Credit: Mississippi Department of Marine Resources (June 6, 2002)

Gulf Communities

Coastal regions are among the most densely populated areas in the Nation. Compared to other coastal regions within the United States, the Gulf Coast Region has experienced a considerable population increase since 1970, growing by 103%. This is the second fastest-growing region just behind the Southeast Coast Region, increasing faster than both the Pacific and Northeast Coast Regions.² The Gulf of Mexico region is also home to frequent hurricanes, which can adversely affect a growing population. Hurricanes Katrina and Rita displaced thousands of people both temporarily and permanently in 2005. Additionally, the Gulf Coast Region has experienced both tremendous housing unit growth and loss compared to other coast regions in the United States. Fortunately, the Gulf Coast Region's population is rebounding from these events. This section of the report presents population, housing trends, and projections.



Port Lavaca, TX. Credit: Earl Nottingham, TPWD

Gulf Economy

The five U.S. states that border the Gulf of Mexico have a gross domestic product (GDP) of over \$2.2 trillion (Bureau of Economic Analysis, 2006), and if a country, this would make the region the seventh largest economy in the world (International Monetary Fund, 2006). The robust economy of the Gulf of Mexico region provides jobs for more than 20 million people. Much of that economic activity is dependent on or related to the Gulf of Mexico and its natural resources. This section of the report presents four key economic activities in the Gulf of Mexico region. Tourism and recreation provide over 620,000 jobs; 27% of domestic crude oil production comes from the Gulf of Mexico region; the major commercial fishing ports of the region bring in over 1.2 billion pounds of fresh seafood every year; and six of the top 10 leading shipping ports in the country are found in the Gulf of Mexico region. These facts highlight the importance of the Gulf of Mexico region to the entire Nation and countries around the globe.



Port of Corpus Christi, TX. Credit: Port of Corpus Christi Authority

Gulf Ecology

The Gulf of Mexico is the ninth largest water body in the world and teems with sea life, from shrimp to unexplored deep-water corals living thousands of feet below the surface. The Gulf's size and unique ecologic diversity has led to the establishment of many state and national parks and habitat and wildlife preservation areas. Its coastal areas contain half the wetlands in the United States and are home to vital natural resources, including nesting waterfowl, colonial waterbird rookeries, sea turtles, and fisheries. These resources are supported by the abundant bays, estuaries, tidal flats, barrier islands, hard and soft wood forests, and mangrove forests. Biological diversity is not bound by political boundaries and to illustrate its distinct landscapes and habitats, the Gulf of Mexico region is presented as "ecoregions" in this report. Ecoregions are large areas with similar ecosystems, reflecting patterns of biotic and abiotic factors such as geology, landforms, hydrology, soils, climate, vegetation, land use, and wildlife. The Gulf of Mexico region's ecological communities are essential to sustaining local economies, recreational experiences, and overall quality of life. However, these communities are susceptible to human and natural impacts.



Wetlands in Louisiana. Credit: NOAA

Data

The demographic, economic, and environmental data presented in this report represent information that is most readily available and feasible to obtain. This report provides a snapshot of the most current data available and is intended to highlight a variety of socioeconomic and environmental attributes of the Gulf of Mexico region. Economic activities are not necessarily ocean or coastal dependent, but serve the residents of and visitors to these coastal areas. The 2005 hurricane season had a tremendous impact on the Gulf of Mexico's communities, economy, and ecology, and the data in this report reflect this impact. To acknowledge this catastrophic event, the authors present multi-year averages where possible and also provide descriptions of population and housing changes resulting from the effects of the 2005 hurricane season. It is worth noting, however, that discussions and/or qualifying statements of the hurricanes' impacts are not provided with all socioeconomic data presented. The demographic projection data presented in this report were generated by Woods and Poole Economics, Inc. The projections listed are intended to regionally highlight where change is likely to occur and are not intended to be interpreted as future predictions. All data sources are cited with references available at the end of this report.

Geography

Throughout this report, data are presented at several levels of geography: region, state, and coastal county. For the purposes of this report, Gulf of Mexico coastal counties were chosen to represent what is hereafter referred to as the "Gulf Coast Region." To be included as "coastal," one of the following criteria must be met: (1) at a minimum, 15% of the county's total land area is located within a coastal watershed or (2) a portion of or an entire county accounts for at least 15% of a U.S. Geological Survey coastal cataloging unit.³ The Gulf Coast Region contains a total of 141 coastal counties across the five U.S. Gulf States. For a complete map displaying coastal counties of the Gulf Coast Region, see the Appendix.

Gulf Communities

Population

The Gulf Coast Region is increasingly becoming an attractive area for both retirees and job hunters, offering a pleasant climate and new opportunities for its residents. This region has shown a considerable rate of growth over the past 40 years and is expected to grow at this rate in the upcoming decades.



Credit: Earl Nottingham, TPWD

The Gulf Coast Region is the second leading U.S. coastal region in percent population change from 1970 to 2008, growing by 103%.

10,411,000

Approximate increase in population in the Gulf Coast Region since 1970.

10

Expected percent increase in population in the Gulf Coast Region by 2015. The U.S. total population is expected to increase by 7%.

178

Population density of the Gulf Coast Region (persons per square mile). The U.S. coastal county population density is 311 persons per square mile (excluding Alaska).

25

Approximate percentage of the population that is considered part of the “baby boomer” generation. Of this population, approximately 65% will reach retirement (age 65) by 2015.

Source: Woods and Poole Economics, Inc., 2007.

Estimated Population Characteristics of the Gulf Coast Region in 2008

- 20,528,556** Total population
- 51%** Female population
- 49%** Male population
- 38 years** Average median age
- 8,086,400** Total number of households
- 2.6 persons** Average size of households
- \$77,068** Mean household income
- 57%** Employed population (U.S. employed population is 60%)

Source: Woods and Poole Economics, Inc., 2007.

Estimated Population Density of the Gulf Coast Region in 2008

Pinellas County, FL, is the leading county in the Gulf Coast Region in terms of population density, averaging 3,365 persons per square mile.




Figure 1. Population density in the Gulf Coast Region by state. Source: Woods and Poole Economics, Inc., 2007.




Figure 2. Gulf of Mexico coastal counties within a 100-mile buffer of the tracks of Hurricanes Katrina and Rita (2005).

Source: Coastal Services Center, NOAA, 2008.

Both Hurricanes Katrina and Rita had a tremendous effect on the Gulf Coast Region's population in 2005. A total of 60 Gulf coastal counties were within 100 miles of both hurricane paths. The graph below demonstrates the changes in population within these combined counties from 2004 to 2008 and projected change to 2015.




Figure 3. Population change of coastal counties within 100 miles of the tracks of Hurricanes Katrina and Rita. Source: Woods and Poole Economics, Inc., 2007; Coastal Services Center, NOAA, 2008.




Figure 4. Expected percent population change from 2008 to 2015 in the Gulf Coast Region.


Source: Woods and Poole Economics, Inc., 2007.

Although a significant number of residents left St. Bernard Parish, LA, following Hurricane Katrina, the parish is projected to experience a high level of return in the coming decade: the highest percent increase in population is expected to occur in St. Bernard Parish, growing by 89% by 2015.

Gulf Communities

Housing and Development

Residential development in the Gulf Coast Region is increasing. Construction of housing units may act as an indicator of economic growth, “sprawl” along the coast, or the rebuilding of previous housing units lost. People nationwide are drawn to the Gulf Coast Region as a vacation destination; therefore, one component of this development is seasonal homes.⁴



Credit: Barbara Ambrose, National Coastal Data Development Center; NOAA

Percent of Housing Units in the Gulf Coast Region

Leading counties in the Gulf Coast Region in total number of housing units:

Harris County, TX	1,495,016
Hillsborough County, FL	505,654
Pinellas County, FL	498,415




Figure 5. Percent of Gulf Coast Region housing units by state. Source: U.S. Census Bureau, 2007a.

Seasonal Homes in the Gulf Coast Region

Counties in the Gulf Coast Region with the highest percentage of seasonal homes:

Kenedy County, TX	37%
Walton County, FL	27%
Cameron County, LA	27%




Figure 6. Seasonal housing units in the Gulf Coast Region by state. Source: U.S. Census Bureau, 2000.

Harris County, Texas, led the Nation in building permits issued from 2002 to 2006 with a total of 143,000.

Source: U.S. Census Bureau, 2003, 2004, 2005, 2006, 2007b.

8

Percent increase in the number of housing units from 2002 to 2006 in the Gulf Coast Region. Total number of housing units in the entire U.S. increased by 6%.

Source: U.S. Census Bureau, 2007a.

827,000

Approximate number of building permits issued for new single family home construction from 2002 to 2006 in the Gulf Coast Region.

Source: U.S. Census Bureau, 2003, 2004, 2005, 2006, 2007b.

26


Percent of the Nation’s coastal county building permits that were issued in the Gulf Coast Region (single family units only).

Source: U.S. Census Bureau, 2003, 2004, 2005, 2006, 2007b.

5

Percent of all housing units in the Gulf Coast Region that are seasonal.

Source: U.S. Census Bureau, 2000.




Three of the ten leading counties in building permits issued nationally were located in the Gulf Coast Region:

- Harris County, TX
- Lee County, FL
- Hillsborough County, FL

Figure 7. Building permits issued from 2002 to 2006 in the Gulf Coast Region.

Source: U.S. Census Bureau, 2003-2006, 2007b.



In addition to the population changes the Gulf Coast Region experienced as a result of Hurricanes Katrina and Rita, housing was also considerably altered. The graph below demonstrates the changes in the number of housing units located in the combined coastal counties found within 100 miles of both the tracks of Hurricanes Katrina and Rita from 2004 to 2006.




Figure 8. Single family housing unit change in the Gulf Coast Region from 2004 to 2006.

Source: U.S. Census Bureau, 2007a; Coastal Services Center, NOAA, 2008.

Figure 9. Housing unit change in coastal counties found within 100 miles Hurricanes Katrina and Rita.

Source: U.S. Census Bureau, 2007a; Coastal Services Center, NOAA, 2008.

Gulf Communities

Coastal Vulnerability

Predicted sea-level rise may cause physical changes to the coast, which could adversely impact communities and infrastructure located along the Gulf of Mexico.

Being aware of the relative vulnerability of coastal areas to sea-level rise-related erosion, flooding, and storm damage will help communities to consider the longer-term costs of protecting or relocating themselves. The preliminary assessment presented here, conducted by the U.S. Geological Survey, describes how vulnerable the Gulf of Mexico region might be to sea-level rise.

It is certain that Gulf coastal communities will continue to experience significant, destructive coastal storms. By transforming into “resilient” communities, they increase their ability to “bounce back” after hurricanes and flooding. Resilient communities, with the ability to quickly recover both economically and socially, will be critical to the region’s long-term viability and success in the face of predicted sea-level rise.



View of Mississippi River and south Plaquemines Parish, LA, after Hurricane Katrina (2005). Credit: NOAA

Coastal Vulnerability to Sea-level Rise



Figure 10. Coastal vulnerability in the Gulf of Mexico region (based on the Coastal Vulnerability Index⁵ (C.V.I.)). The C.V.I. shows the relative vulnerability of the coast to physical changes due to predicted rise in sea level.

Source: Thieler and Hammer-Klose, 2006.

Gulf of Mexico Shoreline by Coastal Vulnerability Risk Category




Figure 11. Percentage of mapped shoreline along the U.S. Gulf of Mexico coast in each risk category based on the C.V.I. (including length of shoreline in each category).

Source: Thieler and Hammer-Klose, 2006.

Gulf Economy

Recreational Fishing

From fly fishing shallow-water flats for red drum to fishing along structures and reefs for groupers, the Gulf of Mexico offers a variety of diverse habitats and species for those seeking a recreational fishing adventure. Both residents and tourists are drawn to these inland and open-water opportunities.



Credit: Larry Hodge

The Gulf of Mexico accounted for over 40% of all U.S. marine recreational fishing catch in 2006.

Source: National Marine Fisheries Service, NOAA, 2007c.

28

Percent of total U.S. marine recreational fishing trips taken in the Gulf of Mexico in 2006.

Source: National Marine Fisheries Service, NOAA, 2007c.

Distribution of Marine Recreational Fishing Trips




Figure 12. Percent of the 25 million Gulf of Mexico marine recreational fishing trips in 2006 by state.

Source: National Marine Fisheries Service, NOAA, 2007b.

Note: The state of Texas does not participate in the Marine Recreational Fishery Statistical Survey.

Top Five Marine Recreational Fishing Species Caught in 2006

Rank	Species	Millions of pounds
1	Spotted seatrout	18.0
2	Red drum	14.2
3	Sheepshead	4.0
4	King mackerel	3.4
5	Red snapper	3.2

Table 1. Top five marine recreational fishing species in the Gulf of Mexico by pounds harvested (harvest values do not include Texas).

Source: National Marine Fisheries Service, NOAA, 2007c.

25 million

Number of marine recreational fishing trips taken in the Gulf of Mexico during 2006.

Source: National Marine Fisheries Service, NOAA, 2007c.

3.6 million

Number of Gulf of Mexico region residents who took part in marine recreational fishing in 2006.

Source: National Marine Fisheries Service, NOAA, 2007c.

56

Percent of marine recreational fishing harvest that was released out of a total catch of 193 million fish in the Gulf of Mexico during 2006 (harvest value does not include Texas).

Source: National Marine Fisheries Service, NOAA, 2007b.



Credit: Earl Nottingham, TPWD



Credit: Ron Baker, NOAA

Gulf Economy

Commercial Fishing

The commercial fishing industry in the Gulf of Mexico region has long supported the livelihood of its residents. This multi-billion dollar industry has traditionally included fish, shrimp, oysters, and crab.



In 2006, three of the top six commercial fishing ports in the U.S. by landings were located in the Gulf of Mexico region.

Distribution of Commercial Fishing Landings




Figure 13. Distribution of the 1.3 billion pounds of commercial fishing landings by state.
Source: National Marine Fisheries Service, NOAA, 2007a.

Distribution of Commercial Fishing Value




Figure 14. Distribution of the \$662 million of commercial fishing value by state.
Source: National Marine Fisheries Service, NOAA, 2007a.

83

Percent of total U.S. shrimp landings in the Gulf of Mexico region, a three-year average of 254 million pounds.

56

Percent of total U.S. oyster landings in the Gulf of Mexico region (a three-year average of 22 million pounds).

14

Percent of total U.S. commercial fishery landings in the Gulf of Mexico region (Alaska accounts for 57% of all landings).

1.3 billion

Average number of pounds of commercial fishery landings per year in the Gulf of Mexico region, yielding a value of \$662 million.

Source: National Marine Fisheries Service, NOAA, 2007a.

2005 Hurricane Season and Louisiana's Fishing Industry

The 2005 hurricanes damaged and destroyed thousands of commercial vessels and the onshore infrastructure throughout coastal Louisiana, causing sharp declines in commercial landings and revenues. Thus, seafood landings shifted west to Texas and east to Alabama. The Louisiana Department of Wildlife and Fisheries' 2005 preliminary estimates of losses to the state's seafood industry as a result of Hurricane Katrina were \$1.3 billion (annual total retail value), which represents about 40% of the industry's annual total retail value (Wulfhorst, 2005). Source: National Marine Fisheries Service, NOAA, 2007d.



Shrimp boats in Pass Christian Harbor, MS. Credit: Barbara Ambrose, National Coastal Data Development Center, NOAA

Figure 15. Locations of the ten most productive fishing ports in the Gulf of Mexico region (by value).
Source: National Marine Fisheries Service, NOAA, 2007e.

Most Productive Fishing Ports by Value

Rank	Port	Millions of Dollars
1	Empire-Venice, LA	46.9
2	Brownsville-Port Isabel, TX	45.8
3	Dulac-Chauvin, LA	44.4
4	Key West, FL	44.2
5	Port Arthur, TX	39.3
6	Galveston, TX	34.8
7	Bayou La Batre, AL	32.6
8	Intracoastal City, LA	32.2
9	Palacios, TX	29.8
10	Golden Meadow-Leeville, LA	28.1

Table 2. The ten most productive fishing ports in the Gulf of Mexico region by value, a three-year average from 2004 to 2006.
Source: National Marine Fisheries Service, NOAA, 2007f.

Most Productive Fishing Ports by Poundage

Rank	Port	Millions of pounds
1	Intracoastal City, LA	388.8
2	Empire-Venice, LA	278.5
3	Pascagoula-Moss Point, MS	178.0
4	Cameron, LA	87.3
5	Dulac-Chauvin, LA	37.9
6	Brownsville-Port Isabel, TX	23.1
7	Golden Meadow-Leeville, LA	22.7
8	Bayou La Batre, AL	21.5
9	Port Arthur, TX	20.7
10	Lafitte-Barataria, LA	19.2

Table 3. The ten most productive fishing ports in the Gulf of Mexico region by poundage, a three-year average from 2004 to 2006.
Source: National Marine Fisheries Service, NOAA, 2007e.

Top Species Landings by Poundage

Rank	Species	Millions of pounds
1	Shrimp	913.4
2	Menhaden	117.8
3	White Shrimp	114.6
4	Crab	58.9
5	Blue Crab Oyster	21.6

Table 4. The top five species landings by poundage in the Gulf of Mexico region, a three-year average from 2004 to 2006.
Source: National Marine Fisheries Service, NOAA, 2007a.

Gulf Economy

Tourism and Recreation

The white sand beaches, excellent seafood restaurants, and warm weather found in the Gulf of Mexico region make it a popular destination for people from around the country and the world. Tourism and recreation have become very important to the economy of the region.



Credit: Melissa Schneider

There are over 620,000 jobs, yielding over \$9 billion in tourism and recreation wages paid each year in the Gulf Coast Region.

87

Percent of tourism and recreation jobs in the Gulf Coast Region created by eating and drinking establishments.

8

Percent of employment in the Gulf Coast Region in the tourism and recreation fields.

Source: Bureau of Labor Statistics, 2006; Colgan, 2004.

Distribution of Tourism and Recreation Employment




Figure 16. Distribution of 620,000 tourism and recreation jobs in the Gulf Coast Region by state.

Source: Bureau of Labor Statistics, 2006; Colgan, 2004.

Tourism and Recreation Jobs and Average Annual Pay in the Gulf Coast Region

Industry	Number of Jobs	Total Wages (millions)
Eating and Drinking Establishments	537,160	\$4,835
Hotels and Lodging	59,759	\$1,363
Amusement and Recreation Services	10,530	\$185
Boat Dealers	4,578	\$164
Marinas	2,687	\$89
Scenic Water Tours	946	\$26
Rec. Vehicle Parks and Campsites	989	\$19
Sporting Goods	495	\$17
Zoos, Aquaria	3,344	\$90

Table 5. Total number of jobs and total wages for tourism and recreation jobs in the Gulf Coast Region.

Source: Bureau of Labor Statistics, 2006; Colgan, 2004.

Days at the Beach

Number of Beach Days Annually⁶ (million)

LA	MS	AL	TX	FL*
4.0	8.7	11.8	5.2	177.2

Number of Beach Goers Annually (million)

LA	MS	AL	TX	FL*
0.6	1.0	1.2	3.9	15.2




Figure 17. Beach visitation by state, 2000.

* Florida numbers include the Atlantic Coast
Source: National Ocean Service, NOAA, 2000.




Figure 18. Employment generated by tourism and recreation in the Gulf Coast Region.
 Source: Bureau of Labor Statistics, 2006; Colgan, 2004.

Average Annual Wages




Figure 19. Average annual wages for tourism and recreation-related jobs in the Gulf Coast Region (data not normalized for length of season).
 Source: Bureau of Labor Statistics, 2006; Colgan, 2004.




Figure 20. Percent of county employment generated by tourism and recreation in the Gulf Coast Region.
 Source: Bureau of Labor Statistics, 2006; Colgan, 2004.


Leading counties in percent employment generated by tourism and recreation

Monroe County, FL	29%
Orleans County, LA	18%
Franklin County, FL	14%
Okaloosa County, FL	12%
Refugio County, TX	11%

Gulf Economy

Oil and Gas Production

The Gulf of Mexico region's oil and gas industry is one of the most developed in the world.



If placed end to end, the oil and gas pipelines in the Gulf of Mexico could wrap around the Earth's equator.

Source: Minerals Management Service, 2008a.

25,000

Approximate miles of active oil and gas pipeline on the Gulf of Mexico sea floor.

Source: Minerals Management Service, 2008a.

4,019

Approximate number of Gulf of Mexico oil and gas platforms.

Source: Minerals Management Service, 2008b.

107,210

Reported petroleum-related workers employed in the Gulf Coast Region.

Source: Bureau of Labor and Statistics, 2006.

12.7 billion

Total wages earned by those working in the oil and gas industry in the Gulf Coast Region.

Source: Bureau of Labor and Statistics, 2006.

Crude Oil Production

52% of U.S. total



Based on a three-year average of crude oil production from 2005 to 2007.

Natural Gas Production

54% of U.S. total



Based on a three-year average of marketed production from 2004 to 2006.

Crude Oil Refinery Capacity

47% of U.S. total



Based on a three-year average of atmospheric crude oil distillation operable capacity from 2006 to 2008.

Figure 21. U.S. energy production and refining capacity of the Gulf of Mexico region as percentages of the total U.S. share. These percentages represent the aggregation of federal offshore production in the Gulf of Mexico and the entire states of Florida, Alabama, Mississippi, Louisiana, and Texas.

Source: Energy Information Administration, 2008.

Photo credits from left to right: Oil platforms in the Gulf of Mexico, NOAA; Natural gas platforms visible from Dauphin Island, AL, beaches, Melissa Schneider; Galveston Bay, TX, refinery, TPWD




Figure 22. Oil and gas pipelines in the Gulf of Mexico.
 Source: Minerals Management Service, 2008a.





Figure 23. Oil and gas platforms in the Gulf of Mexico.
 Source: Minerals Management Service, 2008b.

Gulf Economy

Waterborne Commerce

The U.S. economy relies heavily on the ports in the Gulf of Mexico region for the import and export of both foreign and domestic goods. The Gulf of Mexico region supports several ports that lead the Nation in total commerce.



Credit: Mike Henderson, NOAA

Top Ten Ports in the United States Ranked by Tonnage in 2006

Rank	Port	Millions of Short Tons*
1	South Louisiana, LA	225.5
2	Houston, TX	221.1
3	New York, NY and NJ	157.6
4	Long Beach, CA	84.4
5	Beaumont, TX	79.5
6	Corpus Christi, T	77.6
7	Huntington – Tristate, WV-OH-PA	77.2
8	New Orleans, LA	76.9
9	Los Angeles, CA	66.0
10	Mobile, AL	59.8

Table 6. Leading U.S. ports in 2006 by tonnage.

*Note: The short ton (S/T) is a unit of mass equal to 2,000 pounds (exactly 907.18474 kilograms). This is different than a metric ton, which is equal to 1,000 kilograms.

Source: USACE, 2007a (the USACE reports on the top 100 ports in the Nation).



Gulf Intracoastal Waterway. Credit: TPWD

Six of the Nation's 10 leading ports in 2006 for tonnage are located in the Gulf of Mexico region.

Source: USACE, 2007a.

1 and 2

Respective ranks of Texas and Louisiana in U.S. waterborne traffic in 2005.

Source: USACE, 2007c.

54

Number of miles the Port of South Louisiana stretches along the Mississippi River. The port was ranked first in the U.S. in 2005 for total tonnage and is the largest tonnage port in the Western Hemisphere. In 2006, tonnage was up 6.2% from 2005, registering the single highest total in the history of the port with 225.5 million tons.

Source: USACE, 2007c.

1,109

Number of miles the Gulf Intracoastal Waterway extends, greater than the distance from Washington, DC, to Miami, FL. The waterway is a dredged canal spanning from Florida to Texas, linking commerce along all five U.S. Gulf of Mexico states.

Source: USACE, 2007c.

49.5

Million cubic yards dredged by the U.S. Army Corps of Engineers in 30,000 square miles of south central and coastal Louisiana for 2005. The amount dredged could fill every football field in the state of Mississippi - more than 280 high school, college, and municipal stadiums - 100 yards long, 50 yards wide, and approximately 10 stories high.

Source: USACE, 2007b.



Figure 24. The location of the Gulf of Mexico's principal ports and shipping lanes. Principal ports are determined by the amount of total commerce in short tons.

Source: USACE, 2007a, 2007d.

Six of the Gulf of Mexico region's principal ports rank among the Nation's top 10 leading ports (by tonnage).

- A Brownsville
- B Corpus Christi**
- C Victoria
- D Matagorda Ship Channel
- E Freeport
- F Houston**
- G Texas City
- H Galveston
- I Beaumont**
- J Port Arthur
- K Lake Charles
- L Baton Rouge
- M Vicksburg
- N Port of South Louisiana**
- O New Orleans**
- P Port of Plaquemine
- Q Gulfport Commercial Harbor
- R Biloxi
- S Pascagoula
- T Mobile Harbor**
- U Pensacola
- V Guntersville
- W Panama City
- X Tampa Bay
- Y Charlotte Harbor



Port Fourchon, located in south Louisiana along the Gulf of Mexico shoreline, is the point of transfer for approximately 75% of oil and gas produced within the Gulf outer continental shelf.
Credit: Greater Lafourche Port Commission, 2006



Port of Corpus Christi, TX. Credit: Port of Corpus Christi Authority

Gulf Ecology

Celebrating Diversity

The Gulf of Mexico is home to diverse habitats, many unique to the Nation and the world.

Barrier Islands

Barrier islands are formations of sand, shell, and gravel that exist along coasts. These islands form a defense against winds and waves and provide habitat for many species of animals. Padre Island, TX, is 130 miles long and is the world's longest barrier island. Kemp's Ridley turtle, which has long been considered the most endangered sea turtle in the world, is known to nest there.



Credit: Joseph Tomaselli

Hypersaline Lagoons

Hypersaline lagoons are characterized by little to no inland water flow and high rates of evaporation. Combined with the Laguna Madre of Tamaulipas, Mexico, Laguna Madre in Texas is the largest hypersaline system in the world. This area is home to the only strain of high-salinity adapted oysters in North America. Additionally, nearly 80% of all seagrass beds in Texas are found in the Laguna Madre.



Credit: Texas Parks and Wildlife Department © 2006

Wetlands and Marshes

The wetlands and marshes in southern Louisiana act as a buffer to help moderate flooding and inundation during storm events. Erosion of the Mississippi delta, land subsidence, and rising sea levels threaten these wetlands. Louisiana's coast, which contains 40% of the Nation's wetlands, is disappearing into the Gulf of Mexico at a rate of 35 square miles a year, or the equivalent of a football field every 20 minutes.



Credit: Barrataria-Terrebonne National Estuary Program, 2005

Coral Reefs

The Flower Garden Banks National Marine Sanctuary encompasses a variety of habitat types, including the northern-most coral reefs in the continental United States. Located about 110 miles directly south of the Texas/Louisiana border, more than 300 acres of protected high-relief reefs are home to more than 23 species of coral, 250 reef invertebrates, 175 fishes, and 80 algae species.



Credit: Joyce and Frank Burek

Cypress-Tupelo Swamps

In southern swamps, the two dominant trees are bald cypress and water tupelo and these areas are often referred to as cypress-tupelo swamps. Cypress-tupelo swamps are flooded year round, and only dry out during the most severe droughts. In the Atchafalaya National Wildlife Refuge, LA, these swamps provide vital nesting habitat for wood ducks, and support the Nation's largest concentration of American woodcock.



Credit: U.S. Fish and Wildlife Service

White Sand Beaches

The Gulf Islands National Seashore (the Nation's largest) is comprised of both Florida and Mississippi beaches. The stunning white sand found on these beaches is composed of fine quartz eroded from granite in the Appalachian Mountains. The sand is carried to the Gulf by rivers and creeks and deposited along the beach by currents.



Credit: National Park Service

Oyster Reefs

Today in Alabama, oysters are harvested by the traditional method of tonging. This is carried out from small boats by using tongs (rakes on the ends of long wooden poles) to gather and hold the oysters until they are lifted on board. Much of the oyster tonging in Alabama is conducted on public oyster reefs, but increasing numbers of oysters are cultured in waters adjacent to privately owned land.



Credit: NOAA

Mangrove Forests


Red mangrove, black mangrove, and white mangrove are the three species of mangrove trees that grow in Florida, particularly in the Florida Keys. Mangroves grow in saltwater and in areas frequently flooded by saltwater. These trees provide protected habitat, breeding grounds, and nursery areas for many land and marine animals. Mangroves can also provide vital shoreline protection from wind, waves, and erosion.



Credit: Renee Wilson, Rookery Bay National Estuarine Research Reserve, NOAA

Deep Coral Reefs

At more than 60 miles in length and 60 to 80 meters deep, Pulley Ridge is a series of drowned barrier islands on the southwest Florida Shelf. Unusual at this depth, the southern portion of the ridge is home to a variety of corals; green, red, and brown macroalgae; and shallow-water tropical fishes. From the scientific perspective, southern Pulley Ridge may be the deepest coral reef in the United States.



Credit: U.S. Geological Survey

Sponge Beds

During the early part of this century, the sponge fishery was very important to Florida's economy. Of the five sponge species harvested commercially in Florida, sheepswoll is the most important because of its durability and softness. Commercial sponges are found in both the Florida Keys and the northern Gulf, with approximately 60,000 - 70,000 pounds of sponges harvested annually.



Credit: William Harrigan

Credit: SeaWiFS Project, NASA/Goddard Space Flight Center, and ORBIMAGE

Gulf Ecology

Ecoregions and Threats⁷

The Gulf of Mexico region is a rich mosaic of natural landscapes, agriculture, and an assortment of towns and cities. The region's diversity provides abundant opportunities for uses like conservation, recreation, and commerce. Yet, at times, that very mix creates challenges in balancing these competing uses.

Southern Texas Plains

This region of thornscrub and sparse grassland is locally known as the brush country. It comprises rolling plains and has a more distinct diversity of plant and animal life.

This region includes:

- Mesquite-grass
- Woody plants
- Cacti and other succulents
- Birds such as Altamira oriole and elf owl
- Rare animals such as the ocelot

Source: Griffith et al., 2004; World Wildlife Fund, 2001d.

Threats to this region:

- Overgrazing and conversion to agriculture
- Loss of native vegetation through controlled burns to make way for crops
- Dam construction



Credit: David Bezanson

Western Gulf Coast Plains

This region is distinguished by flat topography, grassland expanses, and a mild, subtropical climate. The coastal portion is comprised of barrier islands, bays, estuaries, and tidal marshes, and the inland plains contain sparse remnant forest and savanna and cropland.

This region includes:

- Many animal species, of which over 200 are in need of protection
- Endangered Kemp's Ridley sea turtle nests at one beach in the region

Source: Griffith et al., 2004; World Wildlife Fund, 2001f.

Threats to this region:

- Urbanization and industrialization
- Fragmentation of remaining habitat
- Oil and gas production



Credit: U.S. Army Corps of Engineers

Mississippi Alluvial Plain

This region is a flat alluvial plain broken up by river terraces, swales, and natural levees and undergoes regular flooding. The region essentially hugs the Mississippi River from the Gulf to the southern tip of Illinois.

This region includes:

- Vital leg of a migratory bird flyway
- Threatened species such as the Swainson's Warbler and Louisiana black bear


Threats to this region:

- Hydrologic alterations to the region's streams and rivers
- Heavy fertilizer, insecticide, and herbicide use
- Logging of small remaining bottomland forest

Source: Daigle et al., 2006; World Wildlife Fund, 2001a.



Credit: Michael Maples, U.S. Army Corps of Engineers



Gulf of Mexico Large Marine Ecosystem

The Gulf of Mexico is partially isolated from the Atlantic Ocean from the Straits of Florida, creating the Gulf's local ecosystem. The Mississippi River, and ground water from both the Gulf and the Atlantic, create a high level of biodiversity, including numerous species.

This region includes:

- Important marine species such as bluefin tuna, groupers, snappers, shrimp, blue crab, and sea turtles
- Coral reefs
- Large portion of the Nation's coastal wetlands

Source: NOAA, 2003.

Figure 25. Ecoregions that follow the coastline of the Gulf of Mexico. Source: Omernik, 1987.

Mississippi Valley Loess Plains

This region is characterized by its thick loess deposits (wind deposited silt). Its landscape includes irregular plains, gently rolling hills, and bluffs near the Mississippi River.

This region includes:

- Agriculture in the north
- Forest and cropland mosaic in the south
- Oak-hickory and southern mesophytic forests

Threats to this region:

- Hydrologic alterations to the region's streams and rivers
- Heavy fertilizer, insecticide, and herbicide use



Credit: National Park Service

Source: Chapman et al., 2004; World Wildlife Fund, 2001c.

Southeastern Plains


This region is comprised of irregular plains that are a diverse mix of cropland, pasture, woodland, and forest. Urban uses are expanding and in some areas much of the land has been converted to agriculture.

This region includes:

- Native oak, hickory, pine, and Southern mixed forest
- Diversity of snail species, amphibians, reptiles, birds, flies, and butterflies
- Numerous mammal species

Threats to this region:

- Agricultural and urban development
- Logging and forest conversion to commercially viable pine
- Lack of fire management for appropriate fire regimes



Credit: Environmental Protection Agency

Southern Coastal Plain

The coastal area of this region is distinguished by barrier islands, estuaries, and lagoons. Further inland there is flat topography with numerous forested wetlands and lakes. The region's land cover is pasture, urban development, and longleaf-slash pine forest, with hardwood forests in low-lying areas.

This region includes:

- Important species such as the Flatwoods salamander and the endangered Pondberry (a rarely seen plant)

Threats to this region:

- Land conversion and urban expansion
- Runoff from agriculture



Credit: Mississippi Department of Marine Resources

Southern Florida Coastal Plain

A unique characteristic of this region is its frost-free climate, making it unique in the continental United States. This region is characterized by flat plains with wetlands where the vegetation is primarily everglade and palmetto prairie.

This region includes:


- Everglades and palmetto prairie
- Several parks, game refuges, and Indian reservations

Threats to this region:

- Hydrological and biological alterations
- Urban and agricultural expansion



Credit: Environmental Protection Agency



Atlantic Ocean. Ocean waters enter from the Yucatan Channel and exit through the Florida current. Freshwater sources to the Gulf are from rivers, especially the Mississippi and the Gulf of Mexico. The region's biologic productivity allows for a diverse species of fish, sea birds, and marine mammals.

Threats to this region:

- oysters, sea turtles.
- Habitat loss, hypoxia, fisheries declines, harmful algal blooms, climate change, marine debris, chemical pollution, invasive species, sea level rise

the Gulf of Mexico.

Source: Griffith et al., 1994.

Gulf Ecology

Hypoxia in the Gulf of Mexico

There are numerous threats to the Gulf of Mexico marine ecosystem, including the world's second largest human-caused zone of hypoxia. This hypoxic area, commonly referred to as the "Dead Zone," illustrates the enormity and complexity of the threats facing the region's ecology and economy.

What is Hypoxia?

Hypoxia refers to depleted concentrations of dissolved oxygen in the water column, so depleted that fish and shellfish might not have enough oxygen to survive. Hypoxia can occur naturally; however, it often indicates a human-caused oversupply of nutrients – specifically nitrogen and phosphorus – from both urban and agricultural sources. This oversupply of nutrients in the water, a state called eutrophication, can cause intensive growth of plants and phytoplankton, or single-celled algae. When this bloom of plants and phytoplankton dies, they sink to the ocean bottom and decompose, a process which consumes dissolved oxygen.

Gulf Hypoxia and the Mississippi Valley Watershed

The Mississippi River begins below Lake Itasca in northern Minnesota, and flows approximately 2,350 miles to the Gulf of Mexico. On this journey, the Mississippi River captures runoff from 41% of the continental United States, making it the largest watershed in North America. Human activities have greatly altered the Mississippi River and its watershed; as a result, the river delivers substantial amounts of sediment, nutrients, and chemical pollutants to the Gulf of Mexico.

Since the 1970s, scientists have documented a large area of hypoxia off the coast of Louisiana and Texas. This "Dead Zone" forms annually in late spring, reaching its greatest extent in midsummer, and ebbing in the fall. Since 1985, it has fluctuated between 15 and 8,500 square miles in size, forming in the middle of a nationally important commercial and recreational fishing area.



Figure 26. The Mississippi River watershed and location of the hypoxic zone in the Gulf of Mexico.

Source: U.S. Geological Survey, 2004.




Figure 27. Bottom-water dissolved oxygen concentrations for July 21-28, 2007.

Source: NOAA/A. Sapp, Louisiana Universities Marine Consortium.

Acknowledgements

The authors would like to thank the following individuals for their contributions to the *Gulf of Mexico at a Glance* report:

National Oceanic and Atmospheric Administration

Michael Bailey
Heather Blough
Emily Crum
Margaret Davidson
Hansje Gold-Krueck
Timothy Goodspeed
Alison Hammer
John Hayes
Stephen Holiman
Brian Keller
Gini Kennedy
Bob Leeworthy
Robert Magnien
Pete Sheridan
Buck Sutter
Mike Travis
Robb Wright

Environmental Protection Agency

Bryon Griffith
Glenn Griffith
James Omernik
Kate Schofield

Department of the Interior, Minerals Management Service

Joseph Christopher
Tara Montgomery
Wilfred Times

U.S. Army Corps of Engineers

Susan Hassett
Lynn Martin

National Ocean Economics Program

Charles Colgan

End Notes

¹ The shoreline miles presented in the Introduction were developed using the mean high water line digitized from NOAA's nautical charts at 1:80,000 scale.

² Coastal counties within the Southeast, Pacific, and Northeast Coast Regions were determined using the same criteria as explained in the Geography section of the Introduction.

³ Hydrologic units are classified at four levels: regions, sub-regions, accounting units, and cataloging units. Cataloging units are the smallest hydrologic unit in this hierarchy (U.S. Geological Survey, 1987). There are 2,150 cataloging units in the United States, with an average 703 square miles (Virginia Department of Conservation and Recreation, 2004).

⁴ Seasonal homes is one of six data elements collected by the U.S. Census Bureau as part of the vacancy status of housing units. The seasonal homes data element excludes the following: vacant housing units for rent, for sale, rented or sold (not occupied), or for migrant workers (U.S. Census Bureau, 2000).

⁵ The Coastal Vulnerability Index of Low, Moderate, High, and Very High categories is determined using six physical variables: geomorphology, coastal slope, rate of relative sea-level rise, shoreline erosion and accretion rates, mean tidal range, and mean wave height. All variables are assigned a relative risk value based on the potential magnitude of its contribution to physical changes on the coast as sea level rises (Thieler and Hammar-Klose, 2006). For further information, visit: <http://pubs.usgs.gov/of/2000/of00-179/>.

⁶ A beach day is defined as a person-day of use as one person doing an activity for a whole day or any part of a day (Leeworthy and Wiley, 2001).

⁷ The ecoregions listed and described in the Ecoregions and Threats chapter are those that follow the coastline of the Gulf of Mexico. Three additional regions, the East Central Texas Plains Ecoregion, the Texas Blackland Prairie Ecoregion, and the South Central Plains Ecoregion intersect with the Gulf Coast Region's coastal counties, but are not described in this report. For further information on these ecoregions, visit: http://www.epa.gov/wed/pages/ecoregions/level_iv.htm.

References

- Bureau of Labor and Statistics. 2006. Employment and Wages Data Files. Available from: <ftp://ftp.bls.gov/pub/special.requests/cew/> (accessed March 3, 2008).
- Committee on Environment and Natural Resources Research. 2003. An Assessment of Coastal Hypoxia and Eutrophication in U.S. Waters. National Science and Technology Council Committee on Environment and Natural Resources, Washington, DC.
- Chapman, S.S., G.E. Griffith, J.M. Omernik, J.A. Comstock, M.C. Beiser, and D. Johnson. 2004. Ecoregions of Mississippi. (two-sided color poster with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, VA. Scale 1:1,000,000.
- Coastal Services Center, NOAA. 2003. Educating America on Louisiana's Wetlands. Coastal Services, May/June 2003 Issue. Available from: <http://www.csc.noaa.gov/magazine/2003/03/louisiana.html> (accessed February 14, 2008).
- _____. 2008. Historical Hurricane Tracks. Available from: <http://maps.csc.noaa.gov/hurricanes/> (accessed February 14, 2008).
- Colgan, Charles S. November 2004. Employment and wages for the U.S. ocean and coastal economy. *Monthly Labor Review*. Vol. 127, No. 11.
- Daigle, J.J., G.E. Griffith, J.M. Omernik, P.L. Faulkner, R.P. McCulloh, L.R. Handley, L.M. Smith, and S.S. Chapman. 2006. Ecoregions of Louisiana (color poster with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, VA. Scale 1:1,000,000. Available from: http://www.epa.gov/wed/pages/ecoregions/la_eco.htm (accessed February 14, 2008).
- Du Puy, S. 2008. Natural Setting (of Flower Garden Banks National Marine Sanctuary). National Marine Sanctuary Program, NOAA, Silver Spring, MD. Available from: http://flowergarden.noaa.gov/document_library/about_sanctuary/sanctuary_habitats.html (accessed February 19, 2008).
- Energy Information Administration, Department of Energy. 2008. Official Energy Statistics from the U.S. Government. Available from: <http://www.eia.doe.gov/> (accessed August 4, 2008).
- Fleury, B.E. 2000. The Louisiana Environment, the Cypress-Tupelo Swamp. Tulane University, New Orleans, LA. Available from: <http://www.tulane.edu/~bfleury/envirobio/swamp.html> (accessed February 19, 2008).
- Griffith, G.E., J.M. Omernik, C.M. Rohm, and S.M. Person. 1994. Florida regionalization project. EPA/600/Q-95/002. U.S. EPA, Environmental Research Laboratory, Corvallis, OR. 83p. Available from: http://www.epa.gov/wed/pages/ecoregions/fl_eco.htm (accessed February 14, 2008).
- Griffith, G.E., J.M. Omernik, J.A. Comstock, S. Lawrence, G. Martin, A. Goddard, V.J. Hulcher, and T. Foster. 2001. Ecoregions of Alabama and Georgia. (two-sided color poster with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, VA. Scale 1:1,700,000.
- Griffith, G.E., S.A. Bryce, J.M. Omernik, J.A. Comstock, A.C. Rogers, B. Harrison, S.L. Hatch, and D. Bezanson. 2004. Ecoregions of Texas (color poster with map, descriptive text, and photographs). U.S. Geological Survey, Reston, VA. Scale 1:2,500,000. Available from: http://www.epa.gov/wed/pages/ecoregions/tx_eco.htm (accessed February 14, 2008).
- Gulf of Mexico Alliance. 2007. The Gulf of Mexico Alliance Overview. Available from: <http://www.dep.state.fl.us/gulf/> (accessed February 29, 2008).
- Gulf of Mexico Program, USEPA. 2008. General Facts about the Gulf of Mexico. Available from: <http://www.epa.gov/gmpo/about/facts.html> (accessed February 29, 2008).
- International Monetary Fund. 2006. World Economic and Financial Surveys, World Economic Outlook Database. October 2007 Edition. Available from: <http://www.imf.org/external/pubs/ft/weo/2007/02/weodata/index.aspx> (accessed on February 13, 2007).
- Leeworthy, V.R. and P.C. Wiley. 2001. Current Participation Patterns in Marine Recreation. National Oceanic and Atmospheric Administration, National Ocean Service, Special Projects. Silver Spring, MD. 47 pp.
- Minerals Management Service. February 2008a. Geographic Mapping Data in Digital Format: Pipelines. Available from: <http://www.gomr.mms.gov/homepg/pubinfo/repcat/arcinfo/index.html> (accessed February 25, 2008).
- _____. February 2008b. Geographic Mapping Data in Digital Format: Platforms. Available from: <http://www.gomr.mms.gov/homepg/pubinfo/repcat/arcinfo/index.html> (accessed February 25, 2008).
- National Marine Fisheries Service, NOAA. 2003. NOAA LME 5: Gulf of Mexico Large Marine Ecosystem. Available from: <http://na.nefsc.noaa.gov/lme/text/>

lme5.htm (accessed March 24, 2008).

_____. 2007a. Annual Commercial Landing Statistics. Years queried: 2004 to 2006. Available from: http://www.st.nmfs.gov/st1/commercial/landings/annual_landings.html (accessed January 31, 2008).

_____. 2007b. Fisheries of the United States - 2006. Available from: <http://www.st.nmfs.noaa.gov/st1/fus/fus06/index.html> (accessed January 11, 2008).

_____. 2007c. Recreational Fishery Statistics Catch Snapshot Query. Available online at: <http://www.st.nmfs.gov/st1/recreational/queries/catch/snapshot.html> (accessed January 11, 2008).

_____. 2007d. Report to Congress on the Impacts of Hurricanes Katrina, Rita, and Wilma on Alabama, Louisiana, Florida, Mississippi, and Texas Fisheries. Available from: http://www.nmfs.noaa.gov/msa2007/docs/Fisheries_Report_Final.pdf (accessed February 28, 2008).

_____. 2007e. Total Commercial Fishery Landings at Major U. S. Ports Summarized By Year and Ranked By Poundage. Years queried: 2004 to 2006. Available from: http://www.st.nmfs.gov/st1/commercial/landings/lport_yearp.html (accessed January 31, 2008).

National Ocean Service, NOAA. 2000. National Survey on Recreation and the Environment (NSRE) 2000. Available from <http://marineeconomics.noaa.gov/NSRE/NSRE2000.html> (accessed July 24, 2007).

_____. 2003. National Centers for Coastal Ocean Science Gulf of Mexico Hypoxia Assessment. Available from: http://oceanservice.noaa.gov/products/pubs_hypox.html#Topic1 (accessed March 20, 2008).

National Park Service. 2008. Gulf Islands National Seashore (Florida, Mississippi). Available from: <http://www.nps.gov/guis/index.htm> (accessed February 21, 2008).

NatureServe Explorer. 2007. Ecological System Comprehensive Report: Southern Coastal Plain Nonriverine Cypress Dome. Available from: http://www.natureserve.org/explorer/servlet/NatureServe?searchSystemUid=ELEMENT_GLOBAL.2.723234 (accessed February 8, 2008).

Nijhuis, M. 2004. Forgive Me, Padre, For I Have Drilled, Drilling on a Texas Barrier

Island Could Mess with Sea Turtles and Other Critters. Grist, Environmental News and Commentary. Available from: <http://www.grist.org/news/maindish/2004/03/23/nijhuis-drilling/> (accessed February 14, 2008).

Nipper M., J.A. Sánchez Chávez, and J.W. Tunnell, Jr., Editors. 2008. GulfBase: Resource Database for Gulf of Mexico Research. World Wide Web electronic publication. Available from: <http://www.gulfbase.org> (accessed 28 March 2008).

Office of Response and Restoration, National Ocean Service, NOAA. 2008. General NOAA Operational Modeling Environment User's Guide for the Lower Mississippi River. Available from: http://response.restoration.noaa.gov/bookshelf/783_Gnome_LMiss_UG.pdf (accessed March 20, 2008).

Omernik, J.M. 1987. Ecoregions of the Conterminous United States. Map (scale 1:7,500,000). *Annals of the Association of American Geographers* 77(1):118-125.

Perkins, B. 1997. Aquacultured Oysters. Alabama Cooperative Extension System. Available from: <http://www.aces.edu/pubs/docs/A/ANR-1030/> (accessed February 19, 2008).

Rabalais N., R. E. Turner, C. Li, and G. Stone. 2007. Bottom-water Dissolved Oxygen Concentrations for July 21-28, 2007. National Oceanic and Atmospheric Administration, Center for Sponsored Coastal Ocean Research NGOMEX Hypoxia Studies. Map produced by A. Sapp.

Stevely, J. and D. Sweat. 2000. The Biology and Fishery of Florida's Commercial Sponges. Florida Sea Grant College Program with support from the National Oceanic and Atmospheric Administration, Office of Sea Grant, U.S. Department of Commerce. Available from: <http://edis.ifas.ufl.edu/SG045> (accessed February 19, 2008).

Texas Parks and Wildlife Department. 2007. Hummingbirds of Ecoregion 6: South Texas Plains. Available from: http://www.tpwd.state.tx.us/learning/texas_nature_trackers/hummingbird_roundup/identification/county_ecoregions/reg_6_south_tx/ (accessed February 8, 2008).

Thieler, R. E. and E. S. Hammar-Klose. 2006. National Assessment of Coastal Vulnerability to Sea-level Rise: Preliminary Results for the U.S. Gulf of Mexico Coast. U.S. Geological Survey Open-File Report 00-179. Available from: <http://pubs.usgs.gov/of/2000/of00-179/> (accessed February 28, 2008).

Turner, E.R. and N. Rabalais. 2007. 2007 Forecast of the Hypoxic Zone Size, Northern Gulf of Mexico. National Oceanic and Atmospheric Administration, Center for Sponsored Coastal Ocean Research NGOMEX Hypoxia Studies.

U.S. Army Corps of Engineers. 2007a. U.S. Waterway Data - Principal Ports of the United States. Navigation Data Center. Available from: <http://www.iwr.usace.army.mil/NDC/gis/gis1.htm> (accessed February 25, 2008).

_____. 2007b. The U.S. Waterway System – Transportation Facts. Navigation Data Center (Factcard 2006). Available from: <http://www.iwr.usace.army.mil/ndc/factcard/fc06/factcard.htm> (accessed May 14, 2008).

_____. 2007c. The U.S. Waterway System – Transportation Facts. Navigation Data Center (Factcard 2007). Available from: <http://www.iwr.usace.army.mil/ndc/factcard/fc07/factcard.htm> (accessed February 14, 2008).

_____. 2007d. U.S. Waterway Data – Waterway Network. Navigation Data Center. Available from: <http://www.iwr.usace.army.mil/NDC/gis/gis1.htm> (accessed on February 25, 2008).

The Nature Conservancy. 2008. Gulf of Mexico Initiative. Available from: <http://www.nature.org/wherewework/northamerica/gulfofmexico/?src=search> (accessed February 29, 2008).

_____. 2008. Mississippi River Alluvial Plain. Available from: <http://www.nature.org/wherewework/northamerica/states/louisiana/preserves/art6867.html> (accessed February 8, 2008).

U.S. Census Bureau. 2000. Census 2000 Summary File 2. Available from: http://factfinder.census.gov/home/saff/main.html?_lang=en (accessed February 14, 2008).

_____. 2003. 2002 Residential Construction Data Files. Manufacturing and Construction Division, Residential Construction Branch, U.S. Census Bureau, Washington, DC.

_____. 2004. 2003 Residential Construction Data Files. Manufacturing and Construction Division, Residential Construction Branch, U.S. Census Bureau, Washington, DC.

_____. 2005. 2004 Residential Construction Data Files. Manufacturing and Construction Division, Residential Construction Branch, U.S. Census Bureau,

Washington, DC.

_____. 2006. 2005 Residential Construction Data Files. Manufacturing and Construction Division, Residential Construction Branch, U.S. Census Bureau, Washington, DC.

_____. 2007a. 2006 Housing Unit Dataset. Department of Commerce, U.S. Census Bureau, Washington, DC.

_____. 2007b. 2006 Residential Construction Data Files. Manufacturing and Construction Division, Residential Construction Branch, U.S. Census Bureau, Washington, DC.

U.S. Fish and Wildlife Service. 2008. Atchafalaya National Wildlife Refuge Overview. Available from: <http://www.fws.gov/refuges/profiles/index.cfm?id=43614> (accessed February 19, 2008).

U.S. Geological Survey. 1987. Hydrologic Unit Maps, What are Hydrologic Units? Available from: <http://water.usgs.gov/GIS/huc.html> (accessed May 3, 2004).

_____. 2005. Pully Ridge Introduction. Available from: <http://coastal.er.usgs.gov/pulley-ridge/> (accessed February 8, 2008).

U.S. Geological Survey, Mississippi River/Gulf of Mexico Watershed Nutrient Task Force. 2001. Action Plan for Reducing, Mitigating, and Controlling Hypoxia in the Northern Gulf of Mexico. Washington, DC.

Virginia Department of Conservation and Recreation. 2003. Soil and Water Conservation, Hydrologic Unit Hydrology. Available from: <http://www.dcr.state.va.us/sw/hu.thm> (accessed May 3, 2004).

Wells, J. T. 1982. Ribbons of Sand, Atlantic and Gulf Coast Barriers. Louisiana Sea Grant College Program, Louisiana State University, Baton Rouge, LA.

Western Ecology Division, USEPA. 2008. Level III Ecoregions. Available from: http://www.epa.gov/wed/pages/ecoregions/level_iii.htm (accessed February 29, 2008).

Woods and Poole Economics, Inc. 2007. Complete Economic and Demographic Data Source (CEDDS). Washington, DC.

World Wildlife Fund. 2001a. East Central Texas forests (NA0405). Available from

http://www.worldwildlife.org/wildworld/profiles/terrestrial/na/na0405_full.html (accessed February 8, 2008).

_____. 2001b. Mississippi Lowland forests (NA0409). Available from http://www.worldwildlife.org/wildworld/profiles/terrestrial/na/na0409_full.html (accessed February 8, 2008).

_____. 2001c. Piney Woods forests (NA0523). Available from http://www.worldwildlife.org/wildworld/profiles/terrestrial/na/na0814_full.html (accessed February 8, 2008).

_____. 2001d. Southeastern Mixed forests (NA0413). Available from http://www.worldwildlife.org/wildworld/profiles/terrestrial/na/na0413_full.html (accessed February 8, 2008).

_____. 2001e. Tamaulipan mezquital (NA1312). Available from http://www.worldwildlife.org/wildworld/profiles/terrestrial/na/na1312_full.html (accessed February 8, 2008).



_____. 2001f. Texas Blackland prairies (NA0814). Available from http://www.worldwildlife.org/wildworld/profiles/terrestrial/na/na0814_full.html (accessed February 8, 2008).

_____. 2001g. Western Gulf Coastal grasslands (NA0701). Available from http://www.worldwildlife.org/wildworld/profiles/terrestrial/na/na0701_full.html (accessed February 8, 2008).

_____. 2008. Conservation Science > Ecoregions. Available from <http://www.worldwildlife.org/science/ecoregions.cfm> (accessed February 29, 2008).

Appendix

The Gulf Coast Region



Gulf of Mexico Coastal Counties

Florida	33 Pinellas	62 Wilkinson	93 St. Tammany	124 Kleberg
1 Bay	34 Polk		94 Tangipahoa	125 Lavaca
2 Calhoun	35 Santa Rosa	Louisiana	95 Terrebonne	126 Liberty
3 Charlotte	36 Sarasota	63 Acadia	96 Vermilion	127 Live Oak
4 Citrus	37 Sumter	64 Ascension	97 Vernon	128 Matagorda
5 Collier	38 Suwannee	65 Assumption	98 Washington	129 Newton
6 DeSoto	39 Taylor	66 Avoyelles	99 West Baton Rouge	130 Nueces
7 Dixie	40 Wakulla	67 Beauregard	100 West Feliciana	131 Orange
8 Escambia	41 Walton	68 Calcasieu		132 Refugio
9 Franklin	42 Washington	69 Cameron	Texas	133 San Patricio
10 Gadsden		70 East Baton Rouge	101 Aransas	134 Starr
11 Gilchrist	Alabama	71 East Feliciana	102 Austin	135 Tyler
12 Glades	43 Baldwin	72 Evangeline	103 Bee	136 Victoria
13 Gulf	44 Clarke	73 Iberia	104 Brazoria	137 Waller
14 Hardee	45 Covington	74 Iberville	105 Brooks	138 Washington
15 Hendry	46 Escambia	75 Jefferson	106 Calhoun	139 Webb
16 Hernando	47 Geneva	76 Jefferson Davis	107 Cameron	140 Wharton
17 Hillsborough	48 Mobile	77 Lafayette	108 Chambers	141 Wilacy
18 Holmes	49 Monroe	78 Lafourche	109 Colorado	
19 Jackson	50 Washington	79 Livingston	110 DeWitt	
20 Jefferson		80 Orleans	111 Duval	
21 Lafayette	Mississippi	81 Plaquemines	112 Fayette	
22 Lake	51 Amite	82 Point Coupee	113 Fort Bend	
23 Lee	52 George	83 Rapides	114 Galveston	
24 Leon	53 Hancock	84 Sabine	115 Goliad	
25 Levy	54 Harrison	85 St. Bernard	116 Harris	
26 Liberty	55 Jackson	86 St. Charles	117 Hidalgo	
27 Madison	56 Lamar	87 St. Helena	118 Jackson	
28 Manatee	57 Marion	88 St. James	119 Jasper	
29 Marion	58 Pearl River	89 St. John the Baptist	120 Jefferson	
30 Monroe	59 Pike	90 St. Landry	121 Jim Hogg	
31 Okaloosa	60 Stone	91 St. Martin	122 Jim Wells	
32 Pasco	61 Walthall	92 St. Mary	123 Kenedy	



The Gulf of Mexico Alliance is a partnership among the states of Alabama, Florida, Louisiana, Mississippi, and Texas, with the goal of significantly increasing regional collaboration to enhance the environmental and economic health of the Gulf of Mexico.

www.gulfofmexicoalliance.org

