



NOAA TECHNICAL MEMORANDUM NMFS-SEFSC-613

## Bibliography of Marine Turtle Research in the Gulf of Mexico

By

Lesley Stokes



U.S. Department of Commerce  
National Oceanic and Atmospheric Administration  
National Marine Fisheries Service  
Southeast Fisheries Science Center  
75 Virginia Beach Drive  
Miami, Florida 33149

April 2011

Cover photo: Nesting Kemp's ridley (NMFS/SEFSC photo)



NOAA TECHNICAL MEMORANDUM NMFS-SEFSC-613

## Bibliography of Marine Turtles in the Gulf of Mexico

By

Lesley Stokes

National Marine Fisheries Service  
Southeast Fisheries Science Center  
75 Virginia Beach Drive  
Miami, Florida 33149

U.S. DEPARTMENT OF COMMERCE  
Gary Locke, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
Dr. Jane Lubchenco  
Under Secretary for Oceans and Atmosphere

NATIONAL MARINE FISHERIES SERVICE  
Eric Schwaab  
Assistant Administrator for Fisheries

April 2011

This Technical Memorandum series is used for documentation and timely communication of preliminary results, interim reports, or special-purpose information. Although the memoranda are not subject to complete formal review, editorial control, or detailed editing, they are expected to reflect sound professional work.

## NOTICE

---

The NOAA Fisheries (NMFS) does not approve, recommend or endorse any proprietary product or material mentioned in this publication. No reference shall be made to NOAA Fisheries, or to this publication furnished by NOAA Fisheries, in any advertising or sales promotion which would indicate or imply that NOAA Fisheries approves, recommends or endorses any proprietary product or material herein or which has as its purpose any intent to cause or indirectly cause the advertised product to be used or purchased because of NOAA Fisheries publication.

---

This report should be cited as follows:

Stokes, L. 2011. Bibliography of Marine Turtle Research in the Gulf of Mexico. NOAA Technical Memorandum NMFS-SEFSC-613, 54 p.

Copies may be obtained by writing:

National Marine Fisheries Service  
Southeast Fisheries Science Center  
NOAA Fisheries  
75 Virginia Beach Drive  
Miami, FL 33149

Or

National Technical Information Service  
5285 Port Royal Road  
Springfield, Virginia 22161  
(703) 605-6000, (800) 553-6847  
<http://www.ntis.gov/numbers.htm>

## Acknowledgments

This bibliography represents a compilation of peer reviewed and gray literature available on marine turtles in the Gulf of Mexico. The document fulfills a request from the Natural Resource Damage Assessment (NRDA) Turtle Working Group for a historical literature compilation in response to the Deepwater Horizon MC252 oil spill in the Gulf of Mexico. As such, available references for the effects of oil/petroleum and platform rig removal on marine turtle habitats have also been included regardless of geographic extent.

Thanks go to all who contributed to this effort, particularly Sheryan Epperly, Donna Shaver, Danya Machnes, and Eric Ruder. Two databases, Seaturtle.org and the Archie Carr Center for Sea Turtle Research Sea Turtle Online Bibliography, were valuable sources for the information presented here.

## A

Adams, K. and Keller, C. 1983. Proceedings of a Workshop on Cetaceans and Sea Turtles in the Gulf of Mexico: Study Planning for Effects of Outer Continental Shelf Development; Distribution and abundance of endangered and vulnerable mammals, birds, and turtles. USFWS contract report BLM: IA2-13; MMS: 14-12-0001-29118, 4p. (*Distribution, Abundance*)

Addison, D. S., Gore, J. A., Ryder, J., and Worley, K. 2002. Tracking post-nesting movements of loggerhead turtles (*Caretta caretta*) with sonic and radio telemetry on the southwest coast of Florida, USA. *Marine Biology*, v. 141, no. 1, p. 201-205. (*Telemetry/tracking, Nesting, Migration/movement, Loggerhead, Caretta caretta*)

Anon. 1977. Clearly on the skids, Kemp's ridley highlights turtle's plight. *World Wildlife News* 5(3):2-5. (*Kemp's ridley, Lepidochelys kempii*)

Anon. 1985. Results of a tagging study at Cedar Key, Florida, with comments on Kemp's ridley distribution in the Southeast U.S. NOAA/NMFS 3500 Delwood Beach Road, Panama City, Florida 32408, 4p. (*Kemp's ridley, Lepidochelys kempii, Distribution*)

Anon. 1996. Our living oceans. Report on the status of U.S. living marine resources, 1995 NOAA Tech Memo NMFS-F/SPO-19, U.S. Dept. Commerce, Washington D.C. 160 pp. (*Population dynamics*)

Averbeck, M., Shaver, D., LeRoux, R. A. and Dutton, P. H. 2006. Genetic stock origin of hawksbill turtle strandings on the Texas coast based on MtDNA. In: Proceedings of the 26th Annual Symposium on Sea Turtle Biology and Conservation, April, 2006. Island of Crete, Greece, p. 287. M. Frick, A. Panagopoulou, A.F. Rees, and K. Williams (compilers). Book of Abstracts, International Sea Turtle Society. (*Genetics, Hawksbill, Eretmochelys imbricata, Strandings*)

Avent, R. M. 2004. Minerals Management Service Environmental Studies Program: A History of Biological Investigations in the Gulf of Mexico, 1973-2000. MMS Tech Report 2004-015. (*Oil platform removal, Oil/petroleum/hydrocarbons*)

## B

Barichivich, W. J. 2006. Characterization of a marine turtle aggregation in the big bend of Florida. M.S. Thesis, University of Florida, Gainesville: 57 pp. (*Distribution*)

Barichivich, W., Sulak, K., and Carthy, R. 1997. Characterization of Kemp's ridley sea turtles in the Florida Big Bend Area during 1997. Department of Fisheries and Aquatic Sciences University of Florida, Gainesville, FL. Annual report to National Marine Fisheries Service, Southeast Fisheries Science Center, Panama City, FL, 12p. (*Kemp's ridley, Lepidochelys kempii*)

Barichivich, W., Sulak, K., and Carthy, R. 1998. Feeding ecology and habitat affinities of Kemp's ridley sea turtles (*Lepidochelys kempii*). Department of Fisheries and Aquatic Sciences University of Florida, Gainesville, FL. Final report to National Marine Fisheries Service, Southeast Fisheries Science Center, Panama City, FL, 18p. (*Feeding ecology, Ecology, Habitat use, Kemp's ridley, Lepidochelys kempii*)

Barichivich, W. J., Sulak, K. J., and Carthy, R. R. 1999. Feeding ecology and habitat affinities of Kemp's ridley sea turtles (*Lepidochelys kempii*) in the Big Bend, Florida. NMFS Tech Report, Order No. 189, 15pp. (*Feeding ecology, Ecology, Habitat use, Kemp's ridley, Lepidochelys kempii*)

Bell, B. 2005. The effects of crude oil contamination on the reproduction of freshwater turtles. Ph. D dissertation, Drexel University, Philadelphia, PA, 129 p. (*Oil/petroleum/hydrocarbons, Freshwater turtles*)

Bell, B., Spotila, J. R., and Congdon, J. 2006. High incidence of deformity in aquatic turtles in the John Heinz National Wildlife Refuge. Environmental Pollution; v. 142, p. 457-465. (*Freshwater turtles, Health assessment*)

Berry, F. H. 1987. MEXUS-Gulf sea turtle research, 1977-85. Marine Fisheries Review 49(1): 50-51. (*Nesting, Kemp's ridley, Lepidochelys kempii, Head start, Turtle Excluder Devices*)

Bjorndal, K.A., and Bolten, A.B. 1990. Goals for sea turtle research in the Gulf of Mexico with respect to the oil and gas industries In: Tucker and Associates, Inc., (Editors) Sea turtles and marine mammals of the Gulf of Mexico. OCS Study MMS 90-0009, Minerals Management Service, U.S. Dept. of Interior, New Orleans, p. 47-58. (*Oil/petroleum/hydrocarbons*)

Bjorndal, K.A., Bolten, A.B., Koike, B., Schroeder, B. A., Shaver, D. J., Teas, W. G., and Witzell, W. N. 2001. Somatic growth function for immature loggerhead sea turtles, *Caretta caretta*, in southeastern U.S. waters. Fisheries Bulletin, 99(2), p. 240-246. (*Growth, Loggerhead, Caretta caretta*)

Bolten, A. B. (compiler). 1990. Distribution, abundance, and survey techniques for sea turtles in the Gulf of Mexico. In: Tucker & Associates, Inc. (eds.), Sea turtles and marine mammals of the Gulf of Mexico, proceedings of a workshop held in New Orleans, August 1-3, 1989. OCS Study MMS 90-0009. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA., p. 83-87. (*Distribution, Abundance, Aerial survey*)

Bossart, G. D., Lutcavage, M., Mealy, B. and Lutz, P. 1993. The Dermatopathologic Effects of Oil on Loggerhead Sea Turtles (*Caretta caretta*), Proc. Third International Conference on The Effects of Oil on Wildlife. Tri-State Bird Rescue and Research, Inc., Newark, Delaware, pp. 180-181. (*Oil/petroleum/hydrocarbons, Health assessment, Loggerhead, Caretta caretta*)

Bowen, B. W., Conant, T. A., Hopkins-Murphy, S. R. 1994. Where are they now? The Kemp's ridley headstart project. Conservation Biology 8:853-856. (*Kemp's ridley, Lepidochelys kempii, Head start*)

Braun, J., and Epperly, S. P. 1996. Aerial surveys for sea turtles in Southern Georgia waters, June 1991. *Gulf of Mexico Science* 14 (1), p. 39-44. (*Aerial survey*)

Braun-McNeill, J., and Epperly, S. P. 2002. Spatial and temporal distribution of sea turtles in the western North Atlantic and the U.S. Gulf of Mexico from Marine Recreational Fishery Statistics Survey (MRFSS) *Marine Fisheries Review* 64 (4), p. 50-56. (*Distribution*)

Burchfield, P.M. 2000. Part 1. 2000 Progress report to the National Marine Fisheries Service in partial fulfillment to grant # NA96FE0306 for the Mexico / United States of America population restoration project for the Kemp's Ridley turtle. Report to National Marine Fisheries Service, 4p. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)

Burchfield, P.M. 2000. Part 2. Progress report to the National Marine Fisheries Service in partial fulfillment to grant # NA96FE0306 for the Mexico / United States of America population restoration project for the Kemp's Ridley turtle. Report to National Marine Fisheries Service, 11p. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)

Burchfield, P. M. 2009. Report on the Mexico/United States of America Population Restoration Project for the Kemp's Ridley Sea Turtle, *Lepidochelys kempii*, on the Coasts of Tamaulipas, Mexico. Unpublished Report. (*Kemp's ridley, Lepidochelys kempii*)

Byles, R. A. 1988. Satellite telemetry of Kemp's ridley sea turtle, *Lepidochelys kempii* in the Gulf of Mexico. Report to the National Fish and Wildlife Foundation. (*Telemetry/tracking, Kemp's ridley, Lepidochelys kempii*)

Byles, R. A. 1989. Satellite Telemetry of Kemp's Ridley sea turtle, *Lepidochelys kempii*, in the Gulf of Mexico. In: S.A. Eckert, K.L. Eckert, and T.H. Richardson compilers, Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology, p. 25-26. NOAA Technical Memorandum NMFS-SEFC-232, 306 p. (*Telemetry/tracking, Kemp's ridley, Lepidochelys kempii*)

Byrd, H., English, E., Greer, R., Hinkelday, H., Kicklighter, W., Meade, N., Michel, J., Tomasi, T., and Wood, R. 2002. Estimate of total injury to diamondback terrapins from the Chalk Point oil spill, 18 p. (*Terrapins, Oil/petroleum/hydrocarbons*)

## C

Caillouet, C.W. 1984. Essai de prevention de l'extinction de la Tortue de Kemp. *Les Carnets de Zoologie* 14:20-34. (*Kemp's ridley, Lepidochelys kempii*)

Caillouet, C. W., Jr. 1987. Report on efforts to prevent extinction of Kemp's ridley sea turtles through head starting. NOAA Technical Memorandum, NMFS-SEFC-188, 20 p. (*Head start, Kemp's ridley, Lepidochelys kempii*)

Caillouet, C. W., Jr. 1995. An update of sample sex composition data for head-started Kemp's ridley sea turtles. Marine Turtle Newsletter No. 69, pp. 11-14. (*Head start, Sex ratio, Kemp's ridley, Lepidochelys kempii*)

Caillouet, C. W., Jr. 1998. Testing hypotheses of the Kemp's ridley head-start experiment. Marine Turtle Newsletter No. 79, pp. 16-18. (*Head start, Kemp's ridley, Lepidochelys kempii*)

Caillouet Jr., C.W. 1999. Marine Turtle Newsletter articles on status of the Kemp's ridley population and actions taken toward its recovery. Unpublished Report. (*Kemp's ridley, Lepidochelys kempii, Population dynamics*)

Caillouet, C. W., Jr., Fontaine, C. T., Williams, T. D., Manzella, S. A., Revera, D. B., Koi, D. B., Indelicato, K. L. W., Tyree, M. G., Leong, J. K., Duronslet, M. J., and Marvin, K. T. 1986. The Kemp's Ridley sea turtle head start research project: An annual report for fiscal year 1985. NOAA Technical Memorandum, NMFS-SEFC-174, 90 p. (*Kemp's ridley, Lepidochelys kempii, Head start*)

Caillouet, C. W., Jr., Koi, D. B., Fontaine, C. T., and Harris, R. M. 1987. Growth and survival of Kemp's ridley sea turtle, *Lepidochelys kempii*, in captivity. NOAA Technical Memorandum, NMFS-SEFC-186, 60 p. (*Growth, Survival, Kemp's ridley, Lepidochelys kempii, Head start*)

Caillouet, C. W., Duronslet, M. J., Landry, A. M., Revera, D. B., Shaver, D. J., Stanley, K. M., Heinly, R. W., and Stabenau, E. K. 1991. Sea turtle strandings and shrimp fishing effort in the northwestern Gulf of Mexico, 1986-89. Fishery Bulletin 89 (4), p. 712-718. (*Strandings, Fisheries interactions*)

Caillouet, C. W., Jr., M. J. Duronslet, A. M. Landry, Jr., and D. J. Shaver. 1992. Sea turtle strandings and shrimping effort on coasts of southwestern Louisiana and Texas. In: Proceedings of the 11th Annual Workshop on Sea Turtle Conservation and Biology, February 26-March 2, 1991, Jekyll Island, Georgia, p. 24-27. M. Salmon and J. Wyneken (compilers). NOAA Technical Memorandum NMFS-SEFSC-302. (*Strandings, Fisheries interactions*)

Caillouet, C. W., Jr., Fontaine, C. T., Manzella-Tirpak, S. A., and Shaver, D. J. 1995. Survival of head-started Kemp's ridley sea turtles (*Lepidochelys kempii*) released into the Gulf of Mexico or adjacent bays. Chelonian Conservation and Biology 1(4), p. 285-292. (*Survival, Kemp's ridley, Lepidochelys kempii, Head start*)

Caillouet, C. W., Jr., Shaver, D. J., Teas, W. G., Nance, J. M., Revera, D. B., and Cannon, A. C. 1996. Relationship between sea turtle stranding rates and shrimp fishing intensities in the northwestern Gulf of Mexico: 1986-1989 versus 1990-1993. Fishery Bulletin 94 (2), p. 237-249. (*Strandings, Fisheries interactions*)

Campbell, C., and Sulak, K. 1997. Characterization of Kemp's ridley sea turtles in the Florida Big Bend Area during 1995 and 1996. Department of Fisheries and Aquatic Sciences University of Florida, Gainesville, FL. Final report to National Marine Fisheries Service, Southeast Fisheries Science Center, Panama City, FL, 17p. (*Kemp's ridley, Lepidochelys kempii*)

- Cannon, A., Fontaine, C., Williams, T., Revera, D., and Caillouet, C., Jr. 1994. Incidental catch of Kemp's ridley sea turtles (*Lepidochelys kempii*) by hook and line along the Texas coast, 1980-1992, pp. 40-42. In: Schroeder, B. A. and B. Witherington (Editors). Proceedings of 13th Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum, NMFS-SEFC-341, 281 p. (*Fisheries interactions, Kemp's ridley, Lepidochelys kempii*)
- Carminati, C. E., Gerle, E., Kiehn, L. L., and Pisciotta, R. P. 1994. Blood chemistry comparison of healthy vs. hypothermic juvenile Kemp's ridley sea turtles (*Lepidochelys kempii*). In: Proc. 14th Ann. Workshop on Sea Turtles Conservation and Biology, K. A. Bjorndal, A. B. Bolten, and D. A. Johnson, compilers. NMFS Tech. Memo. NOAA-TM-NMFS-SEFSC-351, Miami, Fla., p. 203. (*Health assessment, Kemp's ridley, Lepidochelys kempii*)
- Carr, A. 1969. Sea turtle resources of the Caribbean and Gulf of Mexico. IUCN Bull. New Series 2 (10), p. 74-75. (*Miscellaneous*)
- Carr, A. 1969. Sea turtle resources of the Caribbean and Gulf of Mexico. FAO report 71(1), p. 160-161. (*Miscellaneous*)
- Carr, A. 1979. Some problems of sea turtle ecology: Presented at: Symposium on Behavioral and Reproductive Biology of Sea Turtles, Tampa, FL, 27 Dec. American Zoologist; 1980, v. 20 (3), p. 489-498. (*Ecology, Behavior, Reproductive biology*)
- Casas-Andreu, G. 1978. Studies of the nesting of the marine turtles of the genus *Lepidochelys* in Mexico. Analisis de la anidacion de las tortugas marinas del genero *Lepidochelys* en Mexico An. Cent. Cienc. Mar Limnol. Univ. Nac. Auton. Mex. 5(1): 141-157. (*Nesting, Lepidochelys kempii, Lepidochelys olivacea, Kemp's ridley, Olive ridley*)
- Chaloupka, M., and Zug, G. R. 1997. A polyphasic growth function for the endangered Kemp's ridley sea turtle, *Lepidochelys kempii*. Fish Bull 95:849-856. (*Growth, Kemp's ridley, Lepidochelys kempii*)
- Cherfas, J. 1978. A tale of two turtles. New Scientist 78(1104): 513-516. (*Kemp's ridley, Lepidochelys kempii, Olive ridley, Lepidochelys olivacea*)
- Collard, S. B. 1987. Review of oceanographic features relating to neonate sea turtle distribution and dispersal in the pelagic environment: Kemp's ridley (*Lepidochelys kempii*) in the Gulf of Mexico. Contract Number 40-GFNF-5-00193. NOAA / NMFS Panama City, Florida 32407. (*Distribution, Kemp's ridley, Lepidochelys kempii*)
- Collard, S. B. 1990. Leatherback turtles feeding near a watermass boundary in the Eastern Gulf of Mexico. Marine Turtle Newsletter No. 50, p. 12-14. (*Leatherback, Dermochelys coriacea, Feeding ecology*)
- Collard, S. B., Ogren, L. H. 1990. Dispersal scenarios for pelagic post-hatchling sea turtles. Bulletin of Marine Science 47:233-243. (*Distribution, Migration/movement*)

Collins, J. 1996. Shrimp trawl bycatch and possible solutions. In: Wray, T. (Editor), Alaska Sea Grant College Program Report No. 96-03 (AK-SG-96-03). Solving bycatch: Considerations for today and tomorrow; Proceedings of the Solving Bycatch Workshop, Seattle, Washington, USA, September 25-27, 1995. Alaska Sea Grant College Program, University of Alaska Fairbanks: Fairbanks, Alaska, USA. ix+322p. (*Fisheries interactions*)

Conant, T. A., Dutton, P. H., Eguchi, T., Epperly, S. P., Fahy, C. C., Godfrey, M. H., MacPherson, S. L., Possardt, E. E., Schroeder, B. A., Seminoff, J. A., Snover, M. L., Upite, C. M., and Witherington, B. E. 2009. Loggerhead sea turtle (*Caretta caretta*) 2009 status review under the U.S. Endangered Species Act. Report of the Loggerhead Biological Review Team to the National Marine Fisheries Service, August 2009, 222 pp. (*Loggerhead, Caretta caretta, Population dynamics*)

Coyne, M. S. 1994. Feeding ecology of subadult green sea turtles in south Texas waters. Master's Thesis Texas A&M University, 87 pp. (*Feeding ecology, Green, Chelonia mydas*)

Coyne, M. S. 2000. Population sex ratio of the Kemp's ridley sea turtle (*Lepidochelys kempii*): problems in population modeling. Ph.D. Dissertation, Texas A&M University, College Station; 136 pp. (*Sex ratio, Kemp's ridley, Lepidochelys kempii, Population dynamics*)

Coyne, M. S., Landry, A. M., Jr., Patterson, R., and Owens, D. 1994. Sex ratio of immature Kemp's ridley sea turtles in the northwestern Gulf of Mexico, p. 29. In: Bjorndal, K. A., Bolten, A. B., Johnson, D. A., and Eliazar, P. J. (Compilers) Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351, 323 pp. (*Sex ratio, Kemp's ridley*)

Craig, J. K., Crowder, L. B., Gray, C. D., McDaniel, C. J., Henwood, T. A., and Hanifen, J. G. 2001. Ecological effects of hypoxia on fish, sea turtles, and marine mammals in the northwestern Gulf of Mexico Coastal and Estuarine Sciences v. 58, p. 269-291. (*Ecology, Physiology*)

Cuevas, E., and Maldonado, A. 2002. Nueva presencia de tortuga lora (*Lepidochelys kempi*), en las costas de la Península de Yucatán. [New presence of Kemp's ridley (*Lepidochelys kempi*) in the coast of the Peninsula of Yucatan.] Oceanides 17 (1), p. 69-72. (*Lepidochelys kempii, Kemp's ridley*)

Cuevas, E., Abreu-Grobois, A., Guzman-Hernandez, V., Liceaga-Correa, M.A., and van Dam, R.P. 2008. Post-nesting migratory movements of hawksbill turtles *Eretmochelys imbricata* in waters adjacent to the Yucatán Peninsula, Mexico. Endangered Species Research 10:123-133. (*Migration/movement, Hawksbill, Eretmochelys imbricata*)

## **D**

Davis, R. A., Jr., Fitzgerald, M. V., and Terry J. 1999. Turtle nesting on adjacent nourished beaches with different construction styles: Pinellas County, Florida. Journal of Coastal Research Special Issue 15:111-120. (*Nesting*)

Davis, R. W., Evans, W. E., and Würsig, B, eds. 2000. Cetaceans, sea turtles and seabirds in the northern Gulf of Mexico: distribution, abundance, and habitat associations. Volume I: executive summary. Prepared by Texas A&M University at Galveston and the National Marine Fisheries Service. U.S. Department of the Interior, Geological Survey, Biological Resources Division, USGS/BRD/CR- 1999-0006 and Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, L.A. OCS Study MMS 2000-002, 40p. (*Distribution, Abundance, Habitat use*)

Davis, R. W., Evans, W. E., and Würsig, B., eds. 2000. Cetaceans, sea turtles and seabirds in the northern Gulf of Mexico: distribution, abundance, and habitat associations. Volume II: technical report. Prepared by Texas A&M University at Galveston and the National Marine Fisheries Service. U.S. Department of the Interior, Geological Survey, Biological Resources Division, USGS/BRD/CR- 1999-0006 and Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, L.A. OCS Study MMS 2000-003, 363p. (*Distribution, Abundance, Habitat use*)

Delikat, J. E. 1980. *Ixtoc I* Oil Spill and Atlantic Ridley Survival, B.L. Edge (ed.), Coastal Zone '80, Vol. I. American Soc. Civil Engineers, New York, pp. 312-319. (*Oil/petroleum/hydrocarbons, Survival, Kemp's ridley, Lepidochelys kempii*)

Delikat, D. S. 1981. IXTOC I oil spill—Atlantic ridley sea turtle survival. *Underwater Nat.* 13(1): 13–15. (*Oil/petroleum/hydrocarbons, Survival, Kemp's ridley, Lepidochelys kempii*)

Dickerson, D. 2009. Dredging and sea turtles: potential impacts, assessing risk, & protection methods. U.S. Army Corps of Engineers report, 44 pp. (*Dredging*)

Dobie, J. L., Ogren, L. H., and Fitzpatrick, Jr., J. F. 1961. Food notes and records of the Atlantic ridley turtle (*Lepidochelys kempii*) from Louisiana. *Copeia* 1961:109-110. (*Feeding ecology, Kemp's ridley, Lepidochelys kempii*)

Duronslet, M. J., Caillouet, C. W., Manzella, S., Indelicato, K. W., Fontaine, C. T., Revera, D. B., Williams, T., and Boss, D. 1986. The effects of an underwater explosion on the sea turtles *Lepidochelys kempii* and *Caretta caretta* with observations of effects on other marine organisms. Unpublished NMFS Report, 19 pp. (*Oil platform removal, Kemp's ridley, Lepidochelys kempii, Loggerhead, Caretta caretta*)

Dutton, P. H., Pease, V., and Shaver, D. 2006. Characterization of MtDNA variation among Kemp's ridley's nesting on Padre Island with reference to Rancho Nuevo genetic stock. In: Proceedings of the 26th Annual Symposium on Sea Turtle Biology and Conservation, April, 2006. Island of Crete, Greece, p. 189. M. Frick, A. Panagopoulou, A.F. Rees, and K. Williams (compilers). Book of Abstracts, International Sea Turtle Society. (*Genetics, Kemp's ridley, Lepidochelys kempii*)

## E

Eaton, C., McMichael, E., Witherington, B., Foley, A., Hardy, R., and Meylan, A. 2008. In-water sea turtle monitoring and research in Florida: a review and recommendations. U.S. Dept. Commerce, NOAA Technical Memorandum NMFS-OPR-38, 233 p. (*Distribution, Abundance*)

Eckert, S. A., Crouse, D., Crowder, L.B., Maceina, M., Shah, A. 1994. Review of the Kemp's Ridley Sea Turtle Headstart Program. NOAA Tech Report NMFS-OPR-3, 11pp. (*Kemp's ridley, Lepidochelys kempii, Head start*)

Ehrhart, L. M. (compiler). 1990. Ecology and behavior of sea turtles, p. 111-118. In: Tucker & Associates, Inc. eds., Sea turtles and marine mammals of the Gulf of Mexico, proceedings of a workshop held in New Orleans, August 1-3, 1989. OCS Study MMS 90-0009. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA. 211 pp. (*Ecology, Behavior*)

Epperly, S. P., Thompson, N. B., Keinath, J. A., Musick, J. A., and Crouse, D. T. 1989. The natural resources associated with Mobil's proposed drill site, p.49-61. In: Crawford, K. (ed.) Proceedings Marine Expo '89, Wilmington, NC, Department of Administration, Outer Continental Shelf Office, Raleigh, NC, 64p. (*Oil/petroleum/hydrocarbons*)

Epperly, S. P., Avens, L., Garrison, L., Henwood, T., Hoggard, W., Mitchell, J., Nance, J., Poffenberger, J., Sasso, C., Scott-Denton, E., and Yeung, C. 2002. Analysis of sea turtle bycatch in the commercial shrimp fisheries of southeast U.S. waters and the Gulf of Mexico U.S. Dept. of Commerce, NOAA Technical Memorandum NMFS-SEFSC-490, 88 pp. (*Fisheries interactions*)

Esher, R. J., Levenson, C., and Drummer, T. D. 1992. Aerial surveys of endangered and protected species in the EMPRESS II Ship Trial Operating Area in the Gulf of Mexico. NRL Tech Report A971862, 55 pp. (*Aerial survey*)

## **F**

Fiolek, A., Pikula, L., and Voss, B. 2010. Resources on oil spills, response, and restoration: a selected bibliography. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NESDIS, Current references 2010-2, June 2010, 206 p. [http://docs.lib.noaa.gov/noaa\\_documents/NESDIS/NODC/LISD/Central\\_Library/current\\_references/current\\_references\\_2010\\_2.pdf](http://docs.lib.noaa.gov/noaa_documents/NESDIS/NODC/LISD/Central_Library/current_references/current_references_2010_2.pdf) (*Oil/petroleum/hydrocarbons*)

Florida Institute of Oceanography. 1985. Study of the effects of oil on marine turtles, Vol. 2, Technical Report. Final report submitted by the Florida Institute of Oceanography (FIO) to the U.S. Minerals Management Service, St. Petersburg, Fla. November, 143 p. (*Oil/petroleum/hydrocarbons*)

Florida Fish and Wildlife Conservation Commission (FWC). 2008. Pelagic Neonate and Juvenile Sea Turtles in Gulf and Atlantic Surface Waters off Florida: Distribution, Densities, Threats, Habitat Descriptions, and Behavior. A Final Programmatic Report Submitted to the National Marine Fisheries Service for the funded project NA06NMF4720031, 71 pp. (*Distribution, Abundance, Behavior*)

Foley, A. M., Schroeder, B. A., Redlow, A. E., Fick-Child, K. J., and Teas, W. G. 2005. Fibropapillomatosis in stranded green turtles (*Chelonia mydas*) from the eastern United States (1980-98): Trends and associations with environmental factors. *Journal of Wildlife Diseases* 41 (1):29-41. (*Health assessment, Green, Chelonia mydas*)

Foley, A. M., Singel, K. E., Dutton, P. H., Summers, T. M., Redlow, A. E., and Lessman, J. 2007. Characteristics of a green turtle (*Chelonia mydas*) assemblage in northwestern Florida determined during a hypothermic stunning event. *Gulf of Mexico Science* 2007:131-143. (*Green, Chelonia mydas, Hypothermic stunning*)

Foley, A., Schroeder, B., and MacPherson, S. 2008. Post-nesting migrations and resident areas of Florida loggerheads. Pages 75-76 in Kalb, H., A. Rohde, K. Gayheart, and K. Shanker (compilers). *Proceedings of the Twenty-fifth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-582. (*Migration/movement, Distribution, Loggerhead, Caretta caretta*)

Fontaine, C. T., and D. J. Shaver. 2005. Head starting the Kemp's ridley sea turtle, *Lepidochelys kempii*, at the National Marine Fisheries Service Galveston Laboratory (1978 - 1992): A review. *Chelonian Conservation and Biology* 4(4):838-845. (*Head start, Kemp's ridley, Lepidochelys kempii*)

Fontaine, C. T., Leong, J., and Caillouet, C. W. 1983. Headstarting Kemp's ridleys, 1982, p. 22-29. In: Owens, D., Crowell, D., Grassman, M., McGain, S., Morris, Y., Schwantes, N., and Wibbels, T. (Editors) *Western Gulf of Mexico Sea Turtle Workshop Proceedings*, Texas A&M University, Sea Grant Program. TAMU-SG-84-105, 74 pp. (*Head start, Kemp's ridley, Lepidochelys kempii*)

Frazer, N. B. (compiler). 1990. Population dynamics and life history of sea turtles, p. 89-100. In: Tucker & Associates, Inc. eds., *Sea turtles and marine mammals of the Gulf of Mexico*, proceedings of a workshop held in New Orleans, August 1-3, 1989. OCS Study MMS 90-0009. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA, 211 pp. (*Population dynamics*)

Frey, A., Dutton, P. H., and D.J. Shaver. 2008. Use of microsatellite markers for assigning Kemp's ridley nesting females to unknown nests on the Texas coast. In: *Proceedings of the 27th Annual Symposium on Sea Turtle Biology and Conservation*, February, 2007. Myrtle Beach, South Carolina, p. 85. A.F. Rees, M. Frick, A. Panagopoulou, and K. Williams (compilers). NOAA Technical Memorandum NMFS-SEFSC-569. (*Genetics, Nesting, Kemp's ridley, Lepidochelys kempii*)

Frey, A., P. H. Dutton, and D. J. Shaver. In press. Kemp's ridley nesting on the Texas coast; Assigning nesting females to unknown nests using microsatellites. *The 30th International Sea Turtle Symposium on Sea Turtle Biology and Conservation*, (NOAA Technical Memorandum). (*Genetics, Nesting, Kemp's ridley, Lepidochelys kempii*)

- Fritts, T. H. 1983. Oil and gas impacts on marine turtles in the Gulf of Mexico, p. 49-58. In: Owens, D. et al (eds.), Western Gulf of Mexico Sea Turtle Workshop Proceedings. (*Oil/petroleum/hydrocarbons*)
- Fritts, T. 1983. Distribution of cetaceans and sea turtles in the Gulf of Mexico and nearby Atlantic waters, p. 3-5. In: Keller, C. E., Adams, J. K. eds., Proceedings of a workshop on cetaceans and sea turtles in the Gulf of Mexico: study planning for effects of outer continental shelf development. U.S. Fish and Wildlife Service, Minerals Management Service, FWS/OBS-83/03. (*Oil/petroleum/hydrocarbons*)
- Fritts, T. H., and Reynolds, R. P. 1981. Pilot study of the marine mammals, birds and turtles in OCS areas of the Gulf of Mexico U.S. Fish and Wildl. Serv. FWS/OBS-81/36; Sept., 139 p. (*Oil/petroleum/hydrocarbons*)
- Fritts, T. H., and McGehee, M. A. 1982. Effects of petroleum on the development and survival of marine turtle embryos. Contract No. 14-16-0009-80-946, FWS/OBS-82/37. U.S. Fish and Wildlife Service, U.S. Department of the Interior, Washington, D.C., 41 pp. (*Oil/petroleum/hydrocarbons, Health assessment*)
- Fritts, T. H., and McGehee, M. A. 1982. Effects of petroleum on the development and survival of marine turtle embryos. Report to the BLM and MMS, Contract numbers BLM: MU0-21; MMS: 14-12-0001-29096, 3p. (*Oil/petroleum/hydrocarbons, Health assessment*)
- Fritts, T. H., Irvine, A. B., Jennings, R. D., Collum, L. A., Hoffman, W., and McGehee, M.A. 1983. Turtles, birds, and mammals in the northern Gulf of Mexico and nearby Atlantic waters. FWS Tech Report FWS/OBS-82/65, Contract No. 14-16-0009-81-949, 455p. (*Distribution*)
- Fritts, T. H., Hoffman, W., and McGehee, M. A. 1983. The distribution and abundance of marine turtles in the Gulf of Mexico and nearby Atlantic waters. Journal of Herpetology 17 (4): 327-344. (*Distribution, Abundance*)
- Fuller, D. A. 1978. The habitats, distribution, and incidental capture of sea turtles in the Gulf of Mexico. Working paper on sea turtles for the task force developing the draft shrimp management plan for the US Gulf of Mexico. Centre for Wetland Resources, Louisiana State University, Baton Rouge, 44 p. (*Habitat use, Distribution, Fisheries interactions*)
- Fuller, D. A. 1988. Occurrences of sea turtles in eastern Louisiana. Prepared for National Marine Fisheries Service- Panama City, Florida. Contract Number LSU-CFI-88-12, 10p. (*Distribution*)
- Fuller, D. A., and Tappan, A. M. 1987. The occurrence of sea turtles in coastal Louisiana waters In: Proceedings Seventh Annual Gulf of Mexico Information Transfer Meeting, November 1986. U.S. Department of the Interior, Minerals Management Service. OCS Study, MMS 87-0058, p. 171-173. (*Distribution*)

Fuller, D. A., Tappan, A. M., and Hester, M. C. 1987. Sea turtles in Louisiana's coastal waters. Prepared for Coastal Fisheries Institute and Louisiana Sea Grant College Program. Contribution No. LSU-CFI-87-18. Louisiana State University, Baton Rouge, LA 70803, 48p. (*Distribution*)

## G

Gallaway, B. J. 2000. The Kemp's ridley and the Gulf of Mexico shrimp fishery, p. 64. In: Kalb, H. J., Wibbels, T. Compilers, Proceedings of the Nineteenth Annual Symposium on Sea Turtle Biology and Conservation. U.S. Department of Commerce. NOAA Tech. Memo. NMFS-SEFSC-443, 291 p. (*Fisheries interactions, Kemp's ridley, Lepidochelys kempii*)

Garduno-Andrade, M., Guzman, V., Miranda, E., Briseno-Duenas, R., and Abreu-Grobois, F.A. 1999. Increases in hawksbill turtle (*Eretmochelys imbricata*) nestings in the Yucatan Peninsula, Mexico, 1977–1996: Data in support of successful conservation? *Chelonian Conservation and Biology* 3:286-295. (*Nesting, Hawksbill, Eretmochelys imbricata*)

Garduno, M., Maldonado, A., Marquez-M, R., Schroeder, B., and Balazs, G. H. 2000. Satellite tracking of an adult male and female green turtle from Yucatan in the Gulf of Mexico, p. 158-159. Author: Found In: Kalb, H. J., Wibbels, T. Compilers, Proceedings of the Nineteenth Annual Symposium on Sea Turtle Biology and Conservation. U.S. Department of Commerce. NOAA Tech. Memo. NMFS-SEFSC-443, 291 pp. (*Telemetry/tracking, Green, Chelonia mydas*)

Garmon, L. 1980. Autopsy of an Oil Spill. *Science News* 118(17): 267-270. (*Oil/petroleum/hydrocarbons*)

Geis, A. A., Barichivich, W. J., Wibbels, T., Coyne, M., Landry, A. M., Owens, D. 2005. Predicted sex ratios of juvenile Kemp's ridley sea turtles captured near Steinhatchee, Florida. *Copeia* 2005: 393-398. (*Sex ratio, Kemp's ridley, Lepidochelys kempii*)

Girard, C., Tucker, A. D., and Calmettes, B. 2009. Post-nesting migrations of loggerhead sea turtles in the Gulf of Mexico: dispersal in highly dynamic conditions. *Marine Biology* 156 (9): 1827-1839. (*Telemetry/tracking, Loggerhead, Caretta caretta*)

Gitschlag, G. 1992. Effects of the *Mega Borg* oil spill on sea turtles along the upper Texas coast. Research Planning, Inc. (ed.), Fate and Effects of the *Mega Borg* Oil Spill. NOAA, Damage Assessment Center, Rockville, Maryland, 18 pp. (plus appendices). (*Oil/petroleum/hydrocarbons*)

Gitschlag, G. 1994. NMFS Platform Removal - Sea Turtle Observer Program, p. 274-279. In: Proceedings of the 13th Gulf of Mexico Information Transfer Meeting, December 1993. U.S. Department of Interior, Minerals Management Service, New Orleans, LA. MMS Contract No. 14-35-0001-30665, OCS Study MMS 94-0061, 508 pp. (*Oil platform removal*)

- Gitschlag, G. and Hale, J.K. Susceptibility of sea turtle to underwater explosives at offshore energy structure removals. Unpublished manuscript on file at NMFS Galveston Laboratory, SEFSC, Galveston, TX 77551. (*Oil platform removal*)
- Gitschlag, G., and Herczeg, B. 1994. Sea turtle observations at explosive removals of energy structures. *Marine Fisheries Review* 56 (2):1-8. (*Oil platform removal*)
- Gitschlag, G., Herczeg, B. A., and Barcak, T. R. 1997. Observations of sea turtles and other marine life at the explosive removals of offshore oil and gas structures in the Gulf of Mexico. *Research Reports* 9 (4): 247-262. (*Oil platform removal*)
- Graham, K., Lehman, J. W., and Herbst, L. H. 1987. Sea turtle problems in the Gulf of Mexico: session overview, p. 167-170. In: *Proceedings Seventh Annual Gulf of Mexico Information Transfer Meeting*, November 1986. U.S. Dept. of the Interior, Minerals Management Service. OCS Study, MMS 87-0058. (*Miscellaneous*)
- Gramentz, D. 1988. Involvement of loggerhead turtles with the plastic, metal, and hydrocarbon pollution in the Central Mediterranean: *Marine Pollution Bulletin*, Vol. 19, pp. 11-13. (*Oil/petroleum/hydrocarbons*)
- Gregory, L. F., and Schmid, J. R. 2001. Stress responses and sexing of wild Kemp's ridley sea turtles (*Lepidochelys kempii*) in the northeastern Gulf of Mexico. *General and Comparative Endocrinology* 124: 66-74. (*Health assessment, Sex ratio, Kemp's ridley, Lepidochelys kempii*)
- Griffin, R. B., and Griffin, N. J. 2003. Distribution, habitat partitioning, and abundance of Atlantic spotted dolphins, bottlenose dolphins, and loggerhead sea turtles on the eastern Gulf of Mexico continental shelf. *Gulf of Mexico Science* 21(1):23-34. (*Distribution, Habitat use, Abundance, Loggerhead, Caretta caretta*)
- Griffin, E. G. 2010. Potential impacts of Deepwater Horizon Oil Spill on sea turtles. *Oceana Tech Report*, 14 pp. (*Oil/petroleum/hydrocarbons*)
- Griffin, E., Miller, K. L., Harris, S., and Allison, D. 2008. Trouble for turtles: trawl fishing in the Atlantic Ocean and Gulf of Mexico. *Oceana Tech Report*, 20 pp. (*Fisheries interactions*)
- Guggenheim, D. E., and Fernández Chamero, J. L. 2008. Cuba-US Collaboration in Marine Science & Conservation: To Advance Joint Activities for Science & Conservation in the Gulf of Mexico & Western Caribbean. *Proceedings of an International Workshop: 1-2 November 2007, Cancún, México*. 43p. (*Miscellaneous*)
- Gunter, G. 1981. Status of turtles on the Mississippi coast. *Gulf Research Reports* 7:89-92. (*Population dynamics*)

Guzman-Hernandez, V., Cuevas-Flores, E. A., and Marquez-Millan, R. 2007. Occurrence of Kemp's Ridley (*Lepidochelys kempii*) Along the Coast of the Yucatan Peninsula, Mexico. *Chelonian Conservation and Biology* 6:274-277. (*Distribution, Kemp's ridley, Lepidochelys kempii*)

## H

Hall, R. J., Belisle, A. A., and Sileo, L. 1983. Residues of petroleum hydrocarbons in tissues of sea turtles exposed to the Ixtoc I oil spill. *Journal of Wildlife Diseases* 19(2): 106-109. (*Oil/petroleum/hydrocarbons*)

Hart K.M, and Fujisaki, I. 2010. Satellite tracking reveals habitat use by juvenile green sea turtles *Chelonia mydas* in the Everglades, Florida, USA. *Endangered Species Research* 11:221-232. (*Telemetry/tracking, Habitat use, Green, Chelonia mydas*)

Hart, K. M. 2010. Use of protected areas by threatened and endangered marine turtles in the Dry Tortugas Pg: 12-13, In: Hallac, D and J. Hunt, editors. Implementing the Dry Tortugas National Park Research Natural Areas Science Plan: the 3-year report. South Florida Natural Resources Center, Everglades and Dry Tortugas National Parks, Homestead, FL, and the Florida Fish and Wildlife Conservation Commission, Tallahassee, FL. 37 pp. (*Distribution, Habitat use*)

Hart, K. 2008. USGS - Soundwaves, Tracking sea turtles in the Dry Tortugas: Tracking Movements of Endangered Species in Florida's Coral-Reef Habitats, <http://soundwaves.usgs.gov/2008/12/>. (*Telemetry/tracking, Migration/movement, Habitat use*)

Hart, K. M. 2008. Tracking sea turtles in the Everglades United States Fish and Wildlife Service. *Endangered Species Bulletin* 33(3):26-29. (*Telemetry/tracking*)

Hart, K.M., McIvor CC. 2007. Using sea turtles to find seagrass: Tracking juvenile *Chelonia mydas* with satellite telemetry in the southwest coastal Everglades, Florida, USA. Poster presentation, Biosensing in Ocean Observation workshop, Mote Marine Lab, Sarasota, FL, USA, June. (*Ecology, Telemetry/tracking*)

Hart, K. M., Naro-Maciel, E., Good, C. P., and McIvor, C. C. 2007. Green sea turtles (*Chelonia mydas*) of Everglades National Park: Habitat associations and genetic analyses. Poster presentation, 27th Annual Sea Turtle Symposium, Myrtle Beach, SC, USA, February. (*Habitat use, Genetics, Green, Chelonia mydas*)

Hart, K. M., McIvor, C. C., and Crowder, L. B. 2005. Sightings of juvenile and subadult green sea turtles (*Chelonia mydas*) over a 2-year period in mangrove tidal creeks of the Big Sable Creek Complex, Everglades National Park, FL, USA. Poster presentation, 25th Annual Symposium on Sea Turtle Conservation and Biology, Savannah, GA, USA, January. (*Distribution, Green, Chelonia mydas*)

Hendrickson, L. P., and Hendrickson, J. R. 1983. Experimental marking of sea turtles by tissue modification, p. 30-33. In: Owens, D. W. , et al. (editors) Western Gulf of Mexico Sea Turtle Workshop Proceedings, Office of Sea Grant, Texas A&M Univ. Publ. TAMU-SG-84-105. (*Miscellaneous*)

Henwood, T. A., Ogren, L. H. 1987. Distribution and migrations of immature Kemp's ridley turtles (*Lepidochelys kempii*) and green turtles (*Chelonia mydas*) off Florida, Georgia, and South Carolina. Northeast Gulf Science 9:153-159. (*Distribution, Migration/movement, Kemp's ridley, Lepidochelys kempii, Green, Chelonia mydas*)

Heppell, S., Crouse, D., Crowder, L., Epperly, S., Gabriel, W., Henwood, T., Marquez, R., and Thompson, N. 2005. A population model to estimate recovery time, population size, and management impacts on Kemp's ridleys. Chelonian Conservation and Biology 4:767-773. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)

Hickerson, E. L. 2004. Management recommendations resulting from satellite tracking resident, immature loggerheads (*Caretta caretta*) in and around the Flower Garden Banks National Marine Sanctuary, northwest Gulf of Mexico, p. 29. In: Coyne, M. S., Clark, R. D. (Compilers), Proceedings of the Twenty-First Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-528, 368 p. (*Telemetry/tracking, Loggerhead, Caretta caretta*)

Hickerson, E. L., and Peccini, M. B. 2000. Using GIS to study habitat use by subadult loggerhead sea turtles (*Caretta caretta*) at the Flower Garden Banks National Marine Sanctuary in the northwest Gulf of Mexico, p. 179-181. In: Kalb, H. J., Wibbels, T. Compilers, Proceedings of the Nineteenth Annual Symposium on Sea Turtle Biology and Conservation. U.S. Dept. Commerce. NOAA Tech. Memo. NMFS-SEFSC-443, 291 p. (*Habitat use, Loggerhead, Caretta caretta*)

Hildebrand, H. H. 1982. A historical review of the status of sea turtle populations in the western Gulf of Mexico, p. 447-453. In: Bjorndal, K.A. (Ed.). Biology and Conservation of Sea Turtles. Smithsonian Institution Press, Washington D.C., 583 p. (*Population dynamics*)

Hildebrand, H. H. 1983. Random notes on sea turtles in the western Gulf of Mexico, p. 34-40. In: Owens, D. W., Crowell, D., Dienderg, G., Grassman, M., McCain, S., Morris, Y., Schwantes, N., and Wibbels, T. (editors), Western Gulf of Mexico Sea Turtle Workshop Proceedings. Office of Sea Grant, Texas A&M Univ., Publ. TAMU-SG-84-105. (*Miscellaneous*)

Hildebrand, H. 1987. A reconnaissance of beaches and coastal waters from the border of Belize to the Mississippi River as habitat for marine turtles. National Marine Fisheries Service, Southeast Fisheries Center, Panama City Laboratory, Purchase Order No. NA-84-CF-A-134, 63p. (*Habitat use*)

Hochscheid, S., Bentivegna, F., and Hays, G. C. 2005. First records of dive durations for a hibernating sea turtle. Biology Letters 1 (1):82-86. (*Physiology, Telemetry/tracking, Loggerhead, Caretta caretta*)

Hoggard, W. 1991. First recorded turtle nesting on Mississippi's man-made beach. *Marine Turtle Newsletter* 52:11-12. (*Nesting, Loggerhead, Caretta caretta*)

Holliday, D. K., Roosenberg, W. M., and Elskus, A. A. 2008. Spatial Variation in Polycyclic Aromatic Hydrocarbon Concentrations in Eggs of Diamondback Terrapins, *Malaclemys terrapin*, from the Patuxent River, Maryland. *Bulletin of Environmental Contamination and Toxicology*; v. 80, p. 119-122. (*Oil/petroleum/hydrocarbons, Nesting, Terrapins*)

Hooper, C. H. (Ed.). 1981. *The Ixtoc I Oil Spill: The Federal Scientific Response*. NOAA Hazardous Materials Response Project, Boulder, Colorado, 202 pp. (*Oil/petroleum/hydrocarbons*)

Hoopes, L. A., Landry Jr., A. M., Stabenau, E. K. 2000. Physiological effects of capturing Kemp's ridley sea turtles, *Lepidochelys kempii*, in entanglement nets. *Canadian Journal of Zoology* 78:1941-1947. (*Physiology, Fisheries interactions, Kemp's ridley, Lepidochelys kempii*)

Howell, L., A. M. Landry, Jr., Shaver, D., and Walker, J. 2008. Food habits of juvenile green sea turtles (*Chelonia mydas*) along the Texas coast. *Ecological Integration Symposium*, Texas A&M University, College Station, Texas, March 28-29, 2008. (*Feeding ecology, Green, Chelonia mydas*)

## I

Ingle, R. M., and Smith, F. G. W. 1949. *Sea turtles and the turtle industry of the West Indies, Florida and the Gulf of Mexico, with annotated bibliography* Special Publication of the Marine Laboratory, University of Miami, in cooperation with the Caribbean Research Council, 107pp. (*Miscellaneous*)

Irby, B. N., McEwen, M. K., Brown, S. A., and Meek, E. M. 1983. *Man and the Gulf of Mexico: Diversity of marine animals*. Rep. Miss.-Ala. Sea Grant Consort., 128 p. (*Miscellaneous*)

Irvine, A. B., Caffin, J. E., and Kochman, H. I. 1981. Aerial surveys for manatees and dolphins in western peninsular Florida (with notes on sightings of sea turtles and crocodiles). U.S. Fish and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/OBS-80/50; April 1981, 21 p. (*Aerial survey*)

## J

Jernelöv, A. and Lindén, O. 1981. Ixtoc I: A case study of the world's largest oil spill. *Ambio The Caribbean* 10(6): 299-306. (*Oil/petroleum/hydrocarbons*)

Jernelöv, A. 2010. The threats from oil spills: now, then, and in the future. *Ambio Journal of the Human Environment* 39 (5-6): 353-366. (*Oil/petroleum/hydrocarbons*)

Johnson, S. A., Bass, A. L., Libert, B., Marshall, M., and Fulk, D. 1999. Kemp's ridley (*Lepidochelys kempii*) nesting in Florida. Florida Scientist 62:194-204. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Johnston, D. W. 1988. Analyses of seabird, marine mammal, and sea turtle populations in the Gulf of Mexico Report to Ecology Panel, Outer Continental Shelf Committee, Board on Environmental Studies and Toxicology, 33 pp. (*Population dynamics*)

## K

Keinath, J. A. 1993. Movements and behavior of wild and head-started sea turtles. PhD Thesis, College of William and Mary, Virginia, 258 pp. (*Migration/movement, Telemetry/tracking, Behavior, Head start, Kemp's ridley, Lepidochelys kempii, Loggerhead, Caretta caretta*)

Keller, C. E. 1982. Effects of petroleum on the development and survival of marine turtle embryos: executive summary. Slidell, LA: National Coastal Ecosystems Team, U.S. Fish and Wildlife Service, 5 pp. (*Oil/petroleum/hydrocarbons, Growth, Survival*)

Keller, C. E., Adams, J. K. 1983. Proceedings of a workshop on cetaceans and sea turtles in the Gulf of Mexico: Study planning for effects of outer continental shelf development. FWS Tech Report FWS/OBS-83/03, 49p. (*Oil/petroleum/hydrocarbons*)

King, R. 1983. Padre Island hatchery research, p. 15-21. In: Owens, D. et al., Western Gulf of Mexico Sea Turtle Workshop Proceedings. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

King, R.E., Anderson, A., Shaver, D.J., and Plotkin, P. 1982. Padre Island National Seashore 1982 report: Kemp's Ridley Sea Turtle Restoration and Enhancement Project, Incubation and Imprinting Phase. National Park Service, Department of the Interior, 160 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

King, R. E., Anderson, A., Shaver, D. J., and Plotkin, P. 1983. Padre Island National Seashore 1983 report: Kemp's Ridley Sea Turtle Restoration and Enhancement Project, Incubation and Imprinting Phase. National Park Service, Department of the Interior, 30 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

King, R. E., Shaver, D.J., and Phillips, K. 1984. Padre Island National Seashore 1984 report: Kemp's Ridley Sea Turtle Restoration and Enhancement Project, Incubation and Imprinting Phase. National Park Service, Department of the Interior, 120 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

King, R.E., Plotkin, P., Weikum, Y., Clark, D., and Shaver, D. J. 1985. Padre Island National Seashore 1985 report: Kemp's Ridley Sea Turtle Restoration and Enhancement Project, Incubation and Imprinting Phase. National Park Service, Department of the Interior, 168 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Kinzel, M. 2001. Satellite tracking of green sea turtles in the Gulf of Mexico. (Suivi de tortues vertes dans le golfe du Mexique) Argos Newsletter No. 58, p. 4-7. (*Telemetry/tracking, Green, Chelonia mydas*)

Kinzel, M., Carter, G., Tiburcio Pintos, G., and Bravo Gamboa, R. 2003. Home range and habitat analysis of green sea turtles, *Chelonia mydas*, in the Gulf of Mexico, p. 289-290. In: Seminoff, J. A. Compiler, Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503, 308 pp. (*Distribution, Habitat use, Green, Chelonia mydas*)

Klima, E. F. 1987. Kemp's ridley sea turtle research, p. 175-176. In: Proceedings Seventh Annual Gulf of Mexico Information Transfer Meeting, November 1986. U.S. Dept. of the Interior, Minerals Management Service. OCS Study, MMS 87-0058. (*Kemp's ridley, Lepidochelys kempii*)

Klima, E. D., Gitschlag, G. G., and Renaud, M. L. 1988. Impacts of explosive removal of offshore petroleum platforms on sea turtles and dolphins. Marine Fisheries Review 50(3): 33-42. (*Oil platform removal*)

Klima, E. F., Gitschlag, G., and Renaud, M. 1992. Evaluation of commercial use of turtle excluder devices (TEDs) in the Gulf of Mexico and South Atlantic, p. 68. In: Salmon, M., Wyneken, J. (Compilers). Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFC-302. (*Turtle Excluder Devices*)

Kolian, S., Sammarco, P. W. 2008. Removal of offshore oil and gas platforms: rationale for retaining infrastructure to develop offshore renewable resources in the Gulf of Mexico, 10 pp. (*Oil platform removal*)

## L

Landry, A. M., Jr. 1987. Stranding and natural history of sea turtles along the northern Gulf, p. 176-177. In: Proceedings Seventh Annual Gulf of Mexico Information Transfer Meeting, November 1986. U.S. Dept. of the Interior, Minerals Management Service. OCS Study, MMS 87-0058. (*Strandings*)

Landry, A., Costa, D., Williams, B., and Coyne, M. 1992. Sea turtle capture and habitat characterization study. Texas A&M Research Foundation, College Station, Texas. Final report to the National Marine Fisheries Service, Southeast Fisheries Science Center, Galveston, TX, 118p. (*Habitat use, Migration/movement, Feeding ecology*)

Landry, A., Costa, D., Coyne, M., St. John, K., and Williams, B. 1993. Sea turtle capture and habitat characterization: South Padre Island and Sabine Pass, Texas Environs. Texas A&M Research Foundation, College Station, Texas. Contract report to the Department of Defense U.S. Army Corps of Engineers, 119p. (*Habitat use, Migration/movement, Feeding ecology*)

- Landry, A. M., Jr., Costa, D., Arms, S., and Coyne, M. 1994. At-sea capture of Kemp's ridley sea turtles in the northwestern Gulf of Mexico, p. 84. In: Schroeder, B. A., Witherington, B. E. Compilers, Proceedings of the Thirteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Tech. Memo. NMFS-SEFSC-341, 281 p. (*Fisheries interactions Kemp's ridley, Lepidochelys kempii*)
- Landry, A., Costa, D., Kenyon, F., Hadler, M., Coyne, M., Hoopes, L., Orvik, L., St. John, K., and VanDenburg, K. 1996. Population dynamics and index habitat characterization for Kemp's ridley sea turtles in nearshore waters of the Northwestern Gulf of Mexico. Texas A&M Research Foundation, College Station, Texas. Contract Number NA57FF0062. (*Population dynamics, Habitat use, Kemp's ridley, Lepidochelys kempii*)
- Landry, A. M., Jr. 2000. Population assessment of Kemp's Ridley sea turtles in the northwest Gulf of Mexico. NOAA Technical Memorandum NMFS-SEFSC-445, p. 52-53. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)
- Landry, A. M., Jr., and Costa, D. 1999. Status of sea turtle stocks in the Gulf of Mexico with emphasis on the Kemp's ridley, p. 248-268. In: Kumpf, H., Steidinger, K., Sherman, K. Eds., The Gulf of Mexico large marine ecosystem: assessment, sustainability, and management. Blackwell Science, Malden, Oxford etc. 704 p. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)
- Landry A. M., Costa, D. T., Kenyon, F. L., and Coyne, M. S. 2005. Population characteristics of Kemp's ridley sea turtles in nearshore waters of the upper Texas and Louisiana coasts. *Chelonian Conservation and Biology* 4:801-807. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)
- Leary, T. R. 1957. A schooling of leatherback turtles, *Dermochelys coriacea*, on the Texas coast. *Copeia* 1957:232. (*Distribution, Leatherback, Dermochelys coriacea*)
- Lehman, T. M., and Tomlinson, S. L. 2004. *Terlinguachelys fischbecki*, a new genus and species of sea turtle (Chelonioidae: Protostegidae) from the upper Cretaceous of Texas. *Journal of Paleontology* 78:1163-1178. (*Miscellaneous*)
- LeBuff, C. R., Jr. 1990. The Loggerhead Turtle in the Eastern Gulf of Mexico. Caretta Research Inc., Sanibel, Florida, 236 p. (*Loggerhead, Caretta caretta*)
- LeBuff, C. R., Jr., and Beatty, R. W. 1971. Some aspects of nesting of the loggerhead turtle, *Caretta caretta* (Linne), on the Gulf Coast of Florida. *Herpetologica* 27:153-156. (*Nesting, Loggerhead, Caretta caretta*)
- Lewis, B., Crowder, L., and Shaver, D. 2003. Evaluating the impact of turtle excluder devices on strandings in the western Gulf of Mexico, p. 6. In: Seminoff, J. A. Compiler, Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503, 308 p. (*Turtle Excluder Devices, Strandings*)

Lewis, R. L., Crowder, L. B., and Shaver, D. J. 2003. The impact of turtle excluder devices and fisheries closures on loggerhead and Kemp's ridley strandings in the western Gulf of Mexico. *Conservation Biology* 17(4): 1089-1097. (*Turtle Excluder Devices, Fisheries interactions, Strandings, Turtle Excluder Devices, Loggerhead, Caretta caretta, Kemp's ridley, Lepidochelys kempii*)

Lohofener, R. 1993. Kemp's ridley sea turtle mass stranding in Louisiana: part II Briefing statement to Dave Flemming, Chief, Endangered Species, 6 pp. (*Strandings, Kemp's ridley, Lepidochelys kempii*)

Lohofener, R. R., Hoggard, W., Roden, C. L., Mullin, K. D., and Rogers, C. M. 1988. Distribution and relative abundance of surfaced sea turtles in the north - central Gulf of Mexico: Spring and Fall 1987, p. 47-50. In: B.A. Schroeder compiler, Proceedings of the Eighth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum NMFS-SEFC-214, 136 p. (*Distribution, Abundance*)

Lohofener, R., Hoggard, W., Mullin, K., Roden, C., and Rogers, C. 1989. Petroleum structures and the distribution of sea turtles. In: Proceedings: Spring Ternary Gulf of Mexico Studies Meeting, March 1989. Prepared by Geo-Marine, Inc. OCS Studies/MMS 89-0062. U.S. Dept. Interior, Minerals Mgmt. Serv., Gulf of Mexico OCS Regional Office, New Orleans, Louisiana, 56 p. (*Distribution, Oil/petroleum/hydrocarbons*)

Lohofener, R., Hoggard, W., Mullin, K., Roden, C., and Rogers, C. 1990. Association of sea turtles with petroleum platforms in the north-central Gulf of Mexico. OCS Study MMS 90-0025. Prepared under MMS Contract 14-12-0001-30398 by NMFS Mississippi Laboratories/Pascagoula Facility, 108p. (*Distribution, Oil/petroleum/hydrocarbons*)

Lutcavage, M., and Spotila, J. R. (compilers). 1990. Physiology of sea turtles, p. 101-110. In: Tucker & Associates, Inc. eds., Sea turtles and marine mammals of the Gulf of Mexico, proceedings of a workshop held in New Orleans, August 1-3, 1989. OCS Study MMS 90-0009. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA., 211 pp. (*Physiology*)

Lutcavage, M. E., Lutz, P. L., Bossart, G. D., and Hudson, D. M. 1995. Physiologic and clinicopathologic effects of crude oil on loggerhead sea turtles. *Archives of Environmental Contamination and Toxicology* 28: 417-422. (*Physiology, Health assessment, Loggerhead, Caretta caretta*)

Lutcavage, M. E., Plotkin, P., Witherington, B., and Lutz, P. L. 1997. Human impacts on sea turtle survival. In: The Biology of Sea Turtles, Vol. I, P. L. Lutz and J. Musick, eds. CRC Press, Boca Raton, Fla., pp. 387-410. (*Miscellaneous, Survival*)

Lutz, P. L. 1989. Methods for determining the toxicity of oil and dispersants to sea turtles. In: Oil and Dispersant Toxicity Testing: Proceedings of a Workshop on Technical Specifications Held in New Orleans, La., T. W. Duke and G. Petrazzuolo, eds. Prepared under MMS contract 14-12-0001-30447, OCS Study MMS 89-0042, pp. 97-101. (*Health assessment, Oil/petroleum/hydrocarbons, Dispersants*)

Lutz, P. L. and M. Lutcavage. 1989. The effects of petroleum on sea turtles: Applicability to Kemp's ridley. In: Proceedings of the First International Symposium on Kemp's Ridley Sea Turtle Biology, Conservation and Management, C. W. Caillouet, Jr. and A. M. Landry, Jr., eds. TAMU-SG89-105, Texas A&M University Sea Grant Program, Galveston. pp. 52-54. (*Health assessment, Oil/petroleum/hydrocarbons, Kemp's ridley, Lepidochelys kempii*)

Lutz, P. L., and J. A. Musick, eds. 1997. The Biology of Sea Turtles, Vol. I. CRC Press, Boca Raton, Fla. (*Miscellaneous*)

Lutz, P., Lutcavage, M., and Hudson, D. 1986. Physiological Effects. In: Vargo, S., Lutz, P., Odell, D., Van Vleet, E.S., and Bossart, G. (eds.), Final Report, Study of the Effects of Oil on Marine Turtles. U.S. Dept. of Interior, Minerals Management Service, Report MMS 86-0070, pp. 93-131. (*Physiology, Oil/petroleum/hydrocarbons*)

Lutz, P., Lutcavage, M., and Bossart, G. D. 1987. Effects of oil on the physiology of marine turtles, p. 173-174. In: Proceedings Seventh Annual Gulf of Mexico Information Transfer Meeting, November 1986. U.S. Dept. of the Interior, Minerals Management Service. OCS Study, MMS 87-0058. <http://www.gomr.mms.gov/PI/PDFImages/ESPIS/3/3772.pdf> (*Physiology, Oil/petroleum/hydrocarbons*)

Lutz, P. L., J. A. Musick, and J. Wyneken, eds. 2002. The Biology of Sea Turtles, Vol. II. CRC Press, Boca Raton, Fla. (*Miscellaneous*)

## M

Mangan, P., Bjorndal, K. A., and Bolten, A. B. 1990. Principal findings and conclusions, p. 77-81. In: Tucker & Associates, Inc. eds., Sea turtles and marine mammals of the Gulf of Mexico, proceedings of a workshop held in New Orleans, August 1-3, 1989. OCS Study MMS 90-0009. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA, 211 pp. (*Miscellaneous*)

Manire, C. A., and Foote, J. J. 1996. Capture and tag-and-release of juvenile turtles caught in gill nets in nearshore habitat of the eastern Gulf of Mexico during fishery-independent shark studies, p. 182-186. In: Keinath, J. A., Barnard, D.E., Musick, J.A., Bell, B.A. (Compilers), Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-387, 355 pp. (*Distribution, Miscellaneous*)

Manzella, S. A. and Williams, J. A. 1992. The distribution of Kemp's ridley sea turtles (*Lepidochelys kempii*) along the Texas coast: an atlas. NOAA Technical Report NMFS-110, 51 pp. (*Distribution, Kemp's ridley, Lepidochelys kempii*)

- Manzella, S. A., Caillouet, C. W., Jr., and Fontaine, C. T. 1988. Kemp's ridley, *Lepidochelys kempii*, sea turtle head start tag recoveries: distribution, habitat and method of recovery. *Marine Fisheries Review* 50(3):24-32. (*Distribution, Head start, Habitat use, Kemp's ridley, Lepidochelys kempii*)
- Manzella, S. A., Fontaine, C. T., and Schroeder, B. A. 1988. Loggerhead sea turtle travels from Padre Island, Texas to the mouth of the Adriatic Sea. *Marine Turtle Newsletter* 42: 7. (*Migration/movement, Loggerhead, Caretta caretta*)
- Marine Turtle Newsletter. 1991. Oil spill in the Persian Gulf threatens sea turtles. *Marine Turtle Newsletter* 53: 32. (*Oil/petroleum/hydrocarbons*)
- Marine Turtle Newsletter. 1994. Tampa Bay oil spill threatens turtles. *Marine Turtle Newsletter* 64: 29. (*Oil/petroleum/hydrocarbons*)
- Marquez-M, R. 1983. Current status of the Kemp's ridley population, p. 6-11. In: Owens, D. et al, Western Gulf of Mexico sea turtle workshop proceedings. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)
- Marquez-M, R. 1994. Synopsis of Biological Data on the Kemp's Ridley Turtle, *Lepidochelys kempii* (Garman, 1880). MMS Tech Report 94-0023, 91 pp. (*Kemp's ridley, Lepidochelys kempii*)
- Marquez-M, R., Villanueva, O. A., and Sanchez, P. M. 1982. The population of the Kemp's ridley sea turtle in the Gulf of Mexico - *Lepidochelys kempii*. In: Bjorndal, K.A. (Ed.). *Biology and Conservation of Sea Turtles*. Smithsonian Institution Press, Washington, 583 pp. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)
- Marquez-M, R. Díaz, F., J., Guzmán, H. V., Bravo, G. R., del Carmen Jimenez, Q. M. 2004. Marine turtles of the Gulf of Mexico. Abundance, distribution and protection. *Environmental Analysis of the Gulf of Mexico*, pp. 89-107. (*Abundance, Distribution*)
- Marquez-M, R, Burchfield P. M., Díaz, F. J, Sánchez P. M, Carrasco, A. M, Jiménez, Q. C, Leo-P. A, Bravo, G. R, and Peña, V. J. 2005. Status of the Kemp's ridley, *Lepidochelys kempii*. *Chelonian Conservation and Biology* 4:761-766. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)
- Mays, J., and Shaver, D. J. 1998. Nesting trends in National Seashores along Atlantic and Gulf coast waters of the United States. Final NRPP Report. National Park Service and U.S. Geological Survey, Department of the Interior, 61 pp. (*Nesting*)
- McDaniel, C. J. 1998. A spatial analysis of sea turtle abundance and shrimping intensity in the Gulf of Mexico: Recommendations for conservation and management M.S. thesis, Duke University, 147 pp. (*Abundance, Distribution, Fisheries interactions*)

- McDaniel, C. J., Crowder, L. B., and Priddy, J. A. 2008. Spatial dynamics of sea turtle abundance and shrimping intensity in the U.S. Gulf of Mexico. *Conservation Ecology* 4(1): 1-16. (*Abundance, Distribution, Fisheries interactions*)
- McKay, M., Nides, J., Lang, W., Vigil, D. 2001. Gulf of Mexico Marine Protected Species Workshop, June 1999. MMS Tech Report 2001-039, 171 pp. (*Miscellaneous*)
- McMichael, E. 2005. Ecology of juvenile green turtles, *Chelonia mydas*, at a temperate foraging area in the northeastern Gulf of Mexico. M.S. Thesis, University of Florida, Gainesville, 108 pp. (*Ecology, Feeding ecology, Green, Chelonia mydas*)
- McMichael, E., Carthy, R. R., and Seminoff, J. A. 2003. Evidence of homing behavior in juvenile green turtles in the northeastern Gulf of Mexico, p. 223-224. In: Seminoff, J. A. Compiler, Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503, 308 pp. (*Behavior, Green, Chelonia mydas*)
- McMichael, E., Carthy, R. R., and Seminoff, J. A. 2006. Ecology of juvenile sea turtles in the northeastern Gulf of Mexico, p. 20-21. In: Pilcher, N. J. Compiler, Proceedings of the Twenty-Third Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-536, 261 pp. (*Ecology, Green, Chelonia mydas*)
- McMichael, E., Seminoff, J., and Carthy, R. 2008. Growth rates of wild green turtles, *Chelonia mydas*, at a temperate foraging habitat in the northern Gulf of Mexico: assessing short-term effects of cold-stunning on growth. *Journal of Natural History* 42(43-44):2793-2807. (*Growth, Green, Chelonia mydas, Feeding ecology*)
- McMichael, E., Seminoff, J. A., Carthy, R. R., and Foley, A. M. 2008. Using net captures and cold stun stranding data to assess population structure, seasonal abundance, growth and activity levels of juvenile green turtles in the northeastern Gulf of Mexico, p.10-11. In: Kalb, H. J., Rohde, A., Gayheart, K., Shanker, K. Compilers Proceedings of the Twenty-Fifth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-582, 204 pp. (*Population dynamics, Abundance, Growth, Fisheries interactions, Strandings, Hypothermic stunning*)
- McVey, J. P., and Wibbels, T. 1984. Growth and movements of captive-reared Kemp's ridley sea turtles, *Lepidochelys kempi*, following their release in the Gulf of Mexico. NOAA Technical Memorandum NMFS-SEFC-145, 25 pp. (*Growth, Migration/movement, Head start, Kemp's ridley, Lepidochelys kempii*)
- Meakins, R. H., and Al-Mohanna, S. Y. 2000. Sea turtles in Kuwait after the Gulf War. *Marine Turtle Newsletter* 88: 7-8. (*Oil/petroleum/hydrocarbons, Miscellaneous*)
- Mendonça, M. T., and Pritchard, P. C. H. 1986. Offshore movements of post-nesting Kemp's ridley sea turtles (*Lepidochelys kempi*). *Herpetologica* 42(3): 373-381. (*Migration/movement, Nesting, Kemp's ridley, Lepidochelys kempii*)

- Metz, T. L., and Landry, A. M., Jr. 2003. The new ridley riddle: where have all the Kemp's ridleys gone in the northwestern Gulf of Mexico? p. 27-28. In: Seminoff, J. A. Compiler, Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503, 308 pp. (*Distribution, Kemp's ridley, Lepidochelys kempii*)
- Metz, T. L., and Landry, A. M., Jr. 2008. A conceptual model of Kemp's ridley (*Lepidochelys kempii*) occurrence in the northwestern Gulf of Mexico, p.171. In: Kalb, H. J., Rohde, A., Gayheart, K., Shanker, K. Compilers Proceedings of the Twenty-Fifth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-582, 204 pp. (*Abundance, Distribution, Kemp's ridley, Lepidochelys kempii*)
- Meylan, A., Redlow, A., Mosier, A., Moody, K., and Foley, A. 1999. Occurrence and distribution of sea turtles in Tampa Bay, Florida. In: Baywide Environmental Monitoring Report, 1993-1998: Tampa Bay, Florida p. 13-1-13-15. (*Abundance, Distribution*)
- Michel, J., Greer, R., Hoffman, M., McGowan, P., and Wood, R. 2001. Acute mortality of diamondback terrapins from the Chalk Point oil spill, 6 pp. (*Survival, Terrapins, Oil/petroleum/hydrocarbons*)
- Mitchell, K., Peterson, J., and Roden, C. 1994. Sightings of leatherback turtles in the U.S. Gulf of Mexico, p. 262. In: Bjorndal, K. A., Bolten, A. B., Johnson, D. A., Eliazar, P. J. (Compilers), Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351, 323 pp. (*Distribution, Leatherback, Dermochelys coriacea*)
- Morrealle, S. J., Plotkin, P.T., Shaver, D.J., and Kalb, H. 2007. Adult migration and habitat utilization: ridley turtles in their element. In: Biology and Conservation of Ridley Sea Turtles, pp. 213-230. P.T. Plotkin (editor). Smithsonian Institution Press. (*Migration/movement, Kemp's ridley, Lepidochelys kempii, Olive ridley, Lepidochelys olivacea*)
- Morris, Y. A., Owens, D. W., and Mcvey, J. P. 1981. Testosterone in the immature Kemp's ridley *Lepidochelys kempi*. In: Annual Meeting of the American Society of Zoologists, American Microscopical Society, Animal Behavior Society, Crustacean Society, Society of Protozoologists, and the Society of Systematic Zoology, Dallas, TX, Dec 27-30, Am Zool. 21 (4): 962. (*Physiology, Kemp's ridley, Lepidochelys kempii*)
- Mysing, J.O., and Vanselous, T.M. 1989. Status of satellite tracking of Kemp's ridley sea turtles. In: Caillouet, C.W., Jr. and A.M. Landry, Jr. (editors), Proceedings of the First International Symposium on Kemp's Ridley Sea Turtle Biology, Conservation, and Management. TAMU-SG-89-105:112-115. (*Telemetry/tracking, Kemp's ridley, Lepidochelys kempii*)

## N

National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1992. Recovery plan for leatherback turtles in the U.S. Caribbean Sea, Atlantic Ocean and Gulf of Mexico Marine Fisheries Service, Washington, D.C., 65 pp. (*Leatherback, Dermochelys coriacea*)

National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1993. Recovery plan for Hawksbill Turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico National Marine Fisheries Service, St. Petersburg, FL, 52 pp. (*Hawksbill, Eretmochelys imbricata*)

NMFS-SERO (National Marine Fisheries Service, Southeast Regional Office. 2002. Biological opinion for Gulf of Mexico Outer Continental Shelf Lease Sale 184 (F/SER/2002/00145), 80 pp. (*Oil/petroleum/hydrocarbons*)

National Marine Fisheries Service. 2002. Biological opinion: Gulf of Mexico Outer Continental Shelf Multi-Lease Sale (185, 187, 190, 192, 194, 196, 198, 200, 201) (F /SER/2002/00718), 147 pp. (*Oil/petroleum/hydrocarbons*)

National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2008. Recovery Plan for the Northwest Atlantic Population of the Loggerhead Sea Turtle (*Caretta caretta*), Second Revision. National Marine Fisheries Service, Silver Spring, MD. (*Loggerhead, Caretta caretta*)

National Marine Fisheries Service, U.S. Fish and Wildlife Service, and SEMARNAT. 2010. Bi-National Recovery Plan for the Kemp's Ridley Sea Turtle (*Lepidochelys kempii*), Second Revision. National Marine Fisheries Service. Silver Spring, Maryland \_\_pp. + appendices. (*Kemp's ridley, Lepidochelys kempii*)

Neck, R. W. J. 1978. Occurrence of marine turtles in the lower Rio Grande of South Texas (Reptilia, Testudines). Journal of Herpetology 12(3), 422-427. (*Distribution*)

## O

Odell, D. K., and MacMurray, C. 1986. Behavioral response to oil. In: Final Report. Study of the Effect of Oil on Marine Turtles, S. Vargo, P. L. Lutz, D. K. Odell, T. Van Fleet, and G. Bossart, eds. Minerals Management Service Contract Number 14-12-0001-30063, Florida Inst. of Oceanography, St. Petersburg, Fla. (*Behavior, Oil/petroleum/hydrocarbons*)

Ogren, L. H. 1977. Survey and reconnaissance of sea turtles in the northern Gulf of Mexico: National Marine Fisheries Service, Panama City, Florida, 8 pp. (*Aerial survey, Distribution*)

Ogren, L. H. 1988. The biology and ecology of juvenile sea turtles: Kemp's ridley (*Lepidochelys kempii*) in the Gulf of Mexico and Western North Atlantic. DRAFT, 24 pp. (*Abundance, Distribution, Ecology, Kemp's ridley, Lepidochelys kempii*)

Ogren, L. H. 1991. A summary of recent sea turtle distribution and relative abundance by species, life history stage, activities (reproductive, feeding, migration) and seasonal occurrence at three localities in the Gulf of Mexico, 7 pp. (*Distribution, Abundance, Ecology, Feeding ecology, Reproductive biology, Migration/movement*)

Ogren, L. H. 1994. Sea turtle interactions with the longline fishery in the Gulf of Mexico, p. 42-47. In: Balazs, G. H., Pooley, S. G. eds., Research plan to assess marine turtle hooking mortality: results of an expert workshop held in Honolulu, Hawaii November 16-18, 1993. NOAA Tech. Memo., NOAA-TM-NMFS-SWFSC-201, Honolulu Laboratory, Honolulu, Hawaii. 166 pp. (*Fisheries interactions*)

O'Hara, J. 1988. Use of seismic air guns to produce avoidance responses in loggerhead turtles December 1987, p. 306-314. U.S. Dept. of the Interior, Minerals Management Service, New Orleans, LA. OCS Study, MMS 88-0035, 456 pp. (*Behavior, Loggerhead, Caretta caretta*)

Oravetz, C., and Seidel, W. 1984. Shrimpers can reduce bycatch levels with trawling device. National Fisherman 64(11):46-47. (*Fisheries interactions, Turtle Excluder Devices*)

Orós J., Calabuig, P., and Déniz, S. 2004. Digestive pathology of sea turtles stranded in the Canary Islands between 1993 and 2001. Veterinary Record 155 (6):169-174. (*Head start, Strandings*)

Overton, E. B., Byrne, C. J., McFall, J. A., Antoine, S. R., and Laseter, J. L. 1983. Results from the chemical analyses of oily residue samples taken from stranded juvenile sea turtles collected from Padre and Mustang Islands, Texas Special Report from U.S. Dept. of the Interior, Mineral Management Service, Gulf of Mexico Regional Office, produced by Center for Bio-Organic Studies, University of New Orleans, for Purchase Order No. 71395, 21 pp. (*Oil/petroleum/hydrocarbons, Strandings*)

Owens, D. 1983. Oil and sea turtles in the Gulf of Mexico: a proposal to study the problem. U.S. Fish and Wildlife Service Biol. Serv. Program; WS/OBS-83/03, pp. 34-39. (*Oil/petroleum/hydrocarbons*)

Owens, D. W. (compiler); Evans, M. (editor) 1998. Sharing Our Gulf: A Challenge For Us All. In: Conference Proceedings, College Station, Texas, June 10-12, 1998. TAMU-SG-99-104, 71 pp. (*Miscellaneous*)

Owens, D., Crowell, D., Dienberg, G., Grassman, M., McCain, S., Morris, Y., Schwantes, N., and Wibbles, T. 1983. Western Gulf of Mexico Sea Turtle Workshop Proceedings, January 13-14, 1983. NOAA, Dept. of Commerce, 74 pp. (*Nesting, Strandings, Turtle Excluder Devices, Oil/petroleum/hydrocarbons, Abundance, Distribution*)

## **P**

Payne, S. F. 1981. Bibliography of marine turtles in the Gulf of Mexico and Caribbean Sea. (*Miscellaneous*)

- Philott, A. D., and C. J. Parmenter. 2001. Influence of diminished respiratory surface area on survival of sea turtle embryos. *Journal of Experimental Zoology* 289(5): 317–321. (*Physiology, Survival*)
- Pierce, R. H., and Henry, M. S. 2008. Harmful algal toxins of the Florida red tide (*Karenia brevis*): natural chemical stressors in South Florida coastal ecosystems *Ecotoxicology* 17(7): 623-631. (*Harmful algal blooms, Ecology*)
- Pintos Graciela, T., Balazs, G. H., Parker, D., and Bravo Gamboa, R. 2007. The adventures of three green turtles crossing the Gulf of Mexico (post-nesting migrations of green sea turtles in Lechuguillas, Veracruz-Mexico), p.199. In: Proceedings of the Twenty-Fourth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-567, 205 pp. (*Nesting, Migration/movement, Green, Chelonia mydas*)
- Plotkin, P. T. 1989. The Feeding Ecology of the Loggerhead Sea Turtle in the Northwestern Gulf of Mexico M.S. Thesis, Texas A&M University, College Station. (*Feeding ecology, Loggerhead, Caretta caretta*)
- Plotkin, P. 1989. Feeding Ecology of the Loggerhead sea turtle in the Northwestern Gulf of Mexico, p. 139-141. In: S.A. Eckert, K.L. Eckert, and T.H. Richardson compilers, Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum NMFS-SEFC-232, 306 pp. (*Feeding ecology, Loggerhead, Caretta caretta*)
- Plotkin, P. T. 1996. Occurrence and diet of juvenile loggerhead sea turtles, *Caretta caretta*, in the northwestern Gulf of Mexico. *Chelonian Conservation and Biology* 2(1):78-80. (*Abundance, Feeding ecology, Loggerhead, Caretta caretta*)
- Plotkin, P., and Amos, A. F. 1990. Effects of anthropogenic debris on sea turtles in the northwestern Gulf of Mexico p. 736-743. In: Shomura, R. S., Godfrey, M. L. eds., Proceedings of the Second International Conference on Marine Debris. NOAA Tech. Memo. NMFS-SWFSC-154. (*Miscellaneous*)
- Plotkin, P. T., Wicksten, M. K., and Amos, A. F. 1993. Feeding ecology of the loggerhead sea turtle, *Caretta caretta*, in the northwestern Gulf of Mexico. *Marine Biology* (Berlin) 115(1):1-15. (*Feeding ecology, Loggerhead, Caretta caretta*)
- Pratt, H. S. 1913. Trematodes of the loggerhead turtle (*Caretta caretta*) in the Gulf of Mexico *Arch. Parasit.*16:411-427. (*Health assessment, Loggerhead, Caretta caretta*)
- Presti, S. M., Landry, A. M., and Sollod, A. E. 2000. Mercury concentration in scute scrapings of sea turtles in the Gulf of Mexico, p. 120. In: Abreu-Grobois, F. A., Briseno-Duenas, R., Marquez, R., Sarti, L. Compilers, Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Department of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436, 293 pp. (*Health assessment*)

Putman, N. F., Shay, T. J., and Lohmann, K. J. 2010. Is the Geographic Distribution of Nesting in the Kemp's Ridley Turtle Shaped by the Migratory Needs of Offspring? *Integrative and Comparative Biology*: 1-10. (*Distribution, Nesting, Migration/movement, Kemp's ridley, Lepidochelys kempii*)

Putman, N. F., Bane, J. M., Lohmann, K. J. 2010. Sea turtle nesting distributions and oceanographic constraints on hatchling migration. *Proceedings of the Royal Society Biological Sciences* 277:3631-3637. (*Distribution, Nesting, Migration/movement*)

## Q

## R

Rabalais, S. 1983. Sea turtle stranding and salvage research, p. 42-43. In: Owens, D. W., Crowell, D., Dienberg, G., Grassman, M., McCain, S., Morris, Y., Schwantes, N., and Wibbles, T. (Eds.), *Western Gulf of Mexico Sea Turtle Workshop Proceedings*, January 13-14, 1983. NOAA, Dept. of Commerce; TAMU-SG-84-105, 74 pp. (*Strandings*)

Rabalais, S. C., and N. N. Rabalais. 1980. The occurrence of sea turtles on the South Texas Coast. *Contr. Mar. Sci.*, 23: 123-129. (*Distribution*)

Raloff, J. 1986. When sea turtles are awash in oil. *Science News* 130(Dec.): 358. (*Oil/petroleum/hydrocarbons*)

Ran, T. 2008. Three papers on the behavior modeling of shrimp fishermen in the Gulf of Mexico. Ph. D Thesis Louisiana State University, 255 pp. (*Fisheries interactions*)

Raymond, P. W. 1987. An overview of marine turtles in the Gulf of Mexico, p. 170-171. In: *Proceedings Seventh Annual Gulf of Mexico Information Transfer Meeting*, November 1986. U.S. Dept. of the Interior, Minerals Management Service. OCS Study, MMS 87-0058. (*Miscellaneous*)

Rebel, T. P. 1974. *Sea turtles and the turtle industry of the West Indies, Florida, and the Gulf of Mexico*. University of Miami Press, Coral Gables, Florida, 250 pp. (*Miscellaneous*)

Reeves, R. R., Leatherwood, S. 1983. Autumn sightings of marine turtles (Cheloniidae) off south Texas. *Southwest Naturalist* 28:281-288. (*Distribution*)

Renaud, M. 1994. Satellite tracking of juvenile Kemp's ridley sea turtles near Sabine Pass, Texas, p. 147. In: Schroeder, B. and B. Witherington (Compilers). *Proceedings of the Thirteenth Annual Workshop on Sea Turtle Conservation and Biology*. NOAA Technical Memorandum, NMFS-SEFC-341, 281 pp. (*Telemetry/tracking*)

Renaud, M. L. 1995. Movements and submergence patterns of Kemp's ridley turtles (*Lepidochelys kempii*). *Journal of Herpetology* 29:370-374. (*Migration/movement, Kemp's ridley, Lepidochelys kempii*)

Renaud, M. 1995. Radio and sonic tracking of green and loggerhead sea turtles at South Padre Island, Texas, p. 96. In: Richardson, J. I. and T. H. Richardson (Compilers). Proceedings of the Twelfth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum, NMFS-SEFC-361, 274 pp. (*Telemetry/tracking, Green, Chelonia mydas, Loggerhead, Caretta caretta*)

Renaud, M. L., and Carpenter, J. A. 1994. Movements and submergence patterns of loggerhead turtles (*Caretta caretta*) in the Gulf of Mexico determined through satellite telemetry. Bulletin of Marine Science 55(1):1-15. (*Migration/movement, Telemetry/tracking, Loggerhead, Caretta caretta*)

Renaud M. L., and Carpenter, J. A. 1995. Movements and submergence patterns of loggerhead turtles (*Caretta caretta*) in the Gulf of Mexico determined through satellite telemetry. Journal of Herpetology 29:370-374. (*Migration/movement, Telemetry/tracking, Loggerhead, Caretta caretta*)

Renaud, M. L., and Williams, J. A. 1997. Movements of Kemp's ridley (*Lepidochelys kempii*) and green (*Chelonia mydas*) sea turtles using Lavaca Bay and Matagorda Bay, 1996-1997. Final Report submitted to the U.S. Environmental Protection Agency, 44 pp. (*Migration/movement, Kemp's ridley, Lepidochelys kempii, Green, Chelonia mydas*)

Renaud, M. L. and J. A. Williams. 2005. Kemp's ridley sea turtle movements and migrations. Chelonian Conservation and Biology 4:808-816. (*Migration/movement, Kemp's ridley, Lepidochelys kempii*)

Renaud, M., Gitschlag, G., Manzella, S., and Williams, J. 1992. Tracking of green (*Chelonia mydas*) and loggerhead (*Caretta caretta*) sea turtles using radio and sonic telemetry at South Padre Island, Texas. June through September 1991. NMFS/SEFSC Galveston, TX 77551, 54 pp. (*Telemetry/tracking, Green, Chelonia mydas, Loggerhead, Caretta caretta*)

Renaud, M., Williams, J., and Carpenter, J. 1994. Development of a GIS to enhance NMFS's sea turtle tracking program in the Gulf of Mexico, p. 12. In: Abstracts of the Tenth Annual Workshop on Remote Sensing and Geographic Information Systems for Coastal Management in Louisiana, 43 pp. (*Telemetry/tracking*)

Renaud, M. L., Carpenter, J. A., Williams, J. A., and Manzella, S. A. 1994. Telemetric tracking of Kemp's ridley sea turtles (*Lepidochelys kempii*) in relation to dredged channels at Bolivar Roads Pass and Sabine Pass, TX and Calcasieu Pass, LA, May 1993 through February 1994. Final Report submitted to the U.S. Army Corps of Engineers (Galveston and New Orleans Districts), 76 pp. (*Telemetry/tracking, Kemp's ridley, Lepidochelys kempii*)

Renaud, M. L., Carpenter, J., Williams, J., and Manzella-Tirpak, S. 1994. Satellite tracking of juvenile Kemp's ridley sea turtles near Sabine Pass, Texas, pp. 126-127. In: Bjorndal, K. A., A. B. Bolten, D. A. Johnson and P. J. Eliazar (Compilers). Proceedings of the Fourteenth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum, NMFS-SEFC-351, 306 pp. (*Telemetry/tracking, Kemp's ridley, Lepidochelys kempii*)

- Renaud, M., Carpenter, J., Manzella, S. A., and Williams, J. 1994. Radio and sonic telemetric monitoring of immature green sea turtles in the Brazos-Santiago Pass area, South Padre Island, Texas, p. 148. In: Schroeder, B. and B. Witherington (Compilers). Proceedings of the Thirteenth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum, NMFS-SEFC-341, 281 pp. (*Telemetry/tracking, Green, Chelonia mydas*)
- Renaud, M. L., Carpenter, J. A., Williams, J., and Manzella, S. A. 1995. Activities of juvenile green sea turtles (*Chelonia mydas*) at a jettied pass in south Texas. Fishery Bulletin, U.S. 93 (3):586-593. (*Green, Chelonia mydas*)
- Renaud, M. L., Carpenter, J., Williams, J., Carter, D., and Williams, B. 1995. Movement of Kemp's Ridley Sea Turtles (*Lepidochelys kempii*) Near Bolivar Roads Pass and Sabine Pass, Texas and Calcasieu Pass, Louisiana May 1994 Through May 1995. Final Report submitted to the U.S. Army Corps of Engineers (Galveston and New Orleans Districts), 74 pp. (*Migration/movement, Kemp's ridley, Lepidochelys kempii*)
- Renaud, M. L., Carpenter, J. A., Williams, J. A., Landry Jr. A. M. 1996. Kemp's Ridley Sea Turtle (*Lepidochelys kempii*) Tracked by Satellite Telemetry from Louisiana to Nesting Beach at Rancho Nuevo, Tamaulipas, Mexico. Chelonian Conservation and Biology 2:108-109. (*Telemetry/tracking, Nesting, Kemp's ridley, Lepidochelys kempii*)
- Renaud, M. L., Carpenter, J. A., and Williams, J. A. 1996. Movement of sea turtles captured near hopper-dredged channels in Texas and Louisiana: 1993-1994, pp. 260-261. In: Keinath, J. A., D. E. Barnard, J. A. Musick and B. A. Bell (Compilers). Proceedings of the Fifteenth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum, NMFS-SEFC-387, 355 p. (*Migration/movement*)
- Renuad, M., Nance, J. M., Scott-Denton, E., and Gitschlag, G. R. 1997. Incidental capture of sea turtles in shrimp trawls with and without TEDs in U.S. Atlantic and Gulf waters. Chelonian Conservation and Biology 2(3): 425-427. (*Fisheries interactions, Turtle Excluder Devices*)
- Renaud, M. L., Williams, J. A., and Carpenter, J. A. 1998. Radio and satellite tracking of sea turtles in the Gulf of Mexico, 1995, p. 119. In: Byles, R., Fernandez, Y. Compilers, Proceedings of the Sixteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-412. 158 pp. (*Telemetry/tracking*)
- Rester, J., and Condrey, R. 1996. The occurrence of the hawksbill turtle, *Eretmochelys imbricata*, along the Louisiana coast. Gulf of Mexico Science 14(2):112-114. (*Distribution, Hawksbill, Eretmochelys imbricata*)
- Richardson, G. E. 1989. Sea turtles and structure removals in the Gulf of Mexico, p. 145-146. In: Eckert, S. A., Eckert, K. L., and Richardson, T. H. (compilers), Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum NMFS-SEFC-232, 306 pp. (*Oil platform removal*)

Richardson, G. E., and Herbst, L. H. 1988. Marine turtles and mammals and OCS structure removals; operational and biological perspectives and studies: session overview, p. 280-284. In: Proceedings: Eighth Annual Gulf of Mexico Information Transfer Meeting, December 1987. U.S. Dept. of the Interior, Minerals Management Service, New Orleans, LA. OCS Study, MMS 88-0035, 456 pp. (*Oil platform removal*)

Rosman, I., Boland, G. S., Martin, L., and Chandler, C. 1988. Underwater sightings of sea turtles in the northern Gulf of Mexico, p. 299-300. In: Proceedings: Eighth Annual Gulf of Mexico Information Transfer Meeting, December 1987. U.S. Dept. of the Interior, Minerals Management Service, New Orleans, LA. OCS Study, MMS 88-0035. (*Distribution*)

Rostal, D. C., Grumbles, J. S., Byles, R. A., Marquez-M, R., and Owens, D. W. 1997. Nesting physiology of Kemp's ridley sea turtles, *Lepidochelys kempi*, at Rancho Nuevo, Tamaulipas, Mexico, with observations on population estimates. *Chelonian Conservation and Biology* 2:538-547. (*Nesting, Physiology, Kemp's ridley, Lepidochelys kempii*)

Rowe, C. L., Mitchelmore, C. L., and Baker, J. E. 2009. Lack of biological effects of water accommodated fractions of chemically- and physically-dispersed oil on molecular, physiological, and behavioral traits of juvenile snapping turtles following embryonic exposure. *Science of the Total Environment*, v. 407, p. 5344-5355. (*Oil/petroleum/hydrocarbons, Dispersants, Freshwater turtles, Physiology, Behavior*)

Rudloe, A., and Rudloe, J. 1995. Characterization of an inshore population of the Kemp's ridley sea turtle in the northeastern Gulf of Mexico, p. 103-107. In: Richardson, J. I., Richardson, T. H. (Compilers), Proceedings of the Twelfth Annual Workshop on Sea Turtle Biology and Conservation; NOAA Technical Memorandum NMFS-SEFSC-361, 274 pp. (*Population dynamics, Kemp's ridley, Lepidochelys kempii*)

Rudloe, A., and Rudloe, J. 2005. Site specificity and the impact of recreational fishing activity on subadult endangered Kemp's ridley sea turtles in estuarine foraging habitats in the northeastern Gulf of Mexico Gulf of Mexico Science 23(2):186-191. (*Distribution, Fisheries interactions*)

Rudloe, A., Rudloe, J., and Ogren, L. 1991. Occurrence of immature Kemp's ridley turtles, *Lepidochelys kempii*, in coastal waters of northwest Florida. *Northeast Gulf Science* 12(1):49-53. (*Distribution, Kemp's ridley, Lepidochelys kempii*)

## S

Saba, V. S., and Spotila, J. R. 2003. Survival and behavior of freshwater turtles after rehabilitation from an oil spill. *Environmental Pollution*; v. 126, p. 213-223. (*Survival, Behavior, Freshwater turtles, Oil/petroleum/hydrocarbons*)

Santos, R.G., and Mariano, E.F. 2007. Tarballs and Early Life Stages of Sea Turtles in Paraíba, Brazil. *Marine Turtle Newsletter* 115:13-14. (*Oil/petroleum/hydrocarbons*)

- Scarpino, R. A., McMichael, E., Carthy, R. R., Bagley, D. A., and Seminoff, J. A. 2007. Overwintering strategies of juvenile green sea turtles (*Chelonia mydas*) in the northeastern Gulf of Mexico, p.150-151. In: Proceedings of the Twenty-Fourth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-567. 205 p. (*Green, Chelonia mydas*)
- Schmid, J.R. 1989. Sea turtle habitat survey of northeastern Mississippi Sound: a comparison with Waccasassa Bay, Florida. Directed research Robert Shipp, May 29, 1989, 14 pp. (*Habitat use*)
- Schmid, J. R. 1998. Marine turtle populations on the west-central coast of Florida: results of tagging studies at the Cedar Keys, Florida, 1986-1995. Fishery Bulletin 96:589-602. (*Habitat use*)
- Schmid, J. R. 2000. Activity patterns and habitat associations of Kemp's ridley turtles, *Lepidochelys kempii*, in the coastal waters of the Cedar Keys, Florida. Unpublished Ph.D. Dissertation, University of Florida, Gainesville, Florida, 184 pp. (*Habitat use, Kemp's ridley, Lepidochelys kempii*)
- Schmid, J. R., and Barichivich, W. J. 2005. Developmental biology and ecology of the Kemp's ridley sea turtle, *Lepidochelys kempii*, in the eastern Gulf of Mexico. Chelonian Conservation and Biology 4(4): 828-834. (*Ecology, Kemp's ridley, Lepidochelys kempii*)
- Schmid, J. R., and Witzell, W. N. 1997. Age and Growth of Wild Kemp's Ridley Turtles (*Lepidochelys kempii*): Cumulative Results of Tagging Studies in Florida. Chelonian Conservation and Biology 2:532-537. (*Growth, Kemp's ridley, Lepidochelys kempii*)
- Schmid, J. R. and Witzell, W. N. 2006. Seasonal migrations of immature Kemp's ridley turtles (*Lepidochelys kempii* Garman) along the west coast of Florida. Gulf of Mexico Science 24(1/2): 28-40. (*Migration/movement, Kemp's ridley, Lepidochelys kempii*)
- Schmid, J. R., Bolten, A. B., Bjorndal, K. A., and Lindberg, W. J. 2002. Activity patterns of Kemp's ridley turtles, *Lepidochelys kempii*, in the coastal waters of the Cedar Keys, Florida. Marine Biology 140:215-228. (*Migration/movement, Kemp's ridley, Lepidochelys kempii*)
- Schmid, J. R., Bolten, A. B., Bjorndal, K. A., Lindberg, W. J., Percival, H. F., and Zwick, P. D. 2003. Home range and habitat use by Kemp's ridley turtles in west-central Florida. Journal of Wildlife Management 67:196-206. (*Distribution, Habitat use, Kemp's ridley, Lepidochelys kempii*)
- Schroeder, B. A. 1987. Strandings of marine turtles along the U.S. Atlantic and Gulf of Mexico coasts, 1986, p. 19. In: Serino, J. L. compiler, Presented at Seventh Annual Workshop on Sea Turtle Biology and Conservation, 25-27 February 1987, at Wekiwa Springs State Park, Florida. (*Strandings*)

Schroeder, B. A. 1987. 1986 Annual report of the sea turtle stranding salvage network: Atlantic and Gulf Coast of the United States January - December 1986. National Marine Fisheries Service, Miami Laboratory Coastal Resources Division Contribution Number CRD-87/88-12, 45 pp. (*Strandings*)

Schroeder, B. A. 1987. A summary of information on Kemp's Ridley (*Lepidochelys kempii*) strandings 1980-1987: Atlantic and Gulf coasts of the United States. National Marine Fisheries Service, Miami Laboratory Coastal Resources Division Contribution Number CRD-87/88-01, 27 pp. (*Strandings, Kemp's ridley, Lepidochelys kempii*)

Schroeder, B. A. 1987. Third quarter report of the sea turtle stranding and salvage network: Atlantic and Gulf Coast of the United States January - September 1987. National Marine Fisheries Service, Miami Laboratory Coastal Resources Division Contribution Number CRD-87/88-07, 25 pp. (*Strandings*)

Schroeder, B. A. and Warner, A. A. 1988. 1987 Annual report of the sea turtle stranding and salvage network: Atlantic and Gulf coasts of the United States January - December 1987. National Marine Fisheries Service, Miami Laboratory Coastal Resources Division Contribution Number CRD-87/88-28, 46 pp. (*Strandings*)

Schroeder, B. A. and Warner, A. A. 1988. Semi-annual report of the sea turtle stranding and salvage network: Atlantic and Gulf coasts of the United States January - June 1988. National Marine Fisheries Service, Miami Laboratory Coastal Resources Division Contribution Number CRD-87/88-27, 22 pp. (*Strandings*)

Schroeder, B. A. and Webster, A. W. 1988. First quarter report of the sea turtle stranding and salvage network: Atlantic and Gulf coasts of the United States January - March 1988. National Marine Fisheries Service, Miami Laboratory Coastal Resources Division Contribution Number CRD-87/88-21, 12 pp. (*Strandings*)

Scott-Denton, E., Cryer, P., Gocke, J., Harrelson, M., Jones, K., Nance, J., Pulver, J., Smith, R., Williams, J. A. 2006. Skimmer trawl fishery catch evaluations in coastal Louisiana, 2004 and 2005. *Marine Fisheries Review* 68:30-35. (*Fisheries interactions*)

SeaWeb. 2010. Oil and oil spills: the Gulf of Mexico. *Marine Science Review* special edition 371, 14 pp. (*Oil/petroleum/hydrocarbons*)

Seney, E. E. 2008. Population dynamics and movements of the Kemp's ridley sea turtle, *Lepidochelys kempii*, in the northwestern Gulf of Mexico Ph.D. dissertation, Texas A&M University, College Station, Texas, USA 2008, 168 pp. (*Population dynamics, Migration/movement, Kemp's ridley, Lepidochelys kempii*)

Seney, E. E, and Landry, A. M. Jr. 2008. Movements of Kemp's ridley sea turtles nesting on the upper Texas coast: implications for management. *Endangered Species Research* 4: 73-84. (*Migration/movement, Nesting, Kemp's ridley, Lepidochelys kempii*)

- Seney, E. E., Landry, A. M., Jr., Higgins, B. M., Flanagan, J. P., and Kethan, S. L. 2006. Movements of immature and post-nesting Kemp's ridley sea turtles in the northwestern Gulf of Mexico, p.112-113. In: Book of Abstracts. 26th Annual Symposium on Sea Turtle Biology and Conservation. International Sea Turtle Society, Athens, Greece. 376 pp. (*Migration/movement, Nesting, Kemp's ridley, Lepidochelys kempii*)
- Seney, E. E., Higgins, B. M., Landry, A. M. 2010. Satellite transmitter attachment techniques for small juvenile sea turtles. *Journal of Experimental Marine Biology and Ecology* 384:61-67. (*Telemetry/tracking*)
- Shaver, D. J. 1987. Padre Island Kemp's Ridley Sea Turtle Project Update. *Park Science* 7(4):8-9. (*Telemetry/tracking*)
- Shaver, D. J. 1988. Kemp's Ridley Sea Turtle Restoration and Enhancement Project at Padre Island National Seashore. Environmental Quality of the Gulf of Mexico Workshop, Galveston, Texas (November, 1988). (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1989. Green sea turtle geographic distribution. *Herpetological Review* 20(1):14. (*Distribution, Green, Chelonia mydas*)
- Shaver, D. J. 1989. Padre Island National Seashore Kemp's ridley sea turtle project 1989 report. National Park Service, Department of the Interior, 4 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1989. Results from eleven years of incubating Kemp's ridley sea turtle eggs at Padre Island National Seashore. In: Proceedings of the 9th Annual Workshop on Sea Turtle Conservation and Biology, February 7-11, 1989, Jekyll Island, Georgia, p. 163-165. Eckert, S.A., Eckert, K.L. and Richardson, T.H. (compilers). NOAA Technical Memorandum NMFS-SEFC-232. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1990. The feeding ecology of Kemp's ridley in south Texas waters. In: Proceedings of the 10th Annual Workshop on Sea Turtle Conservation and Biology, February 20-25, 1990, Hilton Head, South Carolina, p. 137-138. Richardson, T. H., Richardson, J. I., and Donnelly, M. (compilers). NOAA Technical Memorandum NMFS-SEFC-278. (*Feeding ecology, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1990. Hypothermic stunning of sea turtles in Texas. *Marine Turtle Newsletter* 48:25-27. (*Hypothermic stunning*)
- Shaver, D. J. 1990. Kemp's ridley project at Padre Island enters a new phase. *Park Science* 10(1):12-13. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1990. Padre Island National Seashore Kemp's ridley sea turtle project 1990 report. National Park Service, Department of the Interior, 19 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

- Shaver, D. J. 1990. Sea turtles in south Texas inshore waters. In: Proceedings of the 10th Annual Workshop on Sea Turtle Conservation and Biology, February 20-25, 1990, Hilton Head, South Carolina, p. 131-132. T.H. Richardson, J.I. Richardson, and M. Donnelly (compilers). NOAA Technical Memorandum NMFS-SEFC-278. (*Distribution*)
- Shaver, D. J. 1991. Feeding ecology of wild and head-started Kemp's ridley sea turtles in South Texas waters. *Journal of Herpetology* 25(3):327-334. (*Feeding ecology, Head start, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1991. Padre Island National Seashore Kemp's ridley sea turtle project 1991 report. National Park Service, Department of the Interior, 39 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1991. Sea turtles in south Texas inshore waters. Report to U.S. Fish and Wildlife Service under Interagency Agreement 14-16-0002-89-919 for activities conducted from June, 1990 - September, 1991, 25 pp. (*Distribution*)
- Shaver, D. J. 1992. Crossing borders to help save the Kemp's ridley sea turtle. *Contact* 17:20-21. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1992. Kemp's ridley research continues at Padre Island National Seashore. *Park Science* 12(4):26-27. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1992. Kemp's ridley sea turtle reproduction. *Herpetological Review* 23(2):59. (*Reproductive biology, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1992. Padre Island National Seashore Kemp's ridley sea turtle project 1992 report. National Park Service, Department of the Interior, 35 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1992. Sea Turtle Management Plan for Padre Island National Seashore. National Park Service, Department of the Interior, 83 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1993. Cooperative study provides Texas turtle management information. In: 1992 Highlights of Natural Resources Management, p. 29. National Park Service Natural Resources Report NPS/NRPO/NRR-93/10. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1993. Padre Island National Seashore Kemp's ridley sea turtle project 1993 report. National Park Service, Department of the Interior, 25 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1994. Management and interpretation of threatened and endangered species: sea turtles. *Contact* 17:23-25. (*Miscellaneous*)
- Shaver, D. J. 1994. Padre Island National Seashore Kemp's ridley sea turtle project 1994 report. National Biological Survey, Department of the Interior, 32 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 1994. Relative abundance, temporal patterns, and growth of sea turtles at the Mansfield Channel, Texas. *Journal of Herpetology* 28(4):491-497. (*Abundance, Distribution, Growth*)

Shaver, D. J. 1994. Sea turtle abundance, seasonality, and growth at the Mansfield Channel, Texas. In: *Proceedings of the 13th Annual Symposium on Sea Turtle Conservation and Biology*, February 23-27, 1993, Jekyll Island, Georgia, p. 166-169. B.A. Schroeder and B.E. Witherington (compilers). NOAA Technical Memorandum NMFS-SEFSC-341. (*Abundance, Distribution, Growth*)

Shaver, D. J. 1994. Sea turtle research and conservation projects at Padre Island National Seashore. *National Biological Survey Research Information Bulletin* Number 60. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 1994. Sea turtle strandings along the Texas coast reach alarming levels. *Marine Turtle Newsletter* 66:8-9. (*Strandings*)

Shaver, D. J. 1995. Kemp's ridley sea turtles nest in south Texas. *Marine Turtle Newsletter* 70:10-11. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D.J. 1995. Sea turtle strandings along the Texas coast again cause concern. *Marine Turtle Newsletter* 70:2-4. (*Strandings*)

Shaver, D. J. 1996. A note about Kemp's ridleys nesting in Texas. *Marine Turtle Newsletter* 75:25. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 1996. Head-started Kemp's ridley turtles nest in Texas. *Marine Turtle Newsletter* 74:5-7. (*Nesting, Head start, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 1996. Padre Island National Seashore Kemp's ridley sea turtle project 1995 report. *National Biological Service, Department of the Interior*, 30 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 1996. Record numbers of sea turtle strandings along the Texas coast during 1994. In: *Proceedings of the 15th Annual Symposium on Sea Turtle Biology and Conservation*, February 20-25, 1995, Hilton Head, South Carolina, p. 290-293. J.A. Keinath, D.E. Barnard, J.A. Musick, and B.A. Bell (compilers). NOAA Technical Memorandum NMFS-SEFSC-387. (*Strandings*)

Shaver, D. J. 1996. Sea turtle strandings along the Texas coast during 1994. In: *Proceedings from the 14th Annual Gulf of Mexico Information Transfer Meeting*, November 15-17, 1994, New Orleans, Louisiana, p. 45-49. University of New Orleans (compiler). Minerals Management Service, Gulf of Mexico OCS Region, MMS 96-0024. (*Strandings*)

- Shaver, D. J. 1997. Kemp's ridley turtles from an international project return to Texas to nest. In: Proceedings from the 16th Annual Gulf of Mexico Information Transfer Meeting, December 10-12, 1996, New Orleans, Louisiana, p. 38-40. University of New Orleans (compiler). Minerals Management Service, Gulf of Mexico OCS Region, MMS 97-0038. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1997. Padre Island National Seashore Kemp's ridley sea turtle project 1996 report. U.S. Geological Survey, Department of the Interior, 41 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1998. Expedition into the Parks, 1998 annual report, Padre Island National Seashore. U.S. Geological Survey, Department of the Interior, 92 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1998. Kemp's ridley sea turtle nesting on the Texas coast, 1979-1996. In: Proceedings of the 17th Annual Symposium on Sea Turtle Biology and Conservation, March 4-8, 1997, Orlando, Florida, p. 91-94. S.P. Epperly and J. Braun (compilers). NOAA Technical Memorandum NMFS-SEFSC-415. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1998. Padre Island National Seashore Kemp's ridley sea turtle project and sea turtle strandings 1997 report. U.S. Geological Survey, Department of the Interior. 44 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 1998. Report on netting of green sea turtles at the Mansfield Channel, Texas during 1997. Report to the National Marine Fisheries Service under Interagency Agreement purchase order NA96AANFG0417. U.S. Geological Survey, Department of the Interior, 8 pp. (*Green, Chelonia mydas*)
- Shaver, D. J. 1998. Sea turtle strandings along the Texas coast, 1980-94. In: Characteristics and Causes of Texas Marine Strandings, p. 57-72. R. Zimmerman (editor). NOAA Technical Reports NMFS 143. (*Strandings*)
- Shaver, D.J. 1998. Sea turtle strandings in Texas. In: Report of the Sea Turtle Health Assessment Workshop, 2-3 February 1998, Part I: Background and Information Needs, Charleston, South Carolina, p. 75-80. P.A. Fair and L.J. Hansen (editors). NOAA Technical Memorandum NOS-NCCOS-CCEHBR-003. (*Strandings*)
- Shaver, D. J. 1998. Sea turtle strandings in Texas, p 75-80. In: Report of the Sea Turtle Health Assessment Workshop, 2-3 February 1998. Part 1: Background and information needs. NOAA Technical Memorandum NOS-NCCOS-CCEHBR-0003. (*Strandings*)
- Shaver, D. J. 1999. Kemp's ridley sea turtle project at Padre Island National Seashore, Texas. In: Proceedings from the 17th Annual Gulf of Mexico Information Transfer Meeting, December 16-18, 1997, New Orleans, Louisiana, p. 342-347. M. McKay and J. Nides (editors). Minerals Management Service, Gulf of Mexico OCS Region, MMS 99-0042. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 1999. Padre Island National Seashore Kemp's ridley sea turtle project and sea turtle strandings 1998 report. U.S. Geological Survey, Department of the Interior, 58 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 1999. Sea turtle strandings in the Gulf of Mexico. In: Sharing our Gulf Conference Proceedings, June 10-12, 1998, College Station, Texas, p. 31-33. D. Owens (compiler) and M. Evans (editor). Texas Sea Grant Program, TAMU-SG-99-104. (*Strandings*)

Shaver, D. J. 2000. Distribution, residency, and seasonal movements of the green sea turtle, *Chelonia mydas* (Linnaeus, 1758), in Texas. Unpublished Ph.D. Dissertation, Texas A&M University, 273 pp. (*Distribution, Green, Chelonia mydas*)

Shaver, D. J. 2000. Padre Island National Seashore Kemp's ridley sea turtle project and Texas sea turtle nesting and stranding 1999 report. U.S. Geological Survey, Department of the Interior. 54 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 2000. Padre Island National Seashore Kemp's ridley sea turtle project and Texas sea turtle nesting and stranding 2000 report. Report to the National Park Foundation and Unilever HPC, USA. U.S. Geological Survey, Department of the Interior, 53 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 2001. Crossing boundaries to increase nesting by Kemp's ridley sea turtles at Padre Island National Seashore and in South Texas, p161-165. In: Crossing Boundaries in Park Management: Proceedings of the 11th Conference on Research and Resource Management in Parks and on Public Lands. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 2001. Kemp's Ridley Sea Turtles – Travelers in the Gulf of Mexico. Southwest Parks and Monuments Association, Tucson, Arizona, 8 pp. (*Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 2001. Padre Island National Seashore Kemp's ridley sea turtle project and Texas sea turtle nesting and stranding 2000 report. U.S. Geological Survey, Department of the Interior, 59 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 2001. U.S. Geological Survey/National Park Service Kemp's ridley sea turtle research and monitoring programs in Texas. In: Proceedings of the Gulf of Mexico Marine Protected Species Workshop, June 1999, New Orleans, Louisiana, p. 121-124. McKay, M., Nides, J., Lang, W., and Vigil, D. (editors). Minerals Management Service, Gulf of Mexico OCS Region, MMS-2001-039. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J. 2002. Green sea turtles (*Chelonia mydas*) in a south Texas developmental habitat. In: Proceedings of the 20th Annual Symposium on Sea Turtle Biology and Conservation, February 29 – March 4, 2000, Orlando, Florida, p. 9. A. Mosier, A. Foley, and B. Brost (compilers). NOAA Technical Memorandum NMFS-SEFSC-477. (*Green, Chelonia mydas, Habitat use*)

- Shaver, D. J. 2002. Kemp's ridley project at Padre Island National Seashore and Texas sea turtle nesting and stranding 2001 report. U.S. Geological Survey, Department of the Interior, 29 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2004. Kemp's ridley project at Padre Island National Seashore and Texas sea turtle nesting and stranding 2002 report. National Park Service, Department of the Interior, 41 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2004. Research for protection of endangered Kemp's ridley and other sea turtles. Final NRPP Report to U.S. Geological Survey and National Park Service. U.S. Geological Survey, Department of the Interior, 29 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2005. Analysis of the Kemp's ridley imprinting and headstart project at Padre Island National Seashore, Texas, 1978-88, with subsequent Kemp's ridley nesting and stranding records on the Texas coast. *Chelonian Conservation and Biology* 4(4):846-859. (*Nesting, Head start, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2005. Kemp's ridley Sea Turtle Project at Padre Island National Seashore and Texas sea turtle nesting and stranding 2003 report. National Park Service, Department of the Interior, 36 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2005. Movements of juvenile green turtles in and from a south Texas developmental habitat. In: Proceedings of the 21st Annual Symposium on Sea Turtle Biology and Conservation, February 24-28, 2001, Philadelphia, Pennsylvania, p. 70-71. Coyne, M.S. and Clark, R.D. (compilers). NOAA Technical Memorandum NMFS-SEFSC-528. (*Migration/movement, Habitat use, Green, Chelonia mydas*)
- Shaver, D. J. 2006. Kemp's ridley sea turtle nesting increasing in Texas. In: People, Places, and Parks: Proceedings of the 2005 George Wright Society Conference on Parks, Protected Areas, and Cultural Sites, p. 391-397. D. Harmon (editor). The George Wright Society. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2006. Kemp's Ridley Sea Turtle Project at Padre Island National Seashore and Texas sea turtle nesting and stranding 2004 report. National Park Service, Department of the Interior, 43 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2006. Kemp's Ridley Sea Turtle Project at Padre Island National Seashore and Texas sea turtle nesting and stranding 2005 report. National Park Service, Department of the Interior, 49 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2007. Texas Sea Turtle Nesting and Stranding 2006 report. National Park Service, Department of the Interior, 30 pp. (*Nesting, Strandings*)

- Shaver, D. J. 2008. Kemp's ridley nesting increasing in Texas. In: Proceedings of the 25th Annual Symposium on Sea Turtle Biology and Conservation, January, 2005. Savannah, Georgia, p. 33. H. Kalb, A.S. Rohde, K. Gayheart, and K. Shanker (compilers). NOAA Technical Memorandum NMFS-SEFSC-582. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J. 2008. Texas Sea Turtle Nesting and Stranding 2007 report. National Park Service, Department of the Interior, 33 pp. (*Nesting, Strandings*)
- Shaver, D. J. 2009. Texas Sea Turtle Nesting and Stranding 2008 report. National Park Service, Department of the Interior, 38 pp. (*Nesting, Strandings*)
- Shaver, D. J. in press. An attempt to re-establish a nesting colony of endangered Kemp's ridley sea turtles (*Lepidochelys kempii*) through experimental imprinting and head-starting. In: Informes Technicos del Instituto Canario de Ciencias Marinas. (*Nesting, Head start, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J., and A. Amos. 1988. Sea turtle nesting on Texas beaches in 1987. Marine Turtle Newsletter 42:7-9. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D.J. and Caillouet, C. W., Jr. 1998. More Kemp's ridley turtles return to south Texas to nest. Marine Turtle Newsletter 82:1-5. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D.J., and P.T. Plotkin. 1998. Marine debris ingestion by sea turtles in south Texas: pre- and post-MARPOL Annex V. In: Proceedings of the 16th Annual Symposium on Sea Turtle Biology and Conservation, February 28 - March 1, 1996, Hilton Head, South Carolina, p. 124. R. Byles and Y. Fernandez (compilers). NOAA Technical Memorandum NMFS-SEFSC-412. (*Miscellaneous*)
- Shaver, D. J., and Chaney, A.H. 1989. An analysis of unhatched Kemp's ridley sea turtle eggs. In: Proceedings from the 1st International Symposium on Kemp's Ridley Sea Turtle Biology, Conservation and Management, Oct. 1-4, 1985, Galveston, Texas, p. 82-89. Caillouet, C.W., Jr. and Landry, A.M., Jr. (eds.). Texas Sea Grant Publication TAMU-SG-89-105. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J., and Fletcher, M.R. 1992. Kemp's ridley sea turtles. Science 257:465-466. (*Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J., and Mast, R. B. 2006. The return of the Kemp's ridley to Texas shores. In: The State of the World's Sea Turtles Report #1, p. 6-7. Mast, R. B., Bailey, L. M., and Hutchinson, B. J. (editors). SWoT Team. <http://www.seaturtlestatus.org/Main/Report/SwotReport.aspx>. (*Nesting, Kemp's ridley, Lepidochelys kempii*)
- Shaver, D. J., and Miller, J.E. 1999. Kemp's ridley sea turtles return to Padre Island National Seashore. Park Science 19(2):16-17, 39. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., and Teas, W. 1999. Stranding and salvage networks. In: Research and Management Techniques for the Conservation of Sea Turtles, p. 152-155. K.L. Eckert, K.A. Bjorndal, F.A. Aburau-Grobois, and M. Donnelly (editors). IUCN/Marine Turtle Specialist Group, Publication No. 4. (*Strandings*)

Shaver, D. J. and Rubio, C. 2008. Post-nesting movements of wild and head-started Kemp's ridley sea turtles. In: Proceedings of the 27th Annual Symposium on Sea Turtle Biology and Conservation, February, 2007, Myrtle Beach, South Carolina, p. 62. Rees, A.F., Frick, M., Panagopoulou, A., and Williams, K. (compilers). NOAA Technical Memorandum NMFS-SEFSC-569. (*Nesting, Migration/movement, Head start, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., and Rubio, C. 2008. Post-nesting movement of wild and head-started Kemp's ridley sea turtles *Lepidochelys kempii* in the Gulf of Mexico. Endangered Species Research 4(1-2):43-55. (*Nesting, Migration/movement, Head start, Kemp's ridley, Lepidochelys kempii*)

Shaver, D.J., and Wibbels, T. 2007. Headstarting of Kemp's ridley turtles. In: Biology and Conservation of Ridley Sea Turtles, p. 297-324. P.T. Plotkin (editor). Smithsonian Institution Press. (*Head start, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., Plotkin, P., Neville, A., and Brennan, K. 1986. Padre Island National Seashore 1986 report: Kemp's Ridley Sea Turtle Restoration and Enhancement Project, Incubation and Imprinting Phase. National Park Service, Department of the Interior, 135 pp. (*Nesting, Head start, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., Cheeseman, E., Brennan, K., Karraker, N., and Bjork, J. 1987. Padre Island National Seashore 1987 report: Kemp's Ridley Sea Turtle Restoration and Enhancement Project, Incubation and Imprinting Phase. National Park Service, Department of the Interior, 142 pp. (*Nesting, Head start, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., Cheeseman, E., Chacon, S. and Bjork, J. 1988. Padre Island National Seashore 1988 report: Kemp's Ridley Sea Turtle Restoration and Enhancement Project, Incubation and Imprinting Phase. National Park Service, Department of the Interior, 51 pp. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., Owens, D. W., Chaney, A.H., Caillouet, C.W., Jr., Burchfield, P.M., and Marquez-M, R. 1988. Styrofoam box and beach temperatures in relation to incubation and sex ratios of Kemp's ridley sea turtles. In: Proceedings of the 8th Annual Workshop on Sea Turtle Conservation and Biology, February 24-26, 1988, Fort Fisher, North Carolina, p. 103-108. B. Schroeder (compiler). NOAA Technical Memorandum NMFS-SEFC-214. (*Nesting, Sex ratio, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., Byles, R. A., Schroeder, B. A., Pena, J., Burchfield, P. M., Marquez, R., and Martinez, H. J. 2003. Movements of adult male Kemp's ridley sea turtles (*Lepidochelys kempii*) in the Gulf of Mexico investigated by satellite telemetry, p. 56-57. In: Seminoff, J. A. Compiler, Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503, 308 pp. (*Migration/movement, Telemetry/tracking, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., Amos, A. F., Higgins, B., and Mays, J. 2005. Record 42 Kemp's ridley nests found in Texas in 2004. Marine Turtle Newsletter 108:1-3. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Shaver, D. J., Schroeder, B. A., Byles, R. A., Burchfield, P. M., Pena, J., Marquez, R. and Martinez, H. J. 2005. Movements and home ranges of adult male Kemp's ridley sea turtles (*Lepidochelys kempii*) in the Gulf of Mexico investigated by satellite telemetry. Chelonian Conservation and Biology 4(4): 817-827. (*Migration/movement, Telemetry/tracking, Kemp's ridley, Lepidochelys kempii*)

Shingenaka, G., Milton, S., Lutz, P., Hoff, R. Z., Yender, R. A., and Mearns, A. J. 2003. Oil and sea turtles. NOAA's National Ocean Service, Office of Response and Restoration, Technical Report, 116pp. (*Oil/petroleum/hydrocarbons*)

Shoop, R. C., Ruckdeschel, C. A., and Thompson, N. B. 1985. Sea turtles in the southeast United States: nesting activity as derived from aerial and ground surveys, 1982. Herpetologica 41(3): 252-259. (*Nesting, Aerial survey*)

Smith, F. G. W. 1954. Taxonomy and distribution of sea turtles In: Gulf of Mexico: Its Origin, Waters and Marine Life. Fishery Bulletin of U.S. Fish and Wildlife Service 55(89):513-515. (*Distribution*)

Snover, M. L., Hohn, A. A., Crowder, L. B., and Heppell, S. S. 2007. Age and growth in Kemp's ridley sea turtle: evidence from mark-recapture and skeletochronology, pp. 89-105. In: Plotkin, P.T. (ed.), Biology and Conservation of Ridley Sea Turtles. Johns Hopkins University Press, Baltimore, Maryland. (*Growth, Skeletochronology, Kemp's ridley, Lepidochelys kempii*)

Snover, M. L., Caillouet, C. W., Jr., Fontaine, C. T., and Shaver, D. J. 2008. Application of a biphasic growth model to describe growth to maturity in the head-start Kemp's ridley sea turtle. In: Proceedings of the 27th Annual Symposium on Sea Turtle Biology and Conservation, February, 2007, Myrtle Beach, South Carolina, p. 140. A.F. Rees, M. Frick, A. Panagopoulou, and K. Williams (compilers). NOAA Technical Memorandum NMFS-SEFSC-569. (*Growth, Head start, Kemp's ridley, Lepidochelys kempii*)

Stabenau, E. K., Landry, A. M., and Duronslet, M. J. 1987. Stranding and natural history of sea turtles along the northern Gulf of Mexico, p. 20. In: Serino, J. L. compiler, Presented at Seventh Annual Workshop on Sea Turtle Biology and Conservation, 25-27 February 1987, at Wekiwa Springs State Park, Florida. (*Strandings*)

Stanley, K. M., Stabenau, E. K., and Landry, A. M. 1988. Debris ingestion by sea turtles along the Texas coast. pp. 119-121. In: Schroeder, B. A. (Compiler), Proceedings of the Eighth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum, NMFS-SEFC-214, 136 pp. (*Miscellaneous*)

Stephens, S. H. 2003. Genetic analysis of the Kemp's ridley sea turtle (*Lepidochelys kempii*) and estimates of effective population size. Master's Thesis Texas A&M University. (*Genetics, Kemp's ridley, Lepidochelys kempii*)

Sundin, G. W., Schweitzer, S. H., Dickerson, D. D., Theriot, C. T., Wolters, M. S., Peterson, J. T., and Dickerson, V. 2006. Spatial and temporal analysis of incidental sea turtle takes by dredges in the western Gulf of Mexico, USA, p.163. In: Book of Abstracts. 26th Annual Symposium on Sea Turtle Biology and Conservation. International Sea Turtle Society, Athens, Greece. 376 pp. (*Miscellaneous*)

## T

Thomas, T. and Robinson, I. 2001. Turtles rehabilitated after Persian Gulf oil spills. Marine Turtle Newsletter 55: 26-27. (*Oil/petroleum/hydrocarbons*)

Thompson, N. B. 1986. A summary of marine turtle sightings from NMFS/SEFC aerial census surveys for cetaceans and turtles in the Gulf of Mexico, 1983 - 1986. National Marine Fisheries Service, Miami Laboratory Coastal Fishery Resources Division, 9 pp. (*Aerial survey*)

Thompson, N. B. 1991. Loggerhead turtles in the Gulf of Mexico: Pelagic distributions. NMFS/SEFSC Miami, FL 33149, 24 pp. (*Distribution, Loggerhead, Caretta caretta*)

Thompson, N. B. 1993. Preliminary analysis of sea turtle stranding event: Northern Gulf of Mexico, May/June 1993. National Marine Fisheries Service, Miami, FL, 20 pp. (*Strandings*)

Thompson, N. B. and Marquez-M, R.1991. Insights into the distribution and migratory movements of the Kemp's ridley sea turtle, 19 pp. (*Distribution, Migration/movement, Kemp's ridley, Lepidochelys kempii*)

Thompson, N., Henwood, T., Epperly, S., Lohoefer, R., Gitschlag, G., Ogren, L., Mysing, J., and Renaud, M. 1990. Marine turtle habitat plan. NOAA Tech Report NMFS-SEFC-255, 20 pp. (*Habitat use*)

Thompson, N. B., Scott-Denton, E., Koi, D. B., Martinez, A., and Mullin, K. 1991. Turtles in the Gulf of Mexico: pelagic distributions and commercial shrimp trawling. NOAA Technical Memorandum, NMFS-SEFC-286, 23 p. (*Distribution, Fisheries interactions*)

Tucker and Associates, Inc. 1990. Sea turtles and marine mammals of the Gulf of Mexico. Proceedings of a workshop held in New Orleans, August 1-3, 1989 OCS Study MMS 90-0009. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA, 211 pp. (*Miscellaneous*)

Turtle Expert Working Group. 1998. An Assessment of the Kemp's Ridley (*Lepidochelys kempii*) and Loggerhead (*Caretta caretta*) Sea Turtle Populations in the Western North Atlantic. NOAA Tech Report NMFS-SEFSC-409, 102 pp. (*Population dynamics, Kemp's ridley, Lepidochelys kempii, Loggerhead, Caretta caretta*)

Turtle Expert Working Group. 2000. Assessment Update for the Kemp's Ridley and Loggerhead Sea Turtle Populations in the Western North Atlantic. NOAA Tech Report NMFS-SEFSC-444, 132 pp. (*Population dynamics, Kemp's ridley, Lepidochelys kempii, Loggerhead, Caretta caretta*)

## U

Ulloa Ramirez, P. A., and Gonzalez Ania, L. V. 2000. Incidence of marine turtles in the Mexican long-line tuna fishery in the Gulf of Mexico, p. 110. In: Abreu-Grobois, F. A., Briseno-Duenas, R., Marquez, R., and Sarti, L. (Compilers), Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436, 293 pp. (*Fisheries interactions*)

U.S. Fish and Wildlife Service (USFWS). 2008. Alabama sea turtle conservation manual. Department of Interior, USFWS, Bon Secour National Wildlife Refuge, Gulf Shores, AL, March 2008, 45 pp. (*Miscellaneous*)

## V

Valentine, J. F., and Heck, K. L. 2001. The role of leaf nitrogen content in determining turtlegass (*Thalassia testudinum*) grazing by a generalized herbivore in the northeastern Gulf of Mexico. *Journal of Experimental Marine Biology and Ecology* 258(1):65-86. (*Feeding ecology*)

Van Meter, R. J., Spotila, J. R., and Avery, H. W. 2006. Polycyclic aromatic hydrocarbons affect survival and development of common snapping turtle (*Chelydra serpentina*) embryos and hatchlings. *Environmental Pollution*, v. 142, pp. 466-475. (*Oil/petroleum/hydrocarbons, Survival, Freshwater turtles*)

Van Vleet, E. S., and Pauly, G. G. 1987. Characterization of oil residues scraped from stranded sea turtles from the Gulf of Mexico. *Caribbean Journal of Science* 23(1): 77-83. (*Oil/petroleum/hydrocarbons, Strandings*)

Van Vleet, E. S., Sackett, W. M., Reinhardt, S. B., and Mangini, M. E. 1984. Distribution, sources, and fates of floating oil residues in the eastern Gulf of Mexico. *Marine Pollution Bulletin* 15: 106-110. (*Oil/petroleum/hydrocarbons*)

Vargo, S., Lutz, P., Odell, D., Vleet, E. V., Bossart, G., 1986. Study of the effects of oil on marine turtles. Florida Institute of Oceanography. Final Report- U.S. Department of the Interior, MMS 86-0070. (*Oil/petroleum/hydrocarbons*)

Vargo, S., Lutz, P., Odell, D., Van Vleet, E., and Bossart, G.. 1986. Effects of oil on marine turtles, Volume 1: Executive summary. Florida Institute of Oceanography. Final Report MMS NO 14-12-0001-30063, 12 pp. (*Oil/petroleum/hydrocarbons*)

Vargo, S., Lutz, P., Odell, D., Van Vleet, E., and Bossart, G. 1986. Effects of oil on marine turtles, Volume 2: Technical report. Florida Institute of Oceanography. Final Report MMS NO 14-12-0001-30063, 180 pp. (*Oil/petroleum/hydrocarbons*)

Vazquez-Sauceda, M. L., Aguirre-Guzmán, G., Pérez-Castañeda, R., Sánchez-Martínez, J. G., Martín-del Campo, R. R., Loredó-Osti, J., and Rábago-Castro, J. L. 2008. Evaluation of the influence of two transport boxes on the incubation, hatching and emergence of Kemp's ridley turtle (*Lepidochelys kempii*) eggs. *Ciencias Marinas* 34:101-105. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Viada, S. T., Hammer, R. A., Racca, R., Hannay, D., Thompson, M. J., Balcom, B. J., and Phillips, N. W. 2008. Review of potential impacts to sea turtles from underwater explosive removal of offshore structures Environmental Impact Assessment Review 2008, v. 28, no. 4-5, pp. 267-285. (*Oil platform removal*)

## W

Wang, H. C., Landry, A. M., Jr., Gill, G. A., and Shaver, D. J. 2006. Trace metal levels in sea turtles stranding along the Texas coast. In: Proceedings of the 23rd Annual Symposium on Sea Turtle Biology and Conservation, p. 258. N.J. Pilcher (compiler). NOAA Technical Memorandum NMFS-SEFSC-536. (*Health assessment, Strandings*)

Weber, M. J. 1990. Human activities and sea turtle conservation in the Gulf of Mexico, p. 23-38. In: Tucker & Associates, Inc. eds., Sea turtles and marine mammals of the Gulf of Mexico, proceedings of a workshop held in New Orleans, August 1-3, 1989. OCS Study MMS 90-0009. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA, 211 pp. (*Miscellaneous*)

Weldon, P. J., Mason, R. T., Tanner, M. J., and Eisner, T. 1990. Lipids in the Rathke's gland secretions of hatchling Kemp's ridley sea turtles (*Lepidochelys kempi*). *Comparative Biochemistry and Physiology Part B* 96B:705-708. (*Health assessment, Physiology, Kemp's ridley, Lepidochelys kempii*)

Wibbels, T. R. 1981. Orientation of yearling Kemp's ridley sea turtles in the Gulf of Mexico, p. 925. In: Annual Meeting of the American Society of Zoologists, American Microscopical Society, Animal Behavior Society, Crustacean Society, Society of Protozoologists, and the Society of Systematic Zoology, Dallas, TX, Dec 27-30, *American Zoologist* 21 (4). (*Behavior, Kemp's ridley, Lepidochelys kempii*)

- Wibbels, T. R. 1982. The movements of immature Kemp's ridley sea turtles in a lagoon orientation arena. In: Annual Meeting of the American Society of Zoologists, American Microscopical Society, Animal Behavior Society, Crustacean Society, International Association of Astacology, and the Society of Systematic Zoology, Louisville, KY., Dec. 27-30, 1982. *American Zoologist* 22 (4):864. (*Behavior, Migration/movement, Kemp's ridley, Lepidochelys kempii*)
- Wibbels, T. A. 1984. Orientation characteristics of immature Kemp's ridley sea turtles. NOAA Technical Memorandum NMFS-SEFC-131, 67 pp. (*Behavior, Kemp's ridley, Lepidochelys kempii*)
- Wibbels, T., Shaver, D. J., Fletcher, M. R., and Taubes, G. 1992. Kemp's ridley sea Turtles. *Science* 257(5069):465-467. (*Kemp's ridley, Lepidochelys kempii*)
- Williams, J. A., and Manzella, S. A. 1990. Sea turtle sighting signs on the Texas gulf coast, p. 277-280. In: Richardson, T.H., Richardson, J.I., Donnelly, M. (Compilers)., Proceedings of the Tenth Annual Workshop on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFC-278. (*Distribution, Miscellaneous*)
- Williams, J. A., and Manzella, S. A. 1992. Sea turtle sightings at passes on the Texas Gulf Coast, p. 188-190. In: Salmon, M., Wyneken, J. (Compilers)., Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFC-302. (*Distribution, Miscellaneous*)
- Witham, R. 1978. Does a problem exist relative to small sea turtles and oil spills? Proc. Conference on the Assessment of Ecological Impacts of Oil Spills, 14-17 June 1978. American Institute Biological Science, Keystone, Colorado, pp. 630-632. (*Oil/petroleum/hydrocarbons*)
- Witham, R. 1983. A review of some petroleum impacts on sea turtles, Kellis, C. E., and Adams, J. K. (eds.), Proc. Workshop on Cetaceans and Sea Turtles in the Gulf of Mexico: Study Planning for Effects of Outer Continental Shelf Development. USFWS/OBS-83/03, 42 pp. (*Oil/petroleum/hydrocarbons*)
- Witzell, W. N. 1983. Synopsis of biological data on the hawksbill turtle *Eretmochelys imbricata* (Linnaeus, 1766). FAO Fisheries Synopsis No. 137, 82p. (*Hawksbill, Eretmochelys imbricata*)
- Witzell, W. N. 1984. The incidental capture of sea turtles in the Atlantic U.S. Fishery. *Marine Fisheries Review* 46(3): 56-58. (*Fisheries interactions*)
- Witzell, W. N. 2004. Investigation of juvenile sea turtles in the coastal waters of southwest Florida. Southeast Fisheries Science Center, Miami Laboratory Contribution Number PRD#07/08-01, 6 pp. (*Distribution, Abundance*)
- Witzell, W. N. 2007. *Lepidochelys kempii* (Kemp's ridley sea turtle) developmental habitat. *Herpetological Review* 38(3): 332-333. (*Distribution, Habitat use*)

Witzell, W. N. and Schmid, J. R. 2003. Multiple recaptures of a hybrid hawksbill-loggerhead turtle in the Ten Thousand Islands, Southwest Florida. *Herpetological Review* 34: 323-325. (*Hawksbill, Eretmochelys imbricata, Loggerhead, Caretta caretta*)

Witzell, W. N. and Schmid, J. R. 2004. Immature sea turtles in Gullivan Bay, Ten Thousand Islands, Southwest Florida. *Gulf of Mexico Science* 2004(1):54-61. (*Abundance, Distribution, Growth, Habitat use*)

Witzell, W. N. and Schmid, J. R. 2005. Diet of immature Kemp's Ridley sea turtles (*Lepidochelys kempii*) from Gullivan Bay, ten thousand islands, southwest Florida. *Bulletin of Marine Science* 77(2): 191-199. (*Feeding ecology, Kemp's ridley, Lepidochelys kempii*)

Witzell, W. N., Salgado-Quitero, A., and Garduno-Dionte, M. 2005. Reproductive parameters of the Kemp's ridley sea turtle (*Lepidochelys kempii*) at Rancho Nuevo, Tamaulipas, Mexico. *Chelonian Conservation and Biology* 4(4):781-787. (*Reproductive biology, Kemp's ridley, Lepidochelys kempii*)

Witzell, W., Geis, A., Schmid, J., and Wibbels, T. 2005. Sex ratio of immature Kemp's ridley turtles (*Lepidochelys kempii*) from Gullivan Bay, Ten Thousand Islands, south-west Florida. *Journal of the Marine Biological Association of the U.K.* (2005) 85: 205-208. (*Sex ratio, Kemp's ridley, Lepidochelys kempii*)

Witzell, W. N., Burchfield, P. M., Pena, Marquez-M, R. and Ruiz-M, G. 2007. Nesting success of Kemp's ridley sea turtles, *Lepidochelys kempii*, at Rancho Nuevo, Tamaulipas, Mexico, 1982-2004. *Marine Fisheries Review* 69: 46-52. (*Nesting, Kemp's ridley, Lepidochelys kempii*)

Woody, J. B. 1983. Historical background of the international conservation program for Kemp's ridley, p. 12-14, In: Owens, D. et al, Western Gulf of Mexico Sea Turtle Workshop Proceedings. (*Kemp's ridley, Lepidochelys kempii*)

Wyatt, R. 2008. Joint Industry Programme on Sound and Marine Life: Review of existing data on underwater sounds produced by the oil and gas industry, Issue 1. JIP Tech Report. (*Oil/petroleum/hydrocarbons*)

Wyneken, J., Madrak, S. V., Salmon, M., and Foote, J. 2008. Migratory activity by hatchling loggerhead sea turtles (*Caretta caretta* L.): evidence for divergence between nesting groups: *Marine Biology* 2008, v. 156, no. 2, p.171-178. (*Migration/movement, Behavior, Loggerhead, Caretta caretta*)

Wynne, K., and Schwartz, M. 1999. Guide to marine mammals & turtles of the U.S. Atlantic and Gulf of Mexico. Rhode Island Sea Grant, Narragansett, RI. 114 pp. (*Miscellaneous*)

**X**

**Y**

## Z

Zengel, S., Meylan, A., Norris, H., White, M., Diveley, L., Holton, W., and Moody, K. 1998. Mapping sensitive sea turtle areas in Florida for oil spill response and natural resources management. In: Proceedings of the 16th Annual Symposium on Sea Turtle Biology and Conservation, R. Byles and Y. Fernandez, compilers. NOAA Technical Memorandum NMFS-SEFSC-412, Miami, Fla. pp. 156–157. (*Habitat use, Oil/petroleum/hydrocarbons*)

Zieman, J. C., and Zieman, R. T. 1989. The ecology of the seagrass meadows of the west coast of Florida: A community profile. USFWS Tech Report 85(7.25), 155 pp. (*Ecology, Feeding ecology*)

Zug, G. R. 2009. Reptiles (Vertebrata: Reptilia) of the Gulf of Mexico. In Gulf of Mexico: Origin, waters, and biota. Volume 1, Biodiversity pp. 1317-1319. (*Miscellaneous*)

Zug, G. R., Kalb, H. J., and Luzar, S. 1997. Age and growth in wild Kemp's ridley seaturtles *Lepidochelys kempii* from skeletochronological data. Biological Conservation 80:261-268. (*Growth, Skeletochronology, Kemp's ridley, Lepidochelys kempii*)

### Mapping Data Sources:

<http://www.seamap.org/>

<http://seamap.env.duke.edu/>

<http://seamap.gsmfc.org/>

<http://www.dnr.sc.gov/marine/mrri/SEAMAP/seamap.html>

<http://www.seaturtle.org/tracking/>

<http://www.iobis.org/>

Atlantic Strategy GIS database

---

## A

*Abundance* · 1, 2, 7, 8, 10, 12, 19, 21, 22, 23, 24, 25, 26, 35, 45, 46

*Aerial survey* · 2, 3, 8, 15, 24, 41, 42

---

## B

*Behavior* · 5, 8, 16, 22, 23, 24, 25, 27, 30, 44, 45, 46

---

## C

*Caretta caretta* · 1, 2, 6, 7, 9, 11, 12, 14, 15, 16, 18, 19, 21, 24, 25, 26, 28, 42, 43, 46

*Chelonia mydas* · 6, 9, 11, 13, 14, 15, 17, 22, 26, 28, 29, 31, 33, 36, 37, 38

---

## D

*Dermochelys coriacea* · 5, 18, 23, 24

*Dispersants* · 20, 30

*Distribution* · 1, 2, 3, 5, 7, 8, 9, 10, 11, 12, 13, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 30, 31, 33, 34, 35, 37, 41, 42, 43, 45, 46

*Dredging* · 7, 42

---

## E

*Ecology* · 2, 5, 6, 8, 13, 16, 22, 24, 25, 26, 31, 33, 34, 43, 47

*Eretmochelys imbricata* · 1, 6, 11, 24, 29, 45, 46

---

## F

*Feeding ecology* · 2, 5, 6, 7, 15, 17, 22, 25, 26, 30, 33, 34, 43, 46, 47

*Fisheries interactions* · 4, 5, 6, 8, 10, 11, 12, 15, 18, 19, 20, 21, 22, 25, 27, 29, 30, 32, 42, 43, 45

*Freshwater turtles* · 2, 30, 43

---

## G

*Genetics* · 1, 7, 9, 13, 42

*Green* · 6, 9, 11, 13, 14, 15, 17, 22, 26, 28, 29, 31, 33, 36, 37, 38

*Green* · 13, 22, 26, 28, 31, 33, 36, 37, 38

*Growth* · 2, 4, 5, 16, 22, 31, 35, 41, 46, 47

---

---

## H

*Habitat use* · 2, 7, 10, 12, 13, 14, 17, 18, 20, 21, 22, 31, 37, 38, 42, 45, 46, 47

*Hawksbill* · 1, 6, 11, 24, 29, 45, 46

*Head start* · 2, 3, 4, 8, 9, 16, 21, 22, 25, 34, 35, 38, 39, 40, 41

*Health assessment* · 2, 5, 9, 10, 12, 19, 20, 26, 42, 44

*Hypothermic stunning* · 9, 22, 33

---

## K

*Kemp's ridley* · 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47

---

## L

*Leatherback* · 5, 18, 23, 24

*Lepidochelys kempii* · 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47

*Lepidochelys olivacea* · 5, 23

*Loggerhead* · 1, 2, 6, 7, 9, 11, 12, 14, 15, 16, 18, 19, 21, 24, 25, 26, 28, 42, 43, 46

---

## M

*Migration/movement* · 1, 5, 6, 9, 13, 14, 16, 17, 21, 22, 23, 25, 26, 27, 28, 29, 31, 32, 33, 37, 38, 40, 41, 42, 45, 46

*Miscellaneous* · 5, 12, 14, 15, 18, 19, 20, 22, 25, 26, 27, 34, 39, 42, 43, 44, 45, 46, 47

---

## N

*Nesting* · 1, 2, 5, 6, 9, 11, 15, 16, 18, 21, 22, 25, 26, 27, 29, 30, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 46

---

## O

*Oil platform removal* · 1, 7, 11, 12, 17, 29, 30, 44

*Oil/petroleum/hydrocarbons* · 1, 2, 3, 7, 8, 10, 11, 12, 13, 15, 16, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32, 41, 42, 43, 44, 45, 46, 47

*Olive ridley* · 5, 23

---

---

**P**

*Physiology* · 6, 14, 15, 19, 20, 23, 26, 30, 44

*Population dynamics* · 1, 3, 4, 6, 9, 12, 14, 16, 18, 21, 22, 23, 30, 31, 32, 42, 43

---

**R**

*Reproductive biology* · 5, 25, 34, 46

---

**S**

*Sex ratio* · 4, 6, 11, 12, 40, 46

*Skeletochronology* · 41, 47

*Strandings* · 1, 4, 17, 18, 19, 22, 25, 27, 31, 32, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44

*Survival* · 4, 7, 16, 19, 23, 26, 30, 43

---

**T**

*Telemetry/tracking* · 1, 3, 11, 13, 14, 16, 17, 23, 27, 28, 29, 33, 41

*Terrapins* · 3, 15, 23

*Turtle Excluder Devices* · 2, 17, 18, 19, 25, 29