# NOAA Technical Information Series NESDIS DSMR-00099 Version 1.0

doi: 10.25923/p1wt-bc09



Data Stewardship Maturity Report for GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2)

Table 1 Legend					
Level 1	Level 2	Level 3	Level 4	Level 5	
Ad Hoc	Minimal	Intermediate	Advanced	Optimal	
Little or no management	Limited Management	Defined Management, partially implemented	Well-defined Management, fully implemented	Full Management, audited, measured, controlled	

Table 1. Scores for the Nine DSMM Key Components at a Glance					
Preservability - 5 Accessibility - 5 Usability - 4.5					
Production Sustainability - 5	Data Quality Control/Monitoring - 3.5				
Data Quality Assessment - 2 Transparency/Traceability - 2.5 Data Integrity - 3					

NOAA National Centers for Environmental Information January 2020



## U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration National Environmental Satellite, Data, and Information Service Cover Image: Data Stewardship Rating Diagram for GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2)

Shades of green are used to represent level 1 through level 5 ratings; denoting Ad Hoc, Minimal, Intermediate, Advanced, and Optimal stages for each of the nine key components, respectively. The dark green level indicates all the practices are completely satisfied. The lighter green levels indicate only some of the practices are satisfied. The lightest green level indicates none of the practices are satisfied.

The stewardship maturity of NCEI data product, GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2), is assessed based on a reference stewardship maturity framework. The current maturity ratings of GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2) are at Level 1 or higher for all nine key components with zero Level 1, two Level 2, three Level 3, one Level 4, and three Level 5 key components.

#### NOAA Technical Information Series NESDIS DSMR-00099 Version 1.0

The National Environmental Satellite, Data, and Information Service (NESDIS) manages the Nation's civil Earth-observing satellite systems, as well as global national data bases for meteorology, oceanography, geophysics, and solar-terrestrial sciences. From these sources, it develops and disseminates environmental data and information products critical to the protection of life and property, national defense, and the national economy, energy development and distribution, global food supplies, and the development of natural resources.

Publication in the NOAA Technical Memorandum series does not preclude later publication in scientific journals in expanded or modified form. The NESDIS series of NOAA Technical Reports is a continuation of the former NESS and EDIS series of NOAA Technical Reports and the NESC and EDS series of Environmental Science Services Administration (ESSA) Technical Reports.

Copies of earlier reports may be available by contacting NESDIS Chief of Staff, NOAA/ NESDIS, 1335 East-West Highway, SSMC1, Silver Spring, MD 20910, (301) 713-3578

## ASSESSMENT REVISION HISTORY

Revision	Description	Date
V01r00	Initial Release	12/08/2021

# **NOAA Technical Information Series NESDIS DSMR-00099**

Version 1.0

doi: 10.25923/p1wt-bc09

Data Stewardship Maturity Report for GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2)

Paul Lemieux III, Katy Luquire NOAA's National Centers of Environmental Information (NCEI) 151 Patton Avenue, Asheville, NC 28801, (828) 271-4800

#### **Recommended Citation**

Paul Lemieux III, Katy Luquire. (2021), Data Stewardship Maturity Report for GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2)

NOAA Technical Information Series NESDIS DSMR-00099 Version 1.0, 20pp., doi: 10.25923/p1wt-bc09

# **Table of Contents**

List of Tables	7
Preface	8
1. Introduction	9
2. Results	10
3. Acknowledgment	15
4. References	16
Appendix I The Scientific Data Stewardship Maturity Matrix (DSMM)	17

# **List of Tables**

Table 1. Scores for the Nine DSMM Key Components at a Glance	1
Table 2. Dataset and Data Stewardship Maturity Assessment Metadata	11
Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM	
Key Components for the Dataset.	12

#### **Preface**

In response to the President's Open Government Initiative and related policies, NOAA has committed to providing improved public access to all of its environmental information, to enable research and commercial innovation through ease of data discovery and use [Casey, 2016].

OneStop supports NOAA's efforts by leveraging existing access technologies and infusing specific innovations to provide improved discover, access, and visualization services for NOAA's data. Also, OneStop is viewed by a NESDIS as a pathfinder effort with an initial focus on selected high-priority datasets from NESDIS and other program data meeting OneStop standards, but eventually scalable across NOAA's data. Lastly, OneStop is implementing the USGEO Common Framework for Earth Observation Data and leveraging/supporting the NOAA Big Data Project (BDP) and Big Earth Data Initiative (BEDI) [Casey, 2016].

As with any process of improvement planning, agencies need to find out where they are in terms of their compliance to the federal regulations and what they need to do if any areas of non-compliance are identified. To this end, a unified framework would be beneficial for assessing the current stage of stewardship practices applied to individual datasets and for providing a road map that will guide future investments towards enhanced stewardship of environmental datasets. The value and quality of a dataset depends in part on the stewardship practices applied after its development and production. Therefore, a unified framework providing a holistic view of the quality of stewardship practices applied to individual datasets is beneficial to data stewards and users [Casey, 2016].

The Data Stewardship Maturity Matrix (DSMM), jointly developed by domain (data management, technology, and science) subject matter experts from NOAA's National Centers for Environmental Information (NCEI) and Cooperative Institute for Climate and Satellites – North Carolina (CICS-NC), provides such a consistent framework [*Peng et al.*, 2016]. The DSMM, leveraging institutional knowledge and community practices and standards, defines a graduated maturity scale for each of nine key components of scientific data stewardship to enable a consistent assessment of the measureable stewardship practices applied to a given data set or product.

The NOAA data stewardship maturity technical series captures stewardship maturity assessment results for individual datasets, provides consistent representation and citable documents of those assessments, ensures transparency, and allows better data quality information integration and content-based search and discovery of NOAA data.

## NOAA Technical Information Series NESDIS DSMR-00099 Version 1.0

Data Stewardship Maturity Report for GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2)

#### 1. Introduction

## 1.1 Purpose

The purpose of this document is to describe the results of stewardship maturity assessment for NOAA Climate Data Record for Mean Layer Temperature (Upper Troposphere & Lower Stratosphere from UCAR, Version 2, utilizing the Scientific Data Stewardship Maturity Matrix or DSMM [Peng, et al, 2016]. DSMM defines levels of stewardship maturity stages for Preservability, Accessibility, Usability, Production Sustainability, Data Quality Assurance, Data Quality Control/Monitoring, Data Quality Assessment, Transparency/Traceability, and Data Integrity key components. Each of these components is ranked from 'Ad hoc' to 'Optimal' (see Appendix I). This report is based on evaluation performed by NOAA OneStop metadata specialists working with Subject Matter Experts and utilizing the DSMM template [Peng, 2016].

### 1.2 Scope

Assessing stewardship maturity - the current state of how datasets are documented, preserved, stewarded, and made accessible publicly, is a critical step towards meeting U.S. federal regulations, organizational requirements, and user needs [Peng et al., 2016]. The goal of this document is to provide consistent and transparent stewardship maturity information to data users and decision-makers.

#### 1.3 Dataset Abstract

The Meteosat Second Generation (MSG-3) satellites are spin stabilized geostationary satellites operated by the European Organization for the Exploitation of Meteorological Satellites (EUMETSAT) to provide accurate weather monitoring data through its primary instrument the Spinning Enhanced Visible and InfraRed Imager (SEVIRI), which has the capacity to observe the Earth in 12 spectral channels. Eight of these channels are in the thermal infrared, providing among other information, observations of the temperatures of clouds, land and sea surfaces at approximately 5 km resolution with a 15 minute duty cycle. This Group for High Resolution Sea Surface Temperature (GHRSST) dataset produced by the US National Oceanic and Atmospheric Administration (NOAA) National Environmental Satellite, Data, and Information Service (NESDIS) is derived from the SEVIRI instrument on the second MSG satellite (also known as Meteosat-9) that was launched on 22 December 2005. Skin sea surface temperature (SST) data are calculated from the infrared channels of SEVIRI at full resolution every 15 minutes. L2P data products with Single Sensor Error Statistics (SSES) are then derived following the GHRSST-PP Data Processing Specification (GDS) version 2.0.

## **1.4 Document Maintenance**

This document is generated and maintained by NOAA's National Centers for Environmental Information. More on policy is available at https://www.ncei.noaa.gov/.

## 2. Results

The data stewardship maturity assessment information is summarized in Table 1. Each component is displayed along with its corresponding score in a color-coded table.

Table 2. Dataset and Da	ta Stewardship Maturity Assessment Metadata		
Dataset Title	GHRSST Level 2P Atlantic Regional Skin Sea Surface Temperature from the Spinning Enhanced Visible and InfraRed Imager (SEVIRI) on the Meteosat Second Generation (MSG-3) satellite (GDS version 2)		
Dataset Information URL	https://doi.org/10.7289/v5j67dz9		
Data Provider POC (Name; E-mail; Affiliation))	NOAA National Centers for Environmental Information (NCEI), NCEI.Info@noaa.gov		
Dataset POC (Name; E-mail; Affiliation)	Eileen Maturi, Eileen.Maturi@noaa.gov, NOAA Center for Satellite Applications and Research (STAR)		
SMM Version (Document ID and Version Number)	NCDC-CICS-SMM_0001_Rev.1 12/09/2014		
SMM POC (Name; E-mail; Affiliation)	Ge Peng, ge.peng@uah.edu, University of Alabama- Huntsville		
SMM Template Version (Document ID and Version Numbers)	NCDC-CICS-SMM_0001_Rev.1 v4.0 06/23/2015		
SMM Template POC	Ge Peng, ge.peng@uah.edu, University of Alabama- Huntsville		
SMM Assessment Version (v <nn>r<mm>, e.g., v01r00)</mm></nn>	V01r06		
SMM Assessment Date (MM/DD/YYYY)	04/29/2019		
SMM Assessment POC (Name; E-mail; Affiliation)	Paul Lemieux III, Paul.Lemieux@noaa.gov, Earth Resources Technology, Inc.		
Stewardship Maturity Ratings (each key component) (kc1/kc2/kc3/kc4/kc5/kc6/kc7/kc8/kc9)	5/5/4.5/5/3.5/3.5/2/2.5/3		
SMM Original Assessment Date (MM/DD/YYYY)	08/05/2016		
SMM Original Assessment POC (Name; E-mail; Affiliation)	Paul Lemieux III, Paul.Lemieux@noaa.gov, Earth Resources Technology, Inc.		
SMM Last Modified Date (MM/DD/YYYY)	09/23/2021		
SMM Last Modification POC (Name; E-mail; Affiliation)	Katy Luquire, catherine.luquire@noaa.gov , CASE Consultants International		
SMM Modified Date (MM/DD/YYYY)	04/29/2019		
SMM Modification POC (Name; E-mail; Affiliation)	Paul Lemieux III, Paul.Lemieux@noaa.gov, Earth Resources Technology, Inc.		

Table 3. Stewardship	Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.
DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
Preservability	Level 5
Accessibility	Level 5  Collection level searchable online Granule level is searchable online Additional search options available from collection level site Direct file download available from FTP: ftp://ftp-oceans.ncei.noaa.gov/pub/data.nodc/ghrsst/L2P/MSG03/OSPO/ HTTP: https://www.ncei.noaa.gov/data/oceans/ghrsst/L2P/MSG03/OSPO/ HTREDDS: https://www.ncei.noaa.gov/thredds-ocean/catalog/ghrsst/L2P/MSG03/OSPO/catalog.html Dissemination reports are available to the public https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/ New technology for OneStop search and discovery planned (i.e. ElasticSearch, Hyrax Servers, etc.) This is part of the GHRSST data group that will be OneStop ready. Additional enhanced data server performance (TDS, DAP) are maintained by NCEI and accessible from the metadata landing page.

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.				
DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments			
Usability	<ul> <li>Level 4.5</li> <li>Community standard interoperable format: NetCDF</li> <li>A GHRSST User Guide, Quick Start Guide, GHRSST Data Specification (GDS) manual, and other relevant documents describing GHRSST data sets can be found in the archive accession, Documentation for The Group for High Resolution Sea Surface Temperature (GHRSST) data archived at NODC (NODC Accession 0123222), https://www.ncei.noaa.gov/access/metadata/landing-page/bin/iso?id=gov.noaa.nodc:0123222</li> <li>GHRSST User's guide [GHRSST, 2011] is available online at: https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GHRSSTUserGuidev91.pdf</li> <li>No formal ATBD is available, but there is an article [Merchant, Le Borgne, Roquet, et al., 2013] describing the retrieval algorithm here: https://doi.org/10.1016/j.rse.2012.12.019</li> <li>Aggregating granules is possible via THREDDS server.</li> <li>All GHRSST collections have enhanced online capability (e.g., visualization, multiple data formats): TDS, DAP (*data servers maintained at NCEI); access from metadata main landing page</li> <li>Comments: No known external rankings.</li> </ul>			
Production Sustainability	Level 5  NOAA NCEI-MD supporting long term stewardship of GHRSST collections as part of LTSRF: https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/ GHRSST products are versioned which indicated a product improvement process in place.  Comments: Changes for technology are available from individual dataset producers. NOAA does not have them documented.			
Data Quality Assurance	<ul> <li>Level 3.5</li> <li>DQA procedure defined and documented in the GHRSST Data Specification user's guide [GHRSST, 2011] available online here: https://www.nodc.noaa. gov/archive/arc0072/0123222/1.1/data/0-data/GHRSSTUserGuidev91.pdf</li> <li>DQA Procedure is documented in this paper [Merchant, Le Borgne, Roquet, et al., 2013] available online here: https://doi.org/10.1016/j.rse.2012.12.019</li> <li>File level quality flags exist which can be considered limited data quality assurance metadata.</li> <li>Comments:</li> </ul>			
	No known external reviews of the data quality assurance process			

Table 3. Stewardship	Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.
DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
Data Quality Control/ Monitoring	Level 3  Sampling and analysis are frequent and systematic but not automatic  Data quality control procedure is available in this paper [Merchant, Le Borgne, Roquet, et al., 2013] available online here: https://doi.org/10.1016/j.rse.2012.12.019  Cross validation occurs between sensor and in situ measurements from ships and buoys.  Instrument calibration real-time monitoring available here: http://gsics.tools.eumetsat.int/plotter/
	Comments: No comments
Data Quality Assessment	Level 2  No formal ATBD is available but the algorithm is described in detail and the research product is assessed in this data paper [Merchant, Le Borgne, Roquet, et al., 2013] available online here: https://doi.org/10.1016/j.rse.2012.12.019
	Comments: No known external rankings on the quality assessment
Transparency / Traceability	Level 2.5  Product information available in literature that also describes the retrieval algorithm [Merchant, Le Borgne, Roquet, et al., 2013] available online here: https://doi.org/10. 1016/j.rse.2012.12.019  OID Assigned: GHRSST-MSG03-OSPO-L2P  GHRSST datasets are under configuration management principles: https://doi.org/10. 5281/zenodo.4700465
	Comments: No OAD available No DOI assigned
Data Integrity	■ Data archive integrity verifiable  ■ Checksum technology is available, each GHRSST_SEVIRI_MSG3_AR_L2P package is accompanied by a manifest in XML format containing hash digests generated using various algorithms, including MD5, SHA-1, SHA-384, etc. That includes checksums (. md5) for every file package. https://www.nodc.noaa.gov/archive/arc0108/0163203/0163203.1.1.xml  ■ Data authenticity is verifiable (since data can be downloaded via HTTPS and HTTPS uses certificates to prove site authenticity)  ■ NCEI-MD does not provide digital signatures for data dissemination
	Comments: Checksum file available for download from PODAAC FTP: ftp://podaac.jpl.nasa. gov/allData/ghrsst/data/GDS2/L2P/MSG03/OSPO/v1/

## 3. Acknowledgment

This work is supported by the NOAA OneStop Project.

We thank the dataset POCs for their valuable input, as well as the collaborative efforts of the OneStop teams, especially the Metadata team. We would also like to show appreciation to Ge Peng for her contributions.

The draft of this data stewardship maturity report is systematically generated by a tool created by Kieran Hodnett and populated with the stewardship maturity assessment done by the author(s) of this report. The tool was developed based on a Word template created collaboratively by Robert Partee II, Raisa Ionin, Paul Lemieux III, Ge Peng, Don Collins, and Sonny Zinn with helpful input from the NOAA Central Library and the NCEI Communication Team.

#### 4. References

Casey, K. (2016), The NOAA OneStop data discover and access framework project, Version:June 3, 2016. https://cdn.ioos.noaa.gov/media/2017/12/OneStop-IOOS-DMAC-03-June-2016.pdf

Peng, G. (2015) The scientific data stewardship maturity assessment model template, Version: NCDC-CICS-SMM-0001-Rev.1 v4.0 6/23/2015. doi:10.6084/m9.figshare.1211954.

Peng, G., J.L. Privette, E.J. Kearns, N.A. Ritchey, and S. Ansari (2015), A unified framework for measuring stewardship practices applied to digital environmental datasets, *Data Science Journal*, 13, 231-253, doi: 10.2481/dsj.14-049.

Peng, G., J. Lawrimore, V. Toner, C. Lief, R. Baldwin, N. Ritchey, D. Brinegar, and S. A. Delgreco (2016) assessing stewardship naturity of the global historical climatology networkmonthly (GHCN-M) dataset: use case study and lessons learned, D-Lib Magazine, 22, doi:10.1045/november2016-peng.

GHRSST User Guide version 9.1, (2011), retrieved online: https://www.nodc.noaa .gov/archive/arc0072/0123222/1.1/data/0-data/GHRSSTUserGuidev91.pdf (Accessed December 22, 2016)

Merchant, C., Le Borgne, P., Roquet, H., Legendre, G., (2013), Extended optimal estimation techniques for sea surface temperature from the Spinning Enhanced Visible and Infra-Red Imager (SEVIRI), \_Remote Sensing of Environment\_, 131, 287—297, doi:10.1016/j.rse.2012.12.019.

# Appendix I: The Scientific Data Stewardship Maturity Matrix (DSMM)

Table A1: This matrix (Version: NCDC-CICS-SMM-0001-Rev.1. 12/09/2014) describes the criterion used to evaluate data stewardship maturity for each of the nine DSMM key components [Peng et al., 2015].

DSMM Component	Level 1 Ad hoc Little or no management	Level 2  Minimal  Limited  management	Level 3 Intermediate Defined management, partially implemented	Level 4 Advanced Well-defined management, fully implemented	Level 5 Optimal Full management, audited, measured, controlled
Preservability  (The state of being preservable)	Any storage location  Data only	Non- designated repository  Redundancy  Limited archiving metadata	Designated archive  Redundancy  Community-standard archiving metadata  Conforming to limited archiving standards	Level 3 + Conforming to community archiving standards	Level 4 +  Archiving process performance controlled, measured, and audited  Future archiving standard changes planned
Accessibility (The state of being searchable and accessible publicly)	Not publically available person-to- person	Publically available direct file download (e.g., via anonymous FTP server)  Collection or dataset level searchable online	Level 2 +  Non-standard data service  Limited data server performance  Granule/file level searchable  Limited search metrics	Level 3 + Community- standard data service Enhanced data server performance Conforming to community search metrics Dissemination report metrics defined and implemented internally	Level 4 + Dissemination reports available online  Future technology and standard changes planned

Usability  (The state of being easy to use)	Extensive product-specific knowledge required  No documentation online	Non-standard data format  Limited documentation (e.g., user's guide online)	Community standard-based interoperable format & metadata  Documentation (e.g. source code, product algorithm document, processing or/and data flow diagram) online	Level 3 + Basic capability (e.g., subsetting, aggregating) & data characterization overall/global, e.g., climatology, error estimates) available online	Level 4 + Enhanced online capability (e.g., visualization, multiple data formats)  Community metrics of data characterization (regional/cell) online  External ranking
Production Sustainability  (The state of data production being sustainable and extendable)	Ad Hoc or Not applicable  To obligation or deliverable requirement	Short-term Individual PI's commitment (grant obligations)	Medium-term  Institutional commitment (contractual deliverables with specs and schedule defined)	Long-term Institutional commitment  Product improvement process in place	Level 4 + National or international commitment Changes for echnology planned
Data Quality Assurance  (The state of data quality being assured)	Data quality assurance (DQA) procedure unknown or none	Ad Hoc and random  QA procedure not defined and documented	DQA procedure defined and documented and partially implemented	DQA procedure well documented, fully implemented and available online with master reference data Limited data quality assurance metadata	Level 4 +  DQA procedure monitored and reported Conforming to community quality metadata & standards  External review

Data Quality Control/ Monitoring  The state of data quality being controlled and monitored	None or Sampling unknown or spotty  Analysis unknown or random in time	Sampling and analysis are regular in time and space  Limited product-specific metrics defined & implemented	Level 2 + Sampling and analysis are frequent and systematic but not automatic  Community metrics defined and partially implemented  Procedure documented and available online	Level 3 + Anomaly detection procedure well-documente d and fully implemented using community metrics, automatic, tracked and reported Limited quality monitoring metadata	Level 4 + Cross-validation of temporal & spatial characteristics  Physical consistency check  Conforming to community quality metadata & standards
Data Quality Assessment  (The state of data quality being assessed)	Algorithm/ method/model  Theoretical basis assessed (methods and results online)	Level 1 +  Research product assessed (methods and results online)	Level 2 +  Operational product assessed (methods and results online)	Level 3 +  Quality metadata assessed  Limited quality assessment metadata	Level 4 +  Assessment performed on a recurring basis  Conforming to community quality metadata & standards  External ranking
Transparency/ Traceability  (The state of being transparent, trackable, and traceable)	Limited product information available  Person-to-person	Product information available in literature	Algorithm Theoretical Basis Document (ATBD) & source code online Dataset configuration managed (CM)  Unique Object Identifier (OID) assigned (dataset, documentation, source code)  Data citation tracked (e.g., utilizing Digital Object Identifier	Level 3 +  Operational Algorithm Description (OAD) online, OID assigned, and under CM	Level 4 +  System information online  Complete data provenance online

Data Integrity  (The state of data integrity being verifiable)	Unknown or no data ingest integrity check	Data ingest integrity verifiable (e.g, checksum technology)	(DOI) system) Level 2 +  Data archive integrity verifiable	Level 3 +  Data access integrity verifiable	Level 4 +  Data authenticity verifiable (e.g., data signature technology)  Performance of data integrity check monitored and reported
				Conforming to community data integrity technology standard	