

**NOAA Technical Information Series NESDIS  
DSMR-00110 Version 1.0**

doi: 10.25923/etpw-ev82



**Data Stewardship Maturity Report for GHR SST Level 2P Global Subskin Sea  
Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on  
the GCOM-W satellite (GDS version 2)**

Table 1 Legend				
Level 1	Level 2	Level 3	Level 4	Level 5
Ad Hoc	Minimal	Intermediate	Advanced	Optimal
Little or no management	Limited Management	Defined Management, partially implemented	Well-defined Management, fully implemented	Full Management, audited, measured, controlled

Table 1. Scores for the Nine DSMM Key Components at a Glance		
Preservability - 5	Accessibility - 5	Usability - 4.5
Production Sustainability - 5	Data Quality Assurance - 3.5	Data Quality Control/Monitoring - 1
Data Quality Assessment - 2	Transparency/Traceability - 2.5	Data Integrity - 3

NOAA National Centers for Environmental Information January 2020



**U.S. DEPARTMENT OF COMMERCE**  
National Oceanic and Atmospheric Administration  
National Environmental Satellite, Data, and Information Service

Cover Image: Data Stewardship Rating Diagram for GHR SST Level 2P Global Subskin Sea Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on the GCOM-W satellite (GDS version 2)

Shades of green are used to represent level 1 through level 5 ratings; denoting Ad Hoc, Minimal, Intermediate, Advanced, and Optimal stages for each of the nine key components, respectively. The dark green level indicates all the practices are completely satisfied. The lighter green levels indicate only some of the practices are satisfied. The lightest green level indicates none of the practices are satisfied.

The stewardship maturity of NCEI data product, GHR SST Level 2P Global Subskin Sea Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on the GCOM-W satellite (GDS version 2), is assessed based on a reference stewardship maturity framework. The current maturity ratings of GHR SST Level 2P Global Subskin Sea Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on the GCOM-W satellite (GDS version 2) are at Level 1 or higher for all nine key components with one Level 1, two Level 2, two Level 3, one Level 4, and three Level 5 key components.

The National Environmental Satellite, Data, and Information Service (NESDIS) manages the Nation's civil Earth-observing satellite systems, as well as global national data bases for meteorology, oceanography, geophysics, and solar-terrestrial sciences. From these sources, it develops and disseminates environmental data and information products critical to the protection of life and property, national defense, and the national economy, energy development and distribution, global food supplies, and the development of natural resources.

Publication in the NOAA Technical Memorandum series does not preclude later publication in scientific journals in expanded or modified form. The NESDIS series of NOAA Technical Reports is a continuation of the former NESS and EDIS series of NOAA Technical Reports and the NESC and EDS series of Environmental Science Services Administration (ESSA) Technical Reports.

Copies of earlier reports may be available by contacting NESDIS Chief of Staff, NOAA/NESDIS, 1335 East-West Highway, SSMC1, Silver Spring, MD 20910, (301) 713-3578.

## ASSESSMENT REVISION HISTORY

Revision	Description	Date
V01r00	Initial Release	12/16/2021

## **NOAA Technical Information Series NESDIS DSMR-00110**

### **Version 1.0**

doi: 10.25923/etpw-ev82

Data Stewardship Maturity Report for GHR SST Level 2P Global Subskin Sea Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on the GCOM-W satellite (GDS version 2)

Raisa Ionin, Katy Luquire

NOAA's National Centers of Environmental Information (NCEI)

151 Patton Avenue, Asheville, NC 28801, (828) 271-4800

### **Recommended Citation**

Raisa Ionin, Katy Luquire. (2021), Data Stewardship Maturity Report for GHR SST Level 2P Global Subskin Sea Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on the GCOM-W satellite (GDS version 2)

NOAA Technical Information Series NESDIS DSMR-00110 Version 1.0, 21pp.,  
doi: 10.25923/etpw-ev82

## **Table of Contents**

List of Tables	7
Preface	8
1. Introduction	9
2. Results	10
3. Acknowledgment	15
4. References	16
Appendix I The Scientific Data Stewardship Maturity Matrix (DSMM)	18

## List of Tables

Table 1. Scores for the Nine DSMM Key Components at a Glance	1
Table 2. Dataset and Data Stewardship Maturity Assessment Metadata	11
Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.	12

## Preface

In response to the President's Open Government Initiative and related policies, NOAA has committed to providing improved public access to all of its environmental information, to enable research and commercial innovation through ease of data discovery and use [Casey, 2016].

OneStop supports NOAA's efforts by leveraging existing access technologies and infusing specific innovations to provide improved discover, access, and visualization services for NOAA's data. Also, OneStop is viewed by a NESDIS as a pathfinder effort with an initial focus on selected high-priority datasets from NESDIS and other program data meeting OneStop standards, but eventually scalable across NOAA's data. Lastly, OneStop is implementing the USGEO Common Framework for Earth Observation Data and leveraging/supporting the NOAA Big Data Project (BDP) and Big Earth Data Initiative (BEDI) [Casey, 2016].

As with any process of improvement planning, agencies need to find out where they are in terms of their compliance to the federal regulations and what they need to do if any areas of non-compliance are identified. To this end, a unified framework would be beneficial for assessing the current stage of stewardship practices applied to individual datasets and for providing a road map that will guide future investments towards enhanced stewardship of environmental datasets. The value and quality of a dataset depends in part on the stewardship practices applied after its development and production. Therefore, a unified framework providing a holistic view of the quality of stewardship practices applied to individual datasets is beneficial to data stewards and users [Casey, 2016].

The Data Stewardship Maturity Matrix (DSMM), jointly developed by domain (data management, technology, and science) subject matter experts from NOAA's National Centers for Environmental Information (NCEI) and Cooperative Institute for Climate and Satellites – North Carolina (CICS-NC), provides such a consistent framework [Peng *et al.*, 2016]. The DSMM, leveraging institutional knowledge and community practices and standards, defines a graduated maturity scale for each of nine key components of scientific data stewardship to enable a consistent assessment of the measureable stewardship practices applied to a given data set or product.

The NOAA Data Stewardship Maturity Technical Series captures stewardship maturity assessment results for individual datasets, provides consistent representation and citable documents of those assessments, ensures transparency, and allows better data quality information integration and content-based search and discovery of NOAA data.



**Data Stewardship Maturity Report for GHR SST Level 2P Global Subskin Sea Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on the GCOM-W satellite (GDS version 2)**

## **1. Introduction**

### **1.1 Purpose**

The purpose of this document is to describe the results of stewardship maturity assessment for NOAA Climate Data Record for Mean Layer Temperature (Upper Troposphere & Lower Stratosphere from UCAR, Version 2, utilizing the Scientific Data Stewardship Maturity Matrix or DSMM [Peng, et al, 2016]. DSMM defines levels of stewardship maturity stages for Preservability, Accessibility, Usability, Production Sustainability, Data Quality Assurance, Data Quality Control/Monitoring, Data Quality Assessment, Transparency/Traceability, and Data Integrity key components. Each of these components is ranked from ‘Ad hoc’ to ‘Optimal’ (see Appendix I). This report is based on evaluation performed by NOAA OneStop metadata specialists working with Subject Matter Experts and utilizing the DSMM template [Peng, 2016].

### **1.2 Scope**

Assessing stewardship maturity - the current state of how datasets are documented, preserved, stewarded, and made accessible publicly, is a critical step towards meeting U.S. federal regulations, organizational requirements, and user needs [Peng et al., 2016]. The goal of this document is to provide consistent and transparent stewardship maturity information to data users and decision-makers.

### **1.3 Dataset Abstract**

The Advanced Microwave Scanning Radiometer 2 (AMSR2) was launched on 18 May 2012, onboard the Global Change Observation Mission - Water (GCOM-W) satellite developed by the Japan Aerospace Exploration Agency (JAXA). The GCOM-W mission aims to establish the global and long-term observation system to collect data, which is needed to understand mechanisms of climate and water cycle variations, and demonstrate its utilization. AMSR2 onboard the first generation of the GCOM-W satellite will continue Aqua/AMSR-E observations of water vapor, cloud liquid water, precipitation, SST, sea surface wind speed, sea ice concentration, snow depth, and soil moisture. AMSR2 is a remote sensing instrument for measuring weak microwave emission from the surface and the atmosphere of the Earth. From about 700 km above the Earth, AMSR2 will provide us highly accurate measurements of the intensity of microwave emission and scattering. The antenna of AMSR2 rotates once per 1.5 seconds and obtains data over a 1450 km swath. This conical scan mechanism enables AMSR2 to acquire a set of daytime and nighttime data with more than 99% coverage of the Earth every 2 days.

Remote Sensing Systems (RSS, or REMSS), providers of these SST data for the Group for High Resolution Sea Surface Temperature (GHRSSST) Project, performs a detailed processing of AMSR2 instrument data in two stages. The first stage produces a near-real-time (NRT) product (identified by "\_rt\_" within the file name) which is made as available as soon as possible. This is generally within 3 hours of when the data are recorded. Although suitable for many timely uses the NRT products are not intended to be archive quality. "Final" data (currently identified by "v08" within the file name) are processed when RSS receives the atmospheric model National Center for Environmental Prediction (NCEP) Final Analysis (FNL) Operational Global Analysis. The NCEP wind directions are particularly useful for retrieving more accurate SSTs and wind speeds. This dataset adheres to the GHRSSST Data Processing Specification (GDS) version 2 format specifications.

## **1.4 Document Maintenance**

This document is generated and maintained by NOAA's National Centers for Environmental Information. More on policy is available at <https://www.ncei.noaa.gov/>.

## **2. Results**

The data stewardship maturity assessment information is summarized in Table 1. Each component is displayed along with its corresponding score in a color-coded table.

Table 2. Dataset and Data Stewardship Maturity Assessment Metadata	
Dataset Title	GHR SST Level 2P Global Subskin Sea Surface Temperature from the Advanced Microwave Scanning Radiometer 2 on the GCOM-W satellite (GDS version 2)
Dataset Information URL	<a href="https://www.ncei.noaa.gov/metadata/geoportal/rest/metadata/item/gov.noaa.nodc%3AGHR SST-AMSR2-REMSS-L2P/html">https://www.ncei.noaa.gov/metadata/geoportal/rest/metadata/item/gov.noaa.nodc%3AGHR SST-AMSR2-REMSS-L2P/html</a>
Data Provider POC (Name; Email; Affiliation)	National Centers for Environmental Information, NESDIS, NOAA, U.S. Department of Commerce301-713-3277NCEI.Info@noaa.gov
Dataset POC (Name; Email; Affiliation)	Sharon Tremble; tremble@remss.com; REMSS; Remote Sensing Systems
SMM Version (Document ID and Version Number)	NCDC-CICS-SMM_0001_Rev.1 12/09/2014
SMM POC (Name; E-mail; Affiliation)	Ge Peng, ge.peng@uah.edu, University of Alabama-Huntsville
SMM Template Version (Document ID and Version Numbers)	NCDC-CICS-SMM_0001_Rev.1 v4.0 06/23/2015
SMM Template POC	Ge Peng, ge.peng@uah.edu, University of Alabama-Huntsville
SMM Assessment Version (v<nn>r<mm>, e.g., v01r00)	v01r05
SMM Assessment Date (MM/DD/YYYY)	04/17/2019
SMM Assessment POC (Name; E-mail; Affiliation)	Raisa Ionin, raisa.ionin@noaa.gov, Earth Resources Technology, Inc.
Stewardship Maturity Ratings (each key component) (kc1/kc2/kc3/kc4/kc5/kc6/kc7/kc8/kc9)	5 /5 /4.5 /5 /3.5 /1 /2 /2.5 /3
SMM Original Assessment Date (MM/DD/YYYY)	08/24/2016
SMM Original Assessment POC (Name; E-mail; Affiliation)	Raisa Ionin, raisa.ionin@noaa.gov, Earth Resources Technology, Inc.
SMM Last Modified Date (MM/DD/YYYY)	11/08/2021
SMM Last Modification POC (Name; E-mail; Affiliation)	Katy Luquire, catherine.luquire@noaa.gov , CASE Consultants International
SMM Modified Date (MM/DD/YYYY)	04/17/2019
SMM Modification POC (Name; E-mail; Affiliation)	Raisa Ionin, raisa.ionin@noaa.gov, Earth Resources Technology, Inc.

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.

DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
Preservability	<p>Level 5</p> <ul style="list-style-type: none"><li>▪ Archived by NCEI, which is NOAA designated repository. NOAA is compliant to NARA standards</li><li>▪ Metadata following ISO 19115-2 standards.</li><li>▪ Compliant to OIAS RM</li><li>▪ Plans to update metadata to ISO 19115-1 at a later date</li><li>▪ Using NCEI Silver Spring Archive Management System, AMS.</li></ul> <p>Comments:</p>
Accessibility	<p>Level 5</p> <ul style="list-style-type: none"><li>▪ Collection level searchable online</li><li>▪ Granule level is searchable online</li><li>▪ Additional search options available from collection level site</li><li>▪ Direct file download available from</li><li>▪ THREDDS:<ul style="list-style-type: none"><li>▪ <a href="https://www.ncei.noaa.gov/thredds-ocean/catalog/ghrsst/L2P/AMSR2/REMSS/catalog.html">https://www.ncei.noaa.gov/thredds-ocean/catalog/ghrsst/L2P/AMSR2/REMSS/catalog.html</a></li><li>▪ HTTP: <a href="https://www.ncei.noaa.gov/data/oceans/ghrsst/L2P/AMSR2/REMSS/">https://www.ncei.noaa.gov/data/oceans/ghrsst/L2P/AMSR2/REMSS/</a></li><li>▪ FTP: <a href="ftp://ftp-oceans.ncei.noaa.gov/pub/data.nodc/ghrsst/L2P/AMSR2/REMSS/">ftp://ftp-oceans.ncei.noaa.gov/pub/data.nodc/ghrsst/L2P/AMSR2/REMSS/</a></li><li>▪ Data citation is also available from NASA PODAAC site: <a href="https://podaac.jpl.nasa.gov/dataset/AMSR2-REMSS-L2P-v7.2">https://podaac.jpl.nasa.gov/dataset/AMSR2-REMSS-L2P-v7.2</a></li><li>▪ Dissemination reports are available to the public <a href="https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/">https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/</a></li></ul></li><li>▪ Future technology changes are planned</li></ul> <p>Comments:</p>

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.	
DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
<b>Usability</b>	<p>Level 4.5</p> <ul style="list-style-type: none"> <li>▪ The format is interoperable: NetCDF, .nc for granules</li> <li>▪ User Guide [GHR SST, 2011] is available online <a href="https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GHR SSTUserGuidev91.pdf">https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GHR SSTUserGuidev91.pdf</a></li> <li>▪ User Manual [GHR SST, 2011] is available online <a href="https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GDS20r5.pdf">https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GDS20r5.pdf</a></li> <li>▪ All GHR SST collections have error estimate.</li> <li>▪ All GHR SST collections have enhanced online capability (e.g., visualization, multiple data formats): TDS, DAP (*data servers maintained at NCEI); access from metadata main landing page.</li> <li>▪ A GHR SST User Guide, Quick Start Guide, GHR SST Data Specification (GDS) manual, and other relevant documents describing GHR SST data sets can be found in the archive accession, Documentation for The Group for High Resolution Sea Surface Temperature (GHR SST) data archived at NODC (NODC Accession 0123222), <a href="https://www.ncei.noaa.gov/access/metadata/landing-page/bin/iso?id=gov.noaa.nodc:0123222">https://www.ncei.noaa.gov/access/metadata/landing-page/bin/iso?id=gov.noaa.nodc:0123222</a></li> <li>▪ Algorithm described in</li> <li>▪ [Wentz, Frank J., and T. Meissner, 2000] and is available online <a href="http://eospsso.nasa.gov/sites/default/files/atbd/atbd-amsr-ocean.pdf">http://eospsso.nasa.gov/sites/default/files/atbd/atbd-amsr-ocean.pdf</a></li> <li>▪ [Wentz, 2007] and is available online <a href="http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf">http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf</a></li> <li>▪ No external ranking</li> </ul> <p>Comments:</p>
<b>Production Sustainability</b>	<p>Level 5</p> <ul style="list-style-type: none"> <li>▪ The dataset is currently supported, according to LTSRF Table: <a href="https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/">https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/</a></li> <li>▪ Long-term institutional commitment through REMMS, Remote Sensing Systems</li> <li>▪ Long-term international commitment (GHR SST is an international group)</li> <li>▪ Changes for technology are available from individual dataset producers.</li> </ul> <p>Comments:</p> <p>Changes for technology are available from individual dataset producers. NOAA does not have them documented.</p> <p>From LTSRF table, the product is listed first under REMSS, then AMSR2.</p>
<b>Data Quality Assurance</b>	<p>Level 3.5</p> <ul style="list-style-type: none"> <li>▪ Data quality procedure defined, documented and partially implemented. Error validation is addressed at the Remote Sensing Systems AMSR2/AMSRE webpage: <a href="http://www.remss.com/missions/amsr">http://www.remss.com/missions/amsr</a></li> <li>▪ and in this article: [Gentemann, 2010] and is available online <a href="https://doi.org/10.1109/TGRS.2009.2030322">https://doi.org/10.1109/TGRS.2009.2030322</a></li> <li>▪ File level quality flags exist which can be considered limited data quality assurance metadata.</li> </ul> <p>Comments:</p>
<b>Data Quality Control/ Monitoring</b>	<p>Level 1</p> <ul style="list-style-type: none"> <li>▪ No Quality Control metrics are available.</li> </ul> <p>Comments:</p>

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.	
DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
<b>Data Quality Assessment</b>	<p>Level 2</p> <ul style="list-style-type: none"> <li>▪ Algorithm described in [Wentz, Frank J., and T. Meissner, 2000] and is available online <a href="http://eospsso.nasa.gov/sites/default/files/atbd/atbd-amsr-ocean.pdf">http://eospsso.nasa.gov/sites/default/files/atbd/atbd-amsr-ocean.pdf</a></li> <li>▪ [Wentz, 2007] and available online <a href="http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf">http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf</a></li> <li>▪ Research product assessed in the article by [Gentemann, 2010] and is available online <a href="https://doi.org/10.1109/TGRS.2009.2030322">https://doi.org/10.1109/TGRS.2009.2030322</a></li> <li>▪ Operational product is not assessed.</li> </ul> <p>Comments:</p>
<b>Transparency / Traceability</b>	<p>Level 2.5</p> <ul style="list-style-type: none"> <li>▪ Limited product information available, metadata only on the GHR SST_L2P_GSSST_AMSR2_GCOM_W_S landing page: <a href="https://www.ncei.noaa.gov/metadata/geoportal/rest/metadata/item/gov.noaa.nodc%3AGHR SST-AMSR2-REMSS-L2P/html">https://www.ncei.noaa.gov/metadata/geoportal/rest/metadata/item/gov.noaa.nodc%3AGHR SST-AMSR2-REMSS-L2P/html</a></li> <li>▪ Product Information available in literature: [Gentemann, 2010] and is available online <a href="https://doi.org/10.1109/TGRS.2009.2030322">https://doi.org/10.1109/TGRS.2009.2030322</a></li> <li>▪ Algorithm described in [Wentz, Frank J., and T. Meissner, 2000] and is available online <a href="http://eospsso.nasa.gov/sites/default/files/atbd/atbd-amsr-ocean.pdf">http://eospsso.nasa.gov/sites/default/files/atbd/atbd-amsr-ocean.pdf</a></li> <li>▪ [Wentz, 2007] and available online <a href="http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf">http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf</a></li> <li>▪ GHR SST datasets are under Configuration Management principles: <a href="https://doi.org/10.5281/zenodo.4700465">https://doi.org/10.5281/zenodo.4700465</a></li> <li>▪ Data citation DOI is not available from NASA PODAAC site.</li> </ul> <p>Comments:</p>
<b>Data Integrity</b>	<p>Level 3</p> <ul style="list-style-type: none"> <li>▪ Data archive integrity verifiable - Checksum technology is available, each GHR SST_L2P_GSSST_AMSR2_GCOM_W_S package is accompanied by a manifest in XML format containing hash digests generated using various algorithms, including MD5, SHA-1, SHA-384, etc. That includes checksums (.md5) for every file package. <a href="https://www.nodc.noaa.gov/archive/arc0106/0162060/0162060.1.1.xml">https://www.nodc.noaa.gov/archive/arc0106/0162060/0162060.1.1.xml</a></li> <li>▪ Data authenticity is verifiable (since data can be downloaded via HTTPS and HTTPS uses certificates to prove site authenticity)</li> <li>▪ NCEI-MD does not provide digital signatures for data dissemination</li> </ul> <p>Comments:</p> <p>Example of a checksum file (.md5 file) also can be seen at <a href="ftp://podaac-ftp.jpl.nasa.gov/allData/ghrsst/data/GDS2/L2P/AMSR2/REMSS/v7.2/2015/007/">ftp://podaac-ftp.jpl.nasa.gov/allData/ghrsst/data/GDS2/L2P/AMSR2/REMSS/v7.2/2015/007/</a></p> <p>PODAAC ftp site: <a href="ftp://podaac-ftp.jpl.nasa.gov/allData/ghrsst/data/GDS2/L2P/AMSR2/REMSS/v7.2">ftp://podaac-ftp.jpl.nasa.gov/allData/ghrsst/data/GDS2/L2P/AMSR2/REMSS/v7.2</a></p>

### **3. Acknowledgment**

This work is supported by the NOAA OneStop Project.

We thank the dataset POCs for their valuable input, as well as the collaborative efforts of the OneStop teams, especially the Metadata team. We would also like to show appreciation to Ge Peng for her contributions.

The draft of this data stewardship maturity report is systematically generated by a tool created by Kieran Hodnett and populated with the stewardship maturity assessment done by the author(s) of this report. The tool was developed based on a Word template created collaboratively by Robert Partee II, Raisa Ionin, Paul Lemieux III, Ge Peng, Don Collins, and Sonny Zinn with helpful input from the NOAA Central Library and the NCEI Communication Team.

#### 4. References

Casey, K. (2016), The NOAA OneStop data discover and access framework project, Version: June 3, 2016. <https://cdn.ioos.noaa.gov/media/2017/12/OneStop-IOOS-DMAC-03-June-2016.pdf>

Peng, G. (2015) The scientific data stewardship maturity assessment model template, Version: NCDC-CICS-SMM-0001-Rev.1 v4.0 6/23/2015. doi:10.6084/m9.figshare.1211954.

Peng, G., J.L. Privette, E.J. Kearns, N.A. Ritchey, and S. Ansari (2015), A unified framework for measuring stewardship practices applied to digital environmental datasets, *Data Science Journal*, 13, 231-253, doi: 10.2481/dsj.14-049.

Peng, G., J. Lawrimore, V. Toner, C. Lief, R. Baldwin, N. Ritchey, D. Brinegar, and S. A. Delgreco (2016) assessing stewardship maturity of the global historical climatology network-monthly (GHCN-M) dataset: use case study and lessons learned, *D-Lib Magazine*, 22, doi:10.1045/november2016-peng.

GHRSSST User Guide version 9.1, 2011, retrieved online: <https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GHRSSSTUserGuidev91.pdf> (Accessed December 22, 2016)

The Recommended GHRSSST Data Specification (GDS) GDS 2.0 revision 5, 2011, retrieved online <https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GDS20r5.pdf> (Accessed 22 December 2016)

Wentz, Frank J., and T. Meissner (2000), Algorithm Theoretical Basis Document (ATBD) Version 2 AMSR Ocean Algorithm Principal, \_RSS Tech. Proposal 121599A-1, Remote Sensing Systems (RSS), retrieved online: <http://eosps.nasa.gov/sites/default/files/atbd/atbd-amr-ocean.pdf> (Accessed 18 January 2017)

Wentz, F.J., T. Meissner (2007), Supplement 1, Algorithm Theoretical Basis Document for AMSR-E Ocean Algorithms, \_Tech. Rep. 051707, Remote Sensing Systems, retrieved online: [http://images.remss.com/papers/rsstech/2007\\_051707\\_Wentz\\_AMSR\\_Ocean\\_Algorithm\\_Version\\_2\\_Supplement1\\_ATBD.pdf](http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf) (Accessed 2 February 2017)

Gentemann, C., T. Meissner, and F. Wentz (2010), Accuracy of Satellite Sea Surface Temperatures at 7 and 11 GHz, \_IEEE Transactions on Geoscience and Remote Sensing\_, 48(3), 1009–1018, doi:10.1109/tgrs.2009.2030322.



Wentz, F.J., T. Meissner (2007), Supplement 1, Algorithm Theoretical Basis Document for AMSR-E Ocean Algorithms, \_Tech. Rep. 051707, Remote Sensing Systems\_, retrieved online: [http://images.remss.com/papers/rsstech/2007\\_051707\\_Wentz\\_AMSR\\_Ocean\\_Algorithm\\_Version\\_2\\_Supplement1\\_ATBD.pdf](http://images.remss.com/papers/rsstech/2007_051707_Wentz_AMSR_Ocean_Algorithm_Version_2_Supplement1_ATBD.pdf) (Accessed 2 February 2017)

## Appendix I: The Scientific Data Stewardship Maturity Matrix (DSMM)

Table A1: This matrix (Version: NCDC-CICS-SMM-0001-Rev.1. 12/09/2014) describes the criterion used to evaluate data stewardship maturity for each of the nine DSMM key components [Peng *et al.*, 2015].

<b>DSMM Component</b>	<b>Level 1 <i>Ad hoc</i> Little or no management</b>	<b>Level 2 <i>Minimal</i> Limited management</b>	<b>Level 3 <i>Intermediate</i> Defined management, partially implemented</b>	<b>Level 4 <i>Advanced</i> Well-defined management, fully implemented</b>	<b>Level 5 <i>Optimal</i> Full management, audited, measured, controlled</b>
<b><i>Preservability</i></b> <i>(The state of being preservable)</i>	Any storage location  Data only	Non-designated repository  Redundancy  Limited archiving metadata	Designated archive  Redundancy  Community-standard archiving metadata  Conforming to limited archiving standards	Level 3 +  Conforming to community archiving standards	Level 4 +  Archiving process performance controlled, measured, and audited  Future archiving standard changes planned
<b><i>Accessibility</i></b> <i>(The state of being searchable and accessible publicly)</i>	Not publically available person-to-person	Publically available direct file download (e.g., via anonymous FTP server)  Collection or dataset level searchable online	Level 2 +  Non-standard data service  Limited data server performance  Granule/file level searchable  Limited search metrics	Level 3 +  Community-standard data service  Enhanced data server performance  Conforming to community search metrics  Dissemination report metrics defined and implemented internally	Level 4 +  Dissemination reports available online  Future technology and standard changes planned

<b><i>Usability</i></b> <i>(The state of being easy to use)</i>	<p>Extensive product-specific knowledge required</p> <p>No documentation online</p>	<p>Non-standard data format</p> <p>Limited documentation (e.g., user's guide online)</p>	<p>Community standard-based interoperable format &amp; metadata</p> <p>Documentation (e.g. source code, product algorithm document, processing or/and data flow diagram) online</p>	<p>Level 3 +</p> <p>Basic capability (e.g., subsetting, aggregating) &amp; data characterization overall/global,</p> <p>e.g., climatology, error estimates) available online</p>	<p>Level 4 +</p> <p>Enhanced online capability (e.g., visualization, multiple data formats)</p> <p>Community metrics of data characterization (regional/cell) online</p> <p>External ranking</p>
<b><i>Production Sustainability</i></b> <i>(The state of data production being sustainable and extendable)</i>	<p>Ad Hoc or Not applicable</p> <p>To obligation or deliverable requirement</p>	<p>Short-term</p> <p>Individual PI's commitment (grant obligations)</p>	<p>Medium-term</p> <p>Institutional commitment (contractual deliverables with specs and schedule defined)</p>	<p>Long-term</p> <p>Institutional commitment</p> <p>Product improvement process in place</p>	<p>Level 4 +</p> <p>National or international commitment</p> <p>Changes for echnology planned</p>
<b><i>Data Quality Assurance</i></b> <i>(The state of data quality being assured)</i>	<p>Data quality assurance (DQA) procedure unknown or none</p>	<p>Ad Hoc and random</p> <p>QA procedure not defined and documented</p>	<p>DQA procedure defined and documented and partially implemented</p>	<p>DQA procedure well documented, fully implemented and available online with master reference data</p> <p>Limited data quality assurance metadata</p>	<p>Level 4 +</p> <p>DQA procedure monitored and reported</p> <p>Conforming to community quality metadata &amp; standards</p> <p>External review</p>

<b>Data Quality Control/Monitoring</b>  <i>The state of data quality being controlled and monitored</i>	None or Sampling unknown or spotty  Analysis unknown or random in time	Sampling and analysis are regular in time and space  Limited product-specific metrics defined & implemented	Level 2 +  Sampling and analysis are frequent and systematic but not automatic  Community metrics defined and partially implemented  Procedure documented and available online	Level 3 +  Anomaly detection procedure well-documented and fully implemented using community metrics, automatic, tracked and reported  Limited quality monitoring metadata	Level 4 +  Cross-validation of temporal & spatial characteristics  Physical consistency check  Conforming to community quality metadata & standards
<b>Data Quality Assessment</b>  <i>(The state of data quality being assessed)</i>	Algorithm/method/model  Theoretical basis assessed (methods and results online)	Level 1 +  Research product assessed (methods and results online)	Level 2 +  Operational product assessed (methods and results online)	Level 3 +  Quality metadata assessed  Limited quality assessment metadata	Level 4 +  Assessment performed on a recurring basis  Conforming to community quality metadata & standards  External ranking
<b>Transparency/Traceability</b>  <i>(The state of being transparent, trackable, and traceable)</i>	Limited product information available  Person-to-person	Product information available in literature	Algorithm Theoretical Basis Document (ATBD) & source code online  Dataset configuration managed (CM)  Unique Object Identifier (OID) assigned (dataset, documentation, source code)  Data citation tracked (e.g., utilizing Digital Object Identifier	Level 3 +  Operational Algorithm Description (OAD) online, OID assigned, and under CM	Level 4 +  System information online  Complete data provenance online

<b><i>Data Integrity</i></b> <i>(The state of data integrity being verifiable)</i>	Unknown or no data ingest integrity check	Data ingest integrity verifiable (e.g. checksum technology)	(DOI) system) Level 2 + Data archive integrity verifiable	Level 3 + Data access integrity verifiable  Conforming to community data integrity technology standard	Level 4 +  Data authenticity verifiable (e.g., data signature technology) Performance of data integrity check monitored and reported