

**NOAA Technical Information Series NESDIS
DSMR-00279 Version 1.0**

doi: 10.25923/ss1x-n995



**Data Stewardship Maturity Report for GHRSSST Level 2P Global skin Sea
Surface Temperature from the Infrared Atmospheric Sounding Interferometer
(IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2)**

Table 1 Legend				
Level 1	Level 2	Level 3	Level 4	Level 5
Ad Hoc	Minimal	Intermediate	Advanced	Optimal
Little or no management	Limited Management	Defined Management, partially implemented	Well-defined Management, fully implemented	Full Management, audited, measured, controlled

Table 1. Scores for the Nine DSMM Key Components at a Glance		
Preservability - 5	Accessibility - 5	Usability - 4.5
Production Sustainability - 5	Data Quality Assurance - 3.5	Data Quality Control/Monitoring - 3.5
Data Quality Assessment - 3	Transparency/Traceability - 2.5	Data Integrity - 3

NOAA National Centers for Environmental Information January 2020



U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Cover Image: Data Stewardship Rating Diagram for GHRSSST Level 2P Global skin Sea Surface Temperature from the Infrared Atmospheric Sounding Interferometer (IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2)

Shades of green are used to represent level 1 through level 5 ratings; denoting Ad Hoc, Minimal, Intermediate, Advanced, and Optimal stages for each of the nine key components, respectively. The dark green level indicates all the practices are completely satisfied. The lighter green levels indicate only some of the practices are satisfied. The lightest green level indicates none of the practices are satisfied.

The stewardship maturity of NCEI data product, GHRSSST Level 2P Global skin Sea Surface Temperature from the Infrared Atmospheric Sounding Interferometer (IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2), is assessed based on a reference stewardship maturity framework. The current maturity ratings of GHRSSST Level 2P Global skin Sea Surface Temperature from the Infrared Atmospheric Sounding Interferometer (IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2) are at Level 1 or higher for all nine key components with zero Level 1, one Level 2, four Level 3, one Level 4, and three Level 5 key components.

The National Environmental Satellite, Data, and Information Service (NESDIS) manages the Nation's civil Earth-observing satellite systems, as well as global national data bases for meteorology, oceanography, geophysics, and solar-terrestrial sciences. From these sources, it develops and disseminates environmental data and information products critical to the protection of life and property, national defense, and the national economy, energy development and distribution, global food supplies, and the development of natural resources.

Publication in the NOAA Technical Memorandum series does not preclude later publication in scientific journals in expanded or modified form. The NESDIS series of NOAA Technical Reports is a continuation of the former NESS and EDIS series of NOAA Technical Reports and the NESC and EDS series of Environmental Science Services Administration (ESSA) Technical Reports.

Copies of earlier reports may be available by contacting NESDIS Chief of Staff, NOAA/ NESDIS, 1335 East-West Highway, SSMC1, Silver Spring, MD 20910, (301) 713-3578.

ASSESSMENT REVISION HISTORY

Revision	Description	Date
V01r00	Initial Release	12/27/2021

NOAA Technical Information Series NESDIS DSMR-00279

Version 1.0

doi: 10.25923/ss1x-n995

Data Stewardship Maturity Report for GHRSSST Level 2P Global skin Sea Surface Temperature from the Infrared Atmospheric Sounding Interferometer (IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2)

Raisa Ionin, Katy Luquire

NOAA's National Centers of Environmental Information (NCEI)

151 Patton Avenue, Asheville, NC 28801, (828) 271-4800

Recommended Citation

Raisa Ionin, Katy Luquire. (2021), Data Stewardship Maturity Report for GHRSSST Level 2P Global skin Sea Surface Temperature from the Infrared Atmospheric Sounding Interferometer (IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2). NOAA Technical Information Series NESDIS DSMR-00279 Version 1.0, 21pp., doi: 10.25923/ss1x-n995

Table of Contents

List of Tables	7
Preface	8
1. Introduction	9
2. Results	10
3. Acknowledgment	16
4. References	17
Appendix I The Scientific Data Stewardship Maturity Matrix (DSMM)	18

List of Tables

Table 1. Scores for the Nine DSMM Key Components at a Glance	1
Table 2. Dataset and Data Stewardship Maturity Assessment Metadata	11
Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset	12

Preface

In response to the President's Open Government Initiative and related policies, NOAA has committed to providing improved public access to all of its environmental information, to enable research and commercial innovation through ease of data discovery and use [Casey, 2016].

OneStop supports NOAA's efforts by leveraging existing access technologies and infusing specific innovations to provide improved discover, access, and visualization services for NOAA's data. Also, OneStop is viewed by a NESDIS as a pathfinder effort with an initial focus on selected high-priority datasets from NESDIS and other program data meeting OneStop standards, but eventually scalable across NOAA's data. Lastly, OneStop is implementing the USGEO Common Framework for Earth Observation Data and leveraging/supporting the NOAA Big Data Project (BDP) and Big Earth Data Initiative (BEDI) [Casey, 2016].

As with any process of improvement planning, agencies need to find out where they are in terms of their compliance to the federal regulations and what they need to do if any areas of non-compliance are identified. To this end, a unified framework would be beneficial for assessing the current stage of stewardship practices applied to individual datasets and for providing a road map that will guide future investments towards enhanced stewardship of environmental datasets. The value and quality of a dataset depends in part on the stewardship practices applied after its development and production. Therefore, a unified framework providing a holistic view of the quality of stewardship practices applied to individual datasets is beneficial to data stewards and users [Casey, 2016].

The Data Stewardship Maturity Matrix (DSMM), jointly developed by domain (data management, technology, and science) subject matter experts from NOAA's National Centers for Environmental Information (NCEI) and Cooperative Institute for Climate and Satellites – North Carolina (CICS-NC), provides such a consistent framework [Peng *et al.*, 2016]. The DSMM, leveraging institutional knowledge and community practices and standards, defines a graduated maturity scale for each of nine key components of scientific data stewardship to enable a consistent assessment of the measureable stewardship practices applied to a given data set or product.

The NOAA Data Stewardship Maturity Technical Series captures stewardship maturity assessment results for individual datasets, provides consistent representation and citable documents of those assessments, ensures transparency, and allows better data quality information integration and content-based search and discovery of NOAA data.

Data Stewardship Maturity Report for GHR SST Level 2P Global skin Sea Surface Temperature from the Infrared Atmospheric Sounding Interferometer (IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2)

1. Introduction

1.1 Purpose

The purpose of this document is to describe the results of stewardship maturity assessment for NOAA Climate Data Record for Mean Layer Temperature (Upper Troposphere & Lower Stratosphere from UCAR, Version 2, utilizing the Scientific Data Stewardship Maturity Matrix or DSMM [Peng, et al, 2016]. DSMM defines levels of stewardship maturity stages for Preservability, Accessibility, Usability, Production Sustainability, Data Quality Assurance, Data Quality Control/Monitoring, Data Quality Assessment, Transparency/Traceability, and Data Integrity key components. Each of these components is ranked from ‘Ad hoc’ to ‘Optimal’ (see Appendix I). This report is based on evaluation performed by NOAA OneStop metadata specialists working with Subject Matter Experts and utilizing the DSMM template [Peng, 2016].

1.2 Scope

Assessing stewardship maturity - the current state of how datasets are documented, preserved, stewarded, and made accessible publicly, is a critical step towards meeting U.S. federal regulations, organizational requirements, and user needs [Peng et al., 2016]. The goal of this document is to provide consistent and transparent stewardship maturity information to data users and decision-makers.

1.3 Dataset Abstract

A Group for High Resolution Sea Surface Temperature (GHR SST) Level 2P dataset based on multi-channel sea surface temperature (SST) retrievals generated in real-time from the Infrared Atmospheric Sounding Interferometer (IASI) on the European Meteorological Operational-B (MetOp-B) satellite (launched 17 Sep 2012). The European Organization for the Exploitation of Meteorological Satellites (EUMETSAT), Ocean and Sea Ice Satellite Application Facility (OSI SAF) is producing SST products in near realtime from METOP/IASI. The Infrared Atmospheric Sounding Interferometer (IASI) measures in the infrared part of the electromagnetic spectrum at a horizontal resolution of 12 km at nadir up to 40km over a swath width of about 2,200 km. With 14 orbits in a sun-synchronous mid-morning orbit (9:30 Local Solar Time equator crossing, descending node) global observations can be provided twice a day. The SST retrieval is performed and provided by the IASI L2 processor at EUMETSAT headquarters. The product format is compliant with the GHR SST Data Specification (GDS) version 2.

1.4 Document Maintenance

This document is generated and maintained by NOAA's National Centers for Environmental Information. More on policy is available at <https://www.ncei.noaa.gov/>.

2. Results

The data stewardship maturity assessment information is summarized in Table 1. Each component is displayed along with its corresponding score in a color-coded table.

Table 2. Dataset and Data Stewardship Maturity Assessment Metadata	
Dataset Title	GHRSSST Level 2P Global skin Sea Surface Temperature from the Infrared Atmospheric Sounding Interferometer (IASI) on the Metop-B satellite (GDS V2) produced by OSI SAF (GDS version 2)
Dataset Information URL	https://www.ncei.noaa.gov/metadata/geoportal/rest/metadata/item/gov.noaa.nodc%3AGHRSSST-IASI_SST_METOP_B-OSISAF-L2P/html
Data Provider POC (Name; Email; Affiliation)	National Centers for Environmental Information, NESDIS, NOAA, U.S. Department of Commerce 301-713-3277 NCEI. Info@noaa.gov
Dataset POC (Name; Email; Affiliation)	Pierre LeBorgne; CMS; Meteorologie Spatiale; pierre.leborgne@meteo.fr
SMM Version (Document ID and Version Number)	NCDC-CICS-SMM_0001_Rev.1 12/09/2014
SMM POC (Name; E-mail; Affiliation)	Ge Peng, ge.peng@uah.edu, University of Alabama-Huntsville
SMM Template Version (Document ID and Version Numbers)	NCDC-CICS-SMM_0001_Rev.1 v4.0 06/23/2015
SMM Template POC	Ge Peng, ge.peng@uah.edu, University of Alabama-Huntsville
SMM Assessment Version (v<nn>r<mm>, e.g., v01r00)	v01r05
SMM Assessment Date (MM/DD/YYYY)	04/15/2019
SMM Assessment POC (Name; E-mail; Affiliation)	Raisa Ionin; raisa.ionin@noaa.gov; NOAA's National Centers for environmental Information (NCEI)
Stewardship Maturity Ratings (each key component) (kc1/kc2/kc3/kc4/kc5/kc6/kc7/kc8/kc9)	5 /5 /4.5 /5 /3.5 /3.5 /3 /2.5 /3
SMM Original Assessment Date (MM/DD/YYYY)	09/12/2016
SMM Original Assessment POC (Name; E-mail; Affiliation)	Raisa Ionin; raisa.ionin@noaa.gov; NOAA's National Centers for environmental Information (NCEI)
SMM Last Modified Date (MM/DD/YYYY)	10/18/2021
SMM Last Modification POC (Name; E-mail; Affiliation)	Katy Luquire, catherine.luquire@noaa.gov , CASE Consultants International
SMM Modified Date (MM/DD/YYYY)	04/15/2019
SMM Modification POC (Name; E-mail; Affiliation)	Raisa Ionin; raisa.ionin@noaa.gov; NOAA's National Centers for environmental Information (NCEI)

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.

DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
<p>Preservability</p>	<p>Level 5</p> <ul style="list-style-type: none"> ▪ Archived by NCEI, which is NOAA designated repository. NOAA is compliant to NARA standards ▪ Metadata following ISO 19115-2 standards. ▪ Compliant to OIAS RM ▪ Plans to update metadata to ISO 19115-1 at a later date ▪ Using NCEI Silver Spring Archive Management System, AMS. <p>Comments:</p>
<p>Accessibility</p>	<p>Level 5</p> <ul style="list-style-type: none"> ▪ Collection level searchable online ▪ Granule level is searchable online ▪ Additional search options available from collection level site ▪ Direct file download available from ▪ THREDDS:https://www.ncei.noaa.gov/thredds-ocean/catalog/ghrsst/L2P/IASI_SST_METOP_B/OSISAF/catalog.html ▪ HTTP:https://www.ncei.noaa.gov/data/oceans/ghrsst/L2P/IASI_SST_METOP_B/OSISAF/ ▪ FTP:ftp://ftp-oceans.ncei.noaa.gov/pub/data.nodc/ghrsst/L2P/IASI_SST_METOP_B/OSISAF/ ▪ Data citation is also available from NASA PODAAC site: https://podaac.jpl.nasa.gov/dataset/IASI_SST_METOP_B-OSISAF-L2P-v1.0 ▪ Dissemination reports are available to the public https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/ ▪ Future technology changes are planned <p>Comments:</p>

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.

DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
Usability	<p>Level 4.5</p> <ul style="list-style-type: none"> ▪ The format is interoperable: NetCDF, nc. for granules ▪ User guide [GHRSSST, 2011] is available online https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GHRSSSTUserGuidev91.pdf ▪ OSISAF User Manual [OSISAF, 2018] is available online https://osi-saf.eumetsat.int/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf ▪ All GHRSSST collections have error estimate. ▪ All GHRSSST collections have enhanced online capability (e.g., visualization, multiple data formats): TDS, DAP, LAS (*data servers maintained at NCEI); access from metadata main landing page. ▪ ▪ A GHRSSST User Guide, Quick Start Guide, GHRSSST Data Specification (GDS) manual, and other relevant documents describing GHRSSST data sets can be found in the archive accession, Documentation for The Group for High Resolution Sea Surface Temperature (GHRSSST) data archived at NODC (NODC Accession 0123222), https://www.ncei.noaa.gov/access/metadata/landing-page/bin/iso?id=gov.noaa.nodc:0123222 ▪ Algorithm is available in the following documents: ▪ [August, 2012] is available online http://doi.org/10.1016/j.jqsrt.2012.02.028 ▪ OSISAF User Manual [OSISAF, 2016] is available online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf ▪ No external ranking ▪ <p>Comments:</p>
Production Sustainability	<p>Level 5</p> <ul style="list-style-type: none"> ▪ The dataset is currently supported, according to Long Term Stewardship and Reanalysis facility LTSRF Table: https://www.ncei.noaa.gov/access/ghrsst-long-term-stewardship-and-reanalysis-facility/ ▪ Long-term institutional commitment through OSISAF, Ocean and Sea Ice Satellite Application Facility ▪ Long-term international commitment (GHRSSST is an international group) ▪ Changes for technology are available from individual dataset producers. <p>Comments:</p> <p>Changes for technology are available from individual dataset producers. NOAA does not have them documented.</p> <p>From LTSRF page, the product is listed under OSISAF, then IASI_SST_METOP_B</p>

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.

DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
<p>Data Quality Assurance</p>	<p>Level 3.5</p> <ul style="list-style-type: none"> ▪ DQA procedure defined and documented and partially implemented based on the publications: ▪ Algorithm document[August, 2012] is available online http://doi.org/10.1016/j.jqsrt.2012.02.028 ▪ OSISAF User Manual [OSISAF, 2016] is available online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf ▪ ▪ File level quality flags exist which can be considered limited data quality assurance metadata. ▪ <p>Comments:</p>
<p>Data Quality Control/Monitoring</p>	<p>Level 3.5</p> <ul style="list-style-type: none"> ▪ Limited Quality Control metrics are available from Ocean and Sea Ice Satellite Application Facility OSI-SAF site: https://osi-saf.eumetsat.int/low-and-mid-latitudes-processing-center/charts-display ▪ Sampling and analysis are frequent and systematic but not automatic ▪ Procedure documented and available online ▪ Anomaly detection procedure well-documented and fully implemented based on the publication above. ▪ Community metrics defined and partially implemented <p>Comments:</p>
<p>Data Quality Assessment</p>	<p>Level 3</p> <ul style="list-style-type: none"> ▪ Algorithm is available in the following documents: ▪ [August, 2012] is available online http://doi.org/10.1016/j.jqsrt.2012.02.028 ▪ OSISAF User Manual [OSISAF, 2016] is available online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf ▪ Research product assessed in literature: ▪ [August, 2012] is available online http://doi.org/10.1016/j.jqsrt.2012.02.028 ▪ OSISAF User Manual [OSISAF, 2016] is available online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf ▪ Operational product is assessed: ▪ [August, 2012] is available online http://doi.org/10.1016/j.jqsrt.2012.02.028 ▪ OSISAF User Manual [OSISAF, 2016] is available online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf <p>Comments:</p>

Table 3. Stewardship Maturity Levels and Detailed Justifications for Each of Nine DSMM Key Components for the Dataset.

DSMM Key Component	Stewardship Maturity Rating, Justification, and Comments
<p>Transparency / Traceability</p>	<p>Level 2.5</p> <ul style="list-style-type: none"> ▪ Limited product information available, metadata only on the GHRSSST_L2P_GSSST_IASI_MetOp_B-s landing page: https://www.ncei.noaa.gov/access/metadata/landing-page/bin/iso?id=gov.noaa.nodc:GHRSSST-IASI_SST_METOP_B-OSISAF-L2P ▪ Product information is available in literature: <ul style="list-style-type: none"> ▪ [August, 2012] is available online http://doi.org/10.1016/j.jqsrt.2012.02.028 ▪ OSISAF User Manual [OSISAF, 2016] is available online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf ▪ Algorithm Based Documentation (ATBD) available: <ul style="list-style-type: none"> ▪ [August, 2012] is available online http://doi.org/10.1016/j.jqsrt.2012.02.028 ▪ OSISAF User Manual [OSISAF, 2016] is available online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf ▪ GHRSSST datasets are under Configuration Management principles: ftp://ftp.nodc.noaa.gov/nodc/archive/arc0072/0123222/2.2/data/0-data/governance-documents/ ▪ DOI is not assigned from NASA PODAAC site. <p>Comments:</p>
<p>Data Integrity</p>	<p>Level 3</p> <ul style="list-style-type: none"> ▪ Data archive integrity verifiable - Checksum technology is available, each GHRSSST_L2P_GSSST_IASI_MetOp_B_S package is accompanied by a manifest in XML format containing hash digests generated using various algorithms, including MD5, SHA-1, SHA-384, etc. That includes checksums (.md5) for every file package. https://www.nodc.noaa.gov/archive/arc0093/0156090/0156090.1.1.xml ▪ Data authenticity is verifiable (since data can be downloaded via HTTPS and HTTPS uses certificates to prove site authenticity) ▪ NCEI-MD does not provide digital signatures for data dissemination <p>Comments:</p> <p>Example of a checksum file is also available from PODAAC ftp site: (.md5 file) can be seen at ftp://podaac-ftp.jpl.nasa.gov/allData/ghrsst/data/GDS2/L2P/IASI_SST_METOP_B/OSISAF/v1/2016/025/PODAAC ftp site: ftp://podaac-ftp.jpl.nasa.gov/allData/ghrsst/data/GDS2/L2P/IASI_SST_METOP_B/OSISAF/v1</p>

3. Acknowledgment

This work is supported by the NOAA OneStop Project.

We thank the dataset POCs for their valuable input, as well as the collaborative efforts of the OneStop teams, especially the Metadata team. We would also like to show appreciation to Ge Peng for her contributions.

The draft of this data stewardship maturity report is systematically generated by a tool created by Kieran Hodnett and populated with the stewardship maturity assessment done by the author(s) of this report. The tool was developed based on a Word template created collaboratively by Robert Partee II, Raisa Ionin, Paul Lemieux III, Ge Peng, Don Collins, and Sonny Zinn with helpful input from the NOAA Central Library and the NCEI Communication Team.

4. References

Casey, K. (2016), The NOAA OneStop data discover and access framework project, Version: June 3, 2016. <https://cdn.ioos.noaa.gov/media/2017/12/OneStop-IOOS-DMAC-03-June-2016.pdf>

Peng, G. (2015) The scientific data stewardship maturity assessment model template, Version: NCDC-CICS-SMM-0001-Rev.1 v4.0 6/23/2015. doi:10.6084/m9.figshare.1211954.

Peng, G., J.L. Privette, E.J. Kearns, N.A. Ritchey, and S. Ansari (2015), A unified framework for measuring stewardship practices applied to digital environmental datasets, *Data Science Journal*, 13, 231-253, doi: 10.2481/dsj.14-049.

Peng, G., J. Lawrimore, V. Toner, C. Lief, R. Baldwin, N. Ritchey, D. Brinegar, and S. A. Delgreco (2016) assessing stewardship maturity of the global historical climatology network-monthly (GHCN-M) dataset: use case study and lessons learned, *D-Lib Magazine*, 22, doi:10.1045/november2016-peng.

GHRSSST User Guide version 9.1, 2011, retrieved online: <https://www.nodc.noaa.gov/archive/arc0072/0123222/1.1/data/0-data/GHRSSSTUserGuidev91.pdf> (Accessed December 14, 2016)

Low Earth Orbiter Sea Surface Temperature Product User Manual. Version 3.3, 2018, retrieved online: https://osi-saf.eumetsat.int/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf (Accessed October 18, 2021)

August, T., D. Klaes, P. Schlüssel, T. Hultberg, M. Crapeau, A. Arriaga, A. O'carroll, D. Coppens, R. Munro, and X. Calbet (2012), IASI on Metop-A: Operational Level 2 retrievals after five years in orbit, *Journal of Quantitative Spectroscopy and Radiative Transfer*, 113(11), 1340–1371, doi:10.1016/j.jqsrt.2012.02.028.

Low Earth Orbiter Sea Surface Temperature Product User Manual. Version 3.2, 2016, retrieved online http://www.osi-saf.org/lml/doc/osisaf_cdop2_ss1_pum_leo_sst.pdf (Accessed 14 December 2016)

August, T., D. Klaes, P. Schlüssel, T. Hultberg, M. Crapeau, A. Arriaga, A. O'carroll, D. Coppens, R. Munro, and X. Calbet (2012), IASI on Metop-A: Operational Level 2 retrievals after five years in orbit, *Journal of Quantitative Spectroscopy and Radiative Transfer*, 113(11), 1340–1371, doi:10.1016/j.jqsrt.2012.02.028.

Appendix I: The Scientific Data Stewardship Maturity Matrix (DSMM)

Table A1: This matrix (Version: NCDC-CICS-SMM-0001-Rev.1. 12/09/2014) describes the criterion used to evaluate data stewardship maturity for each of the nine DSMM key components [Peng *et al.*, 2015].

DSMM Component	Level 1 <i>Ad hoc</i> Little or no management	Level 2 <i>Minimal</i> Limited management	Level 3 <i>Intermediate</i> Defined management, partially implemented	Level 4 <i>Advanced</i> Well-defined management, fully implemented	Level 5 <i>Optimal</i> Full management, audited, measured, controlled
<i>Preservability</i> <i>(The state of being preservable)</i>	Any storage location Data only	Non-designated repository Redundancy Limited archiving metadata	Designated archive Redundancy Community-standard archiving metadata Conforming to limited archiving standards	Level 3 + Conforming to community archiving standards	Level 4 + Archiving process performance controlled, measured, and audited Future archiving standard changes planned
<i>Accessibility</i> <i>(The state of being searchable and accessible publicly)</i>	Not publically available person-to-person	Publically available direct file download (e.g., via anonymous FTP server) Collection or dataset level searchable online	Level 2 + Non-standard data service Limited data server performance Granule/file level searchable Limited search metrics	Level 3 + Community-standard data service Enhanced data server performance Conforming to community search metrics Dissemination report metrics defined and implemented internally	Level 4 + Dissemination reports available online Future technology and standard changes planned

<p>Usability</p> <p><i>(The state of being easy to use)</i></p>	<p>Extensive product-specific knowledge required</p> <p>No documentation online</p>	<p>Non-standard data format</p> <p>Limited documentation (e.g., user's guide online)</p>	<p>Community standard-based interoperable format & metadata</p> <p>Documentation (e.g. source code, product algorithm document, processing or/and data flow diagram) online</p>	<p>Level 3 +</p> <p>Basic capability (e.g., subsetting, aggregating) & data characterization overall/global,</p> <p>e.g., climatology, error estimates) available online</p>	<p>Level 4 +</p> <p>Enhanced online capability (e.g., visualization, multiple data formats)</p> <p>Community metrics of data characterization (regional/cell) online</p> <p>External ranking</p>
<p>Production Sustainability</p> <p><i>(The state of data production being sustainable and extendable)</i></p>	<p>Ad Hoc or Not applicable</p> <p>To obligation or deliverable requirement</p>	<p>Short-term</p> <p>Individual PI's commitment (grant obligations)</p>	<p>Medium-term</p> <p>Institutional commitment (contractual deliverables with specs and schedule defined)</p>	<p>Long-term Institutional commitment</p> <p>Product improvement process in place</p>	<p>Level 4 +</p> <p>National or international commitment</p> <p>Changes for echnology planned</p>
<p>Data Quality Assurance</p> <p><i>(The state of data quality being assured)</i></p>	<p>Data quality assurance (DQA) procedure unknown or none</p>	<p>Ad Hoc and random</p> <p>QA procedure not defined and documented</p>	<p>DQA procedure defined and documented and partially implemented</p>	<p>DQA procedure well documented, fully implemented and available online with master reference data</p> <p>Limited data quality assurance metadata</p>	<p>Level 4 +</p> <p>DQA procedure monitored and reported</p> <p>Conforming to community quality metadata & standards</p> <p>External review</p>

<p>Data Quality Control/Monitoring</p> <p><i>The state of data quality being controlled and monitored</i></p>	<p>None or Sampling unknown or spotty</p> <p>Analysis unknown or random in time</p>	<p>Sampling and analysis are regular in time and space</p> <p>Limited product-specific metrics defined & implemented</p>	<p>Level 2 +</p> <p>Sampling and analysis are frequent and systematic but not automatic</p> <p>Community metrics defined and partially implemented</p> <p>Procedure documented and available online</p>	<p>Level 3 +</p> <p>Anomaly detection procedure well-documented and fully implemented using community metrics, automatic, tracked and reported</p> <p>Limited quality monitoring metadata</p>	<p>Level 4 +</p> <p>Cross-validation of temporal & spatial characteristics</p> <p>Physical consistency check</p> <p>Conforming to community quality metadata & standards</p>
<p>Data Quality Assessment</p> <p><i>(The state of data quality being assessed)</i></p>	<p>Algorithm/method/model</p> <p>Theoretical basis assessed (methods and results online)</p>	<p>Level 1 +</p> <p>Research product assessed (methods and results online)</p>	<p>Level 2 +</p> <p>Operational product assessed (methods and results online)</p>	<p>Level 3 +</p> <p>Quality metadata assessed</p> <p>Limited quality assessment metadata</p>	<p>Level 4 +</p> <p>Assessment performed on a recurring basis</p> <p>Conforming to community quality metadata & standards</p> <p>External ranking</p>
<p>Transparency/Traceability</p> <p><i>(The state of being transparent, trackable, and traceable)</i></p>	<p>Limited product information available</p> <p>Person-to-person</p>	<p>Product information available in literature</p>	<p>Algorithm Theoretical Basis Document (ATBD) & source code online</p> <p>Dataset configuration managed (CM)</p> <p>Unique Object Identifier (OID) assigned (dataset, documentation, source code)</p> <p>Data citation tracked (e.g., utilizing Digital Object Identifier</p>	<p>Level 3 +</p> <p>Operational Algorithm Description (OAD) online, OID assigned, and under CM</p>	<p>Level 4 +</p> <p>System information online</p> <p>Complete data provenance online</p>

<p>Data Integrity</p> <p><i>(The state of data integrity being verifiable)</i></p>	Unknown or no data ingest integrity check	Data ingest integrity verifiable (e.g., checksum technology)	(DOI system) Level 2 + Data archive integrity verifiable	Level 3 + Data access integrity verifiable Conforming to community data integrity technology standard	Level 4 + Data authenticity verifiable (e.g., data signature technology) Performance of data integrity check monitored and reported