



MAS Bulletin
University of Delaware
Sea Grant College Program

CIRCULATING COPY

A Consumer Guide to Safe Seafood Handling

by Doris Hicks
Seafood Specialist
University of Delaware
Sea Grant Marine Advisory Service

All the good news about seafood—the health and nutritional benefits, the wide varieties and flavors—has had a positive effect on consumption: people are eating more seafood. Yet consumers want to be assured that seafood is as safe as or safer to eat than other foods.

When you hear "seafood safety," think of a safety net designed to protect you, the consumer, from food-borne illness. Every facet of the seafood industry, from harvester to consumer, plays a role in holding up the safety net.

The role of state and federal agencies, fishermen, aquaculturists, retailers, processors, restaurants, and scientists is to provide, update, and carry out the necessary handling, processing, and inspection procedures to give consumers the safest seafood possible. The consumer's job is to follow through with proper handling techniques, from purchase to preparation. It doesn't matter how many regulations and inspection procedures are set up; the final edge of the safety net is held by the consumer.

This bulletin will give you the information you need to educate yourself and be assured that the fish and shellfish you consume is safe. The most common food-borne illnesses are caused by a combination of bacteria naturally present in our environment and food handling errors made in commercial settings, food service institutions, or at home.

Seafood Inspection

Fish and shellfish, just like milk, baked goods, fruits, vegetables, and groceries of all types, are subject to the Food, Drug, and

Cosmetic Act, administered by the U.S. Food and Drug Administration (FDA). The FDA inspects seafood plants to ensure compliance with sanitation and processing regulations, monitors seafood products for conformance to regulations governing pesticides and other contaminants, and maintains extensive surveillance of imported seafood products at the port of entry.

The "safety net" for seafood is different from that for meat and poultry. Because warm-blooded animals are capable of transmitting diseases they may have to humans, meat and poultry have different inspection needs. The FDA Office of Seafood has announced a new, mandatory fish inspection program that is based on the Hazard Analysis Critical Control Point (HACCP) system. Under this system, seafood is monitored at critical points in its journey from sea to consumer to insure quality and safety.

The FDA also has issued its updated Model Food Code, which is designed to help state and local governments prevent food-borne illness. The code incorporates HACCP principles and outlines practices for safe food handling at the retail level.

There are several other programs in place to insure the safety of our seafood. State agencies monitor water quality in shellfish-growing areas, and many seafood companies subscribe to inspection programs offered by the National Marine Fisheries Service (NMFS), of the National Oceanic and Atmospheric Administration in the U.S. Department of Commerce.

One is a long-established, federal inspection program; the other is a new inspection program based on HACCP.




Illustration by David Barzak

The HACCP system keys on identifying and monitoring the critical points in handling and processing food where the risk of contamination is greatest. Seafood plants will design their own HACCP plans based on the types of products and how they are processed, and submit them to the FDA and NMFS for approval. The FDA and NMFS then will monitor the plant's implementation of the plans. The HACCP plans will check everything from the maximum time fish can remain on a loading dock, to the temperature of the room where filleting is being done, to the length of time breaded shrimp are chilled after cooking. The goal of the new inspection program is to prevent problems before they start.

Overall, the message to consumers about seafood is good. The vast majority of seafood in the marketplace is safe, and most hazards can be eliminated or prevented by proper handling and thorough cooking. This is where the consumer plays a major role. By learning the proper guidelines for buying, handling, storing, and preparing seafood, you can help insure that there are no holes in the seafood safety net.

Buying Fresh Seafood

What should you know in order to purchase high-quality seafood? First, it's important to buy seafood from reputable dealers—those with a known record of safe handling practices—and avoid roadside stands. And since seafood is highly perishable, purchase it last. Make sure the raw juices from seafood do not drip on other foods, especially those that will be eaten without further cooking. (Bacteria in the raw juices can cause cooked foods to spoil, and since these foods are already cooked, there won't be any chance for the bacteria to be destroyed.) You can avoid cross-contamination in your shopping cart by enclosing individual packages of seafood in plastic bags.

When buying fresh seafood, use your eyes, hands, and nose. Buy what looks the best and smells good. Fresh fish should have little or no odor. The odor is often described as that of a sea breeze.

Note that the word "fresh" refers to seafood that has not been frozen. Yet "frozen" does not have a bad connotation. Frozen seafood can be superior in quality to fresh seafood, so base your purchase on product quality. (Products labeled "fresh frozen" indicate the seafood was frozen while it was fresh, in many instances within hours of harvest. If fishery products were frozen and thawed for retail sale they should be labeled "previously frozen.")

How can you determine the quality of fresh seafood in the store? First, look at the display. All fresh seafood should be

held as near to 32°F as possible, which is maintained by refrigeration and/or ice. Fresh seafood should feel cold to the touch, not cool.

Whole Fish. Whatever the variety, whole fish have certain characteristics that indicate freshness. They should have bright, clear, full eyes that are often protruding. As the fish loses freshness, the eyes become cloudy, pink, and sunken. The gills should be bright red or pink. Avoid fish with dull-colored gills that are gray, brown, or green. Fresh fish should be free of loose or sloughing slime. The flesh should be firm yet elastic, springing back when pressed gently with the finger. With time, the flesh becomes soft and slips away from the bone. The skin of a fresh, whole fish should be shiny with scales that adhere tightly. Characteristic colors and markings start to fade as soon as a fish leaves the water.

Fish Fillets or Steaks. Note that fillets and steaks should have firm, elastic flesh and a fresh-cut, moist appearance, with no browning around the edges. Fillets separate if they are left too long in the case. The flesh should be almost translucent—as if you can almost see through it. There should be little evidence of braising or reddening of the flesh from retention of blood. Pre-packaged steaks and fillets should contain a minimum of liquid. Fish fillets stored in liquid deteriorate quickly.

Shellfish. They may be sold live, cooked, or fresh-shucked. Each form and species has different quality signs to examine.

The shells of live clams, oysters, or mussels should look moist and be tightly closed. If the shells gape slightly, have your retailer tap them. If the shells do not close, do not purchase them. Do not purchase live shellfish with cracked shells. The bottom shell of an oyster should be well cupped—a sign that the oyster inside is plump and well formed. The "neck" or "snout" of soft-shelled clams should show movement.

The meats of fresh-shucked clams, oysters, or mussels should be plump and covered with their liquor. Their liquor should be clear or slightly opalescent (slightly milky or light gray) and free of shell or grit. There should be no strong odor.

Scallops are not sold live because they are highly perishable. Scallops are shucked at sea shortly after capture. Fresh scallop meats have a firm texture and a distinctly sweet odor. A sour or iodine smell indicates spoilage. The smaller bay and calico scallops are usually creamy white, although there may be some normal light tan or pink coloration. The larger sea scallops are also generally creamy white, although they may show some normal light orange or pink color.

Live crabs and lobsters should show leg movement, and the tail of lobsters should curl tightly underneath the body and not hang down when the lobster is picked up. Lobsters and crabs will not be very active if they have been refrigerated, but they should move at least a little bit.

Cooked lobsters or crabs in the shell should be bright red and have no disagreeable odor. Picked lobster meat will be snowy white with red tints, while crab meat is white with red or brown tints, depending on the species or the section of the body it was picked from. Cooked, picked lobster or crab meat should have good color and no disagreeable odor.


Raw shrimp meat should be firm and have a mild odor. The shells of most varieties are translucent with a grayish green, pinkish tan, or light pink tint. The shells should not have blackened edges or black spots—this is a sign of quality loss. Cooked shrimp meat should be firm and have no disagreeable odor. The color of the meat should be white with red or pink tints.

When buying whole squid, look for eyes that are clear and full. The skin should be uniform and the meat very firm. The skin of fresh squid is cream colored with reddish brown spots. As squid ages, the skin turns pinkish and the flesh will yellow.

Label-Dated Seafood. Buy pasteurized crab meat and other products only if the "sell by" or "use by" date has not expired. While helpful, these dates are reliable only if the seafood has been kept at the proper temperature during storage and handling.

Mail-Order Seafood. Gift seafood is a growing specialty market, mainly for

Shopping Tips



Seafood is highly perishable. If you're buying seafood at the supermarket, make it one of your last purchases.

Use your eyes, hands, and nose when selecting fresh fish or shellfish. For example, fresh whole fish should have bright, clear eyes that are often protruding, bright red or pink gills, no slime, firm yet elastic flesh, and shiny skin. Your purchase should feel cold to the touch. And it shouldn't smell "fishy." The odor should be that of a sea breeze.

gourmet products. Fresh and frozen seafood are also available to people living far away from the resource. Maine lobsters can be shipped anywhere in the U.S. Canned salmon, canned chopped clams, seafood seasonings and marinades, and some smoked products are shelf-stable and require no refrigeration. However, any other fresh or frozen seafood product must arrive as cold as if refrigerated in order to be safe. Before ordering such items, ask how and when the product will be shipped, and whether a cold source will be included to ensure that the product will be received cold.

Try to be home when your order arrives, so you can put it right in your refrigerator or freezer. If you aren't home, give specific instructions about where it should be left. If you receive a package containing live shellfish, or fresh or frozen seafood, check the item upon receipt to see if the shellfish are alive, the fresh product is as cold as if refrigerated, and the frozen product is frozen. If it is not, call the mail-order company for a replacement that will arrive cold, or request a refund.

Handling and Storing Fresh Seafood

Once you've bought your seafood, pack it separately or at the top of your grocery bags. And no matter what time of year it is, if your trip home from the store is more than an hour, pack the seafood in a cooler.

The storage life of seafood depends on how well you take care of it, whether it is a whole fish or a live oyster. When your seafood purchase arrives home, store it in the coldest part of your refrigerator at a temperature as close to 32°F as possible. Many home refrigerators operate at 40°F; therefore, fish will lose quality faster.

Fish. Fish bruises easily, so lift a whole fish with both hands and avoid holding it by the tail. Pack dressed fish on ice in the refrigerator. Seal filets or steaks in plastic bags or containers; then cover them with ice in trays or pans. Empty the meltwater regularly and add more ice as necessary. Fish that is not prepackaged should be washed under cold, running water and patted dry with an absorbent paper towel. The fish should then be wrapped in a moisture-proof paper or plastic wrap, placed in a heavy plastic bag, or stored in an air-tight, rigid container until ready for cooking.

The shelf life of fish depends on the variety and its quality at time of purchase. In general, you should use fish quickly—within one to two days.


Shellfish. Handling and storage guidelines vary according to the variety of shellfish you purchase.

◆ Store live shellfish in a shallow dish covered with damp towels or moistened

Seafood Storage Tips

You've got to keep seafood cold before it is prepared. When your seafood purchase arrives home, store it in the coldest part of your refrigerator at a temperature as close to 32°F as possible. Many home refrigerators operate at 40°F. At this temperature, storage time is limited.

Avoid cross-contamination in your refrigerator, too. Make sure juices from raw seafood don't drip onto food that will not be cooked.



paper towels. Never put live shellfish in water or in an air-tight container where they could suffocate and die.

◆ Scrub live oysters, clams, and mussels just prior to shucking or cooking with a stiff brush such as a vegetable brush.

◆ Mussels and clams in the shell (live) should be used within two to three days; oysters in the shell, from seven to ten days. Some shells may open during storage. If so, tap them. They will close if alive; if not, discard them.

◆ Store shrimp, squid, and shucked shellfish in a leak-proof bag, plastic container, or covered jar. Squid and freshly shucked clams have a shelf life of one to two days. Shrimp and scallops have a shelf life of about two to three days. And freshly shucked oysters have a shelf life of five to seven days.

◆ Live lobsters and crabs should be cooked the same day they are purchased. Store cooked whole lobsters or crabs in rigid air-tight containers and use them within two to three days. Cooked, picked lobster or crab meat may be stored in a sealed moisture-proof plastic bag or air-tight plastic container for three to four days. Pasteurized crab meat can be refrigerated for up to six months before opening; use it within three to five days after opening.

Leftovers. Taking care of leftovers is a critical food handling step and is often where errors can occur, sometimes resulting in food-borne illness.

To prevent a problem at this step, wash hands before handling leftovers and use clean utensils and surfaces. Refrigerate or freeze leftovers in covered, shallow (less than 2 inches deep) containers within two hours after cooking. Leave air space around containers to allow circulation of cold air and to help ensure rapid, even cooling.

When preparing seafood for later use, refrigerate or freeze it immediately after cooking in covered, shallow containers. Refrigerators and freezers are designed to compensate for the addition of a few tem-

porarily hot foods without allowing other foods to warm up.

Date leftovers so they can be used within a safe time as shown in the cold-storage chart on page 4. Before serving, cover and reheat leftovers to 160°F. Soups, sauces, and other "wet" foods should be reheated to a rolling boil.

If in doubt, throw it out. Discard outdated, obviously spoiled, or possibly unsafe leftovers in a garbage disposal or in tightly wrapped packages.

Buying Frozen Seafood

The technology of handling seafood has improved tremendously in recent years. Commercially frozen fish has been quickly frozen at its peak, and the consumer can now find a wide choice of top-quality and wholesome seafood in the freezer case. When properly thawed, frozen fish is comparable to fish that was never frozen. Both exhibit the qualities of freshness described previously.

Frozen fish and shellfish should be packaged in a close-fitting, moisture proof package. Select packages from below the load line of the freezer case. Look for packages that still have their original shape and the wrapping intact with little or no visible ice. Seafood should be frozen solid with no signs of freezer burn, such as discoloration or drying on the surface, and have no objectionable odor. The same guidelines apply for frozen prepared seafood, such as crab cakes, breaded shrimp, or fish sticks. Do not allow the package to defrost during transportation.

Storing Frozen Fish

After shopping, immediately store commercially wrapped frozen seafood in your freezer. Put it in the coldest part of the freezer, at a temperature as close to -20°F as possible. As with other frozen foods, avoid prolonged storage by planning your purchases, keeping in mind "first in, first out." Commercially frozen seafood can be stored in the freezer for up to six months.



Seafood Storage Guide



Product	Purchased Commercially Frozen For Freezer Storage	Purchased Fresh & Home Frozen	Thawed; Never Frozen Or Previously Frozen & Home Refrigerated
Fish Fillets/Steaks			
<i>Lean</i>			
Cod, Flounder	10-12 months	6-8 months	36 hours
Haddock, Halibut	10-12 months	6-8 months	36 hours
Pollock, Ocean Perch	8-9 months	4 months	36 hours
Sea Trout, Rockfish	8-9 months	4 months	36 hours
Pacific Ocean Perch	8-9 months	4 months	36 hours
<i>Fat</i>			
Mullet, Smelt	6-8 months	N/A*	36 hours
Salmon (cleaned)	7-9 months	N/A*	36 hours
Shellfish			
Dungeness Crab	6 months	6 months	5 days
Snow Crab	6 months	6 months	5 days
Blue Crab Meat (fresh)	N/A*	4 months	5-7 months
Blue Crab Meat (pasteurized)	N/A*	N/A*	6 months
Cocktail Clams	N/A*	4 months	5 days
King Crab	12 months	9 months	7 days
Surimi Seafoods	10-12 months	9 months	2 weeks
Shrimp	9 months	5 months	4 days
Oysters (dressed)	N/A*	N/A*	4-7 days
Clams (shucked)	N/A*	N/A*	5 days
Lobster (live)	N/A*	N/A*	1-2 days
Lobster (tail meat)	8 months	6 months	4-5 days
Squid	8-9 months	4 months	36 hours
Breaded Seafood			
Shrimp	12 months	8 months	N/A*
Scallops	16 months	10 months	N/A*
Fish Sticks	18 months	N/A*	N/A*
Portions	18 months	N/A*	N/A*
Smoked Fish			
Herring	N/A*	2 months	3-4 days
Salmon, Whitefish	N/A*	2 months	5-8 days

N/A* = Not Applicable or Not Advised.

Freezing fish at home should be reserved for those times when you end up with more than you can immediately eat, such as after a fishing trip or if someone cancels out for dinner. Freezing fish or shellfish in the home or commercial freezer will not improve quality; it only holds it at that point in time.

To freeze seafood at home, start with a high-quality and carefully handled product. Fish should be cleaned first under cold water and then patted dry. Wrap with plastic wrap, excluding as much air as possible. Then overwrap your fish with freezer paper or aluminum foil. There are also specially designed plastic bags for use in the freezer. These may also be used for fish. Carefully seal all packages and label with contents, amount, and date. Place the packages in the coldest part of the freezer where the cold air can circulate around them, freezing them quickly.

Shellfish such as shucked clams, oysters, or mussels can be frozen in rigid airtight plastic containers. Be sure the meats are covered with their liquor and there is a ½-inch space between the liquid and the container lid to allow for expansion. Scallops may be frozen in plastic freezer bags. Be sure to exclude air and seal tightly or pack scallops tightly in covered freezer containers. Frozen, shucked shellfish can be stored for three to four months.

Most shrimp available in the market has been previously frozen. Be sure shrimp has not been frozen if you plan to freeze it. Refreezing shrimp under non-commercial conditions can significantly affect the flavor and texture, and, in some cases, may make the shrimp, when thawed, unsafe to eat.

The National Fisheries Institute has developed a seafood storage guide (at left) for fresh and frozen products. This guide indicates optimal shelf life for seafood products held under proper refrigeration or freezing conditions. Temperature fluctuations in home refrigerators will affect optimal shelf life, as will opening and closing refrigerators and freezers often.

Although these storage times ensure a fresh product for maximum refrigeration storage life at 32°F, the consumer should plan on using seafood within 36–48 hours for optimal quality.

To determine the approximate storage time for species not listed, ask your retailer which category (lean, fat, shellfish, breaded, or smoked) they fall within and refer to the guide.

Thawing

It is not always necessary to thaw seafood before cooking, depending on how it will be prepared. If thawing is not

necessary, simply double the cooking time. But if your recipe calls for coating, rolling, or stuffing, or if the fish is in a block, you will need to defrost it to facilitate handling. Plan ahead; defrost the fish overnight in the refrigerator. This is the best way to thaw fish to minimize loss of moisture. A one-pound package will defrost within 24 hours.

Never defrost seafood at room temperature or with hot or warm water. Bacteria on the surface will begin to multiply and cause spoilage. If you forget to take your seafood out of the freezer ahead of time, place it in the sink under cold, running water. A one-pound package will defrost in approximately one hour.

You may also use your microwave oven to partially thaw your fish. Use the lowest defrost setting, which is usually 30% power and follow the manufacturer's instructions for time based on amount of fish. (A pound of fillets defrosts in five to six minutes.) The fish should feel cool, pliable, and slightly icy. Be careful not to overheat it and begin the cooking process. *Foods defrosted in the microwave oven should be cooked immediately after thawing.*

Preparation—Keeping It Clean

Finally, it's time to prepare your seafood! But before you begin, remind yourself of these important sanitary guidelines developed by the U.S. Department of Agriculture Food Safety and Inspection Service:

- ◆ Be sure the food preparation area and all surfaces and utensils that will touch food are clean. Always wash your hands with soap and warm water for at least 20 seconds before beginning food preparation, before working with new food or new utensils, after finishing food preparation, before serving food, and after going to the bathroom.

- ◆ Do not let juices from raw finfish, shellfish, meat, or poultry come into contact with other foods. Wash cutting board, utensils, counter, sink, and hands with hot, soapy water immediately after preparing raw seafood, meats, or poultry. Also, use a fingernail brush to clean under nails and cuticles. Keep dishwashing sponges and cloths clean.

- ◆ Use cutting boards that are easy to clean—plastic, acrylic, or rubber composition are good choices. Wooden boards may look pretty, but they should only be used for cutting breads because they are porous and difficult to clean thoroughly.

- ◆ Don't taste any food of animal origin (meat, poultry, eggs, fish, or shellfish) when it's raw or during cooking.

- ◆ Serve your cooked seafood on clean plates. Never put it back on the plate that held the raw product.

Cooking—General Rules

Cook fish and shellfish thoroughly. Fish is cooked when it begins to flake and loses its translucent (raw) appearance. Cook fish until it reaches an internal temperature of 140°–145°F. Follow processor's directions when preparing frozen, packaged seafood products such as frozen, breaded fish portions.

Seafood is usually baked in a moderate to high oven (425°F). Do not use recipes that call for cooking without a reliable and continuous heat source. Avoid interrupted cooking—completely cook fish and shellfish at one time. Partial or interrupted cooking often produces conditions that encourage bacterial growth. The following rule is a good guide when cooking seafood.

The 10-Minute Rule. To properly cook seafood, use the "10-Minute Rule." It applies to baking, broiling, steaming, poaching, and barbecuing.

1. Measure the fillet or steak at its thickest point. If the fish is stuffed or rolled, measure it after stuffing or rolling.

2. Cook for 10 minutes per inch, at 400°–450°F, turning the fish halfway through the cooking time. For example, a 1-inch fish steak should be cooked 5 minutes on each side for a total of 10 minutes. Pieces of fish less than ½-inch thick do not have to be turned over.

3. Add 5 minutes to the total cooking time if you are cooking the fish in foil or if the fish is cooked in a sauce.

4. Double the cooking time for frozen fish that has not been defrosted.

Cooking Shellfish. Be careful not to overcook shellfish. So often shellfish are in small pieces and can easily be overcooked, becoming tough, dry, and flavorless.

Some shellfish, such as canned clams or cooked, pickled crab meat and surimi products (imitation shellfish), are already cooked when purchased. In this case, heat the precooked shellfish or surimi product to the desired temperature without cooking further.

Scallops and shrimp turn firm and opaque when cooked. It takes from 3–5 minutes to boil or steam one pound of medium-sized shrimp and 3–4 minutes to cook scallops.

Shucked shellfish, such as clams, mussels, and oysters, become plump and opaque when cooked. The FDA recommends that shucked oysters be boiled or simmered for at least 3 minutes, fried in oil for at least 10 minutes at 375°F, or baked at 450°F for at least 10 minutes.

Steam clams, mussels, and oysters in the shell for 4–9 minutes from the start of steaming. Use small pots to steam shellfish. If too many shells are cooking at once, it's

possible the centers won't cook thoroughly. Discard any clams, mussels, or oysters that do not open during cooking. Closed shells indicate they may not have received adequate heating.

Boiled lobsters or steamed crabs turn bright red. Allow 10-12 minutes per pound of lobster, starting to time when the water returns to a boil. Steam crabs 25 minutes when two to three dozen, depending on size, have been placed in a large crab pot.

Microwave Cooking

Microwave ovens heat food surfaces rapidly. However, time must be allowed for the heat to penetrate to the center of the food. Take the following steps to ensure that food cooks thoroughly and evenly in the microwave oven.

Cover the food to hold in moisture and facilitate even cooking. Glass cookware, glass ceramic cookware, and waxed paper are safe for microwave cooking. Plastic wrap may be used to cover containers, but should not touch the food. Before using other types of containers or wraps, check to be sure that they are approved for use in the microwave oven. Unapproved materials may melt, burn, or contain chemicals that can migrate into food during cooking.

When following microwave-oven cooking instructions on product labels, remember that ovens vary in power and operating efficiency. If you're unsure of your oven's capability, try the following test.

Time to Boil Test. From a container of half ice and half water, measure exactly one cup of water (no ice) into a glass measuring cup. Place the cup in the center of the microwave oven. Heat on HIGH for 5 minutes until the water begins to boil. If the water begins to boil in less than 3½ minutes, consider your oven "high power;" if longer, the oven is "low power." When using a recipe that states a heating time of 6 to 8 minutes, the "high-power" oven will

microwave in the shorter time (or 6 min.) while the "low-power" oven will take the longer time (or 8 min.).

If the microwave oven doesn't have a turntable, turn the entire dish several times during cooking. Always stir recipes when possible, such as casseroles or soups.

Allow seafood cooked in the microwave oven to stand for the recommended time. This is necessary to complete the cooking process. Check for doneness before serving.

Serving Seafood

Seafood can be a delicious addition to your daily meal routine and for special occasions such as buffets, picnics, and bag lunches. To ensure the safety of your seafood, follow these general rules provided by the U.S. Department of Agriculture Food Safety and Inspection Service.

Always wash your hands with soap and warm water for at least 20 seconds before serving or eating food. Wash hands, utensils, and other preparation surfaces after contact with raw seafood, meat, or poultry and before contact with the same food when cooked. For example, if a serving dish is used to hold raw fish, wash the dish well before using it to serve the same fish after it's cooked. Serve cooked products on clean plates, with clean utensils.

If you have leftovers, refrigerate them within two hours when the temperature in the food serving area is below 90°F and within one hour when the temperature of the air is 90°F or above.

Buffets. When serving for a buffet, serve hot food from chafing dishes or warming trays that maintain the internal temperature of the food at 140°F or above. For cold foods, nestle the serving dish into a bed of crushed ice. Small platters for replenishing the serving table should be prepared ahead and stored in the refrigerator (at 40°F or below) or kept warm in the oven (at a setting of 200°-225°F).

Discard any foods that have been held at room temperature for more than two hours. Fresh food should not be added to a serving dish or platter containing foods that have already been out for serving.

Picnics and Lunches. When going on a picnic or traveling with food, keep all perishables in a cooler with ice or freeze-pack inserts until serving time. Make sure the food is cold or frozen to the touch before placing it in a cooler or cold thermos.

When packing a "bag lunch" that will be eaten within several hours, placing ice cubes in a resealable bag or a small freeze-pack insert ("blue ice") in an insulated bag is probably all that is necessary to keep the food cold. Be sure to put the cooler or lunch bag in the coolest place possible. Don't leave it in the direct sun or in a warm car.

Extra Care for Special Seafood

Seafood is highly perishable and in many cases requires certain precautions when handling for home use. Some seafood products require extra care either because they are more vulnerable to bacteria that can cause food-borne illness or they have unusual characteristics because of the way they are processed. This section provides additional information on handling some "extra care" products.

Smoked Seafood. Most of today's smoked seafood products are lightly smoked to enhance flavor and not to prolong shelf life. Smoked seafood should be refrigerated at all times and stored no longer than four or five days.

In the store, smoked seafood should be displayed in a refrigerator case, but not directly on ice. It should not be in direct contact with fresh seafood. Some other things to look for when buying smoked seafood include a firm, springy texture, glossy surface, smoky odor, no traces of dried blood or viscera, and no traces of salt crystals. For longer storage, smoked seafood can be frozen for two to three months.

Surimi Seafood. Surimi is the raw material with which imitation seafood is made. Surimi is prepared under strict controls at sea or onshore. Freshly caught Alaskan pollock is filleted, minced, washed, and strained to yield a concentrated fish paste. Small quantities of salt, sugar, and/or sorbitol are added to stabilize the protein during frozen storage.

Next, the surimi is processed into food products by blending it with binders such as starch or egg white. Real shellfish, a shellfish extract, or artificial shellfish flavoring is added to make it taste like shellfish. Then it is formed into the desired shape and texture and cooked. Surimi products should look like the cooked form of

Handling and Preparation Tips

These are the key points to remember when handling and preparing seafood:

- ◆ Keep it clean—your hands, your work area, your utensils!
- ◆ Keep raw seafood away from other raw or cooked foods and vice versa to prevent cross-contamination.
- ◆ Keep it cold—from the store to your home, in your refrigerator or freezer, and cool down leftovers quickly.
- ◆ Keep it moving—use fish within two days after purchase; shelf life varies with the species, from as long as ten days for oysters in the shell to one day for squid and fresh-shucked clams. When in doubt, throw it out!



the fish and shellfish they are meant to resemble. Since they are fully cooked, add these products to your recipe in the last minutes of cooking, leaving just enough time to heat through.

When buying imitation seafoods, look for opaque off-white body meat and red, cooked-shellfish color on the surface. If the surimi product is frozen, there shouldn't be crystals in the package—they indicate freeze-thaw problems. When thawed, these products should be moist and firm, not wet and soft. Do not buy products with off odors (sour, fermented, or sulfur smells). This indicates spoilage. It is wise to read the ingredient statement on the label if you are allergic to any fish or shellfish or if you are sensitive to monosodium glutamate (MSG). Some manufacturers add MSG as a flavor enhancer.

Surimi seafoods should be stored in the refrigerator for no longer than 14 days, or frozen and held for 9–12 months. (See storage guide, p. 4.) Remember, this product is fully cooked. Use sanitary handling techniques to prevent cross-contamination with raw seafoods and meat.

Value-Added Seafood. Value-added seafood includes battered and breaded seafood, smoked seafood, dried fish, precooked seafood entrees, fresh minced clams, pre-seasoned fish fillets (such as farm-raised catfish), and others. All these products are semi-prepared and refrigerated or frozen to save you steps when preparing meals at home. Keep in mind the safe handling guidelines, cleanliness, and proper storage and cooking temperatures, and always read the label and follow the manufacturer's directions, especially as new products are developed and reach the marketplace.


To use refrigerated, prepared seafood safely, when purchasing it, make sure the seafood is cold. Also check the "sell by" or "use by" date on the package. Read the label and follow storage and cooking or heating instructions carefully. Use these products within the recommended length of time. When freezing these products, do so as soon as possible after purchase.

Marinades. Follow these guidelines when you use marinades to flavor fish and shellfish. If your recipe calls for basting cooked fish or shellfish with marinade, reserve a portion of it for this before combining the marinade with the raw seafood.

Marinate seafood in the refrigerator in a glass or plastic container. Marinades often contain acidic liquids such as wine, lemon juice, or vinegar, which react with metal. Avoid cross-contaminating other foods by thoroughly cleaning any utensils, bowls, or surfaces the marinade comes in contact with after it is combined with raw seafood.

Safe Temperatures for Seafood

When storing and preparing seafood, keep it at the proper temperature to maintain its safety and quality. This thermometer highlights some of the most important temperatures.



Do not save marinades that have been combined with raw seafood, unless they will be immediately cooked in a sauce. Bring the marinade to a rolling boil before adding any other ingredients. Then cook the sauce to at least 160°F.

Power Outages/Appliance Failure

Following these steps provided by the U.S. Department of Agriculture Food Safety and Inspection Service will help keep seafood safe during power outages or when your freezer or refrigerator is not working. If the appliance will be working again within a couple of hours, minimize opening its doors. A fully stocked freezer will usually keep food frozen for two days after losing power. A half-full freezer will usually keep food frozen for about a day. If the freezer is not full, quickly group packages together so they will retain the cold more effectively.

In the refrigerator, food will usually keep four to six hours, depending upon the temperature of the room. If the power will be out for a longer time, block ice may be placed in the refrigerator.

When the freezer is operating again, use the following guidelines to decide what to do with foods that were stored there. If ice crystals are still visible and/or the seafood feels as cold as if refrigerated, it is safe to refreeze, but quality may suffer. If the seafood thawed or was held above 40°F for more than two hours, it should be discarded because bacteria may multiply to unsafe levels under these conditions.

When the refrigerator is operating again, fresh or cooked seafood should be discarded if it has been held above 40°F for more than two hours because bacteria can multiply to unsafe levels under these conditions.

Catching Your Own Seafood

If you choose to catch some of the seafood you eat, take a few simple steps to ensure it will be safe and great-tasting when prepared. First, check with local health authorities or fish and game officials to see if health advisories have been issued, warning against fishing from certain

local waters or against consuming certain species from those waters, especially if you fish the same area often and use your catch to stock the freezer. If you harvest your own shellfish, check with local health authorities to make sure the waters are safe. Obey the posted warnings when harvesting shellfish.

Also, it's important to remember that the way fish is handled from the time it is pulled from the water until it is cooked is a key to preserving its taste and quality. Follow these pointers.

The DOs of Handling Your Catch. Gut, gill, and ice fish as soon as possible. Wash gutted fish to remove as much mud, blood, and slime as possible before icing. Allow for proper bleeding by either removing the head or cutting the tail and positioning the fish in the ice chest so the blood can drain out. Blood remaining in the tissue can speed up the breakdown of fats that occur in fish during frozen storage.

Ice fish generously before transporting it home. Pack the belly cavity with ice and provide adequate ice between the fish and the sides of the ice chest. Make a "false bottom" in the ice chest so your fish will not be floating in melted ice water when you get home.

The DON'Ts of Handling Your Catch. Don't let the fish flop around in the bottom of a boat or on a pier. This will bruise the flesh and speed up biochemical changes (rigor mortis) that may produce an undesirable taste and reduce the storage life of your fresh fish.

Most marinas, fishing piers, and state parks have fish-cleaning facilities. Unless you have adequate space at home, it's probably best to take advantage of them.

Having caught your own fish and handled it properly, you will have the added benefit of a longer shelf life than store-bought fish. Handle your freshly caught fish as outlined in this bulletin in a clean, safe manner and evaluate the quality each day. Do not store more than a week's supply of your catch in the refrigerator. Freeze the rest of your fish as soon as possible after catching it.

The Final Edge of the Safety Net

The most important considerations in safe handling of seafood at home are cleanliness, temperature, and time. Keep your hands, preparation area, and utensils clean. Avoid cross-contamination. Never let raw seafood come in contact with cooked seafood or other raw or cooked foods.

Be aware of temperatures - of the air, of your refrigerator and freezer, of cooking, too. Use the temperature guide in this publication. And be aware of time—the clock starts when fish and shellfish leave the water. Finally, to keep your seafood safe, buy high-quality product and just like they say in the industry, keep it clean, keep it cool, and keep it moving! By following these rules, you can feel confident in holding up your edge of the seafood safety net.

References

Gall, K. 1986. *Handling Your Catch: A Guide for Saltwater Anglers*. New York Sea Grant Extension Program.

U.S. Department of Agriculture Food Safety and Inspection Service. 1990. *Preventing Foodborne Illness: A Guide to Safe Food Handling*. Washington, DC: U.S. Government Printing Office.

Additional Reading

For copies of the free publications listed below, send your request, name, and full address to *University of Delaware, Marine Communications Office, Newark, DE 19716-3530*.


Hicks, D., and T. Schmersal. 1987. "Eating Raw Finfish: What Are the Risks, the Benefits?" *MAS Note*. Newark, DE: University of Delaware Sea Grant College Program.

Hicks, D. 1989. "Consumers: Know the Facts about Eating Raw Shellfish." *MAS Note*. Newark, DE: University of Delaware Sea Grant College Program.

Hicks, D. 1991. "Seafood is Good for You." *MAS Note*. Newark, DE: University of Delaware Sea Grant College Program.

Rev. 3/94: 5K

The University of Delaware Sea Grant College Program is a member of a national network of universities committed to research, education, and technology transfer designed to meet the changing needs of our ocean, coastal, and Great Lakes regions. The program is financially supported by the State of Delaware; and the federal government, through the National Oceanic and Atmospheric Administration, the National Science Foundation, and the U.S. Department of Commerce. The program is directed by Dr. David Bryant, editor; David Barbour, Jr., Program Manager; and Dr. David Bryant, Program Manager. The bulletins listed may be obtained from University of Delaware, Marine Communications Office, Newark, DE 19716-3530. Phone: (302) 837-1234. Fax: (302) 837-1235. To five titles free; additional titles \$2.00 each. (Additional fee for large orders.)



Other MAS Bulletins Currently Available:

- Jellyfish—Regular Summer Visitors to Delaware Shores
- Flounder—The Ocean's Platter
- Weakfish—Catch a Queen for Dinner
- Shark
- Delaware's Blue Crab
- The Bottle-Nosed Dolphin: Our Coastal Whale
- The Hard Clam
- The Horseshoe Crab—A Reminder of Delaware's Past
- The Delaware Bay Oyster and the MSX Problem
- Coastal Landscaping in Delaware with Common Marine and Dune Plants