

DIVER EDUCATION SERIES

CIRCULATING COPY Buoyancy and the Scuba Diver

Sea Grant Depository

Lee H. Somers

LOAN COPY ONLY

CONTENTS

INTRODUCTION	1
WEIGHTING THE DIVER	5
COMPENSATING FOR BUOYANCY CHANGE	5
LEARNING BUOYANCY CONTROL	6
HISTORICAL NOTES ON BUOYANCY COMPENSATION	6
TODAY'S BCD	10
BUOYANCY COMPENSATION VS. LIFESAVING FLOTATION	10
MAINTENANCE	12
BCD DEPENDENCY	13
SELECTING A BCD TODAY	13
CONCLUSIONS	14
REFERENCES	15

INTRODUCTION


It all began many years ago when humans first ventured into the sea as divers. They discovered that any object, such as themselves, placed in a liquid, such as the sea, will either float or sink, depending upon the density and the volume of the object relative to the density of the liquid. Long before the scuba diver discovered this relationship, the scholar Archimedes observed that "any object wholly or partially immersed in a liquid is buoyed up by a force equal to the weight of the liquid displaced by the object." The buoyant force of the fluid depends upon its density or weight per unit volume.

Pure water, with a density of 62.4 pounds per cubic foot (or 1 gram per cubic centimeter), has slightly less buoyant force than an equal volume of sea water, which has a density of 64 pounds per cubic foot (or 1.025 grams per cubic centimeter). Thus, this slight difference in density accounts for the fact that the diver has to add more weight in order to submerge in the ocean as compared to a fresh water lake or pool. In fact, sea water increases the diver's buoyancy by approximately 1/30th the body weight over what it would be in fresh water.

A diver who floats is considered to be "positive" buoyant and if the diver sinks, he/she is "negative" buoyant. Since that first scuba dive, the diver has strived to be in a state of hydrostatic balance or "neutral" buoyant. This state is achieved when the weight of the diver and equipment totally submerged is exactly equal to the weight of the water displaced.

Throughout the history of scuba diving the diver has had to cope with variations in buoyancy. First of all, the diver tends to float on the surface. This natural buoyancy is overcome by strapping a weighted belt around the waist. Nearly all early scuba diving textbooks discuss the selection of a proper amount of weight. In 1954 Cross [1] stated:

To overcome this [buoyancy] it is necessary to add weights to the diver. As



MICHU-SG-92-502

\$ 1.50

he submerges, water compresses the air in the suit reducing the buoyancy. A relatively safe method is to add a few pounds of weights, then submerge to twenty or thirty feet and check to determine if an excess positive buoyancy still exists. More or less weights can be added as needed to obtain neutral buoyancy at the desired depth.

This was my first formal "diving manual." The next year David Owen published his exceptional diving manual, *A Manual for Free-Divers Using Compressed Air* [2]. I've included his explanation of buoyancy control since this manual only exists on the bookshelves of a few old timers:

One pleasant characteristic of free diving is the weightlessness in water, which enables the swimmer to proceed in any direction with surprisingly little effort. The same neutral buoyancy allows various submarine acrobatics and maneuvers, to the beginner's delight.

A standard 70 cubic foot Aqua-Lung tank charged to 1800 pounds per square inch and with the regulator attached—selected at random by the author—weighed 36 pounds in air and 2.1 pounds in water. The same tank, when effectively exhausted, had a positive buoyancy of about 4 ounces in sea water.

In addition to the weight of the 70 cubic foot Aqua-Lung (2.1 pounds) the author requires another 3 pounds ballast for approximately neutral buoyancy in sea water while using swim trunks. In fresh water, however, the author is slightly heavy (negatively buoyant) with no ballast. A cold water exposure suit will require much more ballast, perhaps 15 pounds, for neutral buoyancy in sea water, because of the diver's changed displacement.

It must be kept in mind that the individual buoyancy and ballast requirements will vary greatly, depending on the body build (or specific gravity) of the diver. Some people even tend to sink in salt water, without a suit, and with lungs full of air. Nega-

tively buoyant swimmers, perhaps 3% of individuals, should be aware of their peculiarity.

Ballast adjustment may depend on the type of activity planned. If much stationary or heavy work on the bottom is anticipated, the diver may prefer to be quite heavy. For most underwater activities, however, the free diver will prefer approximately neutral buoyancy and the following adjustment procedure is recommended: With the cylinder(s) about 50% exhausted and wearing full equipment, the diver should enter water about 9 feet deep. While upright in the water, with arms and legs motionless, the diver exhales as much as possible. If neutral, he will sink slowly to the bottom, only to begin rising at the same rate as a full breath is taken. If this is not the case he adds one pound at a time until this balance is achieved. Often, a beginner will find his buoyancy apparently "changing" after diving for a time. This will happen if he did not completely exhale or inhale, as described, during the buoyancy test. Adjustment to neutral buoyancy enables a free diver to make small depth corrections simply by breathing control. Otherwise, much cylinder air is needlessly wasted through constant maneuvering to maintain a desired depth level. If the above procedure is used, the diver will find himself slightly heavy at the beginning of the dive with a full tank, and slightly positive when the tank is exhausted. This results in the most effortless dive.

Well, that is the way it was nearly four decades ago for an earlier generation of diver. Take note of two considerations: (1) the very careful adjustment of ballast (to the pound), and (2) breath control. Today, after nearly 40 years of evolution in scuba diving and equipping the diver with nearly \$400 worth of power-inflated buoyancy control equipment, one of the pleasant characteristics of free diving is still the "weightlessness in water which enables the swimmer to proceed in any direction with surprisingly little effort."

To quote a line from a TV commercial, "You've come a long way, Baby!" So true! Scuba diving has come a long way in these 40 years. Easy breathing single-hose regulators, pressure gauges, "octopus" regulators, decompression microprocessors, thin fabric dry suits, and buoyancy control devices (BCD) [or buoyancy compensators (BC)] are all common items for the modern scuba diver. It's great to be a scuba diver today!

For nostalgia sake, let's turn back the pages of time and think about that pre-BC scuba diver. There were some great divers years ago. Names like Cross, Owen, Stewart, Tillman, Morgan, Limbaugh, Parks, Fane, Bonin, Pedersen, Erickson, and Brown, to name only a few, bring memories of good days and good diving to many readers (and I do apologize for the many equally great divers that I did not mention). Do you realize that all of these divers survived and enjoyed scuba diving without the buoyancy control device? Amazing! Let's go back to the beginning of modern scuba diving during WW II (that's the big one) on the Mediterranean coast in the south of France. Cousteau, Dumas, Tailliez, and their colleagues slipped silently beneath the surface of the sea with this breathing device called the aqualung—and modern "humanfish" was born. Enough historical daydreaming! Just keep in mind that they also did it without a BC.

Have you ever seen a Frenchman dive? Have you ever seen a Cousteau dive? Sure you have. Each year thousands of feet of Cousteau film are shown on TV and in theaters throughout the world. How many BCDs have you seen on the Cousteau team? Not many! I once had the rare honor of diving with Phillippe Cousteau. I watched Phillippe prepare for the dive. He donned borrowed equipment and slipped into the water to adjust his ballast. And, believe it or not, he came up and asked for a one-pound lead weight. For a few great moments in my life as a diver, I was privileged to observe the most graceful and skillful movements underwater that I had ever seen. And it was all accomplished without the use of a BCD—just ballast adjustment and breathing control. Some years later I was to observe a similar diving technique at

a NAUI instructor course when I swam with a young diver named Craig Barshinger. He had learned to dive "the French way"!

If all of these early divers did so well without BCDs, why does every diver use a BCD today? How and why did the BCD evolve? To be perfectly honest, I do not know all of the hows and whys or the who's. To me there appear to be two evolutionary paths. Many divers wanted some sort of emergency personal flotation device that could be carried on their person. Cross [1] describes the *Res-Q-Pak* as follows:

The *Res-Q-Pak* is a small, inflatable, water wing type float, folded into a plastic packet measuring about 1 x 2 x 3 inches. By squeezing, a CO₂ cartridge is punctured inflating the unit. It can be clipped to the swimmer's trunks or tied to a belt if he is wearing a suit. When inflated, it will support a 200 lb. man. However, when used in an emergency, all weights, such as weight belt, should be released to obtain maximum safety.

Several similar "emergency floats" were marketed in the early years.

In the 1950s the U.S. Navy underwater swimmers were using a "life preserver." In my old copy of a booklet titled *Underwater Swimmers School Class Notes* the following is stated [3]:

The *UDT Yoke Type Life Preserver* is most efficient in that it is lightweight, reasonably small, and may be quickly inflated either by a single nonmagnetic CO₂ cylinder or orally. This preserver is worn on all water operations for safety precautions. A small light may be attached for night operations. This is one item that will deteriorate rapidly unless cared for. Another section of this book contains full maintenance and repair of the life preserver. **KNOW IT AND ABIDE BY IT.**

This booklet and subsequent UDT and UDT/SEAL handbooks made similar reference to the yoke-type life preserver and contained fairly detailed instructions on how to patch the unit and maintain the CO₂ cylinder inflator [4,5]. The U.S. Navy Diving Manuals of 1963 and 1970 [6,7] desig-

nated the yoke-type inflatable lifejacket as mandatory for underwater swimmers and scuba divers. It is interesting to note that no reference is made to buoyancy compensation in any of these early manuals. The unit was apparently designated for safety and emergency flotation.

The influence of the U.S. Navy's diving program is obvious in the earlier years of recreational scuba diving and instruction. In the 1960s most scuba diving instructors had a copy of the U.S. Navy Diving Manual in their personal libraries. Today, I doubt if that is the case. As you will see later, the U.S. Navy's opinions are often inconsistent with modern trends in recreational scuba diving equipment and procedures.

When and why did the trend toward modern buoyancy compensation begin? Buoyancy compensation of one form or another has always been a part of scuba diving. Some early divers blew air into their dry suits by placing the mask skirt under the hood. This compensated, to some degree, for suit and hood squeeze; it also compensated for loss of buoyancy as air was squeezed from the suit during descent.

The modern wet suit diver is truly a free diver. The diver does not want to be concerned with descent-ascent lines, adjusting weights for various dive depths, or the limitations that might be imposed on multi-level diving by a fixed buoyancy adjustment. In some respects this modern breed of scuba diver might be considered too lazy to deal with weight belt adjustments on a *per dive basis*. On the other hand, today's scuba diver may be considered a more "intelligent" diver who takes advantage of modern technology.

There is also concern among some instructors and "old timers" that many individuals with *poor swimming skills* are now training as scuba divers. In such cases, the BCD has become a substitute for swimming ability and physical fitness.

The advent of foamed-neoprene wet suit diving played a major role in the evolution of buoyancy compensation. Compression of a 1/4-inch foamed-neoprene wet suit results in the loss of about 5 pounds of buoyancy between the surface and 30 feet; 9 pounds loss at 120 feet.

Air consumption also plays a role in buoyancy variation. Eighty cubic feet of air weighs about 6 pounds. This means that the diver will be between 5 and 6 pounds heavier at the beginning of the dive than at the end. And since many divers plan to dive to their greatest depth at the beginning of the dive and spend time in shallow water at the end of the dive, the implications are obvious.

If we combine the compression of the wet suit and the weight of a full cylinder of air, the diver will be about 8 to 9 pounds heavier at the beginning of a 120 foot dive than at the end of the dive when swimming at 30 feet. If the diver plans to decompress at 10 feet, then he/she will be about 3 pounds more buoyant than at 30 feet. In the final analysis, the diver may experience a 14 to 15 pound buoyancy variation over the course of the dive.

Buoyancy, ballast adjustment, and buoyancy compensation values depend upon a number of variables. First of all, each diver is an individual. The buoyancy of that individual will depend primarily on size (displacement), weight, body composition, tidal volume, vital capacity, psychological condition (relaxation vs. anxiety), and respiratory minute volume (or RMV; minimal exertion vs. exercise). A larger person generally will be able to compensate for a greater degree of buoyancy compensation through adjustment of the breathing pattern than a smaller individual because of a large vital capacity.

The diver's equipment will also make a difference. The diver wearing a full 1/4-inch foamed-neoprene wet suit will no doubt have to make some artificial or equipment-assisted buoyancy adjustment (in other words, put some air in the BCD at some point in the dive). The diver wearing a 1/8-inch wet suit may be able to compensate for all buoyancy variations through breathing adjustments alone. Keep in mind that air in the BCD also compresses during descent and that you also have to compensate for this compression factor. It is desirable to be able to start the dive with no air in the BCD.

Another thing that divers tend to forget is that buoyancy changes when equipment changes. The buoyancy characteristics of a steel 70 cylinder are different than those of an aluminum 80. A large knife is

heavier than a small knife. Add a 1/8-inch vest or take off your gloves and there is a slight change. Some wet suits lose a slight bit of their buoyancy with age. Remember, good divers adjust the ballast "to the pound!"

Experience is a great "changer of buoyancy." I have seen divers remove as much as 8 pounds of weight from their weight belt during their first year or so of diving. One dive guide told of an individual who, with proper retraining, removed 22 pounds of lead from his belt during a one-week dive trip. Experienced divers simply become more relaxed, their breathing pattern evens out (reduced tidal volume and RMV), they gain skill in handling themselves in the water, and in the above case, finally receive proper instruction in diving.

WEIGHTING THE DIVER

As previously stated, the amount of weight required to achieve proper buoyancy depends on a number of factors and should be re-evaluated on a regular basis. Every time the diver changes suits and size of cylinder, weights must also be adjusted.

Many instructors tell their students to use 10 to 15% of their body weight as a base figure. However, they occasionally fail to emphasize that this is only a rough estimate for a diver wearing a 1/4-inch wet suit. Other instructors will weight the student to be essentially neutral at the surface at the beginning of the dive. The diver will be about 5 pounds "lighter" at the end of the dive because of air consumed and may have difficulty maintaining control during the last 20 feet of ascent.

Today, the trend is moving toward very careful weighting of divers. Finally, the haphazard approach to diver weighting associated with the promotion of BCD sales is behind us. Divers and instructors are also more environmentally sensitive. Consequently, proper weighting in order to prevent damage to delicate corals is now becoming fashionable. There is also more awareness of the significance of control during ascent and making precautionary decompression stops at 10- to 30-foot depths.

Many authorities now recommend that a diver be weighted so that he/she is neutrally buoyant at approximately 15 feet

with 300 to 500 psig of air remaining. This should accommodate a controlled ascent. Many divers will be able to adjust for minor buoyancy changes using breathing techniques alone, especially when diving in thinner wet suits or dive skins. Others will use a small amount of air in the BCD.

Unfortunately, dive guides still tell horror stories of over-weighted divers demolishing coral reefs. Some divers arrive in the tropics and insist that they need 10 to 20 pounds more lead than the guide deems reasonable. Many victims of diving accidents prove to be significantly over-weighted.

When all is said and done, proper weight selection becomes a matter of trial and error. The prudent diver will develop "weight awareness" and continuously adjust weights until he/she establishes perfect buoyancy control.

COMPENSATING FOR BUOYANCY CHANGE

By now it should be evident that a number of factors control diver buoyancy. The diver, in turn, has three major mechanisms of compensating for buoyancy change—weights, breathing, and buoyancy control device. In addition, the diver can change swimming position in order to direct some component of the kicking force upward or downward and thus assist in maintaining a given depth level. However, this is a haphazard and energy demanding technique that should not be substituted for proper buoyancy adjustment.

In my opinion, the first and most important factor is proper weight selection. Unfortunately, many dive shops rent large hip-weights to divers for open water training. It is easier to deal with two large weights than 6 or 8 two- and three-pound weights. A one-pound weight is hardly ever seen today.

Once the diver has determined the appropriate amount of weight for a given configuration of equipment, changes in buoyancy associated with air consumption can generally be made by slightly altering breathing patterns (slightly deeper or shallower breath). However, many people will introduce a small amount of air into their BCD.

Buoyancy changes associated with 1/4-inch wet suit compression are generally neutralized by injecting small burst of air into the BCD. Keep in mind that this air will expand and dramatically change buoyancy as you ascend to shallow water; air must be discharged in a controlled fashion (short bursts) as one ascends. Some individuals with large lung capacities can even compensate for wet suit compression by slightly altering their breathing pattern.

LEARNING BUOYANCY CONTROL

Before you can master buoyancy control you must learn to *relax and breathe normally* underwater. Breathing rapidly and deeply can cause significant changes in buoyancy with each breath. Beginning divers should control their descents and ascents by using an anchor line or descent line. This practice allows for precise control and increased diver confidence. You can make mistakes and have time to correct them because of your hold on the line. Soon you will learn to feel your buoyancy change with each inflation or deflation of the BCD and eventually each time you inhale and exhale. With experience you will gain anticipation—you will anticipate what will happen as you inflate and deflate your BCD. You will anticipate what will happen as you change depth. You will instinctively adjust buoyancy as you ascend by discharging air from your BCD.

As you gain experience you will find that you can fine tune your buoyancy by adjusting your breathing pattern. If you are properly weighted and essentially neutral, you will find that if you stop breathing in the middle of a normal inhalation or exhalation you will remain motionless in the water. Keep in mind that it is better to learn this skill at 50 or 60 feet rather than 30 feet because slight changes in depth will not produce as dramatic a change in volume. *Do not practice this skill in shallow water!*

Once you master buoyancy control, you will rarely have to touch your BCD during a dive. Proper weight adjustment, the initial compensation, and relaxed breathing is the key. Simply stop in the water column and breathe. Keep in mind

that kicking momentum and body angle may be covering poor buoyancy control. Do you sink if you stop swimming? If so, you have not mastered buoyancy control.

Many of the above points were emphasized in an excellent article in *Skin Diver Magazine* from which the following quotation was also taken [10]:

If you are a master of buoyancy control, you will rarely touch you BC during the course of a dive. The ultimate test! In 60 feet of water, wearing the correct amount of weight and being neutrally buoyant, cross your legs. Have your vest inflator in your left hand as you would normally during an ascent. But instead of kicking gently to ascend, try to control your ascent with your breathing. Breathe in, ascend a foot or so, and stabilize yourself at this new depth by exhaling. Repeat these steps, again and again. When you reach 30 feet, descend to 60 feet and do it again. Never fill your lungs completely and don't hold your breath. It will take time to master this skill.

I have included this quotation since many of you will read it or similar items in magazines. Please be careful if you decide to try such tests of skill. The above procedure is truly a demonstration of buoyancy control mastery. However, it does have a slight element of risk. I encourage you to master hovering at a fixed depth, ideally adjacent to a line which you may grab for control, if necessary.

HISTORICAL NOTES ON BUOYANCY COMPENSATION

How did the early scuba diver survive without the advantages of modern buoyancy control devices (BCD)? *First of all, these scuba divers simply adjusted their weight belts for the dive depth, equipment worn, and diving conditions.* A diver might plan to begin a dive *slightly heavy*, compensate for the negative buoyancy by taking slightly deeper breaths on each breathing cycle, and end the dive *slightly light*. It worked! For deep dives, especially where suit compression became more of a factor, the diver

would begin the dive slightly light, descend to a depth where he/she would be approximately neutral about half way through the dive, and ascend in a positive buoyant state. One key to making this system work comfortably was the use of a shot line (or weighted descent-ascent line). At the beginning of the dive the diver would "pull" himself/herself down the line and breathe relatively shallowly until the suit compressed. At the end of the dive he/she would control ascent by holding on to the weighted line. To decompress, the diver simply wrapped his/her leg around the line to maintain position.

Some divers made up special weights with snap hooks. The weight was snapped to a ring on the diver's weight belt to assist during descent. The descent line was also fitted with rings or loops at various depths. As the diver descended and the suit compressed, he/she simply snapped the extra weight to the descent line. The weight would be retrieved on the way back to the surface in order to maintain a comfortable, controlled ascent and facilitate decompression. I remember scores of very pleasant deeper sink hole dives using this technique.

As divers went deeper, carried more equipment, and developed less appreciation for the descent-ascent line, they began to experiment with self-contained buoyancy control systems. My first BCD was a plastic gallon bottle attached to a D-ring on my scuba harness. Air was placed into the bottle from the regulator exhaust. Some divers carried the bottles in their hands. By proper positioning of the bottle, a good swimming position could be achieved with minimum effort. Ascent could be controlled by dumping small amounts of the expanding air from the bottle throughout ascent. The bottle did increase drag and, if hand-carried, required the continuous use of one of the diver's hands.

Somewhere around 1960 the *fixed-volume, open end BCD* appeared. Both single and double chamber models were used. This unit consisted of a small metal or plastic cylinder closed at the top and open at the bottom; at least one model had the bottom of the unit partially closed with only a small opening on the bottom side.

When the diver entered the water, he/she would invert and fill the cylinder(s) with water. When buoyancy compensation was necessary, air was injected into the top of the chamber via a hose from the first stage in order to displace the water in the cylinder. During ascent the air in the cylinder would expand and the diver would periodically invert to discharge some or all of the air. Controlled dumping of air by inversion was not an easy task. Some divers fitted a second discharge hose and valve to the top of the cylinder thus enabling them to easily control the amount of air in the cylinder during ascent. The cylinder(s) retained air as long as the diver was swimming in a position with the head slightly higher than the feet (some considered a 30° position to be acceptable); however, if the diver changed to a slightly head-down position, the air would dump and the diver would lose all buoyancy control.

Recreational divers began experimenting with using inflatable life preservers as BCDs in the 1950s. Earlier units were acquired through military surplus (Mae West lifejackets) or "borrowed" (?) from commercial airlines. The size and position of the oral inflation hose made the units slightly awkward to inflate underwater and required some interesting maneuvers to deflate. The *UDT vest* was available to the recreational diving community on a limited basis, but it did not achieve high popularity. I remember purchasing the UDTs for less than \$25, and I still consider it to be one of the most comfortable units that I ever used, though I seldom used it as a BCD. It was simply there in the event that I got into trouble on the surface or had to assist another diver on the surface.

Probably the first true BCD to be introduced to the American market was the Fenzy, which was imported from France somewhere around 1968. This was one of three *air bottle BCDs* marketed in the United States. Instead of the more traditional CO₂ cylinder, this BCD was equipped with a small compressed air cylinder that could be refilled from a diver's scuba cylinder. The air was used for buoyancy compensation as well as surface inflation. This was one of the most rugged and well-constructed units to ever appear on the American mar-

ket; however, it was expensive (by 1968 standards) and never achieved wide popularity. The air bottle BCD is still used in the United Kingdom and throughout Europe. The British used this type of BC for an emergency breathing/ascent apparatus.

By the early 1970s every major manufacturer was selling at least one, if not several, BCDs. Twenty to 30 models were available. Buoyancy compensator design begins to evolve in two different directions. The more conventional collar-type (front-mounted) BCD that fit around the diver's neck had undergone numerous refinements. Large inflation-deflation hoses had been added and positioned near the top of the BCD so that the diver could easily discharge air from the BCD. Air hoses had been attached to the regulator first-stage and inflation valves to the BCD, thus enabling the diver to add air (adjust buoyancy) with the simple push of a button. Air could be discharged similarly. New buzz words such as life capacity, filling rate, and exhaust rate fueled the competitive scene.

In about 1970 the At-Pac appeared on the scene. This unit consisted of a horse-shoe-shaped bag fitted to a scuba backpack. The backpack was hollow and could be filled with lead pellets for ballast (to replace the weight belt). A quick-release door on the bottom of the backpack enabled the diver to jettison his ballast in an emergency. This was a significant departure from the conventional BCD design and developed as a second evolutionary path. In fact, the entire diving community started dividing into two camps, the At-Pacers and "otherwise." A segment of the recreational diving community accepted and aggressively promoted the At-Pac training and diving philosophy. I remember standing on the shore of Salisbury Quarry and being told that I was an unsafe diver because, "Any diver that did not use an At-Pac was an unsafe diver!" At least seven diving equipment companies marketed the back-mounted or buoyancy compensating pack (BCP), generic names for this design, by the mid-70s.

In the search for the *ideal* buoyancy control device (or buoyancy compensator as it was called in the earlier days) several excellent designs were developed but, for one reason or another, never gained popu-

larity in the diving community. In my opinion, Rory Dickens, a Florida cave diver, published the best paper ever written on buoyancy control theory in 1973 [8]. Based on an analysis of such factors as the diver's center of buoyancy, center of gravity, longitudinal axis, lateral axis, stability, and so on, he suggested that the ideal BCD would be a "bag mounted on straps so that it could be moved back and forth during the dive." This bag would be positioned on the diver's front (chest-stomach area).

At least one major manufacturer did market this type of BCD, and several smaller firms made them on a custom basis. One major manufacturer took this concept one step further and designed/marketed a dual bladder front-mounted combination BCD and lifejacket. This unit "tested well" in an evaluation of BCDs conducted by the U.S. Navy [9]. The lower bladder, located over the diver's stomach, provided precise and comfortable buoyancy control. And, by inflating the upper bladder which encircled the diver's neck, the diver's head was held out of the water in an emergency. This design concept seemed to phase out a few years later and this excellent BCD never achieved popularity.

Another innovative BCD design, and probably the most radical departure from conventional design, was the back-mounted constant-volume automatic buoyancy control system which also appeared in the late 1970s. A rigid buoyancy chamber, instead of the conventional flexible bag, was integral with the backpack and also contained the diver's weights. The system operated on a principle similar to that of a submarine ballast system. The chamber was fitted with valving to discharge air and admit water. Air also fed directly from the scuba cylinder.

To dive, you first opened the valves at the surface to allow air to escape and water to enter until you started to sink. At about 30 feet, the point at which the major effect of suit compression had been experienced, the diver adjusted buoyancy by admitting air into the chamber from the scuba. The volume of air in the rigid container was fixed. A demand system injected more air into the system as the diver descended and vented air as the diver ascended. Total buoyancy capacity was about 60 pounds.

The system also allowed the diver to preset the rate of ascent, and ascent was then automatically controlled by discharging expanding air through an overpressure relief valve. In the event of buoyancy loss, the weights could be manually released.

The system was relatively complex to use properly and much more bulky than conventional units. The unit never received a high level of diver or instructor acceptance, and its manufacture was discontinued several years after it was introduced.

Throughout the 1970s the divers, instructors, and manufacturers debated the merits (and demerits) of different BCDs. Lift capacity seemed to be important to some debater - divers and ranged from 15 to 57 pounds. One scholar suggested that only about 10 pounds of lift was required to hold a diver's head out of the water and that a BCD with 18 to 20 pounds of buoyancy would be more than adequate. A noted national training director felt that it should be at least twice that figure and another expert gave a range of 25 to 50 pounds. Lift capacity is still with us today. At least one BCD currently available has a rated buoyancy lift of 80 pounds.

Other divers seemed more concerned about how fast they could inflate and deflate their BCD; full inflation times ranged from about 3 to 15 seconds while deflation times ranged from 3 to 22 seconds. Both lift capacity and fill rate were important factors in the use of the BCD for *emergency flotation on the surface* as well as *emergency buoyant ascents*. I remember watching in amazement as divers trained in "emergency buoyant ascent procedures" at Salisbury Quarry. A diver would depress the power inflation button at a depth of about 40 feet and shoot to the surface. Some divers cleared the water surface to their weight belts. I was operating a hyperbaric chamber facility at that time, and one of our few "less than successful" treatments was a young man who experienced a severe embolism during such a training ascent.

Many divers and instructors were concerned about *surface flotation position*. Would the inflated BCD hold the diver's head out of the water or under water at the surface? What if the diver was panicked?

What if the diver were unconscious? Generally, what if? This debate raged through the '70s and into the '80s. All of this seems rather elementary now. My new "Super Duper Mark XIII Mod 4" BCD includes the following disclaimer printed directly on it, **"EMERGENCY FACE UP FLOTATION MAY NOT BE PROVIDED FOR ALL WEARERS AND CONDNTIONS."**

A quick review of the manufacturer's instruction manual that came with my other BCD revealed (1) "The XXX YYY ZZZ is not an emergency life vest, but is a means of compensating buoyancy." and (2) "Be aware that the XXX YYY ZZZ may not float a diver on his back with his head and mouth out of the water. Well, there it is, in print, *the BCD is a BCD, not a life saving device.*

Now that that little issue has been resolved, let's get back to 1977. That was the year Scubapro revolutionized buoyancy compensation with the introduction of the "Stabilizing Jacket." In some ways it was the beginning of the end for front-mounts and back-mounts. The *jacket-style* BCD combined the best of both worlds into a single unit. The diver was now literally surrounded by a buoyancy bladder. Radical in design, aggressively promoted, widely accepted, and expensive — all the key ingredients to success if you add one more. Highly copied! Today, the jacket-style BCD probably represents 90% or more of the BCD sales in the United States. Some dive stores only sell front-mounts and back-mounts by special order; they don't even stock samples. However, in 1990 the back-mounted BCD began making a comeback.

The jacket-style BCD is now available in a number of design variations. Some units are adjustable and others are sold by "size" (x-small to x-large). The original wrap-around stabilizer jacket was basically a single air bag attached to the scuba backpack and it encased the diver's entire upper body like a vest. The BCD was also the scuba harness and backpack. Air moved freely throughout the entire BCD to seek the highest point depending upon the diver's attitude (position) in the water. Consequently, no large pocket of air was formed behind the diver's neck as in the collar-type (front-mount) units, and the diver could more easily maintain a "horizontal" swim-

ming position. In essence, the scuba floated slightly off of the diver's back, thus suspending the diver in the BCD and increasing diver comfort. As the diver changed to a vertical position for ascent, the air shifted to the shoulder area for better vertical ascent control. At the surface, the fully inflated BCD floated the diver in a vertical position high in the water with air in front, under the arms, behind the neck, over the shoulders, and in the back.

Several manufacturers later eliminated the under arm portion of the bladder and replaced it with a fixed or adjustable fabric panel. This eliminated the under arm bulkiness and allowed for greater freedom of movement at the surface. The popularity of the jacket-style BCD grew from the diver's desire for a unit that facilitated a horizontal swimming position underwater, reduced the number of straps to adjust and items of equipment to put on when preparing for a dive, and left the chest unencumbered.

TODAY'S BCD

Today, the BCD evolution continues. The bulky "bag-in-a-bag" models of a few years ago are yielding to the trimmer single bag units. Compact designs with limited drag characteristics (resistance to movement through the water) and smaller size for packing are increasing in appeal to the traveling diver. Dry suit divers and an increasing number of tropical divers favor open-front models with adjustable and separating front shoulder straps. The diver is looking for comfort and freedom of movement.

Some BCDs now incorporate weight pockets directly into the BCD waist assembly. The weights may be dropped independently on some models by opening quick-release Velcro closures or simultaneously with a cable release mechanism. The ideal of weights as an integral part of the BCD-scuba system is still a subject for debate.

One manufacturer has made a radical departure from traditional BCD design by developing a very small "donut" shaped BCD that fits between a conventional scuba backpack-harness assembly and the cylinder. The BCD inflation hose is approximately 1/4-inch inside diameter rubber hose

with a unique power inflation-deflation device. There is no oral inflation capability! A small rubber inner tube (motor scooter type) is contained in an outer nylon bag which controls the amount of inflation and distribution of air within the BCD. The unit is absolutely wonderful for limited buoyancy compensation (ideally, 10 pounds or so; maximum 18-20 pounds). Unfortunately, the unit is a significant enough departure from conventional units that most trained divers will have to retrain in its use. *It is not a lifesaving device!* Persons using this BCD will have to rethink and retrain in diver assistance and lifesaving procedures.

BUOYANCY COMPENSATION VS. LIFESAVING FLOTATION

Most manufacturers clearly define that they build and market buoyancy control devices, not "life preservers." However, most diver rescue procedures, either self-rescue or second party rescue, involve use of the BCD at some point in the rescue procedure. Are we, the divers and instructors, *misusing* a piece of equipment? Unfortunately, the American diver lives in a law suit society where nearly anyone can be sued at any time for anything. Diving instructors and the diving equipment manufacturers are especially vulnerable. Regretfully, the manufacturers have been forced into this position. I will spare you my dissertation on our society and its legal system. However, in a way this whole attitude places us all "between a rock and a hard spot."

It becomes paramount that we understand both the capabilities and the limitations of the equipment that we use and teach others to use. Unfortunately, very few organizations are in the diving equipment evaluation business. If we review equipment evaluation information published in popular dive magazines, we might conclude that "everything is wonderful." The U.S. Navy evaluates diving equipment periodically and publishes its findings. Unfortunately, many instructors and most divers never see these publications. And, many recreational diving community authorities are quick to point out the fact the "the U.S. Navy's criteria are not intended for or consistent with the standard of practice in recreational diving!" This is espe-

cially true if the U.S. Navy does not agree with the recreational diving viewpoint.

In 1980 the U.S. Navy published a report on the evaluation of 14 commercially available buoyancy compensators [9]. One of the conclusions stated in that report was:

Back-mounted and jacket-style BCs are functional and have application in specific diving situations. However, training and operational requirements preclude Navy use of these type compensators.

The report further stated:

Since it is imperative that a Navy diver be able to ditch his scuba gear on the surface without losing his flotation, any jacket style BC whose harness is integral with the BC is unsatisfactory.

Modern trends in recreational diving seem to dismiss the possibility that a scuba diver will ever encounter a situation in which he/she will be required to "discard his scuba on the surface and desire to retain his flotation system." Numerous salespersons and instructors have supported this fact when asked the question, "What happens if I have to ditch my scuba and I need emergency flotation?" Some claim that that situation will never arise in the real world of diving. Maybe? Maybe not?

Several of my instructor friends and former students responded to the question by saying that they could "reach back and release the cylinder from the backpack and thus retain their BCD." I tried and it worked. However, the Navy also included this option in their evaluation and reached the following conclusion [9]:

Once the scuba tanks are disconnected from the [brand name], the BC floated the diver face down. The weight of the tanks kept the diver's center of gravity and center of buoyancy in the right relationship to float a diver face up. Without the tank weight, this relationship no longer existed.

In the final analysis, it appears that diver surface floating attitudes (positions) without scuba have not been considered as an important factor by most divers and instructors if one considers the dominance

of the jacket-type BCD in the recreational diving community today. Over the past years I have observed numerous training dives where the jacket-type and back-mounted BCDs were used for "skin diving" exercises. I do encourage all instructors to make their students aware of the possibility that some BCDs do not float you in a face-up position under all conditions.

Although it is only academic to most recreational divers and diving instructors at this point, I will present one more of the Navy's conclusions [9]:

The conventional horse collar [front-mounted] style BC always floated a diver face up in an emergency.

Very few divers and instructors consider other potential emergency applications of the BCD. During a recent diving trip in the Bahamas I encountered a boating situation which reminded me of the potential value of my BCD in the event of a boating mishap. In attempting to maneuver through a narrow channel in the reef in heavy seas our boat nearly capsized. I realized that my diving buddy and I were the only persons wearing flotation equipment at the time of the incident. Since the boat was not equipped with life preservers, we had donned our front-mount BCDs as a safety precaution prior to entering rough water.

At this time I do wish to assure the reader that I am not trying to discourage or encourage the use of one type of BCD or another. I simply encourage divers and instructors to be aware of both the capabilities and limitations of their chosen equipment.

I have also observed some other interesting recent trends in recreational diving. Regardless of the current *buoyancy compensation only* attitude, I still consider my BCD to be an *emergency flotation device*, and I do use it for both skin diving and scuba diving. For the record, I still equip my personal BCD with a secondary CO₂ inflation system. In fact, I do consider this to be a very important part of my flotation system. Since I do not have a power inflation capability (from the scuba) when skin diving, I consider the CO₂ system to be my primary emergency system in that mode of

diving. I also advise my students to have CO₂ inflators on their BCDs.

This certainly isn't the case for a large segment of the recreational diving community. Recently one of my students bought a complete diving outfit from a major south-eastern Michigan diving equipment retailer. As previously noted, despite trends a few years ago I ask my students to select a BCD with a CO₂ inflation system. One student was purchasing an expensive BCD with a power inflator and requested that the salesperson also install a CO₂ unit. The salesperson insisted that the student did not want such a device on his BCD. This salesperson apparently would not sell him one. From my standpoint, the salesperson lost a \$35 to \$45 sale and placed his store in a potentially awkward position in the event that that student would be involved in a diving incident where the presence of an inflation device might save his life. Power inflators do little for you if you are skin diving.

Why are some people so opposed to the use of a CO₂ inflation system? Why is the apparent dissatisfaction so prevalent and aggressively supported? I am aware of CO₂ system corrosion and malfunction, and I admit that the quality of the present units could be improved. However, is this a reason for total rejection? I suggest that the CO₂ system can potentially be an important component in diving safety.

Divers must be taught both the advantages and the limitations of all components of their diving equipment, and the CO₂ inflation system is no exception. On the other hand, very few instructors discuss maintenance and repair of such components. To my knowledge, very few dive stores offer an inspection/repair service for BCDs and CO₂ inflation systems. Even with proper maintenance, the CO₂ inflator will corrode and deteriorate in time and must be periodically replaced. Is this unreasonable? No! Divers maintain and periodically replace many components of their equipment. Is this an unnecessary expense? No! Personally, I will pay the added cost for the added margin of safety.

MAINTENANCE

What about the failure aspect to which so many divers and instructors refer? Any-

thing can fail, anytime or any place! I suggest that many of these failures are the result of careless inspection and maintenance procedures on the part of the diver. I remember one Instructor Training Course staff member that walked up to an instructor candidate and pulled his CO₂ inflator cord. The entire assembly fell off in his hand. The staff member handed the assembly to the candidate and walked away shaking his head. Who was at fault? The manufacturer? The staff member? The diver? The BCD had been used by the diver for several years. However, the diver had apparently never pulled the CO₂ inflator cord. I suggest that the diver should have periodically tested his complete system to verify satisfactory operation.

It is an accepted fact that any item of diving equipment is subject to deterioration. This was recognized by the U.S. Navy years ago and complete instructions including disassembly, inspection, repair, and reassembly are included in their underwater swimmer manuals for maintenance of the CO₂ inflation system [3,4,5].

As long as I am discussing maintenance, let's consider BCD power inflators and combination inflator-regulator units. Malfunction of a power inflator or BCD exhaust valve can result in either uncontrolled ascent as a result of uncontrolled over-inflation or failure to maintain buoyancy because of air loss. How often do divers have these components inspected, lubricated, and overhauled (or replaced)? Divers, such failures have occurred! How many divers have their inflator-regulator units inspected annually along with their regulators? Remember, this is your BCD inflator/deflator and your alternate air source regulator.

I recall one incident when a diver using a two-year-old BCD apparently could not get the BCD to hold air underwater. Upon losing buoyancy he apparently struggled to ascend and/or sank uncontrolled to the bottom. The diver died! The BCD was identified as the "cause" and damages were awarded to the surviving widow. The BCD had apparently functioned well for two years. Had the BCD ever been professionally inspected? Had the valve been tested for satisfactory operation be-

fore the dive? Why didn't the diver simply discard his weight belt (it was still in place when the body was recovered)?

I recall another incident when an instructor was hurled out-of-control to the surface as his BCD inflator-regulator unit stuck and instantly inflated his BCD to full capacity (about 50 pounds buoyancy). The diver was carried to the surface "in a few seconds" and lost over 100 pound of air from his scuba before he could disconnect the BCD hose. Interestingly, he had had trouble with the unit before.

It is absolutely essential that you maintain your BCD in accord with the manufacturer's instructions and test it for proper operation prior to each dive. Use common sense and do not become a BCD dependent diver!

BCD DEPENDENCY

Dependence! I fear that some divers are completely dependent on their diving equipment for survival in the sea. Every diver should be capable of surviving in the sea without the aid of any equipment. In my opinion a diver should not enter into a recreational open water diving situation in which he must depend upon the equipment in order to survive. Can a diver independently survive a complete buoyancy system and scuba failure at 100 feet? Yes, if the diver has been properly trained and progressively develops both the physical and emotional skill to dive safely to this depth! In simplest terms, the diver should be able to release his ballast system and successfully complete a controlled emergency swimming ascent. It is well documented that most accident victims fail to release their weight belts in emergencies that could be resolved by establishing positive buoyancy.

I fear that many persons receiving diver certification cards lack the watermanship, physical fitness, and psychological preparation to deal with a diving adversity without the aid of their equipment. Should a diver be capable of maintaining surface flotation without the aid of a BCD? Absolutely! A 1/4-inch foamed neoprene wet suit provides about 15 to 20 pounds of buoyancy IF you drop the weight belt.

What about rescues? Should a diver be capable of completing a rescue without the

aid of a buoyancy system? Yes! Some diving instructors suggest that there is no place for conventional ARC-type life saving practices in scuba diving. Keep in mind that the buoyancy system is an *aid* to rescue, not a replacement for skill and fitness. I suggest that all divers should be encouraged to complete a standard lifesaving course where they can learn rescue and assist procedure without equipment aids. For those who feel this is "unnecessary" I simply say, "What is wrong with being a better swimmer and capable of unassisted lifesaving?" Please don't misunderstand me. I encourage the use of aids whenever available. However, I discourage total dependence on such aids.

SELECTING A BCD TODAY

When you go to a large dive shop to purchase a BCD you may be confronted with 20 to 30 different models. A BCD will range in cost from \$285 to \$500. Ideally, before you purchase a BCD you should have an opportunity to dive with that BCD, at least in a swimming pool. Many divers will purchase the same model BCD that they use in training while others look for newer and more innovative designs. I certainly encourage divers to shop around and try various models before making a final (and expensive) selection.

Keep in mind that most dive shop employees and instructors will have personal biases. These biases may reflect anything from their prior training and the type of diving that they do to the fact that they are overstocked on a particular BCD that is going out-of-style next year or a BCD that gives the greatest profit margin.

Be certain that the BCD fits properly. Some salespersons have a tendency to recommend too large BCDs. For example, two of my former students were both sold BCDs that were one size too large. No doubt the salesperson anticipated that they would use them for dry suit diving. These individuals only plan to use them with a wet suit and dive skins.

I too have my personal biases! The following are factors that I would consider in selection a BCD today. These opinions may or may not be shared by other instructors or sales persons.

What type of diving do you intend to do? If most of your diving is going to be in the tropics in a thin neoprene suit or dive skin, you may wish to select a low profile, low capacity unit. If you intend to use a dry suit for cold water diving you should certainly consider an open-front model with adjustable shoulder straps that can be unbuckled for donning and doffing. If you are planning to do skin diving you should also consider a low-profile collar style BCD. Some "all-around" divers own as many as three BCDs.

What general characteristic should you consider? I feel that current trends favor a BCD that has a low in-water profile which offers minimum resistance to movement through the water. For this reason single bladder or bag BCDs appear to be favored over double bladder units. However, there are exceptions. Some manufacturers of back-mount units use an elastic outer bag that compresses the inner bladder in order to maintain a low profile. This system seems to work well. More divers seem to be selecting BCDs that are less restricting and have an open-front for tropical diving as well dry suit diving. The adjustable, separating shoulder strap complements securely fitting the BCD to the diver's body as well as donning and doffing scuba. Finally, the traditional "hard pack" models appear to be losing ground to the newer "soft-packs." Many people feel that soft packs are more comfortable and they certainly pack more compactly for the traveling diver. Other people are concerned about cylinder movement, but soft packs have improved significantly recently.

BCDs also have a number of different attachment devices (for consoles, safe-seconds, and the like), pockets, changeable color panels, inflator mechanisms, and so on. These items will have to be judged on an individual basis.

A CO₂ cylinder was mentioned previously. Should I select a BCD with a CO₂ cylinder? The concept of an independent emergency inflation system is sound. However, modern trends in BCD design have precluded a CO₂ inflation system. Only a few manufacturers still offer it as an option. The modern BCD is (1) only a buoyancy control device, (2) is, for all practical pur-

poses, not intended to be used for skin diving, and (3) is designed for air inflation from the scuba. Modern trends in diver education have (1) ridiculed and condemned the CO₂ system, (2) de-emphasized skin diving, and (3) promoted diving procedures that rely strictly on the air inflation system. Consequently, the diver has little choice in the matter.

Earlier information in this chapter was very supportive of front-mount BCDs. Should I buy a front-mount BCD? The front-mount BCD is versatile, safe, and inexpensive (in comparison to a jacket-style BCD). However, good front-mount BCDs are difficult to find and seldom seen in scuba diving today. Admittedly, they are less satisfactory as a buoyancy control device. However, they excel for skin diving and rescue (skin or scuba diving). Keep in mind that a separate back pack is required for the scuba, and equipment preparation and donning requires additional steps. The diving industry and educational agencies have so favored the jacket-style BCD that the modern diver has little choice in the matter.

If you do plan to skin dive I recommend that you seriously consider purchasing a compact front-mount snorkeler's unit in addition to your jacket-style BCD used for scuba diving. However, use of the snorkeler's buoyancy unit for scuba diving is discouraged.

CONCLUSIONS

Buoyancy and buoyancy control is a major aspect of modern scuba diving. The modern BCD is used for both buoyancy compensation and as a rescue aid. However, the BCD or any other item of diving equipment must not become a substitute for watermanship and physical fitness. The diver should be completely competent in the water both with or without the equipment.

Is diving and diving instruction being complicated and, to some degree, compromised by our society's aggressive legal system! In a diving accident who is really at fault? The equipment? The diver? The instructor? These questions can only be answered in a court of law on an individual case basis. For the time being, divers and instructors must do their part to promote

safer diving. I offer the following comments for your consideration regarding buoyancy and the scuba diver:

- Do not substitute a "buoyancy system" for swimming skill and physical fitness.
- Become informed about both the advantages and limitations of various buoyancy systems.
- Evaluate the performance and capabilities of your buoyancy system relative to various diving equipment configurations and conditions in a controlled environment.
- Establish a regular maintenance program for your buoyancy equipment and replace components as necessary.
- Complete conventional lifesaving training in addition to scuba diver rescue training.
- Select buoyancy equipment that is appropriate for your individual size and diving requirements. An improperly fitted or adjusted BCD may actually compromise your comfort and safety. If you anticipate doing a considerable amount of skin diving, you may wish to consider the benefits of a front-mount BCD. If this means purchasing more than one BCD, then so be it!
- Properly weight yourself "to the pound," taking into account individual variables. Continuously evaluate your weight (ballast) requirements and make adjustments when appropriate.

REFERENCES

1. Cross, E., *Underwater Safety* (Los Angeles: Healthways, 1954).
2. Owen, D., *A Manual for Free-Divers Using Compressed Air* (New York: Pergamon Press, 1955).
3. Anonymous, *Underwater Swimmers School Class Notes* (Key West: U.S. Naval School of Underwater Swimmers, 1957).
4. Dunne, T. (ed.), *Underwater Demolition Team Handbook* (San Diego: Naval Operations Support Group, Pacific, 1965).
5. Brereton, R. (ed.), *The Naval Special Warfare Training Handbook: U.S. Navy Seal Combat Manual* (Millington, TN: Naval Technical Training, 1974).
6. U.S. Navy, *U.S. Navy Diving Manual, NAVSHIPS 250-538* (Washington, D.C.: U.S. Government Printing Office, 1963).
7. U.S. Navy, *U.S. Navy Diving Manual, NAVSHIPS 0994-9010* (Washington, D. C.: U.S. Government Printing Office, 1970).
8. Dickens, R. "Body Position and Buoyancy Control," pp. 71-92 in *Safe Cave Diving*, by T. Mount (ed.) (Miami: The National Cave Diving Association, 1973).
9. Middleton, J., "Evaluation of Commercially Available Buoyancy Compensators," U.S. Navy Experimental Diving Unit Report No. 1-80 (Panama City, Florida: U.S. Navy Experimental Diving Unit, 1980).
10. Gleason, B., *Buoyancy Control Equals Diver Control, Skin Diver* 39(5): 44-49 (1990).

ACKNOWLEDGMENTS

This paper is published by the Michigan Sea Grant College Program as part of the Diver Education Series. It is the result of work sponsored by Michigan Sea Grant with grants from the National Sea Grant College Program, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, and funds from the State of Michigan. Michigan Sea Grant is a cooperative program of the University of Michigan and Michigan State University in Great Lakes and marine research and education.

THE AUTHOR

Lee H. Somers is Assistant Professor of Sports Medicine and Communications in the Division of Physical Education and Associate Research Scientist in the Department of Atmospheric, Oceanic, and Space Sciences, at the University of Michigan. He is the Diving Safety Coordinator for the University and a Campus Specialist for the Michigan Sea Grant College Program. Dr. Somers' diving career, beginning in 1954, has included scientific, commercial, public safety, and recreational diving. He served as director of the University of Michigan's hyperbaric chamber facility for 12 years. Dr. Somers has been a certified scuba diving instructor for 30 years and in charge of the Underwater Education Program at the University of Michigan since 1969.

