



JUN 27 2012

To All Interested Government Agencies and Public Groups:

Under the National Environmental Policy Act, an environmental review has been performed on the following action.

TITLE: Finding of No Significant Impact and Environmental Assessment for Grand Liard Marsh and Ridge Restoration Project (Fed No. BA-68)

LOCATION: Barataria Basin near Triumph, Louisiana in Plaquemines Parish


SUMMARY: The purpose of this project is to fund construction of an approximately 400 to 500-acre wetland area and restore approximately 16,600 linear feet of ridge along Bayou Grand Liard. The Project will be funded by NOAA through the Coastal Wetlands Planning, Protection and Restoration Act.

RESPONSIBLE OFFICIAL: Brian T. Pawlak
Acting Director, Office of Habitat Conservation
National Oceanic and Atmospheric Administration
1315 East-West Highway
Silver Spring, MD 20910

The environmental review process led us to conclude that this action will not have a significant effect on the human environment. Therefore, an environmental impact statement will not be prepared. A copy of the finding of no significant impact (FONSI) including the supporting environmental assessment (EA) is enclosed for your information.

Although NOAA is not soliciting comments on this EA or FONSI, we will consider any comments submitted that would assist us in preparing future NEPA documents. Please submit any written comments to the responsible official named above.

Sincerely,



Patricia A. Montanio
NOAA NEPA Coordinator

Enclosure

**GRAND LIARD MARSH AND RIDGE RESTORATION PROJECT
ENVIRONMENTAL ASSESSMENT
Fed No. BA-68
Plaquemines Parish, Louisiana**



**U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Marine Fisheries Service**

June 2012

CONTENTS

<u>Section</u>	<u>Page</u>
ACRONYMS.....	iii
EXECUTIVE SUMMARY	ES-1
INTRODUCTION	1
Project Location	1
Environmental Setting	4
Purpose and Need	4
PROPOSED ACTION AND ALTERNATIVES	5
Alternatives Considered but Eliminated.....	5
Alternatives Considered in Detail	5
The No-Action Alternative.....	6
Preferred Alternative	6
Build Alternative 2	8
AFFECTED ENVIRONMENT	9
Physical Environment.....	9
Biological Environment	12
Cultural Resources	18
ENVIRONMENTAL CONSEQUENCES	20
Impact-Producing Factors	25
Physical Resources	26
Biological Environment	28
Cultural Resources	32
Other Considerations	33
CONCLUSIONS.....	37
PREPARERS	37
DISTRIBUTION LIST	38
LITERATURE CITED	38

Appendices

A CORRESPONDENCE AND SUPPORTING DOCUMENTATION

ACRONYMS

BMP	Best Management Practices
CEQ	Council on Environmental Quality
CFR	Code of Federal Regulations
CPRA	Louisiana Coastal Protection and Restoration Authority
CWA	Clean Water Act
CWPPRA	Coastal Wetlands Planning, Protection, and Restoration Act
CZMA	Coastal Zone Management Act
DO	Dissolved Oxygen
EA	Environmental Assessment
EFH	Essential Fish Habitat
EIS	Environmental Impact Statement
EPA	U.S. Environmental Protection Agency
ESA	Endangered Species Act
FIRM	Flood Insurance Rate Maps
GEC	Gulf Engineers and Consultants
GMFMC	Gulf of Mexico Fisheries Management Council
HTRW	Hazardous, Toxic, and Radioactive Waste
LCWCRTF	Louisiana Coastal Wetlands Conservation and Restoration Task Force
LDEQ	Louisiana Department of Environmental Quality
MBTA	Migratory Bird Treaty Act
NAAQS	National Ambient Air Quality Standards
NEPA	National Environmental Policy Act
NMFS	National Marine Fisheries Service
NOAA	National Oceanic and Atmospheric Administration, U.S. Department of Commerce
NRCS	Natural Resources Conservation Service, U.S. Department of Agriculture
NRHP	National Register of Historic Places
SAV	Submerged aquatic vegetation
SHPO	State Historic Preservation Office
USACE	U.S. Army Corps of Engineers
U.S.C.	United States Code
USFWS	U.S. Fish and Wildlife Service, U.S. Department of Interior
WCRA	Wetlands Conservation and Restoration Authority
WVA	Wetland Value Assessment

UNITS OF MEASURE

ft feet

EXECUTIVE SUMMARY

- Project:** Grand Liard Marsh and Ridge Restoration (BA-68)
- Sponsor:** National Marine Fisheries Service and Louisiana Coastal Protection and Restoration Authority
- Contact:** Cecelia Linder; 1315 East-West Hwy, Silver Spring MD 20910; ph 301-427-8675
- Project Size:** Approximately 400 to 500-acre area along an approximately 17,000 linear feet (ft) length of bayou with source material from primarily offshore.
- Location:** Barataria Basin near Triumph, Louisiana in Plaquemines Parish
- Need:** Grand Liard is a historical intertributary prominent ridge expected to convert to open water by 2050. Ridges associated with bayous are a natural component of this area, the majority of which have eroded. Ridges are necessary for structural and habitat functions of the waterways and flanking marshes, such as wave reduction.
- Purpose:** Support the objectives of the Coastal Wetlands Planning, Protection, and Restoration Act (CWPPRA) by restoring a ridge, creating marsh, and nourishing existing marsh.
- Proposal:** Place material to restore approximately 16,600 ft of remnant ridge to a height of approximately +5 ft. Place sediments to approximately +3.5 ft to create and nourish marsh.

Public Participation:

State resource agencies, federal resource agencies, and local government coordinated throughout project development. The draft Environmental Assessment (EA) was available for public review at the Plaquemines Parish Public Library in Belle Chasse, Louisiana, and online (http://www.habitat.noaa.gov/pdf/grand_liard_ba_68_draft_environmental_assessment.pdf). We published notice of the draft EA in the Advocate (State newspaper) and the Times-Picayune (local newspaper), as shown in [Appendix A](#). Comments received on that draft have been included in this EA.

Summary of statement and conclusions:

Long-term benefits to Louisiana coastal resources without substantial long-term adverse environmental impacts are expected of the preferred alternative. Construction-related adverse impacts are considered minor and insubstantial because they are temporary or reversible. Benefits are moderate and sustained. This conclusion is based on a review of relevant literature; site-specific data; project-specific engineering reports related to biological, physical and cultural resources; and experience gained through more than a decade of coastal restoration in Louisiana. An increase to fisheries habitat is expected to have lasting social and economic benefits for recreational and commercial fishing. Also, the action would increase protection of adjacent marsh in the area to be restored.

Potential adverse impacts:

The area has numerous oil and gas pipelines. Multiple surveys have identified their locations, so they may be avoided. The construction contractor would also verify these locations. Adverse impacts to oil and gas infrastructure are not anticipated.

Issues to be resolved: None

INTRODUCTION

The proposed project (**Grand Liard Marsh and Ridge Restoration Project, BA-68**) is authorized under the Coastal Wetlands Planning, Protection, and Restoration Act (CWPPRA) of 1990 (16 United States Code [U.S.C.] §777c, 3951-3956), which stipulates that five federal agencies and the State of Louisiana jointly develop and implement a plan to reduce the loss of coastal wetlands in Louisiana (16 U.S.C. §3952 (b) (2)). Other federal agencies that make up the CWPPRA Task Force include the U.S. Army Corps of Engineers (USACE); the U.S. Fish and Wildlife Service (USFWS), Department of the Interior; the Natural Resources Conservation Service (NRCS), Department of Agriculture; and the U.S. Environmental Protection Agency (EPA). The CWPPRA Task Force selected this project through a publicly vetted process for engineering and design ([Louisiana Coastal Wetlands Conservation and Restoration Task Force \[LCWCRTF\] 2008](#)).

As the federal sponsor for the project, the National Oceanic and Atmospheric Administration (NOAA) National Marine Fisheries Service (NMFS), Department of Commerce is responsible for oversight of this project, including National Environmental Policy Act (NEPA) compliance. The Louisiana Coastal Protection and Restoration Authority (CPRA), the non-federal local project sponsor and cost-share partner, is providing funding through CWPPRA to rebuild approximately 400 acres of marsh and 16,600 linear feet of ridge using dredged materials.

This EA complies with the NEPA of 1969 and Council on Environmental Quality (CEQ) regulations for implementation of NEPA (Title 40 *Code of Federal Regulations* [CFR] Parts 1500 through 1508 [[CEQ 1992](#)]). A programmatic Environmental Impact Statement (EIS) of the CWPPRA program was prepared by the CWPPRA Task Force and LCWCRTF ([1993](#)). General information on the need for this type of project, the affected environment, and the environmental consequences was presented in the Final Programmatic EIS prepared by the USACE as part of the Louisiana Coastal Area Ecosystem Restoration Study ([USACE 2004](#)). This EA relies on baseline information in those documents related to the overall purpose, structure and goals of the CWPPRA program and coastal protection and restoration in Louisiana. This EA, however, specifically evaluates the impacts on the human environment associated with the proposed action and alternatives.

This EA provides the supporting analysis to determine whether the proposed action and alternatives are likely to result in significant impacts to the human environment. Short-term impacts related to construction are considered reversible. This conclusion is based on a review of relevant literature, site-specific data, and project-specific engineering reports related to biological, physical, and cultural resources. The natural resource benefits anticipated from implementing the preferred alternative would include enhancement of marsh habitat within the proposed project area. The increase in both quality and acreage of fisheries habitat is expected to have long-term beneficial impacts on the local economy, as more people visit the area to take advantage of recreational and commercial fishing opportunities. This EA provides measures that would be taken to avoid or minimize adverse impacts to existing resources, such as cultural resources and threatened and endangered species.

Project Location

The proposed project is located in Plaquemines Parish, Louisiana near Triumph approximately 2 miles south of Louisiana Highway 23 ([Figures 1 and 2](#)). The proposed project area encompasses approximately 400 acres of saline marsh and open water (2007 Survey, [Sasser and others 2008](#)). The borrow area and pipeline corridor proposed for this project are located along and within the project boundary, and in two areas offshore of the project area.

The proposed project area is in Barataria Basin and separates the Bastian Bay and Grand Liard mapping units in Region 2 of the Coast 2050 Restoration Plan ([LCWCRTF and Wetlands Conservation and Restoration Authority \[WCRA\] 1998, 1999](#)).

FIGURE 1. GENERAL PROJECT VICINITY MAP WITH BORROW AREA LOCATIONS (LANGLOIS 2011)





FIGURE 2. SPECIFIC AREA OF MARSH AND RIDGE RESTORATION ON 2010 PHOTOGRAPHY.



CWPPRA Project Selection Process

The project was authorized for engineering and design (Phase 1) on the 18th CWPPRA annual Priority Project List. The CWPPRA project selection process takes several months to complete, involves extensive public involvement and review by federal and state agencies, and narrows the field of potential projects down to approximately four a year that are approved to enter the formal engineering and design process. As a result of this process, the field of available alternatives under consideration for a project generally includes those alternatives that would meet project goals developed during the engineering and design process and that take place within the general proposed project area.

During the engineering and design process, a CWPPRA project is subjected to layers of public, academic, and interagency review to ensure that effective projects move forward for design and ultimate construction. The project selection process begins around February of each year when Regional Planning Teams across the coast convene to solicit project nominations from the public, State, and federal agencies, as well as members of industry and academia. The meetings are publicized via public notices, and all members of the public are invited to attend. Every nominated project contains conceptual project features, approximate construction costs, and anticipated benefits to wetland resources. The nominated projects are screened and pared down to 20 nominees at a public voting meeting. Each federal agency represented in the CWPPRA program, the State, and each coastal parish participates in voting.

Interagency and academic working groups then evaluate the conceptual project features for cost and project-associated wetland benefits for feasibility and appropriateness to addressing the local land loss. The 20 nominee projects are then voted on by the program's federal agencies and the State to obtain a list of the 10 top-ranking projects to continue through the process. These candidate projects undergo several months of further design and interagency evaluation to determine whether the proposed project features are feasible, the anticipated benefits are likely, and the project costs are within the funding constraints of the program. Certain project features are typically discounted during this preliminary design phase based on concerns about inferior performance, adverse impacts, technical infeasibility, or unreasonable costs. In the first months of each calendar year, the candidate projects are publicly presented and voted on by the program agencies to be funded for Phase 1 analysis, which includes the activities necessary to complete engineering and design, permitting, land rights, and environmental compliance before the project moves to construction.

Environmental Setting

The proposed project is part of the Mississippi River Delta system that consists of a main river channel with radiating distributaries, including Bayou Grand Liard. Historically, natural banks developed along the river and bayous from the deposition of suspended sediments as water flowed toward the Gulf of Mexico. Bayou banks are locally called ridges, as they are prominent features in the otherwise flat landscape. In the project vicinity, these ridges occurred as a series perpendicular to the Mississippi River. Ridges support wetland and woody vegetation and are flanked by saline marsh. Generally, erosion and deterioration of the marshes and ridges in the greater Barataria Basin are the result of increased eustatic sea-level rise, diminished sediment supply, repeated storm events, construction of canals and navigation channels, and high rates of subsidence ([Boesch and others 1994](#)). The low marshes in the project area (near sea level) are frequently inundated with several feet of gulf water during hurricanes and tropical storms. Only remnants of the ridges remain.

Many ridges and their flanking marsh have been lost; they have converted to open water. The Bastian Bay Mapping Unit had 40,600 acres of wetlands in 1932 that were reduced to 4,210 acres by 1990 ([LCWCRTF and WCRA 1999](#)). The Grand Liard Mapping Unit had 29,930 acres of marsh in 1932 that were reduced 11,600 acres by subsidence and canal dredging by 1974 ([LCWCRTF and WCRA 1999](#)). Wind erosion, tidal erosion, subsidence (2.1 to 3.5 feet/century), herbivory, and altered hydrology are historic causes of land loss ([LCWCRTF and WCRA 1999](#)) that continue to convert land to open water in these units.

Purpose and Need

Purpose

The purpose of this proposed project is to support the coastal restoration objectives of CWPPRA by redefining a natural ridge of Bayou Grand Liard and re-establishing adjacent marshes in the project area using offshore sediment. After construction, native intertidal marsh and ridge vegetation would be planted to help stabilize the rebuilt marsh habitat. Specific objectives are:

- Create and nourish approximately 400 acres of saline marshes and associated edge habitat for aquatic species through pipeline sediment delivery.
- Restore the Grand Liard ridge to reduce wave and tidal set up by constructing about 16,600 linear feet (ft) or over 20 acres of maritime ridge habitat.

Need for Action

The need for the proposed action is directly related to the rapidly degrading environmental conditions at the proposed project site and the necessity to re-establish the structural integrity and value of the marsh as habitat by establishing 400 acres of restored marsh that will assist in slowing the losses in the immediate vicinity. A healthy coastal marsh provides rearing habitat for shellfish and finfish; furnishes habitat for

waterfowl, wading birds, small mammals, and numerous amphibians and reptiles; protects interior lands from storm surges; helps maintain water quality; and provides other services. Louisiana's coastal wetlands are essential to sustain renewable fishery resources integral to the local, state, and national economies. Of the 1.3 billion pounds of fisheries landings reported for the Gulf Coast in 2007, more than 71 % were caught in Louisiana ([NOAA 2009](#)). Marshes provide nursery, foraging, and spawning habitat for numerous marine and estuarine species of commercial and recreational importance. Maintaining ridges and marshes also helps protect the habitat, infrastructure and communities inland by reducing storm surge.

NEPA Requirements and the Scope of the NEPA Analysis

This EA discloses information on and analyzes the direct, indirect, and cumulative impacts on the human environment likely to result from the Grand Liard Marsh and Ridge Restoration Project proposed action and the alternatives.

PROPOSED ACTION AND ALTERNATIVES

Alternatives Considered but Eliminated

Through the CWPPRA process, it was determined that re-establishment of the ridge and marsh features was the appropriate approach to restoration. Alternatives available to achieve this goal focus on reconstructing the ridge, and using borrow sediments to elevate surrounding marsh habitat. When a proposed project is approved to proceed to formal engineering and design (Phase 1) by the CWPPRA Task Force, evaluation of project performance often includes the use of modeling to determine what project features are likely to be the most cost effective. By this point, project features are well developed but undergo some refinement based on results of field investigations and quantitative modeling, where applicable. Comprehensive engineering and design efforts focus on project alternatives that are considered technically feasible and cost effective while still meeting the project purpose and need. Project features are typically vetted to landowners and the public before the project moves into Phase 1, so that untenable features are eliminated from the evaluation process prior to investment of significant resources in data collection and detailed design. Using borrow material from the Mississippi River was considered but available sediments are limited, dedicated to other restoration projects, or in locations with potential impacts to cultural and navigational resources. Additionally, it would be unlikely to secure the necessary landrights between the river and the proposed project location. So this option is not considered in detail in this EA.

Alternatives Considered in Detail

To meet the immediate need of the area marsh and ridge, the build alternatives were designed based on results of geotechnical reports and topographic, bathymetric, and magnetometer surveys ([Forrest-Vandera and others 2010](#)). All build alternatives consider using the same borrow source, elevations of marsh and dike, but differ in utilization of a ridge component ([Table 1](#)).

TABLE 1. FEATURE DIFFERENCES OF ALTERNATIVES CONSIDERED

Alternative	Marsh	Ridge
No action	160 existing acres exist that with natural losses would be reduced to around 80 acres in 20 years.*	There is essentially no ridge currently. The remnant ridge is at marsh elevation, which is expected to be lost to open water in 20 years due to erosion.
Preferred - Build 1	Approximately 400 acres would be created and nourished, much of which would remain after 20 years.*	Approximately 20 acres of ridge would be restored and maintained for 20 years.
Build 2	Approximately 450 acres would be created and nourished, much of which would remain after 20 years.	0 acres created.

*All numbers are approximations from estimates in [Fitzgerald and others 2011](#), [NMFS 2008](#), and subsequent wetland value assessments and project design documents.

The No-Action Alternative

NEPA refers to the no-action alternative as the continuation of baseline conditions without implementation of the proposed action. Evaluation of the no-action alternative is required by CEQ regulations. Under this alternative, no steps would be taken to restore the Grand Liard marsh and ridge habitat.

Preferred Alternative - Build Alternative 1

The proposed action is the preferred alternative, which maximizes time the marsh creation area would be at a healthy marsh elevation for 20 years after construction. As described below, the alternative consists of building marsh and ridge along Bayou Grand Liard ([Figures 1 and 2](#)) utilizing an identified offshore borrow area that contains appropriate construction material.

Ridge The ridge construction would be approximately 16,600 linear ft in length, with a crown width averaging at least 20 ft, bottom width of approximately 100 ft for a total ridge area of approximately 20 acres. The initial ridge elevation would be +5.0 ft ([Figure 3](#)). This alternative considers temporarily surrounding the marsh creation area with containment dikes and ridge to retain hydraulically placed marsh fill material.

The ridge feature is intended to recreate a historically existing landscape feature. Grand Liard Bayou was historically an interdistributary channel of the Mississippi River; these areas are characterized as having higher-elevation channel banks and adjacent ridges created by overbank flooding. Such elevated areas previously supported woody vegetation and provided unique habitat for a variety of bird and mammals. Additionally, this elevated landscape feature would provide structural protection for adjacent marshes.

Marsh The marsh fill elevation was designed to maximize the time the marsh fill would be within the intertidal zone over the twenty-year project life. In settlement analyses based on soil borings, this height was predicted when two sediment lifts were utilized during construction of the marsh fill area. The marsh would initially be constructed to approximately +3.5 ft ([Figure 3](#)). The second lift would provide a +2.8 ft to +3.5 ft elevation, depending upon fill location. The elevation is comparable to that of healthy marsh in the vicinity ([Fitzgerald and others 2011](#)). Containment dikes ([Figure 4](#)) would be necessary along the

perimeter to contain sediments and allow settlement, except where the ridge is constructed that would contain sediments. Some areas are too deep to construct containment dikes; in these areas, sheet pile closures would be used to provide containment for marsh fill. Multiple marsh construction units would be used, because there are deep channels that bisect the project area that would be impractical, if possible, to fill. To maintain those waterways and provide the most marsh habitat with available sediments, containment dikes would be used to create four separate construction cells adjacent to those waterways. The dikes would be gapped as needed to provide tidal exchange and drainage after construction and consolidation of the marsh.

Plantings To allow for soil salinities and elevations to stabilize, planting would occur over several years. Upon dewatering and compaction of the marsh platform, the marsh platform would be planted with indigenous intertidal vegetation that would help stabilize the sediments such as, but not limited to, smooth cordgrass (*Spartina alterniflora* cv. Vermilion). Marsh and ridge acreage would be planted with a variety of bare-root plugs, seeds and / or seedlings of appropriate species that would increase plant diversity in the area. Planting plans depend on final site conditions and species availability. The species to be planted are therefore subject to change. Herbaceous and woody species that may be planted are smooth cordgrass, gulf cordgrass (*Spartina spartinae*), seashore paspalum (*Paspalum vaginatum*), wax myrtle (*Myrica cerifera*), mulberry (*Morus sp.*), baccharis (*Baccharis halimifolia*), marsh elder (*Iva frutescens*), and yaupon (*Ilex vomitoria*). Should invasive woody species, such as the Chinese tallow tree (*Triadica sebifera*) occur along the created ridge, they would be removed manually or by herbicide.

Borrow For equipment to access the shallow Bayou Grand Liard for project construction, some sediment would be removed from Bayou Grand Liard, the eastern remnant bayou, and interior borrow areas. Materials excavated would be used beneficially for ridge or containment dike construction. Additional materials would be needed to construct the perimeter containment dikes. Any materials removed from the marsh creation area would subsequently be filled with the marsh fill (offshore) borrow materials.

Marsh features described above would be built from sediments from two offshore borrow areas (containing an estimated 7.8 million cubic yards) and sediments dredged for access to the site ([Forrest-Vandera and others 2010](#)). Initial offshore investigations within a 15 mile radius of the project area identified 6 areas of potential suitable borrow material. Coastal Planning and Engineering, Inc conducted surveys of these areas that included seismic profiling, sidescan sonar, bathymetric, magnetometer, and vibracore data collection ([Forrest-Vandera and others 2010](#)). Two offshore sediment resource areas were identified for further investigation that included cultural resource surveys, geotechnical surveys, geophysical modeling, and borrow area design ([Forrest-Vandera and others 2010](#)).

FIGURE 3. RIDGE AND MARSH CREATION DETAILS (FITZGERALD AND OTHERS 2011)





FIGURE 4. EARTHEN CONTAINMENT DIKE TYPICAL SECTION AND PHOTO OF SHEET PILE CLOSURE EXAMPLE (FITZGERALD AND OTHERS 2011)



Build Alternative 2

This alternative is identical to the preferred alternative in plantings and borrow source. This option considers not creating the ridge in an effort to minimize impacts to existing marsh. The earthen containment dike would utilize a 5 ft crown width and a bottom width of approximately 75 to 85 ft.

Marsh The ridge feature of the preferred alternative would be replaced with a containment dike and thus have a smaller footprint of impacted area and create more marsh where ridge would have been created in the preferred alternative. Creating more marsh in place of the Preferred Alternative's ridge would provide much of the reduction in edge erosion of the created marsh by providing a buffer to break wind-generated wave energy. This alternative would meet the most important project goals of restoring and creating vegetated wetlands to provide fish and wildlife habitat.

The design of the marsh elevation, slope and containment would otherwise be as described in the preferred alternative. Because less material would be necessary to create the ridge, the overall material needed for this alternative would be less than with the preferred alternative. Less of the bayou would be dredged for ridge borrow material, and approximately 20 acres more marsh would initially be created than Alternative 1.

The remaining marsh after 20 years would be less than the preferred alternative (e.g., land at intertidal elevation), due to erosion as analyzed in the assessment and project design reports. The Preliminary Design Report ([Fitzgerald and others 2011](#)) shows modeling of marsh and ridge elevations based on the area and borrow soil contents, ability to stack, time to dewater and existing erosion rates. These analyses estimate how different elevations would settle over time.

AFFECTED ENVIRONMENT

Physical Environment

Geology, Soils, and Topography

The soils underlying the proposed marsh and ridge restoration area consist of Clovelly Muck and Gentilly Muck ([NMFS 2008](#)). Clovelly soils are "very poorly drained, organic soils that are very slowly permeable, slightly saline, and very fluid...These soils are ponded or flooded most of the time ([USDA 2000](#))." Gentilly soils are "very poorly drained, mineral soils that are slightly saline ([USDA 2000](#))."

Borrow areas consist of 1 foot of very soft clay that lies over soft clay with trace of sand, shell hash and organic soils ([Forrest-Vandera and others 2010](#)).

The borrow sites are located approximately one (1) mile south of Scofield Island and 7.5 miles from the middle of the marsh fill area ([Figure 5](#)). Borrow areas include a total of 7.8 million cubic yards of dredge material (3.015 million cubic yards from Grand Liard East, and 4.765 million cubic yards from Grand Liard West).

FIGURE 5. OFFSHORE BORROW SITE LAYOUT



Climate and Air Quality

The subtropical climate of coastal Louisiana is characterized by long, hot summers and short, mild winters with high humidity year round. Over the past 40 years, air temperature ranged from 14 to 102 °F; average winter and summer temperatures are 55.3 and 82.4 °F, respectively. In a typical year, more than 60 inches of rain falls, mostly in the spring and summer. In the fall and winter, winds tend to be from the north-northeast; in spring and summer, winds are generally from the south-southeast.

Waves and currents generally govern sediment transport offshore and were evaluated in detail ([Fitzgerald others 2011](#)). Wave hindcast data from 1980-1999 indicate a 2.7 ft average wave height ([Fitzgerald others 2011](#)). Cold fronts bring wave heights to approximately 10-15 ft, whereas heights in excess of 36 ft were recorded during Hurricane Katrina in 2005 ([Forrest-Vandera and others 2010](#)).

Hurricanes and tropical storms typically occur over the study area between June and November. On average, since 1871, a tropical storm or hurricane is expected somewhere within the state of Louisiana every 0.7 years; hurricanes make landfall about every 2.8 years ([Roth 1998](#)). Historic data from the National Hurricane Center dataset on tropical cyclones (including tropical depressions, tropical storms, and hurricanes) along the Louisiana coast from 1899 to 2007 indicates a total of 63 storms, of which 49 were Category 3 or less.


Plaquemines Parish and offshore air quality is ranked good to moderate with ozone levels being unhealthy for sensitive groups ([Louisiana Department of Environmental Quality \(LDEQ\) 2009](#)). Offshore breezes mix and freshen the air and frequent precipitation prevents accumulation of particulates. Sources of air emissions in the proposed project area are mainly associated with the oil and gas industry, commercial vessel traffic, and recreational fishing. Emission amounts vary depending on the amount of activity in these sectors.

Water Resources

The EPA defines a sole source aquifer as an underground water source that supplies at least 50 percent of the drinking water consumed in the area overlying the aquifer. These areas have no alternative drinking water source(s) that could physically, legally, and economically supply all those who depend upon the

aquifer for drinking water. The Sole Source Aquifer Program is authorized by Section 1424(e) of the Safe Drinking Water Act of 1974. Designation of an aquifer as a sole source aquifer provides EPA with the authority to review federal financially assisted projects planned for the area to determine their potential for contaminating the aquifer. The Southern Hills Regional Aquifer System is located in eastern Louisiana and southwestern Mississippi and is shown in [Figure 6](#).

FIGURE 6. SOUTHERN HILLS REGIONAL AQUIFER



No fresh groundwater is found in the subsurface of Barataria Basin (Gulf Engineers and Consultants [\(GEC 2001\)](#)). Precipitation and tide are the primary factors that affect surface water in the proposed marsh creation area. The borrow areas are located in state water bottoms of the Gulf of Mexico where low dissolved oxygen (DO) waters occur periodically due to Mississippi River discharge ([Osterman and others 2008](#)).


Salinity varies seasonally and decreases landward from the coast ([GEC 2001](#)). Salinity in coastal areas is highest from October through November and lowest in February and March. Designated uses of the coastal bays of the Barataria Basin and nearshore waters of the Gulf of Mexico include recreation (such as swimming, fishing, and boating), as well as support of commercially and ecologically valuable biological systems ([GEC 2001](#)).

Bayou Grand Liard lies within the Bastian Bay, Adams Bay, Scofield Bay, Coquette Bay, Tambour Bay, Spanish Pass, and Bay Jacques (Segment 0210001) identified by the LDEQ. The EPA included the segment in the 1999 Court Ordered 303(d) list for oil and grease and pathogen indicators. The segment has not been reassessed for primary and secondary recreation contact, shellfishing, or fish and wildlife promulgation.

Barataria Basin fully supports the designated uses of primary and secondary contact recreation and oyster propagation (LDEQ 2008). Fish and wildlife propagation was designated as “not fully supported” due to oxygen depletion from upstream sources and a mercury warning for fish consumption, the source of impairment is unknown (LDEQ 2008).

Scientific investigations in the Gulf of Mexico have documented a large area of the Louisiana continental shelf with seasonally-depleted oxygen levels (< 2 milligrams/liter). Most aquatic species cannot survive at such low oxygen levels. The oxygen depletion, referred to as hypoxia, begins in late spring, reaches a maximum in midsummer, and disappears in the fall. The hypoxic zone forms in the middle of the most important commercial and recreational fisheries in the contiguous United States and could threaten the economy of this region of the Gulf. Hypoxic waters are distributed from shallow depths near shore (13 to 16 ft) to as deep as 197 ft but more typically appear between 16 and 98 ft. Hypoxia occurs mostly in the lower water column but encompasses as much as the lower half to two-thirds of the entire column. The area of hypoxia varies by year and can occur at the borrow sites. The proposed borrow site locations are located near or within the area of >50% annual occurrence of hypoxia in Figure 7 and range between 13 to 23 ft deep.

FIGURE 7. HYPOXIA IN THE GULF OF MEXICO 1985-1999



Biological Environment

Coastal Louisiana contains an estimated 40 percent of the vegetated estuarine wetlands in the contiguous United States (USACE 2004). Approximately 735 species of birds, finfish, shellfish, reptiles, amphibians, and mammals spend all or part of their life cycle in the estuaries (USACE 2004).

Vegetation Resources

Based on U.S. Geological Survey habitat mapping, the current marsh area is 71 acres ([NMFS 2011](#)). Ridge habitat is higher than marsh elevation and supports woody species, such as trees and shrubs. Trace amounts (<1 acre) of ridge are currently in the project area. The majority of the vegetation is smooth cordgrass. Other species present are saltmeadow cordgrass (*Spartina patens*), and big cordgrass (*Spartina cynosuroides*) ([Sasser and others 2008](#)). Common names are from the U.S. Department of Agriculture PLANTS Database. Widespread submerged aquatic vegetation (SAV) was observed in the area April 2008 ([NMFS 2008](#)). No vegetation is present in the borrow area.

Aquatic and Benthic Habitats

The project area is primarily shallow (<1.5 ft) open-water and benthic habitat ([NMFS 2008](#)). The borrow area is benthic habitat under open marine water column. Oysters are productive in the bayou (James Wray, Personal Communication, CPRA).

Benthic habitats near the marsh area support bacteria, fungi, microalgae, meiofauna, and microfauna, such as mollusks, polychaetes, decapods, and nematodes ([Conner and Day 1987](#); [Day and others 1989](#)). The benthic community supports higher levels of the food chain, such as shrimp and demersal fish ([Conner and Day 1987](#)). Substrate quality strongly influences the distribution of benthic fauna. Other variables affecting the distribution of benthic organisms include water depth, salinity, illumination, food availability, currents, and tides.

Essential Fish Habitat (EFH)

The proposed project area contains EFH as designated by the Gulf of Mexico Fisheries Management Council (GMFMC) for species that are federally managed under the Magnuson-Stevens Fishery Conservation and Management Act, P.L. 104-297; 16 U.S.C. 1801 et seq. (Magnuson-Stevens Act). Categories of EFH in the project area include estuarine emergent wetlands, mud substrates, SAV, and estuarine water column ([GMFMC 2005](#)). [Table 2](#) lists the EFH, federally managed species, and their life stages expected to occur in the proposed project and borrow areas.

Red drum, brown shrimp and white shrimp are estuarine-dependent species. In the Barataria Basin, the estuarine-dependent assemblage, including white and brown shrimp and red drum, has shown decreasing trends over the last 10 to 20 years ([LCWCRTF and WCRA 1999](#)). These species migrate through tidal passes during their post-larval life stage and depend on the estuarine environment for survival and reproduction. Shrimp are prey species for other federally managed fish and crustaceans ([GMFMC 1998](#)).

TABLE 2. ESSENTIAL FISH HABITAT OF PROPOSED PROJECT AND BORROW AREAS

Common Name	Life Stage System M=marine, E=estuarine	Essential Fish Habitat (1 meter (m)= approximately 3.3 ft)
Brown shrimp (Estuarine-dependent)	eggs M	<18-110 m, sand/shell/soft bottom
	larvae/postlarvae M/E	<82 m, planktonic, sand/shell/soft bottom, SAV, marsh, oyster reef
	juvenile E	<18 m, sand/shell/soft bottom, SAV, marsh, oyster reef
	adults M	14-110 m, sand/shell/soft bottom
White shrimp (Estuarine-dependent)	eggs M	<9-34 m, sand/shell/soft bottom
	larvae /postlarvae M/E	<82 m, planktonic, soft bottom, marsh
	juvenile E	<30 m, soft bottom, marsh
	adults M	9-34 m, soft bottom
Red drum (Estuarine-dependent)	larvae/postlarvae E	planktonic, SAV, sand/shell/soft bottom, marsh
	juvenile M/E	<5 m, SAV, sand/shell/soft/hard bottom, marsh
	adults M/E	1-46 m SAV, sand/shell/soft/hard bottom, marsh
Red snapper	adults M	7-146 m, reefs, hard/sand/shell bottom
Bonnethead shark	juvenile and adult M	inlets, estuaries, coastal waters > 25 m in depth
Lane snapper	larvae M/E	4-132 m, reefs, SAV
	juvenile M/E	< 20 m SAV, sand, mangrove, reefs, sand/shell/soft bottom
Dog snapper	juvenile M/E	SAV, mangrove, emergent marsh

Source: [GMFMC 2005](#)

Fishery Resources

A wide variety of estuarine-dependent fishery species found in the Barataria Basin ([LCWCRTF and WCRA 1999](#)) are of national economic importance in accordance with Section 906(e)(1) of PL 99-602, the Water Resources Development Act of 1986. Most species vary in abundance from season to season due to their migratory life cycle, habitat preferences according to life stage, and the variation in salinity ([Herke 1978](#), [Rogers and others 1993](#), [LCWCRTF and WCRA 1999](#)). Most spawn offshore in the open Gulf of Mexico and enter the marsh area as postlarvae or young juveniles to use the marshes as a nursery, and return to the open gulf as subadults or adults.

Fishery guilds common to coastal Louisiana within each salinity-preference assemblage are below along with current population trends ([LCWCRTF and WCRA 1998](#)):

- Spanish mackerel guild (marine) – Increasing population trend for species within project area
- red drum, black drum, spotted seatrout, Gulf menhaden, southern flounder, white shrimp, brown shrimp, and blue crab guilds (estuarine dependent) – Generally decreasing population trend with the exception of Gulf menhaden and southern flounder for species within project area
- American oyster guild (estuarine resident) - Decreasing population trend for species within project area
- largemouth bass and channel catfish guilds (freshwater) – Not applicable to project location

Marine Mammal Resources

Marine mammals that occur in Louisiana waters include the blue, sei, sperm and fin whales, the dolphin, and the endangered West Indian manatee. Whales were found to be “unlikely to occur in the project area ([NMFS 2010](#))”, so are not further discussed. West Indian manatees may be found in Lakes Pontchartrain and Maurepas, and Louisiana coastal waters during the warmer months, and their occurrences appear to be increasing in Louisiana. Based on the proposed project location, it is unlikely that West Indian manatees would occur in the project area. Dolphins are common along the shore. Dolphins follow schooling fishes, such as menhaden that are prey, and seek food and refuge in interior bay waters.

Migratory Bird Resources

Waterbirds were specifically considered pursuant to the Migratory Bird Treaty Act. No colonies of colonial nesting waterbirds have been observed in the proposed project area, but could occur ([USFWS 2011](#)). This resource includes herons, egrets, night-herons, ibis, roseate spoonbills, anhingas, and/or cormorants.

Wildlife Resources

Louisiana’s coastal zone supports 19 percent of the United States’ winter population for 14 species of ducks and geese. The North American Waterfowl Management Plan identified coastal Louisiana as one of the most important regions for the maintenance of continental waterfowl populations in North America ([USACE 2004](#)).

The Barataria Basin has 411 species of birds; 60 species of reptiles and amphibians; 8 species of bats; and 11 species of small mammals, armadillo and marine mammals ([Connor and Day 1987](#)). The habitat of the proposed project area is unlikely to support some of these species due to the lack of woody and freshwater habitats. The basin is located at the bottom of the Mississippi Flyway, and birds from central and northern North America start to converge in the fall. Waterfowl populations in the Barataria basins have declined as marsh converts to open water ([LCWCRTF and WCRA 1999](#)).

[Table 3](#) lists the wildlife species and/or species groups prominent ([LCWCRTF and WCRA 1998](#)) within coastal Louisiana along with the habitat function, status, trend, and projection within the project area.

TABLE 3. LOUISIANA AND PROJECT AREA WILDLIFE AND/OR SPECIES GROUPS

1988 Habitat		Avifauna																				
		Brown Pelican				Bald Eagle	Seabirds				Wading Birds				Shorebirds				Dabbling Ducks			
Type	% of Unit	Function	Status	Trend	Projection	Status	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection
Open water	59	W	Hi	I	I	NH	Mu	Hi	Sy	Sy		NH				NH			W	Lo	D	D
Intermediate Marsh	8		NH			NH	Mu	Mo	D	D	Mu	Hi	D	D	Mu	Hi	D	D	W	Lo	D	D
Brackish Marsh	7		NH			NH	Mu	Mo	D	D	Mu	Hi	D	D	Mu	Hi	D	D	W	Lo	D	D
Saline Marsh	11		NH			NH	Mu	Hi	D	D	Mu	Hi	D	D	Mu	Hi	D	D	W	Lo	D	D
Agriculture/Uplands	9		NH			NH		NH			St	Lo	Sy	Sy	Mu	Lo	Sy	Sy		NH		

1988 Habitat		Avifauna (cont'd)																			
		Diving Ducks				Geese				Raptors				Rails, Coots, and Gallinules				Other Marsh/OW Residents			
Type	% of Unit	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection
Open water	59	W	Lo	D	D	W	Lo	D	D		NH			W	Lo	D	D	Mu	Mo	Sy	Sy
Intermediate Marsh	8	W	Lo	D	D	W	Lo	D	D	Mu	Lo	D	D	Mu	Lo	D	D	Ne	Hi	D	D
Brackish Marsh	7	W	Lo	D	D	W	Lo	D	D	Mu	Lo	D	D	Mu	Lo	D	D	Ne	Hi	D	D
Saline Marsh	11	W	Lo	D	D	W	Lo	D	D		NH			Mu	Lo	D	D	Ne	Hi	D	D
Agriculture/Uplands	9		NH				NH			Mu	Lo	Sy	Sy		NH				NH		

1988 Habitat		Avifauna (cont'd)												Furbearers							
		Other Wood-land Residents				Other Marsh/OW Migrants				Other Wood-land Migrants				Nutria				Muskrat			
Type	% of Unit	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection
Open water	59		NH			Mu	Mo	Sy	Sy		NH			Mu	Lo	D	D	Mu	Lo	D	D
Intermediate Marsh	8		NH			Mu	Hi	D	D		NH			Mu	Lo	D	D	Mu	Lo	D	D
Brackish Marsh	7		NH			Mu	Hi	D	D		NH			Mu	Lo	D	D	Mu	Lo	D	D
Saline Marsh	11		NH			Mu	Hi	D	D		NH			Mu	Lo	D	D	Mu	Lo	D	D
Agriculture/Uplands	9	Ne	Mo	Sy	Sy		NH			Mu	Lo	Sy	Sy	Mu	Lo	D	D	Mu	Lo	D	D

1988 Habitat		Furbearers (cont'd)				Game Mammals												Reptiles			
		Mink, Otter, and Raccoon				Rabbits				Squirrels				Deer				American Alligator			
Type	% of Unit	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection	Function	Status	Trend	Projection
Open water	59	Mu	Lo	D	D		NH				NH				NH			Mu	Lo	D	D
Intermediate Marsh	8	Mu	Lo	D	D	Mu	Lo	D	D		NH			Mu	Lo	D	D	Mu	Lo	D	D
Brackish Marsh	7	Mu	Lo	D	D	Mu	Lo	D	D		NH			Mu	Lo	D	D	Mu	Lo	D	D
Saline Marsh	11	Mu	Lo	D	D	Mu	Lo	D	D		NH			Mu	Lo	D	D	Mu	Lo	D	D
Agriculture/Uplands	9	Mu	Lo	D	D	Mu	Lo	D	D		NH			Mu	Lo	D	D	Mu	Lo	D	D

Functions of Particular Interest: Ne = Nesting; St = Stopover Habitat; W = Wintering Area; Mu = Multiple Functions

Status: NH = Not Historically Present; NL = No Longer Present; Lo = Low Numbers; Mo = Moderate Numbers; Hi = High Numbers

Trends (Since 1985) / Projections (through 2050): Sy = Steady; D = Decrease; I = Increase; U = Unknown

Threatened and Endangered Species

Loggerhead, Kemp's ridley, hawksbill, leatherback, and green sea turtles occur in Louisiana. Green sea turtles may be in the borrow area while migrating between their nesting and foraging sites in Florida and Texas. Major threats to sea turtles in the U.S. include destruction and alteration of nesting and foraging habitats; incidental capture in commercial and recreational fisheries ([NOAAa 2012](#)); marine debris ([NOAAb 2012](#)); and vessel strikes. They feed on phytoplankton, zooplankton, SAV, and small fish. Kemp's ridley nest in Mexico and immature individuals are believed to stay in shallow, warm, nearshore waters in the northern Gulf of Mexico. They forage for crabs, mollusks, shrimp, and small fish. Loggerhead sea turtles occur in coastal and marine areas along the margins of the Atlantic, Pacific, and Indian Oceans. Their major threats are direct take, incidental capture in fisheries, and loss of habitat. The loggerhead turtle is the most abundant species of U.S. sea turtles and have a complex life history that is highly migratory. No sea turtle nesting is known to occur in the vicinity of the project.

Gulf sturgeon and smalltooth sawfish may occur in the vicinity of the project area or borrow areas. Threatened or endangered marine mammals are not known to occur in the vicinity of the project, but those that occur in Louisiana are the blue, sei, sperm and fin whales and the West Indian manatee.

The West Indian manatee may be found in lakes Pontchartrain and Maurepas, and the Louisiana coastal waters during the warmer months, and their occurrences appear to be increasing in Louisiana. Based on the proposed project location, it is unlikely that West Indian manatees would occur in the project area.

Cultural Resources

Historic, Prehistoric, and Native American Resources

Terrestrial Cultural Resources Reconnaissance terrestrial cultural resource investigations were conducted for the marsh creation project area by Arcadis ([2011](#)). The Louisiana State Historic Preservation Office (SHPO) reviewed the investigations and concurred that there are no historic properties to be impacted by the proposed project ([SHPO 2011](#)).

Submerged Cultural Resources A cultural resource report including area surveys completed by Tidewater Atlantic Research ([CPE 2010](#)) indicated potential submerged cultural resources in the vicinity of the proposed borrow area. The results of the magnetic, acoustic and seismic data analyses from that report were used to delineate the proposed borrow areas. The proposed borrow areas include a 300-ft buffer around areas of potential submerged cultural resources to avoid those potential resources ([CPE 2010](#)). SHPO has concurred that project implementation, including borrow area excavation, would not affect known or potential cultural resources.

Socioeconomics (Income and Environmental Justice) The population of Plaquemines Parish is 23,042 ([U.S. Census 2010](#)). This is 20% less than prior to Hurricanes Katrina and Rita in 2005 that adversely impacted the area ([Plaquemines Parish Government 2011](#)). The nearest towns and roads are 1 mile north of the proposed project area. The project site is contained within Census Tract 508 in Plaquemines Parish that extends southeast towards Venice on the western side of the Mississippi River. [Figure 8](#) provides the general population distribution for the area. [Table 4](#) provides population/poverty data for Census Tract 508, Plaquemines Parish, and Louisiana.

FIGURE 8. 2010 POPULATION DENSITY MAP (BY TRACT)




TABLE 4. POPULATIONS OF LOUISIANA, PLAQUEMINES PARISH AND CENSUS TRACT 508

Topic	Louisiana		Plaquemines Parish		Census Tract 508	
2010 Total Population	4,533,372		23,042		1132	
White alone	2,836,192	62.6%	16,246	70.5%	744	65.7%
Black or African American alone	1,452,396	32.0%	4,715	20.5%	231	20.4%
American Indian and Alaska Native alone	30,579	0.7%	371	1.6%	25	2.2%
Asian alone	70,132	1.5%	731	3.2%	63	5.6%
Native Hawaiian and Other Pacific Islander alone	1,963	0.0%	31	0.1%	1	0.1%
Some Other Race alone	69,227	1.5%	323	1.4%	3	0.3%
Two or More Races:	72,883	1.6%	625	2.7%	65	5.7%
2000 Total Population (provided income information)	4,334,094		25,969		2203	
Below poverty level	851,113	19.6%	4,682	18.0%	410	18.6%

Land Use and Infrastructure

Oil/natural gas, and maritime transport activity is prominent throughout coastal Louisiana. Oil and gas pipelines lay throughout the basin as active or remnant conveyance of this industry. The Mississippi River north of the proposed project area is the main source of shipping navigation for much of the nation. The proposed project area is accessible only to shallow draft boats.

The marshes and bayous of Barataria Basin are used for recreation, such as hunting, fishing and birding, by locals and residents of the Greater New Orleans Metropolitan area. Industries of the area are primarily agriculture, fishing and hunting (24%), transportation, storage and utilities (12%), retail (11%), and construction (10.5%) ([U.S. Census 2000](#)). There are approximately 25 oyster leases within the project area. These leases are let by the State of Louisiana to private entities for oyster production (James Wray, personal com, CPRA). The total leased area is approximately 300 acres.

The Plaquemines Parish Master Plan (<http://www.plaqueminesmasterplan.com>) identifies the current land use of the project area as undeveloped or water ([Appendix A](#)).

Hazardous, Toxic, and Radioactive Wastes

Magnetometer surveys were conducted in the proposed marsh and ridge creation area. Six pipelines were verified and two 4-inch diameter lines were surveyed and other anomalies detected ([Fitzgerald and others 2011](#)).

Hazardous, toxic, and radioactive waste (HTRW) status of the proposed project area was investigated and is recorded in the October 2011 HTRW Analysis for Bayou Grand Liard, which is incorporated by reference. NMFS personnel conducted a site investigation of the project area. There were no signs of HTRW problems, such as dead or discolored vegetation, stained soil, chemical sheens or odors, or dead or dying fish, amphibians, reptiles, or mammals, or discarded drums, tanks, or chemical containers. Based on review of applicable federal and state regulatory agency records, historical records, interviews with persons knowledgeable about the subject property, and a physical site investigation, NMFS, through this analysis, has discovered no evidence of HTRW issues.

Noise

The proposed marsh creation area is remote with no industry other than oil production and fisheries. Ambient noise in the area results from oil and gas production, boats, and wildlife. The borrow area is in the Gulf of Mexico with noise associated with navigation and oil and gas extraction.

ENVIRONMENTAL CONSEQUENCES

This review is consistent with CEQ regulations and NOAA Administrative Order 216-6. Specific sources of analysis used to consider environmental impacts throughout proposed project development are the Wetland Value Assessment (WVA, [NMFS 2008](#) and its revision, [NMFS 2011](#)), engineering design analyses ([Fitzgerald and others 2011](#)), and an ecological effectiveness analysis ([Langlois 2011](#)). Other factors subjectively considered during the selection process included, but were not limited to: wetland benefit — creation, enhancement, or protection; cost effectiveness; longevity and sustainability; risk and uncertainty; consistency with Coast 2050 Plan ([LCWCRTF and WCRA 1998](#)); public support; and synergy with other restoration efforts ([LCWCRTF 2008](#)).

Wetland benefits are assessed through the CWPPRA WVA process, a quantitative, habitat-based assessment model developed to estimate anticipated environmental benefits. The WVA compares conditions over a 20-year period to determine the net difference in “future without project” and “future with project” scenarios. Initial and future conditions are set based on historical land loss, aerial imagery, and on-site visits to the proposed project area. Expected benefits are based on a combination of

experience with previous projects, construction plans, models, and biological and engineering experience of the assessment team.

In addition to the temporal component of each impact, the magnitude or severity of the impact is described in qualitative terms. Alternatives were designated as having *no impact*, *no significant impact* (*minor* or *moderate*), or *significant impact*. *Minor impacts* are those that may be measurable but not result in adverse effects to humans or their resources; these are short-term and reversible. *Moderate* impacts may have longer-term adverse effects that have a measurable change to the identified environment, and thus warrant consideration of revision of the project component causing the adverse impact. *Significant* impacts are harmful to humans or their environment and long-lasting that warrant preparation of a full EIS. The qualitative assessment is based on reference material and professional judgment. A quantitative assessment is included when sufficient data are available to do so.

[Table 5](#) presents a comparison of environmental impacts associated with the no-action and build alternatives. [Table 6](#) presents avoidance and minimization measures of the preferred alternative.

TABLE 5. COMPARISON OF ENVIRONMENTAL IMPACTS OF ALTERNATIVES

Resource	No Action	Preferred Alternative – Build Alternative 1	Build Alternative 2
Geology, Soils & Topography	<p>Remaining marsh and ridge would continue to erode.</p> <p>Material from the borrow area is likely to be used for other restoration projects in the area.</p>	<p>Materials for marsh and ridge construction would result in long-term, direct minor benefits.</p> <p>Marsh construction would result in coverage of shallow-water habitat.</p> <p>Short-term, direct, moderate, adverse effects would occur in the proposed borrow areas associated with suspension of sediments.</p>	<p>Temporary, adverse impacts to existing marsh slightly less than the preferred alternative. Long-term benefits less than the preferred alternative, but more than no action.</p> <p>Borrow area impacts less than for the preferred alternative, as less material dredged.</p>
Climate & Air Quality	No impacts	Construction and dredging would result in adverse, direct, short-term, minor impacts from exhaust diesel fumes and fugitive dust generated by dredging and earthmoving equipment.	Same as the preferred alternative.
Water Resources	No direct impact. Indirect, adverse impact through loss of the ridge and marsh allowing increased exchange of saline waters, leading to loss of intermediate marsh vegetation, increased vulnerability to storm surge, and continued seasonal low DO at the offshore water bottoms.	<p>Dredging and material placement would result in direct, short-term, minor, adverse impacts to surface water quality associated with (1) increased turbidity and decreased dissolved oxygen in the water column at the dredge site (dredge plume) and at the construction location; (2) exhumation of buried trash and debris; and (3) discharges from the dredge vessel.</p> <p>Long-term beneficial impact to surface and borrow bottom water quality would result from increased wetland acreage.</p>	<p>Adverse impacts would be less than the preferred alternative.</p> <p>Beneficial impacts would be less than the preferred alternative.</p>
Vegetation Resources	Continued erosion is expected to occur, resulting in losses to wetland resources.	<p>Material placement would result in adverse, direct, short-term, minor impacts to vegetation and wetlands.</p> <p>Material placement would increase wetland acreage and provide long-term benefits to vegetation, soils, fish and wildlife resources in the wetlands.</p> <p>Ridge plantings would provide regionally scarce ridge habitat.</p>	<p>Adverse impacts would be the same as the preferred alternative.</p> <p>Beneficial impacts similar to the preferred alternative. More marsh initially created, but more vulnerable to erosion.</p>
Aquatic & Benthic Habitats	Continued conversion of marsh and vegetation to shallow open water.	<p>The proposed action would result in short-term, adverse, direct, minor, and long-term, direct moderate, beneficial impacts.</p> <p>Long-term increase in marsh vegetation would result benefiting aquatic and benthic habitats.</p>	Same as the preferred alternative.
Essential Fish Habitat & Fisheries	Marsh habitat would be lost, and shallow open water habitat would increase. Species that rely on marsh vegetation and marsh edge habitat would decline.	<p>Construction and dredging would result in localized, adverse, direct, short-term, minor impacts to fisheries and EFH. Slow-moving or sessile organisms in the borrow areas may be killed during dredging. Sessile organisms in the placement areas may be buried or injured.</p> <p>Short-term increases in turbidity may temporarily reduce habitat quality in the borrow areas and the placement areas. Long-term, moderate, direct and indirect beneficial impacts to EFH and nursery resources through creation of marsh.</p>	Beneficial impacts would be less for fisheries than the preferred alternative, but more than with no action. Other impacts same as the preferred alternative.

Resource	No Action	Preferred Alternative – Build Alternative 1	Build Alternative 2
Marine Mammals	Continued loss of forage species habitat.	Short-term displacement from feeding areas during construction. Long-term minor benefit from increasing prey species nursery habitat.	Similar to the preferred alternative.
Migratory Birds	Continued loss of foraging grounds and lack of roosting habitat.	Short-term, minor adverse impacts during construction through displacement from construction area. Long-term moderate benefits through adding roosting area and increasing quality and longevity of foraging grounds.	Adverse impacts similar, and beneficial impacts less than the preferred alternative.
Wildlife	Continued loss of terrestrial habitat (ridge and wetland).	Construction and dredging would result in localized, adverse, direct, short-term, minor impacts by construction disturbance to terrestrial habitat. Ridge creation would result in beneficial, direct, long-term, minor impacts to terrestrial wildlife, and increase the longevity of created and surrounding marsh habitat.	The adverse impacts would be the same as the preferred alternative. There would be less beneficial impacts than the preferred alternative.
Threatened & Endangered Species	Expected loss of marsh habitat would adversely affect sea turtle and marine mammal forage species.	Construction would include measures to avoid impacts to sensitive species, as coordinated with the USFWS and NMFS and described in sections below. The proposed action would result in long-term, moderate, beneficial impacts by increasing the marsh and ridge habitat for sea turtle and marine mammal forage species.	Same as the preferred alternative.
Historic, Prehistoric & Native American	No impact.	No impact. Neither dredging nor placement would occur around cultural resources.	Same as the preferred alternative.
Socio-economics	Fishery-related activities would decline. Loss of habitat that supports fisheries may lead to reduced income. Adverse impacts from increased damage to the environment.	Construction would result in adverse, direct, short-term, minor impacts to land use, including minor, localized disruption of fishing. Long-term, direct, beneficial impacts to recreation, including improved fisheries nursery habitat. No adverse impacts to socioeconomics are expected. Long-term, moderate, beneficial impacts to socioeconomics by improving fisheries, recreational opportunities, commercial fishing outfits, and pipelines.	Same as the preferred alternative with less long-term benefit to fisheries than the preferred alternative.
Land Use & Infrastructure	Infrastructure would become more vulnerable to storm damage.	Long-term, beneficial impacts for oil and gas leases and infrastructure, as pipelines would be better protected from problems associated with erosion. Short-term, moderate, adverse impacts are possible and would be avoided through buffer zones around pipelines.	Similar to the preferred alternative, but benefits not as long lasting.
Hazardous, Toxic, & Radioactive Waste	No impact.	Care should be taken during construction activities to avoid impacts to the existing oil and gas infrastructure within the project area.	Similar to preferred alternative.
Noise	No impact.	Minor, adverse impact to noise during construction.	Same as preferred alternative.

TABLE 6. SUMMARY OF AVOIDANCE AND MINIMIZATION MEASURES OF THE BUILD ALTERNATIVES

Resource	Potential Avoidance and Minimization Measures
Geology, Soil & Topography	<ul style="list-style-type: none"> • Constructed marsh would replace borrow sediments used to construct the ridge and containment dikes. Dikes would contain placed materials to allow for consolidation and stabilization. • Planting disturbed areas would stabilize soil, and reduce resuspension of recently deposited sediment. Borrow areas would fill in through natural processes over time.
Climate & Air Quality	<ul style="list-style-type: none"> • Best management practices (BMP), including revegetation through plantings, would minimize and offset exhaust fumes and fugitive dust. Creation of marsh habitat, primary production, would benefit air quality in the long term.
Water	<ul style="list-style-type: none"> • BMP, containment dikes, and compliance with permit regulations would prevent or minimize soil erosion and shoreline impacts. • Compliance with the Clean Water Act and other regulations would protect water resources. • Post-construction dike gapping would allow natural surface water flow when regulation of flows is no longer needed for soil retention.
Vegetation	<ul style="list-style-type: none"> • BMP would minimize disturbance of intact wetlands. • Native vegetation would be used. • Compliance with the Clean Water Act, Section 404 and Section 301, would protect wetlands from unnecessary disturbance.
Aquatic & Benthic Habitats	<ul style="list-style-type: none"> • Project-specific evaluations and coordination with appropriate federal, state, and local agencies would focus on effective vegetation management. • BMP would reduce scour, erosion, and sedimentation. Native vegetation would be planted.
Essential Fish Habitat & Fisheries	<ul style="list-style-type: none"> • Undredged areas would provide source organisms for recolonization. • BMP would minimize turbidity in borrow areas. • Project-specific evaluations and coordination with NMFS would focus on protecting sensitive species. • Tidal features adjacent to the project area would be maintained in the marsh via dikes to retain habitat complexity for estuarine species. • Retention dikes would be gapped after construction to provide tidal connection.
Marine Mammals	<ul style="list-style-type: none"> • Project-specific evaluations and coordination with USFWS and NMFS would focus on protecting this resource.
Migratory Birds	<ul style="list-style-type: none"> • Same as above.
Wildlife	<ul style="list-style-type: none"> • Same as above.
Threatened & Endangered Species	<ul style="list-style-type: none"> • This EA review and coordination with the USFWS, NMFS, and state agencies on state and federally listed species. Additional consultation under Endangered Species Act (ESA) section 7 may be required. Use of hydraulic dredge would minimize or avoid impacts to sea turtles.
Historic, Prehistoric & Native American	<ul style="list-style-type: none"> • Review of records and site inspection by cultural resource expert indicate no impacts to sensitive terrestrial cultural resources. • The borrow area was defined to avoid potential submerged resources.
Socioeconomics	<ul style="list-style-type: none"> • Affected oyster leases will be acquired using standard procedures implemented by the State. • Increases of marsh habitat would have a positive impact on shrimp, fishery, recreation and wildlife economics.
Land Use & Infrastructure	<ul style="list-style-type: none"> • Pipelines and other oil and gas equipment that have already been identified by extensive magnetometer surveys would be avoided.
Hazardous, Toxic & Radioactive Waste	<ul style="list-style-type: none"> • Care would be taken to avoid impacts to the existing oil and gas infrastructure.
Noise	<ul style="list-style-type: none"> • Coordination with appropriate federal, state, and local agencies would ensure that public concerns are addressed.


Impact-Producing Factors

Some features of dredging generate expected environmental impacts. Dredging is a common construction practice, as evidenced from its widespread use and information on the subject, such as the Handbook of Dredging Engineering (Herbich 2000). Using dredge material has become a common method of restoring marsh since 1969, as discussed in Approaches to Coastal Wetland Restoration: northern Gulf of Mexico (Turner and Streever 2002). This section summarizes information from those texts and other pertinent literature on the subject.

Dredging and Discharge

Dredging operations for marsh creation projects generally involve hydraulic pipeline dredges (cutterhead, dustpan, plain suction, and sidecaster dredges), hopper dredges, and mechanical dredges (bucket dredges or draglines). The type of dredge used is determined by the kind and quantity of material to be dredged, depth of dredging, distance to placement area, environment of placement area, degree of contamination of sediments, and equipment availability. Marsh buggy excavators would be used to build containment dike and ridge features. A hydraulic dredge with several thousand linear feet of steel pipeline would be used to transport material from the offshore borrow area to the project marsh creation site along the access corridor (Figure 9), whereas mechanical dredges would be used to build dikes and ridge. Hopper dredging would not be used for project implementation.

FIGURE 9. DREDGE PIPELINE ROUTE TO THE MARSH CREATION AREA (FITZGERALD AND OTHERS 2011)



In all dredging projects, material dredged is greater than the amount placed. This is because not all dredged material can be retained in the disposal area. Losses occur at the dredge site and fill site as

effluent discharge. The dikes and ridge of the preferred alternative would confine material until it settles and dewater to best retain the dredged sediments and minimize discharge to the water column.

Impacts to water quality are less for mechanical dredging than for hydraulic dredging because of the heavier sediment source and/or less mixing of the sediment for transport. Mechanically dredged material requires less de-watering, so less is lost from the disposal area to the surrounding water. Therefore, no additional measures to retain effluent during dike and ridge construction are necessary.

Re-suspended materials that influence water quality are localized in the vicinity of the excavation tool and occur only during dredging. Materials then act as other suspended sediments in the coastal water, staying suspended or settling based on water movements due to tide, wind, or storm.

Physical Resources

Impacts on Geology, Soils, and Topography

No Action Under the no-action alternative, material from the borrow areas is likely to be used for other restoration projects in the area as sediment sources have long been recognized as a limited resource ([Galliano and van Beek 1973](#)). With no action, the shallow mud flats would wash away in storm conditions, with fine sediments being lost to the system and heavy sediments filling the nearby bayous. Without a ridge and marsh, water exchange from wind and tide flushes the area, moving sediments around. This is expected to continue until sediments are washed away and the shallow water then deepens. The Bayou Grand Liard ridge has eroded to marsh elevation or below. Adjacent marshes converted to shallow open water and are exposed mud flats at low tide. Geomorphology in the project area is characteristic of a highly eroding, sediment-deficient system with marsh areas increasing in salinity and converting to open water bays.

Preferred Alternative - Build Alternative 1 Long-term, indirect, moderate benefits to this resource would result as ridge and marsh habitat are recreated. The created habitat would slow the flushing water exchange and allow establishment of vegetation on the ridge and marsh, clarify the remaining water and reduce the wind induced erosion caused by the current water exchanges. The proposed elevation increase would recreate upland and marsh habitat, similar to the habitats that once existed and increase organic material in the soils.

Direct, minor adverse effects would result from the burial of current ridge and marsh habitat, because what remains of the ridge is now marsh and some marsh exists in the area. This impact is expected to be temporary, as long-term direct benefits of recreating more of this habitat is the project goal.

Diking would temporarily reduce natural water exchange with the marsh. After placed sediment is consolidated, gaps may be placed in strategic places along the dike to return tidal influence to the marsh if natural consolidation and erosion of the dikes does not occur. The dredged material used for the ridge and dikes would consist of naturally occurring material to the area. Material dredged from offshore would be marine in origin; saline and silty. Vegetative plantings would be used to stabilize soil, reduce resuspension of recently deposited sediment, and encourage sedimentation.

Short-term, direct, moderate, adverse effects would result in the direct suspension of sediments and disturbance to natural sediment sorting through and layering within the borrow areas. Water depth would increase in the bayou to a depth up to 12 ft in some places, but that depth exists in areas of the bayou currently, so the impact should be minor. Over the long term, dredged materials removed from the borrow area would be expected to rearrange by natural processes, and pre-dredging bathymetric contours would return to the dredged areas.

Build Alternative 2 The beneficial impacts are similar to the preferred alternative. Adverse impacts of placing dredged materials onto existing marsh habitat would be the same as the preferred alternative. Because less borrow material would be needed, the minor, short-term, adverse impacts to the dredge area could be less than for the preferred alternative. Less long-term benefit to the marsh creation area is expected, as the elevations would erode faster than in the preferred alternative.

Impacts on Climate and Air Quality

Neither the no-action alternative nor any of the build alternatives would substantially affect the climate or weather. However, there is some suggestion that increases in marsh acreage can contribute to the overall carbon sink and mitigate the effects of atmospheric carbon on global warming, which may indirectly reduce the intensity of hurricanes in the Gulf of Mexico.

No Action The no-action alternative would not result in any changes to existing air quality in the area.

Build Alternatives Short-term, direct, minor, adverse impacts to air quality from construction would be associated with emissions from diesel engines that would power the dredging machinery, and material placement operations. Emissions would occur over a period of a few months, with most emissions occurring at the dredge and ridge creation sites. The emissions would consist predominantly of nitrogen oxides, with smaller amounts of carbon monoxide, sulfur dioxide, particulate matter, and volatile organic compounds.

Prevailing winds would dissipate airborne pollutants and limit them to the proposed project's construction phase. In addition, newly placed, unconsolidated dredged material is subject to drying and blowing during high wind events, adding particulates to the air. Revegetation would hold sediments in place after a time. The impact to human health would be negligible because the proposed project area is remote from any residential area. In the long term, air quality in the area is expected to be unchanged.

Impacts on Water Resources

No Action The no-action alternative would not directly affect local water quality. Long-term, indirect, moderate, adverse impacts would result from increased water exchange and turbidity of the water while more land erodes. The area would remain and increase in vulnerability to storm surge.

Preferred Alternative - Build Alternative 1 Short-term, minor, direct, adverse impacts associated with dredging required for implementation of the preferred alternative would include: (1) increased turbidity and decreased dissolved oxygen in the water column at the dredge sites (dredge plume) and fill sites; (2) potential decreased dissolved oxygen in the water column at the construction location due to increased water depth (>5 meters); (3) possible exhumation of buried debris; and (4) discharges from the dredge vessel. During dredging, silt or clay may become suspended in the water column near the dredge site. The suspended sediment would settle in a matter of hours to days (depending on current). If the disturbed sediments were anoxic, the dissolved oxygen levels in the water column would decrease. Turbidity and suspended particulate levels in the water column above the preferred borrow area are normally high as a result of coastal processes.

Long-term, minor, indirect benefits to water quality would result from the ability of created marsh to remove nitrates and phosphate and reduce turbidity in the water ([EPA 2008](#)). To date, no issues related to decreased dissolved oxygen have emerged from previous coastal restoration projects of this type.

Build Alternative 2 Short-term, direct, minor adverse impacts to water quality would be slightly less than the preferred and more than the no action as less dredging would be necessary. The duration of adverse impacts is dependent on the duration of construction. The preferred alternative is expected to have a slightly longer construction duration than this build alternative.

Long-term, indirect, minor benefits would be less than the preferred and more than no action alternative. With this alternative, the elevation of the marsh would not remain productive for as many years or prevent as much turbidity in the water over time as with the preferred alternative.

Biological Environment

Impacts on Vegetation Resources

No Action With no action, continued erosion and subsidence are expected to occur, resulting in losses to vegetative resources.

Preferred Alternative - Build Alternative 1 The preferred alternative would exert direct, minor, long-term beneficial impacts on vegetative communities of the area ([NMFS 2008, 2011](#)). Adding elevation to marshes would help offset local subsidence, increase vegetative productivity and decrease marsh conversion to open water. Increasing the elevation in the area would be beneficial to vegetative communities, reducing flooding stress on the plants and allow time for vegetation to colonize and contribute to the elevation. Accumulation of organic material is a primary factor influencing the vertical accretion of marshes. Creation of the ridge would allow for shrub species to colonize and stabilize the ridge sediments allowing a greater diversity of vegetation to be supported in the project area. Creation of the ridge would also protect marsh vegetation from excessive water exchanges that stress the plants and erode their soils.

Implementing the preferred alternative would unavoidably have direct, minor, short-term adverse impacts to existing marsh, and shallow open water areas and their associated vegetative communities. Long-term, direct, moderate benefits to these habitats are expected through increased marsh habitat, clarification of water, increased marsh edge, creation of regionally scarce ridge habitat, increased submerged aquatics and other habitats that are important to fish and wildlife species.

Build Alternative 2 This alternative would have long-term, direct, minor, beneficial impacts on vegetative communities by adding elevation and increasing marsh vegetation, similar but less lasting than the preferred alternative. While more marsh area would initially be created with this alternative, the marsh would be more susceptible to erosion due to settlement and lower initial elevations compared to the preferred alternative ([Fitzgerald and others 2011](#)). Adverse impacts would be the same as the preferred alternative.

Impacts on Aquatic and Benthic Habitats

No Action Submerged vegetation and emergent habitats are much less common and more vulnerable to disturbance than open water habitats. The quality of aquatic and benthic habitat is expected to decrease as marsh and beach habitats are converted to open water.

In the borrow area, a continuation of seasonal low DO along bottom waters is expected for the foreseeable future, as the area of low DO has been increasing the last 60 years and reduction of nitrogen and phosphorous from the Mississippi River are planned ([EPA 2008](#)), but effects of reduction are unknown.

Build Alternatives Under the preferred alternative, short-term, local, direct, minor adverse impacts to aquatic and benthic resources would occur by the direct removal of sediment along with the organisms living in the sediment during dredging. Other direct, adverse impacts could include entrapment and likely death of slow-moving organisms and polychaetes during dredging, and smothering of benthic organisms in the deposition sites. Mobile invertebrates would be expected to vacate the proposed project area during construction and return after construction is complete. Invertebrates, oysters, and fish that do not move out of the area would likely be injured by suffocation from suspended sediments. Dredging would change substrate topography, causing a temporary redistribution of organisms in the immediate vicinity.

Benthic organisms would likely re-colonize borrow areas. Early-stage recruitment of defaunated sediments occurs rapidly in coastal systems (Grassle and Grassle 1974, McCall, 1977, Simon and Dauer 1977, Ruth and others 1994, all as cited in [EPA 2003](#)). Dredged sites would be rapidly colonized by opportunistic infauna ([EPA 2003](#)). Later stages of colonization would be more gradual and would depend on environmental conditions after cessation of dredging. Fish and invertebrates are expected to recover as turbidity returns to pre-construction levels. There is expected to be a low potential for creation of persistent low DO conditions that would impact fisheries and aquatic biota in the borrow and placement areas given the patterns of water flow over the borrow sites and the shallow elevation of placement area.

Long-term, minor, indirect benefits would result from the increase in quality aquatic and benthic habitat from increased primary productivity. The created marsh would contribute to detritus and decrease turbidity with the built alternatives. Fisheries access to marsh would be maintained having retaining dikes along existing waterways and ensuring tidal exchange after construction.

Impacts on Essential Fish Habitat

No Action The variety and quality of EFH associated with estuarine areas are expected to continue to decrease as the remaining marsh converts to open-water. Only open-water EFH, which is not in short supply, would increase.

Build Alternatives The effects are similar for both build alternatives. Long-term, moderate, direct and indirect benefits of the build alternatives would result from re-establishing marsh, improving estuarine-related EFH. Marsh and marsh edge habitat would increase with vegetative and hydrological features that develop post-construction aided by gapping of the dikes and vegetative plantings. Detrital material, formed by the breakdown of emergent vegetation, would contribute to the aquatic food web of the surrounding ecosystem. Decreases in tidal and storm erosion would protect estuarine mud bottoms and marsh ponds around the proposed project area. Thus, the preferred alternative would restore more productive habitats supportive of brown shrimp, white shrimp, and red drum.

Short-term, unavoidable, direct and indirect, adverse impacts to habitats supportive of various life stages of brown shrimp, white shrimp, and red drum would occur during the construction phase of the proposed project as marsh is filled and created. Potential short-term impacts to EFH include movement of prey species away from the construction area, interruption of feeding or spawning by some species, and other effects on behavioral patterns. No significant adverse impacts on EFH are expected, because hundreds of acres of similar substrate are available to organisms outside of the areas to be dredged. Post-construction long-term benefits of increased quality and quantity of the marsh would be greater than the short-term adverse impacts. Turbidity would return to ambient conditions post-construction.

Impacts on Fishery Resources

No Action Abundant open water fisheries habitat is available in coastal Louisiana and increasing. The increase in open water fisheries habitat comes at the expense of submerged vegetation and emergent fisheries habitats, which are less common and more vulnerable to disturbance than open water habitat. The quality of fish habitat is expected to decrease as remaining marsh converts to open water reducing the nursery function of the area for estuarine-dependent species.

Preferred Alternative - Build Alternative 1 Short-term, local, minor, direct adverse impacts to fishery resources would occur during construction from dredging and placement of sediments. Dredging would directly move benthic organisms that live in the sediment and indirectly entrap the slow-moving organisms and polychaetes of the borrow areas. In the placement area, smothering of benthic organisms and sessile fish and invertebrate species would occur. Mobile aquatic animals would move during construction and return after construction completes. Short-term minor adverse effects on fish eggs and

larvae in the immediate area may occur. These are short-term, adverse impacts because benthic organisms would likely recolonize borrow areas. Early-stage recruitment of defaunated sediments occurs rapidly in coastal systems (Grassle and Grassle 1974, McCall, 1977, Simon and Dauer 1977, Ruth and others 1994, all as cited in [EPA 2003](#)). Dredged sites would be rapidly colonized by opportunistic infauna ([EPA 2003](#)). Later stages of colonization would be more gradual and would depend on environmental conditions after cessation of dredging. Fish and invertebrates are expected to recover as turbidity returns to pre-construction levels.

Long-term, moderate, direct and indirect beneficial impacts would result from created marsh habitat providing nursery for estuarine-dependent fisheries that does not currently exist and would not exist with the no-action alternative. Access to the marsh habitat would be maintained after construction through the retained waterways and dike gapping.

Build Alternative 2 Impacts to fisheries and aquatics are not expected to differ substantially from those described for the preferred alternative. The decreased longevity (due to elevation and erosion) and diversity of vegetation (ridge and marsh) compared to the preferred alternative could have less indirect benefit to fisheries and aquatics. As a result, estuarine-dependent fisheries would have less long-term beneficial impacts than with the preferred alternative, but more benefits than with no action.

Impacts on Marine Mammal Resources

No Action With no action, the marsh used by marine mammal forage species, such as small fish, would decline, and no ridge habitat would be constructed for roosting birds.

Build Alternatives The effects are similar for both build alternatives. Whales are unlikely to occur ([NMFS 2010](#)). Manatees are rare for this area, so are unlikely to occur, but dolphins are common along the coast of the project area. Dolphins are likely to avoid project areas during construction. They would be temporarily displaced, as would their fish food source. The dolphins would follow the fish populations for feeding and both prey and predator would return shortly after construction. Therefore, the build alternatives have short-term, indirect, minor, adverse impacts. In the long-term, moderate, direct and indirect benefits would result from increasing the quantity and longevity of prey nursery grounds, and refuges. Contractors would be instructed to watch for marine mammals. Should any manatee or dolphin be seen, any workboats in the area would be instructed to cease work until any creature is over 500 ft away.

Impacts on Migratory Bird Resources

No Action With no action, the marsh used by migratory birds and their forage species would decline, and no ridge habitat would be constructed for roosting birds.

Preferred Alternative - Build Alternative 1 No migratory birds are known to nest in the area. Foragers would be temporarily displaced to the abundance of nearby foraging habitat and benefit after construction by the new habitat diversity, and longevity of the foraging marsh and roosting ridge habitats. No substantial adverse impacts would occur.

Because it is uncertain whether nesting colonies occur within the project area vicinity, the project site may be inspected by a qualified biologist to determine if undocumented nesting water birds are present during the nesting season. If colonies containing nesting wading birds (i.e., herons, egrets, night-herons, ibis, and roseate spoonbills), anhingas, and/or cormorants are observed, all activities within 1,000 ft of the nesting colony should be restricted to the non-nesting period (i.e., September 1 through February 15, exact dates may vary within this window depending on species present). Because the anticipated construction duration is in excess of eight months and some construction activities may occur during the nesting season, time-of-year restrictions may not be practicable. Accordingly, an abatement plan to

ensure that birds do not nest at the time of project construction will be developed in consultation with the USFWS if required to address potential nesting.

The USFWS would be contacted to report the colonies location and consult on the species present and their non-nesting periods. If nesting were to occur it would be prior to construction, as the disturbance of construction would prevent colonies from selecting the area for nesting during construction. Long-term, direct and indirect, moderate benefits would occur by creating nesting areas for colonial waterbirds once vegetation becomes established, and increasing the quantity and quality of foraging area.

Build Alternative 2 Adverse impacts and avoidance measures would be the same as with the preferred alternative. There would be no roosting area created with this option and the longevity of the increased foraging area would be less than with the preferred alternative, but more than the no action alternative.

Impacts on Wildlife Resources

No Action With no action, the remaining marsh and mud flat would convert to open water. Habitat would become less suitable for waterfowl, small mammals, and increase for aquatic species that are not habitat limited, such as alligator. Current waterfowl declines would continue ([LCWCRTF and WCRA 1999](#)).

Preferred Alternative - Build Alternative 1 Short-term, direct, minor, localized adverse impacts to wildlife would result from displacement. Wildlife would vacate or avoid the area and return once construction is complete. Proposed project modifications to avoid impacts to wildlife were coordinated with USFWS ([2011](#)). Long-term, direct, moderate benefits would result from increasing wildlife habitat through marsh and ridge creation. Creation of the ridge would provide habitat for birds, furbearer and game mammal populations that does not exist and would not exist with no action. Many bird species are migratory or permanent residents and depend on marsh of the proposed project area. Population numbers of bird species are expected to increase in response to implementation of the preferred alternative.

Build Alternative 2 The temporary adverse impacts from disturbance of wildlife during construction would be similar to the preferred alternative. Long-term benefits of increased diversity of habitat and upland ridge creation would be less than for the preferred alternative but more than the no action alternative. Created marsh would not be expected to last as long and the diversity of habitat would be less with this action than with the preferred alternative, but more than the no action alternative.

Impacts on Threatened and Endangered Species

No Action Without action existing marsh that is habitat for the sea turtle and marine mammal forage species, such as shrimp and fish species, would continue to be lost.

Build Alternatives The effects are similar for both build alternatives. In a biological opinion prepared by NMFS for a similar project ([NMFS 2010](#)), the leatherback sea turtle, hawksbill sea turtle, Gulf sturgeon, smalltooth sawfish, and endangered whales were listed as “not likely to be adversely affected”, because they do not commonly occur in the project area ([NMFS 2010](#)). Whales were “extremely unlikely to overlap geographically with the action area,” and similar findings were listed for leatherback sea turtle, hawksbill sea turtle, Gulf sturgeon, and smalltooth sawfish ([NMFS 2010](#)). Due to the similarity in the project location and type of the biological opinion ([NMFS 2010](#)), we do not expect these species to be adversely affected from this project and do not discuss them further. Placement of dredged material is unlikely to adversely affect threatened and endangered species ([NMFS 2010](#)).

Manatees may rarely occur in coastal Louisiana during the warmer months and area unlikely to occur in the project area. Additionally, methods used to minimize impacts to sea turtles and Gulf sturgeon would also reduce the potential to affect manatees.

Both USFWS and NMFS have concurred that the proposed project is not likely to adversely affect federally-listed threatened or endangered species or associated critical habitat. Long-term, moderate, indirect benefits to listed species may result from increasing the quality of forage species habitat and quantity of refuge area.

Cultural Resources

Impacts on Historic, Prehistoric, and Native American Resources

No Action There are no known terrestrial cultural resources located in the project area. The identified potential submerged cultural resources in the borrow area would not be affected.

Build Alternatives Potential submerged cultural resources located in the borrow areas would be avoided with a 300-ft buffer zone and therefore unaffected by build alternatives. No other resources have been identified in the area. The Louisiana State Historic Preservation Office has concurred that no archeological or historic resources would be adversely impacted by the proposed project and that potential submerged cultural resources in the borrow area would be avoided with a 300-ft buffer zone.

Impacts on Socioeconomics

No Action As the remaining marsh is lost to open water and mud flats deepen, the benefit of the area as shrimp habitat declines. Loss of shrimp leads to loss of income in the region because marsh habitats provide essential nursery function to shrimp. Fisheries related activities would decline.

Preferred Alternative - Build Alternative 1 This alternative would have a short-term, minor, direct adverse impact through disruption of localized fishing during construction. Direct, short-term, moderate benefits through local job creation would result from construction activities. Long-term, indirect, moderate benefits would result from increasing shrimp habitat, and recreational and fishing value of the area. Affected oyster leases will be acquired using standard procedures implemented by the State, and therefore have no significant impact.

Build Alternative 2 All impacts would be similar to the preferred alternative with the exception that long-term benefits to fisheries would be less than the preferred alternative and more than the no action alternative. The marsh habitat in the area that supports shrimp, a major component of the commercial and recreational fishing economy, would not last as long as it would with a ridge feature.

Impacts on Land Use and Infrastructure

No Action Conversion of the proposed project area to open water increases exposure of both active and inactive pipelines posing threats to human safety, and decreases the commercial and recreational value of the area. Increased storm surges would erode nearby land and increase structural damages from storms.

Preferred Alternative - Build Alternative 1 Long-term, direct and indirect, minor benefits would result from the ridge acting as a land buffer during storms. Storm-associated vulnerabilities would decrease for surrounding land, pipelines and infrastructure. Short-term, moderate, reversible, adverse impacts on recreational fishing would occur during construction. However, habitat suitable for fishing is common in the region, and the temporary loss of opportunity for fishing in the proposed project area is considered minimal. Construction would avoid pipelines and maintain waterways of the area used by local boat navigators.

Build Alternative 2 Impacts to land use/recreation would be similar to the preferred alternative. The expected benefits may not be as long lasting as Alternative 1 because the created habitat would not be protected from edge erosion by the ridge feature included in the preferred alternative.

Impacts on Hazardous, Toxic and Radioactive Wastes

No Action No impacts.

Build Alternatives The effects are similar for both build alternatives. Care would be taken during construction activities to avoid impacts to the existing oil and gas infrastructure within the project area.

Impacts on Noise

No Action The no-action alternative would not cause any change to the existing noise conditions in the proposed project area.

Build Alternatives The effects are similar for both build alternatives. Under the preferred alternative, short-term, minor adverse impacts through the increase in noise associated with construction equipment would occur. No long-term changes in ambient noise levels would result from the build alternatives, as noise-producing equipment would vacate the area after construction.

Other Considerations

Cumulative Impacts

Direct and indirect impacts of past, present, and reasonably foreseeable future events were considered in the analysis of the proposed project consequences. These impacts include historical and predicted future land loss rates for the area and other restoration projects in the vicinity. The preferred alternative would have temporary adverse impacts to some environmental resources but cumulative benefits to the environmental resources.

Coastal Louisiana, including the project area, has been greatly impacted by natural subsidence ([Reed and Yuill 2009](#)), levees, hurricanes, and oil and gas infrastructure. Recent events, such as hurricanes or oil spills, contribute to the loss of habitat but not enough to be discernible from other impacts. No direct impacts from the 2010 Deep Water Horizon oil spill are known for this area and indirect impacts cannot be discerned.

Although CWPPRA projects are nominated and implemented one at a time and must have individual merit, the cumulative value of all wetland restoration and protection projects in an area can far exceed the summed values of the individual projects. Similar wetland restoration projects in the area, as shown on [Figure 10](#), would operate synergistically with the preferred alternative to enhance the structural and functional integrity of the ecosystem, improve primary productivity rates, and thereby improve the overall environmental resources.

Shaded areas of [Figure 10](#) identify individual CWPPRA projects. Since CWPPRA's inception, 151 coastal restoration or protection projects have been authorized, benefiting over 110,000 acres in Louisiana. Information on similar and nearby CWPPRA projects in the vicinity is available at www.lacoast.gov.

FIGURE 10. CWPPRA PROJECT AREAS.



Physical cumulative impacts of this and other restoration projects are to slow the land loss rate in coastal Louisiana. Currently, land loss is at an average rate of an acre every 38 minutes. If the current rate of loss is not slowed by the year 2040, an additional 800,000 acres of wetlands will convert to open water.

Physical cumulative impacts are related to mining borrow sediments. The effect of borrowing from multiple offshore sources has been evaluated previously ([USACE 2004](#)) and determined to have short-term minor to moderate cumulative adverse impacts to benthic sand resources from dredging and construction activities. For this project, a wave analysis ([Forrest-Vandera and others 2010](#)) concluded that wave energies would not be substantially affected by using borrow area sediments. Given previous offshore sand resource investigations (*e. g.* [USACE 2004](#), [EPA 2003](#)), the cumulative impacts are not expected to differ from the direct and indirect project effects. No significant adverse cumulative impact is expected to result from the proposed action.

The cumulative impact of the proposed action on air and water quality would not differ substantially from the effects of the alternatives considered individually, as similar impact producing events would not co-occur in space or time. The cumulative beneficial impact to water quality would be a long-term increase in quality as a result of reduced turbidity, decrease nitrogen and phosphorus, thereby reducing the frequency of low DO events.

Biological cumulative impacts would be similar to the direct and indirect impacts of the alternatives described previously. All build alternatives would work with existing projects to enhance habitat for fish, wildlife, vegetation, and EFH. Cumulatively, all build alternatives would increase benefits to the area by decreasing land loss rates. No cumulative adverse impacts are anticipated.

Socio-economic cumulative impacts would result from synergy of the build alternatives with nearby restoration projects. These projects would cumulatively decrease losses of habitat, thereby maintaining more of the economy and storm protection than with no action. The build alternatives are similar to previous actions in the area that have had no adverse cultural impacts. No adverse cumulative impacts would be expected.

Invasive Species

Executive Order 13112 requires federal agencies to use authorities to prevent introduction and control (in cost effective and environmentally sound manners) invasive species, and to provide for restoration of native species and habitats in ecosystems that have been invaded. As stated above, the purpose of the preferred alternative is to restore the native habitat. The proposed project would not introduce invasive species. If woody invasive species colonize the project area, an eradication plan is being developed and funds for its execution are envisioned as part of the project's 20-year maintenance.

Coordination

Coordination in development of the proposed action, its alternatives and selection of the preferred alternative has been maintained with each CWPPRA Task Force agency. The project was vetted publicly through the CWPPRA process, which includes opportunities for the public and CWPPRA agencies to comment on the proposed project. The project was discussed in public meetings for CWPPRA where project details were made available on several occasions. A draft EA was circulated to participating restoration agencies and the public. Comments received are provided in [Appendix A](#). The preferred alternative is not expected to cause adverse environmental impacts that would require compensatory mitigation.

Compliance with Laws and Regulations

This section presents a review of the potentially applicable laws and regulations that govern this proposed restoration project. Many federal, state, and local laws and regulations are considered during development of the proposed restoration project, as well as several regulatory requirements that are typically evaluated during the permitting process. A brief review of potentially applicable laws and regulations that may pertain to this proposed project is presented below. The project manager would ensure that there is coordination among these programs where possible and that project implementation and monitoring are in compliance with all applicable laws and regulations.

National Environmental Policy Act of 1969 NEPA was enacted in 1969 to establish a national policy for the protection of the environment. The CEQ was established to advise the President and to carry out certain other responsibilities relating to implementation of NEPA by federal agencies. Pursuant to Presidential Executive Order, federal agencies are obligated to comply with NEPA regulations adopted by the CEQ (40 CFR Parts 1500-1508). These regulations outline the responsibilities of federal agencies under NEPA and provide specific procedures for preparing environmental documentation to comply with NEPA.

Clean Water Act (CWA) The CWA is the principal law governing pollution control and water quality of the nation's waterways. It requires the establishment of guidelines and standards to control the direct or indirect discharge of pollutants to waters of the United States. Discharges of material into navigable waters are regulated under Sections 401 and 404 of the CWA. The USACE has the primary responsibility for administering the Section 404 permit program. Under Section 401 of the CWA, projects that involve discharge or fill to wetlands or navigable waters must obtain certification of compliance with state water quality standards. Compliance with applicable sections of the CWA will be achieved through application for Section 404 authorization from the USACE and Water Quality Certification from the LDEQ.

Clean Air Act of 1970 Under the Clean Air Act of 1970, Congress established procedures for developing National Ambient Air Quality Standards (NAAQS) for the protection of human health and public welfare. EPA published the NAAQS in 1971, and they became effective at that time. Standards are provided for the following criteria pollutants: carbon monoxide, sulfur dioxide, nitric oxide, ozone, lead, and fine particulate matter. Compliance with applicable provisions of the Clean Air Act will be achieved through requirements incorporated into construction contracts.

Coastal Zone Management Act The Coastal Zone Management Act (CZMA) provides for protection of resources found in the coastal zone, proactive land management practices, and preservation of unique coastal resources. Included in the CZMA is the requirement that all federal actions within the coastal zone of Louisiana must be consistent with the federally approved State of Louisiana Coastal Resource Management Plan. Compliance with the CZMA has been achieved through review by the Louisiana Department of Natural Resources under its Federal Consistency program. Federal consistency was issued December 2011.

Executive Order 11998, Floodplain Management Executive Order 11998, Floodplain Management, requires each agency (including military departments) to determine whether any action undertaken would occur in a floodplain. The Federal Emergency Management Agency provides Flood Insurance Rate Maps (FIRM) for more than 19,000 communities in the country as part of the Flood Insurance Studies the agency completes. In addition to the 100-year floodplain, which is the area of the community with a 1 percent chance of flooding in any given year, the FIRM also illustrates coastal high hazard areas, the floodway, and the 500-year floodplain, which is the area of the community with a 0.2 percent chance of flooding in any given year. EO 11998, including public review and engagement of landowners, has been

considered through the project development process. The purpose of this project is to maintain existing hydrological functions, thus not resulting in any increased flooding risk.

Executive Order 11990, Protection of Wetlands The intent of Executive Order 11990, Protection of Wetlands, is to avoid, to the extent possible, the long- and short-term adverse impacts associated with the destruction or modification of wetlands and to avoid direct or indirect support for new construction in wetlands whenever there is a practicable alternative.

Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, directs that the programs of federal agencies identify and address disproportionately high and adverse effects on human health and the environment of minority or low-income populations. No adverse effects on human health or the environment of minority or low-income populations are anticipated to result from the proposed project. Indirect, temporary benefits may result associated with construction and support related employment opportunities.

The Endangered Species Act of 1973 (ESA) The ESA directs all federal agencies to conserve endangered and threatened species and their habitats and encourages such agencies to utilize their authorities to further these purposes. Under the Act, NMFS and USFWS publish lists of endangered and threatened species. Section 7 of the act requires that federal agencies consult with these agencies to minimize the effects of federal actions on endangered and threatened species. NOAA has, through both the NEPA and CWA Section 404 interagency review processes, coordinated with both USFWS and NOAA regarding endangered species. As proposed, the project includes mitigations to avoid and minimize potential impacts to endangered species and their critical habitats that are specified in the project permit. Both USFWS and NMFS have concurred with the determination that the proposed action is not likely to adversely affect federally-listed species or associated critical habitat.

Migratory Bird Treaty Act of 1918 (MBTA) The MBTA requires the protection of all migratory bird species and protection of ecosystems of special importance to migratory birds against detrimental alteration, pollution, and other environmental degradation. Coordination under MBTA is generally incorporated into Section 404 of the CWA, NEPA, or other federal permit, license or review requirements. As proposed, the project includes plans to abate potential impacts to migratory birds through use of active patrols during nesting season, use of deterrents such as human presence during construction, and potential use of hazing techniques (boomers) if determined to be necessary during construction.

Fish and Wildlife Coordination Act The Fish and Wildlife Coordination Act requires agencies to consult with the USFWS, NMFS, and appropriate state agencies, prior to modification of any stream or other body of water, to ensure conservation of wildlife resources. Compliance with the FWCA is integrated into the USACE interagency review process under Section 404 of the CWA as well as through the NEPA review process.

Archeological and Historic Preservation Act of 1974 The Archeological and Historic Preservation Act of 1974 states that, if an activity may cause irreparable loss or destruction of significant scientific, prehistoric, historic, or archeological data, the responsible agency is authorized to undertake data recovery and preservation activities, in accordance with implementing procedures promulgated by the Secretary of the Interior. The Louisiana State Historic Preservation Office has concurred that no archeological or historic resources would be adversely impacted by the proposed project.

National Historic Preservation Act of 1966 The National Historic Preservation Act of 1966, as amended in 1992, requires that responsible agencies taking action that affects any property with historic, architectural, archeological, or cultural value that is listed on or eligible for listing on the National Register of Historic Places (NRHP) comply with the procedures for consultation and comment issued by the Advisory Council on Historic Preservation. The responsible agency also must identify properties affected by the action that are potentially eligible for listing on the NRHP, usually through consultation with the state historic preservation officer. The Louisiana State Historic Preservation Office has concurred that no archeological or historic resources would be adversely impacted by the proposed project.

Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act) In 1996, the act was reauthorized and changed by amendments to require that fisheries be managed at maximum sustainable levels and that new approaches be taken in habitat conservation. EFH is defined broadly to include “those waters and substrate necessary to fish for spawning, breeding, feeding or growth to maturity” (62 Fed. Reg. 66551, § 600.10 Definitions). The act requires consultation for all federal agency actions that may adversely affect EFH. Under Section 305(b)(4) of the act, NMFS is required to provide advisory EFH conservation and enhancement recommendations to federal and state agencies for actions that adversely affect EFH. Where federal agency actions are subject to ESA Section 7 consultations, such consultations may be combined to accommodate the substantive requirements of both ESA and the Magnuson-Stevens Act. EFH consultation has been completed through both CWA Section 404 procedures as well as NEPA processes.

CONCLUSIONS

The natural processes of subsidence, habitat switching, and erosion of wetlands have been exacerbated by widespread human alterations of sediment delivery and other processes, resulting in marked degradation of the Louisiana coastal area. Without intervention to retard or reverse the loss of marshes, ridges and barrier islands Louisiana’s healthy and highly productive coastal ecosystem would not be maintained.

This EA discloses information on the direct, indirect and cumulative impacts on the human environment likely to result from the Grand Liard Marsh and Ridge Restoration Project. It has disclosed long-term beneficial impacts on the coastal resources of south Louisiana and does not anticipate any substantial long-term adverse environmental impacts. Construction-related adverse impacts are considered minor as they are temporary or reversible. This EA predicts beneficial impacts that would be moderate. This effects analysis is based on a review of relevant literature, site-specific data, and project-specific engineering reports related to biological, physical, and cultural resources, as well as on the cumulative experience gained through many similar coastal restoration projects in south Louisiana over the past decade. The increase of fisheries habitat is anticipated to have long-term beneficial impacts on the local economy and culture as it relates to recreational and commercial fishing. In addition, the preferred alternative would result in increased protection of adjacent marsh in the area to be restored. NMFS will review, evaluate and consider the information in this EA to determine whether to issue a Finding of No Significant Impact (FONSI) for the proposed action.

PREPARERS

This EA was prepared by biologists Joy Merino, Rachel Sweeney, Cecelia Linder, John Foret, Ph.D. and Phillip Parker, P.E. of NMFS, in consultation with USFWS, Louisiana SHPO, and the CWPPRA Technical Committee. Correspondence is provided in [Appendix A](#).

DISTRIBUTION LIST

This EA was distributed for comment to agencies of the CWPPRA Task Force and resource agencies as listed below. A 30-day comment period was provided. A draft EA was available for public review. A final EA will be made available to the public at www.lacoast.gov along with other public records for the project. The EA was distributed to:

- Thomas A. Holden** Chairman Deputy District Engineer, U.S. Army Engineer District, New Orleans
Office of the Chief. 7400 Leake Ave. New Orleans, Louisiana 70160-0267
- Kirk Rhinehart** Acting Asst. Secretary, Office of Coastal Protection and Restoration. 617 North 3rd
Street Baton Rouge, Louisiana 70804-4027
- Richard Hartman** Fishery Biologist, National Marine Fisheries Service. Rm 266 Military Science Bldg
South Stadium Drive, LSU Baton Rouge, Louisiana 70803-7535
- Karen McCormick** Environmental Protection Agency, Region 6 Water Quality Protection Division
(6WQ-EM). 1445 Ross Avenue Dallas, Texas 75202-2733
- Britt Paul**, P.E. Assistant State Conservationist, Water Resources, Natural Resources Conservation
Service. 3737 Government Street Alexandria, Louisiana 71302
- Charles McGimsey** State Historic Preservation Office. 1051 North 3rd Street Rm 405 Baton Rouge LA
70802
- Brad S. Rieck** Acting Field Supervisor, U.S. Fish and Wildlife Service. 646 Cajundome Blvd., Suite 400
Lafayette, Louisiana 70506

LITERATURE CITED

- Arcadis, Inc. 2011. *Negative Findings Report of the Reconnaissance Archaeological Survey for the Bayou Grand Liard Marsh and Ridge Restoration Project (BA-68)*. March. 19 pp plus Appendices.
- Boesch, DF, MN Josselyn, AJ Mehta, JT Morris, WK Nuttle, CA Simenstad and DJP Swift. 1994. *Scientific Assessment of Coastal Wetland Loss, Restoration and Management in Louisiana*. Journal of Coastal Research. Specific Issue No. 20. 103 pp.
- Conner, WH and JW Day, Jr. (editors). 1987. *The Ecology of Barataria Basin, Louisiana: An Estuarine Profile*. U.S. Fish and Wildlife Service. Biological Report 85(7.13). July. 166 pp.
- Council on Environmental Quality (CEQ). 1992. *Regulations for Implementing the Procedural Provisions of the National Environmental Policy Act*, Reprint, 40 CFR Parts 1500-1508, Executive Office of the President, Council on Environmental Quality.
- Day, Jr, JW, CAS Hall, WM Kemp and A Yanez-Arancibia. 1989. *Estuarine Ecology*. John Wiley and Sons, Inc.
- Fitzgerald, T, K Bahlinger and R Sweeney. 2011. *Preliminary Design Report for Bayou Grand Liard Marsh and Ridge Restoration (BA-68)*. June. 34 pp. Appendices A through M.
- Forrest-Vandera, BM, M Larenas and JL Andrews. 2010. *Grand Liard Marsh and Ridge Restoration (BA-68)*. Coastal Planning and Engineering, Inc., Boca Raton, FL. 28pp plus Appendices.
- Galliano, SM and J van Beek. 1973. An approach to multiuse management in the Mississippi Delta system. In: ML Broussard (ed) *Deltas: models for exploration*. Houston Geological Society. 223-238.
- Gulf Engineers and Consultants (GEC). 2001. *Hazardous, Toxic, and Radioactive Waste (HTRW) Investigation for Barrier Island Restoration Project*. Submitted to U.S. Army Corps of Engineers, New Orleans District. October.

- Gulf of Mexico Fishery Management Council (GMFMC). 1998. *Generic amendment for addressing essential fish habitat requirements in the following Fishery Management plans of the Gulf of Mexico: Shrimp Fishery of the Gulf of Mexico, United States waters; Red Drum Fishery of the Gulf of Mexico, Reef Fish Fishery of the Gulf of Mexico, Coastal Migratory Pelagic Resources (Mackerel) in the Gulf of Mexico and South Atlantic; Stone Crab Fishery of the Gulf of Mexico; Spiny Lobster Fishery of the Gulf of Mexico; Coral and Coral Reefs of the Gulf of Mexico.* GMFMC, Tampa, FL.
- GMFMC. 2005. *Final Generic Amendment Number 3 for Addressing Essential Fish Habitat Requirements, Habitat Areas of Particular Concern, and Adverse Effects of Fishing in the following Fishery Management Plans of the Gulf of Mexico: Shrimp Fishery of the Gulf of Mexico, United States Water, Red Drum Fishery of the Gulf of Mexico, Reef Fish Fishery of the Gulf of Mexico, Coastal Migratory Pelagic Resources (Mackerels) in the Gulf of Mexico and South Atlantic, Stone Crab Fishery of the Gulf of Mexico, Spiny Lobster in the Gulf of Mexico and South Atlantic, Coral and Coral Reefs of the Gulf of Mexico.* GMFMC, Tampa, FL.
- Herbich, JB. 2000. *Handbook of Dredging Engineering*. 2nd edition McGraw-Hill, New York, NY.
- Herke, WH. 1978. Some effects of semi-impoundment on coastal Louisiana fish and crustacean nursery usage. In: RH Chabreck (ed.) *Proceedings of the Third Coastal Marsh and Estuary Management Symposium*. Division of Continuing Education, Louisiana State University, Baton Rouge, LA.
- Kulp, M., S. Penland, S.J. Williams, C. Jenkins, J. Flocks and J. Kindinger. 2005. Geologic Framework, Evolution and Sediment Resources for Restoration of the Louisiana Coastal Zone. *Journal of Coastal Research. Special Issue 44*. Spring 2005. Pp 56-71. Coastal Education Research Foundation, West Palm Beach, FL.
- Langlois, SM. 2011. *Ecological Review Grand Liard Marsh and Ridge Restoration-draft*. Baton Rouge, LA.
- Louisiana Coastal Wetlands Conservation and Restoration Task Force (LCWCRTF). 1993. *Louisiana Coastal Wetlands Restoration Plan: Main Report and Environmental Impact Statement*. 163 pp.
- LCWCRTF. 2008. *18th Priority Project List Report (Appendices)*. Louisiana Department of Natural Resources. Baton Rouge, LA. 305 pp.
- LCWCRTF and the Wetlands Conservation and Restoration Authority (WCRA). 1998. *Coast 2050: Towards a Sustainable Coastal Louisiana*. Louisiana Department of Natural Resources. Baton Rouge, LA. 161 pp.
- LCWCRTF and WCRA. 1999. *Coast 2050: Towards a Sustainable Coastal Louisiana, The Appendices. Appendix D – Region 2 Supplemental Information*. Louisiana Department of Natural Resources. Baton Rouge, LA. 260 pp.
- Louisiana Department of Environmental Quality (LDEQ). 2009. *Air Quality Summary: Louisiana January 1 2009 through December 31 2009*. Baton Rouge, LA. 10 pp.
- LDEQ. 2008. *Final Louisiana Water Quality Integrated Report*. Available on-line at <http://www.deq.louisiana.gov/>
- National Marine Fisheries Service (NMFS). 2008. *Grand Liard Marsh and Ridge Restoration Project Information Sheet for Wetland Value Assessment (WVA)*. Sept. 18.
- NMFS. 2010. *Biological opinion for Hopper Dredging Associated with Sand Mining for the Pelican Island Segment of the Barataria Shoreline Restoration Project*. January 1. Southeast Regional Office, Protected Resources Division, St. Petersburg, FL.
- NMFS. 2011. *Grand Liard Marsh and Ridge Restoration Project Information Sheet for Wetland Value Assessment (WVA)*. Draft Oct 19, 2011.
- NOAA. 2009. *Commercial Fisheries Landings Data for 2007*. Office of Science and Technology. Available on-line at http://www.st.nmfs.noaa.gov/pls/webpls/MF_ANNUAL_LANDINGS.RESULTS
- NOAAa. 2012. Office of Protected Resources, National Marine Fisheries Service. Accessed 4/11/2012 at <http://www.nmfs.noaa.gov/pr/interactions/#turtle>

- NOAA. 2012. Office of Response and Restoration, National Ocean Service. Accessed 4/11/2012 at <http://marinedebris.noaa.gov/>
- Osterman, LE, R Poore and PW Swarzenski. 2008. *The last 1000 years of natural and anthropogenic low-oxygen bottom-water on the Louisiana shelf, Gulf of Mexico*. Marine Micropaleontology 66:291-303.
- Plaquemines Parish Government. 2011. *New Residents and Visitors Information*. Accessed 2/1/2011 at <http://www.plaqueminesparish.com/Visitors.php#population>
- Rabalais NN, RE Turner and WJ Wiseman Jr. 2002. *Hypoxia in the Gulf of Mexico, a.k.a. the dead zone*. Annual Review of Ecology and Systematics 33(1):235-263.
- Reed, DJ and B Yuill. 2009. *Understanding Subsidence in Coastal Louisiana*. Pontchartrain Institute for Environmental Sciences. University of New Orleans, New Orleans, LA.
- Rogers, BD, RF Shaw, WH Herke and RH Blanchet. 1993. *Recruitment of postlarval and juvenile brown shrimp (Penaeus aztecus Ives) from offshore to estuarine waters of the northwestern Gulf of Mexico*. Estuarine, Coastal and Shelf Science 36:377-394.
- Roth, David. 1998. *Louisiana Hurricane History* (<http://www.srh.noaa.gov/images/lch/tropical/lahurricanehistory.pdf>)
- Sasser, CE, JM Visser, E Mouton, J Linscombe and SB Hartley. 2008. *Vegetation types in coastal Louisiana in 2007*: U.S. Geological Survey Open-File Report 2008-1224, 1 sheet, scale 1:550,000. Accessed April 2009 at <http://pubs.usgs.gov/of/2008/1224/>
- State Historic Preservation Office. 2011. Letter of concurrence on Negative Findings Report for BA-68 (dated February 21, 2011).
- Turner, RE and B Streever. 2002. *Approaches to Coastal Wetland Restoration: Northern Gulf of Mexico*. SPB Academic Publishing. The Hague. 147 pgs
- U.S. Army Corps of Engineers (USACE). 2004. *Final Programmatic Environmental Impact Statement*. Volume 2 of the Louisiana Coastal Area Ecosystem Restoration Study. November 2004.
- U.S. Census Bureau. 2000. Census 2000.
- U.S. Census Bureau. 2010. *State and County QuickFacts*. Accessed 2/1/2011 at <http://quickfacts.census.gov/qfd/states/22/22075.html> Last Revised: Nov 4, 2010.
- U.S. Department of Agriculture (USDA). 2000. *Soils Survey of Plaquemines Parish, Louisiana*. Natural Resource Conservation Service.
- U.S. Environmental Protection Agency (EPA). 2003. *New Cut / Marsh Restoration and Whiskey Island West Flank Restoration Projects Using Ship Shoal Sediment: Survey, Data Collection, and Analysis for Use by EPA in Determination of Impacts from Use of Ship Shoal Sand: Benthic Impacts – Sampling and Analysis*.
- EPA. 2008. *Gulf Hypoxia Action Plan 2008 for Reducing, Mitigating, and Controlling Hypoxia in the Northern Gulf of Mexico and Improving Water Quality in the Mississippi River Basin*. EPA Office of Wetlands, Oceans, and Watersheds. Washington, DC.
- U.S. Fish and Wildlife (USFWS). 2011. Threatened and Endangered Species Letter, February 25, 2011

Appendix A
Correspondence and Supporting Documentation



JAY DARDENNE
LIEUTENANT GOVERNOR

State of Louisiana
OFFICE OF THE LIEUTENANT GOVERNOR
DEPARTMENT OF CULTURE, RECREATION & TOURISM
OFFICE OF CULTURAL DEVELOPMENT

CHARLES R. DAVIS
DEPUTY SECRETARY

PAM BREAU
ASSISTANT SECRETARY

21 February 2011

Rachel Sweeney
Fishery Biologist
National Marine Fisheries Service
c/o Louisiana State University
Baton Rouge, LA 70808-7353

Re: Draft Report
La Division of Archaeology Report No. 22-3482-1
*Negative Finds Report of the Reconnaissance ARchaeological Survey for the Bayou Grand Liard Marsh
and Ridge Restoration Project (BA-68), Plaquemines Parish, Louisiana*

Dear Ms. Sweeney:

We acknowledge receipt of your letter dated 13 January 2011 and two copies of the above referenced report. We have completed our review of this report and have no comments to offer.

We concur that no historic properties will be impacted by this project.

We look forward to receiving two bound copies of the final report, along with a pdf of the report. If you have any questions, please contact Chip McGimsey at the Division of Archaeology by email at cmcgimsey@crt.state.la.us or by phone at 225-219-4598.

Sincerely,

A handwritten signature in black ink, appearing to read "Phil Boggan".

Phil Boggan
Deputy State Historic Preservation Officer

PB:crm



United States Department of the Interior

FISH AND WILDLIFE SERVICE
646 Cajundome Blvd.
Suite 400
Lafayette, Louisiana 70506



February 25, 2011

Mrs. Joy Merino
National Marine Fisheries Service
646 Cajundome Boulevard, Room 175
Lafayette, LA 70506

Dear Mrs. Merino:

Please reference your January 31, 2011, letter requesting a list of endangered, threatened, and proposed species and designated and proposed critical habitats that may occur within the Grand Liard Marsh and Ridge Restoration Project (BA-68), located in Plaquemines Parish, Louisiana. The proposed project design includes the creation of approximately 328 acres of marsh and nourishment of an additional 140 acres of existing marsh. Additionally, restoration of a ridge on the east bank of Bayou Grand Liard would occur. Approximately 50% of the created marsh area will be planted with smooth cordgrass (*Spartina alterniflora*), and the entire ridge will be planted with appropriate woody vegetation. The U.S. Fish and Wildlife Service (Service) has reviewed the information you provided, and offers the following comments in accordance with the Endangered Species Act of 1973 (87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.), and the Migratory Bird Treaty Act (MBTA) (40 Stat. 755, as amended; 16 U.S.C. 703 et seq.)

Sea turtles

Endangered and threatened sea turtles forage in the nearshore waters, bays and sounds of Louisiana. The National Marine Fisheries Service (NMFS) is responsible for aquatic marine threatened or endangered species. Please contact Eric Hawk (727/824-5312) at the NMFS Regional Office in St. Petersburg, Florida, for information concerning those species in the marine environment. When sea turtles come onshore to nest, however, the Service is responsible for consultation. Sea turtles have been known to nest in Louisiana; accordingly, we recommend that you contact this office if your activities would occur on beach areas during May through October for further guidance.

**TAKE PRIDE[®]
IN AMERICA** 


Migratory birds

The proposed project would be located near an area where colonial nesting waterbirds may be present. Colonies may be present that are not currently listed in the database maintained by the Louisiana Department of Wildlife and Fisheries. That database is updated primarily by monitoring the colony sites that were previously surveyed during the 1980s. Until a new, comprehensive coast-wide survey is conducted to determine the location of newly-established nesting colonies, we recommend that a qualified biologist inspect the proposed work site for the presence of undocumented nesting colonies during the nesting season. For colonies containing nesting wading birds (i.e., herons, egrets, night-herons, ibis, and roseate spoonbills), anhingas, and/or cormorants, all activity occurring within 1,000 feet of a rookery should be restricted to the non-nesting period, depending on the species present (see attached). In addition, we recommend that on-site contract personnel be informed of the need to identify colonial nesting birds and their nests, and should avoid affecting them during the breeding season. We recommend further coordination with our office if rookeries are observed in the project area and we request that you report rookery locations to Mr. Mike Seymour (225/765-2281) with LDWF, Natural Heritage Program.

We appreciate the opportunity to provide comments in the planning stages of this proposed project. If you need further assistance, please contact Michael Sealy (337/291-3123) of this office.

Enclosure:

Sincerely,



Brad S. Rieck
Acting Field Supervisor
Louisiana Ecological Services Office

cc: LDWF, Natural Heritage Program, Baton Rouge, LA

ENCLOSURE

This table is an excerpt from page 31 of:

Martin, R.P., and G.D. Lester. 1990. The Atlas and Census of Wading Bird and Seabird Nesting Colonies of Louisiana: 1990. Louisiana Department of Wildlife and Fisheries – Louisiana Natural Heritage Program. Special Publication No. 3 for the U.S. Department of Interior – Fish and Wildlife Service. Contract No. 14-16-0004-89-963.

Table 8. Nesting chronology for colonial-nesting waterbirds in Louisiana with suggested activity windows.^a

Species	Incubation Season	Incubation Period (days)	Days to Fledging	Activity ^b Window
Brown Pelican	1 Nov to 15 Jun	28-30	74-76	1 Aug to 31 Oct
Olivaceous Cormorant	15 Mar to 15 Apr	23-26	35-42	1 Jul to 1 Mar
American Anhinga	15 Mar to 15 Apr	25-28	?	1 Jul to 1 Mar
Great Blue Heron	1 Mar to 30 Apr	25-29	58-62	1 Aug to 15 Feb
Great Egret	1 Mar to 31 May	23-24	40-44	1 Aug to 15 Feb
Snowy Egret	16 Mar to 15 Jun	17-19	20-25	1 Aug to 1 Mar
Little Blue Heron	16 Mar to 15 Jun	22-24	28-32	1 Aug to 1 Mar
Tricolored Heron	16 Mar to 15 Jun	20-22	?	1 Aug to 1 Mar
Reddish Egret	16 Mar to 15 Jun	23-26	?	1 Aug to 1 Mar
Cattle Egret	16 Apr to 30 Jun	21-24	35-40	1 Sep to 1 Apr
Green-backed Heron	1 Apr to 30 Jun	19-21	16-17	1 Sep to 15 Mar
Black-crowned Night-Heron	16 Mar to 15 Jun	24-26	40-42	1 Sep to 1 Mar
Yellow-crowned Night-Heron	1 Apr to 15 Jun	?	?	1 Sep to 15 Mar
White Ibis	16 Apr to 30 Jun	21-23	35-42	1 Sep to 1 Apr
Glossy/White-faced Ibis	16 Apr to 30 Jun	21-23	42-49	1 Sep to 1 Apr
Roseate Spoonbill	16 Apr to 15 Jun	23-24	49-56	1 Aug to 1 Apr
Laughing Gull	16 Apr to 15 Jun	23-25	35-45	1 Aug to 1 Apr
Gull-billed Tern	16 May to 15 Jul	22-23	28-35	16 Sep to 1 May
Caspian Tern	1 May to 15 Jul	26-28	36-48	16 Sep to 15 Apr
Royal Tern	1 May to 15 Jul	28-31	36-48	16 Sep to 15 Apr
Sandwich Tern	1 May to 15 Jul	23-25	22-33	16 Sep to 15 Apr
Common Tern	1 May to 15 Jul	21-25	23-27	16 Sep to 15 Apr
Forster's Tern	1 Apr to 31 May	25-29	23-27	1 Aug to 15 Mar
Least Tern	1 May to 15 Jul	20-25	19-23	16 Sep to 15 Apr
Sooty Tern	16 May to 15 Jul	22-23	30-35	16 Sep to 15 Apr
Black Skimmer	16 May to 15 Jul	22-23	30-35	16 Sep to 1 May

^a Data are compiled from Bent (1921), Bent (1926), Palmer (1962), Harrison (1975), Portnoy (1977) and Terres (1980).

^b Suggested project initiation and completion dates to minimize disturbance to nesting birds.



United States Department of the Interior

FISH AND WILDLIFE SERVICE
646 Cajundome Blvd.
Suite 400
Lafayette, Louisiana 70506



December 27, 2011

John D. Foret, Ph.D.
NOAA Fisheries Service/SEFSC
Estuarine Habitats and Coastal Fisheries Center
646 Cajundome Boulevard, Room 175
Lafayette, LA 70506

Dear Dr. Foret:

Please reference your November 23, 2011, electronic mail (e-mail) requesting our review of the proposed Grand Liard Marsh and Ridge Restoration Project Environmental Assessment (EA) in Plaquemines Parish, Louisiana. That EA evaluates the potential impacts associated with marsh and ridge restoration features in the southeastern Barataria Basin near the Mississippi River. The Grand Liard Marsh and Ridge Restoration Project was authorized for funding pursuant the Coastal Wetlands Planning, Protection and Restoration Act (CWPPRA) and is sponsored by the National Marine Fisheries Service (NMFS). In your e-mail, you also requested our concurrence with your determination that the proposed action is not likely to adversely affect the endangered West Indian manatee (*Trichechus manatus*). The U.S. Fish and Wildlife Service (Service) offers the following comments in accordance with provisions of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the Endangered Species Act of 1973 (87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.), and the National Environmental Policy Act (83 Stat. 852, as amended; 42 U.S.C. 4321-4347).

General Comments

The EA adequately describes the fish and wildlife resources in the project area and potential impacts to those resources that would be associated with project implementation. The project area consists of marsh, open water, and relict ridge which provide high quality habitat for a multitude of fish and wildlife species.

Specific Comments

Page 13, Paragraph 2, Sentence 1 – This sentence indicates 140 acres of marsh habitat in the project area. The October 19, 2011, Wetland Value Assessment indicates a total of 71 acres of marsh habitat in the project area.

Page 14, Last Paragraph – This paragraph mentions the manatee. The correct common name for this species is the West Indian manatee. It should be indicated that the West



Indian manatee is an endangered species. The West Indian manatee should also be discussed in the section on threatened and endangered species on page 18.

Page 15, Paragraph 1 – This paragraph indicates “Manatees are rare in coastal Louisiana waters...” The following is a more accurate statement: West Indian manatees may be found in Lakes Pontchartrain and Maurepas, and Louisiana coastal waters during the warmer months and their occurrences appear to be increasing in Louisiana. Based on the proposed project location, it is unlikely that West Indian manatees would occur in the project area.

Page 31, Impacts on Migratory Bird Resources, Preferred Alternative – Build Alternative 1 – Please include the following language: “Because it is uncertain whether nesting colonies occur within the project area vicinity, it is recommended that a qualified biologist inspect the proposed work site for the presence of undocumented nesting water birds during the nesting season. If colonies containing nesting wading birds (i.e., herons, egrets, night-herons, ibis, and roseate spoonbills), anhingas, and/or cormorants are observed, all activity occurring within 1,000 feet of the nesting colony should be restricted to the non-nesting period (i.e., September 1 through February 15, exact dates may vary within this window depending on species present).

If the project is long-term or time sensitive, and the time-of-year restriction cited above is not practicable, it may be necessary to develop an abatement plan to ensure that birds do not nest at the time of project construction. That abatement plan should be developed in consultation with the Service.”

Page 15, Paragraph 4 – The saline marshes of the project area would probably be more likely to support muskrat than nutria, as nutria are more likely to be found in lower-salinity environments with the highest populations in fresh and intermediate marshes. Alligators may also be unlikely in the project area as they prefer fresher habitats. Bat species would also be unlikely in the project area as the area lacks sufficient wooded habitat for roost sites.

Page 18, Threatened and Endangered Species – This section should mention the endangered West Indian manatee because it was mentioned previously on page 15. The following should be added in this section: “West Indian manatees may be found in Lakes Pontchartrain and Maurepas, and Louisiana coastal waters during the warmer months and their occurrences appear to be increasing in Louisiana. Based on the proposed project location, it is unlikely that West Indian manatees would occur in the project area.”

Page 23, Table 5, Threatened and Endangered Species, Preferred Alternative – It is suggested that the first sentence be revised to “Construction would include measures to ...”

Page 32, Impacts on Threatened and Endangered Species – Impacts to the West Indian manatee should be addressed in this section. The following language is suggested: “Manatees may rarely occur in coastal Louisiana during the warmer months and are unlikely to occur in the project area. Additionally, methods used to minimize impacts to


sea turtles and Gulf sturgeon would also reduce the potential to affect manatees. A request for concurrence has been sent to the U.S. Fish and Wildlife Service under Section 7 of the Endangered Species Act.”

Based on the information provided, inclusion of the language above regarding the West Indian manatee, and their unlikely occurrence in the project area, the Service concurs with your determination that the proposed project is not likely to adversely affect federally listed species under our authority.

No further endangered species consultation will be required for this project unless there are changes in the scope or location of the work, or construction has not been initiated within one year. If the work has not been initiated within one year, follow-up consultation should be accomplished with this office prior to making expenditures for construction.

The Service appreciates the opportunity to comment on this draft EA. If you have any questions regarding our comments, please contact Kevin Roy at (337) 291-3120 or Debbie Fuller at (337) 291-3124. For guidance regarding our migratory bird recommendations, please contact Patti Holland at (337)-291-3121.

Sincerely,



David Walther
Acting Supervisor
Louisiana Field Office

cc: EPA, Dallas, TX
NMFS, Baton Rouge, LA
USACE, New Orleans, LA
NRCS, Alexandria, LA
LA Dept. of Wildlife and Fisheries, Baton Rouge, LA
LA Office of Coastal Protection and Restoration, Baton Rouge, LA



UNITED STATES DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
NATIONAL MARINE FISHERIES SERVICE

Southeast Regional Office
263 13th Avenue South
St. Petersburg, Florida 33701

April 11, 2012 F/SER46/RH:jk
225/389-0508

John D. Foret, Ph.D.
NOAA Fisheries Service/SEFSC
Estuarine Habitats and Coastal Fisheries Center
646 Cajundome Boulevard, Room 175
Lafayette, Louisiana 70506

Dear Dr. Foret:

NOAA's National Marine Fisheries Service (NMFS) has reviewed the draft Environmental Assessment (EA) for the Grand Liard Marsh and Ridge Restoration (BA-68) project funded for construction under the auspices of the Coastal Wetlands Planning, Protection and Restoration Act. The project entails creation and nourishment of 460 acres of saline marsh and the restoration of about 3.4 miles (24 acres) of ridge habitat.

NMFS has reviewed the draft EA and believes that all pertinent resources have been adequately described and likely project impacts to those resources adequately characterized. As such, we have no comments to provide on the draft EA. In addition, because the project, as described in the EA, would help create and restore productive categories of essential fish habitat and benefit marine fishery resources, NMFS fully supports rapid implementation.

We appreciate the opportunity to review and comment on the draft EA.

Sincerely,

Virginia M. Fay
Assistant Regional Administrator
Habitat Conservation Division

c:
F/SER46, Swafford
Files



BOBBY JINDAL
GOVERNOR



PEGGY M. HATCH
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

FEB 22 2012

Louisiana Coastal Protection & Restoration Authority
P.O. Box 44027
Baton Rouge, LA 70804

Attention: Tye Fitzgerald, Agent for the National Marine Fisheries Service

RE: Water Quality Certification (WQC 120110-04/AI 180127/CER 20120001)
Corps of Engineers Permit (MVN-2011-3319-EOO)
Plaquemines Parish


Dear Mr. Fitzgerald:

The Louisiana Department of Environmental Quality (the Department) has reviewed your application to dredge waterbottoms & place spoil and fill material for the restoration of coastal marsh and a ridge (Grand Liard), approximately 7.5 miles west-northwest of Venice, Louisiana.

Based on the information provided in the application, the Department made a determination that the requirements for a Water Quality Certification have been met and concludes that the placement of the fill material will not violate water quality standards of Louisiana as provided for in LAC 33:IX.Chapter 11. Therefore, the Department hereby issues a Water Quality Certification to the National Marine Fisheries Service.

If you have any questions, please call Jamie Phillippe at 225-219-3225.

Sincerely,



Melvin C. Mitchell, Sr.
Administrator
Water Permits Division
MCM/jjp

c: Corps of Engineers- New Orleans District

BOBBY JINDAL
GOVERNOR



SCOTT A. ANGELLE
SECRETARY

State of Louisiana
DEPARTMENT OF NATURAL RESOURCES
OFFICE OF COASTAL MANAGEMENT

December 28, 2011

Richard Hartman
National Marine Fisheries Service
c/o LSU, Military Science Bldg, Rm 266
Baton Rouge, LA 70803

JAN - 3 2011
h/m

RE: **C20110518**, Coastal Zone Consistency
National Marine Fisheries Service
Grand Liard Marsh and Ridge Restoration CWPPRA Project BA-68: Ridge and marsh
restoration via dedicated dredging and sheet piling, **Plaquemines Parish, Louisiana.**

Dear Mr. ~~Hartman~~ *Rick*:

The above referenced project has been reviewed for consistency with the approved Louisiana Coastal Resource Program (LCRP) as required by Section 307 of the Coastal Zone Management Act of 1972, as amended. The project, as proposed in the application, is consistent with the LCRP. If you have any questions concerning this information request, please contact Jeff Harris of the Consistency Section at (225) 342-7949 or 1-800-267-4019.

Sincerely,

Keith Lovell

Keith Lovell
Administrator
Interagency Affairs/Field Services Division

KOL/jdh

cc: Tye Fitzgerald, CPRA
Dave Butler, LDWF
Albertine Kimble, Plaquemines Parish

CAPITAL CITY PRESS

**Publisher of
THE ADVOCATE**

PROOF OF PUBLICATION

The hereto attached notice was published in **THE ADVOCATE**, a daily newspaper of general circulation published in Baton Rouge, Louisiana, and the Official Journal of the State of Louisiana, City of Baton Rouge, and Parish of East Baton Rouge, in the following issues:

12/01/11



Shelley Calloni, Public Notice Clerk

Sworn and subscribed before me by the person whose signature appears above

December 1, 2011



M. Monic McChristian,
Notary Public ID# 88293
State of Louisiana

My Commission Expires: Indefinite



NOAA **4571110**
CECELIA LINDER
1315 EAST-WEST HWY
SILVER SPRING MD 20910

NOTICE

NATIONAL MARINE FISHERIES SERVICE NOTICE OF AVAILABILITY OF THE DRAFT ENVIRONMENTAL ASSESSMENT FOR THE GRAND LIARD MARSH AND RIDGE RESTORATION PROJECT

Notice is hereby given of the availability of the draft Environmental Assessment (EA) for the proposed Grand Liard Marsh and Ridge Restoration project. The National Oceanic and Atmospheric Administration's (NOAA) National Marine Fisheries Service (NMFS) has prepared a draft EA for the Grand Liard Marsh and Ridge Restoration project in accordance with the National Environmental Policy Act (NEPA) of 1969, as implemented by the regulations of the Council on Environmental Quality (CEQ) (Title 40 Code of Federal Regulations (CFR) Parts 1500 through 1508 (CEQ 1992)) and NOAA Administrative Order (NAO) 216-6, which describes NOAA's policies, requirements, and procedures for complying with NEPA and the regulations for implementation. The purpose of the proposed action is to support the coastal restoration objectives of the Coastal Wetlands Planning, Protection and Restoration Act by restoring a natural ridge adjacent to Bayou Grand Liard and re-establishing adjoining marshes in the project area using offshore sediment.

As the federal sponsor for the Grand Liard Marsh and Ridge Restoration project, NMFS is responsible for project oversight in partnership with the State of Louisiana Coastal Protection and Restoration Authority. The draft EA analyzes the impacts of two design alternatives that had differences regarding the inclusion of a ridge feature and size of marsh area restored, as well as the no action alternative. The preferred alternative would restore and create approximately 460 acres of marsh habitat and 24 acres of ridge habitat using on-shore dredged material. Native vegetation would be planted after construction to help stabilize the rebuilt marsh and ridge habitat. All comments received will be considered by NMFS and will become part of the public record. If no significant issues are identified during the comment period, NMFS will finalize the draft EA, issue a Finding of No Significant Impact (FONSI), and proceed to construction. Unless substantive comments are received, NMFS will not publish another notice for this project. The draft EA is available for review on-line at http://www.habitat.noaa.gov/pdf/grand_liard_ba_68_draft_environmental_assessment.pdf or upon request. A printed copy is available at the Plaquemines Parish Public Library at 6442 Highway 23, Belle Chasse, Louisiana. All questions or comments on the draft EA must be received no later than 5 p.m. EST on January 4, 2012. Comments on the draft EA may be submitted by the following methods. E-mail: Send comments to Cecelia.Linder@noaa.gov. Please include "Grand Liard Draft EA" in the subject line of the e-mail. Mail: Send written comments to Cecelia Linder, F/HC3 1315 East-West Hwy Silver Spring, MD 20910. Fax: 301-713-0184. Please identify the fax as regarding "Grand Liard Draft EA". For further information, or to request a hard copy or CD of the draft EA, please contact Cecelia Linder, (301) 427-8675 or Cecelia.Linder@noaa.gov.

4571110-dec 1-11

The Times-Picayune

3800 HOWARD AVENUE, NEW ORLEANS, LOUISIANA 70125-1429 TELEPHONE (504) 826-3201

Notice is hereby given of the availability of the draft Environmental Assessment (EA) for the proposed Grand Liard Marsh and Ridge Restoration project. The National Oceanic and Atmospheric Administration's (NOAA) National Marine Fisheries Service (NMFS) has prepared a draft EA for the Grand Liard Marsh and Ridge Restoration project in accordance with the National Environmental Policy Act (NEPA) of 1969, as implemented by the regulations of the Council on Environmental Quality (CEQ) (Title 40 Code of Federal Regulations (CFR) Parts 1500 through 1506 (CFR 1992)) and NOAA Administrative Order (NAO) 218-6, which describes NOAA's policies, requirements, and procedures for complying with NEPA and the regulations for implementation. The purpose of the proposed action is to support the coastal restoration objectives of the Coastal Wetlands Planning, Protection and Restoration Act by restoring a natural ridge adjacent to Bayou Grand Liard and re-establishing adjoining marshes in the project area using offshore sediment. As the federal sponsor for the Grand Liard Marsh and Ridge Restoration project, NMFS is responsible for project oversight in partnership with the State of Louisiana Coastal Protection and Restoration Authority. The draft EA analyzes the impacts of two design alternatives that had differences regarding the inclusion of a ridge feature and size of marsh area restored, as well as the no action alternative. The preferred alternative would restore and create approximately 460 acres of marsh habitat and 24 acres of ridge habitat using offshore dredged material. Native vegetation would be planted after construction to help stabilize the rebuilt marsh and ridge habitat. All comments received will be considered by NMFS and will become part of the public record. If no significant issues are identified during the comment period, NMFS will finalize the draft EA, issue a Finding of No Significant Impact (FONSI), and proceed to construction. Unless substantive comments are received, NMFS will not publish another notice for this project. The draft EA is available for review on-line at http://www.habitat.noaa.gov/p-df/grand_liard_ea_dd_draft_environmental_assessment.pdf or upon request. A printed copy is available at the Piqueoumees Parish Public Library at 8442 Highway 23, Belle Chasse, Louisiana. All questions or comments on the draft EA must be received no later than 5 p.m. EST on January 4, 2012. Comments on the draft EA may be submitted by the following methods: E-mail: Send comments to Cecelia.Linder@noaa.gov. Please include "Grand Liard Draft EA" in the subject line of the e-mail. Mail: Send written comments to Cecelia Linder, F/HC3 1315 East-West Hwy, Silver Springs, MD 20910. Fax: 301-713-0164. Please identify the fax as regarding "Grand Liard Draft EA." For further information, or to request a hard copy or CD of the draft EA, please contact Cecelia Linder, (301) 427-9676 or Cecelia.Linder@noaa.gov.

I attest that the copy attached hereto as "Exhibit A" is a true and correct copy of the advertisement published in The Times-Picayune on these dates.

State of Louisiana

Parish of Orleans

City of New Orleans

Personally appeared before me, a Notary in and for the parish of Orleans, Elizabeth C. Darcey who deposes and says that she is an Assistant Controller of The Times-Picayune, L.L.C., a Louisiana Corporation, Publishers of The Times-Picayune, Daily and Sunday, of general circulation; doing business in the City of New Orleans and the State of Louisiana, and that the attached

LEGAL NOTICES

Re: Notice of Availability of the Draft Environmental Assessment for the Grand Liard Marsh

Advertisement of Cecelia Linder

F/HC3 1315 East-West Hwy
Silver Springs, MD 20910


Was published in The Times Picayune

3800 Howard Ave.
New Orleans, LA 70125

On the following dates December I, 2011

1st



Sworn to and subscribed before me this
Day of December, 2011


Notary Public

My commission expires at my death.

Charles A. Ferguson, Jr.

Notary identification number 23492



**Comprehensive Master Plan
Plaquemines Parish,
Louisiana**

Existing Land Use

Data Sources: LRA, Louisiana Speaks and NORPC

Legend		
● Communities	Agricultural	Parks or Open Space
■ Ferry Crossings	Civic or Institutional	Residential
■ Railroad	Commercial	Single-Family Residential
— State Highway	Forest	Transport - Communication
— Local Roads	Industrial	Undeveloped
■ Lakes, Ponds, Rivers	Multifamily Residential	Water

FINDING OF NO SIGNIFICANT IMPACT for the Grand Liard Marsh and Ridge Restoration Project (BA-68) in Plaquemines Parish, Louisiana

National Oceanic and Atmospheric Administration (NOAA) Administrative Order 216-6 (May 20, 1999) contains criteria for determining the significance of the impacts of a proposed action. In addition, the Council on Environmental Quality (CEQ) regulations at Title 40 Code of Federal Regulations (CFR) Section 1508.27 state that the significance of an action should be analyzed both in terms of “context” and “intensity.” Each criterion listed below is relevant to making a finding of no significant impact (FONSI) and has been considered individually, as well as in combination with the others. The preferred alternative is building marsh and ridge along Bayou Grand Liard utilizing an identified offshore borrow area that contains appropriate construction material. The significance of this action is analyzed based on the NOAA Administrative Order (NAO) 216-6 criteria and CEQ’s context and intensity criteria and is specific to the preferred alternative based on the evaluation of alternatives in the supporting environmental assessment (EA), hereby incorporated by reference. These criteria include:

(1) Can the proposed action reasonably be expected to cause substantial damage to the ocean and coastal habitats or essential fish habitat as defined under the Magnuson-Stevens Act and identified in Fishery Management Plans (FMPs)?

Response: No, the proposed action will not cause substantial damage to ocean and coastal habitats or essential fish habitat (EFH) as defined under the Magnuson-Stevens Act and identified in FMPs. Although some temporary adverse impacts will occur during construction, they are not substantial and will result in lasting benefits to coastal habitats and EFH. The NOAA Fisheries Habitat Conservation Division is charged with review of federal projects pursuant to the Magnuson-Stevens Act and has determined that the action presents no significant threat to EFH or managed species. The project sponsors determined that the preferred alternative will enhance existing habitat. Some types of EFH that are abundant in the northern Gulf of Mexico (such as open water) will be converted to less common types of EFH (emergent marsh) critical to juveniles of some estuarine-dependent managed species, including brown shrimp, white shrimp, and red drum. Short-term, unavoidable, adverse impacts to habitats supportive of various life stages of brown shrimp, white shrimp, and red drum would occur during the construction phase of the proposed project as marsh is filled and created. Approximately 160 acres of marsh currently are present in the project area (485 total acres). About 15 acres of existing marsh would be converted to ridge habitat. The remaining existing marsh would be nourished as part of the marsh creation and nourishment project feature. Overall, post-construction increases in the quality and quantity of the marsh would offset impacts to these marsh acres. Without action, approximately 346 less acres of coastal habitats are projected to be available in 20 years.

Short-term adverse minor impacts to EFH will result from dredging. Turbidity and disturbance of the benthic habitat will increase during dredging, affecting shallow

EFH for managed species. However, turbidity is naturally high in these shallow open water areas. Natural sedimentation rates are expected to fill the borrow areas in the northern Gulf of Mexico to pre-dredging bathymetric contours. Managed species can readily relocate to the hundreds of thousands of acres of similar substrate available nearby.

(2) Can the proposed action be expected to have a substantial impact on biodiversity or ecosystem function within the affected area (for example, benthic productivity, predator-prey relationships, and similar factors)?

Response: No, the project will not have a substantial impact on ecosystem function or species biodiversity within the affected area. The project is designed to approximate naturally-occurring marsh and stream bank conditions along the Louisiana coast, which will increase primary productivity and diversity of the site. Native plant species will be planted to mimic naturally occurring banks and marshes and increase diversity. Tidal channels generally develop naturally within the marsh after consolidation and settlement; gapping of retention dikes will be conducted if natural settlement and erosion are not sufficient to provide quality fisheries (edge) habitat and enhance fisheries ingress and egress.

(3) Can the proposed action reasonably be expected to have a substantial adverse impact on public health or safety?

Response: No, the project will not have a substantial adverse impact on public health or safety. The project location is remote, accessible only by boat and used primarily for recreational fishing. During construction, some noise and exhaust fumes would create a temporary localized disturbance, but not a hazard to human health or safety.

Dredging activities have the potential to rupture or damage existing oil and gas infrastructure (pipelines, wellheads, etc.) that could result in an oil spill and potentially a natural gas explosion. Oil spills and/or natural gas explosions are the most reasonable serious impacts to public health and safety from the proposed action. Surveys to identify any unmarked pipelines will be required of the contractor prior to dredging and four potential abandoned well locations will be avoided during construction to further minimize the likelihood.

(4) Can the proposed action reasonably be expected to adversely affect endangered or threatened species, their critical habitat, marine mammals, or other non-target species?

Response: No, the project is not likely to adversely affect any federal or state listed species. Although temporary adverse impacts limited to the construction phase may occur to individuals, these impacts are not expected to be biologically significant or adversely modify populations. The U.S. Fish and Wildlife Service and NOAA have coordinated on avoidance measures of the proposed action that will limit or avoid adverse effect on federally proposed or listed endangered or

threatened species that could occur within the project area. As a result, NOAA has concluded informal Section 7 consultation under the Endangered Species Act and USFWS concurred with NOAA's determination that the proposed action is not likely to adversely affect any federally listed species. No other non-target species will be adversely impacted.

(5) Are significant social or economic impacts interrelated with natural or physical environmental effects?

Response: No, no significant adverse social or economic impacts are interrelated with natural or physical environmental effects of the proposed action. The human environment will benefit minimally from construction-related economic activity and from enhanced opportunities for recreational and commercial fishing, but these effects will not be significant.

(6) Are the effects on the quality of the human environment likely to be highly controversial?

Response: No, it has been determined that the project will have no substantial adverse effects on the quality of the human environment and thus is not likely to generate high levels of controversy. Restoring the ridge and marsh will improve the human environment. The proposed action was selected to be designed by the Coastal Wetlands Planning, Protection, and Restoration Act (CWPPRA) Task Force through a publicly vetted process. Federal, state, and local government agencies have had the opportunity to review and comment on the proposed action since its inception. No substantial dispute exists as to the project's size, nature, or effect. NOAA's review of the environmental impacts of the project, including comments provided by other resource agencies, did not raise substantial questions as to whether the project would cause significant degradation of the human environment.

(7) Can the proposed action reasonably be expected to result in substantial impacts to unique areas, such as historic or cultural resources, park land, prime farmlands, wetlands, wild and scenic rivers, essential fish habitat, or ecologically critical areas?

Response: No, the project cannot be reasonably expected to have a substantial negative impact on historic or cultural resources, park land, prime farmlands, wetlands, wild and scenic rivers, EFH, or ecologically critical areas. No prime farmlands, parklands, or wild and scenic rivers exist on the site or in the limited area of the project's impact. The proposed action is assumed to have a beneficial effect on wetland habitat, fish habitat, and ecologically critical areas. The intent of the project is to restore a highly degraded marsh. The temporary impact to fish and wetlands habitat is non-significant and expected to be offset by the restoration of habitat derived from the preferred alternative.

The State Historic Preservation Office was consulted under National Historic Preservation Act Section 106 and determined that the project will have no adverse effect on cultural or historic resources. There were no submerged cultural sites identified within the construction or borrow areas, and thus no impacts are expected.

(8) Are the effects on the human environment likely to be highly uncertain or involve unique or unknown risks?

Response: No, the proposed action is similar to completed marsh restoration projects in Louisiana during the past several years. The project involves risks that are understood and avoidable. Lessons learned on previous projects are propagated throughout the CWPPRA program through meetings of the technical committees and work groups, and the project sponsor participates in these meetings.

(9) Is the proposed action related to other actions with individually insignificant, but cumulatively significant, impacts?

Response: No, the proposed action will not contribute to any cumulatively significant impacts. The proposed action is part of a regional effort to restore and protect wetlands across coastal Louisiana. Every individual project creates temporary, localized adverse effects on existing habitat, but these are not cumulatively significant and results in the long-term beneficial addition of valuable elevation to the wetland system. Collectively, marsh creation projects contribute positively to an ecosystem by providing additional sediment into the system. These sediments then become available to help nourish and sustain adjacent marshes.

(10) Is the proposed action likely to adversely affect districts, sites, highways, structures, or objects listed in or eligible for listing in the National Register of Historic Places or may cause loss or destruction of significant scientific, cultural, or historical resources?

Response: No. All potential cultural resources, identified by a Phase One survey of the proposed borrow area, will be avoided during dredging. Additionally, a qualified archeologist conducted an assessment of the bank line of Grand Liard to determine if potentially significant resources were present. Upon review of the above investigations, the State Historic Preservation Officer determined that the project will have no adverse effect on cultural or historic resources.

(11) Can the proposed action reasonably be expected to result in the introduction or spread of a non-indigenous species?

Response: No, the action will not result in the introduction or spread of non-indigenous species but instead may result in their reduction. The proposed action is habitat restoration that will increase the functional value of the marsh, thereby

supporting native species. Native plant species will be used to stabilize the soil and increase the diversity of native species in the area. The proposed action includes monitoring and removal of woody invasive species should they occur after project construction.

(12) Is the proposed action likely to establish a precedent for future actions with significant effects or represent a decision in principle about a future consideration?

Response: No, the proposed action will not establish a precedent for future actions with significant effects or represent a decision in principle about a future consideration. This project is a stand-alone project with no identifiable funding for future action beyond the scope and funding currently allocated for the preferred alternative. Any additional action in this area would need to compete for CWPPRA, or any other, funds.

(13) Can the proposed action reasonably be expected to threaten a violation of federal, state, or local law or requirements imposed for the protection of the environment?


Response: No, the project has been planned and coordinated to comply with all applicable environmental protection laws, and no violations are likely or expected. In addition, the project will be implemented in compliance with all permits and other authorizations required by the state and federal regulatory agencies.

(14) Can the proposed action reasonably be expected to result in cumulative adverse effects that could have a substantial effect on the target species or non-target species?

Response: No, the proposed action will not result in a substantial cumulative adverse effect on target species or non-target species. The primary goal of this restoration project is to restore fragmented marsh habitat and eroded ridge habitat, thereby increasing the functional value of EFH and other habitat in the vicinity. As such, the net effects are incrementally beneficial.

DETERMINATION

In view of the information presented in this document and the analysis contained in the supporting EA prepared for the Grand Liard Marsh and Ridge Restoration Project (BA-68) in Plaquemines Parish, Louisiana, it is hereby determined that the preferred alternative identified for implementation will not result in direct, indirect, or cumulative significant impacts on the quality of the human environment. In addition, all beneficial and adverse impacts of the proposed action have been fully considered and evaluated to reach the Finding of No Significant Impact (FONSI). Accordingly, preparation of an Environmental Impact Statement for this action is not necessary.



Brian T. Pawlak
Acting Director
Office of Habitat Conservation
NOAA

JUN 22 2012

Date