

CRUISE RESULTS  
NOAA FRV Gloria Michelle  
Gulf of Maine Northern Shrimp Survey  
GM 22-03 Parts I-III  
4 July – 21 July 2022

Submitted to: NOAA, NEFSC

Charles Keith  
NOAA Fisheries Service Northeast Fisheries Science Center  
166 Water Street  
Woods Hole, MA 02543  
Phone: (508)-495-2067  
Email: [Charles.Keith@noaa.gov](mailto:Charles.Keith@noaa.gov)

Date: 2022



UNITED STATES DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
NATIONAL MARINE FISHERIES SERVICE  
Northeast Fisheries Science Center  
166 Water Street  
Woods Hole, MA 02543-1026

13 October 2022

## CRUISE RESULTS

NOAA FRV *Gloria Michelle*  
Gulf of Maine Northern Shrimp Survey  
GM 22-03 Parts I-III  
4 July – 21 July 2022

## INTRODUCTION

This report summarizes results of the 2022 survey cruise for northern shrimp, *Pandalus borealis*, in the western Gulf of Maine. This was the 39<sup>th</sup> survey conducted by the Northeast Fisheries Science Center (NEFSC) in cooperation with the Northern Shrimp Technical Committee of the Atlantic States Marine Fisheries Commission. The survey is designed to provide data required for annual stock assessments and related tasks.

The 2022 Gulf of Maine Northern Shrimp Survey was conducted using best practices to keep crew and science staff safe during the COVID-19 Pandemic. Science staff sailed with five staff on each leg (typically six).

## METHODS

The survey cruise was conducted from 4 July to 21 July 2022 aboard FRV *Gloria Michelle*, a 72-foot, 96 gross registered ton (GRT) stern trawler powered by a 365 horsepower Caterpillar diesel engine. Fieldwork was overseen by NEFSC staff. Participants included personnel from the NEFSC and the ASMFC.

The 2022 Northern Shrimp Survey was completed over the course of 3 survey legs. A stratified random sampling design was used to select stations sampled (Figure 1). The number of stations allocated to each stratum was based on the importance of the stratum to the assessment and on the total area of the stratum. Additional non-random stations were also occupied. Field work was conducted during daylight hours in recognition of diel changes in northern shrimp availability. The survey was scheduled to be completed in three parts: Leg 1 during 4 – 9 July; Leg 2 during 11 - 15 July; Leg 3 during 17 - 22 July 2022.

The vessel departed Woods Hole, MA and made intermediate port calls in New Castle, NH before ending the survey in Woods Hole, MA.

At each station, a 15 minute tow was made at a vessel speed of two knots. Gear consisted of Bison size 7+ trawl doors and a four-seam modified commercial shrimp trawl fished at a scope of 3:1 in depths up to and including 85 fathoms; 250 fathoms of wire in depths between 86 and 100 fathoms; and a scope of 2.5:1 in depths greater than 100 fathoms.

Reference/hull surface temperatures and meteorological observations were recorded at each station. A NOTUS Trawl Monitoring System was deployed to monitor trawl gear performance on all survey tows. Door spread, wing spread, and bottom contact of the trawl were transmitted and logged electronically. A Seabird long-endurance CTD was attached to the headrope of the net for each survey tow to collect temperature, depth, and conductivity data.

A 2 kilogram (kg) subsample of Pandalid shrimp was collected at stations where greater than 2 kg to determine species composition. Length frequency measurements were collected for Northern Shrimp, *Pandalus borealis*, (mid-dorsal carapace length, rounded down to the nearest tenth of a millimeter) in addition to sex and female spawning condition (Rasmussen 1953; McCrary 1971). When less than 2 kg of shrimp were caught at a station, the entire catch was processed as described above.

For other species of invertebrates and finfish, standard NEFSC bottom trawl survey techniques (Azarovitz 1981, Grosslein 1969) were used to process the catch. Bony fish were measured to the nearest centimeter (cm) to the end of the central caudal ray; American lobsters were measured in millimeters (mm) from eye socket to end of carapace; and carapace width (cm) was recorded for crabs. Bivalves were measured by shell height (cm) and cephalopods were measured by mantle length (cm). All species weights were recorded to the nearest 0.001 kg. The remainder of the catch (miscellaneous invertebrates, trash, etc.) was recorded by weight. Total and individual weights and lengths for shrimp and all other measured species were recorded directly into the Fisheries Scientific Computer System (FSCS), version 2.0.

## RESULTS

During legs 1 – 3 of the shrimp survey, a total of 59 representative stations and 2 non-representative station were completed. Northern shrimp were collected at 32 stations (Table 1). There were 19 representative fixed stations and 1 non-representative fixed station. Stratum 1, tow 2 had the highest total catch weight of northern shrimp (6.48 kg).

All shrimp, finfish, and select invertebrate data have been audited and archived in computer data files (total weights, numbers, and length frequencies). Scientific sample collections are summarized in Table 2. This information is available on request (refer to NEFSC Survey Master Data Files Cruise Code 202270).

## REFERENCES

- Azarovitz, T. R. 1981. A brief historical review of the Woods Hole Laboratory trawl survey time series. *Can. Spec. Publ. Fish. Aquat. Sci.*, 58: 62-67.
- Grosslein, M. D. 1969. Groundfish survey methods. NMFS, Woods Hole, Lab. Ref. Doc. 69-2, 34p.
- McCrary, J. A. 1971. Sternal spines as a characteristic for differentiating between females of some Pandalidae. *J. Fish. Res. Board Can.*, 28: 98-100.
- Rasmussen, B. 1953. On the geographical variation in growth and sexual development of the deep-sea prawn (*Pandalus borealis* kr.). *Norway Fish. Mar. Invest. Rep.*, 10 (3); 1-160.

**Table 1.** Summary of stations where northern shrimp were collected during the 2022 NOAA Northeast Fisheries Science Center Gulf of Maine Northern Shrimp Survey aboard FRV *Gloria Michelle*, 4 July – 21 July 2022. (\* indicates a Non-Representative tow)

STRATUM-TOW	STATION	LATITUDE	LONGITUDE	DEPTH (m)	BOTTOM TEMP (C)	TOTAL No. <= 22mm	TOTAL No. > 22mm	TOTAL NUMBER	TOTAL WEIGHT (kg)
10-7	1*	43 02	68 10	208		0	0	0	0
10-4	2	43 02	68 10	210	7.81	0	0	0	0
10-6	3	43 14	68 19	186	9.03	0	0	0	0
10-2	4	43 20	68 06	217	9.32	0	0	0	0
10-5	5	43 34	68 29	180	8.88	0	20	20	0.252
8-3	6	43 38	68 36	157	8.66	9	127	136	1.468
8-4	7	43 34	68 44	162	8.4	42	211	253	2.416
8-2	8	43 32	68 48	145	8.25	7	33	40	0.462
8-7	9	43 28	68 55	116	7.02	0	0	0	0
8-5	10	43 26	68 58	138	6.93	1	4	5	0.062
6-10	11	43 34	69 02	137	6.96	2	12	14	0.113
6-5	12	43 23	69 15	166	6.92	1	4	5	0.067
6-8	13	43 20	69 13	154	6.85	1	1	2	0.029
6-2	14	43 19	69 22	172	6.96	1	1	2	0.03
6-11	15	43 07	69 26	172	7.08	2	22	24	0.191
6-7	16	43 07	69 16	218	7.18	0	0	0	0
6-1	17	43 09	69 07	187	7.09	0	1	1	0.017
10-3	18	42 54	68 24	183	7.63	0	0	0	0
8-8	19	42 56	68 33	198	7.76	0	5	5	0.071
8-1	20	42 59	68 50	185	8.15	0	2	2	0.025
8-6	21	42 48	68 58	157	7.18	0	0	0	0
6-9	22	42 50	69 15	142	6.94	0	0	0	0
6-13	23	42 55	69 16	161	7.06	0	0	0	0
1-2	24	42 58	70 14	170	6.38	18	446	464	6.48
1-7	25	43 00	70 22	123	6.56	0	2	2	0.031
1-6	26	43 09	70 16	125	6.78	0	0	0	0
1-5	27	43 09	70 06	150	6.67	0	67	67	0.846
1-4	28	43 14	70 07	141	6.73	0	6	6	0.103
3-3	29	43 17	69 57	148	6.99	0	40	40	0.532
1-3	30	43 17	70 00	144	6.76	0	196	196	2.554
3-6	31	43 21	69 56	164	6.96	2	105	107	1.108
3-2	32	43 22	69 58	160	6.93	0	17	17	0.198
3-7	33	43 25	69 56	147	6.81	0	5	5	0.077
3-4	34	43 30	69 48	127	6.82	0	37	37	0.476
3-8	35	43 23	69 38	155	6.84	0	12	12	0.14
6-14	36	43 26	69 23	156	6.93	0	4	4	0.049
6-12	37	43 02	69 28	160	7.14	0	0	0	0
3-5	38	42 57	69 32	164	7.2	0	0	0	0
3-11	39*	43 06	69 45	158	7.05	0	0	0	0
1-1	40	42 53	70 27	111	6.26	2	51	53	0.618
3-1	42	43 05	69 46	161	7.07	0	1	1	0.013
5-2	43	42 54	69 45	208	8.07	1	1	2	0.022
5-4	44	42 50	69 42	207	8.06	2	0	2	0.027


**Table 1 (continued).** Summary of stations where northern shrimp were collected during the 2022 NOAA Northeast Fisheries Science Center Gulf of Maine Northern Shrimp Survey aboard FRV *Gloria Michelle*, 4 July – 21 July 2022.

STRATUM-TOW	STATION	LATITUDE	LONGITUDE	DEPTH (m)	BOTTOM TEMP (C)	TOTAL No. <= 22mm	TOTAL No. > 22mm	TOTAL NUMBER	TOTAL WEIGHT (kg)
5-1	45	42 47	69 37	209	8.34	0	0	0	0
3-10	46	42 48	69 31	173	7.84	0	0	0	0
6-6	47	42 48	69 27	164	7.45	0	0	0	0
3-9	48	42 50	69 35	182	7.84	0	0	0	0
7-1	49	42 37	69 15	215	8.08	0	0	0	0
4-2	50	42 05	69 52	115	7.08	0	0	0	0
5-3	51	42 11	69 31	227	8.13	0	0	0	0
7-4	52	42 11	69 23	199	7.93	0	0	0	0
7-5	53	42 17	69 17	217	8.12	0	0	0	0
5-5	54	42 21	69 30	238	8.25	0	0	0	0
5-6	55	42 16	69 33	234	8.1	0	0	0	0
7-3	56	42 33	69 08	213	8.41	0	0	0	0
7-6	57	42 31	69 03	206	8.56	0	1	1	0.012
7-2	58	42 26	69 03	226	8.39	0	0	0	0
9-1	59	42 31	68 45	200	8.3	0	0	0	0
4-1	60	42 38	69 58	182	7.44	2	2	4	0.042
2-2	61	42 31	70 25	101	6.74	0	0	0	0
2-1	62	42 23	70 29	89	6.31	0	2	2	0.027

**Table 2.** Miscellaneous scientific collections made during the 2022 NOAA Northeast Fisheries Science Center Gulf of Maine Northern Shrimp Survey aboard FRV *Gloria Michelle*, 4 July – 21 July 2022.

<b>Investigator &amp; Affiliation</b>	<b>Samples Saved</b>	<b>Approximate Number</b>
Age & Growth, NMFS, NEFSC, Woods Hole, MA	White Hake	172 otoliths
Age & Growth, NMFS, NEFSC, Woods Hole, MA	Atlantic Herring	123 heads
Alicia Miller, NMFS, NEFSC, Woods Hole, MA	Atlantic Sea Scallop	3 shells
Joe Warren, UMASS Dartmouth	Atlantic Herring	158 fish
Linda Despres, Falmouth, MA	Various Species	5 fish

**Figure 1.** Northern shrimp survey strata and observed distribution of catch per tow (kg) of northern shrimp collected during the 2022 NOAA Northeast Fisheries Science Center Gulf of Maine Northern Shrimp Survey aboard FRV *Gloria Michelle*, 4 July – 21 July 2022.





**Appendix I.** Participants on the 2022 NOAA Northeast Fisheries Science Center Gulf of Maine Northern Shrimp Survey aboard FRV *Gloria Michelle*, 4 July – 21 July 2022.

National Marine Fisheries Service, NEFSC, Woods Hole, MA

Mike Bergman, Chief Scientist <sup>1,2</sup>	Joe Dunphy <sup>2,3</sup>
Peter Chase, Chief Scientist <sup>3</sup>	Joe Warren <sup>2</sup>
TK Arbusto <sup>1</sup>	Jayson Lucarelli <sup>2,3</sup>
Nancy McHugh <sup>1</sup>	Chad Keith <sup>3</sup>
Catherine Foley <sup>1</sup>	Carolina Breakell <sup>3</sup>
Shelby Joyce <sup>1</sup>	

Atlantic State Marine Fisheries Commission

Dustin Leaning<sup>2</sup>

Gloria Michelle Crew

LT Alex Creed<sup>1,2,3</sup>  
LTJG Trevor Grams<sup>1,2,3</sup>  
Troy Dwyer<sup>1,2,3</sup>  
Victoria Flausino<sup>1,2,3</sup>

<sup>1</sup> 4 - 9 July

<sup>2</sup> 11 - 15 July

<sup>3</sup> 17 - 21 July