

GC
1
C28
no.77-
23

NODC accession:

7500719
7500750
7600221
8300093

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

data report

PHYSICAL AND CHEMICAL DATA

ARIES Expedition

Leg I, 22 November-28 December 1970

Leg II, 13 January-14 February 1971

Leg VI, 14 June-17 July 1971

ANTIPODE Expedition

Leg IV, 29 August-17 September 1970

Leg XII, 27 May 1971

Leg XIII, 30 June-2 July 1971

SIO Reference 77-23

15 November 1977

H
GC
1

.C 28
no. 77-23

UNIVERSITY OF CALIFORNIA, *University.*
SCRIPPS INSTITUTION OF OCEANOGRAPHY, *La Jolla.*

PHYSICAL AND CHEMICAL DATA
"

ARIES Expedition

Leg I, 22 November-28 December 1970
Leg II, 13 January-14 February 1971
Leg VI, 14 June-17 July 1971

Sponsored by
Office of Naval Research (Legs II, VI)
National Science Foundation (Legs I, II, VI)

ANTIPODE Expedition

Leg IV, 29 August-17 September 1970
Leg XII, 27 May 1971
Leg XIII, 30 June-2 July 1971

Sponsored by
Office of Naval Research (Leg XII)
National Science Foundation (Legs IV, XII, XIII)

SIO Reference 77-23

CENTRAL
LIBRARY

MAY 1978

N.O.A.A.
U. S. Dept. of Commerce

Approved for distribution:

W. A. Nierenberg
W. A. Nierenberg, Director

CONTENTS

Introduction.....	3
ARIES Expedition Leg I.....	7
Figure 1-Station Positions	8
Tabulated Data	9
ARIES Expedition Leg II.....	23
Figure 2-Station Positions	24
Tabulated Data	25
ARIES Expedition Leg VI.....	57
Figure 3-Station Positions	59
Tabulated Data	60
ANTIPODE Expedition Leg IV.....	83
Figure 4-Station Positions	85
Tabulated Data	86
ANTIPODE Expedition Leg XII.....	91
Figure 5-Station Positions	92
Tabulated Data	93
ANTIPODE Expedition Leg XIII.....	95
Figure 6-Station Positions	96
Tabulated Data	97
Literature Cited.....	99
Distribution List.....	101

INTRODUCTION

This report presents hydrographic data for ARIES Expedition Legs I, II and VI, and ANTIPODE Expedition Legs IV, XII and XIII. Data from ARIES Legs III and IX will appear in a subsequent report. Data from ARIES Leg IV is too sparse to warrant publication. Both expeditions have had data previously published. ARIES Leg VIII appears as Cruise 12 in NORTH PACIFIC STUDY PHYSICAL DATA REPORT, SIO Reference Series 73-26 and ANTIPODE XV and XVII in SIO Reference Series 72-77 issued by the GEOSECS Operations Group. No hydrographic data was collected on other Legs of ANTIPODE Expedition.

Preceding the tabulated data for each cruise are: 1) a description of the principal objective and the hydrographic work carried out on the cruise, 2) sponsoring agency, 3) a description of all "non-standard" procedures, 4) a list of scientific personnel participating in the collection of data and 5) a list of publications utilizing the cruise data.

STANDARD PROCEDURES

Hydrographic Casts

Temperature was measured using paired deep-sea reversing thermometers and is reported to hundredths of a degree Celsius. In some instances specially scaled thermometers were used which were read and the results reported to thousandths of a degree. Unprotected thermometers were included on most Nansen bottles lowered more than 100 meters.

Water samples for chemical and nutrient analyses were obtained from the Nansen bottles.

Salinity was determined with a Hytech (now Plessey Environmental Systems) inductive salinometer (ARIES I) and a University of Washington (1960) conductive salinometer (ARIES II and VI, ANTIPODE IV, XII and XIII). Salinity is reported to three decimal places provided it meets accepted standards. The values are reported to two decimal places when only one determination per sample was obtained, or when the accuracy of a particular sample, or of all samples on a station may be in doubt.

Dissolved oxygen was determined by the Winkler method as modified by Carpenter (1965). Determinations were made of phosphate, silicate, nitrite and nitrate with a DU spectrophotometer according to methods suggested by Strickland and Parsons (1968).

The observed data has been evaluated using the method described by Klein (1973). This involves consideration of their variation as functions of density or depth and their relations to each other, and comparison with adjacent observations.

TABULATED DATA

Almost all data in this report was tabulated from Nansen bottle casts.* The observed values are listed on the left of each page with interpolated and calculated values at standard depths on the right. The values at standard depths are calculated according to a modified Rattray (1962) interpolation technique.

The only data reported from STD lowerings is for stations 64, 67, 68 and 69, ARIES Expedition Leg II. Temperature, salinity and calculated values at standard depths are listed on the right of the page with any data from Nansen bottles used for calibrating the STD lowering listed on the left.

The time reported for bottle casts is the time of messenger release. When a station consists of more than one cast, the messenger times for the first and last casts are given. Multiple casts are indicated by a letter following all observed depths except the cast with the shallowest depth. For STD lowerings the time given is the "start down" time.

The bottom depth, listed in meters, was determined by applying corrections from Matthews (1939) tables to echo soundings.

The weather and dominant waves were coded using the National Oceanographic Data Center (NODC) recommended conversions.

The Column headings from the computer are explained as follows:

Z	Depth	Meters
T	Temperature	°C
S	Salinity	‰
O2	Dissolved oxygen	ml/L
PO4	"Reactive" inorganic phosphate-phosphorous	µg at/L
SiO3	"Reactive" inorganic silicate-silicon	µg at/L
NO2	"Reactive" nitrite-nitrogen	µg at/L
NO3	"Reactive" nitrate-nitrogen	µg at/L
DT	δ_T Thermosteric anomaly	cl/ton
SIGT	$\sigma_t = (\rho_{s,t,0} - 1) 10^3$ where $\rho_{s,t,0}$ is the density the parcel would have if moved isothermally to the sea surface.	g/L
DD	Geopotential anomaly, referred to the sea surface.	dyn. meters

*Original STD data for ARIES Legs I, II, III, IV and IX is on file in SIO data archives. ARIES Legs V and VII were geological cruises without STD lowerings. Original STD data for ARIES Leg VI is in the possession of Dr. Bruce Taft, University of Washington. No STD data was collected on ANTIPODE Expedition.

FOOTNOTES

ARIES EXPEDITION LIST

Data which appears to be in error without obvious reason is reported, flagged uncertain with a U. Such data was not used in the determination of values at standard depths. Footnotes are used to indicate data which has required special processing.

The ARIES expedition was conducted during the summer of 1972 on the R/V R/V "Albatross" (NOAA Ship #320) of the National Science Foundation. The ship was operated by the University of Washington. The expedition was supported by the National Science Foundation, Grant #OCE-72-01272. The ship was operated by the University of Washington. The expedition was supported by the National Science Foundation, Grant #OCE-72-01272. The ship was operated by the University of Washington. The expedition was supported by the National Science Foundation, Grant #OCE-72-01272.

ARIES was sponsored by the National Science Foundation.

Personnel participating in the expedition were:

Ship's Captain

Walters, John W.

Scientific Personnel

- Anderson, Dr. E. (Chief Scientist)
- Anderson, Dr. J.
- Anderson, J. A.
- Anderson, M. J.
- Anderson, T. R.
- Anderson, W.
- Anderson, W. J.
- Anderson, W. L.
- Anderson, W. M.
- Anderson, W. N.
- Anderson, W. O.
- Anderson, W. P.
- Anderson, W. Q.
- Anderson, W. R.
- Anderson, W. S.
- Anderson, W. T.
- Anderson, W. U.
- Anderson, W. V.
- Anderson, W. W.
- Anderson, W. X.
- Anderson, W. Y.
- Anderson, W. Z.

References to ARIES data are:

Anderson, E. C., 1972. Profile survey results in the North Pacific Ocean. J. Geophys. Res., 77, 2275-2285.

Anderson, E. C., 1974. The vertical distribution, size structure, and growth rate of zooplankton in the North Pacific Ocean. J. Geophys. Res., 79, 2275-2285.

ARIES EXPEDITION LEG I

The program on ARIES I consisted principally of biological sampling in zones immediately south of the equator in mid-ocean. Crossings of this region were made near 110°W and 120°W, and partial crossings were made as far west as 145°W. The Longhurst-Hardy plankton recorder (LHPR) or serial opening-closing nets (Bongo nets) were used for plankton sampling. Nutrients and hydrographic parameters were measured at 38 stations. Focus of study was the zone of transition between the equatorial and the central waters at 10-20°S. ARIES I provided December data and samples across this zone, to be compared with March-April (1969) data obtained earlier (PIQUERO Expedition, SIO Ref. 74-27). On each of the stations, a single Nansen bottle cast of 18 bottles was lowered to approximately 1000 meters.

ARIES I was sponsored by the National Science Foundation.

Personnel participating in the expedition were:

Ship's Captain:

Bonham, John W.

Scientific personnel:

Brinton, Dr. E. (Chief scientist)
Anderson, G. C.
Antezana, T. J.
Elston, M. B.
Ferreira, S. M.
Hamilton, B.
Hemingway, G. T.
Hester, A. W.
Kellogg, D.
Matsui, T.
Mead, R. V.
Owen, G. P.
Pearson, G.
Scruggs, F.
Stewart, C. S.
Venrick, Dr. E.
Withington, P.
Youngbluth, M.

Publications utilizing ARIES I data are:

Anderson, G. C., 1972. Double oxygen minimum in the south-eastern Pacific Ocean. *J. Mar. Res.*, 30: 275-280.

Youngbluth, M., 1973. The vertical distribution, diel migration, and community structure of euphausiids. Ph.D. dissertation, Stanford University. 296 pp.




FIGURE I

RV THOMAS WASHINGTON										ARIES EXPEDITION I						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
0 58.5N		112 45.0W		11/22/70		0626		GMT	3933M	010	15KT	1	49			
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	OT	DD	
0	19.05	34.682	4.17	1.16	12.	.20	16.2	317.2	0	19.05	34.682	4.17	24.785	317.2	0	
9	18.99	34.682	4.14	1.11	12.	.20	15.8	315.7	10	18.94	34.687	4.11	24.818	314.0	.032	
14	18.69	34.710	3.99	1.18	12.	.21	16.4	306.4	20	18.45	34.732	3.84	24.974	299.1	.062	
24	18.26	34.744	3.73	1.22	12.	.27	17.1	293.7	30	17.47	34.775	3.36	25.247	273.2	.091	
50	14.67	34.918	2.11	1.64	18.	.39	24.1	201.7	50	14.67	34.918	2.11	25.999	201.7	.139	
77	13.73	34.950	1.82	1.79	19.	.03	26.8	180.4	75	13.74	34.930	1.84	26.207	182.0	.187	
102	13.49	34.933	1.74	1.83	20.	.01	26.3	176.9	100	13.50	34.935	1.75	26.259	176.9	.233	
127	13.19	34.934	1.50	1.94	22.	.00	28.2	171.0	125	13.21	34.934	1.52	26.317	171.5	.277	
152	12.96	34.915	1.27	2.01	23.	.01	29.9	168.0	150	12.98	34.916	1.29	26.352	168.2	.320	
203	12.45	34.886	.97	2.20	25.	.01	31.2	160.5	200	12.48	34.887	.98	26.427	161.0	.405	
253	11.92	34.844	.79	2.25	27.	.00	32.6	153.9	250	11.96	34.846	.79	26.497	154.4	.487	
304	10.97	34.785	.93	2.32	31.	.00	33.8	141.5	300	11.05	34.789	.92	26.622	142.6	.564	
403	9.37	34.705	.69	2.66	40.	.04	37.5	121.2	400	9.41	34.707	.51	26.841	121.7	.704	
503	8.32	34.658	.69	2.74	44.	.00	38.4	108.8	500	8.35	34.660	.68	26.974	109.1	.828	
603	7.16	34.591	1.15	2.80	53.	.05	39.6	97.6	600	7.19	34.594	1.14	27.092	98.0	.941	
703	6.20	34.580	1.47	2.80	59.	.08	38.9	86.2	700	6.23	34.581	1.46	27.213	86.5	1.043	
855	5.30	34.574	1.73	2.81	71.	.00	38.9	76.0	800	5.58	34.576	1.67	27.292	79.0	1.136	
1010	4.57	34.578	1.60	3.01	91.	.01	41.2	67.7	1000	4.61	34.579	1.61	27.406	68.2	1.304	

RV THOMAS WASHINGTON										ARIES EXPEDITION I						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
2 14.0S		112 18.0W		11/23/70		2104		GMT	4078M	020	12KT	0	49 04			
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	OT	DD	
0	20.41	34.663	4.65	.90	9.	.17	11.9	352.3	0	20.41	34.663	4.65	24.416	352.3	0	
10	20.23	34.667	4.62	.93	9.	.16	12.1	347.4	10	20.23	34.667	4.62	24.467	347.4	.035	
25	19.97	34.675	4.53	.96	9.	.15	12.3	340.3	20	20.06	34.673	4.56	24.517	342.7	.070	
50	16.54	35.037	2.39	1.61	14.	.40	22.2	233.0	30	19.50	34.754	4.16	24.724	323.0	.103	
61	14.49	35.011	1.76	1.76	13.	.63	24.6	191.2	50	16.54	35.037	2.39	25.669	233.0	.159	
82	13.66	34.989	1.53	1.85	19.	.35	27.6	176.1	75	13.94	34.995	1.61	26.215	181.2	.211	
101	13.39	34.973	1.57	1.86	20.	.01	26.4	172.0	100	13.40	34.974	1.57	26.310	172.1	.256	
127	13.21	34.975A	1.57	1.88	20.	.01	26.6	168.4	125	13.22	34.975	1.57	26.348	168.6	.299	
153	13.06	34.938	1.37	1.92	21.	.00	28.0	168.2	150	13.08	34.942	1.40	26.351	168.2	.342	
203	12.72	34.926	1.23	2.02	22.	.00	29.5	162.7	200	12.74	34.925	1.24	26.405	163.1	.427	
254	12.23	34.887	.64	2.25	26.	.00	32.0	156.4	250	12.27	34.890	.69	26.470	157.0	.510	
303	11.58	34.853	.10	2.53	31.	.00	36.0	147.2	300	11.63	34.855	.12	26.566	147.8	.590	
403	9.11	34.703	.89	2.58	37.	.00	35.7	117.3	400	9.18	34.707	.85	26.879	118.2	.731	
502	8.24	34.652	.78	2.84	44.	.00	38.3	108.1	500	8.25	34.653	.78	26.984	108.2	.852	
602	7.17	34.599A	1.03	2.82	49.	.00	39.9	97.2	600	7.19	34.601	1.02	27.098	97.4	.965	
703	6.03	34.566A	1.35	2.91	63.	.01	40.4	85.1	700	6.06	34.568	1.34	27.224	85.5	1.066	
855	5.31	34.554	1.88	2.86	70.	.00	39.3	77.6	800	5.50	34.556	1.73	27.285	79.6	1.158	
1008	4.61	34.564	1.67	2.99	88.	.00	41.6	69.2	1000	4.65	34.563	1.68	27.391	69.6	1.328	

RV THOMAS WASHINGTON										ARIES EXPEDITION I						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
3 20.0S		111 56.0W		11/24/70		0611		GMT	3914M	120	13KT	1	1			
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	OT	DD	
0	21.27	34.724	4.94	.90	9.	.20	12.0	370.0	0	21.27	34.724	4.94	24.230	370.0	0	
10	21.26	34.734	4.97	.90	9.	.20	12.2	369.0	10	21.26	34.734	4.97	24.241	369.0	.037	
30	21.28	34.838	4.85	1.00	8.	.25	13.6	362.0	20	21.27	34.786	4.91	24.277	365.5	.074	
45	17.38	35.045	2.64	1.54	12.	.49	20.7	251.4	30	21.28	34.838	4.85	24.314	362.0	.110	
61	15.51	35.075	1.32	1.90	15.	1.27	24.8	207.8	50	16.64	35.072	2.13	25.674	232.6	.170	
81	14.02	35.016	.62	2.15	20.	.79	30.8	181.3	75	14.37	35.039	.76	26.156	186.7	.223	
101	13.38	34.975	.19	2.33	22.	.05	32.4	171.7	100	13.40	34.977	.20	26.312	171.9	.268	
125	12.98	34.951	.15	2.36	24.	.00	32.9	165.7	125	12.98	34.951	.15	26.377	165.7	.311	
150	12.81	34.940	.17	2.36	25.	.00	31.6	163.3	150	12.81	34.940	.17	26.403	163.3	.353	
200	12.46	34.911	.13	2.42	27.	.00	34.0	158.9	200	12.46	34.911	.13	26.450	158.9	.436	
249	12.09	34.903	.17	2.43	28.	.00	33.9	152.7	250	12.08	34.901	.17	26.517	152.5	.517	
299	11.42	34.859	.17	2.52	31.	.00	35.2	143.9	300	11.40	34.857	.17	26.610	143.6	.594	
397	9.33	34.742	.16	2.79	41.	.00	37.8	117.8	400	9.27	34.739	.18	26.889	117.2	.732	
495	7.77	34.648	.84	2.84	46.	.00	39.0	102.0	500	7.73	34.645	.88	27.056	101.4	.850	
594	6.79	34.607	1.39	2.79	52.	.00	39.4	91.3	600	6.72	34.607	1.39	27.168	90.8	.955	
693	6.07	34.604	1.25	2.96	63.	.00	41.3	82.8	700	6.03	34.605	1.25	27.258	82.3	1.051	
844	5.25	34.598	1.47	2.96	75.	.02	41.2	73.6	800	5.46	34.601	1.38	27.325	75.9	1.140	
1000	4.66	34.593	1.75	2.95	86.	.00	41.1	67.5	1000	4.66	34.593	1.75	27.413	67.5	1.304	

A) AN ERROR OF 0.01 OHMS RESISTANCE HAS BEEN ASSUMED. THE LISTED OBSERVED AND INTERPOLATED VALUES INCORPORATE THE CORRECTION.

ARIES EXPEDITION 1

5

RV THOMAS WASHINGTON		ARIES EXPEDITION 1														
LATITUDE 5 47.0S		LONGITUDE 111 29.5W			MO/DAY/YR 11/25/70		MESSENGER 0509		TIME GMT	BOTTOM 3630M	WIND 110	SPEED 17KT	WEATHER 1	DOMINANT WAVES 110		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	22.68	34.999	5.09	.86	4.	.23	11.5	387.7	0	22.68	34.999	5.09	24.045	387.7	0	
10	22.68	34.993	5.10	.89	4.	.24	11.80	388.10	10	22.68	34.993	5.10	24.040	388.1	.039	
61	22.63	35.007	5.06	.90	4.	.24	11.8	385.7	20	22.67	34.996	5.09	24.045	387.6	.078	
71	22.45	35.384	4.68	.84	3.	.45	7.6	353.6	30	22.66	34.998	5.08	24.050	387.2	.116	
81	20.86	35.593	4.20	.80	3.	1.10	5.3	296.5	50	22.64	35.004	5.07	24.060	386.2	.194	
91	18.51	35.194	3.16	1.33	9.	.62	16.0	267.0	75	21.94	35.514	4.53	24.644	330.6	.284	
101	16.90	35.184	2.85	1.35	7.	.67	15.7	230.3	100	17.03	35.177	2.87	25.660	233.9	.356	
126	14.74	35.089	1.32	1.90	13.	.15	24.3	190.6	125	14.79	35.095	1.38	26.108	191.3	.410	
151	13.29	34.982	1.24	1.99	18.	.00	27.8	169.4	150	13.34	34.986	1.240	26.332	170.0	.456	
201	12.16	34.919	2.20	1.79	19.	.00	26.3	152.8	200	12.17	34.919	2.18	26.5130	152.9	.539	
251	11.54	34.860	1.68	2.02	23.	.00	29.4	145.9	250	11.55	34.860	1.70	26.585	146.0	.616	
301	10.87	34.813	.66	2.40	30.	.00	34.3	137.7	300	10.88	34.814	.68	26.671	137.9	.691	
400	9.42	34.723	.35	2.71	37.	.00	36.8	120.6	400	9.42	34.723	.350	26.853	120.6	.828	
499	8.10	34.643	.64	2.85	41.	.00	39.30	106.8	500	8.09	34.643	.64	27.000	106.6	.950	
598	6.98	34.597	.46	3.04	52.	.00	43.4	94.8	600	6.96	34.597	.47	27.1270	94.6	1.060	
699	6.00	34.561	1.05	3.01	61.	.00	42.7	85.1	700	5.99	34.561	1.060	27.2280	85.1	1.159	
851	5.02	34.548	1.67	2.90	74.	.00	41.1	74.8	800	5.30	34.549	1.50	27.3050	77.8	1.250	
1007	4.38	34.547	1.87	2.90	86.	.00	41.3	68.1	1000	4.40	34.547	1.86	27.405	68.3	1.416	

ARIES EXPEDITION 1

6

RV THOMAS WASHINGTON		ARIES EXPEDITION 1														
LATITUDE 8 03.0S		LONGITUDE 111 03.5W			MO/DAY/YR 11/25/70		MESSENGER 2001		TIME GMT	BOTTOM 3479M	WIND 100	SPEED 15KT	WEATHER 1	DOMINANT WAVES 120 09 06		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	23.43	35.230	5.03	.78	2.	.22	10.0	391.6	0	23.43	35.230	5.03	24.003	391.6	0	
10	23.40	35.231	5.02	.80	2.	.21	9.8	390.7	10	23.40	35.231	5.02	24.013	390.7	.039	
50	23.23	35.472	5.02	.77	2.	.16	7.7	368.6	20	23.38	35.288	5.02	24.063	386.0	.078	
66	23.06	35.478	4.96	.73	2.	.20	7.5	363.5	30	23.34	35.348	5.02	24.1180	380.7	.116	
71	22.64	35.533	4.79	.73	2.	.31	6.3	348.0	50	23.23	35.472	5.02	24.245	368.6	.192	
83	21.82	35.710	4.57	.63	2.	.57	2.9	313.2	75	22.370	35.599	4.71	24.588	335.9	.280	
103	19.73	35.589	4.07	.78	2.	1.25	5.8	268.1	100	20.07	35.626	4.16	25.2400	273.8	.357	
128	17.34	35.265	3.22	1.20	5.	.15	13.5	234.5	125	17.64	35.309	3.37	25.616	238.1	.422	
154	14.18	34.966	.85	2.23	14.	.01	25.3	188.2	150	14.64	34.999	1.22	26.0670	195.2	.478	
203	11.92	34.985U	.29	2.48	26.	.00	31.9	142.8	200	11.97	34.840	.32	26.3610	167.3	.571	
254	11.22	34.826	.39	2.46	29.	.00	33.3	133.6	250	11.24	34.807	.38	26.600	144.60	.651	
305	10.52	34.789	.40	2.55	32.	.00	34.6	119.6	300	10.59	34.795	.40	26.7090	134.30	.724	
404	9.30	34.712	.40	2.71	37.	.00	35.9	108.6	400	9.35	34.715	.40	26.859	120.1	.859	
504	8.26	34.650	.41	2.89	41.	.00	38.4	98.0	500	8.30	34.653	.41	26.9760	109.00	.982	
604	7.15	34.584	.49	3.03	48.	.00	41.0	89.2	600	7.19	34.587	.49	27.087	98.4	1.095	
704	6.22	34.543	.84	3.05	55.	.00	41.9	89.2	700	6.25	34.544	.82	27.1810	89.50	1.199	
857	4.99	34.534	1.45	2.99	72.	.00	41.2	75.5	800	5.40	34.532	1.23	27.2780	80.3	1.294	
1011	4.34	34.555	1.84	2.90	82.	.00	40.2	67.0	1000	4.37	34.553	1.82	27.4140	67.5	1.461	

ARIES EXPEDITION 1

7

RV THOMAS WASHINGTON		ARIES EXPEDITION 1														
LATITUDE 8 57.0S		LONGITUDE 111 03.0W			MO/DAY/YR 11/26/70		MESSENGER 0540		TIME GMT	BOTTOM 3201M	WIND 120	SPEED 15KT	WEATHER 0	DOMINANT WAVES 120		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	23.34	35.484	4.96	.71	2.	.16		370.8	0	23.340	35.484	4.96	24.222	370.8	0	
10	23.34	35.482	5.00	.71	2.	.14		370.9	10	23.34	35.482	5.00	24.220	370.9	.037	
62	23.29	35.476	4.97	.72	2.	.15		370.0	20	23.33	35.479	4.99	24.222	370.8	.074	
73	23.30	35.478	4.96	.73	2.	.15		370.1	30	23.32	35.477	4.99	24.224	370.6	.111	
83	23.28	35.581	4.88	.64	2.	.12		362.1	50	23.30	35.476	4.98	24.228	370.2	.186	
93	22.37	35.7980	4.72	.49	1.	.24		321.6	75	23.30	35.498	4.95	24.246	368.5	.279	
103	20.94	35.767	4.64	.49	1.	.88		286.0	100	21.39	35.792	4.67	25.009	295.8	.363	
128	17.95	35.3574	3.76	.98	3.	.18		241.9	125	18.26	35.414	3.90	25.543	245.0	.431	
156	15.79	35.090	2.55	1.55	7.	.01		212.7	150	16.20	35.138	2.82	25.826	218.1	.490	
206	12.00	34.787	.57	2.49	20.	.00		159.6	200	12.38	34.806	.73	26.385	165.1	.589	
256	11.05	34.807	1.31	2.21	24.	.00		141.3	250	11.08	34.800	1.18	26.625	142.3	.668	
305	10.45	34.784	.91	2.40	29.	.00		132.8	300	10.50	34.787	.97	26.718	133.4	.740	
404	9.27	34.708	.99	2.54	33.	.00		119.4	400	9.32	34.711	.99	26.861	119.9	.874	
502	8.30	34.655	.64	2.78	39.	.00		108.8	500	8.32	34.657	.65	26.9760	109.0	.997	
600	6.94	34.587	.67	3.00	49.			95.0	600	6.940	34.587	.67	27.123	95.0	1.109	
699	6.04	34.549A	.87	3.10	57.			86.5	700	6.03	34.549	.87	27.2140	86.4	1.209	
851	4.94	34.537	1.47	3.01	72.			74.7	800	5.26	34.537	1.26	27.2990	78.3	1.301	
1007	4.34	34.544	1.94	2.91	83.			67.9	1000	4.36	34.544	1.92	27.4070	68.1	1.467	

A) AN ERROR OF 0.01 OHMS RESISTANCE HAS BEEN ASSUMED. THE LISTED OBSERVED AND INTERPOLATED VALUES INCORPORATE THE CORRECTION.

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	10 01.55	110 59.0W	11/26/70	1419		GMT	3138M						120	13KT	0
0	23.30	35.483	4.96	.68	2.	.15	7.4	369.8	0	23.30	35.483	4.96	24.233	369.8	0
10	23.27	35.506	4.96	.72	2.	.15	7.4	367.3	10	23.27	35.506	4.96	24.259	367.3	.037
72	23.29	35.512	4.97	.75	2.	.15	7.4	367.4	20	23.27	35.507	4.96	24.259	367.3	.074
77	23.28	35.520	4.96	.71	2.	.14	7.2	366.5	30	23.28	35.508	4.96	24.258	367.3	.110
82	23.21	35.557	4.86	.71	2.	.16	6.4	361.9	50	23.28	35.510	4.97	24.258	367.3	.184
87	22.80	35.679	4.71	.63	2.	.25	3.9	341.8	75	23.28	35.516	4.96	24.263	366.9	.276
102	22.19	35.925	4.75	.45	1.	.20	0.5	307.5	100	22.26	35.907	4.74	24.852	310.8	.362
127	19.66	35.577	4.21	.78	2.	1.56	4.8	267.2	125	19.88	35.618	4.27	25.283	269.7	.436
152	18.05	35.349	3.58	1.07	3.	.35	11.4	244.8	150	18.17	35.366	3.64	25.529	246.4	.501
203	13.95	34.900	1.68	1.95	11.	.01	22.4	188.4	200	14.18	34.918	1.80	26.105	191.6	.614
252	11.76	34.786	.36	1.96	24.	.00	28.8	155.3	250	11.82	34.787	.39	26.477	156.3	.704
303	10.57	34.768	.68	2.47	27.	.00	33.3	136.0	300	10.62	34.768	.66	26.682	136.8	.780
402	9.27	34.706	.67	2.65	34.	.00	36.2	119.6	400	9.29	34.708	.67	26.862	119.7	.916
501	8.02	34.631	.63	2.90	40.	.00	39.0	106.5	500	8.03	34.632	.63	27.000	106.6	1.038
600	6.92	34.574	.69	3.02	47.	.00	41.9	95.7	600	6.92	34.574	.69	27.115	95.7	1.148
699	5.99	34.539	.79	3.12	57.	.00	43.7	86.7	700	5.98	34.539	.79	27.212	86.6	1.248
851	5.07	34.532	1.20	3.12	70.	.00	42.7	76.5	800	5.33	34.531	1.04	27.286	79.6	1.341
1007	4.36	34.542	1.77	2.99	84.	.00	41.3	68.2	1000	4.39	34.541	1.74	27.402	68.6	1.509

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	11 01.05	110 59.0W	11/26/70	2150		GMT	3138M						120	12KT	2
0	23.48	35.579	4.99	.62	2.	.12	6.5	367.8	0	23.48	35.579	4.99	24.253	367.8	0
9	23.36	35.577	5.02	.64	1.	.12	6.2	364.6	10	23.36	35.579	5.02	24.289	364.4	.037
39	23.30	35.604	5.02	.64	1.	.11	6.1	361.0	20	23.34	35.597	5.02	24.308	362.6	.073
49	23.30	35.615	5.03	.60	1.	.10	5.9	360.2	30	23.32	35.605	5.02	24.320	361.4	.109
61	22.79	35.865	5.03	.39	1.	.04	1.5	328.1	50	23.27	35.633	5.03	24.356	358.0	.182
81	22.21	36.010	4.89	.36	1.	.08	0.1	301.9	75	22.39	35.998	4.94	24.886	307.5	.266
101	21.24	35.883	4.69	.44	1.	.76	0.8	285.4	100	21.30	35.893	4.70	25.111	286.1	.341
126	19.75	35.608	4.36	.64	1.	.46	4.5	267.2	125	19.81	35.620	4.38	25.302	267.9	.411
151	18.15	35.358	3.93	.90	2.	.05	9.0	246.5	150	18.22	35.368	3.95	25.517	247.4	.477
202	13.65	34.866	1.34	2.10	13.	.00	23.2	185.0	200	13.82	34.878	1.45	26.150	187.3	.588
253	11.49	34.769	.34	2.62	25.	.00	29.1	151.8	250	11.57	34.769	.36	26.510	153.2	.676
303	10.22	34.784	.84	2.43	28.	.01	32.8	129.0	300	10.28	34.782	.79	26.754	130.0	.750
403	9.08	34.698	.64	2.70	35.	.00	36.7	117.2	400	9.10	34.702	.65	26.889	117.6	.881
502	8.15	34.643	.69	2.83	40.	.00	38.0	107.5	500	8.17	34.645	.69	26.989	107.7	1.002
601	7.09	34.587	.59	2.97	47.	.00	41.5	97.0	600	7.10	34.588	.59	27.101	97.1	1.114
701	6.36	34.557	.66	3.09	54.	.00	42.2	89.9	700	6.37	34.557	.66	27.177	89.9	1.217
853	5.32	34.541	1.13	3.08	67.	.00	42.2	78.7	800	5.66	34.543	.94	27.256	82.4	1.314
1009	4.55	34.543	1.56	3.01	80.	.00	41.6	70.1	1000	4.59	34.543	1.54	27.381	70.5	1.487

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	12 00.05	111 00.0W	11/27/70	0607		GMT	3054M						120	12KT	1
0	23.32	35.681	5.00	.55	2.	.11		356.0	0	23.32	35.681	5.00	24.377	356.0	0
10	23.30	35.678	5.01	.58	1.	.11		355.7	10	23.30	35.678	5.01	24.380	355.7	.036
57	23.23	35.748	4.99	.58	1.	.09		348.7	20	23.29	35.692	5.01	24.396	354.2	.071
83	22.35	36.034	4.87	.35	1.	.07		304.0	30	23.27	35.707	5.00	24.411	352.7	.107
88	22.29	36.032	4.85	.38	1.	.09		302.5	50	23.24	35.737	4.99	24.443	349.7	.177
93	21.79	35.919	4.72	.43	1.	.44		297.3	75	22.60	35.962	4.91	24.797	316.0	.261
103	21.89	36.045	.38	1.	.31			290.8	100	21.86	36.011	4.70	25.044	292.4	.338
128	20.88	35.860	4.64	.46	1.	.60		277.7	125	21.07	35.904	4.65	25.182	279.3	.410
153	19.08	35.519	4.24	.74	1.	.13		257.2	150	19.31	35.560	4.29	25.388	259.7	.479
205	16.34	35.096	4.03	.88	3.	.02		224.3	200	16.61	35.131	4.05	25.725	227.7	.604
256	12.07	34.700	1.21	2.33	17.	.01		167.2	250	12.54	34.729	1.56	26.292	173.8	.707
306	10.49	34.697	.42	2.69	26.	.01		139.9	300	10.60	34.691	.44	26.626	142.1	.790
405	8.68	34.643	1.22	2.59	31.	.01		115.3	400	8.74	34.648	1.15	26.903	115.9	.926
504	7.63	34.604	1.42	2.65	37.			103.1	500	7.66	34.606	1.41	27.035	103.4	1.044
603	6.92	34.571	1.21	2.82	44.			96.0	600	6.94	34.573	1.22	27.111	96.2	1.152
703	6.10	34.537	1.42	2.89	51.			88.1	700	6.12	34.538	1.41	27.193	88.4	1.254
856	5.11	34.522	1.45	3.03	60.			77.7	800	5.43	34.524	1.44	27.268	81.3	1.349
1012	4.44	34.531	1.79	2.96	77.			69.9	1000	4.48	34.530	1.75	27.383	70.4	1.521

RV THOMAS WASHINGTON

ARIES EXPEDITION I

11

Z	LATITUDE 12 59.4S			LONGITUDE 111 01.5W			MO/DAY/YR 11/27/70		MESSENGER 1428		TIME GMT	BOTTOM 3054M	WIND 130	SPEED 14KT	WEATHER 1	DOMINANT WAVES 140 08 08		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
0	22.99	35.963	5.02	.35	1.	.01	0.9	326.6	0	22.99	35.963	5.02	24.686	326.6	0			
10	22.96	35.964	5.01	.36	1.	.01	1.0	325.7	10	22.96	35.964	5.01	24.695	325.7	.033			
62	22.98	35.970	5.04	.36	1.	.01	0.9	325.8	20	22.96	35.965	5.02	24.695	325.7	.065			
72	22.86	35.994	5.13	.34	1.	.01	0.4	320.8	30	22.97	35.966	5.02	24.695	325.7	.098			
83	22.81	36.085	4.99	.31	1.	.00	0.1	312.8	50	22.98	35.968	5.03	24.694	325.8	.163			
93	22.47	36.079	4.91	.34	1.	.01	0.1	304.0	75	22.85	36.015	5.10	24.767	318.8	.245			
103	21.96	36.018	4.91	.35	1.	.05	0.0	294.7	100	22.11	36.036	4.91	24.994	297.3	.322			
128	21.96	36.102	4.80	.372	1.	.23	0.1	288.6	125	21.96	36.091	4.81	25.077	289.3	.397			
153	21.44	35.978	4.80	.412	1.	.36	0.4	283.8	150	21.54	36.002	4.80	25.127	284.6	.470			
204	17.89	35.316	4.46	.55	1.	.01	4.5	243.5	200	18.24	35.372	4.49	25.515	247.6	.606			
254	13.75	34.839	2.27	1.83	10.	.02	20.5	188.9	250	14.06	34.865	2.47	26.0882	193.2	.720			
304	11.18	34.693	.53	2.63	23.	.00	28.6	151.9	300	11.34	34.699	.642	26.498	154.3	.810			
404	8.78	34.645	1.06	2.61	31.	.00	35.3	116.6	400	8.83	34.6462	1.04	26.888	117.3	.953			
503	7.68	34.601	1.38	2.72	37.	.00	36.8	104.0	500	7.70	34.604	1.37	27.0262	104.2	1.072			
601	6.68	34.552	1.29	2.86	45.	.00	40.2	94.3	600	6.69	34.553	1.292	27.1302	94.4	1.180			
701	5.91	34.524	1.51	2.91	52.	.00	40.2	86.8	700	5.92	34.524	1.51	27.209	86.9	1.280			
853	4.90	34.523	1.52	3.05	69.	.00	42.0	75.4	800	5.22	34.520	1.52	27.290	79.2	1.373			
1007	4.23	34.536	1.79	3.03	83.	.00	41.5	67.4	1000	4.25	34.535	1.77	27.412	67.6	1.539			

RV THOMAS WASHINGTON

ARIES EXPEDITION I

12

Z	LATITUDE 14 00.0S			LONGITUDE 111 00.5W			MO/DAY/YR 11/27/70		MESSENGER 2336		TIME GMT	BOTTOM 3176M	WIND 110	SPEED 08KT	WEATHER 1	DOMINANT WAVES 06 07		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
0	23.36	35.914	5.04	.41				340.3	0	23.36	35.914	5.04	24.541	340.3	0			
10	23.33	35.913	5.07	.43				339.6	10	23.33	35.913	5.07	24.549	339.6	.034			
61	23.15	35.945	5.07	.42				332.3	20	23.29	35.919	5.07	24.564	338.1	.068			
87	22.63	36.108	5.69	.32				306.2	30	23.26	35.925	5.07	24.579	336.7	.102			
92	22.53	36.117	5.07	.32				302.9	50	23.19	35.938	5.07	24.610	333.9	.169			
97	22.47	36.107	4.99	.34				302.0	75	22.89	36.038	5.40	24.773	318.3	.251			
102	22.40	36.114	4.91	.34				299.62	100	22.43	36.109	4.94	24.959	300.6	.330			
127	22.21		4.82	.35					125	22.22	36.1202	4.83	25.046	292.3	.405			
152	21.86	36.109	4.73	.46				285.4	150	21.90	36.117	4.74	25.114	285.9	.478			
203	19.80	35.652	4.58	.47				265.3	200	19.97	35.688	4.59	25.313	266.9	.620			
252	16.03	35.064	4.26	.72				219.8	250	16.20	35.086	4.27	25.786	221.9	.746			
303	11.95	34.618	2.61	1.72				171.1	300	12.17	34.6372	2.72	26.293	173.8	.849			
403	8.76	34.590	1.08	2.74				120.4	400	8.80	34.587	1.09	26.847	121.2	1.004			
502	7.36	34.553	1.88	2.83				103.2	500	7.38	34.554	1.86	27.035	103.3	1.124			
602	6.37	34.512	1.69	2.76				93.3	600	6.39	34.513	1.69	27.139	93.5	1.231			
702	5.69	34.522	1.61					84.4	700	5.70	34.522	1.612	27.234	84.5	1.329			
852	4.84	34.516	1.66	2.99				75.2	800	5.11	34.518	1.64	27.302	78.0	1.419			
985	4.28	34.534	1.84	3.02				68.0	1000	4.23	34.531	1.75	27.411	67.7	1.584			
995	4.25	34.531	1.69	3.00				67.9										
1005	4.21	34.533	1.89	3.00				67.4										

RV THOMAS WASHINGTON

ARIES EXPEDITION I

13

Z	LATITUDE 14 59.0S			LONGITUDE 110 57.0W			MO/DAY/YR 11/28/70		MESSENGER 1407		TIME GMT	BOTTOM 3290M	WIND 120	SPEED 14KT	WEATHER 1	DOMINANT WAVES 100 12 08		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD			
0	23.21	35.977	5.01	.37	1.	.02	1.5	331.6	0	23.21	35.977	5.01	24.633	331.6	0			
10	23.19	35.975	5.00	.40	1.	.02	1.5	331.2	10	23.19	35.975	5.00	24.637	331.2	.033			
61	23.18	35.972	5.02	.392	1.	.01	1.5	331.2	20	23.19	35.974	5.00	24.637	331.2	.066			
71	22.92	36.051	5.02	.35	1.	.01	0.3	318.3	30	23.19	35.973	5.01	24.637	331.2	.100			
82	22.69	36.084	5.00	.32	1.	.00	0.0	309.6	50	23.18	35.972	5.02	24.638	331.2	.166			
92	22.67	36.167	4.92	.31	1.	.00	0.0	303.1	75	22.82	36.062	5.01	24.810	314.7	.247			
102	22.54	36.211	4.87	.34	1.	.04	0.1	296.4	100	22.57	36.204	4.88	24.990	297.6	.325			
127	22.21	36.180	4.78	.35	1.	.17	0.2	289.7	125	22.24	36.188	4.79	25.071	289.9	.399			
152	21.62	36.035	4.67	.42	1.	.65	0.9	284.4	150	21.68	36.050	4.68	25.1232	284.9	.473			
202	18.39	35.419	4.46	.49	1.	.01	3.7	247.8	200	18.55	35.445	4.47	25.495	249.6	.609			
252	15.14	34.944	4.20	.79	2.	.00	8.9	209.5	250	15.272	34.960	4.22	25.9002	211.1	.728			
303	11.94	34.608	3.02	1.55	9.	.00	18.5	171.6	300	12.11	34.622	3.10	26.293	173.7	.828			
402	8.94	34.597	.77	2.77	27.	.00	34.4	122.6	400	8.97	34.595	.80	26.825	123.3	.984			
503	7.28	34.528	1.36	2.79	32.	.00	37.7	103.9	500	7.31	34.531	1.34	27.026	104.2	1.106			
603	6.39	34.514	1.47	2.84	42.	.00	40.1	93.4	600	6.412	34.514	1.47	27.137	93.7	1.213			
703	5.70	34.506	1.51	2.95	51.	.00	41.2	85.7	700	5.72	34.506	1.51	27.219	85.9	1.312			
854	4.87	34.514	1.62	3.00	66.	.00	41.6	75.7	800	5.14	34.509	1.58	27.292	79.0	1.404			
1008	4.26	34.536	1.73	3.03	81.	.00	41.8	67.7	1000	4.29	34.535	1.722	27.408	68.0	1.570			

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES	
16 00.05		110 58.5W		11/28/70		2117		GMT	3517M	080	16KT	1			
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	CD
0	23.15	36.109	5.00	.31	1.	.01	0.2	320.4	0	23.15	36.109	5.00	24.750	320.4	0
10	23.12	36.105	5.04	.37	1.	.01	0.2	319.9	10	23.12	36.105	5.04	24.756	319.9	.032
55	23.01	36.105	5.05	.33	1.	.01	0.3	316.9	20	23.10	36.104	5.04	24.762	319.3	.064
60	22.99	36.103	4.99	.33	1.	.01	0.3	316.5	30	23.08	36.105	5.04	24.769	318.7	.096
70	22.58	36.088	5.03	.31	1.	.00	0.0	306.3	50	23.02	36.104	5.05	24.784	317.3	.160
85	22.16	36.047	5.70	.32	1.	.01	0.0	297.9	75	22.42	36.074	5.02	24.933	303.0	-.238
100	21.80	36.022	5.09	.322	1.	.01	0.1	290.1	100	21.80	36.022	5.09	25.069	290.1	-.313
125	21.552	36.003	4.93	.36	1.	.08	0.1	284.8	125	21.55	36.003	4.93	25.124	284.8	-.386
149	21.22	35.929	4.85	.41	1.	.34	0.4	281.5	150	21.19	35.921	4.84	25.162	281.2	-.458
200	18.76	35.432	4.48	.652	1.	.03	4.7	255.7	200	18.76	35.432	4.48	25.431	255.7	-.595
249	15.37	34.922	4.21	.85	2.	.01	9.0	216.0	250	15.31	34.913	4.18	25.857	215.2	-.717
300	12.41	34.646	2.51	1.78	11.	.00	19.8	177.4	300	12.41	34.646	2.51	26.254	177.4	-.819
400	9.04	34.568	.93	2.69	25.2	.002	33.62	126.2	400	9.04	34.5682	.93	26.794	126.2	-.978
500	7.39	34.533	1.27	2.77	32.	.00	37.7	105.1	500	7.39	34.533	1.27	27.017	105.1	1.102
599	6.462	34.505	1.362	2.87	39.	.00	39.6	95.0	600	6.45	34.505	1.36	27.124	94.9	1.211
699	5.84	34.504	1.31	2.98	49.	.00	40.9	87.5	700	5.83	34.504	1.31	27.203	87.4	1.311
843	5.06	34.503	1.39	3.09	63.2	.002	41.52	78.6	800	5.30	34.502	1.36	27.267	81.4	1.404
990	4.38	34.5212	1.682	3.07	78.		41.3	70.0	1000	4.33	34.524	1.79	27.395	69.3	1.575
1000	4.329	34.524	1.79	3.00	78.			69.3							

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES	
17 31.55		110 47.5W		11/29/70		1318		GMT	3442M	100	15KT	2		100 12 07	
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	22.84	36.213A	5.00	.34	1.	.01	0.1	304.4	0	22.84	36.213	5.00	24.919	304.4	0
10	22.83	36.221	5.01	.32	1.	.00	0.1	303.6	10	22.83	36.221	5.01	24.928	303.6	-.030
62	22.79	36.262	5.03	.29	1.	.00	0.1	299.5	20	22.83	36.224	5.01	24.931	303.2	-.061
73	22.76	36.285	5.03	.29	1.	.00	0.0	297.0	30	22.82	36.230	5.02	24.937	302.7	-.091
83	22.46	36.258	5.06	.29	1.	.00	0.0	290.8	50	22.81	36.247	5.03	24.955	301.0	-.152
93	22.34	36.243	5.02	.29	1.	.00	0.1	288.6	75	22.70	36.280	5.04	25.010	295.8	-.227
103	22.28	36.236	5.02	.28	1.	.00	0.0	287.5	100	22.29	36.237	5.02	25.093	287.8	-.301
128	22.23	36.244	4.99	.29	1.	.00	0.0	285.6	125	22.23	36.242	4.99	25.115	285.8	-.373
154	22.15	36.235	4.99	.32	1.	.27	0.6	284.1	150	22.17	36.238	4.99	25.130	284.3	-.446
205	21.34	36.032	4.75	.32	1.	.26	0.6	277.2	200	21.42	36.051	4.78	25.197	277.9	-.590
254	17.41	35.223	4.63	.48	2.	.01	3.6	239.1	250	17.78	35.289	4.64	25.566	242.8	-.724
305	13.79	34.729	4.28	.87	3.	.00	10.2	197.8	300	14.11	34.762	4.34	25.999	201.7	-.839
404	9.42	34.533	1.36	2.56	22.	.00	30.5	134.7	400	9.54	34.532	1.47	26.684	136.7	1.017
502	7.222	34.465	1.96	2.62	27.	.00	35.5	107.8	500	7.25	34.466	1.95	26.985	108.1	1.147
602	6.21	34.433	2.36	2.65	31.	.00	37.1	97.3	600	6.22	34.434	2.36	27.098	97.4	1.258
702	5.54	34.454	2.14	2.80	44.	.00	38.7	87.7	700	5.55	34.453	2.15	27.198	87.9	1.360
854	4.90	34.482	2.11	2.90	59.	.00	39.8	78.4	800	5.10	34.472	2.12	27.267	81.3	1.453
1010	4.30	34.520	2.02	2.94	76.	.00	40.4	69.3	1000	4.342	34.517	2.03	27.389	69.8	1.624

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES	
18 47.55		110 58.5W		11/30/70		0422		GMT	3393M	090	14KT	1		090 09 07	
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	22.94	36.323	4.99	.25	1.	.00	0.0	299.2	0	22.94	36.323	4.99	24.973	299.2	0
9	22.95	36.322	5.03	.27	1.	.00	0.0	299.6	10	22.95	36.321	5.03	24.970	299.5	-.030
61	22.83	36.318	5.02	.27	1.	.00	0.0	296.6	20	22.93	36.321	5.03	24.974	299.1	-.060
71	22.82	36.316	5.01	.27	1.	.00	0.0	296.4	30	22.91	36.320	5.03	24.979	298.6	-.090
81	22.78	36.311	5.05	.29	1.	.00	0.0	295.7	50	22.86	36.318	5.02	24.992	297.4	-.150
91	22.58	36.270	5.03	.27	1.	.00	0.0	293.2	75	22.80	36.311	5.03	25.004	296.3	-.225
101	22.33	36.236	5.08	.27	1.	.00	0.0	288.9	100	22.35	36.238	5.07	25.077	289.3	-.299
126	22.25	36.260	5.1	.27	1.	.00	0.0	285.0	125	22.25	36.260	5.10	25.123	285.0	-.371
151	22.07	36.226	4.98	.28	1.	.00	0.0	282.6	150	22.08	36.227	4.99	25.147	282.7	-.444
202	21.63	36.108	4.86	.29	1.	.09	0.2	279.4	200	21.65	36.112	4.86	25.180	279.5	-.588
251	17.55	35.242	4.71	.41	1.	.01	2.7	241.0	250	17.65	35.260	4.71	25.576	241.9	-.722
302	13.96	34.720	4.27	.87	3.	.00	9.9	201.8	300	14.09	34.734	4.29	25.982	203.3	-.837
400	9.11	34.463	2.33	2.24	17.	.00	27.8	135.1	400	9.11	34.463	2.33	26.700	135.1	1.015
499	6.90	34.389	3.24	2.26	18.	.00	30.8	109.3	500	6.88	34.389	3.25	26.974	109.1	1.145
598	5.77	34.426U	3.762	2.12	21.		31.0		600	5.76	34.376	3.74	27.111	96.1	1.255
698	5.42	34.415	2.52	2.68	36.		38.0	89.2	700	5.41	34.416	2.52	27.186	89.1	1.356
849	4.74	34.471	2.29	2.90	58.		39.3	77.5	800	4.96	34.457	2.36	27.271	81.0	1.450
1006	4.17	34.511	2.29	2.88	75.		39.7	68.6	1000	4.19	34.510	2.29	27.398	68.9	1.618

A) SALINITY BOTTLE NUMBERS AND ORDER DIFFER ON THE ORIGINAL DATA AND SALINITY DETERMINATION SHEETS. THEY ARE ASSUMED TO BE IN THE CORRECT ORDER.

RV THOMAS WASHINGTON															ARIES EXPEDITION I														
LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER			TIME			BOTTOM			WIND			SPEED			WEATHER			DOMINANT WAVES		
21 03.55			110 57.0W			12/01/70			0364			GMT			3470M			110			09KT			2					
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	OT	OD	Z	T	S	O2	SIGT	OT	OD							
0	22.84	36.141	5.01	.23		.00	0.1	309.6	0	22.84	36.141	5.01	24.864	309.6	0														
14	22.72	36.130	5.03	.22	1.	.00	0.0	307.1	10	22.75	36.132	5.02	24.883	307.8	.031														
49	22.51	36.107	5.33	.25	1.	.00	0.1	303.0	20	22.68	36.126	5.08	24.898	306.4	.062														
149	21.25	35.973	5.10	.21	1.	.00	0.0	279.1	30	22.62	36.119	5.16	24.910	305.2	.092														
200	19.17	35.531	4.82	.34	1.	.11	1.4	258.5	50	22.51	36.108	5.33	24.934	302.9	.153														
225	17.95*	35.269	4.70	.42	1.	.02	3.0	248.3	75	22.41	36.100	5.27	24.978	298.8	.229														
250	16.03	34.955	4.60	.59	1.	.01	5.4	227.8	100	22.16	36.070	5.21	25.035	293.4	.304														
276	14.33	34.707	4.48	.74	2.	.00	8.2	210.2	125	21.77	36.040	5.16	25.105	286.7	.378														
301	13.02	34.575	3.96	1.09	4.	.00	13.1	194.1	150	21.22	35.966	5.09	25.188	278.7	.450														
350	11.03	34.469	3.14	1.63	10.	.00	20.2	165.9	200	19.17	35.531	4.82	25.401	258.5	.587														
401	9.50	34.465	2.80	2.01	14.	.00	25.4	141.0	250	16.03	34.955	4.60	25.724	227.8	.712														
451	8.32	34.448	2.53	2.25	18.	.00	31.4	124.4	300	13.07	34.580	3.98	26.072	194.7	.822														
501	7.15	34.402	3.00	2.27	19.	.00	31.6	111.6	400	9.53	34.465	2.80	26.634	141.4	.998														
601	5.90	34.352	4.03	2.18	20.	.00	31.6	99.6	500	7.17	34.403	2.99	26.946	111.8	1.133														
701	5.25	34.355	3.60	2.39	29.	.00	34.4	91.8	600	5.91	34.352	4.02	27.074	99.6	1.246														
801	4.65	34.396	3.17	2.56	43.	.00	36.6	82.2	700	5.25	34.355	3.61	27.156	91.9	1.350														
901	4.27	34.435	2.91	2.70	58.	.00	37.4	75.4	800	4.66	34.396	3.17	27.257	82.3	1.446														
1002	4.07	34.512	2.63	2.73	74.	.00	38.4	67.6	1000	4.07	34.510	2.64	27.411	67.7	1.613														

RV THOMAS WASHINGTON															ARIES EXPEDITION I														
LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER			TIME			BOTTOM			WIND			SPEED			WEATHER			DOMINANT WAVES		
23 15.0S			110 11.0W			12/02/70			0036			GMT			3366M			110			10KT			6			090 11 08		
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	OT	OD	Z	T	S	O2	SIGT	OT	OD							
0	22.71	36.188	5.04	.17	1.	.00	0.0	302.6	0	22.71	36.188	5.04	24.937	302.6	0														
9	22.46	36.175	5.07	.18	1.	.00	0.0	296.8	10	22.46	36.173	5.07	24.998	296.9	.030														
89	21.46	36.057	5.15	.18	1.	.00	0.0	278.6	20	22.45	36.160	5.09	24.990	297.6	.060														
98	21.42	36.061	5.16	.16	1.	.00	0.0	277.2	30	22.44	36.147	5.11	24.983	298.3	.090														
148	20.88	35.958	5.17	.13	1.	.00	0.0	270.6	50	22.43	36.122	5.13	24.968	299.7	.150														
198	19.24	35.580	5.14	.15	1.	.00	0.0	256.6	75	22.41	36.090	5.15	24.949	301.6	.226														
223	18.12	35.351	4.94	.20	1.	.04	0.5	246.3	100	21.41	36.061	5.16	25.207	277.0	.299														
242	17.01	35.172	4.90	.27	1.	.02	1.6	233.7	125	21.23	36.036	5.17	25.238	274.0	.369														
274	15.66	34.971	4.76	.43	1.	.00	3.8	218.6	150	20.83	35.946	5.17	25.278	270.2	.438														
299	14.36	34.778	4.61	.61	2.	.00	6.7	205.6	200	19.15	35.561	5.12	25.429	255.9	.573														
349	12.35	34.648	4.48	.92	3.	.00	11.7	176.2	250	16.91	35.157	4.89	25.674	232.6	.699														
400	10.01	34.466	4.30	1.38	6.	.00	18.7	149.1	300	14.32	34.774	4.61	25.964	205.0	.812														
501	7.27	34.370	4.10	1.91	12.	.00	27.4	115.6	400	10.01	34.466	4.30	26.553	149.1	.998														
601	6.11	34.327	5.06	1.88	12.	.00	26.8	104.0	500	7.29	34.370	4.10	26.904	115.8	1.138														
702	5.56	34.306	4.79	2.00	16.	.00	29.6	99.0	600	6.12	34.328	5.05	27.028	104.0	1.256														
851	4.65	34.353	3.75	2.43	36.	.00	34.4	85.4	700	5.57	34.306	4.80	27.080	99.1	1.366														
970	4.08	34.414	3.29	2.66	55.	.00	37.4	75.0	800	4.96	34.330	4.12	27.171	90.5	1.470														
979	4.05	34.427	3.21	2.63	57.	.00	37.4	73.8	1000	4.01	34.437	4.12	27.359	72.6	1.651														
989	4.03	34.432	3.20	2.63	57.	.00	37.4	73.2																					

RV THOMAS WASHINGTON															ARIES EXPEDITION I														
LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER			TIME			BOTTOM			WIND			SPEED			WEATHER			DOMINANT WAVES		
25 03.0S			115 30.5W			12/06/70			0220			GMT			2931M			120			22KT			6			100 18 15		
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	OT	OD	Z	T	S	O2	SIGT	OT	OD							
1	22.92	36.146	5.03	.18	0.	.03	0.1	311.4	0	22.92	36.146	5.03	24.845	311.4	0														
11	22.93	36.140	5.01	.18	1.	.02	0.1	312.1	10	22.93	36.140	5.01	24.838	312.1	.031														
53	22.26	36.112	5.07	.16	0.	.00	0.1	295.9	20	22.83	36.133	5.01	24.861	309.9	.062														
103	21.56	36.085	5.14	.16	0.	.01	0.0	279.2	30	22.69	36.126	5.02	24.896	306.6	.093														
202	20.22	35.801	5.11	.19	0.	.00	0.0	265.0	50	22.33	36.113	5.06	24.991	297.6	.154														
226	19.02	35.523	5.27	.16	0.	.03	0.0	255.4	75	21.94	36.104	5.10	25.091	288.0	.228														
252	18.25	35.380	5.08	.20	0.	.06	0.2	247.3	100	21.60	36.087	5.14	25.175	280.1	.300														
300	16.43	35.124	4.91	.33	1.	.02	2.0	224.2	125	21.26	36.010	5.13	25.209	276.7	.370														
348	14.11	34.876	4.68	.61	1.	.00	6.9	191.9	150	20.92	35.933	5.13	25.244	273.5	.440														
396	12.07	34.697	4.53	.93	3.	.01	12.0	167.5	200	20.25	35.805	5.11	25.328	265.4	.578														
444	9.86	34.486	4.39	1.36	5.	.00	18.0	145.2	250	18.30	35.388	5.10	25.512	247.9	.711														
492	8.21	34.413	4.37	1.64	8.	.00	23.2	125.4	300	16.43	35.124	4.91	25.762	224.2	.833														
541	7.26	34.371	4.57	1.78	9.	.00	25.4	115.4	400	11.88	34.677	4.52	26.380	165.5	1.038														
588	6.69	34.358	4.83	1.84	10.	.00	26.3	108.9	500	8.02	34.404	4.39	26.824	123.3	1.191														
685	5.84	34.312	5.00	1.94	13.	.00	27.9	101.8	600	6.56	34.352	4.85	26.989	107.7	1.316														
783	5.38	34.312	4.56	2.10	19.	.00	30.5	96.5	700	5.76	34.311	4.95	27.060	101.0	1.429														
884	4.81	34.322	4.17	2.32	28.	.01	32.2	89.5	800	5.29	34.313	4.49	27.119	95.4	1.536														

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	NU2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
1	23.66	36.333	4.97	.13	1.	.08	0.0	318.5	0	23.66	36.333	4.97	24.771	318.5	0
11	23.66	36.327	4.95	.17	1.	.00	0.1	318.9	10	23.66	36.327	4.95	24.767	318.9	.032
25	23.00	36.326	5.04	.15	1.	.00	0.0	300.7	20	23.29	36.333	5.00	24.880	308.1	.063
36	22.77	36.252	5.07	.15	1.	.00	0.0	299.7	30	22.89	36.288	5.06	24.962	300.3	.094
52	22.71	36.258	5.05	.15	1.	.00	0.1	297.6	50	22.72	36.254	5.05	24.986	298.0	.154
77	21.98	36.142	5.14	.14	1.	.00	0.0	286.2	75	22.04	36.151	5.13	25.100	287.2	.228
101	21.82	36.138	5.13	.13	1.	.00	0.0	282.2	100	21.82	36.137	5.13	25.150	282.3	.300
201	20.22	35.810	5.04	.13	1.	.00	0.0	264.4	125	21.67	36.124	5.11	25.182	279.3	.371
252	17.98	35.330	4.86	.25	1.	.03	0.9	244.6	150	21.36	36.065	5.09	25.224	275.4	.442
301	15.61	34.986	4.72	.44	1.	.00	4.1	216.4	200	20.25	35.816	5.04	25.337	264.6	.580
351	13.32	34.750	4.56	.71	2.	.00	9.0	187.0	250	18.08	35.349	4.87	25.538	245.5	.711
400	10.90	34.598	4.32	1.14	5.	.00	15.8	154.1	300	15.66	34.992	4.72	25.837	217.1	.831
501	7.56	34.397	4.61	1.66	9.	.00	24.1	117.5	400	10.90	34.598	4.32	26.500	154.1	1.026
600	6.33	34.341	5.06	1.79	10.	.00	26.5	105.6	500	7.58	34.399	4.61	26.884	117.7	1.171
701	5.48	34.299	5.03	1.87	15.	.00	28.5	98.6	600	6.33	34.341	5.06	27.011	105.6	1.291
801	4.90	34.319	5.42	2.17	27.	.00	31.7	90.7	700	5.49	34.299	5.03	27.084	98.7	1.402
903	4.45	34.374	3.67	2.44	41.	.00	34.9	81.8	800	4.90	34.319	5.42	27.168	90.8	1.505
1006	4.02	34.441	3.24	2.57	58.	.00	36.7	72.4	1000	4.04	34.437	3.27	27.356	73.0	1.686

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	NU2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	24.18	36.516	4.90	.22	1.	.00	0.0	320.0	0	24.18	36.516	4.90	24.755	320.0	0
10	24.18	36.517	4.88	.28	1.	.00	0.0	320.0	10	24.18	36.517	4.88	24.755	320.0	.032
81	23.27	36.441	5.00	.22	1.	.00	0.0	299.8	20	24.15	36.521	4.90	24.769	318.6	.064
101	22.74	36.355	5.08	.20	1.	.00	0.0	291.4	30	24.08	36.521	4.91	24.789	316.8	.096
126	22.56	36.344	5.15	.19	1.	.00	0.0	287.3	50	23.86	36.505	4.95	24.843	311.7	.159
172	22.25	36.275	4.97	.16	1.	.00	0.0	283.9	75	23.41	36.456	4.99	24.939	302.5	.236
202	21.21	36.041	4.91	.20	1.	.05	0.0	273.2	100	22.76	36.358	5.08	25.051	291.8	.312
217	19.67	35.699	5.20	.20	1.	.08	0.3	258.6	125	22.56	36.343	5.15	25.098	287.4	.385
232	18.79	35.495	4.81	.23	1.	.05	0.8	251.9	150	22.40	36.298	5.07	25.110	286.2	.458
252	18.04	35.336	4.75	.31	1.	.02	1.5	245.5	200	21.33	36.068	4.91	25.234	274.4	.601
303	15.28	34.917	4.58	.55	1.	.00	5.6	214.5	250	18.11	35.349	4.76	25.531	246.2	.736
352	12.55	34.666	4.17	.97	4.	.00	11.4	178.6	300	15.46	34.939	4.59	25.841	216.7	.856
403	10.52	34.471	3.47	1.61	9.	.00	20.2	157.1	400	10.62	34.481	3.51	26.458	158.1	1.052
503	7.29	34.402	3.06	2.27	18.	.00	31.7	113.5	500	7.37	34.401	3.07	26.917	114.6	1.197
604	6.02	34.330	4.49	1.99	15.	.00	29.7	102.7	600	6.05	34.333	4.43	27.042	102.7	1.314
704	5.38	34.336	4.00	2.28	24.	.00	33.7	94.7	700	5.40	34.335	4.02	27.123	95.0	1.421
855	4.57	34.420	3.06	2.66	50.	.00	37.9	79.6	800	4.83	34.384	3.38	27.228	85.1	1.519
1007	4.11	34.509	2.74	2.71	72.	.00	38.9	68.2	1000	4.12	34.505	2.74	27.402	68.6	1.691

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	NU2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	24.40	36.449	4.92	.24	1.	.00	0.0	331.1	0	24.40	36.449	4.92	24.638	331.1	0
10	24.39	36.446	4.92	.25	1.	.00	0.0	331.1	10	24.39	36.446	4.92	24.639	331.1	.033
49	23.79	36.515	4.98	.23	1.	.00	0.0	309.0	20	24.28	36.462	4.93	24.685	326.7	.066
100	22.98	36.435	4.98	.19	1.	.00	0.0	292.0	30	24.14	36.479	4.95	24.740	321.4	.099
149	22.63	36.370	4.98	.17	1.	.00	0.0	287.3	50	23.77	36.513	4.98	24.875	308.6	.162
200	21.09	36.008	4.82	.21	1.	.15	0.0	272.4	75	23.35	36.484	4.98	24.977	298.9	.238
225	19.35	35.629	4.79	.26	1.	.08	0.4	255.8	100	22.98	36.435	4.98	25.047	292.2	.313
250	18.06	35.345	4.72	.31	1.	.01	1.9	245.4	125	22.84	36.419	4.98	25.074	289.6	.387
277	16.65	35.122	4.67	.45	1.	.01	3.6	229.3	150	22.62	36.367	4.98	25.099	287.2	.461
302	15.30	34.955	4.49	.60	2.	.00	6.4	212.1	200	21.09	36.008	4.82	25.255	272.4	.604
353	12.07	34.587	4.00	1.12	5.	.00	13.8	175.5	250	18.06	35.345	4.72	25.539	245.4	.737
403	9.63	34.459	2.97	1.89	13.	.00	23.9	144.4	300	15.41	34.968	4.51	25.874	213.5	.856
454	8.44	34.464	2.27	2.31	19.	.00	29.8	125.0	400	9.81	34.462	3.03	26.585	146.1	1.045
504	7.38	34.437	2.52	2.45	21.	.00	33.0	112.1	500	7.46	34.440	2.50	26.934	112.9	1.183
604	5.87	34.362	3.70	2.27	23.	.00	32.5	98.5	600	5.91	34.365	3.66	27.083	98.8	1.297
703	5.26	34.384	3.20	2.51	35.	.00	35.9	89.8	700	5.27	34.383	3.23	27.176	90.0	1.399
849	4.68	34.471	2.71	2.72	58.	.00	38.0	76.9	800	4.85	34.441	2.84	27.271	81.0	1.493
978	4.22	34.513	2.51	2.77	74.	.00	38.8	69.0	1000	4.15	34.520	2.74	27.411	67.8	1.660
988	4.19	34.513	2.51	2.80	74.	.00	38.9	68.7							

KV THOMAS WASHINGTON

ARIES EXPEDITION I

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
17 32.55		114 52.0W		12/09/70	0740		GMT	3573M	100	14KT	?	?			
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	24.55	36.306	4.88	.30	1.	.00	0.0	340.0	0	24.35	36.306	4.88	24.545	340.0	0
10	24.35	36.306	4.89	.30	1.	.00	0.0	340.3	10	24.36	36.306	4.89	24.542	340.3	.034
25	24.29	36.240	4.94	.28	1.	.00	0.0	339.4	20	24.32	36.298	4.92	24.548	339.7	.028
51	23.99	36.268	4.96	.300	1.	.00	0.1	332.5	30	24.25	36.281	4.95	24.557	338.8	.102
77	23.53	36.341	5.01	.31	1.	.00	0.1	314.3	50	24.01	36.267	4.96	24.619	332.9	.170
178	22.98	36.416	4.76	.31	1.	.17	0.1	293.6	75	23.56	36.334	5.01	24.800	315.7	.251
228	21.37	36.035	4.57	.370	1.	.23	1.4	277.8	100	23.30	36.360	4.99	24.897	306.5	.330
252	19.91	35.727	4.55	.35	1.	.03	1.9	262.6	125	23.18	36.420	4.95	24.977	298.8	.407
302	17.41	35.795	4.28	.61	2.	.01	5.8	233.9	150	23.07	36.430	4.87	25.017	295.1	.482
351	13.38	34.773	3.35	1.28	6.	.00	14.5	186.5	200	22.51	36.299	4.67	25.081	289.0	.632
401	10.63	34.532	2.50	1.97	13.	.00	22.4	154.4	250	20.04	35.752	4.55	25.344	263.9	.774
450	8.81	34.509	1.64	2.50	22.	.00	31.2	127.10	300	17.52	35.311	4.30	25.646	235.2	.904
500	7.59	34.455	2.28	2.45	22.	.00	32.8	113.6	400	10.67	34.535	2.52	26.491	154.9	1.108
599	6.13		3.24	2.19	23.	.00	30.8		500	7.59	34.455	2.28	26.927	113.6	1.251
699	5.35	34.416	2.93	2.57	18.	.00	36.4	88.4	600	6.12	34.416	3.24	27.097	97.4	1.365
799	4.89	34.467	2.65	2.71	53.		38.1	79.5	700	5.34	34.417	2.93	27.194	88.3	1.466
902	4.58	34.505	2.42	2.83	66.		38.0	73.3	800	4.89	34.468	2.65	27.288	79.4	1.559
1007	4.23	34.520	2.36	2.88	75.		39.5	68.6	1000	4.25	34.520	2.36	27.399	68.8	1.726

KV THOMAS WASHINGTON

ARIES EXPEDITION I

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
16 07.55		120 34.5W		12/10/70	0120		GMT	3555M	100	13KT	I	100 08 07			
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	24.58	36.029	4.94	.33	1.	.01	0.9	366.6	0	24.58	36.029	4.94	24.266	366.6	0
10	24.58	36.029	4.92	.33	1.	.01	0.8	366.6	10	24.58	36.029	4.92	24.266	366.6	.037
62	24.31	36.113	4.97	.29	1.	.00	0.1	352.8	20	24.56	36.042	4.92	24.283	364.9	.073
102	23.88	36.127	4.93	.31	1.	.00	0.10	339.5	30	24.52	36.057	4.93	24.305	362.8	.110
122	23.39	36.217	4.75	.35	1.	.09	0.1	319.3	50	24.41	36.090	4.95	24.365	357.1	.182
142	22.90	36.191	4.69	.39	1.	.24	0.1	307.6	75	24.22	36.107	4.96	24.434	350.6	.271
203	20.96	35.866	4.49	.48	1.	.29	2.3	279.3	100	23.91	36.124	4.93	24.538	340.7	.359
228	20.03	35.707	4.45	.53	1.	.02	3.5	267.1	125	23.32	36.217	4.74	24.784	317.3	.442
253	18.53	35.451	4.33	.59	1.	.01	4.9	248.8	150	22.68	36.161	4.66	24.926	303.7	.521
303	14.90	34.952	3.79	.97	4.	.00	11.1	203.9	200	21.07	35.887	4.50	25.169	280.6	.670
351	11.57	34.600	2.64	1.74	11.	.00	19.6	165.6	250	18.73	35.484	4.35	25.478	251.2	.807
403	9.70	34.554	1.37	2.46	21.	.00	29.2	137.6	300	15.13	34.979	3.84	25.946	206.7	.926
501	7.71	34.503	1.62	2.62	27.	.00	35.1	111.7	400	9.78	34.553	1.43	26.661	138.9	1.108
550	7.05	34.480	2.02	2.62	29.	.00	35.6	104.5	500	7.72	34.504	1.62	26.946	111.8	1.241
602	6.60	34.486	1.89	2.68	34.	.00	36.7	98.20	600	6.61	34.486	1.90	27.087	98.4	1.355
702	5.90	34.501	1.66	2.87	47.		41.2	88.4	700	5.91	34.501	1.66	27.191	88.6	1.458
852	5.01	34.503	1.78	2.97	62.		40.9	78.1	800	5.29	34.500	1.74	27.2660	81.4	1.552
1008	4.38	34.574	1.91	2.91	73.		40.6	66.0	1000	4.40	34.570	1.90	27.422	66.7	1.720

KV THOMAS WASHINGTON

ARIES EXPEDITION I

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
14 35.55		121 32.0W		12/10/70	1302		GMT	3555M	090	09KT	I	?			
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	24.64	36.066	4.92	.31	1.	.03	0.8	365.6	0	24.64	36.066	4.92	24.276	365.6	0
10	24.63	36.067	4.91	.31	1.	.01	0.9	365.3	10	24.63	36.067	4.91	24.280	365.3	.037
60	24.27	36.072	4.97	.30	1.	.01	0.6	354.6	20	24.60	36.070	4.92	24.291	364.2	.073
99	23.61	36.382	4.95	.26	1.	.00	0.1	313.6	30	24.55	36.070	4.93	24.306	362.7	.110
118	23.45	36.421	4.90	.29	1.	.01	0.0	306.3	50	24.38	36.070	4.95	24.358	357.9	.182
137	23.04	36.385	4.70	.31	1.	.47	0.2	297.5	75	24.01	36.180	4.96	24.551	339.4	.270
196	22.11	36.188	4.61	.15	1.	.48	0.9	286.4	100	23.60	36.385	4.95	24.827	313.1	.352
244	18.55	35.466	4.35	.57	1.	.00	4.7	248.2	125	23.31	36.4120	4.83	24.934	303.0	.430
292	14.91	34.961	3.84	.98	4.	.00	10.9	203.5	150	22.98	36.360	4.68	25.010	295.7	.507
321	12.14	34.651	3.07	1.49	9.	.00	17.6	172.1	200	21.86	36.131	4.60	25.135	283.8	.655
350	10.58	34.555	2.02	2.10	16.	.00	24.4	151.9	250	18.13	35.399	4.32	25.564	243.0	.791
388	9.27	34.548	1.44	2.46	22.	.00	30.9	131.3	300	14.11	34.860	3.66	26.075	194.4	.904
484	7.47	34.542	1.64	2.57	32.	.00	35.9	105.5	400	8.96	34.547	1.46	26.790	126.6	1.073
557	6.76	34.531	1.93	2.60	38.	.00	36.2	96.9	500	7.29	34.541	1.70	27.037	103.1	1.196
605	6.30	34.520	2.10	2.64	42.	.00	36.9	91.9	600	6.35	34.521	2.08	27.151	92.4	1.302
678	5.81	34.509	2.18	2.70	48.		38.2	86.8	700	5.68	34.507	2.18	27.225	85.3	1.399
826	5.03	34.508	2.12	2.83	61.		38.5	77.9	800	5.15	34.507	2.14	27.288	79.3	1.491
978	4.42	34.524	2.17	2.85	74.		39.6	70.2	1000	4.33	34.527	2.14	27.397	69.1	1.659

RV THOMAS WASHINGTON

ARIES EXPEDITION I

27

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
13 08.5S		122 17.0W		12/11/70		0847		GMT	3675M	120	15KT	2	120 09 07		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	24.69	36.038	4.86	.37	1.	.02	1.2	369.1	0	24.69	36.038	4.86	24.240	369.1	0
9	24.67	36.039	4.88	.33	1.	.02	1.2	368.4	10	24.67	36.038	4.88	24.246	368.5	.037
49	24.70	36.035	4.88	.34	1.	.02	1.3	369.6	20	24.68	36.036	4.88	24.243	368.8	.074
76	24.63	36.052	4.86	.34	1.	.03	1.1	366.3	30	24.68	36.035	4.88	24.240	369.1	.111
101	23.56	36.293	4.68	.34	1.	.10	0.1	318.6	50	24.70	36.035	4.88	24.236	369.5	.185
136	23.32	36.352	4.55	.36	1.	.79	0.2	307.6	75	24.63	36.051	4.86	24.267	366.5	.278
151	22.93	36.287	4.51	.36	1.	1.09	0.4	301.5	100	23.60	36.282	4.69	24.749	320.6	.364
202	19.86	35.693	4.35	.53	1.	.02	3.7	263.8	125	23.37	36.322	4.58	24.849	311.1	.444
251	16.27	35.156	2.95	1.34	5.	.01	15.1	218.4	150	22.96	36.292	4.51	24.944	302.0	.522
302	12.86	34.797	1.54	2.05	14.	.00	22.4	174.8	200	20.01	35.720	4.36	25.326	265.6	.668
351	10.76	34.678	.57	2.63	24.	.00	28.4	145.8	250	16.34	35.165	2.98	25.813	219.3	.793
402	9.48	34.688	.94	2.55	25.	.01	31.8	124.2	300	12.98	34.806	1.59	26.266	176.3	.896
502	7.87	34.585	1.71	2.48	32.	.00	34.7	107.8	400	9.52	34.687	.91	26.808	124.9	1.054
600	6.73	34.540	2.00	2.62	40.	.00	36.9	95.8	500	7.89	34.589	1.70	26.986	108.0	1.179
701	5.83	34.516	2.12	2.67	49.	.00	38.5	86.9	600	6.73	34.540	2.00	27.115	95.8	1.290
801	5.33	34.512	2.07	2.79	56..			81.0	700	5.88	34.516	2.12	27.207	87.0	1.391
902	4.81	34.517	1.94	2.93	67.			74.8	800	5.33	34.512	2.07	27.271	81.0	1.484
1003	4.32	34.528	2.04	2.90	77.			68.9	1000	4.33	34.528	2.04	27.397	69.0	1.654

RV THOMAS WASHINGTON

ARIES EXPEDITION I

28

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
11 00.0S		123 32.0W		12/12/70		0228		GMT	3743M	120	14KT	1	150 12		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	24.90	35.721	4.84	.54	1.	.07	4.5	398.0	0	24.90	35.721	4.84	23.937	398.0	0
60	24.79	35.725	4.84	.56	1.	.07	4.1	394.5	10	24.88	35.717	4.84	23.940	397.7	.040
85	24.65	35.708	4.80	.57	1.	.07	4.3	391.7	20	24.86	35.715	4.84	23.944	397.3	.080
99	24.02	35.770	4.64	.58	2.	.12	3.0	369.2	30	24.84	35.714	4.84	23.949	396.8	.119
114	23.07	35.833	4.41	.62	2.	.70	2.1	338.1	50	24.81	35.719	4.84	23.964	395.4	.199
129	21.29	35.710	3.94	.81	2.	3.57	4.1	299.2	75	24.71	35.714	4.82	23.991	392.8	.298
200	15.64	35.072	3.20	1.24	5.	.01	13.6	210.8	100	23.97	35.777	4.63	24.257	367.4	.394
249	12.19	34.722	1.62	2.11	15.	.00	22.0	167.8	125	21.80	35.750	4.07	24.864	309.6	.480
280	11.12	34.672	.92	2.45	21.	.00	26.9	152.4	150	19.34	35.523	3.69	25.352	263.2	.552
300	10.14	34.657	.81	2.57	25.	.00	31.5	137.0	200	15.64	35.072	3.20	25.903	210.8	.674
325	9.58	34.656	.93	2.59	27.	.00	31.6	128.1	250	12.15	34.720	1.59	26.361	167.3	.771
350	9.16	34.648	1.16	2.55	28..	.00	33.7	122.2	300	10.14	34.657	.81	26.680	137.0	.851
401	8.42	34.636	1.76	2.42	31.	.00	33.8	111.9	400	8.43	34.637	1.75	26.943	112.1	.982
451	7.91	34.615	1.73	2.54	35.	.00	34.3	106.2	500	7.58	34.605	1.53	27.045	102.4	1.097
503	7.56	34.603	1.52	2.67	38.	.00	37.2	102.2	600	6.71	34.564	1.18	27.136	93.8	1.204
553	7.17	34.584	1.39	2.73	42.			98.3	700	5.93	34.542	1.16	27.220	85.8	1.303
603	6.68	34.563	1.17	2.94	47.			93.5	800	5.32	34.535	1.41	27.291	79.1	1.395
705	5.90	34.583U	1.16	2.97	54.			41.8	1000	4.32	34.544	2.04	27.412	67.7	1.562
855	5.02	34.533	1.60	3.02	68.			41.9	75.9						
1002	4.31	34.544	2.05	2.90	80.			39.9	67.6						

RV THOMAS WASHINGTON

ARIES EXPEDITION I

29

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
9 29.5S		124 12.5W		12/13/70		0230		GMT	3895M	140	09KT	1	100 08 07		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	25.05	35.461	5.12	.74.	2..	.20	8.6	421.0	0	25.05	35.461	5.12	23.695	421.0	0
10	25.05	35.464	4.85	.76	2.	.20	8.3	420.8	10	25.05	35.464	4.85	23.697	420.8	.042
25	25.05	35.458	4.89	.76	2.	.20	8.4	421.3	20	25.05	35.459	4.88	23.694	421.1	.084
77	24.83	35.497	4.84	.76	2.	.18	8.5	412.1	30	25.03	35.461	4.89	23.702	420.4	.126
102	23.70	36.259	4.60	.41	1.	.17	0.3	325.0	50	24.94	35.476	4.87	23.739	416.8	.210
128	22.27	36.098	4.37	.50	1.	1.16	1.8	297.2	75	24.84	35.495	4.84	23.785	412.4	.315
153	20.36	35.768	4.11	.68	1.	.07	5.4	271.0	100	23.81	36.205	4.62	24.631	331.8	.409
204		35.136	3.42	1.16	4.	.01	12.4		125	22.46	36.145	4.40	24.978	298.8	.489
253	11.72	34.763	.61	2.53	21.	.00	26.6	156.3	150	20.61	35.811	4.14	25.237	274.2	.562
304	10.33	34.763	.71	2.55	28.	.00	33.2	132.3	200	15.91	35.129	3.52	25.885	212.5	.686
355	9.63	34.724	.79	2.60	31.	.00	34.2	123.9	250	11.93	34.776	.77	26.447	159.2	.782
404	9.04	34.692	.76	2.68	34.	.00	36.7	117.1	300	10.39	34.760	.70	26.717	133.5	.859
503	7.90	34.629	.90	2.84	40.	.00	38.8	105.0	400	9.09	34.695	.76	26.885	117.6	.991
601	6.88	34.580	.85	3.01	48.	.00	41.1	94.8	500	7.93	34.631	.90	27.014	105.3	1.111
701	5.93	34.545	.99	3.10	57.	.00	42.2	85.5	600	6.89	34.581	.85	27.125	94.9	1.220
802	5.29	34.546	1.36	3.10	65.			78.0	700	5.94	34.545	.99	27.223	85.6	1.320
904	4.75	34.539	1.92	2.96	72.			72.5	800	5.30	34.546	1.35	27.302	78.1	1.411
1008	4.30	34.548	2.19	2.86	80.			67.2	1000	4.33	34.547	2.18	27.413	67.6	1.577

RV THOMAS WASHINGTON										ARIES EXPEDITION I							
LATITUDE 9 26.55			LONGITUDE 127 21.0W			MO/DAY/YR 12/14/70		MESSENGER 0525		TIME GMT	BOTTOM	WIND 080	SPEED 09KT	WEATHER 3	DOMINANT WAVES		
Z	T	S	O2	PC4	SIO3	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	DD		
0	24.09	35.053	4.98	.79	4.	.23	9.6	422.9	0	24.09	35.053	4.98	23.675	422.9	0		
10	24.07	35.059	4.99	.79	4.	.23	9.8	421.9	10	24.07	35.059	4.99	23.686	421.9	.042		
25	23.86	35.213	4.96	.82	4.	.21	9.4	404.9	20	23.94	35.160	4.97	23.800	411.1	.084		
50	23.41	35.140	4.41	.86	4.	.23	10.4	397.6	30	23.77	35.197	4.95	23.880	403.4	.125		
101	22.72	35.017	4.71	.95	5.	.26	10.9	383.1	50	23.41	35.140	4.91	23.941	397.6	.205		
151	20.09	35.657	4.01	.76	2.	1.72	5.3	272.2	75	23.18	35.110	4.85	23.985	393.4	.305		
201	15.43	35.077	2.77	1.46	7.	.01	15.7	206.0	100	22.75	35.076	4.72	24.085	383.9	.403		
250	11.41	34.770	.95	2.52	23.	.00	28.4	150.3	125	21.73	35.380	4.44	24.602	334.6	.493		
300	10.54	34.766	.84	2.45	27.	.00	31.5	135.6	150	20.16	35.647	4.03	25.230	274.8	.571		
349	9.69	34.729	.86	2.55	31.	.00	34.1	124.5	200	15.53	35.092	2.80	25.943	207.0	.694		
399	9.17	34.696	.81	2.66	34.	.00	35.5	118.8	250	11.41	34.770	.55	26.540	150.3	.787		
448	8.58	34.664	.80	2.73	37.	.00	37.1	112.2	300	10.54	34.766	.84	26.695	135.6	.861		
508	8.09	34.632	.79	2.80	39.	.00	38.8	107.5	400	9.16	34.696	.81	26.874	118.6	.996		
596	6.96	34.578	.83	3.01	47.	.00	41.6	96.0	500	8.15	34.637	.79	26.985	108.1	1.118		
697	5.93	34.543	1.36	2.99	57.	.00	41.9	85.6	600	6.91	34.577	.85	27.118	95.5	1.229		
797	5.32	34.533	1.56	2.96	65.	.00	42.5	79.3	700	5.91	34.543	1.37	27.224	85.4	1.328		
900	4.79	34.534	1.86	2.97	74.	.00	40.8	73.1	800	5.30	34.533	1.57	27.291	79.1	1.420		
1004	4.31	34.539	2.14	2.88	82.	.00	40.3	67.9	1000	4.33	34.539	2.13	27.407	68.1	1.587		

RV THOMAS WASHINGTON										ARIES EXPEDITION I							
LATITUDE 10 55.55			LONGITUDE 128 11.5W			MO/DAY/YR 12/14/70		MESSENGER 1730		TIME GMT	BOTTOM 4123M	WIND 080	SPEED 12KT	WEATHER 1	DOMINANT WAVES 100 07		
Z	T	S	O2	PC4	SIO3	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	DD		
0	25.23	35.609	4.83	.61	2.	.17	6.2	415.6	0	25.23	35.609	4.83	23.752	415.6	0		
57	25.19	35.607	4.85	.64	2.	.13	6.0	414.6	10	25.22	35.606	4.84	23.754	415.5	.042		
62	25.19	35.612	4.85	.64	2.	.13	6.3	414.3	20	25.21	35.604	4.84	23.755	415.3	.083		
67	25.19	35.608	4.89	.64	2.	.12	6.3	414.5	30	25.20	35.604	4.85	23.757	415.1	.125		
82	24.62	35.919	4.76	.53	1.	.07	2.2	375.6	50	25.19	35.605	4.85	23.761	414.7	.208		
102	24.35	36.313	4.67	.35	1.	.02	0.2	339.5	75	24.92	35.744	4.84	23.948	396.9	.310		
152	23.01	36.221	4.36	.48	1.	2.08	0.4	308.5	100	24.37	36.279	4.68	24.520	342.4	.403		
203	19.63	35.667	4.21	.60	1.	.02	4.6	260.0	125	23.91	36.300	4.52	24.744	321.0	.488		
252	15.12	35.038	3.19	1.27	6.	.00	13.8	202.3	150	23.09	36.243	4.37	24.870	309.1	.568		
303	11.37	34.688	1.01	2.40	20.	.00	25.9	155.6	200	19.88	35.706	4.22	25.352	263.2	.714		
353	9.75	34.659	.98	2.59	26.	.00	31.7	140.6	250	15.31	35.060	3.25	25.968	204.6	.835		
402	8.95	34.638	1.36	2.54	29.	.00	33.4	119.7	300	11.55	34.700	1.12	26.460	157.9	.929		
452	8.21	34.626	1.80	2.47	32.	.00	33.3	109.6	400	8.97	34.640	1.34	26.860	120.0	1.075		
500	7.67	34.599	1.73	2.59	37.	.00	33.5	104.0	500	7.67	34.599	1.73	27.028	104.0	1.196		
599	6.84	34.566	1.57	2.74	44.	.00	38.0	95.3	600	6.83	34.567	1.57	27.121	95.2	1.304		
698	6.04	34.537	1.51	2.90	52.	.00	40.4	87.4	700	6.03	34.537	1.51	27.205	87.3	1.405		
850	5.07	34.522	1.81	2.96	65.	.00	40.8	77.3	800	5.36	34.524	1.69	27.277	80.4	1.498		
1007	4.36	34.533	2.06	2.88	80.	.00	40.2	68.9	1000	4.39	34.532	2.05	27.395	69.2	1.688		

RV THOMAS WASHINGTON										ARIES EXPEDITION I							
LATITUDE 12 45.05			LONGITUDE 129 31.0W			MO/DAY/YR 12/15/70		MESSENGER 0804		TIME GMT	BOTTOM 3649M	WIND 060	SPEED 14KT	WEATHER 1	DOMINANT WAVES		
Z	T	S	O2	PC4	SIO3	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	DD		
0	25.74	35.954	4.79	.33	1.	.01	1.0	405.8	0	25.74	35.954	4.79	23.855	405.8	0		
11	25.74	35.957	4.78	.34	1.	.01	1.0	405.6	10	25.74	35.956	4.78	23.857	405.6	.041		
50	25.54	35.935	4.82	.35	1.	.02	1.3	401.3	20	25.69	35.951	4.79	23.867	404.6	.081		
102	24.06	36.311	4.55	.42	1.	.11	0.2	331.4	30	25.64	35.946	4.81	23.879	403.5	.122		
152	22.60	36.193	4.31	.46	1.	1.12	1.6	299.3	50	25.54	35.935	4.82	23.902	401.3	.200		
202	20.18	35.788	4.27	.46	1.	.02	3.6	265.0	75	24.92	36.117	4.71	24.231	369.9	.302		
252	16.76	35.239	3.81	.91	3.	.00	9.2	223.2	100	24.13	36.296	4.56	24.604	334.4	.388		
302	13.48	34.838	2.68	1.55	9.	.00	16.3	183.7	125	23.45	36.305	4.43	24.811	314.6	.471		
351	10.37	34.643	.95	2.46	22.	.00	28.3	141.9	150	22.67	36.204	4.32	24.962	300.3	.549		
401	9.07	34.622	1.49	2.45	26.	.00	31.7	122.7	200	20.30	35.808	4.27	25.318	266.4	.694		
450	8.20	34.604	2.17	2.33	29.	.00	31.4	111.1	250	16.91	35.260	3.84	25.754	224.9	.821		
500	7.63	34.586	2.33	2.36	33.	.00	32.9	104.4	300	13.61	34.850	2.74	26.172	185.3	.927		
599	6.70	34.557	2.14	2.57	41.	.00	36.0	94.2	400	9.08	34.623	1.48	26.829	122.9	1.089		
699	5.97	34.536	1.91	2.78	51.	.00	38.1	86.6	500	7.63	34.586	2.33	27.024	104.4	1.211		
750	5.69	34.527	2.01	2.74	53.	.00	38.1	84.0	600	6.69	34.557	2.14	27.133	94.1	1.319		
800	5.42	34.526	1.84	2.88	59.	.00	39.7	80.9	700	5.96	34.536	1.91	27.212	86.6	1.419		
902	4.85	34.516	2.41	2.76	64.	.00	37.8	75.3	800	5.42	34.526	1.84	27.272	80.9	1.512		
1007	4.43	34.524	2.39	2.78	72.	.00	39.3	70.3	1000	4.45	34.523	2.39	27.380	70.6	1.684		

RV THOMAS WASHINGTON

ARIES EXPEDITION I

33

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
14 21.05		130 31.5W		12/16/70	0410		GMT	4066M	060	06KT	2	060 07 08			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	00
0	25.83	36.211	4.73	.25	1..	.00	0.0	390.0	0	25.83	36.211	4.73	24.020	390.0	0
41	25.65	36.202	4.76	.26	1.	.00	0.1	385.3	10	25.78	36.209	4.74	24.035	388.6	.039
57	25.60	36.196	4.79	.27	1.	.00	0.1	384.3	20	25.73	36.207	4.74	24.048	387.3	.078
78	24.73	36.303	4.87	.28	1.	.00	0.1	351.1	30	25.69	36.205	4.75	24.059	386.3	.117
103	24.26	36.410	4.65	.31	1.	.19	0.2	329.9	50	25.62	36.198	4.77	24.076	384.7	.194
143	23.36	36.359	4.43	.37	1..	1.24	0.5	308.2	75	24.87	36.283	4.86	24.371	356.5	.287
174	22.50	36.212	4.40	.37	1.	.70	1.3	295.2	100	24.30	36.400	4.68	24.631	331.8	.374
204	20.68	35.870	4.27	.48	1.	.02	3.4	271.8	125	23.79	36.408	4.51	24.789	316.7	.456
253	18.35	35.483	4.31	.53	1..	.00	4.4	242.2	150	23.22	36.339	4.42	24.906	305.6	.536
303	14.78	34.972	3.91	.91	3.	.00	10.2	200.0	200	20.94	35.917	4.29	25.227	275.1	.684
352	11.07	34.590	2.41	1.89	13.	.00	22.0	157.6	250	18.50	35.506	4.31	25.554	244.0	.818
401	8.96	34.566	1.32	2.57	24.	.00	32.2	125.2	300	15.01	35.001	3.96	25.988	202.7	.934
500	7.44	34.543	1.74	2.60	33.	.00	35.7	105.0	400	8.99	34.565	1.34	26.799	125.7	1.107
598	6.30	34.505	2.25	2.62	41.	.00	36.1	93.0	500	7.44	34.543	1.74	27.018	105.0	1.230
698	5.57	34.499	2.40	2.64	51.	.00	37.0	84.7	600	6.28	34.505	2.26	27.146	92.8	1.337
799	5.09	34.502	2.47	2.71	58.	.00	38.2	79.0	700	5.56	34.499	2.40	27.233	84.6	1.435
903	4.70	34.505	2.49	2.74	65.	.00	38.2	74.6	800	5.09	34.502	2.47	27.292	79.0	1.525
1009	4.33	34.518	2.44	2.78	74.	.00	39.2	69.7	1000	4.36	34.517	2.45	27.385	70.1	1.694

RV THOMAS WASHINGTON

ARIES EXPEDITION I

34

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
15 03.55		131 15.5W		12/16/70	1842		GMT	4066M	070	15KT	1	10			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	25.79	36.195	4.73	.25	1..	.00	0.1	390.0	0	25.79	36.195	4.73	24.021	390.0	0
25	25.75	36.190	4.74	.26	1.	.00	0.1	389.1	10	25.77	36.192	4.74	24.024	389.6	.039
100	24.30	36.501	4.67	.26	1.	.11	0.1	324.5	20	25.76	36.190	4.74	24.028	389.3	.078
129	24.05	36.510	4.70	.25	1.	.08	0.1	316.8	30	25.67	36.208	4.73	24.070	385.3	.117
159	23.10	36.405	4.45	.34	1.	1.00	0.7	304.9	50	25.31	36.287	4.71	24.239	369.2	.193
197	21.37	35.992	4.33	.41	1..	.11	2.7	280.9	75	24.83	36.391	4.69	24.465	347.7	.283
244	19.16	35.610	4.32	.50	1.	.01	4.0	252.5	100	24.30	36.501	4.67	24.707	324.5	.368
291	16.81	35.241	4.06	.75	2.	.00	7.6	224.2	125	24.10	36.516	4.70	24.780	317.7	.449
315	15.33	35.033	3.94	.84	3.	.01	9.5	207.0	150	23.44	36.379	4.53	24.870	309.0	.529
363	12.59	34.705	3.48	1.28	6.	.00	15.8	176.5	200	21.23	35.967	4.33	25.185	279.1	.679
386	10.95	34.564	3.02	1.67	10.	.00	21.2	157.1	250	18.88	35.564	4.29	25.500	249.1	.815
433	9.11	34.510	2.04	2.33	19.	.00	30.2	131.6	300	16.26	35.161	4.02	25.829	217.8	.937
479	8.27	34.501	1.85	2.50	23.	.00	33.2	119.8	400	10.24	34.534	2.69	26.566	147.8	1.129
575	6.71	34.473	2.33	2.52	30.	.00	36.2	100.6	500	7.88	34.492	1.93	26.913	114.9	1.269
673	5.93	34.501	2.15	2.67	43.	.00	38.1	88.8	600	6.47	34.480	2.31	27.102	97.0	1.383
772	5.29	34.500	2.20	2.78	55.	.00	39.7	81.4	700	5.74	34.502	2.16	27.213	86.5	1.484
871	4.83	34.511	2.17	2.88	63.	.00	40.8	75.5	800	5.15	34.503	2.20	27.285	79.6	1.576
972	4.38	34.522	2.14	2.87	73.	.00	41.8	69.9	1000	4.28	34.525	2.20	27.401	68.7	1.744

RV THOMAS WASHINGTON

ARIES EXPEDITION I

35

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
16 05.05		132 28.0W		12/18/70	0550		GMT	4055M	080	12KT	2	2			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	25.91	36.096	4.74	.29	1.	.00	0.1	400.6	0	25.91	36.096	4.74	23.909	400.6	0
10	25.92	36.100	4.76	.27	1.	.00	0.1	400.7	10	25.92	36.100	4.76	23.909	400.7	.040
50	25.85	36.216	4.79	.25	1.	.00	0.2	390.2	20	25.90	36.111	4.77	23.923	399.3	.080
76	25.57	36.265	4.81	.25	1.	.00	0.1	378.4	30	25.88	36.135	4.78	23.946	397.1	.120
101	24.88	36.424	4.67	.27	1.	.03	0.1	346.8	50	25.85	36.216	4.79	24.018	390.2	.199
126	24.27	36.414	4.50	.35	1.	.40	0.3	329.6	75	25.59	36.261	4.81	24.135	379.1	.296
151	23.52	36.317	4.49	.31	1.	.81	0.2	315.7	100	24.91	36.417	4.68	24.460	348.1	.388
201	21.15	35.951	4.25	.46	1.	.04	3.2	278.1	125	24.29	36.421	4.51	24.649	330.1	.474
251	19.14	35.629	4.28	.53	1.	.00	4.3	250.6	150	23.55	36.322	4.49	24.794	316.3	.556
301	16.37	35.188	3.97	.75	3.	.00	8.5	218.2	200	21.20	35.958	4.25	25.187	278.9	.708
350	13.12	34.771	3.15	1.35	7.	.00	15.8	181.6	250	19.18	35.636	4.28	25.478	251.2	.845
400	10.41	34.556	1.98	2.15	16.	.00	25.6	149.0	300	16.43	35.197	3.98	25.817	218.9	.967
499	7.94	34.518	1.78	2.52	26.	.00	34.2	113.8	400	10.41	34.556	1.98	26.554	149.0	1.160
598	6.54	34.487	2.40	2.54	34.	.00	35.9	97.3	500	7.92	34.518	1.79	26.927	113.6	1.300
697	5.84	34.491	2.56	2.56	44.	.00	36.1	88.5	600	6.52	34.487	2.40	27.101	97.1	1.414
797	5.30	34.498	2.46	2.65	53.	.00	39.2	81.7	700	5.82	34.491	2.56	27.195	88.2	1.516
899	4.84	34.505	2.18	2.81	63.	.00	40.1	76.1	800	5.29	34.498	2.45	27.266	81.5	1.610
1001	4.45	34.516	2.21	2.86	71.	.00	41.3	71.1	1000	4.45	34.516	2.21	27.375	71.2	1.782

RV THOMAS WASHINGTON						ARIES EXPEDITION I														
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
13 05.5S		138 22.5W		12/19/70		1330		GMT		4104M		100		14KT		1		100 15 08		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD					
0	26.35	35.77	4.72	-.36	1.	-.04	2.2	437.1	0	26.35	35.77	4.72	23.527	437.1	0					
10	26.37		4.72	-.39	1.	-.04	2.5		10	26.37	35.78	4.72	23.529	436.9	.044					
25	26.38		4.74	-.39	1.	-.03	2.5		20	26.38	35.79	4.73	23.532	436.6	.087					
50	26.37		4.74	-.40	1.	-.03	2.6		30	26.38	35.79	4.74	23.535	436.3	.131					
76	26.28	35.77	4.71					435.1	50	26.37	35.80	4.74	23.541	435.8	.219					
100	25.34		4.42	-.37	1.	-.09	0.7		75	26.28	35.77	4.71	23.548	435.1	.328					
125	24.86	36.34	4.28					352.5	100	25.34	36.26	4.42	24.213	371.6	.430					
150	24.06	36.32	4.16	-.43	1.	2.63	3.4	330.6	125	24.86	36.34	4.28	24.414	352.5	.522					
201	21.70		4.04	-.54	1.	-.08	4.2		150	24.06	36.32	4.16	24.644	330.6	.608					
251	18.97	35.63	4.05	-.64	1.	-.00	5.9	246.6	200	21.75	36.03	4.04	25.092	287.9	.766					
302	15.61	35.10	3.61	1.00	4.	-.00	11.5	208.3	250	19.03	35.64	4.05	25.518	247.4	.904					
352	11.72	34.69	2.20	1.85	13.	-.00	22.22	161.9	300	15.75	35.12	3.64	25.413	209.8	1.073					
403	9.41	34.60	1.45	2.41	23.	-.00	30.5	129.4	400	9.51	34.60	1.47	26.745	130.9	1.202					
454	8.32	34.59	1.76	2.45	28.	-.00	33.0	114.3	500	7.65	34.56	2.17	27.002	106.5	1.329					
504	7.60	34.56	2.20	2.39	31.	-.00	32.8	106.0	600	6.53	34.52	2.62	27.128	94.5	1.439					
604	6.49	34.52	2.63	2.36	40.		37.5	84.6	700	5.66	34.51	2.66	27.230	84.9	1.537					
704	5.632	34.51	2.66	2.55	50.		37.6	79.3	800	5.18	34.51	2.55	27.287	79.4	1.628					
804	5.16	34.51	2.55	2.55	58.		36.5	73.7	1000	4.25	34.53	2.73	27.404	68.4	1.795					
903	4.70	34.52	2.55	2.65	66.		37.6	68.3												
1001	4.25	34.53	2.73	2.69	74.															

RV THOMAS WASHINGTON						ARIES EXPEDITION I														
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
12 31.0S		140 39.5W		12/20/70		0300		GMT		4241M		110		18KT		1		080 15 08		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD					
0	26.76	36.013	4.72	-.24	1.	-.00	0.2	432.2	0	26.76	36.013	4.72	23.578	432.2	0					
10	26.77	36.009	4.69	-.27	1.	-.002	0.2	432.8	10	26.77	36.009	4.69	23.572	432.8	.043					
51	26.60	36.030	4.75	-.23	1.	-.00	0.2	426.1	20	26.73	36.0132	4.70	23.589	431.2	.087					
103	25.25	36.415	4.58	-.27	1.	-.10	0.2	358.2	30	26.69	36.019	4.71	23.606	429.5	.130					
153	24.07	36.366	4.38	-.35	1.	1.07	0.4	327.7	50	26.60	36.029	4.75	23.640	426.3	.216					
204	21.14	35.967	4.12	-.45	1.	-.02	4.0	276.7	75	26.05	36.209	4.69	23.951	396.6	.319					
254	18.80	35.570	4.06	-.69	2.	-.01	6.3	246.7	100	25.34	36.392	4.59	24.309	362.5	.415					
305	15.09	35.052	3.29	1.12	5.	-.00	12.8	200.6	125	24.83	36.442	4.50	24.504	343.9	.504					
354	12.26	34.791	2.78	1.54	10.	-.00	16.6	164.0	150	24.16	36.379	4.39	24.657	329.3	.590					
405	9.87	34.607	1.61	2.25	21.	-.00	29.1	136.4	200	21.39	36.002	4.14	25.168	280.7	.746					
454	8.39	34.585	1.97	2.37	26.	-.00	31.8	115.3	250	19.00	35.605	4.06	25.501	249.0	.882					
504	7.44								300	15.47	35.097	3.38	25.961	205.3	1.000					
553	6.88	34.536	2.69	2.332	35.		32.5	98.1	400	10.07	34.620	1.70	26.662	138.7	1.181					
604	6.43	34.516	2.84	2.39	39.		33.0	93.8	500	7.50	34.5612	2.34	27.024	104.4	1.311					
704	5.76	34.508	2.74	2.47	48.		34.6	86.2	600	6.46	34.5182	2.83	27.133	94.1	1.419					
805	5.21	34.508	2.70	2.57	56.		36.82	79.92	700	5.78	34.508	2.74	27.213	86.5	1.518					
907	4.75	34.517	2.63	2.71	64.		37.7	74.2	800	5.23	34.508	2.70	27.279	80.2	1.611					
1010	4.36	34.522	2.67	2.67	72.		37.7	69.7	1000	4.39	34.522	2.67	27.386	70.1	1.781					

RV THOMAS WASHINGTON						ARIES EXPEDITION I														
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM		WIND		SPEED		WEATHER		DOMINANT WAVES		
14 19.5S		143 52.0W		12/21/70		0246		GMT		4218M		100		20KT		1		16		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD					
0	27.04	36.027	4.71	-.24	1.	-.00	0.1	439.7	0	27.04	36.027	4.71	23.499	439.7	0					
77	26.15	36.221	4.69	-.24	1.	-.00	0.1	398.8	10	26.93	36.023	4.71	23.572	436.6	.044					
102	25.84	36.393	4.53	-.29	1.2	-.022	0.1	377.2	20	26.82	36.028	4.70	23.571	432.8	.087					
152	24.49	36.379	4.31	-.40	1.	1.50	0.5	338.8	30	26.70	36.042	4.70	23.618	428.4	.131					
175	23.71	36.310	4.20	-.44	1.	-.90	1.6	321.5	50	26.47	36.095	4.70	23.731	417.6	.215					
203	22.29	36.140	4.17	-.42	1.	-.03	3.1	294.7	75	26.17	36.209	4.69	23.912	400.4	.318					
253	19.74	35.737	4.22	-.58	1.	-.00	5.1	257.6	100	25.87	36.380	4.54	24.136	379.0	.417					
303	17.12	35.302	3.91	-.78	2.	-.00	8.0	226.72	125	25.31	36.427	4.42	24.345	359.0	.510					
328	15.71	35.117	3.77	-.93	4.	-.00	10.0	209.0	150	24.56	36.385	4.32	24.543	340.2	.599					
352	14.17	34.924	3.43	1.16	6.	-.00	13.8	191.1	200	22.45	36.160	4.17	24.990	297.6	.762					
403	11.67	34.680	2.74	1.70	11.	-.00	20.7	161.5	250	19.89	35.763	4.22	25.390	259.6	.905					
452	8.88	34.533	2.35	2.19	20.	-.00	29.3	126.4	300	17.28	35.327	3.93	25.716	228.6	1.032					
502	7.54	34.508	2.59	2.31	27.	-.00	31.6	109.0	400	11.81	34.6912	2.78	26.404	163.2	1.238					
603	6.35	34.495	2.97	2.38	38.		33.4	94.42	500	7.57	34.5082	2.57	26.971	109.4	1.383					
702	5.66	34.493	3.02	2.43	46.		34.2	86.2	600	6.37	34.495	2.96	27.128	94.6	1.494					
803	5.13	34.490	3.24	2.48	54.		35.8	80.4	700	5.67	34.493	3.02	27.215	86.3	1.593					
904	4.77	34.496	3.08	2.54	60.		35.7	76.0	800	5.14	34.490	3.23	27.276	80.5	1.686					
1008	4.42	34.505	3.03	2.55	67.		36.1	71.6	1000	4.45	34.504	3.03	27.366	72.0	1.857					

A) ALTERNATE VALUE 17.77 DEGREES.

Z	LATITUDE 15 09.5S			LONGITUDE 145 15.5W			MO/DAY/YR 12/21/70			MESSENGER 1513			TIME GMT	ROTTOM 1829M	WIND 100	SPEED 17KT	WEATHER 2	DOMINANT WAVES 080 13 09		
	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	CD					
0	27.13	36.133	4.61	.20	1.	.00	0.0	434.9	0	27.13	36.133	4.61	23.550	434.9	0					
62	27.15	36.126	4.62	.23	1.	.00	0.0	436.0	10	27.13	36.131	4.61	23.548	435.0	.044					
82	27.10	36.147	4.72	.22	1.	.00	0.1	432.9	20	27.14	36.130	4.61	23.546	435.2	.087					
102	26.39	36.280	4.71	.22	1.	.00	0.0	401.8	30	27.14	36.129	4.61	23.544	435.4	.131					
127	25.77	36.404	4.66	.25	1.	.01	0.0	374.3	50	27.15	36.127	4.62	23.541	435.8	.218					
152	25.15	36.351	4.42	.25	1.	.21	0.2	359.9	75	27.12	36.139	4.69	23.559	434.0	.328					
178	23.73	36.256	4.21	.35	1.	.58	1.1	326.0	100	26.47	36.264	4.71	23.859	405.4	.433					
203	22.09	36.088	4.09	.46	1.	.02	3.1	293.1	125	25.81	36.397	4.66	24.167	376.0	.532					
255	19.34	35.665	4.05	.61	1.	.00	5.6	252.9	150	25.21	36.359	4.44	24.323	361.1	.626					
304	17.04	35.304	3.87	.73	2.	.00	8.2	224.8	200	22.29	36.110	4.10	24.999	296.8	.794					
354	14.41	34.960	3.31	1.05	5.	.00	12.2	193.3	250	19.58	35.707	4.05	25.430	255.7	.936					
403	11.43	34.665	2.37	1.60	11.	.00	20.2	158.4	300	17.23	35.333	3.89	25.733	226.9	1.061					
502	7.67	34.513	2.66	2.25	26.	.00	30.7	110.4	400	11.61	34.680	2.99	26.433	160.4	1.265					
602	6.30	34.494	3.16	2.27	37.		31.7	93.8	500	7.72	34.513	2.67	26.954	111.1	1.410					
701	5.61	34.495	3.14	2.41	46.		33.7	85.4	600	6.31	34.494	3.15	27.134	94.0	1.521					
802	5.10	34.498	3.15	2.44	54.		34.6	79.4	700	5.61	34.495	3.14	27.223	85.5	1.619					
904	4.74	34.509	3.12	2.52	60.		35.2	74.7	800	5.11	34.498	3.15	27.286	79.5	1.711					
1008	4.25	34.516	3.02	2.58	70.		36.4	69.1	1000	4.29	34.516	3.03	27.392	69.5	1.879					

Z	LATITUDE 25 01.5S			LONGITUDE 154 58.5W			MO/DAY/YR 12/28/70			MESSENGER 1913			TIME GMT	ROTTOM 4733M	WIND 100	SPEED 18KT	WEATHER 1	DOMINANT WAVES 100 18 08		
	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	OO					
0	25.44	35.272	4.77	.19	1.	.02	0.1	446.1	0	25.44	35.272	4.77	23.433	446.1	0					
9	25.43	35.281	4.73	.16	1.	.00	0.1	445.1	10	25.37	35.293	4.74	23.472	442.3	.044					
24	24.23	35.510	4.91	.08	1.	.00	0.1	393.9	20	24.60	35.440	4.85	23.816	409.5	.087					
49	23.34	35.636	5.04	.11	1.	.00	0.1	359.8	30	23.97	35.559	4.96	24.095	382.9	.127					
75	22.09	35.679	5.05	.11	1.	.00	0.1	322.6	50	23.29	35.638	5.04	24.353	358.3	.201					
100	21.34	35.678	4.96	.10	1.	.00	0.1	302.8	75	22.09	35.679	5.05	24.727	322.6	.287					
149	20.09	35.655	4.64	.17	1.	.09	0.8	272.3	100	21.34	35.678	4.96	24.935	302.8	.366					
200	18.82		4.63	.25	1.	.02	2.0		125	20.68	35.669	4.79	25.108	286.4	.441					
250	17.79	35.598	4.76	.26	1.	.01	2.6	220.6	150	20.05	35.650	4.64	25.262	271.7	.512					
301	16.41	35.547	4.57	.35	1.	.01	4.8	193.0	200	18.82	35.612	4.63	25.553	244.0	.644					
351	15.36	35.365	4.63	.45	2.	.01	6.0	183.4	250	17.79	35.598	4.76	25.799	220.6	.764					
402	13.03	35.014	4.48	.79	3.	.00	10.8	162.1	300	16.44	35.548	4.57	26.086	193.4	.872					
502	9.93	34.695	4.57	1.23	5.	.00	17.4	130.8	400	13.13	35.027	4.49	26.406	163.0	1.060					
603	7.74	34.485	4.94	1.52	8.	.00	21.7	113.4	500	9.98	34.699	4.57	26.740	131.3	1.218					
702	6.56	34.396	5.18	1.61	10.	.00	24.5	104.4	600	7.79	34.490	4.93	26.925	113.8	1.351					
801	5.72	34.353	5.01	1.84	16.		27.5	97.4	700	6.58	34.397	5.18	27.023	104.5	1.471					
899	5.08	34.351	4.67	2.03	24.		29.9	90.2	800	5.73	34.353	5.01	27.098	97.4	1.582					
996	4.47	34.391	4.52	2.22	36.		32.6	80.7	1000	4.45	34.393		27.278	80.4	1.780					

ARIES EXPEDITION LEG II

The objective of Leg II of the ARIES Expedition was to measure the deep flow, water characteristics and topography in the area between New Zealand and Antarctica. Most of the work was carried out between 60°S and 70°S. Some preliminary results have been published by Reid and Mantyla (1971) and referen in other publications listed below. The data from 12 current meter lowerings is available from NODC. On 60 stations single or multiple casts were lowered as near the bottom as possible.

ARIES II was sponsored by the National Science Foundation and the Office of Naval Research.

Personnel participating in the expedition were:

Ship's Captain:

Bonham, John W.

Scientific personnel:

Reid, J. L. (Chief scientist)

Anderson, G. C.

Bates, A. T.

Ferreira, S. M.

Graham, J. B.

Hester, A. W.

Kellogg, D.

Linick, T.

Mantyla, A. W.

Mead, R. V.

Morris, G. S. Jr.

Scruggs, F.

Steffin, O.

Withington, P.

Worthington, L. V.

Papers resulting from ARIES II are:

Reid, Joseph L., and Arnold W. Mantyla, 1971. Antarctic work of the ARIES Expedition. *Antartic J., U. S.*, 6: 111-113.

Reid, Joseph L., 1973. The shallow salinity minima of the Pacific Ocean. *Deep-Sea Res.*, 20: 51-68.

Reid, Joseph L., 1974. Deep Pacific circulation inferred from the density field and water characteristics. *Trans. Amer. Geophys. Un.*, 56: 1134. (Abstract only).

Mantyla, Arnold W., 1975. On the potential temperature in the abyssal Pacific Ocean. *J. Mar. Res.*, 33: 341-354.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

1

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
55 42.5S		158 38.0E		01/13/71		0058 0415GMT		3622M	320	21KT	2	320 12 08			
Z	T	S	O2	PC4	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	4.80	33.82	7.75	1.20	1.	.32	23.0	127.1	0	4.80	33.82	7.75	26.785	127.1	0
30	4.340	33.83	7.75	1.29	1.	.28	23.6	121.6	10	4.69	33.82	7.75	26.800	125.7	.013
50	3.81	33.84	7.90	1.43	3.	.30	24.2	115.6	20	4.54	33.83	7.75	26.819	123.8	.025
102	1.09	33.92	7.81	1.93	17.	.36	28.5	88.3	30	4.34	33.83	7.75	26.843	121.6	.037
127	1.04	33.97	7.59	1.96	24.	.26	29.7	84.2	50	3.81	33.84	7.90	26.906	115.6	.061
178	1.56	34.15	6.72	2.18	35.0	.08	33.2	73.9	75	2.40	33.86	7.86	27.049	102.0	.089
228	2.33	34.31	5.69	2.26	46.	.01	35.2	67.4	100	1.18	33.91	7.81	27.183	89.3	.112
279	2.35	34.34	5.03	2.37	49.	.01	35.7	65.3	125	1.04	33.97	7.61	27.235	84.4	.134
353	2.36	34.41	4.60	2.39	57.	.00	36.1	60.0	150	1.21	34.05	7.24	27.287	79.5	.155
427	2.22	34.46	4.44	2.42	63.	.00	36.6	55.2	200	1.93	34.23	6.25	27.381	70.5	.193
503	2.15	34.52	4.29	2.44	68.	.00	36.6	50.1	250	2.34	34.33	5.36	27.427	66.3	.227
602	2.21	34.58	4.11	2.41	73.	.00	36.6	46.0	300	2.35	34.36	4.86	27.451	63.9	.260
701	2.21	34.62	4.05	2.37	76.	.00	36.4	43.0	400	2.28	34.44	4.48	27.525	56.9	.323
798A	2.20	34.61 U	4.06	2.36	79.	.00	35.7		500	2.15	34.52	4.30	27.595	50.3	.379
799	2.190	34.66	4.92U	2.35	78.	.00	35.4	39.8	600	2.21	34.58	4.11	27.640	46.1	.429
898	2.18	34.68	4.09	2.33	80.	.00	34.9	38.2	700	2.21	34.62	4.05	27.672	43.0	.477
997A	2.131	34.70	4.18	2.14U	82.	.00	33.9	36.3	800	2.19	34.66	4.06	27.706	39.8	.523
998	2.15	34.69	4.20	2.20U	82.	.00	34.2	37.2	1000	2.15	34.69	4.20	27.734	37.2	.609
1098	2.09	34.72	4.27	2.19	83.	.00	33.5	34.5	1200	2.03	34.73	4.32	27.775	33.3	.690
1099A	2.05	34.72	4.30	2.19	82.	.00	33.4	34.2	1500	1.71	34.75	4.54	27.815	29.4	.801
1198	2.03	34.72	4.32	2.17	85.	.00	33.5	34.0	2000	1.44	34.74	4.65	27.828	28.3	.977
1199A	2.03	34.73	4.32	2.18	86.	.00	34.0	33.3	2500	1.25	34.73	4.69	27.836	27.5	1.149
1299A	1.93	34.74	4.46	2.06	86.	.00	32.6	31.8	3000	1.01	34.72	4.83	27.841	27.0	1.317
1352	1.91	34.74	4.50	2.09	88.	.00	33.0	31.6							
1399A	1.816	34.75	4.48	2.12	87.	.00	33.2	30.2							
1499A	1.714	34.75	4.54	2.09	94.	.00	32.3	29.4							
1648A	1.611	34.75	4.59	2.14	93.	.00	33.1	28.7							
1799A	1.521	34.76 U	4.57	2.10	97.	.00	32.3								
1997A	1.44	34.74	4.65	2.05U	101.	.00	32.9	28.3							
2196A	1.298	34.74	4.69	2.14	106.	.00	32.8	27.3							
2396A	1.294	34.74	4.69	2.16	107.	.00	33.4	27.3							
2594A	1.211	34.73	4.69	2.14	108.	.00	32.4	27.5							
2793A	1.137	34.73	4.83	2.11	110.	.00	32.6	27.1							
2992A	1.01	34.72	4.83	2.16	115.	.00	33.2	27.0							
3190A	.926	34.72	4.85	2.18	117.	.00	33.5	26.5							
3290A	.91	34.72	4.87	2.19	122.	.00	32.8	26.4							
3389A	.831	34.72	4.87	2.16	118.	.00	33.8	25.9							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

2

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
59 30.5S		159 06.5E		01/14/71		0149 0355GMT		6242M	310	15KT	2	320 08 07			
Z	T	S	O2	PC4	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	3.23	33.899	7.74	1.44	8.	.26	25.6	105.9	0	3.23	33.899	7.74	27.008	105.9	0
20	3.04	33.907	7.76	1.51	8.	.25	25.5	103.6	10	3.13	33.903	7.75	27.020	104.8	.011
50	1.180	33.992	7.85	1.95	30.	.22	28.9	83.4	20	3.04	33.907	7.76	27.032	103.6	.021
81	.35	34.083	7.11	2.14	46.	.16	32.5	71.7	30	2.47	33.926	7.79	27.096	97.5	.031
111	.43	34.155	6.82	2.24	52.	.14	33.6	66.6	50	1.18	33.992	7.85	27.246	83.4	.049
140	1.14	34.307	5.51	2.39	61.	.11	36.5	59.2	75	.43	34.067	7.44	27.352	73.3	.069
181	1.77	34.412	4.66	2.42	67.	.05	37.3	55.1	100	.40	34.132	7.05	27.405	68.3	.086
231	1.86	34.491	4.36	2.45	73.	.02	37.1	50.1	125	.75	34.227	6.20	27.461	63.0	.103
302	2.10	34.586	4.05	2.38	81.	.01	35.8	44.7	150	1.32	34.340	5.22	27.515	57.9	.118
377	2.010	34.605	4.12	2.39	79.	.00	36.2	42.6	200	1.77	34.443	4.49	27.565	53.2	.146
452	2.11	34.651	4.09	2.27	81.	.00	35.80	39.9	250	1.94	34.521	4.25	27.615	48.4	.172
527	2.08	34.676	4.15	2.26	82.	.00	35.6	37.7	300	2.10	34.585	4.06	27.653	44.8	.196
628	2.04	34.710	4.26	2.24	86.	.00	34.1	34.9	400	2.04	34.620	4.11	27.685	41.8	.241
728	2.00	34.728	4.35	2.20	85.	.00	33.8	33.2	500	2.09	34.668	4.12	27.720	38.5	.283
853	1.90	34.735	4.38	2.17	90.	.00	32.8	31.9	600	2.05	34.702	4.23	27.750	35.6	.323
981	1.83	34.754	4.47	2.13	95.	.00	33.3	30.0	700	2.01	34.724	4.33	27.771	33.6	.361
1106	1.72	34.748	4.55	2.12	94.	.00	32.6	29.6	800	1.94	34.732	4.37	27.783	32.5	.397
1231	1.64	34.745	4.57	2.14	95.	.00	33.5	29.3	1000	1.81	34.753	4.48	27.810	29.9	.468
1357	1.53	34.743	4.62	2.00U	100.0	.00	32.5U	28.7	1200	1.66	34.746	4.57	27.816	29.4	.536
1399A	1.51	34.744	4.65	2.10	97.	.00	30.4	28.5	1500	1.43	34.741	4.67	27.829	28.2	.637
1600A	1.33	34.749U	4.68	2.14	101.	.00	33.2		2000	1.04	34.727	4.76	27.845	26.7	.797
1801A	1.17	34.727	4.68	2.13	105.	.00	33.7	27.5	2500	.82	34.720	4.84	27.853	25.8	.950
2002A	1.04	34.727	4.76	2.19	112.	.00	33.6	26.7	3000	.66	34.705	4.88	27.851	26.0	1.099
2252A	.90	34.719	4.79	2.22	113.	.00	33.4	26.4	3500	.58	34.698	4.99	27.850	26.1	1.247
2504A	.82	34.720	4.84	2.24	118.	.00	33.8	25.8	4000	.56	34.700	4.89	27.854	25.8	1.395
2804A	.71	34.708	4.98	2.18	121.	.00	33.8	26.1	4500	.59	34.694	5.02	27.846	26.5	1.545
3105A	.64	34.704	4.83	2.23	123.	.00	34.6	26.0	5000	.63	34.690	4.95	27.841	27.0	1.703
3405A	.59	34.697	4.98	2.23	124.0	.00	35.0	26.2	5500	.68	34.692	5.04	27.839	27.2	1.867
3706A	.562	34.700	5.01	2.27	126.	.00	34.6	25.9	6000	.73	34.694	5.04	27.838	27.3	2.037
4007A	.556	34.700	4.89	2.24	126.	.00	33.9	25.8							
4256A	.569	34.691	5.06	2.22	127.	.00	34.3	26.6							
4508A	.592	34.694	5.02	2.30	126.	.00	33.7	26.5							
4759A	.599	34.693	5.01	2.24	127.	.00	34.0	26.6							
5010A	.631	34.690	4.95	2.24	127.	.00	34.4	27.00							
5261A	.662	34.695	5.04	2.23	128.	.00	34.4	26.8							
5512A	.68	34.691	5.04	2.24	129.	.00	34.2	27.2							
5763A	.701	34.691	5.05	2.24	129.	.00	34.7	27.3							
5914A	.73	34.698	5.04	2.27	129.	.00	34.2	27.0							
6014A	.73	34.693	5.04	2.28	129.	.00	34.8	27.4							

A) CAST II.

3

ARIES EXPEDITION II

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
61 33.0S		158 24.5E		01/14/71		1835		GMT	2489M	040	04KT	2	050	04	DD
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	1.83	34.024	8.16	1.47	30.	.28	26.5	85.3	0	1.83	34.024	8.16	27.225	85.3	0
10	1.83	34.022	8.19	1.47	29.	.27	26.7	85.5	10	1.83	34.022	8.19	27.224	85.5	.009
25	1.79	34.021	8.67	1.49	30.	.29	26.6	85.3	20	1.80	34.022	8.51	27.225	85.3	.017
50	.73	34.059	8.45	1.82	48.	.24	28.9	75.6	30	1.64	34.027	8.63	27.241	83.8	.026
101	-.92	34.180	8.05	2.21	67.	.17	32.8	58.7	50	.73	34.059	8.45	27.328	75.6	.042
151	.30	34.445	5.87	2.31	77.	.11	36.0	43.8	75	-.65	34.104	8.25	27.434	65.5	.059
251	1.83	34.682	4.26	2.28	86.	.01	34.1	35.4	100	-.91	34.178	8.06	27.504	59.0	.075
352	1.84	34.708	4.35	2.24	87.	.00	34.0	33.5	125	-.48	34.304	7.06	27.588	50.9	.088
455	1.80	34.720	4.43	2.19	88.	.00	32.9	32.3	150	.26	34.439	5.92	27.661	44.1	.100
555	1.75	34.730	4.49	2.18	91.		33.4	31.2	200	1.50	34.571	4.75	27.688	41.5	.122
656	1.66	34.733	4.59	2.14	92.	.00	32.7	30.4	250	1.83	34.681	4.26	27.751	35.6	.141
757	1.55	34.735	4.62	2.16	95.		33.3	29.4	300	1.83	34.695	4.30	27.762	34.5	.159
858	1.47	34.732	4.68	2.14	91.		32.9	29.1	400	1.83	34.715	4.39	27.778	32.9	.195
959	1.38	34.733	4.73	2.16	93.	.00	33.2	28.4	500	1.78	34.725	4.46	27.790	31.8	.229
1060	1.30	34.728	4.75	2.06U	96.		33.1	28.3	600	1.71	34.732	4.54	27.801	30.8	.263
1161	1.20	34.725	4.75	2.18	95.	.00	33.3	27.8	700	1.61	34.734	4.61	27.810	29.9	.296
1261	1.127	34.724	4.78	2.20	97.		33.3	27.4	800	1.51	34.734	4.64	27.817	29.3	.328
1362	1.03	34.720	4.79	2.20	101.		33.7	27.1	1000	1.35	34.731	4.74	27.827	28.3	.391
1562	.898	34.711	4.83	2.21	103.		33.4	27.0	1200	1.17	34.725	4.76	27.834	27.7	.454
1762	.737	34.704	4.89	2.21	106.		34.4	26.6	1500	.94	34.714	4.82	27.841	27.0	.545
1961	.58	34.694	4.95		108.		34.0	26.4	2000	.55	34.693	4.96	27.848	26.3	.691
2160	.448	34.690	5.00	2.25	124.		34.2	26.0							
2358	.36	34.689	5.04	2.26	128.		34.7	25.6							
2457	.34	34.689	5.05	2.28	131.		34.8	25.5							

4

ARIES EXPEDITION II

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
62 57.0S		158 23.5E		01/15/71		0412		GMT	2360M	350	18KT	4	050	04	DD
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	1.07	33.943	8.18	1.63	57.	.22	27.5	86.4	0	1.07	33.943	8.18	27.214	86.4	0
25	.99	33.950	7.96	1.69	61.	.23	31.0	85.4	10	1.04	33.946	8.07	27.218	86.0	.009
50	-.75	34.105	7.96	1.97	68.	.18	30.4U	65.1	20	1.01	33.949	7.99	27.222	85.6	.017
91	-1.66	34.309	7.22	2.22	77.	.25	33.3	46.6	30	.67	33.973	7.96	27.262	81.9	.026
131	-.35	34.483	6.08	2.22	86.	.05	33.5	37.8	50	-.75	34.105	7.96	27.439	65.1	.040
176	.97	34.654	4.87	2.20	89.	.01	33.5	31.8	75	-1.30	34.250	7.59	27.576	52.1	.055
227	1.15	34.687	4.72	2.15	94.	.00		30.4	100	-1.45	34.349	6.98	27.661	44.1	.067
303	1.19	34.704	4.70	2.19	95.	.00		29.4	125	-.61	34.457	6.26	27.717	38.7	.077
378	1.14	34.710	4.73	2.18	95.			28.6	150	.28	34.563	5.50	27.759	34.7	.086
456	1.10	34.714	4.75	2.18	101.	.00	33.3	28.0	200	1.05	34.670	4.80	27.797	31.1	.103
530	1.05	34.712	4.74	2.13	106.		33.3	27.9	250	1.16	34.693	4.71	27.809	30.0	.118
606	1.02	34.715	4.75	2.19	105.	.00	33.8	27.4	300	1.19	34.704	4.70	27.816	29.4	.134
707	.94	34.714	4.77	2.19	112.		34.6	27.0	400	1.13	34.712	4.74	27.826	28.4	.163
808	.86	34.710	4.80	2.19	111.	.00	33.3	26.8	500	1.07	34.713	4.74	27.831	27.9	.193
909	.81	34.706	4.76	2.19	118.		33.9	26.8	600	1.02	34.715	4.75	27.836	27.5	.222
1011	.74	34.708	4.81	2.22	115.	.00	34.0	26.3	700	.95	34.714	4.77	27.841	27.1	.250
1162	.63	34.697	5.55U	2.25	120.		34.1	26.5	800	.87	34.711	4.80	27.843	26.8	.279
1312	.52	34.694	4.89	2.22	121.		34.3	26.1	1000	-.75	34.708	4.80	27.848	26.3	.335
1464	.45	34.695	4.92	2.25	123.		34.2	25.6	1200	.60	34.696	4.87	27.847	26.4	.391
1613	.34	34.689	4.99	2.24	126.		34.5	25.5	1500	.42	34.694	4.93	27.856	25.6	.472
1813	-.22	34.686	5.14	2.26	126.		34.6	25.1	2000	.13	34.687	5.15	27.867	24.5	.599
2012	-.130	34.687	5.15	2.26	130.		34.2	24.5							
2162	-.097	34.685	5.14	2.24	134.		34.3	24.5							
2309	.06	34.682	5.10	2.25	136.		34.5	24.5							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

6

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	.98	33.576	8.00	1.67	59.	.29	28.1	113.8	0	-.98	33.576	8.00	26.925	113.8	0	
25	.96	33.592	8.04	1.67	59.	.24	28.8	112.5	10	.97	33.583	8.02	26.930	113.3	.011	
50	-.97	34.330	6.62	2.09	68.	.10	32.1	47.2	20	.96	33.589	8.03	26.936	112.7	.023	
76	-.22	34.457	5.77	2.23	78.	.12	33.4	40.4	30	-.40	33.731	7.79	27.122	95.1	.033	
101	1.06	34.607	4.79	2.27	86.	.07	33.7	35.9	50	-.92	34.330	6.62	27.627	47.2	.047	
126	1.37	34.650	4.53	2.26	88.	.03	33.9	34.7	75	-.27	34.451	5.80	27.697	40.6	.058	
151	1.43	34.662	4.54	2.23	88.	.01	34.2	34.1	100	1.01	34.602	4.82	27.746	36.0	.068	
202	1.51	34.688	4.51	2.23	90.	.00	34.3	32.7	125	1.37	34.650	4.53	27.760	34.7	.077	
304	1.46	34.702	4.58	2.19	90.	.00	33.5	31.3	150	1.43	34.662	4.54	27.765	34.2	.085	
405	1.49	34.720	4.56	2.19	94.	.00	34.2	30.2	200	1.51	34.687	4.51	27.780	32.8	.102	
506	1.45	34.720	4.61	2.16	95.		33.6	29.4	250	1.50	34.698	4.54	27.789	31.9	.119	
606	1.34	34.726	4.67	2.15	99.		33.2	28.7	300	1.46	34.702	4.58	27.795	31.3	.135	
708	1.20	34.719	4.75	2.19	101.	.00	33.0	28.3	400	1.49	34.719	4.56	27.807	30.2	.167	
808	1.08	34.716	4.80	2.16	104.		33.3	27.8	500	1.45	34.726	4.61	27.815	29.5	.199	
1011	.93	34.709	4.80	2.20	110.		33.1	27.3	600	1.35	34.726	4.67	27.823	28.7	.230	
1113	.85	34.707	4.84	2.23	113.	.00	33.5	27.0	700	1.21	34.720	4.74	27.827	28.3	.260	
1215	.77	34.701	4.85	2.23	115.		33.5	27.0	800	1.09	34.716	4.80	27.833	27.8	.290	
1316	.68	34.703	4.85	2.25	117.		33.9	26.3	1000	.94	34.710	4.80	27.837	27.4	.349	
1419	.61	34.695	4.89	2.21	118.		33.8	26.5	1200	.78	34.702	4.85	27.841	27.0	.407	
1498A	.52	34.695	4.87	2.21	120.		33.7	26.0	1500	.52	34.695	4.87	27.852	26.0	.492	
1598A	.426	34.689	4.98	2.28	122.		33.8	25.9	2000	.20	34.686	5.11	27.863	25.0	.623	
1799A	.30	34.688	5.07	2.28	124.		33.7	25.3	2500	.03	34.696	5.25	27.880	23.3	.741	
2001A	.20	34.686	5.11	2.28	125.		34.1	25.0								
2202A	.111	34.684	5.16	2.25	125.		34.1	24.7								
2401A	.069	34.694	5.20	2.24	123.		34.3	23.7								
2600A	-.01	34.697	5.30	2.25	121.		34.3	23.1								
2798A	-.037	34.697	5.33	2.24	118.		34.3	22.9								
2848A	-.04	34.701	5.35	2.26	118.		33.8	22.6								
2898A	-.05	34.701	5.33	2.24	117.		34.0	22.6								

RV THOMAS WASHINGTON

ARIES EXPEDITION II

9

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	.58	33.795	7.80	1.24	62.	.18	24.8	94.9	0	.58	33.795	7.80	27.125	94.9	0	
10	.51	33.840	8.23	1.26	58.	.17	24.8	91.1	10	.51	33.840	8.23	27.165	91.1	.009	
35	-.40	34.041	8.22	1.67	72.	.15	26.4	71.4	20	.28	33.906	8.23	27.230	84.9	.018	
66	-1.69	34.411	6.78	2.09	87.	.13	32.3	38.7	30	-.13	33.990	8.22	27.319	76.4	.026	
91	-1.38	34.456	6.52	2.14	88.	.07	32.7	36.1	50	-1.50	34.232	7.54	27.567	52.9	.039	
107	-.68	34.518	5.97	2.16	88.	.03	33.6	33.8	75	-1.58	34.427	6.68	27.728	37.7	.050	
122	-.04	34.573	5.54	2.18	89.	.01	33.3	32.4	100	-1.01	34.489	6.22	27.759	34.7	.059	
158	.54	34.630	5.21	2.19	90.	.00	33.6	31.1	125	.05	34.582	5.49	27.786	32.2	.068	
183	.50	34.635	5.17	2.20	92.	.00	33.4	30.5	150	.50	34.626	5.23	27.797	31.2	.076	
218	.69	34.654	5.03	2.19	95.	.01	33.1	30.1	200	.58	34.644	5.11	27.807	30.2	.091	
253	.84	34.671	4.87	2.16	100.		33.5	29.7	250	.83	34.670	4.88	27.812	29.7	.106	
324	.98	34.701	4.78	2.22	102.	.00	33.8	28.3	300	.95	34.693	4.81	27.823	28.7	.121	
446	.96	34.698	4.77	2.20	107.		33.6	28.4	400	.97	34.699	4.77	27.827	28.3	.150	
578	.92	34.705	4.74	2.24	109.	.00	34.2	27.6	500	.95	34.701	4.76	27.830	28.1	.179	
720	.85	34.704	4.77	2.21	112.		34.0	27.2	600	.91	34.706	4.74	27.836	27.5	.208	
873	.75	34.699	4.84	2.18	116.	.00	34.2	27.0	700	.86	34.705	4.76	27.838	27.3	.237	
1026	.68	34.700	4.83	2.24	121.		34.1	26.5	800	.80	34.702	4.81	27.840	27.1	.265	
1180	.57	34.697	4.85	2.23	120.		34.4	26.1	1000	.69	34.700	4.83	27.845	26.6	.322	
1354	.49	34.697	4.91	2.25	125.0		34.3	25.7	1200	.56	34.697	4.86	27.851	26.1	.377	
1456A	.44	34.697	4.85	2.27	121.		35.0	25.4	1500	.42	34.698	4.86	27.859	25.3	.458	
1608A	.38	34.698	4.90	2.28	123.		34.5	25.0	2000	.22	34.699	5.10	27.872	24.1	.584	
1757A	.32	34.699	4.99	2.27	123.		34.5	24.6	2500	.01	34.705	5.25	27.888	22.5	.699	
1908A	.26	34.698	5.260	2.27	123.		34.8	24.4								
2058A	.189	34.699	5.12	2.28	124.		33.9	23.9								
2208A	.14	34.703	5.16	2.29	120.		34.6	23.4								
2358A	.09	34.703	5.20	2.27	117.		34.4	23.1								
2508A	.00	34.705	5.25	2.25	115.		33.6	22.5								
2658A	-.04	34.707	5.31	2.25	114.		33.8	22.1								
2807A	-.073	34.708	5.39	2.25	111.		33.8	21.9								
2857A	-.09	34.710	5.39	2.28	110.		34.1	21.7								
2887A	-.11	34.712	5.41	2.25	111.		34.1	21.4								
2903A	-.11	34.710	5.41	2.27	111.		33.9	21.6								
2908A	-.12	34.710	5.45	2.26	111.		33.8	21.5								

A1 CAST II.

RV THOMAS WASHINGTON			ARIES EXPEDITION II																		
LATITUDE 66 29.55			LONGITUDE 158 07.0E			MO/DAY/YR 01/17/71		MESSENGER TIME 0120 0347GMT			BOTTOM 3008M		WIND 180		SPEED 22KT		WEATHER 7		DOMINANT WAVES 180 04 04		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD						
0	-09	33.267	8.10	1.65	57.2	.23	28.32	131.9	0	-09	33.267	8.10	26.735	131.9	0						
10	-09	33.274	8.10	1.66	58.	.212	28.1	131.3	10	-09	33.274	8.10	26.740	131.3	.013						
51	-1.55	34.337	7.05	2.06	70.	.08	31.6	44.7	20	-44	33.513	7.91	26.948	111.6	.025						
67	-1.50	34.409	6.69	2.10	75.2	.11	32.0	39.3	30	-80	33.765	7.68	27.165	91.0	.035						
102	-1.33	34.459	6.56	2.122	79.	.07	31.9	36.0	50	-1.51	34.309	7.08	27.630	47.0	.049						
153	-.72	34.526	6.14	2.15	84.	.01	32.3	33.0	75	-1.47	34.427	6.66	27.725	38.0	.060						
204	-.12	34.581	5.68	2.09U	88.	.00	33.2	31.4	100	-1.34	34.458	6.57	27.746	36.0	.069						
306	-.55	34.651	5.10	2.18	98.	.00	33.6	29.5	125	-1.08	34.490	6.39	27.763	34.4	.078						
409	-.75	34.680	4.93	2.17	101.		33.6	28.5	150	-.76	34.522	6.17	27.777	33.1	.086						
510	-.74	34.684	4.82	2.20	106.	.00	33.0	28.4	200	-1.16	34.578	5.71	27.794	31.5	.102						
612	-.79	34.693	4.77	2.23	110.		33.3	27.7	250	.25	34.619	5.37	27.805	30.4	.117						
714	-.75	34.694	4.77	2.23	112.		33.9	27.4	300	.53	34.649	5.12	27.814	29.6	.132						
816	-.71	34.691	4.82	2.20	113.	.00	34.6	27.4	400	.75	34.679	4.94	27.825	28.5	.162						
918	-.65	34.695	4.96	2.23	117.		34.2	26.7	500	.79	34.684	4.83	27.826	28.4	.191						
1020	-.60	34.692	4.85	2.22	119.		34.7	26.7	600	.79	34.692	4.77	27.833	27.8	.220						
1122	-.54	34.690	4.92	2.23	119.	.00	36.0	26.52	700	.76	34.695	4.77	27.837	27.4	.249						
1226	-.50	34.692	4.91	2.25	122.2		33.8	26.1	800	.72	34.692	4.81	27.837	27.4	.277						
1329	-.43	34.689	4.95	2.27	122.		34.6	26.0	1000	.61	34.693	4.87	27.844	26.7	.334						
1341A	-.43	34.695	4.93	2.28	122.		35.3	25.52	1200	.51	34.692	4.91	27.849	26.2	.389						
1433	-.37	34.677U	4.96	2.25	123.2		35.0		1500	.33	34.688	5.01	27.857	25.5	.469						
1536	-.31	34.686	5.03	2.27	124.2		35.4	25.5	2000	.03	34.686	5.19	27.871	24.1	.592						
1542A	-.322	34.693	5.00	2.28	124.		34.3	25.12	2500	-.07	34.700	5.37	27.888	22.6	.703						
1742A	-.218	34.691	5.09	2.27	122.2		34.4	24.7	3000	-.34	34.712	5.58	27.911	20.4	.797						
1942A	-.04	34.684	5.30U	2.23	116.U		34.6	24.3													
2142A	-.022	34.691	5.24	2.25	118.		34.8	23.7													
2342A	-.021	34.696	5.29	2.26	114.		33.8	23.12													
2542A	-.08	34.701	5.39	2.24	110.		33.8	22.42													
2741A	-.18	34.703	5.50	2.23	107.		33.2	21.82													
2842A	-.22	34.707	5.49	2.21	107.		32.1	21.12													
2893A	-.27	34.713	5.58	2.23	106.		33.9	20.6													
2943A	-.32	34.711	5.58	2.23	105.		32.92	20.5													

RV THOMAS WASHINGTON			ARIES EXPEDITION II																		
LATITUDE 66 03.0S			LONGITUDE 156 31.0E			MO/DAY/YR 01/17/71		MESSENGER TIME 1255 1432GMT			BOTTOM 2821M		WIND 070		SPEED 13KT		WEATHER 7		DOMINANT WAVES 130 15 09		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD						
0	-.68	33.709	7.99	1.76	59.			102.0	0	.68	33.709	7.99	27.050	102.0	0						
10	-.67	33.707	8.04	1.77	58.			102.1	10	.67	33.707	8.04	27.049	102.1	.010						
50	-1.48	34.223	7.52	1.91	65.			53.7	20	.16	33.8042	8.00	27.154	92.1	.020						
66	-1.55	34.351	7.07	2.05	70.			43.6	30	-.37	33.9222	7.91	27.275	80.7	.029						
102	-1.50	34.441	6.72	2.13	80.			36.9	50	-1.48	34.2232	7.52	27.560	53.7	.042						
152	-1.08	34.509	6.40	2.16	84.			33.0	75	-1.54	34.389	6.93	27.696	40.8	.054						
203	-.39	34.564	5.89	2.15	89.			31.4	100	-1.50	34.4402	6.73	27.736	36.9	.063						
304	-.35	34.632	5.31	2.21	93.			29.9	125	-1.35	34.477	6.57	27.761	34.5	.072						
405	-.71	34.676	5.01	2.24	97.			28.5	150	-1.10	34.507	6.41	27.777	33.0	.080						
507	-.79	34.685	4.83	2.23	105.			28.3	200	-.43	34.5612	5.92	27.794	31.5	.096						
608	-.75	34.695	4.77	2.25				27.7	250	.03	34.602	5.57	27.803	30.6	.112						
708	-.71	34.694	4.77	2.25				27.3	300	.33	34.631	5.32	27.810	29.9	.127						
809	-.71	34.694	4.88	2.242				27.2	400	.70	34.675	5.02	27.824	28.6	.156						
910	-.66	34.693	4.85	2.27				27.0	500	.78	34.685	4.84	27.827	28.3	.185						
1012	-.60	34.693	4.82	2.33				26.6	600	.78	34.692	4.78	27.833	27.8	.214						
1113	-.56	34.689	4.99	2.27	119.			26.7	700	.75	34.695	4.77	27.837	27.3	.243						
1216	-.48	34.689	4.93					26.2	800	.71	34.694	4.87	27.839	27.2	.271						
1318	-.41	34.693	4.98	2.27	122.			25.5	1000	.61	34.693	4.82	27.845	26.6	.327						
1349A	-.386	34.691	4.98	2.28	122.			25.6	1200	.49	34.689	4.94	27.848	26.3	.383						
1421	-.312	34.688	5.02	2.26	124.			25.4	1500	.29	34.683	5.05	27.855	25.7	.463						
1524	-.28	34.681	5.06	2.28	122.			25.8	2000	-.02	34.682	5.37	27.871	24.2	.586						
1551A	-.184	34.678	5.18	2.27	124.			25.5	2500	-.09	34.702	5.38	27.890	22.4	.695						
1653A	-.105	34.675	5.70U	2.24	124.			25.3													
1856A	-.080	34.685	5.32	2.29	125.			24.4													
2007A	-.03	34.681	5.37	2.25				24.2													
2158A	-.327																				
2309A	-.113	34.686	5.37	2.24	118.			23.4													
2458A	-.08	34.700	5.36	2.26	112.			22.5													
2607A	-.13	34.703	5.43	2.26	113.2			22.0													
2706A	-.19	34.706	5.46	2.20				21.5													
2756A	-.23	34.711	5.60	2.26	111.			20.9													
2805A	-.28	34.708	5.75	2.25	115.			20.92													

A) CAST 11.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

13

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	66	00.55		160	36.0E		01/18/71		0630	0850GMT	2857M	030	07KT	2	320	05	10		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	OT	DD				
0	-.26	33.232	8.13	1.63	58.	.21	27.3	133.8	0	-.26	33.232	8.13	26.714	133.8	0				
10	-.30	33.241	8.17	1.64	58.	.20	27.3	132.9	10	-.30	33.241	8.17	26.723	132.9	.013				
51	-1.60	34.341	6.96	2.10	70.	.08	31.8	44.3	20	-.82	33.475	7.93	26.992	113.1	.026				
77	-1.49	34.418	6.71	2.13	76.	.10	32.4	38.7	30	-1.40	33.725	7.66	27.153	92.1	.036				
104	-.64	34.504	6.14	2.16	80.	.03	32.9	35.0	50	-1.59	34.310	7.00	27.633	46.7	.050				
157	-.13	34.588	5.55	2.19	86.	.00	33.4	32.1	75	-1.50	34.412	6.73	27.713	39.1	.060				
208	-.62	34.644	5.15	2.19	90.	.00	33.3	30.4	100	-.78	34.491	6.23	27.752	35.4	.070				
312	-.93	34.689	4.84	2.21	99.	.00	33.5	28.9	125	-.25	34.547	5.85	27.773	33.4	.078				
414	-.87	34.693	4.89	2.21	100.		33.2	28.2	150	.07	34.583	5.60	27.786	32.3	.086				
518	-.92	34.699	4.83	2.21	104.	.00	33.2	28.0	200	.56	34.637	5.20	27.803	30.6	.102				
622	-.87	34.699	4.78	2.24	109.		33.6	27.7	250	.75	34.665	4.96	27.813	29.6	.117				
726	-.83	34.706	4.73	2.26	114.		34.0	27.0	300	.89	34.685	4.85	27.820	29.0	.132				
830	-.77	34.704	4.78	2.26	116.	.00	34.1	26.8	400	.88	34.693	4.88	27.828	28.2	.161				
934	-.69	34.700	4.85	2.26	118.		34.3	26.6	500	.91	34.698	4.84	27.830	28.1	.190				
1039	-.60	34.695	4.89	2.26	118.		34.2	26.5	600	.88	34.699	4.79	27.832	27.8	.219				
1147	-.53	34.693	4.93	2.26	120.	.00	34.2	26.2	700	.84	34.705	4.74	27.839	27.2	.248				
1251	-.48	34.691	4.93	2.28	122.		34.1	26.1	800	.79	34.705	4.76	27.843	26.8	.276				
1355	-.44	34.695	4.93	2.28	125.		34.7	25.6	1000	.63	34.697	4.88	27.846	26.5	.332				
1461	-.40	34.693	4.97	2.28	124.		34.3	25.5	1200	.50	34.692	4.93	27.850	26.2	.387				
1546A	-.378	34.703	4.92	2.28	126.		34.1	24.6	1500	.39	34.698	4.95	27.861	25.1	.467				
1746A	-.274	34.697	5.03	2.28	126.		33.9	24.5	2000	.15	34.696	5.15	27.873	24.0	.501				
1948A	-.17	34.694	5.39U	2.29	126.		34.0	24.2	2500	-.04	34.710	5.27	27.894	22.0	.703				
2148A	-.092	34.700	5.19	2.28	122.		34.0	23.3											
2349A	-.015	34.703	5.19	2.22	119.		33.8	22.7											
2549A	-.052	34.712	5.30	2.26	115.		33.9	21.7											
2650A	-.08	34.717	5.36	2.26	113.		33.6	21.2											
2750A	-.11	34.719	5.36	2.27	113.		33.7	20.9											
2800A	-.10	34.718	5.40	2.26	113.		33.7	21.0											
2850A	-.14	34.719	5.42	2.26	112.		33.7	20.8											

RV THOMAS WASHINGTON

ARIES EXPEDITION II

14

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	65	03.05		160	31.0E		01/18/71		2333	0057GMT	2957M	260	20KT	2	250	06	05		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	OT	DD				
0	-.41	33.901	7.93	1.56	61.	.17	27.2	85.9	0	-.41	33.901	7.93	27.219	85.9	0				
20	-.37	33.904	8.00	1.55	61.	.17	27.6	85.4	10	-.39	33.903	7.96	27.222	85.7	.009				
40	-1.07	34.161	7.83	1.92	73.	.13	28.4	59.7	20	-.37	33.904	8.00	27.224	85.4	.017				
76	-1.7	34.385	6.89	2.18	84.	.15	32.1	40.6	30	-.30	34.019	7.95	27.350	73.5	.025				
91	-1.72	34.400	6.79	2.21	84.	.19	32.2	39.4	50	-1.55	34.250	7.56	27.583	51.4	.038				
105	-1.54	34.427	6.58	2.24	86.	.13	32.6	37.8	75	-1.72	34.384	6.91	27.696	40.7	.049				
120	-1.01	34.478	6.19	2.26	85.	.07	33.4	35.6	100	-1.63	34.416	6.67	27.720	38.5	.059				
156	-.14	34.601	5.29	2.41	92.	.05	34.2	31.1	125	-.83	34.497	6.05	27.758	34.8	.068				
181	-.62	34.651	4.94	2.39	96.	.04	33.7	29.9	150	-.03	34.583	5.42	27.791	31.7	.076				
216	1.01	34.694	4.66	2.35	100.	.03	33.3	29.0	200	.87	34.679	4.76	27.817	29.3	.091				
251	1.11	34.706	4.60	2.31	101.	.02	33.4	28.7	250	1.11	34.706	4.60	27.823	28.7	.106				
321	1.10	34.712	4.61	2.34	105.	.01	33.8	28.2	300	1.10	34.711	4.61	27.827	28.3	.121				
442	1.02	34.713	4.67	2.31	108.	.00	33.9	27.6	400	1.05	34.714	4.65	27.833	27.8	.150				
573	-.94	34.711	4.71	2.28	111.	.00	33.8	27.3	500	.98	34.713	4.69	27.837	27.4	.178				
715	-.85	34.708	4.75	2.34	114.		34.6	26.9	600	.92	34.711	4.72	27.839	27.2	.207				
867	-.75	34.700	4.80	2.37	117.	.00	34.2	26.9	700	.86	34.709	4.75	27.842	27.0	.235				
1018	-.64	34.698	4.89	2.35	118.		34.2	26.5	800	.79	34.704	4.77	27.842	26.9	.263				
1171	-.56	34.698	4.88	2.35	122.		34.6	26.0	1000	.65	34.698	4.88	27.846	26.5	.319				
1332	-.49	34.698	4.90	2.33	126.		34.9	25.6	1200	.55	34.698	4.88	27.852	26.0	.374				
1410A	-.44	34.702	4.85	2.37	126.		35.1	25.0	1500	.41	34.694	4.98	27.857	25.5	.455				
1496	-.41	34.694	4.98	2.38	126.		35.7	25.5	2000	.10	34.687	5.23	27.869	24.4	.580				
1611A	-.35	34.699	4.99	2.39	125.		35.2	24.8	2500	-.05	34.701	5.32	27.888	22.6	.693				
1762A	-.30	34.698	5.01	2.38	125.		34.0	24.6											
1913A	-.16	34.691	5.15	2.37	124.		34.3	24.4											
2067A	-.07	34.685	5.27	2.38	124.		34.5	24.4											
2219A	-.042	34.693	5.22	2.35	123.		34.2	23.6											
2374A	-.02	34.697	5.35	2.37	119.		34.8	23.0											
2527A	-.061	34.701	5.31	2.35	117.		34.5	22.5											
2683A	-.09	34.707	5.33	2.35	118.		34.6	21.9											
2839A	-.11	34.711	5.46	2.34	111.		34.8	21.5											
2891A	-.09	34.710	5.39	2.35	114.		34.6	21.7											
2944A	-.10	34.709	5.39	2.41	114.		34.4	21.7											

A) CAST 11.

B) TEMPERATURE INFERRED FROM PRESSURE THERMOMETER AND WIRE LENGTH.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

16

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
66 40.55		156 00.0E		01/21/71		0007 0300GMT			2474M	110	18KT	7	180 04 03		
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	OT	DD
0	-.27	33.424	8.26	1.66	63.	-.18	25.0	119.1	0	-.27	33.424	8.26	26.869	119.1	0
10	-.29	33.428	8.25	1.64	63.	-.18	25.8	118.7	10	-.29	33.428	8.25	26.873	118.7	.012
25	-1.35	34.192	7.76	1.95	66.	-.09	28.5	56.4	20	-.97	33.913	7.95	27.291	79.1	.022
71	-1.61	34.444	6.83	2.19	79.	-.10	31.8	36.3	30	-1.40	34.232	7.62	27.564	53.2	.028
102	-1.29	34.489	6.61	2.17	80.	-.04	31.9	33.8	50	-1.60	34.390	7.16	27.698.	40.5.	.038
142	-1.63	34.494	6.83	2.18	83.	-.01	31.8	32.5	75	-1.57	34.452	6.78	27.747	35.9	.047
203	-.08	34.599	5.60	2.22	91.	-.00	32.0	30.2	100	-1.31	34.487	6.61	27.768	33.9	.056
305	.70	34.677	4.96	2.32	101.	-.00	33.0	28.4	125	-1.50	34.493	6.75	27.779	32.9.	.064
407	-.82	34.695	4.83	2.32	106.	-.00	33.4	27.7	150	-1.47.	34.504	6.70	27.787	32.1	.072
508	.77	34.697	4.82	2.33	111.	-.00	34.0	27.3	200	-.18	34.593	5.68	27.806	30.3	.087
609	.70	34.698	4.82	2.32	113.	-.00	33.8	26.8	250	.46	34.650	5.16	27.818.	29.1	.102
711	.63	34.696	4.85	2.33	116.	-.00	34.0	26.5	300	.70	34.677	4.96	27.826	28.4.	.117
813	.56	34.693	4.91	2.34	117.	-.00	33.6	26.4	400	.81	34.694	4.84	27.833	27.8.	.145
915	.48	34.691	4.97	2.36	121.	-.00	33.9	26.1	500	.78	34.697	4.82	27.838	27.3	.174
1018	.43	34.691	4.92	2.37	122.	-.00	33.9	25.8	600	.71	34.698	4.82	27.843	26.8	.202
1121	.35	34.691	5.00	2.37	122.	-.00	33.6	25.4	700	.64	34.697	4.85	27.846	26.6	.229
1224	-.29	34.691	5.02	2.37	121.		33.2.	25.0	800	.57	34.694	4.90	27.847	26.4.	.256
1330	-.18	34.685	5.11	2.37	124.		33.9	24.9	1000	.44	34.691	4.93	27.853	25.9	.310
1400A	-.07	34.684	5.19	2.34	122.		34.3	24.4	1200	.31	34.692	5.02	27.861	25.1	.362
1433	-.17	34.692	5.09	2.37	121.		34.2	24.3	1500	.12	34.691	5.16	27.870	24.2	.437
1543	-.09	34.689	5.21	2.30	119.		34.1	24.2	2000	-.13	34.701	5.40	27.892	22.2.	.548
1605A	-.065	34.681	5.47	2.34	115.		33.8.	24.0							
1808A	-.19	34.675	5.41	2.34	110.		33.6.	23.9							
2010A	-.125	34.702	5.40	2.33	111.		33.6	22.1							
2211A	-.25	34.705	5.56	2.32	106.		33.9.	21.3.							
2311A	-.43	34.693	5.68	2.30	104.		34.0.	21.4							
2360A	-.41	34.697	5.70	2.28	103.		33.9	21.2							
2410A	-.42	34.693	5.69	2.29	104.		34.1.	21.5							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

17

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
65 59.0S		154 26.5E		01/21/71		1007 1217GMT			2752M	300	08KT	7	320 04 07		
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	OT	DD
0	.97	33.819	7.96	1.93	55.	-.23	29.7	95.3	0	.97	33.819	7.96	27.120	95.3	0
20	.77	33.856	8.00	1.93	56.	-.21	30.0	91.3	10	.87	33.838	7.98	27.141	93.3	.009
40	-1.20	34.195	7.54	2.05	59.	-.10	30.9	56.6	20	.77	33.856	8.00	27.162	91.3	.019
75	-1.02	34.421	6.47	2.27	74.	-.11	33.3	39.9	30	-.20	34.009	7.81	27.337	74.7	.027
90	-.85	34.469	6.29	2.26	77.	-.10	33.3	36.8	50	-1.15	34.260	7.21	27.579	51.9	.040
105	-.49	34.510	6.01	2.29	81.	-.07	33.9	35.1	75	-1.02	34.421	6.47	27.705	39.9	.051
119	-.04	34.559	5.748	2.30	84.	-.03	34.7	33.8.	100	-.63	34.496	6.11	27.750	35.6	.060
155	-.10	34.573	5.598	2.28	85.	-.01	33.8.	32.1.	125	-.02	34.563	5.71	27.773	33.4	.069
180	.48	34.626	5.698	2.39U	87.	-.00	33.8	31.0	150	-.08	34.573	5.61	27.786	32.2.	.077
215	.67	34.647	5.308	2.27	90.	-.00	34.5	30.5	200	.63	34.642	5.49	27.802	30.7	.093
251	1.00	34.685	5.168	2.29	92.	-.00	33.9	29.6	250	.99	34.684	5.16	27.813	29.6	.108
321	1.07	34.701	4.968	2.29	96.		33.9	28.8.	300	1.05	34.698	5.01	27.820	29.0.	.123
441	.81	34.685	4.858	2.27	99.	-.00	33.8	28.4	400	.91	34.692	4.89	27.825	28.5	.153
574	.82	34.697	5.048	2.29	103.		34.3.	27.6	500	.81	34.691	4.93	27.830.	28.1.	.182
705	.78	34.698	4.91	2.29	106.		34.6	27.3	600	.82.	34.698	5.02	27.836	27.5	.210
867	.69	34.699	4.84	2.35	115.	-.00	35.5	26.7	700	.78	34.698	4.92.	27.838	27.3.	.239
1018	.59	34.698	4.90	2.36	117.		35.2	26.2	800	.73	34.699	4.85	27.842	26.9.	.267
1170	.46	34.693	4.94	2.38	121.		35.3.	25.8.	1000	.60	34.699	4.89	27.849	26.2	.323.
1332	.37	34.691	4.93	2.36	121.		35.5	25.5	1200	.44	34.693	4.94.	27.854	25.7	.377
1432A	.30	34.687	5.04	2.33	122.		35.2	25.4	1500	.25.	34.686	5.15	27.859	25.3	.455
1494	.25	34.685	5.16	2.38	122.		35.5.	25.3	2000	-.09	34.682	5.35	27.875	23.8	.575
1533A	.22	34.686	5.11	2.39	123.		35.4	25.1	2500	-.13	34.703	5.45	27.894	22.0.	.682
1608A	.11	34.677	5.26	2.38	119.		34.6	25.2							
1683A	.04	34.671	5.29	2.37	120.		34.9	25.3							
1758A	-.08	34.665	5.22	2.34	113.U		35.4	25.2							
1834A	.04	34.686	5.20	2.32	124.		37.6U	24.1							
1910A	.04	34.696	5.27	2.34	121.		35.1.	23.4							
1986A	-.05	34.684	5.35	2.32	116.		33.7	23.9							
2059A	-.25	34.659	5.50U	2.32	111.		34.2.								
2135A	-.25	34.659U	5.57U	2.31	110.		34.5								
2211A	-.08	34.687	5.39	2.33	113.		34.9	23.5							
2287A	-.124	34.689	5.38	2.33	111.		34.5	23.1							
2362A	-.144	34.688	5.37	2.32	111.		34.5	23.1							
2437A	-.131	34.698	5.52	2.29	114.		34.5	22.4							
2513A	-.13	34.704	5.43	2.33	113.		34.5	21.9							
2588A	-.17	34.704	5.46	2.32	111.		34.5	21.8							
2663A	-.21	34.712	5.53	2.33	109.		35.0.	21.0							
2747A	-.28	34.716	5.54	2.32	109.		35.2.	20.3							

A) CAST II.

B) THIS SAMPLE WAS LISTED OUT OF SEQUENCE ON THE OXYGEN DETERMINATION SHEET. THE ORDER LISTED IS ASSUMED TO BE CORRECT.

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	65	29.05	5	150	41.0E	02	PO4	S103	NO2	NO3	DT	2838M	250	L4KT	2	240	05	04	
0	.64	33.882	7.99	1.88	56.	.23	28.8	88.6	0	.64	33.882	7.99	27.191	88.6	0				
40	.63	33.885	7.99	1.88	56.	.20	29.0	88.3	10	.63	33.885	7.99	27.194	88.3	.009				
42	-1.27	34.250	7.20	2.15	61.	.11	31.7	52.2	20	.09	33.975	7.81	27.296	78.6	.017				
79	-1.13	34.414	6.21	2.21	74.	.12	33.4	40.1	30	-.50	34.087	7.57	27.414	67.5	.024				
104	-.82	34.475	6.28	2.24	78.	.08	33.5	36.5	50	-1.24	34.308	6.93	27.620	47.9	.036				
156	-.12	34.564	5.71	2.25	84.	.04	33.4	32.7	75	-1.15	34.409	6.29	27.699	40.4	.047				
207	.38	34.615	5.37	2.25	87.	.02	33.2	31.3	100	-.89	34.466	6.27	27.736	36.9	.057				
308	.89	34.676	5.01	2.25	94.	.00	33.6	29.6	125	-.20	34.535	6.09	27.762	34.5	.065				
409	.78	34.677	5.07	2.25	96.	.00	33.5	28.9	150	-.14	34.560	5.79	27.778	32.9	.074				
509	.91	34.699	4.95	2.24	101.	.00	33.9	28.0	200	.30	34.609	5.41	27.794	31.4	.090				
609	.92	34.705	4.95	2.26	103.	.01	33.7	27.6	250	.67	34.649	5.17	27.805	30.5	.105				
709	.79	34.697	4.90	2.27	108.	.01	34.0	27.4	300	.87	34.674	5.02	27.813	29.7	.121				
811	.76	34.699	4.88	2.30	110.	.00	33.7	27.1	400	.80	34.678	5.06	27.821	28.9	.151				
911	.65	34.695	4.92	2.32	114.	.00	33.7	26.7	500	.90	34.697	4.96	27.830	28.1	.180				
1012	.59	34.692	4.92	2.32	117.	.00	34.3	26.6	600	.92	34.705	4.93	27.835	27.6	.209				
1114	.50	34.690	4.98	2.32	119.	.00	34.6	26.3	700	.80	34.698	4.90	27.837	27.4	.237				
1218	.43	34.70	5.02	2.32	121.		34.6	25.1	800	.76	34.699	4.88	27.840	27.1	.266				
1322	.32	34.682	5.06	2.34	121.		34.8	25.9	1000	.60	34.693	4.92	27.845	26.6	.322				
1348A	.32	34.687	5.04	2.35	123.		34.7	25.5	1200	.44	34.699	5.01	27.859	25.3	.376				
1397A	.28	34.686	5.08	2.35	124.		34.8	25.4	1500	.22	34.684	5.10	27.860	25.2	.453				
1428	.25	34.680	5.08	2.32	122.		34.3	25.7	2000	-.04	34.684	5.34	27.874	23.9	.574				
1498A	.22	34.684	5.10	2.35	122.		34.6	25.2	2500	-.23	34.693	5.53	27.891	22.3	.680				
1536	.19	34.680	5.13	2.34	124.		35.1	25.4											
1547A	.17	34.687	5.15	2.37	123.		34.8	24.7											
1597A	.14	34.686	5.16	2.36	124.		34.6	24.6											
1649A	.07	34.678	5.24	2.35	121.		35.2	24.9											
1698A	.05	34.682	5.26	2.35	120.		35.0	24.5											
1748A	.03	34.681	5.24	2.35	121.		34.9	24.5											
1799A	-.022	34.682	5.36	2.35	123.		35.0	24.4											
1849A	-.004	34.683	5.31	2.35	124.		35.0	24.2											
1898A	-.017	34.679	5.29	2.35	122.		34.7	24.4											
1950A	-.034	34.679	5.33	2.35	123.		35.1	24.3											
1999A	-.039	34.684	5.34	2.35	120.		34.7	23.9											
2050A	-.066	34.684	5.34	2.35	120.		34.7	23.8											
2100A	-.083	34.682	5.35	2.35	122.		34.7	23.8											
2199A	-.097	34.687	5.37	2.35	117.		34.7	23.4											
2400A	-.18	34.693	5.50	2.32	114.		34.1	22.5											
2601A	-.27	34.694	5.57	2.30	107.		34.1	22.0											
2702A	-.35	34.699	5.65	2.30	104.		34.1	21.3											
2753A	-.38	34.70	5.67	2.30	105.		34.4	21.1											

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	64	33.55	5	150	43.0E	02	PO4	S103	NO2	NO3	DT	3433M	270	28KT	1	260	11	08	
0	.97	33.878	7.90	1.99	60.	.24	30.7	90.8	0	.97	33.878	7.90	27.168	90.8	0				
19	.98	33.880	7.91	1.99	60.	.24	31.6	90.7	10	.98	33.879	7.91	27.168	90.7	.009				
44	-.07	33.997	7.70	2.04	59.	.15	31.7	76.2	20	.93	33.881	7.90	27.172	90.4	.018				
76	.86	34.514	5.14	2.36	74.	.09	33.5	41.7	30	.50	33.906	7.82	27.218	86.0	.027				
91	1.23	34.564	4.73	2.40	78.	.10	35.8	39.9	50	.01	34.099	7.23	27.399	68.8	.042				
107	1.52	34.614	4.37	2.43	83.	.09	35.8	38.4	75	.81	34.499	5.22	27.676	42.6	.056				
122	1.64	34.632	4.30	2.42	84.	.04	35.8	37.9	100	1.41	34.598	4.50	27.715	39.0	.067				
158	1.69	34.655	4.30	2.40	85.	.01	35.5	36.5	125	1.64	34.635	4.30	27.727	37.8	.076				
178	1.72	34.667	4.28	2.39	86.	.00	34.7	35.8	150	1.68	34.650	4.30	27.738	36.8	.086				
218.	1.74	34.686	4.34	2.31	85.	.00	35.2	34.5	200	1.74	34.679	4.31	27.756	35.0	.104				
255.	1.74	34.697	4.37	2.32	87.		34.4	33.7	250	1.74	34.696	4.37	27.770	33.8	.122				
325	1.71	34.714	4.43	2.27	88.		33.7	32.1	300	1.72	34.709	4.41	27.781	32.6	.139				
446	1.66	34.727	4.52	2.25	90.	.00	33.5	30.8	400	1.68	34.724	4.49	27.797	31.2	.172				
579	1.57	34.735	4.52	2.23	93.		34.0	29.6	500	1.63	34.731	4.55	27.807	30.3	.205				
710	1.45	34.736	4.66	2.23	96.	.00	33.5	28.7	600	1.55	34.736	4.61	27.816	29.4	.237				
872	1.29	34.733	4.72	2.26	100.	.00	33.0	27.8	700	1.46	34.737	4.66	27.823	28.7	.268				
1025	1.14	34.726	4.78	2.28	104.		32.6	27.4	800	1.36	34.735	4.69	27.829	28.2	.299				
1179	1.01	34.721	4.80	2.28	109.		33.0	26.9	1000	1.16	34.727	4.77	27.836	27.4	.360				
1344	.87	34.711	4.80	2.31	113.		33.1	26.8	1200	.99	34.720	4.80	27.842	26.9	.419				
1396A	.82	34.711	4.89	2.30	114.		34.2	26.5	1500	.71	34.710	4.87	27.852	26.0	.506				
1510	.70	34.709	4.87	2.32	115.		34.8	26.0	2000	.39	34.690	5.08	27.855	25.7	.643				
1598A	.66	34.705	4.85	2.34	117.		34.4B	26.0	2500	.11	34.679	5.20	27.861	25.1	.771				
1800A	.51	34.695	4.98	2.33	121.		34.4B	25.9	3000	-.08	34.686	5.32	27.877	23.6	.887				
2002A	.39	34.690	5.08	2.32	123.		34.5B	25.7											
2204A	.27	34.681	5.08	2.33	118.U		33.5	25.7											
2405A	.16	34.677	5.14	2.37	125..		33.5	25.4											
2606A	.07	34.681	5.27	2.32	127.		33.6	24.7											
2807A	.00	34.684	5.32	2.33	123.		34.4	24.1											
3007A	-.08	34.686	5.32	2.33	119.		34.3	23.6											
3208A	-.13	34.689	5.47	2.36	117.		34.4	23.1.											
3358A	-.20	34.706	5.56	2.33	108.		33.8.	21.5											
3408A	-.24	34.708	5.57	2.34	105.		34.4	21.1											
3422A	-.22	34.710	5.61	2.33	106.		33.7	21.1											
3433A	-.24	34.710	5.63	2.43U	107.		33.8	21.0											

A) CAST II.

B) AN ERROR OF 0.1 ABSORBANCE HAS BEEN ASSUMED. THE LISTED VALUES INCORPORATE THE CORRECTION.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	63 28.05	151 02.0E	MO	DAY	YR	01/23/71	0220	1155GMT	3724M	320	18KT	6	320	09	06	
Z	T	S	G2	P04	S103	N02	N03	DT	Z	T	S	O2	S1GT	OT	DD	
0	1.27	33.768	7.93	1.93	56.	.29	30.5	101.0	0	1.27	33.768	7.93	27.060	101.0	0	
10		C 33.769	7.96						10	1.26	33.769	7.96	27.062	100.8	.010	
24	1.24	33.770	7.91	1.97	55.	.27	26.9U	100.6	20	1.24	33.770	7.92	27.063	100.7	.020	
55	-1.39	34.165	7.40	2.18	65.	.10	32.4	58.4	30	.70	33.824	7.88	27.141	93.4	.030	
99	1.37	34.582	4.68	2.45	82.	.17	35.6	39.8	50	-.99	34.082	7.54	27.430	66.0	.046	
125	1.67	34.631	4.34	2.42	83.	.04	36.0	38.2	75	-.43	34.375	6.14	27.644	45.7	.060	
151	1.71	34.647	4.35	2.42	86.	.02	35.7	37.2	100	1.38	34.585	4.65	27.706	39.7	.070	
201	1.74	34.672	4.28	2.37	86.	.01	34.8	35.5	125	1.67	34.631	4.34	27.723	38.2	.080	
206		C 34.674	4.38						150	1.71	34.647	4.35	27.733	37.3	.090	
303	1.75	34.694	4.38	2.35	89.	.00	34.5	33.6	200	1.73	34.672	4.28	27.751	35.5	.108	
308		C 34.699	4.41						250	1.74	34.688	4.38	27.763	34.4	.126	
406	1.73	34.717	4.45	2.30	89.	.00	33.3	32.1	300	1.75	34.699	4.38	27.771	33.6	.144	
509	1.69	34.730	4.53	2.26	91.	.00	33.4	30.8	400	1.73	34.716	4.45	27.787	32.1	.178	
514		C 34.731	4.54						500	1.70	34.729	4.52	27.800	30.9	.212	
612	1.59	34.731	4.55	2.26	91.	.00	33.0	30.0	600	1.60	34.731	4.55	27.808	30.1	.244	
713	1.50	34.74	4.56	2.25	95.	.00	33.1	28.7	700	1.51	34.740	4.56	27.822	28.8	.276	
718		C 34.740	4.65						800	1.44	34.734	4.69	27.823	28.8	.307	
814	1.43	34.733	4.70	2.23	96.	.00	32.8	28.8	1000	1.28	34.732	4.76	27.833	27.8	.370	
911	1.35	34.733	4.70	2.23	100.	.00	32.9	28.2	1200	1.11	34.723	4.76	27.837	27.4	.431	
917		C 34.732	4.70						1500	.88	34.711	4.81	27.842	26.9	.521	
1007A	1.27	34.732	4.76	2.23	102.		33.3	27.8	2000	.53	34.693	4.97	27.849	26.2	.665	
1013A		C 34.731	4.73						2500	.24	34.687	5.14	27.861	25.1	.799	
1109A	1.18	34.728	4.71	2.23	103.		33.4	27.5	3000	.03	34.686	5.33	27.872	24.1	.920	
1211A	1.10	34.722	4.77	2.26	106.		33.7	27.4	3500	-.13	34.699	5.50	27.890.	22.3	1.027	
1216A		C 34.720	4.77													
1313A	1.01	34.720	4.80	2.26	109.		34.1	27.0								
1317A		C 34.715	4.81													
1413A	.95	34.715	4.81	2.27	111.		34.0	27.0								
1617A	.78	34.706	4.82	2.31	116.		33.9	26.7								
1622A		C 34.707	4.87													
1816A	.65	34.699	4.88	2.32	118.		34.8	26.4								
1915A	.59	34.696	4.95	2.28	120.		34.4	26.3								
1920A		C 34.693	4.94													
2013A	.52	34.692	4.98	2.33	122.		34.9	26.2								
2193B	.405	34.695	5.02	2.35	123.		35.1	25.4								
2198B		C 34.685	5.04													
2396B	.30	34.690	5.11	2.33	126.		34.8	25.2								
2598B	.19	34.684	5.17	2.35	125.		34.6	25.1								
2603B		C 34.681	5.20													
2799B	.116	34.682	5.20	2.33	126.		34.6	24.8								
3000B	.035	34.686	5.33	2.35	124.		34.5	24.1								
3005B		C 34.686	5.34													
3199B	-.04	34.688	5.41	2.32	118.		34.7	23.6								
3396B	-.11	34.694	5.46	2.31	117.		34.6	22.8								
3401B		C 34.671U	5.47													
3592B	-.14	34.704	5.52	2.31	112.		34.4	21.9								
3596B		C 34.695	5.52													
3689B	-.16		5.62U	2.31	112.		34.6									
3693B		C 34.695	5.53													

A) CAST II.
 B) CAST III.
 C) SPECIAL NISKIN BOTTLE SAMPLE FOR SALINITY AND OXYGEN DETERMINATION. NO TEMPERATURE MEASUREMENT WAS MADE.

Z	LATITUDE 61 24.0S			LONGITUDE 152 41.0E			MO/DAY/YR 01/24/71			MESSENGER TIME 0349 0515GMT			BOTTOM 2942M		WIND 290		SPEED 20KT		WEATHER 1		DOMINANT WAVES 770 12 07		
	T	S	C2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	OT	OD								
0	1.55	33.913	7.92	1.94	59.	.27	31.8	91.8	0	1.55	33.913	7.92	27.157	91.8	0								
20	1.56	33.912	7.93	1.92	59.	.28	31.4	91.9	10	1.55	33.913	7.93	27.156	91.9	.009								
45	1.52	33.915	7.66	1.95	60.	.28	32.0	91.4	20	1.56	33.912	7.93	27.155	91.9	.018								
61	-.30	34.059	7.71	1.95	60.	.17	32.6	70.4	30	1.54	33.914	7.82	27.158	91.7	.028								
81	-.88	34.254	6.64	2.19	69.	.12	34.6	53.2	50	.96	33.948	7.68	27.225	85.4	.045								
107	1.12	34.560	4.68	2.36	81.	.18	36.5	39.9	75	-.71	34.206	7.05	27.519	57.5	.063								
121	1.51	34.613	4.34	2.34	84.	.07	36.4	38.4	100	.51	34.481	5.15	27.680	42.3	.076								
158	1.71	34.653	4.29	2.33	85.	.01	36.5	36.8	125	1.53	34.619	4.33	27.723	38.1	.086								
178	1.73	34.662	4.27	2.32	87.	.00	36.1	36.2	150	1.67	34.647	4.30	27.736	37.0	.095								
218	1.74	34.679	4.35	2.29	86.	.01	35.8	35.0	200	1.74	34.672	4.31	27.751	35.5	.114								
254	1.75	34.689	4.36	2.23	87.	.02	35.6	34.3	250	1.75	34.688	4.36	27.763	34.4	.132								
324	1.73	34.705	4.38	2.24	88.	.01	35.1	33.0	300	1.74	34.700	4.37	27.773	33.4	.149								
445	1.71	34.721	4.49	2.19	88.	.00	34.2	31.6	400	1.72	34.716	4.44	27.788	32.1	.183								
577	1.61	34.737	4.86U	2.16	92.	.00	33.8	29.7	500	1.67	34.729	4.53	27.801	30.8	.217								
707	1.53	34.737	4.65	2.14	95.	.01	33.6	29.1	600	1.60	34.739	4.60	27.814	29.6	.249								
868	1.39	34.736	4.69	2.16	99.	.01	33.9	28.3	700	1.53	34.738	4.65	27.818	29.2	.281								
1020	1.26	34.732	4.77	2.19	103.		34.3	27.7	800	1.45	34.738	4.67	27.824	28.6	.312								
1172	1.11	34.726	4.76	2.19	107.		34.1	27.2	1000	1.28	34.733	4.76	27.833	27.8	.374								
1334	.99	34.717	4.78	2.20	110.		34.5	27.1	1200	1.09	34.725	4.76	27.839	27.2	.435								
1386A	.92	34.726U	4.75	2.19	112.		34.6		1500	.85	34.711	4.83	27.844	26.7	.524								
1499	.85	34.711	4.83	2.23	114.		34.8	26.7	2000	.49	34.697	4.93	27.855	25.7	.666								
1588A	.78	34.713	4.84	2.23	117.		34.7	26.1	2500	.20	34.686	5.15	27.862	25.0	.797								
1788A	.64	34.704	4.91	2.23	119.		34.8	26.0															
1989A	.50	34.697	4.92	2.25	124.		34.9	25.7															
2189A	.38	34.693	5.03	2.27	126.		35.4	25.4															
2391A	.27	34.688	5.11	2.29	129.		35.8	25.2															
2592A	.15	34.684	5.16	2.27	131.		35.6	24.9															
2743A	.12	34.687	5.12	2.27	132.		35.5	24.5															
2843A	.12	34.682	5.23	2.27	133.		35.3	24.9															
2895A	.11	34.688	5.24	2.25	134.		35.4	24.3															
2909A	.09	34.688	5.28	2.29	134.		35.4	24.2															
2920A	.10	34.685	5.19	2.26	134.		35.6	24.5															
2926A	.08	34.686	5.25					24.3															

Z	LATITUDE 60 56.0S			LONGITUDE 155 57.0E			MO/DAY/YR 01/24/71			MESSENGER TIME 1628 1835GMT			BOTTOM 2750M		WIND 320		SPEED 12KT		WEATHER 6		DOMINANT WAVES 300 08 07		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	OT	OD								
0	2.85	33.955	7.74	1.42	10.	.27	25.3	98.4	0	2.85	33.955	7.74	27.087	98.4	0								
50	2.84	33.958	7.74	1.42	11.	.27	26.0	98.1	10	2.85	33.956	7.74	27.088	98.4	.010								
62	1.87	33.995	8.17	1.67	18.	.27	27.0	87.8	20	2.85	33.957	7.74	27.088	98.3	.020								
102	-.24	34.112	7.69	2.23	52.	.20	32.1	66.6	30	2.84	33.957	7.74	27.089	98.2	.030								
127	-.53	34.202	6.99	2.35	60.	.15	33.1	58.5	50	2.84	33.958	7.74	27.090	98.1	.049								
152	.43	34.355	5.76	2.39	69.	.15	35.2	51.4	75	.98	34.030	8.01	27.289	79.3	.071								
204	1.83	34.557	4.14	2.45	78.	.04	37.0	44.9	100	-.18	34.107	7.71	27.415	67.3	.090								
306	1.97	34.642	4.09	2.36	82.	.01	35.1	39.5	125	-.51	34.196	7.06	27.502	59.1	.105								
407	1.94	34.679	4.17	2.31	84.	.01	35.0	36.5	150	.33	34.342	5.86	27.578	51.9	.119								
508	1.90	34.704	4.29	2.23	86.	.00	33.7	34.3	200	1.75	34.546	4.22	27.649	45.2	.144								
609	1.88	34.723	4.35	2.21	87.	.01	33.4	32.7	250	1.89	34.606	4.12	27.686	41.7	.166								
709	1.83	34.732	4.44	2.17	88.	.00	33.0	31.6	300	1.96	34.640	4.09	27.707	39.6	.187								
810	1.78	34.736	4.50	2.13	90.	.01	33.9	31.0	400	1.94	34.678	4.16	27.739	36.6	.227								
910	1.68	34.741	4.55	2.14	92.	.00	33.5	29.9	500	1.90	34.703	4.28	27.763	34.4	.264								
1012	1.60	34.740	4.57	2.13	95.	.00	33.5	29.4	600	1.88	34.722	4.35	27.780	32.8	.300								
1112	1.52	34.738	4.61	2.15	97.	.00	33.4	29.0	700	1.84	34.732	4.43	27.791	31.7	.336								
1214	1.42	34.739	4.65	2.16	99.		32.4	28.2	800	1.79	34.736	4.49	27.798	31.0	.370								
1318	1.31	34.734	4.68	2.18	104.		32.4	27.9	1000	1.61	34.741	4.57	27.815	29.4	.438								
1421	1.23	34.727	4.69	2.18	105.		33.5	27.9	1200	1.43	34.740	4.64	27.827	28.3	.503								
1480A	1.17	34.733	4.73	2.16	107.		33.7	27.0	1500	1.16	34.731	4.73	27.840	27.1	.598								
1524	1.15	34.727	4.73	2.19	108.		34.2	27.4	2000	.79	34.711	4.83	27.848	26.4	.750								
1683A	1.020	34.725	4.92U	2.17	111.		34.4	26.7	2500	.44	34.695	5.02	27.856	25.6	.891								
1885A	.870	34.715	4.82	2.21	117.		34.3	26.5															
2087A	.725	34.708	4.84	2.18	120.		34.2	26.2															
2288A	.58	34.703	4.95	2.21	123.		34.6	25.7															
2488A	.45	34.695	5.02	2.22	127.		34.1	25.6															
2588A	.38	34.696	5.04	2.22	129.		34.8	25.2															

A) CAST II.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			CD
	60	08.55	161	14.0E	01/25/71	1145	1325GMT	3754M	260	2CKT	2	270	09	07		
	T	S	O2	P04	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT		
0	2.43	33.955	7.80	1.58	16.	.28	26.7	95.0	0	2.43	33.955	7.80	27.123	95.0	0	
20	2.44	33.957	7.82	1.60	16.	.27	27.2	94.9	10	2.43	33.956	7.81	27.123	95.0	.010	
45	2.42	33.957	7.95	1.58	16.	.27	26.7	94.8	20	2.44	33.957	7.82	27.124	94.9	.019	
62	2.36	33.961	7.88	1.61	17.	.28	27.1	94.0	30	2.43	33.957	7.88	27.124	94.9	.029	
82	.27	34.069	7.90	2.16	43.	.21	31.0	72.4	50	2.40	33.959	7.93	27.128	94.6	.047	
107	-.09	34.186	7.04	2.32	56.	.18	34.2	61.7	75	1.03	34.018	7.89	27.276	80.5	.069	
122	-.10	34.262	6.48	2.35	62.	.15	39.0	56.8	100	.01	34.167	7.33	27.455	63.6	.087	
159	-.56	34.372	5.67	2.40	69.	.14	37.2	50.8	125	.14	34.273	6.40	27.533	56.1	.102	
179	-.75	34.429	5.27	2.41	71.	.16	37.9	47.6	150	.46	34.351	5.83	27.578	51.9	.116	
219	1.60	34.555	4.42	2.44	78.	.07	37.1	43.4	200	1.20	34.498	4.79	27.650	45.1	.140	
254	1.84	34.607	4.22	2.40	80.	.04	36.0	41.2	250	1.83	34.604	4.23	27.689	41.4	.162	
325	1.91	34.650	4.16	2.37	82.	.01	35.8	38.4	300	1.89	34.638	4.18	27.712	39.3	.183	
446	1.91	34.697	4.25	2.29	85.	.00	33.5	34.9	400	1.91	34.682	4.20	27.745	36.1	.222	
577	1.87	34.726	4.36	2.22	87.	.00	33.8	32.4	500	1.90	34.712	4.29	27.770	33.7	.259	
707	1.79	34.735	4.51	2.17	89.	.00	35.0	31.1	600	1.86	34.729	4.39	27.787	32.1	.295	
867	1.69	34.743	4.60	2.14	92.	.00	35.8	29.8	700	1.79	34.735	4.50	27.797	31.2	.329	
1017	1.56	34.743	4.62	2.16	96.		34.1	28.9	800	1.73	34.741	4.57	27.806	30.3	.363	
1169	1.41	34.737	4.66	2.17	96.		34.3	28.3	1000	1.58	34.744	4.62	27.820	29.0	.429	
1333	1.30	34.734	4.70	2.17	102.		34.5	27.8	1200	1.39	34.737	4.66	27.828	28.2	.494	
1423A	1.22	34.734	4.76	2.17	105.		34.78	27.3	1500	1.17	34.729	4.75	27.838	27.3	.589	
1501	1.17	34.729	4.75	2.15	107.		34.6	27.3	2000	.86	34.716	4.86	27.848	26.4	.742	
1625A	1.04	34.722	4.79	2.21	111.		34.4R	27.0	2500	.65	34.704	4.94	27.852	26.0	.889	
1827A	.96	34.722	4.79	2.22	115.		34.5	26.5	3000	.56	34.696	4.96	27.849	26.2	1.034	
2030A	.84	34.715	4.87	2.27	118.		35.0	26.3	3500	.51	34.693	5.08	27.850	26.1	1.179	
2232A	.74	34.708	4.96	2.23	121.		34.8	26.3								
2433A	.66	34.705	4.94	2.23	122.		34.7	26.0								
2634A	.62	34.703	4.94		124.		34.7	26.0								
2834A	.57	34.698	4.96		126.		34.3	26.1								
3034A	.56	34.695	4.96	2.25	127.		33.9	26.2								
3233A	.55	34.699	5.12	2.26	129.		34.4	25.9								
3430A	.52	34.692	5.07		129.		34.8	26.2								
3627A	.50	34.695	5.10	2.26	129.		34.4	25.9								
3677A	.51	34.696	5.03	2.27	131.		34.8	25.9								
3726A	.49	34.656U	4.95	2.22	116.		34.8									

A) CAST II.
 B) AN ERROR OF 0.1 ABSORBANCE HAS BEEN ASSUMED. THE LISTED VALUES INCORPORATE THE CORRECTION.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES	
	59	20.5S	166	24.0L	01/26/71	0646	1010GMT	4707M	270	25KT	2	270	10	10	
Z	T	S	O2	PO4	S103	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	OO
0	5.83	33.937	7.03	1.51	3.	.24		129.8	0	5.83	33.937	7.03	26.756	129.8	0
10	B 33.941								10	5.83	33.941	7.03	26.757	129.7	.013
50	5.84	33.946	7.02	1.47	3.	.24		129.2	20	5.83	33.941	7.03	26.759	129.6	.026
76	5.66	33.945	7.17	1.48	3.	.25		127.2	30	5.84	33.943	7.02	26.760	129.5	.039
101	4.05	33.949	7.15	1.72	8.	.27		109.7	50	5.84	33.946	7.02	26.762	129.2	.065
126	3.96	34.038	6.73	1.77	12.	.17		102.2	75	5.67	33.945	7.16	26.783	127.3	.097
153	3.84	34.081	6.44	1.86	15.	.07		97.8	100	4.11	33.948	7.15	26.960	110.5	.127
198	3.78	34.147	6.07	1.95	20.	.01		92.2	125	3.96	34.036	6.75	27.046	102.3	.154
203	R 34.125	6.16							150	3.85	34.078	6.47	27.090	98.1	.179
304	3.21	34.221	5.56	2.14	32.	.02		81.4	200	3.77	34.149	6.11	27.155	92.0	.228
400	2.45	34.253	5.36	2.26	43.	.01		72.6	250	3.56	34.193	5.88	27.211	86.7	.273
405	B 34.251	5.31							300	3.24	34.220	5.58	27.263	81.8	.316
505	2.67	34.391	4.60	2.32	56.	.01		64.0	400	2.45	34.253	5.36	27.359	72.6	.396
606	2.57	34.466	4.28	2.39	63.			57.5	500	2.65	34.384	4.62	27.447	64.4	.467
706	2.50	34.521	4.11	2.37	69.	.01		52.8	600	2.58	34.463	4.29	27.516	57.8	.531
807	2.42	34.565	4.09	2.37	71.			48.8	700	2.50	34.518	4.12	27.566	53.0	.590
1001	2.30	34.637	4.11	2.30	76.			42.4	800	2.43	34.562	4.09	27.608	49.0	.645
1008	B 34.635	4.07							1000	2.30	34.637	4.11	27.678	42.4	.747
1206	2.20	34.688	4.18	2.23	80.	.00		37.8	1200	2.20	34.687	4.18	27.726	37.9	.838
1307	R 34.705	4.26							1500	2.03	34.731	4.36	27.776	33.2	.965
1406	2.09	34.716	4.33	2.16	85.			34.8	2000	1.63	34.739	4.54	27.812	29.8	1.158
1601	1.96	34.744	4.45	2.13	88.			31.7	2500	1.26	34.726	4.68	27.829	28.2	1.339
1607	B 34.733	4.46							3000	.96	34.710	4.72	27.836	27.5	1.509
1807	1.78	34.740	4.49	2.16	94.			30.7	3500	.78	34.701	4.87	27.841	27.0	1.673
1903	1.70	34.737	4.49	2.04U	94.			30.3	4000	.65	34.697	4.87	27.845	26.6	1.831
1908	R 34.738	4.56							4500	.54	34.697	5.03	27.852	26.0	1.984
2002A	1.632	34.738	4.54	2.14	96.			29.8							
2011	1.62	34.740	4.56	2.09	96.			29.5							
2101A	1.554	34.739	4.59	2.15	101.			29.2							
2202A	1.476	34.734	4.61	2.16	103.			29.0							
2207A	B 34.736	4.59													
2301A	1.40	34.732		2.16	106.			28.6							
2403A	1.31	34.729	4.58	2.18	107.			28.3							
2503A	1.26	34.726	4.68	2.18	109.			28.2							
2704A	1.143	34.720	4.72	2.21	113.			27.8							
2708A	B 34.724	4.72													
2904A	1.01	34.712	4.67	2.21	118.			27.6							
3205A	.879	34.707	4.84	2.23	121.			27.2							
3209A	B 34.710	4.81													
3505A	.775	34.701	4.87	2.25	125.			27.0							
3804A	.69	34.699	4.89	2.26	128.			26.7							
3809A	B 34.702	4.93													
4103A	.631	34.695	4.84	2.26	126.			26.6							
4203A	B 34.701	5.01													
4302A	.591	34.697	4.98	2.26	125.			26.2							
4502A	.540	34.697	5.03	2.26	124.			26.0							
4601A	.51	34.695	5.05	2.26	126.			25.9							
4650A	.53	34.695	5.05	2.26	124.			26.1							
4695A	B 34.697	5.04													
4700A	.51	34.696	5.06	2.26	126.			25.9							

A) CAST II.

B) SPECIAL NISKIN BOTTLE SAMPLE FOR SALINITY AND OXYGEN DETERMINATION. NO TEMPERATURE MEASUREMENT WAS MADE.

ARIES EXPEDITION II

25

RV THOMAS WASHINGTON

LATITUDE 60 26.55		LONGITUDE 165 48.0E		MO/DAY/YR 01/27/71		MESSENGER TIME 0337 0556GMT			BOTTOM 4158M	WIND 300	SPEED 24KT	WEATHER 2	DOMINANT WAVES 300 09 07		
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	DT	DD
0	2.83	33.902	7.56	1.73	13.	.26	26.6	102.3	0	2.83	33.902	7.56	27.047	102.3	0
20	2.82	33.906	7.64	1.73	13.	.26	26.8	101.9	10	2.83	33.905	7.60	27.049	102.0	.010
45	2.77	33.902	7.71	1.71.	12.	.28.	26.8	101.8	20	2.82	33.906	7.64	27.051	101.9	.020
61	2.40	33.900	7.58	1.85	15.	.29	27.6	98.9	30	2.80	33.905	7.67	27.051	101.8	.031
80	1.42	33.953	7.30	2.11	25.	.25		87.9	50	2.69	33.900	7.68	27.057	101.3	.051
105	1.29	34.004	7.32	2.13	30.	.17	31.8	83.2	75	1.67	33.936	7.37	27.166	90.9	.075
120	1.30	34.044	7.03	2.15	33.	.15	32.6	80.2.	100	1.32	34.000	7.32	27.243	83.7	.097
156	1.66	34.187	5.87	2.32	45.	.05	34.9	71.8	125	1.33	34.063	6.88	27.292	79.0	.117
176	1.99	34.259	5.33	2.36	48.	.04	35.8	68.7	150	1.57	34.162	6.08	27.354	73.1	.136
215	2.07	34.343	5.08	2.40	56.	.03	36.6	62.9	200	2.04	34.313.	5.13.	27.440	64.9	.171
252	2.07	34.386	4.64	2.45	61.	.01	36.6	59.6	250	2.07	34.384	4.66	27.495	59.8	.203
321	2.11	34.453	4.39	2.45	67.	.01.	37.2	54.9	300	2.09	34.434	4.42	27.533	56.2	.233
461	2.22	34.571	4.10	2.44	74.	.00	36.9	46.8	400	2.18	34.524	4.19	27.598	50.0	.287
598	2.18	34.637	4.10	2.37	80.	.00	36.3	41.5	500	2.22	34.594	4.10	27.650	45.1	.337
797	2.12	34.697	4.26	2.22	82.	.00.	34.8	36.5	600	2.18	34.638	4.10	27.689	41.4	.383
1195	1.87	34.735	4.49	2.19	90.	.00	33.4	31.7	700	2.15	34.673	4.17	27.719	38.6	.426
1395	1.70	34.742	4.57	2.18	94.		33.0	30.0	800	2.12	34.698	4.26	27.742	36.4	.468
1582A	1.55	34.741	4.57	2.18	96.		33.4	29.0	1000	2.01	34.725	4.39	27.772	33.5	.546
1598	1.52	34.738	4.59	2.18	100.		33.6	29.0.	1200	1.87	34.735	4.49	27.792	31.7	.622
1786A	1.34	34.737	4.61	2.18	104.		33.7	27.8	1500	1.64	34.746	4.57	27.818	29.2	.729
1803	1.37	34.734	4.63	2.18	101.		33.7	28.3.	2000	1.18	34.727	4.74	27.835	27.6	.898
1990A	1.19	34.727	4.74	2.23	109.		33.6	27.6	2500	.88.	34.710	4.79	27.841	27.0	1.059
2011	1.17	34.727	4.73	2.23	110.		34.4	27.5	3000	.70	34.704	4.91	27.848	26.4	1.213
2195A	1.03	34.718	4.79	2.23	112.		34.2	27.3	3500	.63	34.699	4.95	27.848	26.3	1.364
2418A	.91	34.711	4.77	2.23	115.		34.1	27.1	4000	.53	34.700		27.855	25.7	1.512
2702A	.81	34.707	4.87	2.25	121.		34.8	26.8							
2903A	.74	34.705	4.92	2.29	121.		34.5	26.5							
3105A	.67	34.703	4.90	2.31	123.		34.4	26.2							
3305A	.66	34.701	4.89	2.29	124.		34.3	26.3							
3504A	.63	34.699	4.95	2.28	126.		34.5	26.3							
3701A	.61	34.701	4.99	2.22	128.		34.3	26.1							
3897A	.55	34.700	5.00	2.27	125.		35.1	25.8.							

ARIES EXPEDITION II

26

RV THOMAS WASHINGTON

LATITUDE 61 46.55		LONGITUDE 165 20.0E		MO/DAY/YR 01/27/71		MESSENGER TIME 2053 2250GMT			BOTTOM 2902M	WIND 280	SPEED 16KT	WEATHER 4	DOMINANT WAVES 270 05 10		
Z	T	S	O2	P04	S103	N02	N03	CT	Z	T	S	O2	SIGT	DT	DD
0	1.75	33.989	8.05	1.70	27.	.27	27.3	87.4	0	1.75	33.989	8.05	27.203	87.4	0
9	1.74	33.989	7.87	1.74	27.	.27	28.4	87.3	10	1.74	33.990	7.87	27.205	87.3	.009
46	1.56	34.004	7.93	1.74	32.	.28	28.1	85.0	20	1.69	33.994	7.89	27.212	86.6	.017
70	.97	34.027	7.79	1.91	39.	.26	27.2	79.4	30	1.64	33.998	7.90	27.218	86.0	.026
93	.04	34.156	7.07	2.26	54.	.20	31.2.	64.6	50	1.49	34.004	7.91	27.234	84.5	.043
140	1.17	34.414	5.02	2.45	69.	.14	35.3	51.3	75	.74.	34.050	7.67	27.320	76.4	.063
186	1.74	34.534	4.26	2.45	75.	.04	36.9	45.6	100	.10.	34.199	6.75	27.475	61.6	.081
277	2.13	34.646	4.07	2.36	79.	.01	35.2	40.4	125	.62.	34.337	5.65	27.557	53.9	.095
367	1.98	34.658	4.10	2.33	82.	.00	34.5	38.4	150	1.33	34.449	4.78	27.602	49.6	.108
457	1.97	34.694	4.21	2.26	83.	.00		35.6	200	1.85.	34.565	4.23	27.657	44.5	.132
547	1.89	34.710	4.27	2.24	85.			33.8	250	2.09.	34.630	4.13	27.689	41.4	.154
637	1.86	34.722	4.32	2.22	86.			32.6	300	2.11	34.653	4.08	27.706	39.8	.175
728	1.79	34.730	4.43	2.17	88.	.00		31.5	400	1.98.	34.672	4.14	27.732	37.3	.215
818	1.69	34.734	4.49	2.18	90.			30.5	500	1.93.	34.703	4.24	27.761	34.6	.253
910	1.64	34.739	4.52	2.17	92.	.00		29.8	600	1.87.	34.718	4.30	27.777	33.0	.289
1002	1.57	34.738	4.58	2.17	94.	.00		29.3	700	1.82	34.728	4.40	27.790	31.8	.325
1095	1.48	34.740	4.63	2.17	97.			28.6	800	1.71.	34.733	4.48	27.802.	30.7	.359
1189	1.39	34.734	4.63	2.17	99.			28.4	1000	1.57.	34.739	4.58	27.816	29.4	.426
1284	1.32	34.732	4.64	2.19	100.			28.1.	1200	1.38.	34.734	4.63	27.826	28.4	.491
1380	1.25	34.731	4.68	2.19	104.			27.7	1500	1.12.	34.726	4.72	27.838	27.3	.586
1486A	1.13	34.726	4.72	2.19	105.			27.3	2000	.79	34.708	4.82	27.846	26.6	.738
1677A	1.01	34.721	4.74	2.22	110.			26.9	2500	.54	34.700	4.90	27.854	25.8	.882
1869A	.87	34.713	4.77	2.24	113.			26.7							
2061A	.753	34.706	4.84	2.22	116.			26.5							
2253A	.634	34.702	4.91	2.26	119.			26.1							
2447A	.563	34.700	4.89	2.26	122.			25.9							
2740A	.46	34.697	4.96	2.26	122.			25.5							
2790A	.383	34.696	4.98	2.28	124.			25.2							
2840A	.376	34.695	5.00	2.27	124.			25.2							

A) CAST II.

Z	LATITUDE 63 06.0S			LONGITUDE 164 34.5E			MO/DAY/YR 01/28/71			MESSENGER TIME 1025 1139GMT			BOTTOM 3156M	WIND 210	SPEED 16KT	WEATHER 2	DOMINANT WAVES 210 08 07		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DC				
1	1.18	33.988	8.14	1.61	43.	.28	26.9	83.7	0	1.18	33.988	8.14	27.242	83.7	0				
21	1.18	33.992	8.21	1.55	44.	.28	27.3	83.4	10	1.18	33.990	8.16	27.244	83.5	.008				
52	1.14	33.992	8.45	1.59	44.	.28	27.0	83.1	20	1.18	33.992	8.20	27.245	83.4	.017				
72	-.57	34.118	7.94	2.09	66.	.19	31.2	64.8	30	1.17	33.992	8.28	27.246	83.3	.025				
107	1.50	34.523	5.59	2.30	83.	.20	35.7	39.0	50	1.14	33.992	8.43	27.248	83.2	.042				
128	1.14	34.613	4.84	2.28	85.	.14	35.7	36.0	75	-.48	34.161	7.75	27.472	61.9	.060				
154	1.46	34.664	4.64	2.27	86.	.07	31.8U	34.2	100	.29	34.458	6.08	27.674	42.8	.073				
178	1.46	34.674	4.64	2.25	88..	.05	31.9U	33.4	125	1.06	34.606	4.92	27.745	36.1	.083				
217	1.53	34.696	4.58	2.22	88.	.01	34.6	32.2	150	1.44	34.660	4.67	27.763	34.4	.092				
253	1.51	34.699	4.60	2.20	89..	.01	34.6	31.9	200	1.50	34.688	4.61	27.781	32.7	.109				
322	1.52	34.714	4.67	2.19	91.	.00	33.9	30.8	250	1.51	34.699	4.60	27.789	31.9	.125				
431	1.44.	34.724	4.80	2.16	93.	.00	33.4	29.5	300	1.52	34.709	4.64	27.797	31.2	.142				
561	1.33	34.722	4.81	2.18	96.	.00	34.1	28.9	400	1.47	34.723	4.77	27.811	29.8	.173				
700	1.19	34.722	4.84	2.17	96.	.02	34.6	28.0	500	1.38	34.724	4.81	27.818	29.1	.204				
852	1.06	34.718	4.99	2.19	97.	.00	34.5	27.5	600	1.29	34.722	4.82	27.824	28.7	.235				
1010	.94	34.712	5.00	2.19	99.	.00	33.8	27.2	700	1.19	34.722	4.84	27.831	28.0	.265				
1152A	.67	34.714	4.84	2.19	113.		34.0	26.6	800	1.10	34.720	4.94	27.835	27.6	.295				
1354A	.75	34.710	4.96	2.22	117.		34.1	26.2	1000	.95	34.713	5.00	27.839	27.2	.354				
1556A	.62	34.702	5.01	2.26	121.		35.1	26.0	1200	.84	34.714	4.85	27.847	26.5	.411				
1708A	.46	34.692	5.14	2.27	122.		35.6	25.9	1500	.66	34.705	4.99	27.851	26.1	.496				
1859A	.34	34.689	5.05	2.26	123.		35.0	25.5	2000	.27	34.687	5.12	27.859	25.3	.631				
2010A	.27	34.686	5.13	2.26	126.		35.3	25.3	2500	.08	34.687	5.30	27.869	24.3	.755				
2162A	.20	34.686	5.19	2.28	126.		34.5	25.0	3000	.01	34.698	5.35	27.882	23.1	.868				
2312A	.13	34.685	5.30	2.27	126.		35.2	24.7											
2464A	.09	34.685	5.30	2.27	125.		34.7	24.5											
2613A	.05	34.691	5.28	2.26	121.		35.1	23.8											
2762A	.02	34.697	5.36	2.22	120.		35.0	23.2											
2910A	.00	34.697	5.38	2.24	118.		34.9	23.1											
3059A	.01	34.698	5.34	2.24	117.		35.1	23.1											
3156A	.00	34.699	5.37	2.25	118.		35.1	23.0											

RV THOMAS WASHINGTON

ARIES EXPEDITION II

28

Z	LATITUDE 63 59.0S			LONGITUDE 164 11.5E			MO/DAY/YR 01/28/71			MESSENGER TIME 2045 2243GMT			BOTTOM 2953M	WIND 200	SPEED 07KT	WEATHER 7	DOMINANT WAVES 050 05 08		
	T	S	G2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	00				
0	.82	34.048	8.06	1.56	60.	.18	25.8	77.0	0	.82	34.048	8.06	27.314	77.0	0				
10	.83	34.055	8.06	1.57	60.	.16	26.1	76.5	10	.83	34.055	8.06	27.319	76.5	.008				
24	.86	34.063	8.07	1.57	59.	.14	26.0	76.1	20	.85	34.061	8.07	27.322	76.2	.015				
48	-.08	34.139	7.70	1.77	65.	.15	27.5	65.3	30	.67	34.076	8.05	27.345	74.0	.023				
99	-1.35	34.426	6.58	2.14	82.	.18	33.1	38.5	50	-.17	34.149	7.86	27.449	64.1	.037				
148	.46	34.626	5.07	2.24	92.	.06	34.4	30.9	75	-1.01	34.287	7.30	27.596	50.2	.051				
196	1.06	34.691	4.61	2.26	98..	.03	34.3	29.5	100	-1.32	34.431	6.55	27.723	38.2	.062				
294	1.04	34.707	4.67	2.24	102.	.01	34.9	28.2	125	-.50	34.538	5.73	27.778	33.0	.071				
392	1.00	34.710	4.67	2.22	104.	.00	34.6	27.7	150	.50	34.630	5.04	27.800	30.9	.079				
490	.97	34.707	4.67	2.25	107.	.00	34.4	27.6	200	1.06	34.692	4.61	27.815	29.4	.094				
588	.89.	34.709	4.69	2.24	111.		34.5	27.1	250	1.05	34.702	4.64	27.824	28.6	.109				
686	.81	34.715U	4.77	2.24	112.		34.5	27.1	300	1.04	34.708	4.67	27.829	28.1	.123				
784	.75	34.698	4.82	2.26	113.		34.0	27.1	400	1.00	34.710	4.67	27.834	27.7	.152				
882	.69	34.701	4.83	2.26	115.		35.0	26.5	500	.96	34.709	4.67	27.835	27.5	.180				
980	.62	34.697	4.83	2.28	118.	.00	34.6	26.4	600	.88	34.708	4.70	27.840	27.1	.209				
1079	.59	34.698	4.83	2.27	121.		34.7	26.2	700	.80	34.702	4.78	27.840	27.1	.237				
1178	.54	34.699	4.85	2.28	123.		34.8	25.8	800	.74	34.699	4.82	27.841	27.0	.265				
1278	.47	34.695	4.87.	2.28	124.		34.8	25.7	1000	.61	34.697	4.83	27.848	26.4	.321				
1377	.41.	34.691	4.91	2.28	125.		34.7	25.7	1200	.53	34.699	4.85	27.854	25.8	.376				
1412A	.42	34.697	4.89	2.26	124.		34.9	25.3	1500	.36	34.695	4.94	27.861	25.1	.455				
1476	.37	34.695	4.93	2.28	125.		35.4	25.2	2000	.15	34.698.	5.13	27.875	23.8	.578				
1612A	.31	34.695	4.96	2.27	126.		35.0	24.9	2500	-.06	34.704	5.27	27.891	22.3	.690				
1812A	.24	34.695	5.02	2.27	126.		35.0	24.5											
2013A	.142	34.698	5.14	2.27	124.		35.0	23.7											
2215A	.07	34.701	5.17	2.26	120.		34.6	23.1											
2418A	-.047	34.702	5.24	2.24	116.		35.2	22.5											
2623A	-.07	34.706	5.31	2.24	114.		34.7	22.1											
2725A	-.069	34.709	5.32	2.28	114.		34.7	21.9											
2829A	-.09	34.709	5.30	2.26	113.		34.9	21.8											
2880A	-.09	34.712	5.29	2.24	113.		34.9	21.5											
2934A	-.094	34.713	5.31	2.23	114.		34.9	21.4											

A) CAST II.

Z	T	S	O2	P04	S103	N02	N03	OT	BOTTOM			WIND			SPEED			WEATHER			DOMINANT WAVES		
									Z	T	S	250	T	S	2	SIGT	OT	DD					
1	.88	34.087	7.96	1.70	66.	.25	27.8	74.3	0	.88	34.087	7.96	27.341	74.3	0								
10A	C	34.096	7.91						10	.85	34.096	7.91	27.344	74.1	.007								
35	.77	34.093	7.94	1.73	65.	.24	28.1	73.2	20	.82	34.091	7.92	27.348	73.7	.015								
52A	C	34.210	7.82						30	.79	34.092	7.93	27.351	73.4	.022								
58A	-1.66	34.312							50	-.91	34.233	7.83	27.548	54.7	.035								
66	-1.68	34.316	7.40	2.01	73.	.16	31.0	46.0	75	-1.72	34.335	7.23	27.657	44.4	.047								
86	-1.76	34.366	7.06	2.07	76.	.28	32.2	42.0	100	-1.60	34.403	6.88	27.709	39.5	.058								
121	-1.02	34.472	6.43	2.13	82.	.09	33.4	36.0	125	-.83	34.491	6.25	27.754	35.2	.067								
141	-.10	34.568	5.55	2.19	90.	.04	34.3	32.5	150	.10	34.592	5.37	27.791	31.7	.075								
168	.36	34.620	5.15	2.25	92.	.04	34.7	30.8	200	.91	34.686	4.70	27.820	29.0	.090								
193	.82	34.675	4.79	2.28	96.	.04	35.1	29.3	250	1.07	34.707	4.60	27.826	28.4	.105								
206A	C	34.695	4.63						300	1.05	34.712	4.64	27.831	27.9	.119								
211A	1.01	34.697							400	1.00	34.710	4.67	27.834	27.7	.148								
233	1.07	34.706	4.59	2.26	96.	.01	34.7	28.4	500	.93	34.709	4.70	27.837	27.4	.177								
269	1.08	34.708	4.61	2.26	96.	.02	34.7	28.4	600	.88	34.708	4.70	27.840	27.1	.205								
304A	C	34.712	4.64						700	.82	34.707	4.77	27.843	26.9	.233								
309A	1.05	34.712							800	.76	34.704	4.81	27.844	26.7	.261								
321	1.07	34.711	4.63	2.26	97.	.01	34.8	28.1	1000	.64	34.700	4.84	27.848	26.3	.317								
417	C	34.710	4.68						1200	.55	34.704	4.87	27.857	25.5	.371								
423	.98	34.710	4.70	2.25	97.U	.01	34.8	27.6	1500	.39	34.698	4.95	27.861	25.1	.450								
519	C	34.714	4.70						2000	.20	34.700	5.09	27.873	24.0	.575								
524	.92	34.708	4.72	2.27	110.		34.8	27.4	2500	.00	34.708	5.27	27.891	22.3	.688								
620	C	34.709	4.70																				
626	.86	34.708	4.74	2.28	112.	.00	35.2	27.0															
778	.77	34.704	4.80	2.26	114.		34.9	26.8															
931	.69	34.701	4.83	2.25	119.	.00	35.1	26.5															
1129	C	34.700	4.86																				
1134	.57	34.700	4.86	2.27	122.		35.0	25.9															
11448	.57	34.704	4.86	2.24	123.		36.0	25.6															
13458	.45	34.702	4.91	2.26	124.		35.8	25.1															
15458	C	34.697	4.96																				
15568	.37	34.696	4.94	2.26	126.		35.5	25.1															
17528	.31	34.701	5.02	2.27	128.		35.9	24.4															
19048	.25	34.702	5.04	2.28	127.		35.2	24.0															
20498	C	34.700	5.11																				
20558	.18	34.698	5.03	2.26	127.		35.0	23.9															
22068	.13	34.702	5.02	2.26	124.		34.6	23.4															
23508	C	34.701	5.17																				
23568	.07	34.708	5.17	2.26	121.		35.1	22.6															
25058	.00	34.708	5.27	2.23	117.		34.7	22.3															
26488	C	34.711	5.30																				
26538	-.09	34.715	5.30	2.24	114.		35.0	21.3															
28028	-.12	34.719	5.38	2.26	112.		34.4	20.8															
29358	C	34.719	5.38																				
29628	-.156	34.719	5.37	2.26	112.		34.6	20.7															

A) CAST 111.

B) CAST 11.

C) SPECIAL NISKIN BOTTLE SAMPLE FOR SALINITY AND OXYGEN DETERMINATION. NO TEMPERATURE MEASUREMENT WAS MADE.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

30

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	65 32.05	163 32.0E	01/29/71	2140	2335GMT	2968M	170	05KT	2	270 03 09	DT	CD			
0	.66	34.066	7.95	1.65	69.	.20	26.9	74.7	0	.66	34.066	7.95	27.338	74.7	0
46	-.28	34.148	7.83	1.74	69.	.15	29.1	63.7	10	.63	34.078	7.92	27.348	73.7	.007
72	-1.62	34.360	6.89	2.03	78.	.15	32.6	42.8	20	.61	34.089	7.90	27.359	72.7	.015
93	-1.27	34.434	6.47	2.12		.12	33.4	38.1	30	.58	34.100	7.87	27.370	71.6	.022
123	.30	34.604	5.23	2.21	90.	.10	34.5	31.7	50	-.55	34.178	7.69	27.490	60.3	.035
155	.85	34.671	4.76	2.23	96.	.06	34.7	29.7	75	-1.57	34.375	6.83	27.685	41.8	.048
205	1.11	34.704	4.56	2.21	100.	.06	35.4	28.9	100	-.91	34.472	6.18	27.742	36.4	.057
305	1.09	34.712	4.59	2.22	104.	.01	35.5	28.1	125	.36	34.612	5.18	27.793	31.5	.066
405	1.02	34.713	4.63	2.21	106.	.01	34.9	27.6	150	.81	34.667	4.80	27.811	29.9	.074
505	.98	34.713	4.65	2.20	109.	.00	35.2	27.4	200	1.10	34.704	4.56	27.821	28.9	.089
605	.90	34.711	4.69	2.22	110.		35.5	27.0	250	1.10	34.709	4.57	27.826	28.4	.103
706	.84	34.708	4.70	2.23	114.		35.4	26.9	300	1.09	34.712	4.59	27.829	28.1	.118
806	.79	34.705	4.81	2.23	115.	.00	35.6	26.8	400	1.02	34.713	4.63	27.835	27.6	.146
906	.72	34.704	4.77	2.23	119.		35.7	26.5	500	.98	34.713	4.65	27.837	27.4	.175
1007	.67	34.701	4.79	2.23	119.		34.9	26.4	600	.90	34.711	4.69	27.841	27.0	.203
1109	.61	34.700	4.83	2.25	121.		34.8	26.1	700	.84	34.708	4.70	27.842	26.9	.231
1210	.57	34.699	4.85	2.26	122.		35.4	26.0	800	.79	34.705	4.80	27.843	26.8	.259
1314	.51	34.698	4.85	2.23	123.		35.1	25.7	1000	.67	34.701	4.79	27.847	26.4	.315
1417	.47	34.700	4.88	2.23	123.		36.2	25.3	1200	.57	34.699	4.85	27.852	26.0	.370
1432A	.47	34.700	4.88	2.24	123.		35.1	25.3	1500	.44	34.698	4.90	27.859	25.3	.451
1523	.43	34.697	4.90	2.26	124.		36.1	25.3	2000	.23	34.702	5.05	27.874	23.9	.577
1532A	.41	34.701	4.90	2.26	124.		35.1	24.9	2500	.05	34.708	5.20	27.888	22.6	.693
1732A	.34	34.701	4.93	2.26	124.		36.0	24.6							
1932A	.25	34.700	5.01	2.25	124.		35.9	24.2							
2132A	.192	34.705	5.12	2.26	122.		35.4	23.5							
2334A	.112	34.706	5.14	2.25	119.		35.5	23.0							
2536A	.037	34.708	5.22	2.21	116.		34.8	22.5							
2739A	-.036	34.715	5.30	2.23	113.		35.6	21.6							
2841A	-.078	34.717	5.36	2.23	110.		34.9	21.2							
2892A	-.085	34.715	5.33	2.23	110.		35.2	21.3							
2943A	-.087	34.718	5.35	2.22	110.		35.3	21.1							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

31

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	66 14.55	163 09.0E	01/30/71	0515	0610GMT	2451M	210	05KT	7	04 08	DT	DD			
0	.90	34.109	7.91	1.39	72.	.10	16.8	72.8	0	.90	34.109	7.91	27.358	72.8	0
20	.69	34.128	8.10	1.38	73.	.09	17.1	70.1	10	.79	34.119	8.00	27.372	71.5	.007
50	-.93	34.367	6.72	2.09	85.	.08	26.5	44.4	20	.69	34.128	8.10	27.386	70.1	.014
71	-1.34	34.444	6.60	2.19	88.	.10	29.2	37.1	30	.17	34.199	7.67	27.472	62.0	.021
107	-1.25	34.487	6.48	2.17	88.	.12	29.8	34.1	50	-.93	34.367	6.72	27.658	44.4	.032
127	-1.03	34.512	6.22	2.18	90.	.10	29.9	32.9	75	-1.33	34.449	6.60	27.738	36.8	.042
152	-.36	34.568	5.67	2.17	91.	.09	34.1	31.3	100	-1.27	34.479	6.52	27.760	34.7	.050
179	.18	34.617	5.03	2.22	94.	.11	34.9	30.1	125	-1.06	34.509	6.25	27.777	33.0	.059
219	.59	34.657	5.12	2.22	96.	.08	34.6	29.3	150	-.42	34.563	5.72	27.795	31.4	.067
255	.76	34.678	4.90	2.22	101.	.06	34.5	28.7	200	.44	34.642	5.08	27.814	29.6	.082
325	.60	34.670	4.98	2.22	101.	.05	34.5	28.4	250	.75	34.676	4.93	27.823	28.7	.097
435	.55	34.672		2.22	105.	.03	34.4	27.9	300	.69	34.677	4.95	27.826	28.4	.111
567	.62	34.683	4.97	2.22	108.	.02	34.8	27.5	400	.57	34.672	4.98	27.830	28.1	.140
707	.62	34.693	4.96	2.23	114.	.00	35.2	26.7	500	.58	34.677	4.97	27.834	27.7	.168
857	.58	34.694	4.93	2.24	116.	.01	34.8	26.4	600	.62	34.686	4.97	27.838	27.3	.196
1006	.56	34.695	4.93	2.22	120.	.00	35.2	26.2	700	.62	34.693	4.96	27.844	26.8	.224
1034A	.52	34.698	4.92	2.24	117.		35.2	25.8	800	.60	34.695	4.94	27.846	26.5	.252
1186A	.46	34.695	5.04	2.26	121.		35.2	25.7	1000	.56	34.695	4.93	27.849	26.2	.306
1338A	.40	34.688	5.00	2.24	119.		34.7	25.9	1200	.45	34.695	5.04	27.855	25.7	.360
1489A	.33	34.698		2.27	124.		35.1	24.7	1500	.32	34.698	5.02	27.865	24.7	.438
1640A	.26	34.697	5.04	2.24	123.		34.7	24.4	2000	.14	34.705	5.11	27.881	23.2	.559
1792A	.20	34.700	5.07	2.27	123.		34.9	23.9							
2044A	.12	34.705	5.13	2.28	121.		34.9	23.1							
2151A	.06	34.704	5.19	2.26	119.		34.7	22.9							
22088	.01	34.705	5.24	2.26	117.		34.8	22.5							
22758	-.01	34.705	5.41	2.26	117.		34.6	22.4							
23358	-.05	34.706	5.34	2.24	115.		34.6	22.2							

A) CAST II.

B) THE NANSEN BOTTLE AT THIS DEPTH ON CAST II PRETRIPPED. THE DEPTH MAY BE SLIGHTLY IN ERROR.

LATITUDE 66 36.55			LONGITUDE 164 23.0E			MO/DAY/YR 01/30/71			MESSENGER TIME 1121 1310GMT			BOTTOM 2685M	WIND 120	SPEED 08KT	WEATHER 1	DOMINANT WAVES 120 02 02		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD			
0	.52	34.127	8.00	1.28	69.	.09	16.9	69.3	0	.52	34.127	8.00	27.395	69.3	0			
39	-.54	34.229	7.38	1.67	77.	.08	22.8	56.4	10	.24	34.144	7.84	27.423	66.6	-.007			
79	-1.58	34.439	6.75	2.17	85.	.12	32.8	36.8	20	-.03	34.167	7.68	27.456	63.4	-.013			
98	-1.69	34.454	6.81	2.14	84.	.15	33.2	35.4	30	-.30	34.197	7.52	27.493	59.9	-.019			
108	-1.72	34.461	6.83	2.13	86.	.14	32.9	34.8	50	-.88	34.293	7.16	27.596	50.2	-.030			
147	-1.37	34.489	6.44	2.14	86.	.06	33.4	33.6	75	-1.50	34.421	6.79	27.721	38.4	-.041			
197	-.38	34.569	5.72	2.24	95.	.07	34.1	31.1	100	-1.70	34.456	6.82	27.754	35.2	-.051			
294	.58	34.664	5.01	2.22	96.	.03	34.7	28.7	125	-1.64	34.472	6.72	27.765	34.2	-.059			
392	.71	34.683	4.90	2.22	96.	.02	34.6	28.0	150	-1.31	34.493	6.40	27.773	33.4	-.067			
490	.71	34.684	4.89	2.25	104.	.01	34.6	27.9	200	-.33	34.574	5.69	27.799	31.0	-.083			
587	.71	34.692	4.85	2.24	107.	.01	34.7	27.3	250	.27	34.632	5.24	27.815	29.5	-.098			
685	.74	34.700	4.76	2.24	111.	.01	34.8	26.9	300	.59	34.666	5.00	27.824	28.6	-.113			
782	.70	34.696	4.87	2.24	113.	.00	35.0	27.0	400	.71	34.683	4.90	27.831	28.0	-.142			
880	.65	34.698	4.90	2.25	114.	.00	35.2	26.5	500	.71	34.685	4.89	27.832	27.9	-.170			
978	.58	34.695	4.83	2.26	114.	.01	35.0	26.3	600	.72	34.694	4.83	27.839	27.2	-.199			
1077	.54	34.695	4.92	2.26	118.	.00	34.7	26.1	700	.74	34.700	4.77	27.842	26.9	-.227			
1177	.52		4.91	2.26	120.		34.9		800	.69	34.697	4.88	27.842	28.9	-.255			
1277	.45	34.695	4.87	2.27	120.		34.9	25.6	1000	.57	34.695	4.85	27.849	26.3	-.310			
1310A	.45	34.694	4.91	2.28	126.0		35.3	25.7	1200	.50	34.698	4.90	27.855	25.7	-.364			
1378	.40	34.698	4.89	2.27	122.		35.3	25.1	1500	.35	34.698	4.97	27.864	24.8	-.442			
1481	.35	34.698	4.96	2.28	121.		35.7	24.8	2000	.16	34.702	5.10	27.878	23.5	-.565			
1569A	.34	34.697	5.01	2.30	120.		35.1	24.9	2500	.01	34.709	5.19	27.891	22.3	-.677			
1861B	-.215	34.702	5.07	2.27	123.		34.9	23.8										
2063B	-.141	34.702	5.12	2.27	119.		35.3	23.4										
2266B	.08		5.16	2.29	121.													
2469B	-.025	34.709	5.18	2.28	117.		35.0	22.3										
2572B	-.011	34.708	5.22	2.32	117.		35.5	22.2										
2623B	-.008	34.710	5.15	2.30	116.		35.1	22.1										
2674B	-.004	34.71	5.19	2.31	119.		34.9	22.1										

LATITUDE 67 07.0S			LONGITUDE 165 22.5E			MO/DAY/YR 01/30/71			MESSENGER TIME 1815 1903GMT			BOTTOM 2429M	WIND 300	SPEED 09KT	WEATHER 1	DOMINANT WAVES 280 03 06		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD			
0	.37	34.150	8.22	1.32	73.	.07	18.8	66.7	0	.37	34.150	8.22	27.422	66.7	0			
21	.11	34.156	8.09	1.35	74.	.07	19.5	64.9	10	.27	34.155	8.19	27.431	65.8	-.007			
53	-.65	34.233	7.40	1.70	77.	.08	23.4	55.3	20	.13	34.156	8.10	27.440	65.0	-.013			
73	-1.31	34.348	6.87	2.02	81.	.08	29.0	44.6	30	-.06	34.169	7.94	27.460	63.1	-.020			
108	-1.33	34.484	6.53	2.13	87.	.11	33.3	34.1	50	-.56	34.226	7.48	27.529	56.6	-.032			
129	-1.18	34.497	6.32	2.13	88.	.09	33.8	33.6	75	-1.31	34.360	6.84	27.665	43.7	-.044			
155	-.68	34.545	6.06	2.18	90.	.06	34.0	31.7	100	-1.33	34.466	6.58	27.752	35.5	-.054			
180	-.07	34.599	5.43	2.18	95.	.07	34.2	30.2	125	-1.22	34.494	6.36	27.771	33.7	-.062			
220	.37	34.641	5.12	2.22	98.	.04	34.5	29.3	150	-.79	34.534	6.13	27.787	32.1	-.070			
256	.61	34.663	4.92	2.22	99.	.03	34.9	28.9	200	.20	34.626	5.22	27.813	29.6	-.086			
327	.76	34.685	4.84	2.22	104.	.02	35.0	28.1	250	.58	34.661	4.95	27.820	29.0	-.100			
437	.80	34.696	4.77	2.22	107.	.01	35.0	27.5	300	.73	34.680	4.87	27.826	28.4	-.115			
564	.79	34.704	4.77	2.24	110.	.00	34.6	26.9	400	.79	34.693	4.79	27.834	27.7	-.144			
703	.73	34.702	4.79	2.26	114.	.00	34.5	26.7	500	.80	34.701	4.77	27.839	27.2	-.172			
853	.65	34.699	4.84	2.26	117.	.00	35.0	26.4	600	.78	34.704	4.77	27.843	26.8	-.200			
1004	.59	34.700	4.85	2.23	119.		34.8	26.0	700	.73	34.702	4.79	27.844	26.7	-.227			
1015B	.58	34.700	4.85	2.25	120.		35.0	26.0	800	.68	34.700	4.82	27.846	26.5	-.255			
1166B	.51	34.700	4.90	2.26	121.		35.7	25.6	1000	.59	34.700	4.85	27.851	26.0	-.310			
1314B	.43	34.699	4.95	2.24	123.		35.1	25.2	1200	.49	34.700	4.91	27.857	25.5	-.363			
1465B	.37	34.699	4.95	2.27	124.		35.1	24.9	1500	.36	34.700	4.96	27.865	24.8	-.441			
1614B	.31	34.701	5.01	2.26	125.		35.0	24.4	2000	.16	34.704	5.11	27.879	23.4	-.564			
1763B	.23	34.700	5.05	2.26	124.		35.0	24.0										
1914B	.18	34.701	5.04	2.26	122.		35.0	23.7										
2014B	.16	34.704	5.12	2.27	122.		35.3	23.4										
2114B	.13	34.705	5.14	2.26	122.		35.1	23.1										
2215B	.07	34.704	5.17	2.26	119.		35.0	22.9										
2315B	.05	34.709	5.19	2.26	119.		36.4U	22.4										
2417B	-.02	34.710	5.18	2.28	120.		34.7	22.0										

A) THE NANSEN BOTTLE AT THIS DEPTH ON CAST II PREJIPPED. THE DEPTH MAY BE SLIGHTLY IN ERROR.
B) CAST II.

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	OT	01/31/71	0138	0337GMT	2914M	240	06KT	1	290	03	10	
0	.80	34.037	8.02	1.61	63.	.16	25.7	77.7				0	.80	34.037	8.02	27.306	77.7	0	
40	.18	34.078	7.96	1.69	64.	.11	26.1	71.2			10	.65	34.047	8.00	27.323	76.1	.008		
61	-1.66	34.315	7.55	1.99	71.	.13	30.7	46.1			20	.49	34.057	7.99	27.340	74.4	.015		
93	-1.46	34.405	7.02	2.09	78.	.26	32.5	39.8			30	.33	34.067	7.97	27.357	72.8	.023		
113	-.46	34.514	6.15	2.18	83.	.11	33.7	35.0			50	-.73	34.184	7.78	27.501	59.2	.036		
154	1.05	34.677	4.71	2.24	93.	.08	34.5	30.5			75	-1.57	34.354	7.38	27.669	43.3	.048		
203	1.18	34.702	4.62	2.18	96.	.02	34.5	29.5			100	-1.14	34.441	6.73	27.725	38.0	.059		
303	1.16	34.714	4.64	2.24	101.	.01	34.8	28.4			125	.09	34.572	5.64	27.776	33.1	.067		
403	1.09	34.714	4.67	2.23	104.	.00	34.1	28.0			150	.95	34.666	4.81	27.802	30.7	.075		
502	1.03	34.713	4.69	2.23	107.	.00	34.2	27.7			200	1.17	34.701	4.63	27.814	29.5	.091		
600	.95	34.712	4.75	2.24	108.		34.5	27.2			250	1.17	34.710	4.63	27.822	28.8	.106		
699	.85	34.704	4.84	2.23	111.		34.5	27.2			300	1.16	34.714	4.64	27.826	28.4	.120		
797	.83	34.706	4.81	2.24	113.	.00	34.3	27.0			400	1.09	34.714	4.67	27.831	28.0	.149		
896	.77	34.706	4.83	2.27	116.		35.1	26.6			500	1.03	34.713	4.69	27.834	27.7	.178		
995	.71	34.703	4.83	2.24	118.		34.3	26.5			600	.95	34.712	4.75	27.839	27.2	.207		
1096	.68	34.703	4.86	2.23	120.	.00	35.0	26.3			700	.85	34.704	4.84	27.839	27.2	.235		
1196	.64	34.703	4.85	2.27	121.		34.8	26.1			800	.83	34.706	4.81	27.842	27.0	.264		
1299	.57	34.700	4.89	2.27	122.		34.8	25.9			1000	.71	34.703	4.83	27.847	26.5	.320		
1401	.53	34.702	4.90	2.27	121.		31.5U	25.5			1200	.64	34.703	4.85	27.851	26.1	.376		
1492A	.48	34.703	4.90	2.24	123.		31.5U	25.2			1500	.49	34.702	4.91	27.859	25.3	.452		
1506	.50	34.701	4.91	2.27	124.		31.8U	25.4			2000	.28	34.704	5.06	27.872	24.0	.585		
1692A	.42	34.704	4.93	2.29	126.		35.2	24.8			2500	.10	34.707	5.20	27.885	22.8	.702		
1892A	.329	34.703	5.19U	2.27	126.		35.2	24.3											
2093A	.247	34.705	5.10	2.28	123.		35.1	23.8											
2295A	.17	34.706	5.11	2.27	122.		35.2	23.3											
2496A	.104	34.707	5.20	2.27	118.		35.2	22.9											
2699A	-.03	34.712	5.34	2.28	112.		34.7	21.8											
2801A	-.171	34.713	5.42	2.23	107.		34.3	21.1											
2852A	-.200	34.709	5.44	2.22	104.		34.4	21.2											
2904A	-.203	34.711	5.51	2.22	106.		34.3	21.1											

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	OT	01/31/71	1034	1157GMT	3463M	220	14KT	1	200	06	08	
1	1.03	34.011	8.04	1.63	62.	.22	26.6	81.0			0	1.03	34.011	8.04	27.271	81.0	0		
20	.77	34.019	8.10	1.63	62.	.21	27.2	78.9			10	.91	34.015	8.08	27.281	80.0	.008		
51	-1.55	34.285	8.02	1.86	70.	.15	29.7	48.7			20	.77	34.019	8.10	27.293	78.9	.016		
71	-1.68	34.344	7.62	2.00	76.	.17	31.3	43.8			30	.01	34.090	8.07	27.393	69.4	.023		
106	-1.52	34.410	7.13	2.12	80.	.30	33.2	39.2			50	-1.48	34.275	8.02	27.601	49.7	.035		
126	-.97	34.469	6.59	2.17	82.	.11	33.4	36.4			75	-1.66	34.353	7.57	27.670	43.2	.047		
153	.37	34.600	5.25	2.24	88.	.10	34.4	32.4			100	-1.55	34.401	7.23	27.706	39.8	.057		
178	.76	34.654	4.96	2.23	93.	.06	34.4	30.5			125	-1.01	34.466	6.62	27.740	36.6	.066		
219	1.04	34.688	4.78	2.23	96.	.02	34.1	29.6			150	.23	34.586	5.39	27.780	32.8	.075		
255	1.11	34.701	4.74	2.24	97.	.01	34.2	29.1			200	.95	34.678	4.83	27.811	29.8	.091		
325	1.08	34.706	4.71	2.22	101.	.01	34.3	28.5			250	1.11	34.700	4.74	27.818	29.1	.106		
430	1.04	34.710	4.71	2.22	104.	.01	34.1	28.0			300	1.09	34.705	4.72	27.823	28.7	.121		
544	.98	34.711	4.78	2.23	107.	.00	34.5	27.5			400	1.05	34.709	4.71	27.830	28.1	.150		
6478	.91	34.709	4.98U	2.22	111.	.00	34.9	27.2			500	1.01	34.711	4.75	27.834	27.7	.179		
7668	.81	34.705	4.78	2.24	112.	.00	34.9	26.9			600	.94	34.710	4.78	27.837	27.3	.208		
8938	.74	34.702	4.82	2.27	116.	.00	34.9	26.7			700	.86	34.708	4.78	27.840	27.1	.236		
1113A	.62	34.706	4.78	2.23	116.		34.9	25.7			800	.79	34.704	4.79	27.842	26.9	.264		
1320A	.54	34.702	4.86	2.26	125.		35.0	25.6			1000	.68	34.704	4.80	27.849	26.2	.320		
1527A	.40	34.695	4.96	2.28	123.		35.3	25.3			1200	.59	34.705	4.81	27.855	25.7	.375		
1733A	.30	34.692	5.00	2.31	127.		35.6	25.0			1500	.42	34.696	4.95	27.858	25.4	.455		
1939A	.26	34.697	5.03	2.28	127.		35.1	24.4			2000	.25	34.701	5.04	27.872	24.1	.582		
2143A	.21	34.708	5.06	2.30	125.		35.1	23.3			2500	.05	34.705	5.12	27.886	22.8	.698		
2345A	.10	34.702	5.10	2.30	122.		35.1	23.2			3000	-.09	34.718	5.38	27.904	21.0	.801		
2544A	.04	34.706	5.13	2.28	122.		34.8	22.6											
2741A	-.03	34.715	5.28	2.27	115.		34.6	21.6											
2935A	-.08	34.718	5.38	2.25	113.		34.6	21.1											
3125A	-.11	34.718	5.39	2.24	112.		35.0	21.0											
3312A	-.10	34.720	5.40	2.26	112.		34.9	20.9											
3421A	-.12	34.728	5.39	2.29	113.		34.6	20.2											

A) CAST II.

B) THE NANSEN BOTTLE AT THIS DEPTH ON CAST I PRETRIPPED. THE DEPTH MAY BE SLIGHTLY IN ERROR.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

Z	LATITUDE 64 24.0S			LONGITUDE 168 27.0E			MO/DAY/YR 01/31/71			MESSENGER TIME 1930 2152GMT			BOTTOM 3223M	WIND 220	SPEED 17KT	WEATHER 1	DOMINANT WAVES 220 04 05		
	T	S	O2	PD4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD				
0	1.31	34.013	8.02	1.63	55.	.27	27.0	82.6	0	1.31	34.013	8.02	27.254	82.6	0				
40	-.75	34.050	8.09	1.72	60.	-.24	28.1	76.4	10	1.17	34.022	8.03	27.270	81.1	.008				
63	-1.18	34.190	8.18	1.93	68.	-.16	30.1	57.1	20	1.03	34.031	8.04	27.287	79.5	.016				
83	-1.55	34.274	7.65	2.09	78.	-.17	31.5	49.6	30	-.89	34.041	8.06	27.303	78.0	.024				
104	-1.49	34.330	7.30	2.18	80..	-.21	32.1	45.4	50	-.12	34.102	8.13	27.408	68.0	.039				
156	-.74	34.480	6.27	2.21	84.	-.10	33.3	36.4	75	-1.40	34.250	7.88	27.579	51.8	.054				
207	-.45	34.620	5.17	2.23	90..	-.06	33.4	31.3	100	-1.50	34.322	7.36	27.640	46.0	.066				
309	1.09	34.698	4.74	2.23	98.	-.01	33.8	29.2	125	-1.27	34.390	6.90	27.688	41.5	.077				
411	1.08	34.705	4.69	2.21	102.	-.01	33.7	28.6	150	-.86	34.462	6.40	27.732	37.3	.086				
512	1.05	34.715	4.74	2.21	104.	-.00	33.0	27.6	200	-.29	34.603	5.31	27.790	30.4	.119				
612	1.01	34.714	4.74	2.22	107.	-.00	33.7	27.5	250	-.72	34.653	4.99	27.805	31.8	.103				
713	-.93	34.710	4.71	2.23	110.	-.00	33.8	27.3	300	1.03	34.691	4.78	27.816	29.4	.134				
814	-.88	34.715	4.79	2.25	111.	-.00	34.6	26.6	400	1.08	34.705	4.70	27.824	28.6	.164				
917	-.81	34.712	4.82	2.23	113.	-.00	34.8	26.4	500	1.05	34.714	4.75	27.833	27.7	.193				
1018	-.77	34.707	4.80	2.25	117.	-.00	34.6	26.5	600	1.02	34.714	4.74	27.836	27.5	.222				
1121	-.68	34.703	4.88	2.30	118..	-.00	34.2	26.3	700	-.94	34.711	4.71	27.838	27.3	.251				
1224	-.62	34.725U	4.88	2.27	120.	-.00	34.7	26.1	800	-.89	34.714	4.78	27.844	26.7	.280				
1328	-.53	34.695	4.88	2.26	122..	-.00	34.7	25.8	1000	-.78	34.708	4.80	27.846	26.5	.336				
1433	-.47	34.694	4.89	2.26	124.	-.00	34.8	25.4	1200	-.63	34.701	4.88	27.849	26.2	.392				
1498A	-.44	34.697	4.96	2.26	125.	-.00	34.4	25.4	1500	-.44	34.697	4.96	27.858	25.4	.473				
1539	-.42	34.693	4.97	2.27	125.	-.00	35.3	25.6	2000	-.20	34.696	5.12	27.870	24.3	.600				
1695A	.31	34.697	5.03	2.29	126.	-.00	35.1	24.7	2500	-.05	34.699	5.24	27.881	23.3	.717				
1893A	.26	34.699	5.60U	2.27	127.	-.00	34.9	24.3	3000	-.05	34.712	5.34	27.897	21.7	.823				
2091A	.15	34.692	5.14	2.28	126.	-.00	34.5	24.2											
2290A	.08	34.691	5.16	2.30	126.	-.00	34.9	24.0											
2490A	-.05	34.698	5.24	2.29	121.	-.00	35.1	23.3											
2691A	-.003	34.702	5.28	2.27	119.	-.00	34.9	22.7											
2895A	-.045	34.709	5.30	2.26	117.	-.00	34.9	22.0											
2997A	-.051	34.712	5.34	2.27	114.	-.00	34.8	21.7											
3101A	-.06	34.712	5.39	2.26	115.	-.00	34.8	21.7											
3145A	-.09	34.717	5.31	2.26	114.	-.00	34.6	21.1											
3199A	-.089	34.715	5.30	2.26	114.	-.00	35.1	21.3											

RV THOMAS WASHINGTON

ARIES EXPEDITION II

Z	LATITUDE 63 15.5S			LONGITUDE 169 45.0E			MO/DAY/YR 02/01/71			MESSENGER TIME 0843 GMT			BOTTOM 2140M	WIND 220	SPEED 15KT	WEATHER 1	DOMINANT WAVES 210 11 08		
	T	S	O2	PD4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD				
2	1.74	33.951	8.04	1.40	25.	.26	26.0	90.2	0	1.74	33.951	8.04	27.174	90.2	0				
20	1.73	33.953	8.04	1.41	25.	.26	26.3	90.0	10	1.74	33.952	8.04	27.175	90.1	.009				
40	1.56	33.960	8.06	1.45	27.	.26	26.3	88.3	20	1.73	33.953	8.04	27.176	90.0	.018				
61	-.19	34.044	7.98	2.05	56.	-.22	30.4	72.1	30	1.64	33.957	8.05	27.185	89.1	.027				
81	-.40	34.190	7.12	2.25	64.	-.20	34.2	60.0	50	-.73	33.985	8.02	27.268	81.3	.044				
100	-.80	34.217	7.19	2.25	70.	-.21	34.3	56.3	75	-.34	34.154	7.37	27.461	63.0	.062				
115	-.20	34.345	6.04	2.34	71.	-.16	36.5	51.0	100	-.80	34.217	7.19	27.531	56.3	.077				
151	1.00	34.478	5.07	2.39	77.	-.09	37.6	45.3	125	-.54	34.398	5.63	27.612	48.7	.090				
170	1.36	34.531	4.65	2.40	78.	-.05	36.9	43.6	150	-.99	34.477	5.08	27.647	45.4	.102				
205	1.83	34.614	4.18	2.38	81.	-.03	36.6	40.6	200	1.78	34.605	4.22	27.693	41.0	.124				
251	2.00	34.667	4.13	2.31	82.	-.01	35.4	37.8	250	2.00	34.666	4.13	27.726	37.9	.144				
321	1.92	34.696	4.21	2.24	84.	-.01	35.0	35.0	300	1.94	34.690	4.18	27.749	35.7	.163				
443	1.88	34.717	4.34	2.20	87.	-.00	34.4	33.2	400	1.89	34.712	4.30	27.771	33.6	.199				
577	1.75	34.735	4.47	2.15	90..	-.00	34.2	30.8	500	1.83	34.726	4.40	27.787	32.1	.234				
730	1.63	34.737	4.52	2.16	94.	-.00	33.9	29.8	600	1.73	34.737	4.48	27.803	30.6	.268				
932	1.47	34.733	4.61	2.18	96.	-.00	34.1	29.0	700	1.65	34.739	4.51	27.810	30.0	.301				
1133	1.31	34.733	4.66	2.18	97.	-.00	33.9	28.0	800	1.57	34.736	4.55	27.814	29.5	.333				
1327	1.07	34.720	4.75	2.19	97.	-.00	34.2	27.4	1000	1.42	34.734	4.63	27.824	28.7	.398				
1516	-.94	34.713	4.74	2.21	114.	-.00	34.2	27.1	1200	1.23	34.729	4.69	27.834	27.7	.461				
1653	.82	34.711	4.81	2.19	117.	-.00	35.3	26.5	1500	-.95	34.714	4.74	27.840	27.1	.552				
1740	.696	34.704	4.87	2.23	120.	-.00	34.6	26.3	2000	-.59	34.701	4.74	27.852	25.9	.698				
1824	.65	34.702	4.87	2.25	121..	-.00	35.0	26.2											
1906	.65	34.702	4.89	2.24	122.	-.00	34.9	26.2											
1946	.61	34.701	4.88	2.22	124..	-.00	34.8	26.1											

A) CAST II.

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
64 44.0S		172 22.0E		02/01/71		2302	0045GMT		3006M	320	13KT	2	340 05 10		
Z	T	S	O2	PO4	SIO3	N02	N03	DT	Z	T	S	O2	SIGT	DT	00
0	1.01	34.017	7.95	1.74	64.	.28	28.6	80.4	0	1.01	34.017	7.95	27.277	80.4	0
35	.77	34.047	8.02	1.75	65.	.25	29.4	76.7	10	.94	34.026	7.97	27.288	79.4	.008
62	-1.27	34.244	7.96	1.89	69.	.16	30.6	52.7	20	.87	34.034	7.99	27.299	78.3	.016
102	-1.35	34.370	7.19	2.13	79.	.27	33.2	42.8	30	.80	34.043	8.01	27.310	77.3	.024
132	-.87	34.464	6.66	2.15	81.	.16	34.2	37.2	50	-.36	34.144	7.99	27.454	63.6	.038
164	.45	34.600	5.45	2.19	86.	.05	33.8	32.8	75	-1.30	34.309	7.75	27.623	47.6	.052
204	1.13	34.678	4.82	2.19	89.	.03	33.9	31.0	100	-1.35	34.369	7.24	27.674	42.9	.063
305	1.18	34.705	4.76	2.17	94.	.01	34.3	29.2	125	-1.04	34.441	6.81	27.721	38.3	.073
405	1.12	34.714	4.73	2.13	98.	.01	33.6	28.2	150	-.14	34.540	5.98	27.762	34.5	.082
506	1.09	34.716	4.77	2.16	101.	.00	34.1	27.8	200	1.09	34.674	4.85	27.798	31.0	.098
605	1.05	34.718	4.76	2.17	104.	.00	34.4	27.4	250	1.15	34.695	4.79	27.811	29.9	.114
706	.96	34.714	4.75	2.15	108.		33.9	27.2	300	1.18	34.705	4.76	27.817	29.3	.129
807	.89	34.713	4.76	2.19	110.		34.6	26.8	400	1.12	34.714	4.73	27.828	28.2	.159
910	.83	34.712	4.81	2.20	112.		34.4	26.5	500	1.09	34.716	4.77	27.832	27.8	.188
1014	.77	34.707	4.81	2.17	115.	.00	34.5	26.5	600	1.05	34.718	4.76	27.837	27.4	.217
1110A	.72	34.706	4.85	2.22	116.		34.7	26.3	700	.97	34.714	4.75	27.839	27.2	.245
1210A	.65	34.705	4.88	2.21	118.		34.8	26.0	800	.89	34.713	4.76	27.843	26.8	.274
1310A	.59	34.700	4.91	2.22	120.		34.8	26.0	1000	.78	34.708	4.81	27.846	26.5	.330
1410A	.53	34.703	4.94	2.23	121.		34.9	25.4	1200	.66	34.705	4.88	27.852	26.0	.386
1511A	.47	34.700	4.94	2.23	123.		34.8	25.3	1500	.48	34.701	4.94	27.858	25.4	.467
1711A	.385	34.696	5.02	2.23	123.		35.1	25.2	2000	.23	34.698	5.09	27.871	24.2	.595
1912A	.285	34.698	5.07	2.25	125.		35.0	24.5	2500	.04	34.703	5.22	27.885	22.8	.711
2113A	.163	34.698	5.13	2.24	123.		34.8	23.9							
2317A	.06	34.699	5.25	2.25	121.		34.9	23.3							
2419A	-.05	34.703	5.27	2.24	120.		34.8	22.9							
2470A	-.034	34.704	5.25	2.24	121.		34.7	22.7							
2522A	-.036	34.701	5.18	2.23	119.		34.5	23.0							

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
65 51.0S		174 35.0E		02/02/71		0952	1107GMT		3311M	020	13KT	2	020 05 06		
Z	T	S	O2	PO4	SIO3	N02	N03	DT	Z	T	S	O2	SIGT	DT	00
0	-.19	33.706	8.05	1.81	66.	.20	28.8	97.9	0	-.19	33.706	8.05	27.093	97.9	0
20	-.26	33.712	8.03	1.83	68.	.19	29.0	97.1	10	-.22	33.709	8.04	27.097	97.5	.010
52	-1.62	34.255	7.36	1.91	67.	.08	30.4	50.8	20	-.26	33.712	8.03	27.101	97.1	.019
71	-1.72	34.312	7.11	1.99	68.	.09	31.0	46.2	30	-.68	33.874	7.85	27.250	83.0	.028
108	-1.10	34.429	6.41	2.13	75.	.07	33.1	39.0	50	-1.53	34.219	7.41	27.558	53.8	.042
128	.16	34.563	5.28	2.20	84.	.02	34.4	34.1	75	-1.65	34.324	7.08	27.646	45.4	.054
153	.83	34.640	4.76	2.26	90.	.02	35.2	32.0	100	-1.23	34.403	6.65	27.698	40.6	.065
178	1.03	34.663	4.64	2.28	92.	.02	35.5	31.5	125	-.03	34.542	5.45	27.759	34.8	.074
219	1.22	34.689	4.52	2.28	96.	.02	35.1	30.7	150	.79	34.636	4.79	27.787	32.1	.083
254	1.28	34.700	4.47	2.23	98.	.01		30.3	200	1.15	34.679	4.57	27.798	31.0	.099
326	1.28	34.711	4.48	2.25	102.	.00		29.4	250	1.28	34.699	4.47	27.806	30.3	.114
437	1.21	34.713	4.47	2.24	104.	.00		28.8	300	1.28	34.708	4.48	27.813	29.7	.130
569	1.15	34.717	4.53	2.25	108.	.00	35.0	28.1	400	1.24	34.713	4.47	27.820	29.0	.160
710	1.08	34.718	4.59	2.25	112.	.00	35.5	27.6	500	1.18	34.715	4.49	27.826	28.5	.190
857	.99	34.713	4.63	2.27	115.	.01	35.0	27.4	600	1.14	34.718	4.54	27.831	28.0	.220
1000	.91	34.712	4.71	2.23	117.	.00	34.8	27.0	700	1.09	34.718	4.59	27.834	27.6	.249
1148A	.84	34.717	4.71	2.26	120.	.00	34.8	26.2	800	1.03	34.715	4.61	27.836	27.5	.279
1298A	.76	34.714	4.67	2.28	122.		35.0	25.9	1000	.91	34.712	4.71	27.841	27.0	.337
1448A	.71	34.711	4.78	2.30	124.		35.0	25.9	1200	.81	34.717	4.69	27.851	26.1	.394
1599A	.64	34.710	4.81	2.31	128.		35.6	25.5	1500	.69	34.711	4.79	27.854	25.8	.478
1751A	.58	34.708	4.79	2.27	127.		34.9	25.3	2000	.46	34.706	4.91	27.864	24.9	.613
1901A	.50	34.705	4.88	2.29	127.		35.2	25.1	2500	.27	34.705	4.91	27.874	23.9	.740
2103A	.43	34.707	4.92	2.32	130.		34.9	24.6	3000	.05	34.707	5.23	27.887	22.6	.856
2303A	.34	34.706	4.96	2.28	130.		35.2	24.2							
2502A	.27	34.705	4.91	2.28	129.		35.6	23.9							
2702A	.21	34.705	5.08	2.29	127.		35.5	23.6							
2899A	.12	34.707	5.17	2.29	122.		35.1	22.9							
3096A	-.01	34.707	5.29	2.25	117.		34.8	22.3							
3194A	-.03	34.711	5.32	2.25	114.		34.6	21.9							
3291A	-.12	34.712	5.41	2.25	112.		34.4	21.4							

A) CAST II.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE 68 10.5S		LONGITUDE 176 35.5E		MO/DAY/YR 02/03/71		MESSENGER TIME 0250 0440GMT		BOTTOM 3427M	WIND 070	SPEED 19KT	WEATHER 2	DOMINANT WAVES			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	-15	34.093	8.32	1.58	69.	.06	23.3	68.5	0	-.15	34.093	8.32	27.403	68.5	0
29	-.25	34.093	8.20	1.60	70.	.06	23.4	68.0	10	-.18	34.093	8.28	27.405	68.3	.007
59	-1.77	34.357	6.57	2.03	72.	.10	31.9	42.6	20	-.22	34.093	8.24	27.406	68.2	.014
89	-1.65	34.389	6.52	2.08	73.	.06	32.0	40.5	30	-.30	34.101	8.15	27.416	67.2	.020
117	-.77	34.473	5.93	2.12	80.	.01	33.0	36.8	50	-1.32	34.272	7.06	27.594	50.4	.032
157	-.21	34.572	5.23	2.21	87.	.01	33.7	33.7	75	-1.71	34.374	6.54	27.688	41.5	.044
195	.73	34.632	4.85	2.22	90.	.01	34.0	32.0	100	-1.34	34.419	6.31	27.714	39.1	.053
290	1.14	34.683	4.59	2.19	98.	.00	33.8	30.6	125	-.54	34.495	5.77	27.745	36.1	.063
385	1.16	34.704	4.54	2.22	101.	.00	34.6	29.2	150	.07	34.557	5.34	27.766	34.1	.072
479	1.15	34.709	4.63	2.23	104.	.01	34.4	28.7	200	-.75	34.636	4.84	27.790	31.9	.088
573	1.13	34.711	4.54	2.23	106.		35.7	28.4	250	.97	34.665	4.70	27.799	31.0	.104
667	1.09	34.712	4.54	2.19	108.		34.9	28.1	300	1.14	34.686	4.58	27.804	30.5	.120
761	1.04	34.714	4.59	2.23	110.	.00	34.4	27.6	400	1.16	34.706	4.56	27.819	29.1	.150
856	.97	34.710	4.69	2.23	112.		34.5	27.5	500	1.15	34.710	4.61	27.824	28.7	.180
952	.96	34.715	4.67	2.22	114.		33.6	27.1	600	1.12	34.712	4.54	27.827	28.4	.210
1047	.92	34.711	4.67	2.24	116.	.00	34.0	27.1	700	1.07	34.713	4.55	27.831	27.9	.240
1144	.87	34.712	4.72	2.23	118.		34.6	26.8	800	1.01	34.712	4.64	27.835	27.6	.270
1242	.82	34.710	4.72	2.24	121.		34.6	26.6	1000	.94	34.713	4.67	27.840	27.1	.328
1342	.79	34.708	4.71	2.22	119.		34.6	26.6	1200	.84	34.711	4.72	27.845	26.6	.386
1444	.74	34.709	4.76	2.24	122.		35.0	26.2	1500	.74	34.709	4.80	27.850	26.2	.472
1561A	.74	34.709	4.83	2.21	123.		34.9	26.2	2000	.52	34.706	4.86	27.860	25.2	.610
1712A	.65	34.708	4.80	2.22	126.		35.0	25.8	2500	.37	34.707	4.99	27.870	24.2	.742
1915A	.56	34.705	4.84	2.23	126.		34.9	25.5	3000	.20	34.707	5.14	27.880	23.4	.864
2118A	.47	34.707	4.89	2.26	128.		35.1	24.8							
2320A	.415	34.708	4.86	2.26	128.		35.1	24.4							
2523A	.36	34.707	4.99	2.26	130.		35.2	24.2							
2725A	.289	34.707	4.98	2.27	128.		35.1	23.8							
2927A	.22	34.708	5.10	2.26	127.		35.1	23.4							
3132A	.151	34.705	5.20	2.26	122.		35.1	23.3							
3336A	.05	34.708	5.24	2.23	117.		35.1	22.5							
3388A	.028	34.707	5.16U	2.23	115.		34.8	22.5							
3440A	.017	34.709	5.38	2.26	115.		34.8	22.3							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE 68 53.0S		LONGITUDE 174 36.0E		MO/DAY/YR 02/03/71		MESSENGER TIME 1156 1319GMT		BOTTOM 3638M	WIND 110	SPEED 22KT	WEATHER 2	DOMINANT WAVES 120 08 07			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	-.36	34.188	7.97	1.74	68.	.09	28.7	60.3	0	-.36	34.188	7.97	27.489	60.3	0
20	-.36	34.189	7.96	1.74	69.	.09	29.2	60.2	10	-.36	34.189	7.96	27.490	60.3	.006
50	-.60	34.206	7.79	1.83	69.	.08	29.0	57.9	20	-.36	34.189	7.96	27.490	60.2	.012
71	-1.44	34.340	6.90	2.00	73.	.07	31.3	44.8	30	-.44	34.195	7.90	27.498	59.5	.018
107	-.80	34.480	6.04	2.11	80.	.06	33.6	36.2	50	-.60	34.206	7.79	27.514	57.9	.030
127	-.49	34.511	5.74	2.14	82.	.05	33.6	35.1	75	-1.43	34.361	6.77	27.670	43.2	.042
152	.38	34.598	5.09	2.24	89.	.02	35.3	32.6	100	-1.02	34.461	6.16	27.737	36.8	.052
178	.67	34.629	4.88	2.24	92.	.01	35.7	31.9	125	-.53	34.508	5.77	27.755	35.1	.061
218	1.07	34.674	4.59	2.26	96.	.01	35.6	30.9	150	.31	34.592	5.14	27.780	32.8	.070
254	1.18	34.690	4.52	2.26	98.	.01	35.1	30.4	200	.91	34.656	4.70	27.796	31.3	.086
323	1.23	34.705	4.48	2.24	101.	.00	35.2	29.6	250	1.18	34.689	4.52	27.805	30.4	.101
433	1.19	34.715	4.46	2.25	105.	.01	35.0	28.5	300	1.21	34.701	4.49	27.811	29.8	.117
563	1.14	34.716	4.52	2.24	108.	.00	35.3	28.1	400	1.21	34.714	4.47	27.822	28.8	.147
704	1.07	34.717	4.56	2.23	112.	.00	35.2	27.6	500	1.17	34.716	4.49	27.828	28.3	.177
856	.97	34.715	4.59	2.23	115.	.00	35.0	27.1	600	1.12	34.717	4.53	27.831	28.0	.206
1008	.90	34.711	4.66	2.23	118.	.00	34.9	27.0	700	1.07	34.717	4.56	27.834	27.6	.236
1059A	.86	34.718	4.66	2.26	118.		34.8	26.2	800	1.01	34.716	4.58	27.838	27.3	.265
1262A	.74	34.713	4.73	2.25	122.		35.2	25.9	1000	.90	34.711	4.66	27.841	27.0	.323
1463A	.69	34.709	4.77	2.26	124.		35.3	25.9	1200	.77	34.714	4.70	27.852	26.0	.380
1666A	.62	34.713	4.78	2.24	127.		35.1	25.2	1500	.68	34.710	4.77	27.854	25.8	.464
1816A	.56	34.713	4.76	2.24	128.		35.5	24.9	2000	.49	34.710	4.89	27.865	24.7	.599
1969A	.51	34.710	4.88	2.28	129.		35.5	24.8	2500	.32	34.707	4.99	27.873	24.0	.727
2071A	.46	34.711	4.90	2.29	130.		35.2	24.4	3000	.16	34.707	5.11	27.882	23.2	.847
2172A	.43	34.711	4.88	2.26	131.		35.2	24.3	3500	.01	34.713	5.29	27.894	22.0	.957
2323A	.37	34.705	4.93	2.22	122.U		35.0	24.4							
2474A	.33	34.707	4.99	2.28	130.		35.4	24.0							
2674A	.25	34.705	5.01	2.27	128.		35.4	23.8							
2875A	.20	34.707	5.00	2.26	123.		35.1	23.4							
3069A	.14	34.707	5.17	2.26	123.		35.1	23.0							
3275A	.06		5.24	2.27	116.		35.4								
3476A	.01	34.712	5.28	2.26	116.		34.8	22.0							
3576A	-.02	34.714	5.33	2.26	115.		34.6	21.7							
3625A	-.07	34.716	5.37	2.27	112.		34.5	21.3							

A) CAST II.

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	69	22.0S		173	28.0E		02/03/71	2101	2255GMT	3040M	100	19KT	2	100	07	05	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DO		
0	-49	34.205	7.96	1.74	69.	.09	28.8	58.5	0	-49	34.205	7.96	27.509	58.5	0		
25	-51	34.217	7.96	1.76	69.	.09	29.1	57.5	10	-50	34.208	7.96	27.512	58.2	.006		
43	-62	34.239	7.88	1.80	69.	.09	28.9	55.3	20	-51	34.214	7.96	27.516	57.8	.012		
75	-1.63	34.360	6.80	2.06	75.	.09	32.1	42.7	30	-53	34.222	7.94	27.524	57.0	.017		
99	-1.08	34.481	6.25	2.13	77.	.08	33.1	35.1	50	-67	34.242	7.84	27.546	54.9	.029		
148	.77	34.652	4.72	2.22	93.	.01	34.9	30.7	75	-1.63	34.360	6.80	27.675	42.7	.041		
198	1.01	34.677	4.60	2.23	95.	.01	34.9	30.3	100	-1.04	34.484	6.21	27.756	35.0	.050		
297	1.242	34.712	4.47	2.25	101.	.00	34.8	29.1	125	-.06	34.567	5.39	27.780	32.8	.059		
395	1.202	34.717	4.45	2.26	103.	.00	35.0	28.4	150	.78	34.654	4.72	27.802	30.7	.067		
492	1.13	34.715	4.51	2.21	107.	.00	34.8	28.1	200	1.02	34.678	4.60	27.807	30.2	.082		
589	1.10	34.720	4.50	2.23	110.		35.1	27.6	250	1.17	34.699	4.52	27.813	29.6	.097		
688	1.03	34.717	4.53	2.23	112.		34.9	27.4	300	1.24	34.712	4.47	27.819	29.1	.112		
785	.99	34.714	4.60	2.20	113.	.00	34.8	27.3	400	1.20	34.717	4.45	27.826	28.4	.142		
884	.94	34.714	4.65	2.23	117.		35.0	27.0	500	1.13	34.716	4.51	27.829	28.1	.172		
983	.872	34.7142	4.69	2.21	117.		34.9	26.6	600	1.09	34.720	4.50	27.835	27.5	.201		
1083	.83	34.710	4.71	2.23	119.	.00	34.6	26.7	700	1.02	34.717	4.54	27.837	27.4	.230		
1184	.782	34.710	4.74	2.21	121.		34.8	26.4	800	.98	34.714	4.61	27.838	27.3	.259		
1287	.73	34.707	4.75	2.21	123.		35.1	26.3	1000	.86	34.714	4.69	27.845	26.6	.316		
1391	.692	34.707	4.73	2.23	123.		34.7	26.1	1200	.77	34.710	4.74	27.848	26.3	.373		
1498	.65	34.707	4.80	2.23	125.		34.7	25.8	1500	.65	34.707	4.80	27.854	25.8	.457		
1551A	.62	34.711	4.79	2.21	124.		30.7U	25.4	2000	.42	34.708	4.97	27.868	24.5	.590		
1650A	.562	34.7082	4.83	2.21	123.		34.8	25.2	2500	.21	34.708	5.05	27.880	23.3	.714		
1798A	.51	34.704	4.84	2.21	123.		35.0	25.3	3000	-.05	34.718	5.24	27.902	21.2	.822		
1998A	.425	34.708	4.97	2.16	126.		34.8	24.5									
2199A	.323	34.709	5.00	2.22	123.		34.8	23.9									
2402A	.24	34.707	5.00	2.21	123.		35.2	23.6									
2608A	.167	34.710	5.13	2.21	117.		34.9	23.0									
2816A	.04	34.7152	5.26	2.21	113.		34.6	21.9									
2921A	-.026	34.713	5.28	2.21	111.		34.7	21.8									
2974A	-.059	34.716	5.22	2.18	111.		34.4	21.4									
3026A	-.049	34.720	5.30	2.21	111.		34.2	21.1									

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	70	25.0S		170	41.5E		02/04/71	1022	1133GMT	2522M	150	21KT	1	160	09	06	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD		
0	-59	34.239	8.14	1.682	70.2	.12	29.0	55.4	0	-59	34.239	8.14	27.541	55.4	0		
20	-60	34.242	8.13	1.69	71.	.12	29.4	55.2	10	-59	34.241	8.13	27.542	55.3	.006		
50	-64	34.290	8.04	1.76	69.	.10	29.3	51.3	20	-60	34.242	8.13	27.543	55.2	.011		
72	-90	34.311	7.80	1.85	72.	.10	29.4	48.8	30	-61	34.255	8.10	27.555	54.1	.017		
107	-1.592	34.420	6.64	2.07	78.	.11	32.0	38.2	50	-64	34.290	8.04	27.584	51.3	.027		
127	-1.35	34.484	6.38	2.08	82.	.02	32.8	34.0	75	-.98	34.318	7.70	27.620	47.9	.039		
152	-.20	34.575	5.63	2.152	89.2	.01	33.7	31.5	100	-1.49	34.394	6.87	27.698	40.5	.050		
177	.81	34.666	4.87	2.20	96.	.00	34.2	29.9	125	-1.37	34.479	6.41	27.763	34.4	.060		
218	.62	34.665	4.95	2.20	96.		33.6	28.9	150	-.31	34.568	5.70	27.793	31.6	.068		
253	.83	34.683	4.80	2.20	102.	.00	34.8	28.7	200	.70	34.668	4.91	27.819	29.1	.083		
323	.83	34.695	4.78	2.22	105.		34.8	27.8	250	.81	34.682	4.81	27.823	28.7	.098		
432	.81	34.695	4.76	2.22	108.		34.5	27.7	300	.83	34.691	4.79	27.829	28.1	.112		
562	.80	34.697	4.79	2.22	110.	.00	35.0	27.5	400	.82	34.695	4.76	27.833	27.7	.141		
702	.78	34.700	4.81	2.22	113.		34.4	27.1	500	.80	34.696	4.77	27.835	27.6	.169		
858	.76	34.705	4.75	2.23	117.2		34.9	26.62	600	.79	34.698	4.80	27.837	27.4	.197		
1016	.69	34.701	4.81	2.24	121.	.00	35.4	26.5	700	.78	34.700	4.81	27.840	27.1	.226		
1093A	.64	34.707	4.78	2.23	123.		34.8	25.8	800	.77	34.704	4.77	27.843	26.8	.254		
1246A	.57	34.7052	4.76	2.23	124.2		34.8	25.5	1000	.70	34.702	4.80	27.846	26.5	.310		
1399A	.51	34.705	4.88	2.32	123.		34.9	25.2	1200	.59	34.706	4.77	27.856	25.6	.365		
1549A	.45	34.702	4.91	2.26	123.		34.9	25.1	1500	.47	34.703	4.90	27.861	25.1	.444		
1700A	.39	34.699	4.89	2.27	124.		35.1	25.0	2000	.18	34.696	5.12	27.872	24.1	.571		
1852A	.25	34.698	5.05	2.29	121.		35.1	24.3	2500	-.39	34.735	5.62	27.932	18.4	.668		
2003A	.18	34.696	5.12	2.29	120.		35.1	24.1									
2104A	.13	34.704	5.11	2.45U	120.		34.9	23.2									
2204A	.10	34.710	5.09	2.27	119.		35.2	22.6									
2305A	.05	34.711	5.25	2.29	113.		34.9	22.3									
2404A	-.11	34.714	5.38	2.34	108.		35.0	21.3									
2454A	-.16	34.728	5.46	2.31	107.		34.6	20.0									
2480A	-.325	34.731	5.582	2.21	105.		34.5	19.0									
2504A	-.40	34.736	5.62	2.21	103.		34.4	18.3									

A) CAST II.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	70	40.05	169	38.0E	02/04/71		1723		GMT	1997M	070	06KT	2	080	04	06
Z	T	S	O2	P04	S103	NU2	NU3	OT	Z	T	S	O2	SIGT	OT	DD	
0	-.93	34.054	8.04	1.73	74.	.13		68.3	0	-.93	34.054	8.04	27.405	68.3	0	
10	-.94	34.053	8.05	1.72	75.	.13		68.4	10	-.94	34.053	8.05	27.404	68.4	.007	
25	-.91	34.058	8.04	1.74	74.	.13		68.1	20	-.92	34.057	8.04	27.406	68.2	.014	
50	-.38	34.383	7.22	1.92	82.	.12		45.3	30	-.81	34.117	7.90	27.450	64.0	.020	
77	-.30	34.464	6.76	2.02	86.	.10		39.5	50	-.38	34.383	7.22	27.648	45.3	.031	
128	-.24	34.524	6.17	2.09	90.	.08		35.2	75	-.31	34.463	6.78	27.709	39.5	.042	
180	-.37	34.556	6.33	2.09	89.	.08		32.1	100	-.27	34.499	6.43	27.736	36.9	.051	
283	-.44	34.576	6.32	2.12	90.	.07		30.3	125	-.24	34.522	6.19	27.754	35.3	.060	
386	-.46	34.590	6.19	2.12	92.	.07		29.2	150	-.29	34.540	6.24	27.770	33.7	.069	
436	-.42	34.606	6.14	2.12	92.	.07		28.1	200	-.38	34.563	6.33	27.793	31.5	.085	
489	-.29	34.620	5.93	2.13	95.	.06		27.6	250	-.42	34.575	6.32	27.803	30.6	.100	
549	-.10	34.648	5.60	2.17	99.	.05		26.4	300	-.44	34.579	6.30	27.808	30.1	.115	
591	-.14	34.663	5.62	2.20	99.	.05		25.0	400	-.45	34.595	6.18	27.822	28.8	.144	
693	.10	34.693	5.28	2.26	107.	.03		23.9	500	-.25	34.626	5.86	27.836	27.4	.172	
795	.06	34.692	5.30	2.23	106.	.03		23.8	600	-.12	34.667	5.59	27.864	24.8	.197	
896	.07	34.698	5.31	2.20	106.	.03		23.4	700	.10	34.693	5.28	27.874	23.9	.221	
997	.05	34.696	5.32	2.21	107.			23.4	800	.06	34.693	5.30	27.875	23.8	.245	
1202	-.03	34.702	5.34	2.22	106.			22.6	1000	.05	34.696	5.32	27.879	23.4	.292	
1408	-.05	34.710	5.34	2.22	106.			21.9	1200	-.03	34.702	5.34	27.888	22.6	.337	
1620	-.23	34.703	5.58	2.15	101.			21.6	1500	-.11	34.709	5.41	27.897	21.7	.400	

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	70	09.05	168	29.5E	02/04/71		2300		2351GMT	2412M	310	06KT	2	070	02	05
Z	T	S	O2	P04	S103	NU2	NU3	OT	Z	T	S	O2	SIGT	OT	DD	
0	-1.66	33.910	7.40	1.90	77.	.11	29.4	77.2	0	-1.66	33.910	7.40	27.311	77.2	0	
20	-1.73	33.986	7.10	1.90	77.	.10	29.8	71.2	10	-1.70	33.941	7.22	27.336	74.8	.008	
46	-1.78	34.178	7.12	1.93	75.	.10	30.8	56.4	20	-1.73	33.986	7.10	27.374	71.2	.015	
78	-1.75	34.415	6.83	1.98	77.	.14	32.1	38.2	30	-1.76	34.054	7.11	27.430	66.0	.022	
109	-1.74	34.457	6.94	2.00	78.	.12	31.9	35.0	50	-1.78	34.213	7.08	27.559	53.7	.034	
130	-1.76	34.473	6.94	2.02	79.	.09	32.3	33.7	75	-1.75	34.397	6.86	27.708	39.6	.045	
157	-1.76	34.477	7.03	2.02	79.	.01	32.3	33.4	100	-1.74	34.445	6.90	27.747	35.9	.055	
182	-1.76	34.483	7.05	2.03	80.	.01	32.7	33.0	125	-1.76	34.470	6.94	27.767	34.0	.063	
222	-1.77	34.484		2.03	80.	.00	32.4	32.9	150	-1.76	34.476	7.01	27.772	33.5	.071	
259	-1.58	34.494	6.92	2.04	81.	.00	32.5	32.6	200	-1.76	34.484	7.02	27.778	32.9	.087	
329	-.10	34.607	5.10	2.18	102.		34.2	29.5	250	-1.63	34.492	6.94	27.781	32.7	.103	
421	.38	34.657	4.99	2.22	108.		34.4	28.1	300	-.45	34.573	5.86	27.804	30.5	.118	
512	.56	34.678	5.00	2.22	110.	.00	34.6	27.5	400	.33	34.652	5.02	27.828	28.3	.148	
633	.46	34.680	5.28U	2.21	113.		34.7	26.8	500	.55	34.677	5.00	27.835	27.6	.176	
765	.24	34.667	5.09	2.21	112.		34.6	26.6	600	.49	34.680	5.04	27.841	27.0	.204	
916	.28	34.682	5.05	2.23	119.	.00	34.6	25.7	700	.34	34.673	5.07	27.844	26.7	.231	
1068	.24	34.698		2.25	121.		34.6	24.3	800	.25	34.670	5.08	27.847	26.5	.258	
1092A	.23	34.697	5.20	2.21	121.		34.7	24.3	1000	.27	34.694	5.11	27.865	24.8	.309	
1243A	.04	34.687	5.27	2.25	116.		34.5	24.1	1200	.10	34.690	5.25	27.871	24.1	.358	
1395A	-.01	34.696	5.41	2.21	107.		34.2	23.1	1500	-.05	34.693	5.49	27.881	23.2	.428	
1547A	-.06	34.692	5.51	2.18	105.		33.9	23.2	2000	-.06	34.717	5.41	27.901	21.3	.534	
1699A	-.05	34.693	5.53	2.16	105.		32.3U	23.2								
1850A	.03	34.715	5.32	2.18	105.		34.6	21.9								
2002A	-.06	34.717	5.41	2.18	104.		33.8	21.3								
2103A	-.09	34.715	5.43	2.20	105.		33.7	21.3								
2204A	-.15	34.718	5.46	2.20	106.		34.2	20.8								
2305A	-.17	34.726	5.53	2.21	104.		34.0	20.1								
2356A	-.21	34.728	5.55	2.21	104.		33.6	19.7								
2386A	-.21	34.732	5.56	2.16	104.		33.6	19.4								
2406A	-.24	34.731	5.56	2.23	104.		33.6	19.4								

A) CAST II.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	69 13.05	168 52.0E	02/05/71	0656 0842 GMT	2625M	310	13KT	1	100 03 08						
Z	T	S	O2	PO4	SIO3	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	-.96	34.014	8.12	1.68	77.	.13	28.0	71.2	0	-.96	34.014	8.12	27.374	71.2	0
30	-1.39	34.075	7.78	1.80	75.	.10	29.7	65.2	10	-1.10	34.034	8.07	27.395	69.2	.007
50	-1.69	34.216	7.25	1.91	77.	.09	30.2	53.6	20	-1.24	34.055	7.95	27.416	67.2	.014
77	-1.65	34.345	6.72	2.05	80.	.13	32.6	43.8	30	-1.39	34.075	7.78	27.438	65.2	.020
113	-1.58	34.421	6.64	2.04	84.	.09	32.8	38.2	50	-1.69	34.216	6.75	27.560	53.6	.032
154	-1.16	34.482	6.34	2.08	85.	.03	33.3	34.7	75	-1.65	34.338	6.75	27.658	44.3	.044
206	-1.22	34.514	6.58	2.09	86.	.01	32.8	32.1	100	-1.61	34.402	6.67	27.708	39.6	.055
310	-.41	34.637	5.18	2.20	96.	.00	34.2	29.8	125	-1.45	34.442	6.54	27.736	36.9	.064
414	-.63	34.678	4.94	2.22	97.		34.6	27.9	150	-1.20	34.477	6.36	27.757	35.0	.073
516	-.76	34.696	4.82	2.26	113.	.00	35.0	27.3	200	-1.21	34.511	6.55	27.785	32.3	.089
619	-.70	34.696	4.84	2.22	114.	.00	34.9	26.9	250	-.23	34.583	6.07	27.802	30.7	.105
721	-.67	34.701	4.82	2.24	116.	.01	35.0	26.4	300	.34	34.632	5.34	27.810	29.9	.120
821	-.64	34.760	4.86	2.24	119.	.01	35.0	26.3	400	.60	34.673	4.97	27.829	28.1	.149
920	-.58	34.697	4.92	2.26	123.	.01	35.1	26.2	500	.75	34.695	4.83	27.838	27.3	.178
1015	-.50	34.696	4.94	2.27	124.		34.8	25.8	600	.72	34.697	4.84	27.841	27.0	.206
1110	-.44	34.694	5.00	2.19	124.	.00	34.8	25.6	700	.68	34.700	4.82	27.846	26.5	.233
1202	-.38	34.693	4.97	2.22	124.		34.4	25.4	800	.65	34.701	4.85	27.848	26.3	.261
1291	-.28	34.687	4.99	2.24	124.		34.3	25.3	1000	.51	34.696	4.94	27.853	25.9	.315
1377	-.24	34.691	5.08	2.22	122.		34.5	24.8	1200	.38	34.693	4.97	27.858	25.4	.368
1456	-.20	34.696	5.09	2.27	126-U		34.7	24.2	1500	.22	34.699	5.08	27.872	24.0	.443
1499A	-.22	34.699	5.08	2.24	116.		34.6	24.1	2000	-.08	34.709	5.33	27.896	21.8	.555
1597A	-.13	34.701	5.16	2.21	117.		34.6	23.4	2500	-.22	34.731	5.54	27.921	19.4	.649
1794A	-.001	34.705	5.27	2.20	115.		34.5	22.5							
1993A	-.075	34.708	5.32	2.22	110.		34.5	21.9							
2194A	-.14	34.722	5.48	2.22	108.		33.7	20.5							
2400A	-.183	34.730	5.54	2.22	107.		34.3	19.7							
2506A	-.228	34.731	5.54	2.20	107.		33.8	19.4							
2560A	-.27	34.734	5.45U	2.22	108.		34.0	19.0							
2613A	-.357	34.738	5.64	2.20	104.		33.8	18.3							

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	68 24.0S	170 45.5E	02/05/71	1949 2050GMT	3171M	350	10KT	2	330 03 07						
Z	T	S	O2	PO4	SIO3	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	-.32	33.626	8.12	1.80	67.	.19	28.3	103.4	0	-.32	33.626	8.12	27.034	103.4	0
20	-.40	33.698	8.11	1.83	68.	.18	28.3	97.6	10	-.36	33.662	8.11	27.065	100.5	.010
50	-1.44	34.176	7.35	1.89	71.	.07	29.9	57.4	20	-.40	33.698	8.11	27.096	97.6	.020
71	-1.61	34.301	7.02	1.98	72.	.07	31.2	47.3	30	-.74	33.851	7.89	27.233	84.6	.029
106	-.92	34.449	6.24	2.17	80.	.13	33.1	38.1	50	-1.44	34.176	7.35	27.520	57.4	.043
126	-.54	34.507	5.82	2.15	85.	.06	33.4	35.2	75	-1.56	34.321	6.94	27.641	45.9	.056
151	.06	34.582	5.39	2.19	89.	.02	34.4	32.2	100	-1.08	34.428	6.38	27.712	39.2	.067
177	.52	34.633	5.06	2.23	92.	.01	34.6	30.7	125	-.56	34.504	5.84	27.754	35.3	.076
217	.90	34.675	4.77	2.26	95.	.01	34.8	29.7	150	.04	34.580	5.41	27.785	32.3	.084
254	1.12	34.698	4.63	2.23	98.	.01	35.0	29.4	200	.77	34.662	4.87	27.809	30.0	.100
324	1.09	34.706	4.59	2.25	101.	.00	34.6	28.6	250	1.10	34.697	4.64	27.816	29.4	.115
434	.95	34.698	4.69	2.23	103.	.00	34.6	28.3	300	1.10	34.704	4.60	27.822	28.8	.130
566	.94	34.704	4.74	2.25	106.		35.5	27.8	400	.99	34.701	4.65	27.827	28.3	.159
706	.88	34.707	4.76	2.26	110.	.00	35.1	27.2	500	.94	34.701	4.72	27.830	28.1	.189
860	.81	34.701	4.78	2.26	114.		35.9	27.2	600	.93	34.706	4.75	27.835	27.6	.218
1013	.71	34.702	4.83	2.25	116.	.00	35.4	26.6	700	.88	34.707	4.76	27.839	27.2	.246
1127A	.68	34.704	4.81	2.26	118.		35.0	26.2	800	.84	34.704	4.77	27.839	27.2	.275
1228A	.67	34.709	4.81	2.26	121.		34.7	25.8	1000	.72	34.702	4.83	27.845	26.6	.331
1381A	.58	34.706	4.89	2.26	121.		34.8	25.5	1200	.67	34.708	4.81	27.853	25.9	.387
1532A	.54	34.704	4.85	2.27	122.		34.8	25.4	1500	.55	34.705	4.86	27.857	25.4	.469
1685A	.48	34.704		2.30	123.		34.9	25.1	2000	.36	34.702	5.04	27.867	24.6	.600
1836A	.42	34.705	4.99	2.26	123.		34.9	24.7	2500	.19	34.704	5.16	27.878	23.5	.723
1988A	.36	34.702	5.04	2.27	127.		35.1	24.6	3000	-.01	34.714	5.41	27.896	21.8	.833
2139A	.33	34.705	5.06	2.26	127.		35.3	24.2							
2291A	.27	34.705	5.07	2.26	127.		34.8	23.9							
2441A	.21	34.703	5.14	2.26	123.		34.3	23.7							
2592A	.16	34.707	5.18	2.26	120.		34.8	23.1							
2741A	.12	34.711	5.24	2.26	116.		35.1	22.6							
2891A	.05	34.713	5.31	2.26	116.		34.9	22.1							
3040A	-.04	34.715	5.46	2.23	113.		34.6	21.5							
3138A	-.18	34.726	5.59	2.22	106.		34.6	20.0							
3163A	-.19	34.730	5.48	2.21	106.		34.6	19.7							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

48

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	67	28.05		172	40.0E		02/06/71			0459	0646GMT	3423M	310	10KT	2	290	04	04	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD				
0	-.40	33.850	7.98	1.82	69.	.16	28.3	86.0	0	-.40	33.850	7.98	27.218	86.0	0				
45	-.41	33.872	7.99	1.80	69.	.16	28.6	84.2	10	-.40	33.855	7.98	27.223	85.6	.009				
61	-1.34	34.114	7.43	1.90	70.	.10	29.5	62.4	20	-.40	33.860	7.98	27.227	85.2	.017				
82	-1.63	34.312	6.7	2.00	72.	.10	29.6	46.4	30	-.41	33.865	7.99	27.231	84.8	.026				
102	-1.24	34.396	6.40	2.09	76.	.09	31.2	41.1	50	-.71	33.944	7.83	27.307	77.6	.042				
154	.97	34.663	4.69	2.24	92.	.01	34.1	31.1	75	-1.53	34.264	6.92	27.594	50.4	.058				
204	1.28	34.701	4.49	2.22	94.	.00	34.8	30.2	100	-1.30	34.390	6.43	27.689	41.4	.069				
305	1.29	34.719	4.56	2.23	96.	.00	34.0	28.9	125	-.25	34.516	5.63	27.749	35.8	.079				
407	1.23	34.724	4.53	2.24	97.	.00	34.2	28.1	150	.80	34.644	4.82	27.793	31.6	.087				
507	1.16	34.720	4.59	2.24	106.	.00	34.2	28.0	200	1.26	34.698	4.51	27.807	30.3	.103				
609	1.09	34.722	4.63	2.25	108.		34.2	27.4	250	1.28	34.710	4.52	27.815	29.5	.118				
710	1.00	34.718	4.62	2.23	111.		34.2	27.1	300	1.29	34.718	4.56	27.821	28.9	.133				
812	.96	34.717	4.67	2.25	113.	.00	34.1	26.9	400	1.24	34.724	4.53	27.829	28.1	.163				
913	.89	34.716	4.73	2.24	116.		34.0	26.6	500	1.17	34.721	4.58	27.831	28.0	.192				
1016	.83	34.713	4.75	2.25	117.	.00	34.0	26.4	600	1.10	34.722	4.63	27.837	27.4	.221				
1118	.79	34.709	4.79	2.26	120.		34.5	26.5	700	1.01	34.719	4.62	27.840	27.1	.250				
1222	.74	34.711	4.79	2.25	121.		34.1	26.0	800	.96	34.717	4.66	27.842	26.9	.278				
1327	.67	34.706	4.78	2.26	122.		34.2	26.0	1000	.84	34.714	4.75	27.847	26.4	.335				
1432	.63	34.704	4.81	2.26	124.		34.4	25.9	1200	.75	34.711	4.79	27.850	26.1	.392				
1540	.58	34.705	4.85	2.26	125.		34.7	25.6	1500	.60	34.704	4.84	27.854	25.8	.475				
1596A	.55	34.708	4.86	2.26	125.		35.3	25.2	2000	.38	34.704	4.94	27.867	24.5	.607				
1798A	.460	34.708	4.91	2.28	127.		34.6	24.7	2500	.20	34.706	5.11	27.878	23.5	.731				
2002A	.378	34.704	4.94	2.27	128.		34.6	24.5	3000	-.00	34.713	5.30	27.895	21.9	.841				
2205A	.311	34.706	5.16U	2.28	128.		34.7	24.0											
2407A	.243	34.707	5.07	2.27	127.		35.2	23.6											
2608A	.158	34.705	5.15	2.26	125.		35.6	23.3											
2810A	-.077	34.709	5.19	2.23	118.		35.3	22.6											
3011A	-.009	34.713	5.31	2.23	115.		34.1	21.8											
3213A	-.08	34.711	5.38	2.23	112.		33.3	21.6											
3315A	-.12	34.712	5.44	2.23	110.		34.0	21.4											
3365A	-.13	34.711	5.46	2.22	109.		33.6	21.4											
3421A	-.16	34.710	5.47	2.23	108.		33.7	21.3											

RV THOMAS WASHINGTON

ARIES EXPEDITION II

49

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	66	17.05		170	05.0E		02/06/71			2016	2116GMT	3324M	070	20KT	7	060	08	07	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD				
0	.87	34.071	7.94	1.73	66.	.27	27.9	75.5	0	.87	34.071	7.94	27.329	75.5	0				
20	.90	34.075	7.92	1.80	66.	.26	28.2	75.4	10	.88	34.073	7.93	27.329	75.5	.008				
50	.82	34.077	7.94	1.76	66.	.25	28.4	74.8	20	.90	34.075	7.92	27.330	75.4	.015				
71	-1.48	34.272	8.27U	1.95	71.	.15	30.0	49.9	30	.87	34.076	7.93	27.332	75.2	.023				
106	-1.38	34.393	7.09	2.16	79.	.32	31.9	40.9	50	.82	34.077	7.94	27.337	74.8	.038				
126	-1.09	34.441	6.70	2.15	80.	.26	32.5	38.1	75	-1.47	34.286	7.65	27.610	48.9	.053				
151	-.18	34.534	5.85	2.25	84.	.08	32.8	34.7	100	-1.40	34.372	7.22	27.678	42.4	.064				
177	.69	34.629	5.11	2.22	88.	.04	33.5	32.0	125	-1.11	34.439	6.72	27.722	38.3	.074				
217	1.05	34.676	4.82	2.21	91.	.01	33.4	30.6	150	-.22	34.530	5.89	27.759	34.8	.083				
253	1.20	34.699	4.73	2.20	92.	.01	33.3	29.8	200	.98	34.666	4.94	27.799	31.0	.100				
322	1.19	34.710	4.72	2.20	96.	.00	33.4	28.9	250	1.19	34.698	4.73	27.811	29.9	.115				
431	1.12	34.714	4.69	2.22	101.	.01	33.9	28.2	300	1.19	34.708	4.72	27.818	29.1	.130				
561	1.03	34.716	4.73	2.19	106.	.01	33.1	27.4	400	1.14	34.714	4.70	27.827	28.3	.160				
702	.93	34.714	4.76	2.23	110.	.00	34.2	27.0	500	1.07	34.716	4.71	27.833	27.7	.189				
855	.85	34.714	4.74	2.27	114.	.00	34.3	26.5	600	1.00	34.716	4.74	27.838	27.3	.218				
1011	.77	34.707	4.81	2.26	115.	.00	33.9	26.5	700	.93	34.714	4.76	27.841	27.0	.247				
1310A	.62	34.709	4.83	2.26	122.		34.6	25.5	800	.88	34.714	4.75	27.845	26.6	.275				
1462A	.52	34.703	4.90	2.26	123.		34.6	25.4	1000	.78	34.708	4.80	27.846	26.5	.331				
1613A	.43	34.696	4.93	2.27	122.		34.6	25.4	1200	.68	34.708	4.82	27.853	25.9	.387				
1816A	.38	34.701	4.96	2.27	125.		35.2	24.8	1500	.49	34.701	4.91	27.858	25.4	.468				
2017A	.27	34.699	5.03	2.28	125.		34.9	24.3	2000	.28	34.700	5.02	27.869	24.4	.597				
2219A	.21	34.701	5.03	2.27	125.		34.6	23.9	2500	.10	34.706	5.12	27.884	22.9	.716				
2421A	.12	34.705	5.09	2.26	123.		34.6	23.1	3000	-.09	34.712	5.37	27.899	21.5	.821				
2623A	-.075	34.707	5.18	2.26	119.		34.5	22.7											
2825A	.02	34.708	5.28	2.23	115.		33.8	22.4											
3027A	-.11	34.712	5.38	2.23	111.		34.0	21.4											
3228A	-.15	34.712	5.45	2.23	108.		33.9	21.2											
3329A	-.17	34.709	5.48	2.23	107.		34.4	21.4											

A) CAST 11.

Z	LATITUDE 66 55.0S		LONGITUDE 169 00.0E		MO/DAY/YR 02/07/71		MESSENGER TIME 0310 0514GMT		BOTTOM 2895M	WIND 120	SPEED 20KT	WEATHER 7	DOMINANT WAVES 120 05 05		DD
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	
0	.10	33.789	7.98	1.77	67.	.19	27.6	92.9	0	.10	33.789	7.98	27.146	92.9	0
35	-.09	33.793	7.96	1.73	67.	.18	27.8	92.5	10	-.10	33.791	7.97	27.147	92.8	.009
57	-1.56	34.303	7.30	1.95	68.	.12	30.6	47.3	20	-.09	33.792	7.97	27.148	92.7	.019
77	-1.38	34.366	6.75	2.07	75.	.18	31.8	43.0	30	-.09	33.793	7.96	27.149	92.6	.028
102	-.40	34.498	5.86	2.13	84.	.09	33.2	36.4	50	-1.07	34.140	7.53	27.479	61.3	.043
152	1.08	34.673	4.66	2.22	92.	.02	34.2	31.0	75	-1.40	34.360	6.81	27.668	43.4	.056
203	1.22	34.7002	4.53	2.22	95.	.01	34.1	29.9	100	-.49	34.487	5.93	27.736	36.9	.066
305	1.22	34.718	4.56	2.17	99.	.01	34.3	28.5	125	.40	34.595	5.19	27.777	33.1	.075
405	1.16	34.720	4.56	2.22	103.	.00	33.8	28.0	150	1.04	34.669	4.69	27.798	31.1	.083
505	1.10	34.720	4.58	2.22	106.	.00	33.9	27.6	200	1.21	34.699	4.54	27.810	29.9	.098
605	1.01	34.719	4.63	2.22	109.	.00	33.9	27.1	250	1.22	34.710	4.54	27.819	29.1	.114
704	.92	34.714	4.62	2.21	111.	.00	34.1	26.9	300	1.22	34.718	4.56	27.825	28.5	.128
804	.87	34.712	4.72	2.22	113.	.00	34.7	26.8	400	1.16	34.720	4.56	27.831	28.0	.158
904	.81	34.711	4.75	2.22	117.8	.00	35.1	26.5	500	1.10	34.720	4.58	27.835	27.6	.186
1004	.76	34.709	4.72	2.22	117.8	.00	34.6	26.3	600	1.01	34.719	4.63	27.840	27.1	.215
1104	.70	34.709	4.79	2.22	120.	.00	34.7	26.0	700	.92	34.714	4.62	27.842	26.9	.244
1207	.65	34.708	4.81	2.23	122.	.00	34.7	25.8	800	.87	34.712	4.72	27.844	26.8	.272
1309	.59	34.702	4.80	2.25	123.	.00	35.5	25.9	1000	.76	34.709	4.72	27.848	26.3	.328
1413	.54	34.702	4.80	2.23		.00	34.6	25.6	1200	.65	34.708	4.81	27.854	25.8	.383
1518	.50	34.704	4.86	2.27		.00	34.6	25.2	1500	.51	34.704	4.85	27.859	25.3	.464
1624A	.47	34.706	4.90	2.21		.00	34.6	24.9	2000	.28	34.703	4.96	27.871	24.1	.592
1823A	.35	34.705	4.92	2.26	127.	.00	34.8	24.3	2500	.07	34.706	5.19	27.886	22.7	.709
2024A	.27	34.702	4.97	2.27	127.	.00	34.3	24.1							
2225A	-.196	34.703	5.10	2.24	123.	.00	34.0	23.6							
2427A	-.108	34.706	5.18	2.26	120.	.00	34.8	23.0							
2632A	-.002	34.707	5.22	2.26	114.	.00	34.7	22.3							
2734A	-.033	34.709	5.30	2.23	112.	.00	34.6	22.02							
2837A	-.146	34.710	5.44	2.23	107.	.00	34.0	21.4							
2889A	-.176	34.707	5.40	2.19	107.	.00	33.9	21.5							
2940A	-.180	34.709	5.39	2.17	107.	.00	34.0	21.3							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

Z	LATITUDE 67 36.0S		LONGITUDE 167 41.0E		MO/DAY/YR 02/07/71		MESSENGER TIME 1247 1344GMT		BOTTOM 2116M	WIND 190	SPEED 22KT	WEATHER 2	DOMINANT WAVES 170 05 04		DD
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	
0	.06	33.907	8.29	1.52	70.	.09	23.8	83.7	0	.06	33.907	8.29	27.243	83.7	0
20	.052	33.908	8.22	1.53	70.	.09	23.9	83.5	10	.06	33.908	8.25	27.243	83.6	.008
50	-1.52	34.258	7.16	1.99	75.	.07	24.9	50.9	20	.05	33.908	8.22	27.244	83.5	.017
72	-1.65	34.352	7.02	2.07	77.	.12	31.7	43.3	30	-.46	34.012	7.87	27.351	73.4	.025
107	-1.13	34.453	6.35	2.14	84.	.12	32.7	37.1	50	-1.52	34.258	7.16	27.589	50.9	.037
127	-.36	34.547	5.67	2.17	92.	.03	33.4	32.9	75	-1.64	34.361	6.99	27.676	42.7	.049
152	.24	34.619	5.21	2.23	96.	.01	33.6	30.3	100	-1.31	34.432	6.53	27.724	38.1	.059
178	.53	34.653	5.00	2.25	96.	.01	34.0	29.3	125	-.44	34.538	5.74	27.775	33.3	.067
218	.72	34.677	4.87	2.25	97.	.01	34.3	28.5	150	.21	34.616	5.23	27.805	30.4	.075
254	.82	34.691	4.79	2.24	104.	.01	34.2	28.0	200	.66	34.669	4.91	27.822	28.8	.090
323	.79	34.695	4.70	2.24	107.	.01	34.2	27.6	250	.81	34.690	4.80	27.830	28.1	.105
434	.67	34.691	4.83	2.24	109.	.00	34.2	27.2	300	.80	34.695	4.72	27.834	27.7	.119
565	.74	34.700	4.79	2.25	113.	.01	34.5	26.9	400	.70	34.693	4.78	27.838	27.3	.147
706	.68	34.702	4.84	2.26	116.	.00	35.0	26.4	500	.70	34.695	4.82	27.841	27.0	.175
861	.61	34.699	4.85	2.26	119.	.00	34.3	26.2	600	.73	34.701	4.80	27.844	26.8	.202
1018	.54	34.699	4.91	2.26	121.	.00	34.6	25.8	700	.68	34.702	4.84	27.847	26.4	.230
1095A	.51	34.701	5.40U	2.26	122.	.00	34.7	25.5	800	.64	34.701	4.85	27.849	26.3	.257
1244A	.44	34.701	4.94	2.26	124.	.00	34.3	25.12	1000	.55	34.699	4.90	27.853	25.9	.311
1395A	.40	34.701	4.96	2.25	124.	.00	34.4	24.9	1200	.46	34.702	4.94	27.860	25.2	.364
1645A	.29	34.703	5.05	2.26	125.	.00	34.6	24.1	1500	.36	34.702	4.99	27.866	24.6	.441
1795A	.21	34.707	5.11	2.31	124.	.00	34.6	23.4	2000	.09	34.708	5.16	27.886	22.8	.561
1946A	.1 D	34.703	5.12	2.28	123.	.00	34.6	23.1							
2047A	.084	34.704	5.20	2.22	120.	.00	34.2	22.6							
2098C	.038	34.701				.00		23.0							

- A) CAST 11.
- B) AN ERROR OF 0.1 ABSORBANCE HAS BEEN ASSUMED. THE LISTED VALUES INCORPORATE THE CORRECTION.
- C) THE NANSEN BOTTLE AT THIS DEPTH ON CAST II HIT BOTTOM. THE WATER SAMPLE CONTAINED MUD.
- D) TEMPERATURE INFERRED FROM PRESSURE THERMOMETER AND WIRE LENGTH.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

52

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM 2548M	WIND 200	SPEED 11KT	WEATHER 2			DOMINANT WAVES 200 04 03		
	T	S	O2	PO4	S103	NO2	NO3	OT	T	S	O2	SIGT				OT	OD				
0	.24	33.833	8.54	.94	60.	.10	14.9	90.2	0	.24	33.833	8.54	27.174	90.2	0						
20	.26	33.835	8.54	.95	60.	.10	15.1	90.1	10	.25	33.834	8.54	27.174	90.2	.009						
61	-1.75	34.375	6.65	2.07	84.	.15	31.2	41.3	20	.26	33.835	8.54	27.174	90.1	.018						
101	-1.73	34.411	6.68	2.06	79.	.16	31.8	38.6	30	-.20	33.952	8.11	27.291	79.1	.026						
151	-.92	34.515	6.22	2.13	86.	.05	32.9	33.1	50	-1.18	34.213	7.19	27.542	55.3	.040						
203	.12	34.615	5.42	2.19	96.	.01	33.7	30.0	75	-1.74	34.388	6.66	27.700	40.3	.052						
254	.48	34.651	5.05	2.23	99.	.01	33.5	29.1	100	-1.73	34.410	6.68	27.718	38.6	.062						
304	.67	34.673	4.92	2.21	104.	.00	34.0	28.5	125	-1.41	34.457	6.51	27.747	35.9	.071						
404	.76	34.689	4.80	2.23	106.	.01	33.4	27.8	150	-.94	34.513	6.23	27.776	33.2	.079						
504	.80	34.698	4.77	2.22	110.	.01	34.7	27.4	200	.07	34.611	5.46	27.809	30.1	.095						
605	.73	34.698	4.78	2.25	112.	.00	34.3	27.0	250	.47	34.650	5.07	27.818	29.1	.110						
705	.66	34.696	4.79	2.23	115.	.01	34.7	26.7	300	.66	34.672	4.93	27.824	28.6	.124						
805	.63	34.697	4.84	2.25	117.	.00	35.0	26.5	400	.76	34.689	4.80	27.832	27.9	.153						
905	.58	34.697	4.86	2.27	120.	.00	34.3	26.2	500	.80	34.698	4.77	27.837	27.4	.181						
1006	.52	34.694	4.85	2.26	121.	.00	34.9	26.1	600	.73	34.698	4.78	27.841	27.0	.209						
1107	.47	34.696	4.92	2.26	122.	.01	34.9	25.6	700	.66	34.696	4.79	27.844	26.7	.237						
1209	.41	34.694	4.94	2.27	123.		34.8	25.5	800	.63	34.697	4.84	27.847	26.5	.265						
1311	.34	34.693	4.95	2.26	124.		35.1	25.2	1000	.52	34.694	4.85	27.851	26.1	.319						
1414	.28	34.694	4.97	2.26	124.		35.3	24.8	1200	.42	34.695	4.94	27.857	25.5	.372						
1429A	.280	34.695	5.02	2.26	124.		35.0	24.7	1500	.26	34.696	5.04	27.868	24.5	.449						
1518	.25	34.696	5.04	2.26	124.		35.2	24.5	2000	.04	34.697	5.22	27.880	23.3	.568						
1630A	.207	34.698	5.07	2.27	122.		35.0	24.1	2500	-.30	34.706	5.46	27.905	21.0	.669						
1831A	.128	34.702	5.13	2.25	120.		34.9	23.4													
2033A	.026	34.696	5.24	2.29	116.		34.6	23.3													
2234A	-.071	34.698	5.33	2.21	112.		35.0	22.7													
2436A	-.231	34.702	5.44	2.19	106.		34.3	21.6													
2488A	-.294	34.705	5.44	2.22	105.		34.0	21.1													
2537A	-.315	34.710	5.56	2.20	107.		34.1	20.6													

RV THOMAS WASHINGTON

ARIES EXPEDITION II

53

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM 2610M	WIND 270	SPEED 04KT	WEATHER 7			DOMINANT WAVES 300 02 10		
	T	S	O2	PO4	S103	NO2	NO3	OT	T	S	O2	SIGT				OT	OD				
0	.59	33.860	8.21	1.03	54.	.11	14.2	90.0	0	.59	33.860	8.21	27.176	90.0	0						
21	.57	33.895	8.18	1.03	56.	.11	14.5	87.2	10	.58	33.877	8.20	27.190	88.7	.009						
47	.35	34.079	8.09	1.30	62.	.13	17.5	72.0	20	.57	33.894	8.18	27.204	87.3	.018						
80	-1.26	34.402	6.64	2.14	82.	.09	31.0	40.6	30	.49	33.943	8.15	27.248	83.2	.026						
111	-1.12	34.489	6.37	2.18	85.	.10	33.1	34.4	50	.20	34.110	7.96	27.399	68.9	.041						
132	-.47	34.550	5.82	2.19	90.		33.6	32.2	75	-1.03	34.355	6.87	27.651	45.0	.056						
157	-1.10	34.588	5.55	2.23	91.	.08	33.4	30.9	100	-1.17	34.458	6.44	27.740	36.6	.066						
184	.16	34.616	5.34	2.24	94.	.09	34.3	30.1	125	-.69	34.530	6.00	27.780	32.8	.074						
224	.47	34.648	5.11	2.23	97.	.07	34.0	29.3	150	-.18	34.581	5.60	27.797	31.2	.082						
260	.64	34.664	4.98	2.24	98.	.04	34.3	29.0	200	.30	34.631	5.24	27.812	29.7	.097						
329	.76	34.684	4.84	2.23	103.	.04	34.3	28.2	250	.60	34.661	5.01	27.819	29.1	.112						
437	.79	34.691	4.80	2.25	106.	.02	34.3	27.9	300	.73	34.678	4.88	27.825	28.6	.127						
566	.76	34.695	4.81	2.26	109.	.00	34.7	27.4	400	.78	34.690	4.81	27.831	27.9	.156						
707	.71	34.700	4.83	2.23	114.	.00	35.0	26.7	500	.78	34.694	4.80	27.834	27.6	.184						
866	.62	34.696	4.84	2.26	117.	.00	34.8	26.5	600	.75	34.697	4.81	27.839	27.2	.212						
1035	.55	34.695	4.87	2.28	120.	.00	34.8	26.2	700	.71	34.700	4.83	27.844	26.7	.240						
1079A	.51	34.696	4.84	2.27	120.		34.9	25.9	800	.66	34.698	4.84	27.846	26.6	.268						
1232A	.42	34.697	4.93	2.28	122.		35.3	25.3	1000	.57	34.696	4.86	27.849	26.2	.323						
1384A	.35	34.693	5.02	2.28	122.		35.2	25.2	1200	.43	34.697	4.90	27.858	25.4	.376						
1536A	.28	34.699	5.04	2.26	123.		34.4	24.4	1500	.30	34.698	5.04	27.866	24.6	.453						
1688A	.22	34.701	5.05	2.27	123.		33.9	23.9	2000	.07	34.700	5.17	27.881	23.2	.573						
1838A	.17	34.700	5.10	2.27	121.		33.7	23.7	2500	-.28	34.710	5.51	27.906	20.8	.675						
1990A	.08	34.700	5.17	2.24	117.		33.3	23.3													
2139A	.00	34.701	5.23	2.26	114.		32.8	22.8													
2291A	-.101	34.701	5.35	2.26	110.		32.3	22.3													
2390A	-.18	34.703	5.46	2.22	107.		31.8	21.8													
2489A	-.27	34.709	5.50	2.24	105.		30.9	20.9													
2563A	-.35	34.713	5.57	2.22	104.		30.2	20.2													
2589A	-.39	34.717	5.59	2.23	103.		19.8	19.8													

A) CAST II.

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
68 17.5S		164 39.0E		02/09/71		0058 0238GMT			2532M	260	04KT	1	340 03 11		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	-.68	33.214	9.29	.77	60.	-.09	14.3	133.6	0	-.68	33.214	9.29	26.717	133.6	0
10	-.73	33.236	9.25	.79	59.	-.09	14.4	131.7	10	-.73	33.236	9.25	26.736	131.7	.013
25	-.15	33.796	8.35	1.12	58.	-.10	17.5	91.2	20	-.32	33.584	8.71	27.000	106.6	.025
50	-1.74	34.320	6.76	2.01	79.	-.09	31.0	45.5	30	-.40	33.937	7.98	27.288	79.4	.034
76	-1.82	34.390	6.69	2.04	78.	-.13	32.2	40.0	50	-1.74	34.320	6.76	27.645	45.5	.047
127	-1.75	34.427	6.73	2.04	78.	-.08	32.4	37.1	75	-1.82	34.387	6.69	27.702	40.2	.058
203	-.23	34.584	5.65	2.13	92.	-.01	33.3	30.6	100	-1.79	34.416	6.71	27.724	38.0	.067
304	.59	34.666	4.99	2.13	101.	-.00	34.3	28.6	125	-1.75	34.429	6.73	27.734	37.2	.076
405	.74	34.689	4.83	2.19	106.	-.00	34.5	27.7	150	-1.34	34.471	6.45	27.756	35.1	.085
506	.79	34.699	4.78	2.20	110.	-.00	34.5	27.3	200	-.30	34.578	5.70	27.800	30.9	.102
606	.72	34.699	4.79	2.22	112.	-.00	34.7	26.8	250	.28	34.630	5.26	27.813	29.7	.117
707	.65	34.696	4.77	2.21	115.	-.00	34.7	26.7	300	.58	34.664	5.00	27.823	28.7	.131
807	.63	34.697	4.87	2.22	116.	-.00	34.6	26.5	400	.73	34.688	4.83	27.833	27.7	.160
908	.57	34.697	4.98	2.21	119.	-.00	34.9	26.1	500	.79	34.699	4.78	27.838	27.3	.188
1009	.51	34.695	4.86	2.22	119.	-.00	34.5	25.9	600	.73	34.699	4.79	27.842	26.9	.216
1110	.46	34.694	4.96	2.22	119.	-.00	34.9	25.7	700	.65	34.697	4.77	27.845	26.7	.244
1211	.39	34.694	4.96	2.24	122.	-.00	35.0	25.4	800	.63	34.697	4.86	27.846	26.5	.271
1313	.29	34.689	5.01	2.22	122.	-.00	35.2	25.2	1000	.52	34.696	4.87	27.852	26.0	.326
1415	.26	34.692	5.01	2.22	121.	-.00	34.5	24.8	1200	.40	34.694	4.96	27.858	25.4	.379
1518	.21	34.694	5.08	2.25	122.	-.00	35.0	24.4	1500	.22	34.694	5.07	27.868	24.5	.455
1609A	.150	34.699	5.13	2.22	120.	-.00	34.6	23.7	2000	-.08	34.700	5.33	27.889	22.5	.569
1811A	-.033	34.698	5.22	2.21	116.	-.00	34.5	23.2	2500	-.36	34.717	5.57	27.916	19.9	.664
2015A	-.092	34.700	5.34	2.21	111.	-.00	33.8	22.4							
2221A	-.199	34.705	5.45	2.20	110.	-.00	33.6	21.5							
2324A	-.284	34.703	5.52	2.18	107.	-.00	34.1	21.3							
2430A	-.323	34.712	5.53	2.18	104.	-.00	33.9	20.4							
2482A	-.348	34.713	5.55	2.18	104.	-.00	33.8	20.3							
2535A	-.391	34.729	5.61	2.18	102.	-.00	33.6	18.8							

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
68 03.5S		162 12.5E		02/09/71		0959 1058GMT			2466M	020	07KT	2	330 02 10		
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	-.35	33.457	8.47	.95	53.	-.13	17.1	116.2	0	-.35	33.457	8.47	26.899	116.2	0
20	-.06	34.044	8.37	1.18	54.	-.13	21.2	72.6	10	-.20	33.779	8.42	27.152	92.3	.010
45	-1.59	34.367	6.71	2.15	92.U	-.10	29.8	42.3	20	-.06	34.044	8.37	27.359	72.6	.019
67	-1.76	34.405	6.68	2.16	79.	-.16	32.5	39.0	30	-.63	34.214	7.70	27.522	57.2	.025
107	-1.09	34.494	6.35	2.34	85.	-.09	33.4	34.1	50	-1.63	34.376	6.70	27.687	41.5	.035
127	-.65	34.539	6.00	2.18	88.	-.10	33.9	32.3	75	-1.69	34.422	6.65	27.726	37.9	.045
153	-.13	34.584	5.60	2.26	92.	-.09	33.5	31.1	100	-1.26	34.477	6.44	27.758	34.8	.054
177	.22	34.623	5.33	2.28	96.	-.08	34.4	29.9	125	-.69	34.535	6.04	27.784	32.4	.062
217	.54	34.655	5.07	2.21	98.	-.07	34.4	29.2	150	-.18	34.580	5.64	27.797	31.2	.070
254	.64	34.671	4.96	2.21	101.	-.06	34.4	28.5	200	.44	34.646	5.16	27.816	29.4	.085
323	.76	34.687	4.82	2.24	104.	-.02	34.4	28.0	250	.63	34.670	4.97	27.824	28.6	.100
432	.78	34.696	4.75	2.28	110.	-.01	34.4	27.4	300	.73	34.684	4.86	27.829	28.1	.114
563	.74	34.698	4.80	2.25	112.	-.00	34.5	27.0	400	.77	34.694	4.77	27.835	27.6	.142
703	.66	34.700	4.83	2.27	117.	-.00	35.0	26.4	500	.77	34.698	4.77	27.839	27.2	.171
858	.56	34.696	4.87	2.26	119.	-.00	34.4	26.1	600	.72	34.699	4.81	27.842	26.9	.198
1014	.45	34.693	4.94	2.23	122.	-.00	34.6	25.8	700	.66	34.700	4.83	27.847	26.4	.226
1101A	.39	34.698	4.91	2.20	124.	-.00	34.5	25.1	800	.60	34.698	4.85	27.849	26.2	.253
1252A	.30	34.697	5.01	2.27	124.	-.00	34.2	24.6	1000	.46	34.693	4.94	27.854	25.8	.307
1404A	.21	34.695	5.07	2.26	124.	-.00	34.7	24.3	1200	.33	34.698	4.97	27.865	24.7	.359
1554A	.14	34.697	5.12	2.28	120.	-.00	34.9	23.8	1500	.16	34.696	5.10	27.873	24.0	.433
1705A	.08	34.700	5.21	2.28	119.	-.00	34.5	23.3	2000	-.10	34.701	5.32	27.890	22.3	.545
1805A	.03	34.697	5.22	2.24	116.	-.00	34.8	23.3							
1906A	-.04	34.701	5.29	2.23	114.	-.00	34.3	22.6							
2005A	-.10	34.701	5.32	2.24	112.	-.00	34.3	22.3							
2105A	-.14	34.701	5.39	2.22	109.	-.00	34.1	22.1							
2205A	-.253	34.704	5.48	2.22	106.	-.00	34.6	21.4							
2303A	-.29	34.709	5.53	2.24	106.	-.00	33.8	20.8							
2402A	-.37	34.714	5.59	2.20	105.	-.00	34.2	20.1							
2451A	-.43	34.717	5.61	2.20	105.	-.00	34.2	19.6							

A) CAST II.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE 67 50.58		LONGITUDE 160 25.0E		MO/DAY/YR 02/09/71	MESSENGER TIME 2326 0102GMT		BOTTOM 2453M	WIND 240	SPEED 05KT	WEATHER 7	DOMINANT WAVES 070 03 10			DD	
Z	T	S	O2	PO4	SI03	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	-0.30	33.450	8.23	.68	46.2	.17	21.7	117.0	0	-.30	33.450	8.23	26.891	117.0	0
20	-.02	33.758	8.10	.90	53.	.15	24.32	94.7	10	-.16	33.570	8.17	26.982	108.4	.011
40	-1.54	34.249	7.27	2.07	77.	.09	29.9	51.5	20	-.02	33.758	8.10	27.127	94.7	.021
76	-1.75	34.447	6.82	2.08	83.	.19	33.5	35.8	30	-.73	34.005	7.70	27.357	72.9	.030
101	-1.77	34.464	6.92	2.08	83.2	.10	33.1	34.4	50	-1.60	34.304	7.15	27.628	47.1	.042
203	-1.80	34.481	6.94	2.06	82.	.02	32.7	33.0	75	-1.74	34.4422	6.83	27.744	36.2	.052
253	-1.78	34.484	6.96	2.03	81.2	.01	33.3	32.8	100	-1.77	34.463	6.91	27.762	34.5	.061
304	-1.63	34.496	6.84	2.08	84.	.00	33.7	32.3	125	-1.78	34.468	6.92	27.766	34.1	.069
406	-.04	34.620	5.49	2.15	98.	.01	34.7	28.8	150	-1.78	34.4722	6.93	27.770	33.7	.077
436	-.08	34.619	5.52	2.17	96.	.00	34.52	28.7	200	-1.80	34.481	6.94	27.777	33.1	.094
507	-.30	34.660	5.18	2.17	103.	.00	34.8	27.5	250	-1.78	34.484	6.96	27.779	32.9	.109
557	-.15	34.652	5.24	2.20	106.	.00	35.02	27.3	300	-1.65	34.495	6.85	27.784	32.4	.125
609	-.22	34.661	5.20	2.20	108.	.00	34.7	27.0	400	-.12	34.613	5.56	27.820	29.0	.155
711	-.39	34.684	5.04	2.25	117.	.00	35.7	26.12	500	.26	34.656	5.22	27.835	27.6	.183
787	-.17	34.666	5.15	2.22	114.	.00	35.0	26.32	600	.20	34.659	5.21	27.841	27.0	.210
865	-.08	34.645	5.36	2.20	110.	.00	34.3	26.7	700	.38	34.683	5.05	27.850	26.2	.237
915	-.11	34.643	5.37	2.22	109.	.00	34.6	26.7	800	.12	34.662	5.19	27.847	26.4	.263
1069	-.22	34.642	5.46	2.20	111.2	.00	34.5	26.32	1000	-0.19	34.641	5.44	27.846	26.5	.315
1172	-.12	34.655	5.33	2.21	111.	.00	35.0	25.7	1200	-0.15	34.654	5.37	27.855	25.7	.365
1275	-.24	34.650	5.47	2.21	110.	.00	34.1	25.6	1500	.02	34.692	5.16	27.877	23.6	.437
1312A	-.08	34.676	5.31	2.19	114.	.00	34.8	24.3	2000	-0.19	34.698	5.42	27.892	22.1	.545
1411A	-.10	34.675	5.32	2.20	113.	.00	34.9	24.3							
1511A	.03	34.694	5.15	2.21	120.U	.00	35.0	23.5							
1611A	-.09	34.688	5.36	2.21	112.	.00	35.0	23.4							
1813A	-.052	34.705	5.28	2.15	114.	.00	35.12	22.2							
2017A	-.203	34.697	5.44	2.06U	107.	.00	34.8	22.12							
2121A	-.285	34.694	5.54	2.15	105.	.00	34.4	22.0							
2226A	-.303	34.702	5.56	2.15	105.	.00	34.4	21.32							
2332A	-.385	34.705	5.57	2.17	103.	.00	34.6	20.7							
2386A	-.409	34.710	5.58	2.17	104.	.00	34.5	20.22							
2439A	-.437	34.719	5.64	2.17	103.	.00	34.2	19.4							

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE 67 00.05		LONGITUDE 162 26.5E		MO/DAY/YR 02/10/71	MESSENGER TIME 0935 1044GMT		BOTTOM 2647M	WIND 260	SPEED 18KT	WEATHER 1	DOMINANT WAVES 250 05 05			DD	
Z	T	S	O2	PO4	SI03	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	.57	34.029	7.93	1.38	62.	.12	22.7	77.0	0	.57	34.029	7.93	27.313	77.0	0
20	.45	34.042	8.00	1.34	63.	.12	22.22	75.4	10	.51	34.036	7.96	27.322	76.2	.008
45	-1.72	34.409	6.81	2.142	76.	.15	32.1	38.82	20	.45	34.042	8.00	27.331	75.4	.015
76	-1.75	34.433	6.75	2.08	80.	.12	32.42	36.82	30	-.40	34.175	7.55	27.481	61.1	.022
107	-1.68	34.455	6.81	2.08	81.2	.12	32.6	35.32	50	-1.72	34.413	6.80	27.720	38.4	.032
127	-1.10	34.498	6.30	2.17	84.	.09	32.8	33.72	75	-1.75	34.432	6.75	27.737	36.9	.041
153	-.53	34.546	5.94	2.22	87.	.07	34.0	32.2	100	-1.70	34.450	6.80	27.749	35.7	.050
178	-.62	34.555	6.04	2.16	87.	.03	33.1	31.2	125	-1.16	34.4932	6.36	27.768	33.9	.059
218	-.16	34.598	5.63	2.19	93.	.01	34.02	29.92	150	-.57	34.5422	5.96	27.784	32.4	.067
255	.46	34.651	5.14	2.222	98.	.00	34.9	29.0	200	-.43	34.576	5.87	27.805	30.42	.083
325	.59	34.671	5.00	2.22	107.	.01	34.8	28.2	250	.38	34.645	5.20	27.819	29.1	.097
436	.67	34.684	4.87	2.23	107.	.00	34.9	27.7	300	.54	34.6652	5.05	27.826	28.4	.112
568	.79	34.701	4.82	2.26	110.	.01	35.2	27.12	400	.65	34.681	4.90	27.832	27.8	.140
711	.70	34.700	4.82	2.25	115.	.00	35.0	26.7	500	.74	34.694	4.84	27.837	27.4	.169
867	.62	34.698	4.84	2.26	116.	.00	35.0	26.3	600	.78	34.702	4.82	27.841	27.0	.197
1024	.53	34.696	4.91	2.28	120.	.00	35.3	26.0	700	.71	34.701	4.82	27.844	26.7	.224
1074A	.50	34.697	4.90	2.26	122.	.00	35.3	25.7	800	.65	34.699	4.83	27.847	26.5	.252
1225A	.40	34.697	4.92	2.30	122.	.00	35.3	25.22	1000	.54	34.696	4.80	27.851	26.1	.307
1376A	.32	34.696	5.02	2.40	123.	.00	35.3	24.8	1200	.42	34.697	4.92	27.859	25.3	.360
1527A	.15	34.687	5.16	2.31	120.	.00	34.9	24.6	1500	.18	34.689	5.14	27.866	24.7	.436
1678A	.09	34.694	5.14	2.39	119.	.00	34.8	23.8	2000	-.07	34.691	5.38	27.881	23.2	.552
1829A	-.05	34.685	5.35	2.32	113.	.00	34.8	23.8	2500	-.33	34.711	5.58	27.909	20.5	.651
1981A	-.07	34.690	5.38	2.29	113.	.00	34.8	23.3							
2081A	-.10	34.694	5.38	2.36	112.	.00	34.8	22.8							
2181A	-.15	34.696	5.36	2.33	109.	.00	34.4	22.52							
2282A	-.17	34.701	5.44	2.26	107.	.00	34.2	22.0							
2383A	-.24	34.705	5.50	2.24	106.	.00	34.1	21.4							
2484A	-.32	34.710	5.57	2.30	104.2	.00	33.8	20.6							
2585A	-.39	34.714	5.62	2.26	104.2	.00	33.82	20.0							
2635A	-.44	34.720	5.61	2.43U	104.	.00	33.8	19.3							

AJ CAST II.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	66	31.0S	161	26.0E	02/10/71	N02	N03	DT	260					20KT	1	260
0	.65	33.657	8.01	1.46	60.	.21	25.4	105.8	0	.65	33.657	8.01	27.010	105.8	0	
20	.55	34.139	7.74	1.53	73.	.10	20.1	68.5	10	.60	33.931	7.90	27.232	84.7	.010	
51	-.64	34.313	6.92	1.95	82.	.09	26.9	49.6	20	.55	34.139	7.74	27.403	68.5	.017	
77	-.62	34.428	6.37	2.17	88.	.09	30.1	40.9	30	.16	34.233	7.49	27.500	59.3	.024	
103	-1.52	34.460	6.53	2.20	85.	.14	33.4	35.4	50	-.60	34.313	6.95	27.601	49.8	.034	
155	-.02	34.583	5.60	2.20	86.	.02	34.0	31.7	75	-.62	34.422	6.40	27.689	41.4	.046	
706	.34	34.627	5.31	2.24	90.	.02	33.9	30.2	100	-1.42	34.457	6.50	27.748	35.9	.055	
310	.63	34.668	4.94	2.24	98.	.02	33.8	28.7	125	-1.08	34.507	6.20	27.777	33.1	.064	
412	.84	34.694	4.89	2.22	101.	.00	34.2	27.9	150	-.23	34.570	5.71	27.790	31.8	.072	
522	.87	34.702	4.74	2.24	108.	.01	34.3	27.5	200	.33	34.626	5.33	27.806	30.3	.088	
624	.64	34.687	4.89	2.26	109.	.03	34.4	27.3	250	.50	34.650	5.12	27.816	29.4	.103	
728	.40	34.707	4.80	2.27	112.	.01	34.5		300	.62	34.666	4.96	27.822	28.8	.117	
835	.73	34.702	4.85	2.25	113.	.00	34.5	26.7	400	.82	34.692	4.90	27.831	28.0	.146	
939	.66	34.702	4.89	2.25	117.	.00	34.4	26.3	500	.86	34.701	4.76	27.835	27.6	.175	
1045	.59	34.697	4.86	2.26	119.	.00	34.9	26.2	600	.70	34.691	4.85	27.838	27.3	.203	
1149	.52	34.699	4.91	2.29	121.	.00	34.9	25.7	700	.67	34.692	4.83	27.840	27.1	.231	
1261	.44	34.694	4.95	2.32	123.		35.1	25.6	800	.72	34.700	4.83	27.843	26.8	.259	
1369	.37	34.692	4.98	2.28	124.		35.1	25.4	1000	.62	34.699	4.87	27.849	26.3	.315	
1477	.37	34.692	4.95	2.26	124.		35.2	25.1	1200	.48	34.697	4.93	27.855	25.7	.369	
1550A	.26	34.690	5.00	2.31	123.		35.1	25.0	1500	.30	34.692	4.96	27.862	25.1	.447	
1585	.26	34.689	5.02	2.26	126.		35.2	25.0	2000	.18	34.702	5.07	27.876	23.7	.570	
1759A	.180	34.690	5.11	2.28	127.		35.0	24.5	2500	-.02	34.707	5.27	27.891	22.3	.682	
1969A	.193	34.702	5.06	2.26	125.		35.0	23.7								
2182A	.057	34.696	5.17	2.28	117.		35.0	23.5								
2399A	.001	34.700	5.30	2.26	114.		35.0	22.9								
2508A	-.020	34.707	5.27	2.26	113.		34.6	22.2								
2617A	-.053	34.709	5.27	2.30	113.		34.7	21.9								
2674A	-.102	34.710	5.23	2.26	113.		34.6	21.6								
2729A	-.279	34.707	5.51	2.21	105.		34.5	21.0								

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	67	40.0S	158	40.0E	02/11/71	N02	N03	DT	320					04KT	1	310
0	.29	34.007	8.04	1.00	56.	.14	23.1	77.2	0	.29	34.007	8.04	27.311	77.2	0	
20	.10	34.034	8.08	.93	56.	.13	22.8	74.2	10	.19	34.021	8.06	27.327	75.7	.008	
58	-1.74	34.436	6.79	2.12	79.	.14	31.7	36.6	20	.10	34.034	8.08	27.343	74.2	.015	
79	-1.59	34.467	6.75	2.12	80.	.13	31.7	34.6	30	-.56	34.149	7.75	27.466	62.5	.022	
111	-.94	34.524	6.30	2.13	84.	.04	32.6	32.3	50	-1.73	34.400	7.07	27.710	39.4	.032	
131	-.92	34.531	6.28	2.13	84.	.02	32.7	31.8	75	-1.64	34.461	6.76	27.756	35.0	.041	
160	-.36	34.579	5.80	2.16	88.	.01	32.6	30.4	100	-1.15	34.506	6.45	27.778	33.0	.050	
186	.11	34.621	5.39	2.23	94.	.01	33.4	29.5	125	-.93	34.529	6.29	27.789	32.0	.058	
229	.49	34.658	5.03	2.21	98.	.01	34.0	28.6	150	-.59	34.560	5.99	27.799	31.0	.065	
267	.60	34.669	4.96	2.22	100.	.01	34.0	28.4	200	.28	34.637	5.23	27.819	29.1	.080	
338	.78	34.692	4.80	2.17	105.	.01	34.2	27.7	250	.56	34.666	4.98	27.825	28.5	.095	
451	.80	34.700	4.74	2.21	109.	.01	34.3	27.2	300	.69	34.681	4.88	27.829	28.1	.109	
589	.74	34.701	4.78	2.26	113.		34.2	26.8	400	.79	34.697	4.77	27.837	27.4	.137	
738	.57	34.695	4.88	2.24	116.		34.5	26.3	500	.79	34.702	4.75	27.840	27.1	.165	
896	.50	34.695	4.90	2.27	119.		34.2	25.9	600	.73	34.701	4.79	27.844	26.8	.193	
1065	.31	34.686	5.05	2.26	117.	.00	34.0	25.5	700	.61	34.697	4.86	27.847	26.4	.221	
1079B	.25	34.680	5.10	2.23	117.		34.0	25.7	800	.54	34.695	4.89	27.850	26.1	.248	
1231B	.21	34.685	5.12	2.26	119.		34.2	25.1	1000	.38	34.690	4.99	27.855	25.7	.301	
1382B	.19	34.693	5.09	2.24	121.		34.5	24.4	1200	.22	34.684	5.12	27.860	25.2	.352	
1533B	.11	34.698	5.14	2.24	118.		34.8	23.6	1500	.13	34.697	5.12	27.875	23.7	.426	
1685B	.05	34.701	5.21	2.24	116.		34.1	23.0	2000	-.18	34.700	5.40	27.893	22.0	.535	
1786B	-.01	34.700	5.29	2.23	112.		34.0	22.8								
1887B	-.06	34.705	5.30	2.23	112.		33.8	22.2								
1989B	-.17	34.700	5.39	2.21	107.		33.9	22.1								
2090B	-.23	34.698	5.49	2.21	104.		33.6	21.9								
2193B	-.27	34.706	5.52	2.21	104.		33.7	21.1								
2295B	-.33	34.709	5.56	2.21	103.		33.7	20.6								
2346B	-.37	34.709	5.60	2.21	103.		33.6	20.5								
2372B	-.45	34.717	5.60	2.21	104.		33.6	19.5								

A) CAST II. POSSIBLE ERROR IN WIRE LENGTHS. DEPTHS MAY BE SLIGHTLY IN ERROR.
 B) CAST II.

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE 67 04.0S		LONGITUDE 157 07.5E		MO/DAY/YR 02/11/71		MESSENGER TIME 1829 1807 GMT			BOTTOM 2362M	WIND 300	SPEED 09KT	WEATHER 4		DOMINANT WAVES 320 03 03		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	-.23	33.716	8.23	.94	51.	.16	20.0	96.8	0	-.23	33.716	8.23	27.104	96.8	0	
20	-.18	33.720	8.23	.96	51.	.16	19.6	96.8	10	-.20	33.718	8.23	27.104	96.8	.010	
40	-1.57	34.176	7.27	2.00	76.	.14	28.7	57.0	20	-.18	33.720	8.23	27.105	96.8	.019	
101	-1.77	34.451	6.81	2.12	82.	.15	32.2	35.4	30	-.84	33.932	7.79	27.303	78.0	.028	
203	-1.79	34.476	7.57U	2.08	82.	.03	32.3	33.4	50	-1.61	34.237	7.19	27.575	52.2	.041	
255	-1.80	34.479.	6.95	2.07	81.	.02	32.0	33.1	75	-1.72	34.390	7.01	27.702	40.2	.053	
304	-1.79	34.483	6.92	2.06	81.	.01	32.3	32.9	100	-1.77	34.450	6.82	27.752	35.5	.062	
404	-1.50	34.511	6.69	2.13	86.	.00	33.9	31.5	125	-1.77	34.457	6.83	27.758	34.9	.070	
504	-1.11	34.548	6.21	2.14	91.	.00	33.1	29.8	150	-1.78	34.463	6.85	27.763	34.4	.079	
605	-.75	34.582	5.90	2.17	97.	.00	33.2	28.6	200	-1.79.	34.475	6.90	27.773	33.5	.095	
705	-.64	34.599	5.77	2.17	99.	.00	33.5	27.7	250	-1.80	34.479	6.95.	27.776	33.2	.111	
805	-.73	34.595	5.84	2.19	98.	.01	33.3	27.6	300	-1.79	34.483	6.92	27.779	32.9	.127	
905	-.14	34.650	5.42	2.22	111.	.00	31.8	26.0	400	-1.52	34.510.	6.70	27.793	31.5	.157	
1006	-.29	34.645	5.52	2.21	108.	.00	33.4	25.7	500	-1.13	34.547	6.23	27.810	29.9	.186	
1108	-.57	34.620U	5.76	2.21	102.	.00	33.3	25.0	600	-.70	34.582	5.91	27.824	28.6	.214	
1209	-.35	34.651	5.56	2.19	106.	.00	33.7	25.0	700	-.65	34.599	5.77	27.833	27.7	.240	
1261	.03	34.696	5.22	2.24	117.	.00	34.4	23.3	800	-.73	34.596	5.84	27.834	27.6	.266	
1311	.01	34.694	5.21	2.24	115.	.00	33.3	23.4	1000	-.28	34.646	5.51	27.855.	25.7	.316	
1414	-.07	34.691	5.23	2.24.	114.	.00	34.2	23.2	1200	-.37	34.650	5.58	27.862	25.0	.364	
1516	-.11	34.691	5.36	2.23.	112.	.00	33.9	23.0	1500	-.10	34.691	5.34	27.883	23.0	.431	
1518A	-.12	34.695	5.33	2.24.	113.	.00	34.2	22.7	2000	-.28	34.693	5.54	27.893.	22.0	.535	
1719A	-.227	34.690	5.44	2.27	106.	.00	33.3	22.5.								
1921A	-.26	34.691	5.54	2.23	106.	.00	33.4.	22.3								
2125A	-.330	34.698	5.92U	2.21	105.	.00	33.2.	21.5								
2228A	-.373	34.704	5.55	2.19	102.	.00	33.5	20.8								

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE 67 33.5S		LONGITUDE 163 24.0E		MO/DAY/YR 02/12/71		MESSENGER TIME 0953 1057GMT			BOTTOM 2625M	WIND 320	SPEED 16KT	WEATHER 7		DOMINANT WAVES 320 06 07		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	.49	34.018	7.95	1.42	68.	.12	22.0	77.4	0	.49	34.018	7.95	27.309	77.4	0	
20	-.41	34.035	7.91	1.42	66.	.12	22.4	75.7	10	.45	34.027	7.93	27.318	76.5	.008	
45	-1.62	34.401	6.84	2.08	80.	.12	31.4	39.6	20	.41	34.035	7.91	27.327	75.7	.015	
77	-1.69	34.441	6.70	2.07	81.	.12	32.3	36.4	30	-.38	34.168	7.50	27.474	61.7	.022	
107	-1.17	34.500	6.42	2.13.	82.	.08	32.8	33.4	50	-1.63	34.407	6.82	27.713.	39.1.	.032	
127	-.61	34.546	5.99	2.14.	86.	.06	33.0	31.9	75	-1.69	34.439	6.71	27.740	36.6	.042	
153	-.51	34.557	5.94	2.14	86.	.05	33.7	31.5	100	-1.33	34.485	6.51	27.767	34.0	.050	
178	.21	34.619	5.39	2.17	91.	.04	33.6	30.1	125	-.66	34.542	6.03	27.788	32.0	.058	
217	.56	34.655	5.11	2.19	94.	.02	33.7	29.3	150	-.52	34.556	5.94.	27.794.	31.5.	.066	
252	.67	34.667	5.03	2.17	97.	.01	34.1	29.0	200	.48.	34.647	5.18.	27.815	29.5	.082	
321	.74	34.683	4.94	2.18	99.	.01	34.2	28.2	250	.67.	34.667	5.03	27.820.	29.0	.096	
429	.84	34.698	4.79	2.19	106.	.01	34.2	27.6	300	.73.	34.679	4.96.	27.826	28.4	.111	
560	.80	34.701	4.81	2.18	108.	.00	34.2	27.2	400	.82	34.695	4.82.	27.833.	27.7	.139	
702	.75	34.703	4.82	2.19	113.	.00	34.2	26.7	500	.82	34.700	4.80.	27.837	27.4.	.168	
858	.64	34.699	4.73	2.17	116.	.00	34.2	26.4	600	.79	34.702	4.81	27.841.	27.0	.196	
1025	.55	34.696	4.87	2.24	119.	.00	34.8	26.1.	700	.75	34.703	4.82	27.844.	26.7	.224	
1116A	.48	34.701	4.88	2.26	122.	.00	34.5	25.3	800	.68	34.701	4.76	27.846	26.5	.252	
1266A	.40	34.694	4.89	2.27	122.	.00	34.5	25.4	1000	.56	34.697	4.85	27.850	26.1	.306	
1415A	.32	34.694	5.00	2.32	124.	.00	34.8	25.0	1200	.43	34.697	4.89	27.858	25.4	.360	
1565A	.25	34.695	4.99	2.32	125.	.00	34.8	24.5	1500	.29	34.696	4.99.	27.865.	24.7	.437	
1713A	.05	34.680	5.21	2.32	116.	.00	33.9	24.7	2000	.06	34.702	5.20	27.883.	23.0	.556	
1864A	.03	34.687	5.22	2.32	117.	.00	34.6	24.0	2500	-.23	34.706	5.49	27.901	21.3	.659	
1988A	.07	34.702	5.19	2.31	118.	.00	34.6	23.1.								
2114A	-.01	34.700	5.29.	2.32	114.	.00	34.7	22.8								
2215A	-.04	34.701	5.29	2.31	112.	.00	34.0	22.6								
2315A	-.07	34.709	5.32	2.35	113.	.00	34.0	21.8								
2416A	-.15	34.707	5.41	2.35	108.	.00	33.8	21.6								
2517A	-.25	34.706	5.50	2.30	107.	.00	33.8	21.2								
2569A	-.30	34.711	5.53	2.26	106.	.00	34.0	20.6								
2612A	-.38	34.716	5.59	2.24	104.	.00	33.7	19.9								

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE 67 28.5S		LONGITUDE 157 10.5E		MO/DAY/YR 02/13/71		MESSENGER TIME 0521 GMT			BOTTOM 1080M	WIND	SPEED KT	WEATHER		DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	-.048	33.468							0	-.048	33.468		26.889	117.2	0	
10	-.50	33.51							10	-.50	33.51		26.949	111.5	.011	
20	-1.63.	34.32							20	-1.63.	34.32		27.643	45.8	.019	
30	-1.67	34.42							30	-1.67	34.42		27.725	38.0	.023	
50	-1.67	34.46							50	-1.67	34.46		27.757	34.9	.031	
75	-1.74	34.48.							75	-1.74	34.48.		27.775	33.2	.039	
100	-1.74	34.48							100	-1.74	34.48		27.775	33.2	.047	
125	-1.76.	34.49.							125	-1.76.	34.49.		27.784	32.4	.055	
150	-1.76	34.49							150	-1.76	34.49		27.784	32.4	.063	
200	-1.74.	34.50.							200	-1.74.	34.50.		27.792	31.7	.079	
250	-1.67.	34.51							250	-1.67.	34.51		27.798	31.1	.094	
300	-1.35	34.52							300	-1.35	34.52		27.796	31.2	.109	
400	-.82.	34.57.							400	-.82.	34.57.		27.818.	29.2	.138	
500	-.30	34.61							500	-.30	34.61		27.827	28.3	.166	
600	-.25	34.63							600	-.25	34.63		27.841	27.0	.192	
700	-.26	34.63							700	-.26	34.63		27.841.	27.0	.219	
800	-.27	34.65							800	-.27	34.65		27.858.	25.4.	.244	
1000	-.24.	34.68							1000	-.24.	34.68		27.881.	23.2.	.290	

A) CAST 11.
B) THE DATA FROM THE STD HAS BEEN TABULATED FOR THIS STATION..

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
67 30.0S		157 09.0E		02/13/71		0654 GMT			426M	120	09KT	7	050 06		
Z	T	S	O2	P04	S103	NC2	N03	DT	Z	T	S	O2	SIGT	DT	CD
0	-0.52	33.357	8.51	.75	32.	.22	15.4	123.1	0	-0.52	33.357	8.51	26.827	123.1	0
5	-0.51	33.363	8.55	.73	33..	.22	15.6	122.7	10	-0.72	33.531	8.41	26.975	109.1	.012
52	-1.73	34.437	6.75	2.14	93.U	.22	32.6	36.5	20	-1.19	33.908	8.08	27.296	78.6	.021
98	-1.77	34.473	6.88	2.10	81.	.03	32.6	33.7	30	-1.72	34.340	7.72	27.661	44.0	.027
141	-1.81	34.484	6.95	2.09	81..	.02	32.7	32.7	50	-1.73	34.428	6.85	27.733	37.2	.035
186	-1.79	34.483	6.93	2.06	81.	.01	32.5	32.9	75	-1.75	34.455	6.82	27.755	35.1	.044
228	-1.77	34.488	6.94	2.07	81.	.01	32.6	32.5	100	-1.77	34.474	6.88	27.771	33.6	.053
272	-1.66	34.497	6.82	2.09	84.	.01	33.0	32.1	125	-1.80	34.482	6.93	27.778	32.9	.061
320	-1.35	34.523	6.58	2.14	88.	.01	33.2	31.0	150	-1.81	34.484	6.95	27.780	32.8	.069
364	-1.31	34.541	6.49	2.15	90.	.01	33.2	29.7	200	-1.78	34.484	6.93	27.780	32.8	.085
									250	-1.73	34.492	6.89	27.784	32.4	.100
									300	-1.47	34.511	6.68	27.793	31.5	.115
									400	-1.20	34.550	6.20	27.816	29.4	.144

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
67 57.0S		155 43.0E		02/13/71		1312 GMT			636M	140	10KT	2	110 04 05		
Z	T	S	O2	P04	S103	NC2	N03	DT	Z	T	S	O2	SIGT	DT	CD
0	-0.43	33.670	8.86	.71	57.	.15	14.7	99.5	0	-0.43	33.670	8.86	27.075	99.5	0
57	-1.77	34.455	7.08	2.17	84.	.16	32.2	35.1	10	-0.45	33.720	8.45	27.117	95.6	.010
160	-1.82	34.489	7.13	2.14	83.	.09	32.8	32.3	20	-1.60	34.080	8.09	27.448	64.3	.018
264	-1.84	34.510	7.18	2.14	84.	.02	32.4	30.7	30	-1.69	34.182	7.78	27.531	56.4	.024
369	-1.88	34.537	7.29	2.10	82.	.02	32.9	28.5	50	-1.74	34.384	7.23	27.698	40.6	.033
475	-1.91	34.570	7.34	2.06	82.	.01	32.9	25.9	75	-1.78	34.461	7.09	27.761	34.6	.043
566	-1.92	34.598	7.33	2.08	81.	.03	32.5	23.7	100	-1.79	34.469	7.10	27.768	33.9	.051
595	-1.91	34.614	7.36	2.11	82.	.01	32.7	22.5	125	-1.80	34.478	7.11	27.775	33.3	.059
630	-1.93	34.641	7.37	2.07	81.	.01	32.8	20.4	150	-1.82	34.486	7.13	27.782	32.6	.067
									200	-1.83	34.498	7.15	27.792	31.7	.083
									250	-1.84	34.508	7.17	27.800	30.9	.098
									300	-1.85	34.519	7.22	27.810	30.0	.112
									400	-1.89	34.546	7.31	27.833	27.8	.139
									500	-1.91	34.577	7.34	27.858	25.4	.163
									600	-1.91	34.618	7.36	27.891	22.3	.183

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
67 51.0S		156 29.0E		02/13/71		1539 GMT			549M	140	11KT	2			
Z	T	S	O2	P04	S103	ND2	N03	DT	Z	T	S	O2	SIGT	DT	DD
536	-1.932	34.650	7.29	2.13	83.	.02	33.1	19.7	0	-0.5A	33.70A		27.077	99.3	0
541	-1.930	34.653	7.33	2.11	84.	.02	33.2	19.5	10	-0.05	33.72		27.093	97.8	.010
									20	-0.05	33.71		27.090	98.1	.020
									30	-1.64	33.70		27.141	93.3	.029
									50	-1.71	34.42		27.726	37.9	.042
									75	-1.73	34.46		27.759	34.8	.051
									100	-1.73	34.47		27.767	34.0	.060
									125	-1.72	34.48		27.775	33.3	.068
									150	-1.70	34.48		27.774	33.3	.076
									200	-1.72	34.48		27.775	33.3	.092
									250	-1.71	34.49		27.783	32.5	.108
									300	-1.60	34.51		27.796	31.3	.123
									400	-1.56	34.53		27.811	29.9	.152
									500	-1.90	34.62		27.893	22.1	.176

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
67 45.5S		156 56.0E		02/13/71		1749 GMT			900M		KT				
Z	T	S	O2	P04	S103	ND2	N03	DT	Z	T	S	O2	SIGT	DT	DD
485	-1.88	34.635	7.15	2.14	84.	.02	33.2	21.0	0	-0.60A	33.43A		26.889	117.2	0
490	-1.88	34.636	7.19	2.13	84.	.03	33.0	20.9	10	-0.19	33.43		26.872	118.9	.012
									20	-0.33	33.71		27.103	96.9	.023
									30	-1.14	33.95		27.329	75.5	.031
									50	-1.75	34.15		27.508	58.5	.045
									75	-1.78	34.43		27.736	37.0	.056
									100	-1.79	34.45		27.752	35.4	.065
									125	-1.80	34.47		27.769	33.8	.074
									150	-1.84	34.48		27.778	33.0	.082
									200	-1.84	34.48		27.778	33.0	.098
									250	-1.81	34.49		27.785	32.3	.114
									300	-1.75	34.51		27.800	30.9	.129
									400	-1.16	34.53		27.798	31.1	.158
									500	-1.88	34.65		27.917	19.8	.181

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME				BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
67 42.55		157 23.0E		02/13/71	1928 GMT				M		KT		O2	SIGT	DT	CD
Z	T	S	O2	P04	S103	NC2	NC3	DT	Z	T	S	O2	SIGT	DT	CD	
451	-1.05	34.599	6.22	2.12	95.	.01	33.3	26.2	0	-1.30A	33.46A		26.901	116.1	0	
457	-1.10	34.607	6.45	2.12	94.	.01	33.6	25.1	10	-1.30	33.46		26.901	116.1	.012	
									20	-1.60	34.00		27.383	70.4	.021	
									30	-1.64	34.35		27.667	43.4	.027	
									50	-1.68	34.41		27.717	38.7	.035	
									75	-1.71	34.45		27.750	35.6	.044	
									100	-1.71	34.47		27.766	34.1	.053	
									125	-1.75	34.48		27.776	33.2	.061	
									150	-1.76	34.48		27.776	33.2	.069	
									200	-1.76	34.49		27.784	32.4	.085	
									250	-1.73	34.50		27.791	31.7	.100	
									300	-1.49	34.52		27.801	30.8	.115	
									400	-1.85	34.57		27.819	29.1	.144	

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME				BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
67 39.55		157 38.0E		02/13/71	2200 2233 GMT				T334M	180	09KT	7	O2	SIGT	DT	CD
Z	T	S	O2	P04	S103	NC2	NC3	DT	Z	T	S	O2	SIGT	DT	CD	
0	-4.8	34.458	8.56	.61	36.	-.21	16.6	115.5	0	-4.8	33.458	8.56	26.907	115.5	0	
5	-4.8	34.460	8.57	.59	36.	-.21	16.7	115.4	10	-4.8	33.460	8.36	26.908	115.4	.012	
34	-1.65	34.332	6.89	2.12	83.	-.14	31.4	44.8	20	-1.60	33.845	7.84	27.257	82.3	.021	
132	-1.72	34.469	6.87	2.07	85.	-.03	31.2	34.1	30	-1.64	34.300	7.19	27.627	47.3	.028	
232	-1.71	34.485	6.90	2.04	83.	-.01	32.4	32.9	50	-1.66	34.374	6.89	27.688	41.5	.037	
332	-1.35	34.520	6.53	2.09	88.	-.00	33.4	31.2	75	-1.68	34.440	6.88	27.741	36.4	.046	
434	-1.79	34.573	5.97	2.13	95.	-.01	33.8	29.1	100	-1.70	34.453	6.88	27.752	35.4	.055	
535	-.73	34.588	5.90	2.13	99.	-.01	34.0	28.2	125	-1.72	34.466	6.87	27.763	34.4	.064	
639	-5.3	34.610	5.70	2.14	104.	-.00	33.9	27.3	150	-1.72	34.474	6.88	27.769	33.8	.072	
847	-3.0	34.646	5.49	2.16	108.	-.00	33.6	25.6	200	-1.71	34.482	6.89	27.776	33.1	.088	
1059	-2.7	34.665	5.49	2.26	107.	-.01	33.7	24.2	250	-1.67	34.490	6.85	27.782	32.6	.104	
1166	-2.8	34.678	5.47	2.18	108.	-.00	34.0	23.2	300	-1.49	34.507	6.68	27.790	31.8	.120	
1221B	-3.1	34.678	5.49	2.21	106.	-.00	34.0	23.1	400	-.96	34.556	6.14	27.812	29.8	.149	
1274B	-3.6	34.676	5.52	2.18	107.	-.00	33.6	23.0	500	-.75	34.585	5.92	27.826	28.4	.177	
									600	-.61	34.602	5.78	27.834	27.6	.203	
									700	-.44	34.623	5.61	27.843	26.8	.229	
									800	-.33	34.640	5.52	27.852	25.9	.254	
									1000	-.28	34.660	5.49	27.866	24.6	.303	
									1200	-.30	34.679	5.48	27.882	23.1	.348	

RV THOMAS WASHINGTON

ARIES EXPEDITION II

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME				BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
67 10.55		159 48.0E		02/14/71	1048 1225GMT				2567M	150	30KT	2	O2	SIGT	DT	CD
Z	T	S	O2	P04	S103	NC2	NC3	DT	Z	T	S	O2	SIGT	DT	CD	
0	.06	33.651	7.99	.91	48.	-.17	24.9	103.2	0	.06	33.651	7.99	27.037	103.2	0	
20	.05	33.664	7.99	.95	49.	-.17	25.3	102.2	10	.06	33.658	7.99	27.042	102.7	.010	
45	-1.59	34.412	6.84	2.10	73.	-.12	32.0	38.9	20	.05	33.664	7.99	27.048	102.2	.021	
77	-1.50	34.456	6.65	2.07	78.	-.15	33.2	35.7	30	-.59	33.948	7.55	27.305	77.8	.030	
107	-1.02	34.508	6.31	2.09	82.	-.03	33.3	33.3	50	-1.58	34.419	6.81	27.721	38.4	.041	
128	-.44	34.555	5.89	2.14	84.	-.01	33.4	31.9	75	-1.51	34.453	6.66	27.747	35.9	.050	
155	-.03	34.596	5.58	2.16	90.	-.01	33.7	30.7	100	-1.17	34.495	6.41	27.769	33.8	.059	
181	-.28	34.629	5.36	2.16	92.	-.01	34.0	29.7	125	-.52	34.548	5.95	27.787	32.1	.067	
223	.52	34.655	5.15	2.17	94.	-.01	33.9	29.0	150	-.09	34.591	5.62	27.800	30.9	.075	
260	.66	34.671	5.03	2.17	98.	-.01	33.6	28.6	200	.41	34.644	5.25	27.816	29.3	.090	
330	.79	34.690	4.88	2.18	103.	-.01	33.6	27.9	250	.63	34.668	5.06	27.823	28.7	.105	
443	.79	34.699	4.79	2.15	108.	-.00	33.6	27.3	300	.75	34.684	4.93	27.828	28.2	.119	
576	.77	34.702	4.80	2.17	111.	-.00	34.1	26.9	400	.79	34.697	4.81	27.836	27.5	.147	
725	.69	34.706	4.83	2.19	114.	-.00	34.4	26.1	500	.79	34.701	4.79	27.840	27.1	.175	
891	.58	34.700	4.87	2.25	118.	-.00	34.4	26.0	600	.76	34.703	4.80	27.843	26.8	.203	
968B	.52	34.702	4.88	2.23	120.	-.00	34.6	25.5	700	.71	34.706	4.82	27.849	26.3	.231	
1054	.45	34.695	4.96	2.23	120.	-.00	34.6	25.6	800	.64	34.703	4.85	27.851	26.1	.258	
1116B	.44	34.698	4.98	2.23	123.	-.00	34.4	25.3	1000	.49	34.699	4.92	27.857	25.5	.311	
1263B	.35	34.693	5.00	2.38	122.	-.00	35.3	25.2	1200	.39	34.696	4.93	27.859	25.3	.364	
1409B	.27	34.693	5.04	2.30	123.	-.00	35.3	24.4	1500	.21	34.699	5.05	27.872	24.0	.439	
1555B	.18	34.698	5.06	2.35	124.	-.00	35.1	23.9	2000	.01	34.707	5.16	27.890	22.4	.554	
1702B	.09	34.693	5.18	2.30	121.	-.00	34.5	23.9								
1847B	.03	34.698	5.27	2.32	121.	-.00	34.7	23.2								
1944B	.033	34.706	5.15	2.35	120.	-.00	34.7	22.6								
2041B	-.01	34.706	5.17	2.29	118.	-.00	34.4	22.4								

A) THE DATA FROM THE STD HAS BEEN CALCULATED FOR THIS STATION. THE DATA FROM THE TWO NANSEN BOTTLES PLACED A FEW METERS ABOVE THE STD FOR CALIBRATION ARE ALSO LISTED.
 B) CAST 11.

ARIES EXPEDITION LEG VI

The Kuroshio flows south of Japan as an intense western boundary current. On this expedition temperature measurements were made to provide data on the spacial scales of the meanders of the near-surface Kuroshio between Kyushu and eastern Honshu. Four surface drogues were tracked for a five-day period while XBTs were taken to estimate the near-surface velocity distribution and relate it to the 200m temperature distribution. Meander spacial scales were obtained by analysis of maps of the 15°C isotherm at 200m which were based on XBT drops at five-mile intervals.

In order to define the deep circulation under the Kuroshio and to determine whether or not the deep motions appear to be coherent with the surface flow, an array of current meters was deployed. Nine current meters were placed 100m off the bottom beneath the Kuroshio surface current; eight were recovered with good velocity records which ranged from 29 to 103 days. Four deep hydrographic sections were made over the current meters, which included measurements of dissolved oxygen, inorganic phosphate and silicate concentrations. The geostrophic current distribution determined on the sections has been referenced to the current meter measurements for computation of transport.

On each of 51 stations single or multiple Nansen bottle casts were lowered as near the bottom as possible.

ARIES VI was sponsored by the Office of Naval Research and the National Science Foundation.

Personnel participating in the expedition were:

Ship's Captain:

Ferris, Noel L.

Scientific personnel:

Taft, Dr. B. A. (Chief scientist)
Armstrong, H. C.
Buland, R.
Connors, R. A.
Cunningham, L. M. Jr.
Flick, R. E.
Flierl, G.
Graham, J. B.
Hasunuma, K.
Mantyla, A. W.
Matsuyama, M.
Morris, G. S., Jr.
Robinson, Prof. A. R.

Scharff, J. M., III
Shuto, K.
Soloman, H.
Stock, G. G.
Thomas, J. E.
Wells, J. A.

Publications utilizing ARIES VI data are:

- Solomon, H., 1974. Observations of thermal microstructure in the Kuroshio off of southern Honshu and Shikoku. Jour.Oceanogr. Sc. Japan, 30: 108-120.
- Taft, B. A., A. R. Robinson and W. J. Schmitz, Jr., 1973. Current path and bottom velocity of the Kuroshio. Jour. Phys. Ocean. 3: 347-350.




FIGURE 3

ARIES EXPEDITION VI 1

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
31 30.9N		131 37.8E		06/14/71	0821		GMT	221M				O2	SIGT	OT	CD
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	OT	CD
0	23.87	34.099						485.5	0	23.87	34.099		23.020	485.5	0
10	23.39	34.237						462.2	10	23.39	34.237		23.264	462.2	.047
30	21.66	34.524						394.7	20	22.55	34.396		23.626	427.6	.092
50	20.60	34.520						367.5	30	21.66	34.524		23.971	394.7	.133
81	18.52	34.714						302.1	50	20.60	34.520		24.257	367.5	.210
111	16.78	34.569						272.5	75	18.93	34.680		24.813	314.5	.295
151	15.76	34.583						249.1	100	17.35	34.633		25.167	280.8	.371
173	15.27	34.565						240.0	125	16.33	34.566		25.357	262.7	.439
193	14.41	34.548						223.4	150	15.78	34.583		25.496	249.5	.504
202	14.33	34.548						221.8	200	14.35	34.544		25.780	222.5	.625
212	13.55	34.522						208.2							
232	13.29	34.511						204.0							

ARIES EXPEDITION VI 2

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
31 49.0N		136 31.2E		06/27/71	1631		2115GMT	4187M	260	08KT		O2	SIGT	OT	DD
Z	T	S	O2	P04	S103	N02	N03	OT	Z	T	S	O2	SIGT	OT	DD
1	24.92	34.125	4.90	.14	4.			513.5	0	24.92	34.125	4.90	22.727	513.5	0
20	23.99	34.164	4.95					484.2	10	24.39	34.107	4.92	22.873	499.6	.051
44	22.67	34.506	5.16	.22	5.			423.0	20	23.99	34.164	4.95	23.034	484.2	.100
73	19.65	34.837	5.46	.06	2.			320.6	30	23.80	34.300	5.03	23.192	469.0	.148
102	18.53	34.832	5.04	.12	1.			293.8	50	22.00	34.590	5.25	23.925	399.1	.235
136	17.90	34.828	4.83	.22	7.			279.2	75	19.53	34.842	5.44	24.783	317.3	.325
167	17.69	34.823	4.76	.27	6.			274.7	100	18.57	34.838	5.08	25.026	294.2	.402
196	17.36	34.806	4.61	.36	9.			268.3	125	18.04	34.829	4.87	25.150	282.4	.475
235	16.92	34.782	4.54	.45	10.			260.1	150	17.79	34.826	4.80	25.209	276.8	.546
300	16.08	34.721	4.42	.52	13.			245.9	200	17.32	34.803	4.60	25.307	267.5	.685
375	14.61	34.608	4.24	.79	18.			223.1	250	16.75	34.771	4.51	25.416	257.1	.820
455	12.91	34.487	4.00	1.07	26.			198.5	300	16.08	34.721	4.42	25.533	245.9	.950
545	10.59	34.337	3.73	1.45				168.1	400	14.10	34.572	4.17	25.853	215.6	1.191
646	8.33	34.215	3.25	2.05	54.			141.9	500	11.76	34.409	3.87	26.195	183.1	1.402
746	6.60	34.202	2.56	2.75U	77.			119.4	600	9.30	34.261	3.49	26.510	153.1	1.582
871	5.17	34.216	1.97	2.60	99.			101.3	700	7.33	34.200	2.88	26.764	129.1	1.734
995	4.41	34.296	1.63	2.98	115.			87.2	800	5.89	34.202	2.27	26.958	110.7	1.865
1143	3.64	34.370	1.42	2.94	135.			74.1	1000	4.38	34.299	1.62	27.211	86.7	2.082
1317	3.122	34.440	1.46	2.94	142.			64.1	1200	3.44	34.395	1.43	27.384	70.3	2.258
1510	2.744	34.494	1.68	2.94	150.			56.8	1500	2.76	34.492	1.66	27.523	57.1	2.476
1575A	2.64	34.510	1.84	2.90	150.			54.7	2000	2.10	34.587	2.34	27.654	44.7	2.777
1771A	2.38	34.547	2.04	2.90	153.			49.8	2500	1.79	34.635	2.87	27.717	38.8	3.033
1968A	2.14	34.581	2.30	2.88	157.			45.4	3000	1.60	34.661	3.25	27.752	35.4	3.268
2168A	1.94	34.608	2.56	2.88	155.			41.9	3500	1.52	34.671	3.51	27.766	34.1	3.495
2368A	1.84	34.626	2.74	2.66	155.			39.8	4000	1.53	34.677	3.60	27.770	33.7	3.723
2573A	1.76	34.638	2.94	2.73	156.			38.3							
2779A	1.671	34.651	3.12	2.77	155.			36.6							
2989A	1.601	34.660	3.24	2.43	153.			35.5							
3180B	1.557	34.661	3.39	2.38	153.			35.1							
3378B	1.525	34.670	3.46	2.37	152.			34.2							
3580B	1.521	34.671	3.54	2.41	153.			34.1							
3786B	1.527	34.676	3.58	2.55	152.			33.7							
4000B	1.530	34.677	3.60	2.68	152.			33.7							
4220B	1.555	34.678	3.57	2.58	153.			33.8							

A) CAST II.
B) CAST III.

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

3

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	32 05.0N	136 29.2E	06/28/71	0145 0504GMT	3922M	240	11KT	250 04 03					OT	OO	
0	26.08	34.313	4.83	.03	10.			534.0	0	26.08	34.313	4.83	22.512	534.0	0
20	25.71	34.327	5.03	.07	8.			522.0	10	25.90	34.320	4.94	22.575	528.0	.053
40	23.56	34.705	5.11	.13	9.			433.1	20	25.71	34.327	5.03	22.638	522.0	.106
69	21.00	34.786	5.18					358.5	30	24.73	34.507	5.08	23.073	480.5	.156
96	19.70	34.838	4.96	.11	8.			321.8	50	22.57	34.763	5.13	23.898	401.7	.244
129	18.94	34.851	5.05	.11	12.			302.2	75	20.64	34.800	5.13	24.459	348.2	.339
159	18.48	34.848	4.95	.17	12.			291.4	100	19.58	34.841	4.97	24.771	318.5	.423
187	18.11	34.837	4.86	.25	10.			283.4	125	19.00	34.851	5.03	24.927	303.6	.502
225	17.77	34.835	5.00	.38	17.			275.7	150	18.60	34.850	4.99	25.026	294.2	.577
287	16.94	34.788	4.61	.43	15.			260.1	200	17.99	34.836	4.91	25.168	280.7	.724
362	15.89	34.713	4.53	.61	19.			242.4	250	17.46	34.820	4.87	25.285	269.5	.865
436A	13.94	34.543	4.24					214.4	300	16.79	34.780	4.59	25.413	257.4	1.001
525A	11.42	34.386	3.85	1.25	33.			178.7	400	14.95	34.629	4.40	25.714	228.7	1.255
654A	8.66	34.236	3.37	1.81				145.2	500	12.11	34.424	3.96	26.139	188.3	1.476
785A	6.15	34.183	2.42	2.56	82.			115.2	600	9.73	34.290	3.59	26.462	157.7	1.661
958A	4.55	34.306	1.62	2.85	120.			87.9	700	7.70	34.202	3.05	26.712	134.0	1.819
1185A	3.45	34.409	1.38	2.87	143.			69.4	800	5.96	34.191	2.33	26.940	112.4	1.953
1405B	2.88	34.479	1.62	3.06	146.			59.1	1000	4.28	34.329	1.58	27.245	83.5	2.168
1427A	2.86	34.478	1.63	3.05	148.			59.0	1200	3.39	34.417	1.39	27.405	68.3	2.339
1601B	2.54	34.524	1.89	3.01	150.			52.9	1500	2.74	34.492	1.72	27.525	56.9	2.554
1796B	2.24	34.568	2.23	2.95	148.U			47.2	2000	2.04	34.596	2.51	27.666	43.6	2.850
1992B	2.05	34.595	2.50	2.93	159.			43.7	2500	1.74	34.642	3.05	27.726	37.9	3.100
2187B	1.93	34.608	2.66	2.74	162.			41.8	3000	1.53	34.670	3.43	27.764	34.3	3.328
2384B	1.79	34.636	2.92	2.83	153.			38.6	3500	1.51	34.680	3.57	27.774	33.3	3.549
2582B	1.71	34.644	3.13	2.73	157.			37.5							
2780B	1.59	34.661	3.26	2.79	157.			35.3							
2980B	1.53	34.669	3.42	2.90	153.			34.3							
3181B	1.52	34.672	3.49	2.61	157.			34.0							
3386B	1.51	34.678	3.55	2.71	151.			33.5							
3592B	1.51	34.681	3.59	2.64	148.			33.2							
3801B	1.50	34.683	3.61	2.71	157.			33.0							
3906B	1.52	34.684	3.44	2.54	162.			33.1							

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

4

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	32 14.4N	136 29.4E	06/28/71	0752 0938GMT	4125M	240	20KT	1					250 08 07	OT	DD
0	25.81	34.316	4.82	.23	6.			525.8	0	25.81	34.316	4.82	22.598	525.8	0
20	25.01	34.377	4.90	.12	8.			498.0	10	25.48	34.327	4.87	22.708	515.3	.052
44	23.30	34.673	4.85	.25	10.			428.2	20	25.01	34.377	4.90	22.889	498.0	.103
75	22.13	34.837	5.03	.16	6.			384.5	30	24.30	34.493	4.88	23.188	469.4	.151
104	20.80	34.751	4.65	.26	9.			355.9	50	23.04	34.726	4.90	23.735	417.2	.240
139	19.54	34.814	4.49	.32	9.			319.6	75	22.13	34.837	5.03	24.078	384.5	.341
169	18.75	34.816	4.54	.37	11.			300.2	100	20.98	34.766	4.71	24.340	359.5	.435
199	17.91	34.799	4.49	.49	13.			281.5	125	20.00	34.782	4.52	24.615	333.3	.522
238	17.36	34.815	4.65	.47	11.			267.7	150	19.24	34.818	4.50	24.841	311.8	.604
302	16.39	34.753	4.51	.62	11.			250.4	200	17.89	34.799	4.49	25.164	281.1	.755
378	15.04	34.640	4.19	.94.	18.			229.7	250	17.19	34.808	4.62	25.342	264.2	.895
457	13.7	34.535	4.07	1.15.	24.			210.2	300	16.42	34.756	4.51	25.481	250.9	1.029
547	11.12	34.366	3.81	1.43	37.			175.0	400	14.71	34.615	4.15	25.757	224.7	1.277
647	8.60	34.240	3.26	1.99	57.			144.0	500	12.52	34.451	3.97	26.082	193.8	1.498
746	6.47	34.176	2.54	2.42	81.			119.7	600	9.74	34.292	3.55	26.463	157.6	1.686
871	5.24	34.247	1.98	2.72	104.			99.8	700	7.37	34.194	2.87	26.753	130.1	1.842
996	4.24	34.322	1.54	3.03	122.			83.5	800	5.82	34.199	2.27	26.963	110.1	1.972
1147	3.54	34.390	1.41	3.16	136.			71.7	1000	4.22	34.324	1.54	27.248	83.2	2.185
1323	3.02	34.456	1.50	3.06	145.			62.0	1200	3.36	34.412	1.44	27.404	68.4	2.355
1472B	2.73	34.502	1.73	3.01	150.			56.1	1500	2.69	34.509	1.73	27.543	55.2	2.567
1510	2.67	34.511	1.73	3.07	152.			54.9	2000	2.02	34.600	2.58	27.672	43.1	2.857
1662B	2.45	34.540	1.92	2.98	152.			50.9	2500	1.71	34.648	3.07	27.733	37.2	3.103
1852B	2.17	34.574	2.27	2.83	150.			46.2	3000	1.52	34.672	3.34	27.767	34.1	3.329
2042B	1.98	34.606	2.65	2.88	157.			42.3	3500	1.51	34.681	3.46	27.775	33.3	3.549
2233B	1.86	34.627	2.74	2.75	153.			39.8	4000	1.53	34.683	3.66	27.775	33.2	3.774
2425B	1.75	34.642	3.00	2.74	153.			37.9							
2618B	1.651	34.654	3.15	2.70	153.			36.3							
2812B	1.558	34.637U	3.19	2.54U	140.U										
3007B	1.524	34.672	3.35	2.61	150.			34.0							
3206B	1.495	34.679	3.49	2.63	152.			33.3							
3405B	1.501	34.680	3.40	2.56	147.			33.3							
3607B	1.510	34.681	3.54	2.62	151.			33.2							
3812B	1.506	34.683	3.60	2.65	151.			33.1							
4020B	1.530	34.683	3.67	2.59	151.			33.2							

A) THE NANSEN BOTTLE AT THIS LEVEL ON CAST I PRETRIPPED. THE DEPTH MAY BE SLIGHTLY IN ERROR.

B) CAST II.

C) ALTERNATE VALUE 23.39 DEGREES.

D) TEMPERATURE INFERRED FROM PRESSURE THERMOMETER AND WIRE LENGTH.

E) ALTERNATE VALUE 2.67 DEGREES.

RV THOMAS WASHINGTON ARIES EXPEDITION VI

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND		SPEED	WEATHER		DOMINANT WAVES	
	32	24.7N	136	28.8E	06/28/71		1302	1520GMT	4287M	Z	T	S	O2	SIGT	DT	DD	
0	25.39	34.224	4.85	.07	5.				520.1	0	25.39	34.224	4.85	22.658	520.1	0	
20	25.34	34.222	4.89	.07	5.				518.7	10	25.36	34.223	4.87	22.665	519.4	.052	
46	24.31	34.567	4.98	.06	5.				464.2	20	25.34	34.222	4.89	22.672	518.7	.104	
78	22.56	34.842	5.21		7.				395.7	30	25.03	34.338	4.92	22.854	501.4	.155	
109	21.21	34.817	4.95	.05	6.				361.7	50	24.10	34.615	5.02	23.342	454.7	.251	
145	20.13	34.870	4.88	.11	7.				330.2	75	22.73	34.825	5.20	23.900	401.5	.359	
177	19.35	34.859	4.66	.18	6.				311.6	100	21.56	34.835	5.04	24.234	369.6	.456	
208	18.67	34.849	4.58	.27	8.				295.9	125	20.68	34.839	4.92	24.477	346.5	.546	
247	17.71	34.785	4.44	.44	9.				277.9	150	20.00	34.869	4.85	24.682	326.9	.632	
312	16.67	34.740	4.35	.54	23.U				257.5	200	18.85	34.853	4.60	24.967	299.8	.791	
386	14.93	34.632	4.29	.76	10.				228.0	250	17.66	34.783	4.43	25.208	276.9	.939	
461	13.20	34.504	4.11	.99	23.				202.8	300	16.85	34.748	4.36	25.374	261.0	1.078	
543	11.06	34.361	3.87	1.36	34.				174.3	400	14.61	34.610	4.26	25.773	223.1	1.331	
632	8.41	34.249	3.31	1.85	48.				140.5	500	12.22	34.434	4.02	26.128	189.5	1.549	
717	6.8	34.238	2.79	2.46	74.				119.3	600	9.33	34.278	3.53	26.520	152.2	1.732	
819	5.35	34.228	2.16	2.58	88.				102.5	700	7.07	34.238	2.89	26.830	122.8	1.881	
914	4.48	34.268	1.65	2.88	100.				90.1	800	5.58	34.228	2.27	27.017	105.1	2.005	
1022	3.88	34.343	1.50	2.92	97.				78.4	1000	3.98	34.327	1.51	27.275	80.6	2.209	
1134	3.41	34.413	1.45	3.01					68.7	1200	3.17	34.439	1.49	27.444	64.6	2.372	
1240	3.04	34.451	1.53	3.05					62.6	1500	2.64	34.520	1.83	27.556	53.9	2.575	
1435A	2.74	34.504	1.75	2.80	160.U				56.0	2000	2.03	34.605	2.52	27.674	42.8	2.862	
1631A	2.44	34.549	1.99	2.94	149.				50.2	2500	1.69	34.667	3.08	27.750	35.6	3.103	
1826A	2.19	34.580	2.24	2.89	155.				45.9	3000	1.51	34.678	3.41	27.772	33.5	3.322	
2022A	2.01	34.607	2.55	2.82	151.				42.4	3500	1.50	34.687	3.53	27.780	32.8	3.540	
2218A	1.85	34.644	2.80	2.80	154.				38.5	4000	1.53	34.687	3.62	27.779	32.9	3.763	
2413A	1.73	34.661	2.96	2.64	153.				36.3								
2610A	1.64	34.671	3.23	2.71	152.				34.9								
2809A	1.56	34.673	3.35	2.69	152.				34.2								
3007A	1.51	34.678	3.41	2.66	151.				33.5								
3207A	1.50	34.683	3.43	2.61	150.				33.0								
3406A	1.50	34.687	3.51	2.61	150.				32.7								
3608A	1.51	34.686	3.55	2.64	149.				32.9								
3810A	1.52	34.688	3.57	2.61	151.				32.8								
4017A	1.53	34.687	3.62	2.69	149.				32.9								
4222A	1.55	34.689	3.64	2.57	151.				32.9								

RV THOMAS WASHINGTON ARIES EXPEDITION VI

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND		SPEED	WEATHER		DOMINANT WAVES	
	32	33.2N	136	32.4E	06/28/71		2100	2139GMT	4430M	Z	T	S	O2	SIGT	DT	DD	
1	26.15	34.278	4.80	.04	4.				538.6	0	26.15	34.278	4.80	22.464	538.6	0	
19	25.90	34.311	4.78	.05	2.				528.8	10	26.15	34.278	4.79	22.464	538.6	.054	
43	23.77	34.567	5.00	.07	4.				448.9	20	25.82	34.320	4.79	22.597	525.9	.107	
72	22.42	34.75	4.98		5.				398.6	30	25.00	34.415	4.88	22.922	494.9	.158	
101	21.48	34.836	4.91	.05	3.				367.4	50	23.36	34.624	5.00	23.563	433.6	.251	
135	20.12	34.853	4.76	.10	12.				331.2	75	22.32	34.762	4.98	23.969	394.9	.356	
164	19.40	34.848	4.59	.19	15.				313.7	100	21.51	34.834	4.91	24.248	368.3	.452	
194	18.84	34.859	4.64	.29	9.				299.2	125	20.51	34.853	4.81	24.535	340.9	.542	
232	17.98	34.834	4.57	.27	6.				280.6	150	19.71	34.850	4.66	24.743	321.1	.625	
295	16.90	34.781	4.51	.45	6.				259.7	200	18.70	34.856	4.63	25.005	296.2	.783	
369	15.30	34.659	4.34	.60	12.				233.7	250	17.66	34.822	4.55	25.238	274.1	.929	
447	13.74	34.545	4.00	.94	20.				210.3	300	16.80	34.773	4.50	25.407	257.9	1.067	
537	10.99	34.342	3.84	1.33	36.				174.5	400	14.72	34.619	4.20	25.758	224.6	1.318	
635	8.42	34.228	3.24	1.86	54.				142.2	500	12.16	34.421	3.91	26.128	189.4	1.537	
735	6.58	34.208	2.50	2.28	77.				118.7	600	9.27	34.257	3.49	26.513	152.9	1.720	
859	5.07	34.276	1.82	2.65	100.				95.7	700	7.15	34.207	2.76	26.795	126.1	1.871	
984	4.02	34.338	1.48	2.92	121.				80.2	800	5.71	34.239	2.11	27.010	105.8	1.997	
1135	3.44	34.407	1.46	2.97	133.				69.5	1000	3.94	34.346	1.48	27.295	78.8	2.201	
1310	2.939	34.473	1.62	2.95	143.				60.0	1200	3.24	34.433	1.51	27.433	65.6	2.362	
1493	2.561	34.526	1.80	2.96	151.				52.9	1500	2.55	34.527	1.81	27.569	52.8	2.566	
1552A	2.51	34.529	1.85	2.75	149.				52.2	2000	2.02	34.602	2.49	27.673	42.9	2.848	
1748A	2.25	34.567	2.12	2.72	150.				47.3	2500	1.68	34.653	3.04	27.740	36.6	3.092	
1945A	2.06	34.595	2.41	2.72	153.				43.7	3000	1.51	34.673	3.42	27.769	33.8	3.315	
2142A	1.91	34.617	2.68	2.62	153.				40.9	3500	1.50	34.682	3.52	27.776	33.1	3.534	
2341A	1.76	34.638	2.93	2.93U					38.3	4000	1.53	34.685	3.58	27.777	33.1	3.758	
2539A	1.66	34.655	3.07	2.65	153.				36.3								
2737A	1.59	34.666	3.27	2.65	152.				34.9								
2936A	1.52	34.673	3.41	2.61	150.				33.9								
3134A	1.494	34.673	3.43	2.61	152.				33.7								
3334A	1.498	34.681	3.42	2.58	152.				33.2								
3532A	1.500	34.682	3.54	2.61	150.				33.1								
3731A	1.514	34.684	3.57	2.54	148.				33.0								
3929A	1.527	34.685	3.57	2.58	148.				33.1								
4129A	1.540	34.684	3.59	2.59	148.				33.2								
4328A	1.565	34.682	3.59	2.57	147.				33.6								

A) CAST II.
 B) TEMPERATURE INFERRED FROM PRESSURE THERMOMETER AND WIRE LENGTH.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		DD
	T	S	O2	P04	S103	NO2	NO3	DT	Z	T				S	O2	
0	26.80	34.301	4.72	.12	4.			556.5	0	26.80	34.301	4.72	22.277	556.5	0	
20	26.65	34.303	4.72	.03	6.			551.9	10	26.72	34.302	4.72	22.302	554.2	.056	
45	24.34	34.615	4.98	.05	5.			461.6	20	26.65	34.303	4.72	22.326	551.9	.111	
75	23.05	34.847	5.16		4.			408.8	30	25.80	34.409	4.81	22.671	518.8	.165	
105	21.03	34.814	4.92	.07	5.			357.2	50	24.09	34.671	5.03	23.385	450.6	.262	
139	19.95	34.859	4.73	.12	7.			326.5	75	23.05	34.847	5.16	23.824	408.8	.370	
170	19.13	34.860	4.65	.15	6.			306.2	100	21.36	34.824	4.97	24.283	365.0	.467	
200	18.36	34.846	4.64	.26	8.			288.7	125	20.31	34.839	4.80	24.578	336.8	.556	
240	17.62	34.818	4.58	.33	7.			273.4	150	19.65	34.862	4.69	24.768	318.7	.639	
305	16.44	34.752	4.49	.49	11.			251.6	200	18.36	34.846	4.64	25.084	288.7	.794	
380	14.60	34.602	4.26	.76	17.			223.4	250	17.45	34.811	4.57	25.280	270.0	.938	
459	12.54	34.440	4.12	1.07	24.			195.0	300	16.54	34.758	4.50	25.457	253.2	1.073	
548	10.14								400	14.09	34.560	4.23	25.848	216.1	1.318	
647	7.79	34.242	2.95	2.10	63.			132.2	500	11.42	34.370	3.93	26.227	180.0	1.527	
745	5.91	34.228	2.23	2.52	87.			109.0	600	8.86	34.258	3.31	26.580	146.5	1.702	
866	4.71	34.287	1.76		106.			91.0	700	6.70	34.227	2.55	26.873	118.8	1.845	
987	3.9	B 34.362	1.55	2.95	126.			77.2	800	5.26	34.250	1.97	27.072	99.8	1.964	
1131	3.31	34.424	1.46	2.95	136.			67.0	1000	3.83	34.369	1.54	27.323	76.1	2.158	
1296	2.91	34.480	1.60	2.90	144.			59.3	1200	3.12	34.450	1.50	27.457	63.4	2.314	
1467	2.61	34.519	1.76	2.92	151.			53.8	1500	2.55	34.524	1.84	27.567	52.9	2.514	
1518A	2.52	C 34.527	1.89	2.90	151.			52.5	2000	2.02	34.605	2.49	27.674	42.8	2.796	
1715A	2.29	34.565	2.12	2.87	153.			47.8	2500	1.70	34.651	3.09	27.737	36.9	3.041	
1912A	2.10	34.595	2.36	2.66	152.			44.0	3000	1.54	34.674	3.41	27.767	34.0	3.265	
2109A	1.93	34.613	2.65	2.68	153.			41.4	3500	1.53	34.681	3.46	27.774	33.4	3.486	
2306A	1.80								4000	1.55	34.682	3.61	27.773	33.5	3.714	
2503A	1.70	34.651	3.09	2.71	152.			36.9	4500	1.59	34.688	3.61	27.775	33.3	3.949	
2700A	1.63	34.661	3.20	2.64	152.			35.6								
2898A	1.57	34.669	3.36	2.64	150.			34.6								
3096A	1.52	34.677	3.45	2.61	152.			33.6								
3295A	1.51	34.676	3.49	2.61	151.			33.4								
3495A	1.53	34.681	3.46	2.62	151.			33.2								
3695A	1.52	34.682	3.57	2.62	152.			33.4								
3897A	1.54	34.682	3.60	2.62	155.			33.5								
4099A	1.56	34.682	3.62	2.62	154.			33.4								
4303A	1.57	34.684	3.63	2.71	152.			33.3								
4508A	1.59	34.688	3.61	2.64	156.			33.3								

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM		WIND	SPEED	WEATHER	DOMINANT WAVES		DD
	T	S	O2	P04	S103	NO2	NO3	DT	Z	T				S	O2	
0	27.09	34.338	4.77	.05	4.			562.7	0	27.09	34.338	4.77	22.213	562.7	0	
20	26.54	34.418	4.86		7.			540.3	10	27.09	34.338	4.82	22.213	562.7	.056	
45	24.22	34.638	4.90	.03	8.			456.5	20	26.54	34.418	4.86	22.447	540.3	.111	
76	22.23	34.696	4.53	.17	8.			397.4	30	25.65	34.511	4.88	22.793	507.2	.164	
106	21.04	34.806	4.57	.12	11.			358.1	50	23.84	34.654	4.84	23.447	444.7	.259	
141	19.72	34.825	4.52	.21	6.			323.2	75	22.28	34.696	4.54	23.928	398.8	.365	
171	18.84	34.850	4.70	.17	6.			299.9	100	21.25	34.786	4.56	24.284	364.9	.462	
200	18.17	34.845	4.52	.27	8.			284.3	125	20.30	34.822	4.53	24.567	337.9	.551	
240	17.31	34.795	4.51	.40	9.			268.0	150	19.43	34.833	4.58	24.802	315.5	.634	
303	15.65	34.679	4.27	.66	16.			239.7	200	18.17	34.845	4.52	25.130	284.3	.786	
376	13.76	34.533	4.17	.89	20.			211.5	250	17.06	34.778	4.48	25.349	263.5	.927	
453	11.57	34.373	3.97	1.22	31.			182.3	300	15.73	34.685	4.28	25.585	241.1	1.057	
538	8.99	34.238	3.51	1.71	47.			150.0	400	13.10	34.482	4.12	25.991	202.4	1.289	
633	6.66	34.196	2.60	2.34	72.			120.6	500	10.13	34.288	3.75	26.395	164.1	1.483	
726	5.38	34.268	2.04	2.61	94.			99.8	600	7.38	34.197	2.92	26.755	129.9	1.640	
845	4.47	34.309	1.74	2.82	114.			86.9	700	5.66	34.246	2.17	27.020	104.8	1.766	
962	3.82	34.364	1.56	3.00	126.			76.3	800	4.75	34.297	1.82	27.168	90.7	1.873	
1107	3.28	34.425	1.47	3.03	137.			66.7	1000	3.65	34.382	1.52	27.351	73.4	2.053	
1276	2.951	34.470	1.54	3.00	142.			60.4	1200	3.08	34.452	1.51	27.462	62.9	2.206	
1460	2.590	34.519	1.78	3.00	150.			53.6	1500	2.53	34.527	1.84	27.571	52.6	2.404	
1752A	2.25	34.566	2.19	3.07	147.			47.4	2000	2.03	34.597	2.47	27.668	43.4	2.687	
1970A	2.05	34.594	2.44	3.01	150.			43.7	2500	1.71	34.639	3.01	27.726	37.8	2.936	
2187A	1.91	34.611	2.64	2.88	153.			41.4	3000	1.55	34.664	3.28	27.759	34.8	3.165	
2405A	1.75	34.634	2.92	2.82	151.			38.5	3500	1.51	34.678	3.55	27.773	33.5	3.388	
2622A	1.67	34.644	3.12	2.70	149.			37.2	4000	1.54	34.680	3.56	27.772	33.5	3.614	
2841A	1.59	34.660	3.29	2.70	148.			35.4								
3062A	1.538	34.665	3.28	2.62	151.			34.7								
3284A	1.525	34.674	3.48	2.61	152.			33.9								
3508A	1.51	34.678	3.55	2.66	151.			33.5								
3708A	1.521	34.677	3.52	2.60	151.			33.6								
3861A	1.537	34.677	3.46	2.65	149.			33.7								
4014A	1.538	34.680	3.57	2.65	153.			33.5								
4116A	1.552	34.680	3.59	2.60	151.			33.6								
4219A	1.557	34.679	3.60	2.75	149.			33.7								
4373A	1.573	34.681	3.60	2.73	151.			33.7								
4428A	1.584															

A) CAST 11.

B) TEMPERATURE INFERRED FROM PRESSURE THERMOMETER AND WIRE LENGTH.

C) ALTERNATE VALUE 2.72 DEGREES.

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
33 05.2N		136 31.1E		06/29/71	1430	1705GMT	3361M	130	06KT		02	SIGT	DT	DD	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	25.99	34.369	4.84	.08	9.			527.3	0	25.99	34.369	4.84	22.582	527.3	0
20	25.98	34.412	4.85	.07	8.			523.9	10	25.98	34.391	4.84	22.600	525.6	.053
45	23.91	34.547	4.88	.07	7.			454.3	20	25.98	34.412	4.85	22.618	523.9	.105
75	22.48	34.704	4.56	.15	8.			403.6	30	25.24	34.457	4.86	22.879	498.9	.156
103	20.56	34.809	4.63	.17	15.			345.5	50	23.65	34.577	4.83	23.444	445.0	.251
136	18.66	34.814	4.50	.31	17.			298.2	75	22.48	34.704	4.56	23.878	403.6	.358
166	18.08	34.804	4.47	.34	18.			285.1	100	20.77	34.800	4.62	24.423	351.6	.453
193	17.39	34.783	4.45	.42	20.			270.7	125	19.20	34.819	4.55	24.852	310.8	.537
228	16.37	34.725	4.32	.59	23.			252.0	150	18.33	34.812	4.48	25.065	290.5	.613
286	13.90	34.549	4.11	.94	30.			213.1	200	17.21	34.775	4.43	25.311	267.1	.755
351	12.31	34.430	4.08	1.19	32.			191.5	250	15.43	34.657	4.23	25.630	236.7	.885
416	10.60	34.311	3.89	1.39	37.			170.2	300	13.51	34.522	4.10	25.938	207.5	1.000
488	8.47								400	11.04	34.338	3.96	26.273	175.7	1.200
565	6.89	34.256	2.44	2.29	86.			119.1	500	8.19	34.270	3.13	26.693	135.8	1.365
640	5.59	34.241	2.09	2.59	114.			104.2	600	6.23	34.246	2.28	26.948	111.6	1.497
730	4.82	34.286	1.77	2.80	111.			92.3	700	5.02	34.269	1.86	27.116	95.7	1.608
819	4.29	34.320	1.60	2.93	122.			84.2	800	4.39	34.313	1.63	27.221	85.7	1.707
926	3.80	34.364	1.47	3.00	132.			76.1	1000	3.57	34.394	1.48	27.369	71.7	1.880
1051	3.44	34.414	1.49	2.92	139.			68.9	1200	2.99	34.471	1.58	27.486	60.7	2.029
1188	3.02	34.468	1.57	3.06	147.			61.1	1500	2.54	34.525	1.90	27.569	52.7	2.223
1451A	2.60	34.516	1.87	2.86	151.			54.0	2000	2.04	34.603	2.52	27.672	43.0	2.506
1640A	2.37	34.551	2.02	2.79	150.			49.5	2500	1.73	34.644	3.00	27.728	37.7	2.754
1829A	2.16	34.585	2.33	2.87	154.			45.2	3000	1.56	34.668	3.39	27.761	34.6	2.983
2019A	2.03	34.604	2.54	2.86	154.			42.8							
2208A	1.87	34.622	2.78	2.80	154.			40.3							
2399A	1.78	34.636	2.89	2.77	155.			38.6							
2591A	1.69	34.649	3.10	2.72	157.			36.9							
2785A	1.62	34.659	3.26	2.70	155.			35.7							
2980A	1.57	34.667	3.37	2.67	155.			34.7							
3178A	1.52	34.674	3.53	2.64	158.			33.8							
3276A	1.51	34.674	3.51	2.75	159.			33.8							

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
33 15.3N		136 32.5E		06/29/71	2107	2107	1807M	060	09KT		060	06	06	DD	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	DD
0	25.97	34.405	4.80					524.1	0	25.97	34.405	4.80	22.616	524.1	0
19	23.94	34.675	4.82	.04	7.			445.9	10	25.87	34.410	4.81	22.651	520.8	.052
44	21.77	34.300	4.83	.12	7.			413.8	20	23.80	34.639	4.82	23.448	444.6	.101
75	20.31	34.422	4.76	.19	8.			367.2	30	22.64	34.374	4.82	23.582	431.8	.145
1308	18.41	34.736	4.26	.42	13.			297.9	50	21.42	34.298	4.83	23.865	404.8	.228
1798	16.64	34.696	4.21	.58	15.			260.1	75	20.31	34.422	4.76	24.259	367.2	.326
2148	15.06	34.621	4.13	.75	20.			231.5	100	19.40	34.583	4.53	24.620	332.9	.414
2728	12.91	34.496	3.87	1.10	31.			197.8	125	18.57	34.714	4.31	24.931	303.2	.494
3398	10.97	34.344	3.79	1.32	33.			174.0	150	17.72	34.744	4.24	25.162	281.2	.568
4108	9.64	34.313	3.13	1.78	54.			154.5	200	15.70	34.653	4.17	25.568	242.6	.702
4888	7.05	34.275	2.85	2.10	67.			119.7	250	13.67	34.544	3.97	25.923	208.9	.818
5768	5.43	34.250	2.04	2.72	95.			101.7	300	12.02	34.426	3.85	26.158	186.6	.921
6638	4.54	34.303	1.80	2.71	109.			88.0	400	9.83	34.315	3.23	26.465	157.4	1.101
7738	4.26	34.327	1.61	2.82	117.			83.4	500	6.77	34.269	2.74	26.896	116.5	1.245
8838	3.82	34.363	1.47	2.93	126.			76.3	600	5.12	34.263	1.94	27.099	97.3	1.359
10178	3.316	34.430	1.47	2.92	137.			66.6	700	4.40	34.314	1.73	27.220	85.8	1.458
11788	2.950	34.472	1.59	2.92	145.			60.2	800	4.16	34.335	1.57	27.262	81.8	1.549
13518	2.668	34.511	1.77	2.92	151.			54.9	1000	3.37	34.422	1.47	27.411	67.8	1.713
14878	2.541	34.531	1.87	2.86	152.			52.3	1200	2.91	34.478	1.61	27.499	59.4	1.856
16368	2.368	34.555	2.08	2.90	152.			49.1	1500	2.53	34.533	1.88	27.576	52.1	2.047

A) CAST II.
 B) POSSIBLE PRETRIP. THE DEPTH MAY BE SLIGHTLY IN ERROR.
 C) ALTERNATE VALUE 24.62 DEGREES.

KV THOMAS WASHINGTON

ARIES EXPEDITION VI

11

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		DD	
	33	24.5N	136	34.3E	06/30/71	0242	0340GMT	2002M	050	10KT		050	04 03		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	24.54	33.716	5.00		4.			532.1	0	24.54	33.716	5.00	22.532	532.1	0
25	22.34	34.276	5.23	.02	6.			430.7	10	24.50	33.720	5.09	22.547	530.7	.053
50	19.54	34.646	4.13	.34	10.			331.8	20	23.18	34.065	5.18	23.194	468.9	.103
105	16.09	34.597	4.22	.63	18.8			255.2	30	21.71	34.387	5.03	23.853	405.9	.147
188A	12.16	34.458	3.71	1.01	33.8			186.7	50	19.54	34.646	4.13	24.631	331.8	.221
221A	11.20	34.412	3.50	1.43	41.			173.0	75	17.70	34.620	4.17	25.139	283.4	.298
249A	10.78	34.393	3.40	1.46	44.			167.2	100	16.31	34.600	4.21	25.410	257.6	.367
277A	10.17	34.365	3.29	1.61	51.			159.1	125	14.97	34.564	4.13	25.660	233.9	.429
313A	9.18	34.324	3.11	1.79	55.			146.5	150	13.73	34.525	3.99	25.895	211.5	.486
374A	7.63	34.260	2.79	2.09	68.			128.7	200	11.76	34.440	3.63	26.219	180.8	.586
443A	6.61	34.254	2.43		80.			115.6	250	10.76	34.392	3.40	26.365	166.9	.676
517A	5.76	34.252	2.13	2.49	91.			105.4	300	9.55	34.339	3.18	26.532	151.1	.758
600A	4.98	34.277	1.87	2.71	107.			94.7	400	7.19	34.254	2.65	26.827	123.1	.901
692A	4.36	34.342	1.66	2.87	118.			83.3	500	5.94	34.252	2.19	26.991	107.5	1.023
784A	3.95	34.381	1.51	2.95	123.			76.2	600	4.98	34.277	1.87	27.126	94.7	1.131
876A	3.64	34.406	1.50	2.95	132.			71.4	700	4.32	34.346	1.64	27.255	82.5	1.226
968A	3.41	34.406	1.50	3.01	137.			69.3	800	3.89	34.387	1.51	27.332	75.2	1.312
1086A	3.12	34.448	1.54	2.98	142.			63.5	1000	3.33	34.416	1.51	27.410	67.8	1.469
1203A	2.89	34.476	1.62	2.97	148.			59.4	1200	2.90	34.475	1.62	27.498	59.5	1.612
1345A	2.68	34.513	1.79	2.93	151.			54.8	1500	2.48	34.541	1.98	27.586	51.1	1.802
1513A	2.47	34.543	2.00	2.90	153.			50.9							
1696A	2.31	34.563	2.15	2.90	155.			48.1							
1837A	2.20	34.575	2.34	2.90	155.			46.3							
1989A	2.02	34.603	2.52	2.96	158.			42.8							

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

12

Z	LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		DD	
	33	36.3N	136	27.5E	06/30/71	0615	GMT	2046M	090	10KT	2	020	03 04		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
1	23.92	33.794	5.06		7.			508.9	0	23.92	33.794	5.06	22.775	508.9	0
20	17.54	34.372	4.79	.41	18.			304.0	10	20.48	34.078	4.96	23.953	396.5	.045
45	14.28	34.529	4.15	.89	27.			222.2	20	17.54	34.372	4.79	24.923	304.0	.080
76	13.32	34.500	4.19	.98	35.			205.4	30	15.70	34.514	4.52	25.461	252.8	.108
106	12.59	34.472	4.00	1.06	31.			193.6	50	14.00	34.520	4.16	25.835	217.2	.156
141	11.32	34.416	3.83	1.35	41.			174.8	75	13.33	34.501	4.19	25.958	205.6	.209
172	10.37	34.365	3.54	1.52	47.			162.4	100	12.75	34.479	4.05	26.059	196.0	.260
201	9.75	34.334	3.35	1.67	52.			154.6	125	11.92	34.443	3.91	26.192	183.4	.308
242	8.92	34.301	3.15	1.84	57.			144.2	150	11.02	34.400	3.75	26.324	170.8	.353
307	7.79	34.266	2.86	2.05	68.			130.4	200	9.77	34.335	3.36	26.492	154.9	.436
382	6.92	34.239	2.61	2.14	78.			120.7	250	8.77	34.296	3.11	26.624	142.3	.513
462	5.68	34.224	2.20	2.51	91.			106.6	300	7.90	34.269	2.89	26.736	131.7	.584
552	5.05	34.254	1.94	2.72	103.			97.2	400	6.63	34.232	2.52	26.886	117.5	.714
652	4.43	34.289	1.72	2.88	115.			88.0	500	5.36	34.235	2.07	27.048	102.1	.829
751	4.02	34.325	1.53	2.98	125.			81.1	600	4.73	34.271	1.83	27.149	92.5	.933
876	3.65	34.377	1.54	2.94	133.			73.7	700	4.21	34.306	1.62	27.234	84.5	1.028
999	3.29	34.426	1.47	3.06	140.			66.7	800	3.86	34.345	1.53	27.301	78.1	1.116
1149	2.96	34.474	1.59	3.04	147.			60.1	1000	3.29	34.427	1.47	27.423	66.6	1.275
1323	2.672	34.516	1.76	3.02	151.			54.5	1200	2.87	34.488	1.64	27.510	58.3	1.415
1509	2.432	34.545		2.99	152.			50.4	1500	2.44	34.544	1.97	27.592	50.6	1.602
1660	2.277	34.568	2.17	2.92	155.			47.4	2000	1.97	34.616	2.55	27.688	41.5	1.874
1812	2.126	34.596	2.37	2.91	155.			44.2							
1914	2.038	34.609	2.48	2.92	155.			42.5							
2016	1.952	34.616	2.56	2.87	158.			41.3							

A) CAST 1.

B) THE SAMPLES APPEAR TO HAVE BEEN REVERSED. THEY ARE ASSUMED TO BE IN THE CORRECT ORDER.

RV THOMAS WASHINGTON										ARIES EXPEDITION VI						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 45.4N		136 30.1E		06/30/71		0905		GMT	2037M	060	07KT		070	02	03	
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	00	
0	21.06	34.181	5.40	.13	11.			403.8	0	21.06	34.181	5.40	23.875	403.8	0	
19	16.91	34.442	5.21	.43	17.			284.6	10	18.57	34.324	5.34	24.633	331.6	.037	
44	15.23	34.502	4.43	.82	25.			243.7	20	16.79	34.449	5.18	25.160	281.5	.067	
75	14.47	34.517	4.37	.85	27.			226.9	30	15.85	34.500	4.86	25.417	257.0	.094	
105	13.70	34.500	4.28	.93	29.			212.8	50	15.03	34.510	4.42	25.607	238.9	.144	
140	12.56	34.469	4.12	1.15	36.			193.2	75	14.47	34.517	4.37	25.733	226.9	.203	
171	11.26	34.414	3.82	1.38	44.			173.9	100	13.84	34.504	4.30	25.857	215.1	.259	
201	10.26	34.358	3.56	1.61	48.			161.1	125	13.09	34.485	4.20	25.996	202.0	.312	
241	9.21	34.314	3.27	1.83	57.			147.7	150	12.14	34.452	4.03	26.156	186.8	.361	
307	7.88	34.259	2.99	2.10	67.			132.2	200	10.29	34.360	3.57	26.422	161.5	.450	
383	7.17	34.239	2.72		75.			124.0	250	8.99	34.305	3.22	26.595	145.1	.529	
463	6.12	34.218	2.38	2.46	87.			112.2	300	7.99	34.264	3.01	26.717	133.5	.601	
553	5.15	34.240	1.97	2.76	102.			99.3	400	6.95	34.233	2.65	26.842	121.6	.735	
654	4.60	34.272	1.74	2.90	113.			91.0	500	5.68	34.224	2.20	27.001	106.6	.855	
753	3.97	34.325	1.51	2.79	126.			80.6	600	4.86	34.254	1.85	27.121	95.2	.962	
878	3.62	34.378A	1.47	3.06	134.			73.3	700	4.29	34.296	1.62	27.217	86.1	1.059	
1002	3.32	34.419	1.50	3.09	141.			67.5	800	3.81	34.347	1.49	27.309	77.4	1.148	
1151	3.02	34.458	1.54	3.07	147.			61.9	1000	3.32	34.419	1.50	27.413	67.6	1.307	
1326	2.76	34.499	1.70	3.03	151.			56.6	1200	2.94	34.470	1.57	27.490	60.3	1.450	
1512	2.49	34.534	1.98	2.99	155.			51.7	1500	2.50	34.532	1.96	27.577	52.0	1.643	
1664	2.39	34.547	2.15	2.94	154.			49.9	2000	1.99	34.594	2.55	27.668	43.4	1.924	
1816	2.22	34.572	2.29	2.94	155.			46.7								
1918	2.08	34.608U	2.44	2.92	164.U											
2020	1.97	34.595	2.57	2.87	158.			43.1								

RV THOMAS WASHINGTON										ARIES EXPEDITION VI						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
33 56.1N		136 31.2E		06/30/71		1128		GMT	1274M	070	09KT		02	SIGT	DT	00
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	00	
0	21.57	34.034	5.38	.11	8.			427.8	0	21.57	34.034	5.38	23.625	427.8	0	
20	20.38	34.259	5.63	.06	7.			380.8	10	21.27	34.162	5.51	23.803	410.7	.042	
45	15.57	34.515	4.43	.76	21.			250.0	20	20.38	34.259	5.63	24.117	380.8	.082	
75	14.08	34.512	4.31	.92	26.			219.4	30	18.40	34.368	5.19	24.708	324.5	.117	
105	12.67	34.471		1.11	30.			195.1	50	15.16	34.514	4.41	25.581	241.4	.174	
140	11.97	34.467	4.14	1.26	33.			182.6	75	14.08	34.512	4.31	25.812	219.4	.232	
171	11.17	34.422	3.85	1.42	39.			171.7	100	12.88	34.478	4.27	26.031	198.7	.285	
201	10.51	34.380	3.54	1.63	46.			163.6	125	12.22	34.470	4.20	26.155	186.9	.334	
241	9.30	34.318	3.23	1.83	54.			148.8	150	11.71	34.454	4.06	26.239	178.9	.380	
306	8.07	34.264	2.95	2.08	64.			134.5	200	10.53	34.382	3.55	26.397	163.9	.468	
381	7.27	34.233	2.74	2.13	72.			125.8	250	9.09	34.308	3.18	26.583	146.2	.548	
462	6.44	34.224	2.51	2.40	80.			115.7	300	8.15	34.268	2.97	26.697	135.5	.621	
552	5.39	34.239	2.06	2.74	96.			102.1	400	7.08	34.229	2.69	26.822	123.6	.756	
652	4.57	34.289	1.76	2.91	111.			89.4	500	5.99	34.227	2.32	26.965	110.0	.879	
753	3.91	34.335	1.50	3.05	125.			79.3	600	4.96	34.262	1.90	27.116	95.7	.989	
877	3.52	34.393	1.53	3.05	132.			71.3	700	4.23	34.311	1.62	27.237	84.2	1.085	
1002	3.18	34.431	1.48	3.06	140.			65.3	800	3.73	34.358	1.51	27.325	75.8	1.172	
1102	2.99	34.455	1.56	3.06	143.			61.8	1000	3.18	34.431	1.48	27.436	65.4	1.327	
1203	2.921	34.470	1.64	3.04	144.			60.1	1200	2.92	34.470	1.64	27.491	60.1	1.467	

RV THOMAS WASHINGTON										ARIES EXPEDITION VI						
LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
34 02.6N		136 31.7E		06/30/71		1305		GMT	528M	060	06KT		02	SIGT	DT	00
Z	T	S	02	P04	S103	N02	N03	DT	Z	T	S	02	SIGT	DT	00	
0	21.66	34.222	5.38	.10	8.			416.5	0	21.66	34.222	5.38	23.742	416.5	0	
20	19.57	34.320	5.54	.18	32.			356.1	10	20.78	34.271	5.46	24.019	390.1	.040	
44	15.33	34.525	4.42	.79	23.			244.2	20	19.57	34.320	5.54	24.376	356.1	.078	
76	14.13	34.513	4.31	.93	29.			220.4	30	17.74	34.393	5.11	24.890	307.2	.111	
106	13.15	34.484	4.22	1.07	30.			203.3	50	15.10	34.522	4.40	25.599	239.7	.166	
142	12.15	34.450	4.08	1.25	37.			187.1	75	14.17	34.513	4.31	25.795	221.1	.224	
177	11.49	34.425	3.87	1.37	41.			177.1	100	13.34	34.491	4.24	25.950	206.4	.278	
204	10.65	34.388	3.64	1.55	46.			165.4	125	12.59	34.465	4.15	26.079	194.1	.329	
245	9.63	34.339	3.30	1.80	55.			152.4	150	12.01	34.446	4.04	26.177	184.8	.377	
311	8.54	34.286	3.06	1.98	63.			139.7	200	10.78	34.394	3.68	26.363	167.1	.467	
384	7.30	34.250	2.72	2.20	79.			124.9	250	9.54	34.334	3.28	26.530	151.2	.549	
407	6.62	34.240	2.52	2.40	87.			116.8	300	8.70	34.294	3.09	26.633	141.5	.625	
446	5.79	34.240	2.24	2.62	96.			106.6	400	6.83	34.242	2.58	26.867	119.3	.761	
493	5.68	34.246	2.18	3.16	110.			104.9								

A) AN ERROR OF 0.1 OHMS RESISTANCE HAS BEEN ASSUMED. THE LISTED OBSERVED AND INTERPOLATED VALUES INCORPORATE THE CORRECTION.

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	31	52.6N	145	30.0E	07/04/71	0920	1244GMT	4441M					200	06KT	1
	T	S	G2	P04	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	CD
0	28.50	34.466	4.73	.06	4.			598.8	0	28.50	34.45	4.73	21.836	598.8	0
21	27.08	34.467	4.78	.17	3.			553.1	10	27.85	34.43	4.75	22.036	579.6	.059
46	25.12	34.78	5.06	.10	4.			472.1	20	27.15	34.46	4.78	22.285	555.8	.116
77	22.91	34.805	5.34	.09	6.			407.9	30	26.38	34.58	4.87	22.616	524.1	.170
107	21.87	34.805	5.15	.11	8.			379.9	50	24.80	34.79	5.11	23.269	461.7	.269
141	21.04	34.814	4.86	.14	4.			357.5	75	23.03	34.81	5.33	23.801	410.9	.378
172	20.39	34.830	4.74	.20	5.			339.7	100	22.05	34.81	5.22	24.077	384.6	.479
202	19.70	34.833	4.74	.21	4.			322.2	125	21.40	34.81	4.99	24.259	367.2	.574
243	18.89	34.847	4.75	.24	5.			301.3	150	20.85	34.82	4.81	24.417	352.2	.665
303	18.00	34.826	4.73	.32	8.			281.7	200	19.75	34.83	4.74	24.720	323.3	.837
383	16.57	34.753	4.54	.56	10.			254.4	250	18.78	34.85	4.75	24.979	298.7	.996
463	14.82	34.616	4.38	.76	15.			226.9	300	18.04	34.83	4.73	25.149	282.5	1.146
553	12.67	34.442	4.20	1.11	23.			197.3	400	16.22	34.73	4.50	25.507	248.5	1.423
652	9.85	34.282	3.67	1.67	41.			160.1	500	13.97	34.55	4.32	25.860	214.9	1.667
751	7.35	34.218	2.84	2.23	68.			128.0	600	11.34	34.36	3.99	26.231	179.6	1.878
875	5.57	34.219	2.11	2.72	94.			105.7	700	8.56	34.24	3.27	26.613	143.4	2.053
998	4.43	34.291	1.64	3.03	114.			87.8	800	6.52	34.21	2.52	26.884	117.7	2.196
1148	3.62	34.373	1.53	3.17	132.			73.7	1000	4.42	34.29	1.64	27.201	87.6	2.422
1323	3.10	34.447	1.53	3.11	142.			63.4	1200	3.43	34.40	1.53	27.386	70.1	2.599
1511	2.70	34.500	1.65	3.12	142.			56.0	1500	2.72	34.50	1.64	27.531	56.3	2.816
1730A	2.37	34.551	2.05	3.00	154.			49.5	2000	2.07	34.60	2.44	27.665	43.6	3.111
1927A	2.14	34.588	2.32	2.84	158.			44.9	2500	1.78	34.64	2.98	27.719	38.5	3.363
2125A	1.96	34.609	2.62	2.82	155.			41.9	3000	1.61	34.67	3.36	27.759	34.8	3.596
2322A	1.86	34.627	2.80	2.83	156.			39.8	3500	1.53	34.68	3.50	27.770	33.8	3.821
2520A	1.77	34.637	3.00	2.81	154.			38.4	4000	1.55	34.68	3.62	27.774	33.4	4.049
2717A	1.69	34.652	3.13	2.78	154.			36.7							
2915A	1.63	34.665	3.30	2.71	155.			35.3							
3114A	1.57	34.674	3.42	2.71	154.			34.2							
31228	1.565														
33048	1.535														
3313A	1.53	34.680	3.49	2.69	154.			33.5							
34898	1.521														
3513A	1.532	34.676	3.50	2.82	152.										
36798	1.525							33.8							
3714A	1.520	34.685	3.60	2.67	152.										
38758	1.533														
3916A	1.544	34.682	3.62	2.66	152.										
40778	1.555							33.4							
4119A	1.551	34.684	3.63	2.71	151.										
42358	1.550							33.3							
4273A	1.564	34.687	3.66	2.64	151.										
43988	1.58							33.2							
4427A	1.567	34.683	3.67	2.66	151.			33.5							

A) CAST II.
B) CAST III.

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2					SIGT	DT	DD
0	28.39	34.486	4.73	.02	5.			592.4	0	28.39	34.486	4.73	21.902	592.4		0			
20	27.17	34.517	4.79	.03	5.			552.3	10	27.91	34.499	4.76	22.068	576.5		.058			
45	26.16	34.627	5.10	.04	6.			455.6	20	27.17	34.517	4.79	22.322	552.3		.115			
75	23.19	34.765	5.19	.04	6.			418.5	30	25.94	34.548	4.91	22.731	513.1		.168			
105	22.13	34.773	5.16	.07	5.			389.2	50	23.90	34.657	5.11	23.432	446.2		.265			
140	20.58	34.820	5.26	.10	6.			345.2	75	23.19	34.765	5.19	23.721	418.5		.373			
170	19.75	34.819	5.21	.11	7.			324.4	100	22.32	34.775	5.17	23.978	394.0		.476			
200	19.16	34.853	4.83	.21	8.			307.4	125	21.23	34.799	5.22	24.299	363.4		.571			
239	18.51	34.834	4.88	.22	7.			293.1	150	20.26	34.820	5.24	24.574	337.2		.660			
304	17.56	34.816	4.71	.368	8.			272.2	200	19.16	34.853	4.83	24.887	307.4		.824			
379	16.35	34.741	4.53	.588	11.			250.4	250	18.35	34.832	4.86	25.076	289.4		.977			
459	14.99	34.628	4.38	.77	15.			229.5	300	17.62	34.817	4.72	25.245	273.4		1.123			
548	12.36	34.433	4.07	1.17	26.			192.2	400	16.04	34.718	4.49	25.539	245.4		1.393			
647	9.42	34.247	3.66	1.20U	35.			155.9	500	13.85	34.539	4.25	25.880	213.0		1.635			
746	7.43	34.217	2.87	2.17	65.			129.1	600	10.76	34.321	3.88	26.310	172.2		1.841			
871	5.34	34.234	2.05	2.71	98.			101.9	700	8.28	34.221	3.25	26.641	140.7		2.010			
995	4.24	34.299	1.58	2.98	117.			85.3	800	6.44	34.217	2.48	26.899	116.3		2.151			
1143	3.61	34.381	1.44	3.07	132.			73.0	1000	4.21	34.302	1.58	27.231	84.8		2.372			
1317	3.05	34.456	1.56	3.08	143.			62.3	1200	3.42	34.408	1.48	27.396	69.2		2.545			
1376A	2.86	34.477	1.66	2.87	148.			59.1	1500	2.64	34.512	1.79	27.550	54.5		2.757			
1498	2.64	34.512	1.79	3.07	151.			54.6	2000	2.08	34.588	2.56	27.657	44.5		3.049			
1573A	2.48	34.520	1.90	3.00	152.			52.7	2500	1.71	34.638	3.04	27.725	38.0		3.301			
1771A	2.29	34.556	2.16	2.87	152.			48.4	3000	1.54	34.663	3.47	27.758	34.9		3.531			
1966A	2.11	34.585	2.49	2.88	155.			44.9	3500	1.52	34.669	3.60	27.765	34.2		3.756			
2161A	1.93	34.597	2.87	2.58U	137.U			42.6	4000	1.54	34.675	3.61	27.768	33.9		3.985			
2357A	1.78	34.626	2.98	2.78	152.			39.3	4500	1.58	34.675	3.70	27.765	34.2		4.223			
2552A	1.69	34.640	3.07	2.63	155.			37.6											
2747A	1.61	34.653	3.27	2.71	154.			36.1											
2943A	1.55	34.661	3.43	2.69	154.			35.0											
3140A	1.53	34.664	3.52	2.72	154.			34.7											
3337A	1.52	34.664	3.47	2.64	154.			34.6											
3535A	1.52	34.670	3.63	2.65	153.			34.2											
3736A	1.52	34.671	3.63	2.70	153.			34.1											
3938A	1.54	34.675	3.60	2.69	154.			33.9											
4142A	1.55	34.674	3.65	2.66				34.1											
4348A	1.57	34.673	3.68	2.62	151.			34.3											
4557A	1.58	34.675	3.71	2.66	153.			34.2											
4768A	1.59	34.677	3.68					34.1											

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2					SIGT	DT	DD
0	28.60	34.410	4.72	.05	1.			604.6	0	28.60	34.410	4.72	21.776	604.6		0			
20	27.48	34.365	4.84	.05	3.			572.7	10	28.50	34.410	4.79	21.809	601.4		.060			
46	24.98	34.557	4.89	.09	4.			484.1	20	27.48	34.365	4.84	22.108	572.7		.119			
78	22.65	34.693	4.55	.20	6.			408.9	30	26.47	34.416	4.86	22.467	538.4		.175			
108	21.80	34.744	4.63	.31	8.			382.5	50	24.63	34.579	4.85	23.157	472.4		.276			
144	20.67	34.796	4.66	.24	6.			349.3	75	22.82	34.685	4.59	23.767	414.2		.388			
175	19.64	34.816	4.60	.34	6.			321.9	100	21.97	34.737	4.44	24.047	387.5		.489			
205	19.03	34.814	4.58	.34	6.			307.1	125	21.28	34.771	4.53	24.264	366.8		.584			
245	18.11	34.808	4.57	.40	8.			285.6	150	20.46	34.801	4.66	24.509	343.5		.674			
311	17.11	34.781	4.59	.61	8.			264.4	200	19.12	34.815	4.58	24.868	309.2		.840			
385	15.21	34.642	4.24	.83	16.			233.1	250	18.03	34.808	4.57	25.136	283.8		.992			
463	13.25	34.488	4.30	1.03	21.			204.9	300	17.28	34.790	4.59	25.306	267.6		1.134			
551	10.968	34.346	3.79	1.50	33.			173.9	400	14.83	34.613	4.25	25.728	227.4		1.393			
649	7.832	34.164	3.31	2.04	56.			138.6	500	12.33	34.429	4.12	26.103	191.8		1.614			
745	6.180	34.196	2.45	2.41	81.			114.6	600	9.35	34.236	3.57	26.484	155.6		1.800			
865	4.891	34.264	1.87	2.75	104.			94.7	700	6.83	34.170	2.86	26.809	124.8		1.951			
986	3.94	34.330	1.52	3.01	123.			80.0	800	5.51	34.227	2.14	27.023	104.5		2.076			
1133	3.340	34.407	1.51	2.98	136.			68.6	1000	3.87	34.338	1.52	27.296	78.7		2.277			
1306	2.900	34.468	1.61	3.00	143.			60.1	1200	3.14	34.434	1.53	27.443	64.7		2.438			
1496	2.629	34.506	1.85	2.99	148.			54.9	1500	2.62	34.507	1.85	27.547	54.8		2.643			
1746A	2.33	34.556	2.14	2.83	150.			48.8	2000	2.06	34.595	2.52	27.664	43.8		2.933			
1945A	2.11	34.588	2.38	2.94	152.			44.6	2500	1.75	34.638	2.97	27.722	38.2		3.185			
2141A	1.94	34.608	2.86	2.87	151.			41.9	3000	1.56	34.667	3.39	27.760	34.7		3.415			
2337A	1.84	34.627	2.90	2.78	150.			39.7	3500	1.53	34.672	3.55	27.767	34.1		3.640			
2534A	1.73	34.639	2.99	2.61	149.			38.0	4000	1.54	34.677	3.56	27.770	33.8		3.869			
2730A	1.64	34.652	3.18	2.66	149.			36.4											
2929A	1.578	34.663	3.34	2.69	149.			35.1											
3126A	1.543	34.671	3.45	2.71	149.			34.2											
3323A	1.529	34.671	3.44	2.70	148.			34.1											
3520A	1.526	34.672	3.56	2.55	148.			34.0											
3719A	1.52	34.674	3.57	2.61	146.			33.8											
3919A	1.534	34.675	3.54	2.55	146.			33.9											
4118A	1.551	34.679	3.59	2.55	148.			33.7											
4223C	1.567	34.677	3.67	2.49				33.9											
4388C	1.575	34.677	3.61	2.54	148.			34.0											
4447C	1.565	34.679	3.69	2.59	148.			33.8											

A) CAST 11.
 B) THE SAMPLES APPEAR TO HAVE BEEN REVERSED. THEY ARE ASSUMED TO BE IN THE CORRECT ORDER.
 C) THE NANSEN BOTTLE AT THIS LEVEL ON CAST 11 POSTTRIPPED. THE DEPTH MAY BE SLIGHTLY IN ERROR.

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES	
32 33.5N		134 54.2E		07/05/71		0507		0635GMT		4597M	210	07KT	I	210	02 08
Z	T	S	O2	PO4	S103	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	CD
2	28.92	34.338	4.73	.02	4.			619.9	0	28.92	34.338	4.73	21.615	619.9	0
22	27.09	34.394	4.92	.03	5.			558.7	10	28.15	34.351	4.82	21.878	594.7	.061
46	25.26	34.551	4.97	.04	6.			492.7	20	27.26	34.385	4.91	22.193	564.5	.119
77	23.14	34.719	4.78	.12	6.			420.5	30	26.45	34.443	4.94	22.494	535.7	.174
106	21.69	34.760	4.52	.23	4.			378.4	50	24.96	34.578	4.96	23.055	482.2	.276
141	20.47	34.806	4.63	.21	4.			343.5	75	23.26	34.711	4.80	23.659	424.5	.390
171	19.72	34.849	4.76	.19	4.			321.5	100	21.95	34.756	4.56	24.066	385.6	.492
201	18.84	34.845	4.73	.23	6.			300.2	125	20.97	34.785	4.58	24.359	357.7	.586
240	18.02	34.804	4.55	.37	6.			283.7	150	20.24	34.821	4.68	24.582	336.4	.674
305	16.71	34.748	4.63	.65	10.			257.8	200	18.87	34.845	4.73	24.956	300.9	.836
379	15.01	34.630	4.25	.78	15.			229.8	250	17.82	34.796	4.56	25.179	279.7	.985
457	12.38	34.463	3.77	1.23	29.			190.3	300	16.81	34.753	4.62	25.388	259.8	1.125
545	9.85	34.374	3.19	1.73	49.			153.3	400	14.33	34.582	4.13	25.813	219.4	1.374
643	6.93	34.157	2.90	2.22	63.			127.0	500	11.12	34.421	3.47	26.323	170.9	1.581
739	5.56	34.207	2.15	2.54	87.			106.4	600	8.12	34.238	3.03	26.678	137.2	1.746
858	4.57	34.281	1.72	2.78	106.			90.0	700	6.00	34.174	2.46	26.922	114.1	1.881
978	3.86	34.353	1.50	2.96	120.			77.5	800	4.99	34.245	1.88	27.101	97.1	1.996
1120	3.35	34.425	1.62	2.83	126.			67.3	1000	3.77	34.366	1.51	27.328	75.6	2.186
1282	2.92	34.475	1.68	2.97	143.			59.7	1200	3.12	34.453	1.64	27.460	63.1	2.341
1455	2.66	34.512	1.94	2.92	149.			54.7	1500	2.60	34.521	1.98	27.560	53.6	2.542
1795A	2.25	34.568	2.24	2.91	151.			47.2	2000	2.05	34.596	2.48	27.665	43.7	2.829
1991A	2.06	34.594	2.47	2.90	152.			43.8	2500	1.71	34.642	3.06	27.728	37.7	3.078
2186A	1.90	34.617	2.68	2.82	150.			40.9	3000	1.55	34.667	3.36	27.761	34.6	3.307
2382A	1.77	34.635	2.92	2.89	150.			38.6	3500	1.52	34.675	3.55	27.769	33.8	3.530
2578A	1.684	34.645	3.14	2.81	151.			37.2	4000	1.56	34.676	3.63	27.768	34.0	3.760
2775A	1.610	34.658	3.27	2.71	151.			35.7							
2972A	1.554	34.666	3.34	2.77	149.			34.7							
3170A	1.533	34.669	3.50	2.71	150.			34.3							
3368A	1.51	34.680U	3.54	2.70	149.										
3568A	1.518	34.675	3.56	2.71	149.			33.8							
3768A	1.531	34.673	3.62	2.71	149.			34.0							
3969A	1.56	34.676	3.63	2.72	149.			34.0							
4171A	1.548	34.677	3.63	2.74	149.			33.8							
4375A	1.573	34.683	3.62	2.67	149.			33.5							

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES	
32 43.4N		134 46.6E		07/05/71		1015		1150GMT		3037M	190	10KT	I	210	02 08
Z	T	S	O2	PO4	S103	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	CD
1	28.36	33.963	4.79	.07	30.			629.1	0	28.36	33.963	4.79	21.519	629.1	0
20	26.44	34.359	4.94	.08	27.			541.5	10	27.42	34.179	4.88	21.987	584.3	.061
45	24.29	34.531	4.94	.10	27.			466.2	20	26.44	34.359	4.94	22.434	541.5	.117
75	23.04	34.560	4.80	.18	28.			429.2	30	25.49	34.458	4.94	22.803	506.2	.170
104	21.83	34.749	4.61	.24	28.			382.9	50	24.03	34.538	4.92	23.303	458.4	.266
138	19.98	34.784	4.44	.33	28.			332.7	75	23.04	34.560	4.80	23.609	429.2	.378
169	18.96	34.776	4.37	.44	27.			308.2	100	22.01	34.723	4.64	24.026	389.5	.481
198	18.09	34.817	4.64	.36	27.			284.4	125	20.67	34.783	4.50	24.438	350.2	.574
237	16.61	34.691	4.27	.70	28.			259.8	150	19.54	34.780	4.41	24.734	322.0	.660
300	15.59	34.685	4.47	.69	31.			238.0	200	18.01	34.811	4.63	25.144	283.0	.814
372	13.30	34.521	3.90	1.16	35.			203.4	250	16.37	34.688	4.30	25.441	254.7	.952
449	10.62	34.389	3.43	1.61	45.			164.8	300	15.59	34.685	4.47	25.617	238.0	1.079
536	8.48	34.331	2.92	2.09	59.			135.5	400	12.30	34.463	3.72	26.135	188.8	1.302
628	6.09	34.178	2.46	2.57				114.9	500	9.32	34.357	3.13	26.584	146.1	1.480
720	4.93	34.222	1.80	2.81	98.			98.3	600	6.76	34.216	2.61	26.856	120.4	1.622
831	4.43	34.324	1.64	2.94	111.			85.3	700	5.10	34.204	1.93	27.055	101.5	1.741
945	3.75	34.374	1.52	3.07	124.			74.8	800	4.53	34.297	1.68	27.193	88.4	1.844
1078	3.23	34.429	1.54	3.07	137.			65.9	1000	3.50	34.398	1.53	27.379	70.7	2.019
1231	2.92	34.473	1.71	3.04	143.			59.9	1200	2.97	34.466	1.67	27.483	60.9	2.167
1389	2.66	34.508	1.83	3.08	146.			55.0	1500	2.51	34.530	1.95	27.576	52.1	2.361
1686A	2.30	34.561	2.17	2.94	151.			48.1	2000	2.06	34.596	2.53	27.665	43.7	2.644
1886A	2.14	34.585	2.41	2.92	153.			45.1	2500	1.73	34.642	3.07	27.726	37.9	2.894
2087A	2.00	34.603	2.61	2.92	155.			42.7	3000	1.55	34.667	3.51	27.761	34.6	3.123
2288A	1.87	34.624	2.80	2.86	154.			40.1							
2488A	1.74	34.640	3.06	2.81	153.			38.0							
2692A	1.66	34.654	3.23	2.77	153.			36.3							
2895A	1.59	34.664	3.43	2.77	151.			35.0							
3096A	1.52	34.668	3.56	2.67	151.			34.3							

A) CAST II.

ARIES EXPEDITION VI 21

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES		
32 50.5N		134 38.9E		07/05/71	1610		GMT	1276M	210	09KT	O2	SIGT	DT	DD	
Z	T	S	O2	PO4	SIO3	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
1	28.62	33.941	4.71	.06	4.			638.9	0	28.62	33.941	4.71	21.417	638.9	0
21	26.59	34.501	4.87	.09	4.			535.8	10	28.52	34.220	4.79	21.659	615.7	.063
47	23.53	34.321	5.03	.17	5.			460.0	20	26.76	34.479	4.86	22.423	542.6	.121
78	21.66	34.469	4.68	.24	7.			398.7	30	26.60	34.600	4.95	22.565	529.0	.174
108	20.18	34.536	4.70	.37	9.			355.7	50	23.24	34.321	5.00	23.372	451.9	.273
143	19.20	34.740	4.29	.45	9.			316.6	75	21.73	34.442	4.72	23.890	402.4	.380
174	17.77	34.746	4.33	.53	10.			282.1	100	20.53	34.517	4.69	24.273	365.9	.477
203	16.54	34.664	4.16	.70	15.			260.2	125	19.70	34.642	4.50	24.588	335.9	.566
241	14.61	34.559	4.13	.90	20.			226.7	150	18.89	34.752	4.29	24.878	308.3	.647
304	12.71	34.479	3.81	1.22	30.			195.3	200	16.67	34.675	4.18	25.361	262.3	.793
376	10.77	34.390	3.39	1.55	41.			167.2	250	14.28	34.545	4.10	25.795	221.1	.917
451	8.93	34.331	2.96	1.95	58.			142.2	300	12.80	34.483	3.84	26.051	196.8	1.025
535	7.23	34.303	2.55	2.33	75.			120.0	400	10.15	34.367	3.25	26.451	158.7	1.211
628	5.06	34.207	1.98	2.83	96.			100.8	500	7.93	34.317	2.72	26.769	128.6	1.363
723	4.44	34.260	1.59	2.96	110.			90.2	600	5.65	34.229	2.15	27.009	105.8	1.489
842	3.77	34.362		3.06	126.			75.9	700	4.51	34.241	1.67	27.150	92.4	1.595
965	3.31	34.415	1.49	3.14	137.			67.7	800	3.99	34.327	1.56	27.274	80.7	1.689
1121	3.05	34.450	1.60	3.14	142.			62.7	1000	3.22	34.426	1.50	27.429	66.0	1.850

ARIES EXPEDITION VI 22

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES		
33 00.9N		134 34.1E		07/05/71	1859		GMT	254M	200	07KT	O2	SIGT	DT	DD	
Z	T	S	O2	PO4	SIO3	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	27.00	33.855	4.84	.08	4.			594.7	0	27.00	33.855	4.84	21.878	594.7	0
20	24.97	33.861	5.03	.08	3.			534.0	10	25.98	33.860	4.94	22.202	563.7	.058
44	22.61	34.383	5.21	.09	4.			430.3	20	24.97	33.861	5.03	22.512	534.0	.113
71	20.48	34.472	4.97	.19	6.			367.9	30	23.95	34.059	5.13	22.964	490.8	.164
104	17.91	34.597	4.41	.56	11.			296.2	50	22.11	34.426	5.19	23.771	413.8	.255
129	16.50	34.591	4.33	.70	15.			264.6	75	20.15	34.490	4.90	24.354	358.2	.352
149	16.07	34.665	4.23	.72	15.			249.8	100	18.20	34.586	4.47	24.924	303.9	.436
179	14.78	34.595	4.22	.81	16.			227.6	125	16.68	34.592	4.33	25.296	268.5	.508
203	14.45	34.566	4.11	.95	20.			222.9	150	16.03	34.664	4.23	25.502	248.9	.574
									200	14.46	34.560	4.13	25.769	223.5	.694

ARIES EXPEDITION VI 23

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES		
33 11.0N		134 28.0E		07/05/71	2125		GMT	1160M	190	05KT	O2	SIGT	DT	DD	
Z	T	S	O2	PO4	SIO3	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	25.54	33.042	5.14	.03	6.			609.6	0	25.54	33.042	5.14	21.722	609.6	0
20	24.66	33.743	5.11	.04	9.			533.6	10	25.10	33.339	5.12	22.079	575.5	.059
44	21.18	34.252	5.12	.12	7.			401.8	20	24.66	33.743	5.11	22.517	533.6	.115
79	19.60	34.564	4.59	.39	10.			339.2	30	23.25	33.980	5.11	23.109	477.0	.165
103	17.63	34.587	4.40	.56	11.			290.5	50	20.82	34.341	5.04	24.063	386.0	.252
137	15.22	34.551	4.16	.88	21.			239.9	75	19.71	34.554	4.66	24.516	342.7	.344
167	12.67	34.479	3.80	1.26	32.			194.6	100	17.89	34.589	4.42	25.003	296.4	.424
197	11.16	34.412	3.52	1.55	41.			172.3	125	16.07	34.574	4.25	25.421	256.6	.494
236	10.11	34.366	3.27	1.74	47.			158.1	150	14.08	34.518	4.01	25.818	218.9	.555
301	8.64	34.301	2.97	2.03	59.			140.0	200	11.06	34.408	3.50	26.323	170.9	.654
375	7.28	34.255	2.62	2.25	71.			124.3	250	9.77	34.350	3.20	26.504	153.7	.738
455	6.14	34.255	2.27	2.54	87.			109.7	300	8.66	34.302	2.97	26.646	140.3	.814
646	4.48	34.299	1.69	3.08	112.			87.7	400	6.89	34.252	2.51	26.866	119.4	.950
746	4.06	34.339	1.59	3.09	121.			80.5	500	5.63	34.261	2.09	27.036	103.2	1.067
847	3.71	34.370	1.54	2.93	131.			74.8	600	4.76	34.285	1.79	27.158	91.7	1.171
973	3.42	34.405	1.55	3.02	135.			69.4	700	4.23	34.321	1.62	27.244	83.5	1.265
1111	3.15	34.443	1.56	3.12	141.			64.1	800	3.86	34.356	1.56	27.311	77.2	1.352
									1000	3.36	34.413	1.55	27.404	68.3	1.512

ARIES EXPEDITION VI 24

RV THOMAS WASHINGTON

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES		
33 20.6N		134 23.5E		07/05/71	2326		GMT	300M	200	07KT	O2	SIGT	DT	DD	
Z	T	S	O2	PO4	SIO3	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
0	24.73	33.368	5.14	.02	6.			562.7	0	24.73	33.368	5.14	22.213	562.7	0
20	22.08	33.798	5.32	.07	7.			458.3	10	23.30	33.582	5.23	22.795	507.0	.054
45	19.96	34.302	4.81	.27	10.			367.1	20	22.08	33.798	5.32	23.305	458.3	.102
76	18.44	34.492	4.50	.50	12.			316.3	30	21.10	34.022	5.15	23.742	416.5	.146
109	16.69	34.570	4.31	.67	19.			270.4	50	19.68	34.354	4.74	24.373	356.3	.223
142	13.44	34.511	3.92	1.14	31.			206.9	75	18.48	34.491	4.51	24.783	317.4	.308
172	12.38	34.469	3.73	1.35	34.			189.9	100	17.25	34.564	4.36	25.140	283.4	.384
202	10.87	34.407	3.58	1.59	42.			167.7	125	15.07	34.539	4.12	25.619	237.8	.450
244	9.62	34.341	3.25					152.1	150	13.09	34.504	3.86	26.009	200.7	.506
									200	10.97	34.411	3.59	26.342	169.1	.600

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	GT	Z	T	S	O2	SIGT	OT	OO	
1	26.63	33.851	4.98	.06	4.			583.8	0	26.63	33.851	4.98	21.992	583.8	0	
22	24.23	34.025	5.13	.07	5.			501.0	10	25.61	33.909	5.05	22.352	549.3	.057	
47	21.26	34.420	5.22	.14	6.			391.7	20	24.46	34.003	5.12	22.771	509.2	.110	
79	19.44	34.603	4.68	.41	9.			332.4	30	23.21	34.149	5.16	23.249	463.7	.158	
109	17.68	34.614	4.38	.61	14.			289.6	50	21.04	34.450	5.18	24.084	383.9	.243	
144	16.22	34.581	4.30	.74	17.			259.2	75	19.61	34.598	4.76	24.577	337.0	.334	
174	14.67	34.556	4.14	.95	22.			228.2	100	18.19	34.621	4.45	24.954	301.0	.415	
203	13.46	34.517	3.98	1.20	27.			206.8	125	17.00	34.604	4.33	25.230	274.8	.487	
241	12.37	34.460	3.76	1.35	32.			190.4	150	15.91	34.577	4.27	25.461	252.8	.555	
304	10.16	34.375	3.26	1.80	48.			158.2	200	13.57	34.522	4.00	25.925	208.7	.672	
375	7.68	34.240	2.89	2.22	65.			130.8	250	12.07	34.448	3.69	26.167	185.7	.774	
451	6.44	34.244	2.42	2.53	81.			114.2	300	10.31	34.381	3.29	26.435	160.2	.864	
537	5.24	34.266	1.95	2.82	100.			98.4	400	7.18	34.235	2.74	26.812	124.5	1.012	
635	4.37	34.308	1.66	3.03	115.			85.9	500	5.72	34.255	2.14	27.021	104.7	1.133	
737	3.82	34.359	1.55	3.11	127.			76.6	600	4.63	34.292	1.74	27.178	89.8	1.237	
843	3.60	34.375	1.51	3.12	131.			73.4	700	3.98	34.342	1.57	27.287	79.4	1.328	
									800	3.65	34.374	1.52	27.346	73.9	1.411	

Z	LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	GT	Z	T	S	O2	SIGT	OT	OO	
0	26.66	33.774	5.00	.03	5.			590.2	0	26.66	33.774	5.00	21.925	590.2	0	
20	24.55	34.098	5.17	.04	6.			504.9	10	25.55	33.931	5.09	22.387	546.0	.057	
45	22.49	34.544	4.72	.18	6.			415.4	20	24.55	34.098	5.17	22.817	504.9	.109	
77	20.80	34.707	4.45	.35	8.			359.1	30	23.65	34.290	5.02	23.229	465.5	.158	
107	19.53	34.716	4.28	.44	10.			326.4	50	22.18	34.591	4.66	23.877	403.7	.245	
142	17.92	34.732	4.31	.49	11.			286.6	75	20.88	34.707	4.46	24.321	361.3	.341	
172	16.24	34.582	4.30	.68	16.			259.6	100	19.82	34.721	4.31	24.616	333.2	.429	
202	15.32	34.567	4.29	.82	18.			240.9	125	18.73	34.738	4.30	24.907	305.5	.510	
241	13.90	34.535	3.98	1.09	23.			214.2	150	17.45	34.692	4.31	25.189	278.7	.584	
305	11.62	34.431	3.56	1.42	37.			179.0	200	15.37	34.567	4.29	25.574	242.0	.717	
380	9.77	34.357	3.18	1.75	51.			153.3	250	13.56	34.520	3.91	25.927	208.5	.833	
458	8.06	34.312	2.85	2.09	66.			130.8	300	11.79	34.439	3.59	26.214	181.3	.934	
545	6.01	34.286	2.22	2.55	88.			105.8	400	9.33	34.344	3.10	26.572	147.3	1.106	
642	4.72	34.241	1.76	2.87	104.			94.6	500	7.03	34.296	2.55	26.882	117.9	1.246	
740	4.13	34.323	1.54	2.90	120.			82.4	600	5.17	34.255	1.93	27.087	98.4	1.361	
860	3.55	34.385	1.49	2.97	132.			72.1	700	4.32	34.284	1.61	27.205	87.2	1.461	
981	3.18	34.432	1.51	3.08	140.			65.2	800	3.82	34.358	1.51	27.316	76.7	1.550	
1129	2.91	34.462	1.65	3.01	145.			60.6	1000	3.14	34.437	1.53	27.445	64.5	1.705	
1290	2.74	34.495	1.75	3.19	148.			56.7	1200	2.82	34.477	1.70	27.506	58.8	1.843	

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

27

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	31	29.7N		133	53.4E		07/07/71				1057	1426GMT	4774M	240	21KT	I	240	05	06
Z	T	S	O2	PD4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DO				
1	28.21	34.664	4.65	.06	3.			574.0	0	28.21	34.664	4.65	22.095	574.0	0				
21	28.21	34.663	4.66	.14	4.			574.1	10	28.21	34.664	4.65	22.094	574.0	.057				
46	23.07	34.808	5.30	.12	4.			412.1	20	28.21	34.664	4.66	22.094	574.1	.115				
77	20.94	34.834	4.93	.18	4.			353.5	30	26.51	34.686	4.90	22.657	520.2	.170				
107	19.94	34.811	4.67	.30	5.			329.7	50	22.63	34.821	5.29	23.924	399.2	.262				
142	19.38	34.830	4.64	.38	5.			314.5	75	20.99	34.839	4.97	24.394	354.4	.357				
173	18.72	34.842	4.71	.32	5.			297.6	100	20.11	34.817	4.72	24.615	333.4	.443				
202	18.22	34.835	4.75	.38	6.			286.2	125	19.62	34.818	4.65	24.741	321.3	.526				
242	17.79	34.826	4.83	.43	6.			276.8	150	19.21	34.834	4.66	24.741	310.0	.606				
309	16.78	34.773	4.65	.66	9.			257.6	200	18.25	34.835	4.75	25.103	286.8	.759				
384	15.55	34.674	4.45	.73	11.			237.9	250	17.68	34.821	4.82	25.232	274.6	.903				
464	13.59	34.514	4.24	1.04	18.			209.6	300	16.93	34.782	4.69	25.383	260.2	1.041				
553	11.101	34.343	3.87	1.46	30.			176.4	400	15.20	34.645	4.41	25.673	232.6	1.298				
652	9.132	34.278	3.20	2.00	46.			149.2	500	12.56	34.435	4.11	26.061	195.8	1.524				
751	6.849	34.179	2.73	2.35	68.			124.3	600	10.13	34.309	3.56	26.410	162.7	1.716				
874	5.287	34.248	1.95	2.86	95.			100.3	700	7.99	34.220	2.97	26.684	136.6	1.878				
997	4.130	34.327	1.59	3.17	117.			82.1	800	6.12	34.196	2.41	26.924	113.9	2.015				
1144	3.337	34.406	1.46		133.			68.6	1000	4.11	34.329	1.59	27.263	81.7	2.230				
1314	2.912	34.469	1.60	3.19	141.			60.1	1200	3.17	34.430	1.48	27.437	65.3	2.395				
1399A	2.71	34.496	1.74	2.91U	146.			56.4	1500	2.49	34.522	1.81	27.570	52.6	2.597				
1494	2.502	34.520	1.80	3.23	149.			52.9	2000	1.98	34.607	2.51	27.679	42.3	2.877				
1596A	2.35	34.550	2.00	2.82U	150.			49.4	2500	1.76	34.635	2.90	27.719	38.5	3.124				
1793A	2.10	34.582	2.27	2.87	153.			45.0	3000	1.67	34.654	3.19	27.741	36.4	3.362				
1990A	1.99	34.605	2.50	2.88	153.			42.4	3500	1.56	34.668	3.41	27.761	34.6	3.595				
2187A	1.88	34.618	2.68	2.85	153.			40.7	4000	1.56	34.677	3.58	27.768	34.0	3.827				
2390B	1.781	34.630	2.86	2.84	153.			39.0	4500	1.59	34.682	3.67	27.770	33.7	4.064				
25888	1.754	34.639	2.92	2.82	153.			38.2											
27878	1.721	34.645	2.96	2.77	151.			37.5											
29858	1.677	34.653	3.18	2.74	150.			36.5											
31848	1.623	34.663	3.33	2.75	150.			35.4											
33838	1.563	34.665	3.41	2.71				34.8											
35848	1.562	34.670	3.42	2.67	148.			34.4											
37868	1.551	34.675	3.54	2.71	149.			34.0											
39918	1.560	34.676	3.58	2.68	149.			34.0											
41948	1.568	34.680	3.62	2.65	148.			33.7											
44018	1.579	34.681	3.69	2.71	148.			33.7											
46148	1.596	34.683	3.64	2.65	149.			33.7											

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

28

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	31	30.8N		133	29.6E		07/07/71				1943	2055GMT	4899M	240	22KT	I	180	06	08
Z	T	S	O2	PD4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DO				
1	28.06	34.557	4.62	.04	3.			577.0	0	28.06	34.557	4.62	22.064	577.0	0				
20	28.04	34.559	4.65	.03	3.			576.2	10	28.05	34.558	4.63	22.067	576.6	.058				
44	23.83	34.722	5.15	.09	3.			439.4	20	28.04	34.559	4.65	22.072	576.2	.115				
74	21.91	34.775	4.94	.10	3.			383.1	30	26.43	34.605	4.86	22.623	523.5	.170				
103	20.71	34.860	4.72	.12	4.			345.7	50	23.27	34.743	5.11	23.681	422.4	.265				
137	19.30	34.836	4.81	.12	4.			312.1	75	21.86	34.778	4.93	24.108	381.6	.366				
167	18.77	34.852	4.77	.25	4.			298.1	100	20.82	34.853	4.74	24.451	349.0	.459				
198	18.26	34.847	4.85	.25	5.			286.3	125	19.75	34.848	4.77	24.732	322.2	.543				
237	17.70	34.829	4.71	.36	6.			274.5	150	19.03	34.842	4.79	24.913	304.9	.623				
303	16.84	34.780	4.57	.54	8.			258.4	200	18.23	34.846	4.85	25.116	285.6	.774				
378	15.40	34.671	4.40	.70	12.			235.0	250	17.54	34.822	4.68	25.267	271.3	.917				
456	13.16	34.484	4.11	1.07	20.			203.5	300	16.88	34.783	4.58	25.394	259.1	1.054				
547	10.60	34.311	3.76	1.51	34.			170.2	400	14.80	34.620	4.32	25.740	226.3	1.307				
648	7.94	34.174	3.28	2.04	54.			139.4	500	11.91	34.394	3.95	26.155	186.8	1.525				
747	6.88	34.289	2.39	2.36	75.			116.5	600	9.09	34.216	3.54	26.510	153.2	1.707				
871	5.21	34.337	1.98	2.74	99.			92.7	700	7.30	34.227	2.81	26.789	126.7	1.858				
997	3.82	34.364	1.49	3.04	124.			76.3	800	6.17	34.316	2.17	27.012	105.5	1.985				
1148	3.19	34.427	1.54	3.05	137.			65.7	1000	3.80	34.365	1.49	27.324	76.0	2.186				
1322	2.84	34.478	1.67	3.05	145.			58.8	1200	3.07	34.444	1.57	27.457	63.4	2.342				
1470	2.52	34.524	1.88	3.05	149.			52.7	1500	2.48	34.531	1.91	27.578	51.9	2.540				
1696A	2.29	34.563	2.10	3.02	152.			47.9	2000	2.02	34.605	2.49	27.675	42.7	2.819				
1894A	2.11	34.591	2.34	2.81	152.			44.4	2500	1.74	34.640	3.05	27.724	38.1	3.067				
2095A	1.95	34.614	2.63	2.85	152.			41.5	3000	1.57	34.675	3.34	27.765	34.2	3.296				
2289A	1.86	34.628	2.87	2.82	153.			39.7	3500	1.52	34.672	3.61	27.767	34.0	3.519				
2487A	1.75	34.638	3.04	2.77	152.			38.2	4000	1.54	34.680	3.55	27.772	33.6	3.748				
2684A	1.67	34.654	3.15	2.75	152.			36.4	4500	1.59	34.678	3.65	27.766	34.1	3.985				
2882A	1.60	34.669	3.30	2.75	157.			34.8											
3079A	1.56	34.676	3.36	2.65	151.			34.0											
3277A	1.54	34.676	3.48	2.65	151.			33.8											
3476A	1.52	34.672	3.61	2.70	151.			34.0											
3674A	1.521	34.672	3.54	2.68	151.			34.0											
3874A	1.526	34.679	3.51	2.64	151.			33.5											
4074A	1.556	34.680	3.59	2.65	151.			33.6											
4274A	1.574	34.682	3.66	2.64	151.			33.6											
4476A	1.588	34.678	3.65	2.65	151.			34.0											
4678A	1.603	34.675	3.66	2.63	151.			34.3											
4881A	1.624	34.676	3.59	2.65	151.			34.4											

A) CAST II.
B) CAST III.

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		ROTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
31 30.5N		133 04.4E		07/08/71		0108 0355GMT		3474M	220	18KT					
Z	T	S	O2	PC4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	00
0	27.74	34.140	4.52	.06	4.			597.0	0	27.74	34.140	4.52	21.855	597.0	0
20	27.56	34.183	4.79	.07	5.			588.3	10	27.65	34.162	4.69	21.900	592.6	.060
45	24.60	34.560	4.78	.12	5.			473.0	20	27.56	34.183	4.79	21.945	588.3	.119
75	23.16	34.685	4.65	.22	6.			423.5	30	26.46	34.319	4.79	22.397	545.1	.175
105	21.04	34.743	4.46	.26	7.			362.6	50	24.30	34.599	4.76	23.268	461.8	.276
139	19.72	34.802	4.56	.29	7.			324.9	75	23.16	34.685	4.65	23.669	423.5	.388
170	19.23	34.797	4.50	.35	8.			313.2	100	21.39	34.734	4.48	24.206	372.3	.488
199	18.25	34.834	4.72	.31	7.			287.0	125	20.14	34.783	4.51	24.578	336.9	.578
238	17.22	34.799	4.57	.49	9.			265.6	150	19.54	34.801	4.53	24.750	320.5	.661
304	15.50	34.675	4.45	.70	12.			236.8	200	18.22	34.833	4.72	25.109	286.3	.816
379	13.44	34.506	4.22	1.01	20.			207.3	250	16.91	34.780	4.54	25.386	259.9	.956
458	11.01	34.339	3.90	1.41	32.			175.1	300	15.61	34.684	4.46	25.613	238.4	1.085
546	8.95	34.238	3.52	1.78	45.			149.4	400	12.78	34.456	4.14	26.034	198.3	1.313
643	7.74	34.303	2.64	2.24	67.			127.0	500	9.93	34.275	3.75	26.419	161.8	1.503
740	5.91	34.312	2.11	2.54	90.			102.7	600	8.25	34.270	3.04	26.684	136.6	1.663
856	4.61	34.339	1.76	2.81	112.			86.1	700	6.66	34.308	2.29	26.941	112.2	1.798
973	3.41	34.406	1.48	3.06	135.			69.3	800	5.17	34.324	1.91	27.142	93.2	1.910
1109	3.15	34.436	1.48	3.01	142.			64.7	1000	3.36	34.419	1.48	27.410	67.8	2.088
1259	2.77	34.489	1.72	3.02	147.			57.4	1200	2.92	34.468	1.61	27.490	60.3	2.231
1409	2.48	34.527	1.92	3.01	150.			52.1	1500	2.40	34.540	1.99	27.592	50.6	2.421
1608A	2.34	34.552	2.08	2.86	153.			49.1	2000	1.98	34.606	2.64	27.678	42.4	2.695
1797A	2.12	34.580	2.39	2.91	152.			45.3	2500	1.69	34.644	3.10	27.731	37.4	2.939
1988A	1.99	34.604	2.63	2.86	151.			42.5	3000	1.53	34.666	3.48	27.761	34.6	3.166
2179A	1.86	34.616	2.81	2.86	151.			40.7							
2373A	1.747	34.633	2.98	2.75	149.			38.6							
2569A	1.670	34.648	3.17	2.75	151.			36.9							
2768A	1.600	34.652	3.33	2.73	150.			36.1							
2972A	1.535	34.664	3.47	2.72	148.			34.7							
3180A	1.524	34.672	3.52	2.70	148.			34.0							
3390A	1.53	34.672	3.55	2.67	148.			34.1							

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		ROTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES			
31 30.2N		132 53.8E		07/08/71		0700 0815GMT		3041M	220	20KT	1	220 04 04			
Z	T	S	O2	PO4	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	00
0	28.27	34.182	4.70	.02	2.			610.5	0	28.27	34.182	4.70	21.713	610.5	0
20	27.65	34.290	4.77	.02	2.			583.4	10	27.96	34.260	4.74	21.873	595.2	.060
45	25.08	34.516	4.83	.07	3.			490.0	20	27.65	34.290	4.77	21.996	583.4	.119
76	22.94	34.724	4.59	.15	3.			414.6	30	26.73	34.366	4.79	22.348	549.8	.176
106	21.43	34.744	4.41	.23	5.			372.7	50	24.68	34.559	4.80	23.128	475.2	.279
142	20.56	34.769	4.38	.28	5.			348.4	75	23.00	34.720	4.60	23.743	416.4	.391
172	19.43	34.759	4.29	.48	7.			320.9	100	21.68	34.747	4.44	24.135	379.1	.491
201	17.89	34.646	4.18	.56	12.			292.2	125	20.94	34.760	4.39	24.348	358.7	.584
240	16.39	34.654	4.14	.69	15.			257.6	150	20.30	34.773	4.36	24.529	341.5	.673
304	14.40	34.563	3.98	.90	20.			222.1	200	17.94	34.650	4.18	25.037	293.2	.835
377	12.16	34.456	3.60	1.27	32.			186.8	250	16.06	34.645	4.12	25.479	251.1	.974
453	10.18	34.360	3.32	1.59	42.			159.7	300	14.52	34.572	3.99	25.765	223.9	1.097
537	8.881	34.335	2.94	1.90	58.			141.1	400	11.50	34.422	3.51	26.253	177.6	1.307
630	6.539	34.284	2.32	2.36	80.			112.5	500	9.44	34.346	3.12	26.554	149.0	1.480
723	5.085	34.356		2.64	99.			89.9	600	7.30	34.291	2.52	26.840	121.9	1.625
838	3.914	34.362	1.51	2.86	120.			77.3	700	5.38	34.337	1.95	27.126	94.7	1.742
952	3.393	34.410	1.45	2.95	131.			68.8	800	4.23	34.363	1.59	27.278	80.3	1.838
1091	3.060	34.455	1.52	2.94	137.			62.4	1000	3.26	34.427	1.46	27.426	66.3	1.999
1253	2.739	34.497	1.66	2.96	144.			56.5	1200	2.84	34.484	1.60	27.510	58.3	2.139
1428	2.468	34.534	1.93	2.92	148.			51.5	1500	2.38	34.546	2.01	27.599	50.0	2.325
1700A	2.311	34.557	2.08	2.88				48.5	2000	1.96	34.612	2.62	27.685	41.8	2.595
1758A	2.115	34.591	2.33	2.79				44.5	2500	1.69	34.649	3.11	27.736	36.9	2.836
1949A	1.997	34.607	2.56	2.73				42.3							
1914A	1.864	34.622	2.77	2.72				40.2							
1935A	1.761	34.637	2.96	2.64				38.3							
1934A	1.674	34.651	3.14	2.64				36.7							
1934A	1.590	34.660	3.28	2.64				35.4							
1937A	1.560	34.666	3.37	2.59				34.7							

1 CAST II.

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	OO				
0	27.99	34.212	4.70	.08	2.			599.6	0	27.99	34.212	4.70	21.827	599.6	0				
20	27.94	34.233	4.72	.08	2.			596.5	10	27.96	34.223	4.71	21.843	598.0	.060				
45	25.66	34.538	4.86	.07	2.			505.4	20	27.94	34.233	4.72	21.859	596.5	.120				
76	23.71	34.697	4.69	.25	3.			437.9	30	27.14	34.342	4.78	22.200	563.9	.178				
106	21.82	34.761	4.69	.23	3.			381.8	50	25.31	34.577	4.84	22.947	492.5	.284				
140	19.44	34.756	4.31	.45	8.			321.3	75	23.77	34.695	4.70	23.501	439.6	.401				
170	18.68	34.758	4.27	.52	9.			302.7	100	22.21	34.754	4.69	23.994	392.5	.506				
199	18.13	34.751	4.25	.55	17.			290.2	125	20.41	34.759	4.48	24.490	345.2	.599				
239	15.75	34.594	3.96	.92	21.			248.1	150	19.11	34.758	4.30	24.829	313.0	.682				
302	13.64	34.528	3.90	1.15	37.			209.5	200	18.08	34.747	4.24	25.078	289.2	.836				
374	11.35	34.419	3.45	1.53	47.			175.1	250	15.31	34.578	3.94	25.598	239.8	.972				
450	9.87	34.358	3.20	1.85	64.			154.8	300	13.69	34.529	3.90	25.907	210.4	1.088				
534	8.16	34.331	2.79	2.14	94.			130.8	400	10.79	34.395	3.36	26.361	167.3	1.286				
627	5.72	34.315	2.10	2.68	113.			100.2	500	8.89	34.340	2.98	26.640	140.8	1.449				
717	4.26	34.316	1.59	2.97	126.			84.2	600	6.41	34.315	2.30	26.980	108.6	1.583				
833	3.65	34.366	1.52	3.11	134.			74.5	700	4.47	34.315	1.67	27.214	86.4	1.688				
949	3.27	34.416	1.49	3.14				67.2	800	3.74	34.351	1.54	27.318	76.5	1.776				
1086	2.97	34.453	1.55	3.07	145.			61.8	1000	3.15	34.431	1.50	27.440	65.0	1.931				
1241	2.68	34.496	1.75	3.05	146.			56.1	1200	2.75	34.485	1.69	27.518	57.6	2.068				
1391	2.42	34.540	1.96	3.03	149.			50.7	1500	2.30	34.556	2.04	27.613	48.6	2.250				
1581A	2.232	34.564	2.10	2.90	152.			47.4	2000	1.89	34.620	2.76	27.697	40.6	2.513				
1764A	2.061	34.591	2.37	2.85	152.			44.0	2500	1.69	34.644	3.08	27.732	37.4	2.752				
1952A	1.914	34.616	2.71	2.80	150.			41.1											
2144A	1.833	34.626	2.85	2.75	150.			39.7											
2344A	1.738	34.636	2.99	2.77	150.			38.3											
2551A	1.678	34.646	3.11	2.74	150.			37.1											
2770A	1.603	34.658	3.27	2.72	150.			35.6											

Z	LATITUDE			LONGITUDE			MO/DAY/YR			MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD				
1	27.13	33.973	4.78	.08	5.			590.2	0	27.13	33.973	4.78	21.925	590.2	0				
20	25.15	34.503	4.87	.07	5.			493.0	10	26.08	34.274	4.82	22.484	536.7	.056				
44	23.98	34.566	4.65	.13	6.			454.9	20	25.15	34.503	4.87	22.942	493.0	.108				
74	23.13	34.652	4.52	.18	6.			425.0	30	24.55	34.572	4.79	23.176	470.6	.156				
103	21.14	34.748	4.59	.25	8.			364.9	50	23.83	34.585	4.61	23.397	449.5	.249				
138	19.75	34.786	4.36	.31	7.			326.8	75	23.06	34.656	4.52	23.674	423.0	.358				
168	18.32	34.753	4.30	.47	10.			294.5	100	21.35	34.739	4.58	24.218	371.2	.458				
198	16.55	34.576	3.94	.76	18.			266.8	125	20.22	34.784	4.46	24.558	338.7	.548				
237	14.43	34.534	3.84	.96	25.			224.9	150	19.21	34.785	4.35	24.822	313.6	.631				
303	12.19	34.462	3.66	1.27	33.			186.9	200	16.43	34.572	3.93	25.337	264.6	.778				
379	10.45	34.387	3.33	1.60	44.			162.1	250	13.89	34.520	3.81	25.857	215.1	.901				
460	8.76	34.343	2.91	1.92	60.			138.7	300	12.27	34.466	3.67	26.143	188.0	1.006				
551	6.44	34.299	2.33	2.41	82.			110.1	400	10.02	34.375	3.23	26.480	156.0	1.186				
652	4.89	34.299	1.81	2.75	102.			92.1	500	7.71	34.317	2.66	26.801	125.6	1.335				
753	3.99	34.341	1.50	2.88	119.			79.6	600	5.58	34.295	2.06	27.069	100.1	1.456				
875	3.42	34.411	1.47	2.97	132.			69.0	700	4.40	34.316	1.63	27.222	85.6	1.556				
996	3.15	34.442	1.52	3.01	139.			64.2	800	3.72	34.369	1.49	27.335	74.9	1.643				
1142	2.80	34.484	1.65	2.98	146.			58.0	1000	3.14	34.443	1.52	27.450	64.0	1.795				
1305	2.56	34.521	1.84	2.97	148.			53.2	1200	2.71	34.498	1.71	27.532	56.2	1.930				
1445	2.31	34.553	2.05	2.93	151.			48.8	1500	2.26	34.568	2.16	27.626	47.4	2.108				
1492A	2.265	34.565	2.14	2.96	151.			47.6	2000	1.93	34.610	2.67	27.686	41.7	2.370				
1711A	2.046	34.596	2.48	2.83	152.			43.6											
1922A	1.958	34.605	2.63	2.79	151.			42.2											
2132A	1.890	34.617	2.75	2.78	151.			40.8											
2338A	1.816	34.627	2.93	2.73	151.			39.5											

A) CAST II.

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

33

LATITUDE 31 27.7N		LONGITUDE 132 21.6E		MO/DAY/YR 07/08/71		MESSENGER TIME 1844 1947GMT		BOTTOM 2271M	WIND 240	SPEED 12KT	WEATHER 1	DOMINANT WAVES 240 04 04			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
1	27.46	33.964	4.73	.03	6.			601.0	0	27.46	33.964	4.73	21.813	601.0	0
20	24.22	34.231	5.13	.03	6.			485.9	10	25.80	34.095	5.00	22.434	541.6	.057
45	21.44	34.454	4.73	.22	7.			394.0	20	24.22	34.231	5.13	23.016	485.9	.109
74	19.93	34.737	4.36	.34	10.			334.8	30	22.92	34.329	5.03	23.467	442.8	.155
103	18.76	34.781	4.40	.37	10.			303.0	50	21.10	34.512	4.65	24.115	381.0	.238
137	17.86	34.726	4.23	.49	13.			285.7	75	19.88	34.742	4.36	24.614	333.4	.328
166	16.10	34.584	3.95	.81	20.			256.4	100	18.86	34.784	4.40	24.910	305.3	.408
195	13.77	34.518	3.79	1.09	27.			212.8	125	18.22	34.760	4.31	25.053	291.6	.484
233	12.66	34.485	3.71	1.23	31.			193.9	150	17.16	34.663	4.10	25.236	274.2	.556
296	10.67	34.387	3.34	1.56	42.			165.8	200	13.56	34.514	3.78	25.921	209.1	.679
368	9.51	34.349	3.11	1.81	55.			149.7	250	12.09	34.456	3.62	26.169	185.5	.781
445	7.40	34.299	2.60	2.23	74.			122.6	300	10.60	34.385	3.33	26.387	164.8	.871
530	5.860	34.271	2.19	2.54	90.			105.2	400	8.65	34.324	2.91	26.665	138.4	1.030
625	4.596	34.291	1.70	2.88	109.			89.5	500	6.33	34.278	2.33	26.961	110.4	1.162
721	4.035	34.338	1.52	2.94	120.			80.3	600	4.87	34.282	1.82	27.143	93.1	1.270
839	3.481	34.389	1.53	3.01	134.			71.2	700	4.12	34.328	1.54	27.261	82.0	1.364
957	3.185	34.427	1.53	3.08	140.			65.7	800	3.64	34.373	1.53	27.346	73.9	1.449
1100	2.874	34.472	1.68		146.			59.6	1000	3.08	34.441	1.57	27.454	63.7	1.600
1264	2.617	34.507	1.74	3.04	149.			54.8	1200	2.71	34.494	1.71	27.529	56.5	1.734
1440	2.339	34.548	2.03	3.01	153.			49.4	1500	2.28	34.557	2.11	27.616	48.3	1.913
1629A	2.166	34.572	2.27	2.89	157.			46.3	2000	1.93	34.612	2.74	27.688	41.5	2.178
1832A	2.001	34.601	2.63	2.87	154.			42.8							
2039A	1.916	34.612	2.75	2.83	154.			41.4							
2251A	1.886	34.617	2.87	2.82	154.			40.8							

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

34

LATITUDE 31 29.3N		LONGITUDE 132 11.3E		MO/DAY/YR 07/08/71		MESSENGER TIME 2158		BOTTOM 2163M	WIND 230	SPEED 15KT	WEATHER 2	DOMINANT WAVES 220 03 08			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	26.95	33.866	4.81	.06	3.			592.4	0	26.95	33.866	4.81	21.902	592.4	0
20	24.68	34.208	5.06	.06	3.			500.6	10	25.74	34.050	4.98	22.421	542.8	.057
45	22.73	34.459	4.86	.14	4.			428.0	20	24.68	34.208	5.06	22.861	500.6	.109
76	20.37	34.520	4.50	.36	8.			361.6	30	23.84	34.333	5.02	23.205	467.8	.158
106	18.30	34.497	4.17	.57	13.			312.6	50	22.34	34.481	4.81	23.749	415.9	.246
142	16.15	34.637	4.18	.68	15.			253.6	75	20.44	34.521	4.51	24.299	363.4	.344
173	14.88	34.594	4.05	.87	20.			229.7	100	18.70	34.500	4.22	24.736	321.8	.431
203	13.91	34.561	4.10	.97	20.			212.4	125	17.10	34.573	4.18	25.182	279.4	.507
243	12.28	34.469	3.66	1.29	32.			188.1	150	15.78	34.634	4.14	25.533	245.9	.573
309	10.56	34.389	3.36	1.61	43.			163.8	200	14.01	34.565	4.10	25.869	214.1	.691
374	9.15	34.338	3.08	1.88	53.			145.0	250	12.06	34.458	3.62	26.176	184.9	.794
465	6.80	34.249	2.57	2.34	73.			118.4	300	10.75	34.398	3.38	26.371	166.4	.885
554	5.29	34.259	1.97	2.73	94.			99.5	400	8.46	34.306	2.95	26.680	137.0	1.043
655	4.25	34.331	1.64	2.96	115.			83.0	500	6.13	34.245	2.32	26.962	110.3	1.174
753	3.67	34.375	1.45	2.99	126.			74.0	600	4.74	34.290	1.79	27.164	91.2	1.281
877	3.22	34.424	1.46	3.06	137.			66.2	700	3.95	34.354	1.53	27.300	78.3	1.372
1001	2.98	34.465	1.59	3.04	142.			61.0	800	3.47	34.395	1.45	27.380	70.7	1.453
1150	2.69	34.504	1.69	3.02	148.			55.6	1000	2.98	34.465	1.59	27.482	61.0	1.598
1322	2.46	34.535	1.92	3.01	149.			51.4	1200	2.61	34.514	1.75	27.554	54.2	1.727
1506	2.28	34.556	2.12	2.97	151.			48.4	1500	2.28	34.555	2.11	27.614	48.5	1.903
1661	2.187	34.574	2.28	2.94	151.			46.3	2000	1.99	34.604	2.61	27.677	42.6	2.171
1856	2.036	34.602	2.53	2.92	152.			43.0							
2048	1.983	34.605	2.62	2.88	152.			42.4							

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

35

LATITUDE 31 30.8N		LONGITUDE 132 03.0E		MO/DAY/YR 07/09/71		MESSENGER TIME 0107		BOTTOM 1400M	WIND 030	SPEED 15KT	WEATHER	DOMINANT WAVES			
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	26.79	33.909	4.80	.03	4.			584.4	0	26.79	33.909	4.80	21.985	584.4	0
20	24.13	34.096	5.43	.05	4.			493.1	10	26.70	33.930	5.24	22.030	580.2	.058
45	22.04	34.416	4.78	.16	6.			412.6	20	24.13	34.096	5.43	22.941	493.1	.112
76	19.69	34.587	4.37	.41	9.			339.7	30	22.91	34.252	5.25	23.413	447.9	.159
106	17.99	34.695	4.20	.53	11.			291.0	50	21.63	34.454	4.69	23.926	399.0	.244
141	15.93	34.644	4.16	.74	14.			248.3	75	19.76	34.585	4.38	24.527	341.7	.337
172	14.33	34.581	4.01	.97	19.			219.4	100	18.31	34.683	4.22	24.971	299.4	.418
202	13.21	34.499	3.76	1.18	24.			203.3	125	16.86	34.680	4.18	25.320	266.2	.490
241	11.99	34.447	3.65	1.36	30.			184.4	150	15.43	34.628	4.13	25.608	238.8	.554
307	10.33	34.370	3.51	1.67	39.			161.4	200	13.28	34.504	3.78	25.973	204.2	.667
381	8.44	34.320	2.84	2.08	53.			135.7	250	11.75	34.436	3.64	26.218	180.9	.766
461	6.98	34.298	2.50	2.39	68.			117.1	300	10.49	34.378	3.53	26.401	163.5	.856
549	5.07	34.209	1.98	2.80	84.			100.8	400	8.08	34.317	2.75	26.747	130.7	1.009
648	4.47	34.321	1.69	2.88	97.			86.0	500	6.07	34.248	2.26	26.971	109.4	1.136
873	3.28	34.420	1.49	3.10	119.			67.0	600	4.66	34.258	1.80	27.148	92.7	1.244
1000	2.99	34.458	1.63	3.15	125.			61.6	700	4.15	34.355	1.64	27.280	80.2	1.337
1156	2.74	34.489	1.75	3.12	128.			57.1	800	3.61	34.402	1.55	27.372	71.4	1.419
1293B	2.53	34.515	1.86	3.06	131.			53.5	1000	2.99	34.458	1.63	27.476	61.6	1.565
1322B	2.44	34.529	1.97	3.05	132.			51.7	1200	2.69	34.494	1.79	27.531	56.4	1.697

A) CAST II.

B) POSSIBLE POSTIRIP. THE DPTH MAY BE SLIGHTLY IN ERROR.

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

36

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER		TIME GMT	BOTTOM R68M	WIND 300	SPEED 06KT	WEATHER 2		DOMINANT WAVES 200 03 07		
	T	S	O2	P04	S103	N02	N03	OT	Z	T					S	O2	SIGT	OT	DD
0	27.00	33.805	4.75	.04	4.			598.3	0	27.00	33.805	4.75	21.841	598.3	0				
20	24.27	34.399	5.05	.06	4.			475.2	10	26.80	33.820	4.97	21.915	591.2	.059				
46	21.45	34.502	4.66	.24	6.			390.8	20	24.27	34.399	5.05	23.128	475.2	.113				
77	18.46	34.537	4.23	.52	13.			313.5	30	22.85	34.500	4.95	23.619	428.3	.158				
108	16.30	34.589	4.20	.70	16.			260.4	50	21.05	34.503	4.59	24.122	380.3	.239				
143	14.57	34.576	4.03	.88	20.			224.6	75	18.65	34.533	4.25	24.774	318.2	.327				
174	13.34	34.515	3.90	1.09	25.			204.7	100	16.79	34.580	4.21	25.260	272.0	.402				
205	12.18	34.457	3.67	1.29	33.			187.1	125	15.39	34.593	4.12	25.590	240.5	.467				
245	11.14	34.405	3.50	1.44	38.			172.5	150	14.28	34.564	4.00	25.811	219.5	.525				
311	9.79	34.351	3.25	1.75	50.			154.0	200	12.35	34.466	3.71	26.125	189.7	.630				
386	7.24	34.261	2.65	2.26	70.			123.3	250	11.04	34.402	3.48	26.321	171.1	.723				
467	5.54	34.218	2.15	2.65	89.			105.4	300	10.03	34.361	3.30	26.468	157.1	.808				
556	4.936	34.275	1.85	2.80	102.			94.4	400	6.87	34.248	2.55	26.866	119.4	.952				
655	4.496	34.299	1.70	2.90	110.			87.9	500	5.23	34.236	2.01	27.065	100.5	1.068				
753	3.906	34.345	1.52	2.83	120.			78.5	600	4.74	34.287	1.77	27.162	91.3	1.170				
									700	4.24	34.317	1.62	27.240	84.0	1.264				

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

37

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER		TIME GMT	BOTTOM 268M	WIND 240	SPEED 12KT	WEATHER 1		DOMINANT WAVES 220 04 06		
	T	S	O2	P04	S103	N02	N03	OT	Z	T					S	O2	SIGT	OT	DD
0	26.90	33.968	5.36	.03	7.			583.5	0	26.90	33.968	5.36	21.995	583.5	0				
20	24.35	34.190	5.07	.04	7.			492.5	10	26.90	33.980	5.20	22.004	582.7	.058				
45	21.53	34.448	4.92	.14	8.			396.8	20	24.35	34.190	5.07	22.947	492.5	.112				
76	19.56	34.662	4.33	.41	11.			331.1	30	22.85	34.328	5.01	23.488	440.8	.159				
106	17.52	34.621	4.08	.65	18.			285.4	50	21.16	34.497	4.83	24.088	383.5	.242				
142	15.36	34.640	4.15	.80	18.			236.4	75	19.61	34.659	4.35	24.623	332.6	.332				
173	13.42	34.514	3.91	1.08	27.			206.3	100	17.92	34.637	4.11	25.031	293.7	.411				
203	11.61	34.427	3.60	1.43	38.			179.1	125	16.37	34.639	4.12	25.404	258.2	.481				
244	10.30	34.373	3.31	1.66	53.			160.7	150	14.86	34.613	4.11	25.722	228.0	.542				
									200	11.77	34.434	3.63	26.212	181.5	.647				
									250	10.15	34.370		26.454	158.4	.735				

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

38

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER		TIME GMT	BOTTOM 496M	WIND 170	SPEED 04KT	WEATHER		DOMINANT WAVES		
	T	S	O2	P04	S103	N02	N03	OT	Z	T					S	O2	SIGT	OT	DD
0	22.84	33.717	5.48	.08	10.			484.6	0	22.84	33.717	5.48	23.029	484.6	0				
20	16.33	34.427	4.77	.59	19.			268.5	10	19.00	34.137	5.09	24.383	355.6	.042				
45	14.81	34.512	4.26	.88	24.			234.3	20	16.33	34.487	4.77	25.296	268.5	.073				
76	13.94	34.513	4.21	.95	29.			216.6	30	15.72	34.494	4.52	25.440	254.8	.100				
110	12.88	34.483	4.12	1.09	32.			198.2	50	14.63	34.515	4.25	25.696	230.4	.148				
141	11.93	34.441	3.75	1.29	38.			183.8	75	13.96	34.514	4.21	25.839	216.9	.205				
172	11.11	34.405	3.62	1.47	43.			171.9	100	13.20	34.494	4.15	25.981	203.4	.258				
202	10.74	34.384	3.60	1.52	44.			167.2	125	12.41	34.463	3.94	26.112	190.9	.308				
237	9.97	34.350	3.30	1.58	52.			157.0	150	11.66	34.429	3.69	26.229	179.8	.355				
263	9.59	34.325	3.27	1.75	54.			152.8	200	10.76	34.386	3.60	26.359	167.5	.444				
312	8.21	34.269	2.93	2.06	66.			136.2	250	9.79	34.338	3.28	26.492	154.9	.527				
378	7.43	34.246	2.83	2.13	73.			127.0	300	8.56	34.280	3.02	26.645	140.4	.603				
429	6.72	34.233	2.59	2.29	80.			118.6	400	7.14	34.240	2.74	26.823	123.5	.741				

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

39

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER		TIME GMT	BOTTOM 1267M	WIND 240	SPEED 05KT	WEATHER 1		DOMINANT WAVES 49 01		
	T	S	O2	P04	S103	N02	N03	OT	Z	T					S	O2	SIGT	OT	DD
0	23.00	33.879	5.42	.06	9.			477.3	0	23.00	33.879	5.42	23.106	477.3	0				
20	17.77	34.397	5.88	.10	12.			307.5	10	20.05	34.160	5.65	24.127	379.8	.043				
45	14.96	34.523	4.11	.82	21.			236.6	20	17.77	34.397	5.88	24.886	307.5	.077				
76	13.84	34.512	4.16	.96	26.			214.7	30	16.30	34.498	5.23	25.313	266.9	.106				
106	12.64	34.477	3.90	1.15	35.			194.1	50	14.69	34.531	4.12	25.695	230.5	.156				
141	11.70	34.438	3.81	1.28	41.			179.9	75	13.86	34.515	4.16	25.861	214.8	.212				
172	11.02	34.408	3.68	1.48	42.			170.2	100	12.87	34.485	3.96	26.039	197.9	.264				
203	10.64	34.387	3.64	1.52	47.			166.0	125	12.09	34.456	3.84	26.169	185.5	.313				
237	10.03	34.356	3.45	1.57	49.			157.5	150	11.48	34.429	3.77	26.263	176.6	.359				
263	9.32	34.290	3.41	1.72	60.			151.2	200	10.71	34.389	3.64	26.371	166.3	.447				
314	8.35	34.261	3.09	1.96	71.			138.8	250	9.68	34.323	3.43	26.498	154.3	.529				
379	7.39	34.248	2.80	2.18	80.			126.3	300	8.58	34.285	3.03	26.627	142.0	.606				
454	6.442	34.241	2.48	2.40	93.			114.5	400	7.11	34.245	2.71	26.830	122.8	.745				
529	5.582	34.246	2.19	2.65	100.			103.8	500	5.89	34.243	2.30	26.990	107.6	.866				
604	5.064	34.235	1.99	2.68	112.			97.3	600	5.09	34.254	2.00	27.096	97.6	.975				
679	4.451	34.300	1.71	2.78	118.			87.4	700	4.35	34.309	1.67	27.222	85.6	1.074				
754	4.120	34.328	1.59	2.96	132.			81.9	800	3.86	34.348	1.50	27.305	77.8	1.162				
854	3.583	34.372	1.43		135.			73.4	1000	3.36	34.412	1.50	27.404	68.4	1.323				
977	3.390	34.408	1.49	2.93	140.			68.9	1200	3.05	34.462	1.60	27.473	61.8	1.469				
1125	3.193	34.437	1.56	3.00	145.			65.0											
1222	2.998	34.470	1.61					60.8											

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

40

Z	LATITUDE 33 45.4N			LONGITUDE 136 30.5E			MO/DAY/YR 07/14/71			MESSENGER 2318		TIME GMT	BOTTOM 2037M	WIND 140	SPEED 01KT	WEATHER 1	DOMINANT WAVES 210 01 05	
	T	S	O2	P04	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD			
0	23.26	33.823	5.06	.08	6.			488.5	0	23.26	33.823	5.06	22.989	488.5	0			
20	17.39	34.485	5.34	.38	13.			292.4	10	19.98	34.210	5.20	24.184	374.4	.043			
40	14.27	34.501	4.24	.97	26.			224.0	20	17.39	34.485	5.34	25.045	292.4	.077			
71	13.35	34.498	4.12	1.05	29.			206.1	30	15.53	34.539	4.83	25.517	247.4	.104			
102	12.53	34.476	4.03	1.20	32.			192.2	50	13.97	34.499	4.20	25.825	218.3	.150			
137	11.76	34.452	3.98	1.30	35.			179.9	75	13.24	34.496	4.11	25.973	204.1	.204			
168	11.18	34.417	3.80	1.43	40.			172.3	100	12.58	34.478	4.03	26.091	193.0	.254			
198	10.59	34.391	3.65	1.53	44.			164.1	125	12.01	34.461	4.00	26.189	183.7	.302			
232	10.01	34.364	3.43	1.63	48.			156.6	150	11.51	34.438	3.91	26.263	176.6	.347			
258	9.57	34.319	3.43	1.66	48.			152.9	200	10.55	34.390	3.63	26.400	163.6	.435			
308	8.92	34.296	3.19	1.90	57.			144.6	250	9.70	34.333	3.43	26.501	154.0	.516			
373	7.80	34.265	2.90	2.08	66.			130.6	300	9.02	34.297	3.24	26.585	146.1	.594			
447	6.63	34.236	2.59	2.29	79.			117.2	400	7.35	34.252	2.79	26.802	125.4	.736			
523	5.77	34.238	2.24	2.63	88.			106.6	500	6.01	34.235	2.35	26.969	109.6	.860			
598	4.99	34.265	1.89	2.66	99.			95.7	600	4.97	34.266	1.88	27.118	95.4	.969			
672	4.41	34.289	1.67	3.01	104.			87.8	700	4.28	34.300	1.62	27.222	85.6	1.066			
746	4.10	34.319	1.57	2.94	111.			82.4	800	3.85	34.347	1.56	27.304	77.9	1.155			
844	3.671	34.369	1.55	3.02	126.			74.5	1000	3.34	34.411	1.48	27.406	68.2	1.315			
969	3.400	34.402A	1.48	2.91	134.			69.5	1200	2.98	34.464	1.59	27.481	61.1	1.460			
1116	3.115	34.445A	1.70U	3.02	141.			63.7	1500	2.53	34.531	1.90	27.574	52.3	1.655			
1313	2.805	34.487	1.71	3.04	147.			57.8	2000	1.99	34.611	2.59	27.682	42.1	1.933			
1513	2.514	34.534	1.92	2.97	150.			51.9										
1763	2.235	34.572	2.27	2.96	152.			46.8										
2019	1.973	34.613	2.61	2.86	155.			41.7										

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

41

Z	LATITUDE 33 36.0N			LONGITUDE 136 29.4E			MO/DAY/YR 07/15/71			MESSENGER 0210		TIME 0335GMT	BOTTOM 2050M	WIND 070	SPEED 05KT	WEATHER	DOMINANT WAVES	
	T	S	O2	P04	S103	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD			
0	24.67	33.853	5.26	.05	5.			526.0	0	24.67	33.853	5.26	22.597	526.0	0			
20	17.45	34.456	5.35	.35	10.			295.8	10	20.48	34.204	5.31	24.049	387.4	.046			
45	14.05	34.490	4.18	1.03	24.			220.4	20	17.45	34.456	5.35	25.009	295.8	.080			
76	13.02	34.473	4.07	1.10	29.			201.6	30	15.58	34.500	4.91	25.477	251.3	.107			
105	11.99	34.447	4.05	1.23	33.			184.4	50	13.77	34.480	4.16	25.852	215.6	.154			
140	11.10	34.407	3.73	1.40	38.			171.6	75	13.04	34.473	4.07	25.996	202.0	.207			
171	10.71	34.387	3.67	1.52	41.			166.5	100	12.17	34.452	4.05	26.151	187.2	.256			
201	10.21	34.360	3.51	1.63	45.			160.1	125	11.43	34.424	3.87	26.268	176.1	.302			
235	9.54	34.328	3.33	1.68	50.			151.8	150	10.96	34.401	3.71	26.335	169.7	.346			
261	9.17	34.306	3.25	1.77	52.			147.7	200	10.23	34.361	3.52	26.434	160.4	.431			
310	8.30	34.273	3.06	1.99	59.			137.1	250	9.32	34.315	3.28	26.550	149.3	.510			
375	7.32	34.243	2.79	2.20	69.			125.7	300	8.48	34.279	3.10	26.655	139.4	.585			
449	6.52	34.225	2.55	2.35	79.			116.7	400	7.04	34.235	2.71	26.833	122.6	.722			
523	5.64	34.236	2.20	2.61	90.			105.2	500	5.90	34.231	2.31	26.979	108.7	.844			
597	5.07	34.245	1.90	2.59	99.			98.1	600	5.05	34.246	1.89	27.094	97.8	.954			
671	4.62	34.275	1.76	2.81	108.			91.0	700	4.41	34.290	1.68	27.201	87.7	1.053			
739	4.15	34.311	1.57	2.92	118.			83.5	800	3.92	34.334	1.53	27.286	79.5	1.144			
842	3.81	34.347	1.50	2.99	124.			77.4	1000	3.33	34.409	1.47	27.405	68.3	1.306			
964	3.41	34.398	1.47	2.98	132.			69.9	1200	2.97	34.461	1.61	27.480	61.2	1.451			
1109	3.13	34.437	1.52	3.06	138.			64.4	1500	2.51	34.527	1.95	27.573	52.4	1.646			
12378	2.902	34.470	1.65	2.94	142.			59.9	2000	2.00	34.600	2.60	27.672	43.0	1.927			
14818	2.537	34.523	1.92	2.93	148.			52.9										
16838	2.296	34.560	2.20	2.88	151.			48.2										
18928	2.095	34.585	2.49	2.83	152.			44.8										
20028	1.999	34.599	2.60	2.81	152.			43.0										

A) THE SALINITY BOTTLE NUMBERS AND ORDER DIFFER ON THE ORIGINAL DATA AND SALINITY DETERMINATION SHEETS. THEY ARE ASSUMED TO BE IN THE CORRECT ORDER.

B) CAST 11.

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVFS			
33 25.9N		136 35.2E		07/15/71		0620 0716GMT		2028M	230	06KT	1	150 01 06			
Z	T	S	O2	PO4	SI03	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	DD
0	28.32	34.060	4.76	.08	4.			620.9	0	28.32	34.060	4.76	21.605	620.9	0
20	23.59	34.374	5.21	.12	4.			457.8	10	25.79	34.224	5.08	22.536	531.8	.058
45	19.58	34.555	4.70	.31	10.			339.3	20	23.59	34.374	5.21	23.309	457.8	.107
75	17.12	34.551	4.32	.64	16.			281.4	30	21.75	34.471	5.07	23.906	400.9	.150
104	14.79	34.542	4.08	.86	22.			231.7	50	19.08	34.567	4.62	24.689	326.3	.223
138	12.69	34.480	3.82	1.17	31.			194.9	75	17.12	34.551	4.32	25.160	281.4	.300
168	11.91	34.446	3.75	1.30	34.			183.0	100	15.10	34.544	4.11	25.619	237.8	.365
196	11.00	34.405	3.48	1.47	41.			170.1	125	13.38	34.505	3.91	25.953	206.1	.422
229	9.81	34.348	3.34	1.57	48.			154.6	150	12.33	34.468	3.80	26.131	189.1	.472
253	9.04	34.311	3.15	1.74	54.			145.3	200	10.86	34.398	3.46	26.353	168.1	.563
299	8.21	34.272	3.02	1.93	60.			135.9	250	9.13	34.315	3.17	26.582	146.3	.644
360	7.50	34.260	2.78	2.09	68.			126.9	300	8.20	34.272	3.02	26.693	135.8	.717
429	6.765	34.242	2.60	2.22	75.			118.5	400	7.08	34.250	2.68	26.838	122.1	.852
497	5.845	34.235	2.28	2.47	87.			107.7	500	5.81	34.236	2.26	26.994	107.2	.973
565	5.164	34.250	1.97	2.52	98.			98.7	600	4.93	34.262	1.88	27.120	95.3	1.081
635	4.733	34.276	1.80	2.67	106.			92.1	700	4.29	34.304	1.62	27.225	85.4	1.178
704	4.260	34.306	1.61	2.82	115.			85.0	800	3.81	34.349	1.47	27.310	77.3	1.266
798	3.813	34.348	1.47	2.83	123.			77.4	1000	3.27	34.417	1.43	27.417	67.2	1.424
917	3.465	34.388	1.35	2.88	131.			71.1	1200	2.89	34.477	1.69	27.500	59.3	1.566
1068	3.132	34.440	1.53	2.90	138.			64.2	1500	2.52	34.527	1.92	27.572	52.5	1.758
1262A	2.794	34.491	1.75	2.87	142.			57.4	2000	2.01	34.599	2.55	27.671	43.1	2.040
1456A	2.574	34.519	1.88	2.88	146.			53.5							
1704A	2.313	34.561	2.15	2.97	148.			48.2							
1840A	2.214	34.574	2.29	2.86	150.			46.5							
2000A	2.011	34.599	2.55	2.75	151.			43.1							

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVFS			
33 16.4N		136 33.5E		07/15/71		1003		1848M	250	10KT	1	250 01 08			
Z	T	S	O2	PO4	SI03	NO2	NO3	OT	Z	T	S	O2	SIGT	OT	DD
0	28.39	34.039	4.80	.10	4.			624.6	0	28.39	34.039	4.80	21.566	624.6	0
18	25.45	34.280	5.08	.15	4.			517.8	10	26.60	34.187	4.99	22.254	558.8	.059
43A	23.44	34.335	5.00	.15	3.			456.5	20	25.24	34.291	5.07	22.753	511.0	.113
73A	21.02	34.473	4.72	.42	7.			381.7	30	24.34	34.328	5.04	23.055	482.1	.162
102A	19.18	34.646	4.32	.53	10.			322.9	50	22.85	34.361	4.95	23.513	438.4	.255
136A	17.17	34.679	4.17	.68	14.			273.2	75	20.88	34.487	4.69	24.155	377.2	.357
164A	15.48	34.591	4.16	1.21	18.			242.5	100	19.30	34.637	4.35	24.686	326.5	.446
192A	14.46	34.552	4.07	1.29	22.			224.2	125	17.81	34.687	4.19	25.097	287.4	.524
224A	13.54	34.518	3.89	1.30	24.			208.3	150	16.29	34.638	4.16	25.422	256.5	.593
247A	12.76	34.478	3.78	1.41	28.			196.3	200	14.23	34.545	4.03	25.806	220.0	.715
291A	11.66	34.427	3.61	1.52	34.			180.0	250	12.68	34.474	3.77	26.068	195.1	.821
349A	10.06	34.408	3.50	1.58	38.			154.2	300	11.41	34.425	3.60	26.271	175.8	.917
412A	8.45	34.307	2.93	2.28	59.			136.8	400	8.74	34.326	3.05	26.652	139.7	1.082
475A	7.16	34.289	2.54	2.65	73.			120.2	500	6.46	34.239	2.39	26.913	114.9	1.217
537A	5.58	34.185	2.20	2.65	85.			108.3	600	5.25	34.254	2.02	27.076	99.5	1.331
598A	5.27	34.252	2.03	2.67	96.			99.8	700	4.45	34.306	1.76	27.208	87.0	1.431
658A	4.72	34.286	1.73	2.77	107.			91.2	800	3.99	34.339	1.62	27.284	79.8	1.522
838A	3.845	34.350	1.51	3.00	123.			83.9	1000	3.30	34.411	1.50	27.410	67.9	1.684
959A	3.408	34.397	1.48	2.97	132.			77.6	1200	2.92	34.465	1.62	27.487	60.5	1.828
1109A	3.072	34.443	1.56	2.97	139.			69.9	1500	2.53	34.524	1.91	27.569	52.8	2.022
1330A	2.758	34.490	1.72	3.04	145.			63.5							
1582A	2.416	34.539	2.02	2.92	149.			57.2							
								50.7							

A) CAST 11.

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

44

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DDMINANT WAVES		
	T	S	O2	P04	S103			N02	N03	DT	Z	T	S	O2	SIGT	DT	OD	
0	28.62	33.898	4.67	.08	3.					642.0	0	28.62	33.898	4.67	21.385	642.0	0	
20	27.51	34.273	4.77	.06	3.					580.3	10	28.19	34.113	4.72	21.687	613.0	.063	
45	24.69	34.472	4.91	.13	4.					481.9	20	27.51	34.273	4.77	22.029	580.3	.122	
75	22.27	34.648	4.44	.28	5.					401.9	30	26.43	34.369	4.85	22.444	540.6	.179	
105	20.39	34.544	4.44	.38	7.					360.4	50	24.23	34.514	4.84	23.226	465.8	.280	
139	19.44	34.811	4.48	.32	5.					317.3	75	22.27	34.648	4.44	23.895	401.9	.389	
169	18.22	34.777	4.38	.46	7.					290.4	100	20.65	34.560	4.44	24.273	365.9	.485	
197	16.99	34.757	4.42	.53	10.					263.5	125	19.78	34.698	4.47	24.608	334.0	.574	
230	15.88	34.694	4.32	.70	12.					243.6	150	19.02	34.812	4.44	24.892	307.0	.655	
254	14.89	34.617	4.14	.85	15.					228.2	200	16.89	34.753	4.42	25.370	261.4	.800	
300	13.35	34.522	3.81	1.12	24.					204.3	250	15.06	34.631	4.17	25.693	230.7	.927	
361	11.70	34.400	3.81	1.30	27.					182.7	300	13.35	34.522	3.81	25.971	204.3	1.039	
429	10.25	34.380	3.29	1.68	43.					159.3	400	10.88	34.386	3.54	26.339	169.3	1.235	
497	8.25	34.307	2.84	2.11	60.					133.9	500	8.15	34.305	2.81	26.726	132.7	1.395	
564	6.32	34.269	2.30	2.38	80.					110.9	600	5.69	34.249	2.13	27.019	104.8	1.522	
630	5.32	34.237	2.02	2.71	92.					101.5	700	4.75	34.266	1.75	27.144	93.0	1.628	
698	4.76	34.265	1.75	2.87	102.					93.2	800	4.23	34.325	1.61	27.248	83.2	1.723	
787	4.29	34.318	1.63	2.92	113.					84.4	1000	3.46	34.402	1.51	27.387	70.0	1.892	
900	3.78	34.368	1.50	2.94	126.					75.6	1200	2.96	34.468	1.64	27.485	60.7	2.038	
1038	3.36	34.414	1.51	3.03	134.					68.2	1500	2.51	34.525	1.83	27.571	52.6	2.233	
1155A	3.06	34.454	1.60	2.96	137.					62.5	2000	2.01	34.603	2.53	27.674	42.8	2.514	
1346A	2.71	34.503	1.76	3.01	145.					55.8	2500	1.72	34.642	3.05	27.728	37.7	2.761	
1537A	2.47	34.529	1.85	2.82	145.					51.9	3000	1.55	34.665	3.41	27.759	34.8	2.990	
1727A	2.25	34.565	2.18	2.85	148.					47.5								
1918A	2.08	34.595	2.45	2.83	150.					43.9								
2110A	1.93	34.610	2.63	2.77	150.					41.6								
2304A	1.816	34.625	2.80	2.73	150.					39.7								
2499A	1.717	34.641	3.05	2.71	148.					37.7								
2696A	1.65	34.633	3.17	2.64	148.					36.3								
2896A	1.577	34.661	3.37	2.63	147.					35.2								
3098A	1.534	34.667	3.44	2.71	148.					34.5								
3304A	1.517	34.675	3.52	2.57	147.					33.8								

RV THOMAS WASHINGTON

ARIES EXPEDITION VI

45

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER TIME			BOTTOM	WIND	SPEED	WEATHER	DDMINANT WAVES		
	T	S	O2	P04	S103			N02	N03	DT	Z	T	S	O2	SIGT	DT	DD	
0	28.66	34.097	4.63	.11	3.					628.9	0	28.66	34.097	4.63	21.521	628.9	0	
20	28.36	34.234	4.68	.02	2.					609.6	10	28.51	34.166	4.66	21.622	619.3	.062	
44	24.88	34.474	4.93	.09	3.					487.2	20	28.36	34.234	4.68	21.723	609.6	.124	
74	23.25	34.781	5.14	.09	3.					419.0	30	27.00	34.316	4.78	22.225	561.5	.183	
103	21.51	34.795	4.99	.11	3.					371.1	50	24.44	34.551	4.99	23.192	469.1	.286	
138	20.27	34.844	4.70	.20	3.					335.6	75	23.19	34.783	5.14	23.736	417.1	.397	
167	19.42	34.858	4.62	.22	4.					313.4	100	21.68	34.799	5.02	24.175	375.3	.497	
196	18.83	34.865	4.62	.27	4.					298.6	125	20.66	34.826	4.80	24.473	346.8	.588	
230	18.00	34.844	4.87	.39	5.					280.4	150	19.89	34.851	4.65	24.696	325.6	.674	
254	17.62	34.826	4.70	.36	5.					272.8	200	18.73	34.863	4.66	25.005	296.2	.832	
302	16.68	34.764	4.53	.60	9.					256.0	250	17.68	34.829	4.74	25.239	274.0	.979	
364	15.33	34.656	4.26	.74	13.					234.6	300	16.72	34.767	4.54	25.420	256.7	1.116	
436	13.199	34.557	4.03	.96	19.					198.9	400	14.34	34.616	4.14	25.836	217.1	1.363	
506	10.505	34.306	3.78	1.47	32.					169.0	500	10.72	34.324	3.81	26.318	171.4	1.568	
577	9.144	34.338	3.02	1.82	51.					144.9	600	8.69	34.333	2.88	26.665	138.4	1.734	
647	7.716	34.310	2.65	2.17	67.					126.1	700	6.47	34.277	2.31	26.942	112.2	1.870	
718	6.073	34.268	2.20	2.69	85.					107.9	800	4.90	34.267	1.78	27.128	94.6	1.983	
811	4.789	34.269	1.74	2.78	103.					93.2	1000	3.71	34.373	1.51	27.339	74.6	2.169	
928	4.068	34.337	1.52	2.92	117.					80.7	1200	3.12	34.444	1.57	27.453	63.8	2.324	
1067	3.447	34.401	1.50	3.09	131.					70.0	1500	2.55	34.526	1.86	27.569	52.8	2.524	
1141A	3.25	34.426	1.54	2.92	133.					66.3	2000	1.98	34.601	2.61	27.675	42.7	2.805	
1330A	2.866	34.481	1.67	2.97	143.					58.8	2500	1.70	34.645	3.01	27.732	37.4	3.050	
1565A	2.44	34.541	1.95	2.73	146.					50.8	3000	1.54	34.670	3.40	27.764	34.3	3.277	
1801A	2.147	34.574	2.38	2.80	151.					46.0	3500	1.51	34.678	3.56	27.772	33.5	3.499	
2086A	1.92	34.611	2.68	2.77	151.					41.5	4000	1.54	34.678	3.61	27.770	33.8	3.726	
2373A	1.754	34.638	2.92	2.68	150.					38.2								
2662A	1.643	34.651	3.12	2.62	150.					36.4								
2954A	1.543	34.668	3.38	2.60	150.					34.5								
3248A	1.519	34.673	3.48	2.56	148.					33.9								
3545A	1.512	34.678	3.57	2.57	149.					33.5								
3797A	1.523	34.678	3.57	2.57	148.					33.6								
4052A	1.550	34.677	3.62	2.54	146.					33.8								

A) CAST II.

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	SIO3	N02	N03	DT	Z	T	S	O2	SIGT	OT	DD		
0	28.69	34.218	4.62	.05	4.			621.2	0	28.69	34.218	4.62	21.602	621.2	0		
20	28.41	34.223	4.68	.08	4.			612.0	10	28.55	34.221	4.64	21.650	616.6	.062		
45	25.38	34.594	4.85	.05	5.			493.1	20	28.41	34.223	4.68	21.698	612.0	.123		
76	22.70	34.815	5.18	.07	4.			401.5	30	27.33	34.351	4.74	22.145	569.2	.183		
107	21.01	34.825	5.19	.07	5.			355.9	50	24.87	34.666	4.91	23.133	474.7	.287		
141	19.92	34.833	4.56	.22	7.			327.6	75	22.77	34.812	5.17	23.878	403.6	.398		
171	19.25	34.852	4.59	.25	6.			309.7	100	21.32	34.833	5.19	24.300	363.4	.494		
201	18.29	34.842	4.75	.25	6.			287.3	125	20.36	34.829	4.85	24.555	339.0	.583		
235	17.71	34.831	4.71	.36	7.			274.6	150	19.72	34.840	4.57	24.733	322.1	.667		
260	17.37	34.814	4.65	.38	7.			268.0	200	18.32	34.842	4.75	25.091	288.0	.823		
308	16.47	34.748	4.49	.50	10.			252.5	250	17.51	34.822	4.68	25.275	270.5	.966		
370	15.33	34.658	4.30	.71	15.			234.4	300	16.63	34.760	4.52	25.436	255.2	1.102		
443	13.99	34.576	4.10	.91	20.			212.9	400	14.86	34.634	4.21	25.739	226.4	1.353		
515	11.42	34.371	3.95	1.28	31.			179.8	500	11.97	34.406	3.98	26.153	187.0	1.571		
586	9.76	34.378	3.13	1.67	49.			151.5	600	9.32	34.354	3.03	26.581	146.4	1.750		
657	7.55	34.256	2.71	2.11	65.			127.9	700	6.48	34.218	2.48	26.894	116.7	1.893		
728	5.91	34.207	2.34	2.42	83.			110.5	800	5.09	34.243	1.94	27.087	98.4	2.010		
823	4.93	34.261	1.82	2.65	102.			95.3	1000	3.83	34.360	1.59	27.316	76.7	2.202		
942	4.137	34.330	1.80U	2.95U	118.			81.9	1200	3.11	34.445	1.53	27.454	63.6	2.359		
1087	3.459	34.400	1.47	2.85	133.			70.2	1500	2.52	34.519	1.88	27.566	53.1	2.560		
1328A	2.829	34.485	1.67	2.97	143.			58.2	2000	1.99	34.608	2.50	27.679	42.3	2.841		
1523A	2.49	34.523	1.91	2.93	147.			52.5	2500	1.71	34.645	3.09	27.731	37.4	3.085		
2005A	1.99	34.608	2.51	2.72	147.			42.2	3000	1.53	34.671	3.37	27.766	34.1	3.312		
2293A	1.80	34.631	2.89	2.72	150.			39.1	3500	1.50	34.676	3.62	27.772	33.6	3.533		
2584A	1.68	34.650	3.15	2.70	150.			36.8	4000	1.54	34.677	3.63	27.770	33.8	3.760		
2873A	1.553	34.667	3.32	2.67	150.			34.6									
3165A	1.516	34.674	3.43	2.62	148.			33.8									
3460A	1.502	34.676	3.62	2.62	148.			33.6									
3756A	1.521	34.677	3.61	2.58	148.			33.6									
4058A	1.544	34.677	3.63	2.59	148.			33.8									
4261A	1.561	34.678	3.63	2.59	148.			33.8									
4465A	1.578	34.681	3.65	2.58	148.			33.7									

Z	LATITUDE			LONGITUDE			MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
	T	S	O2	P04	SIO3	N02	N03	DT	Z	T	S	O2	SIGT	OT	DD		
0	28.77	34.528	4.66	.10	3.			601.5	0	28.77	34.528	4.66	21.808	601.5	0		
20	27.87	34.520	4.75	.01	3.			573.7	10	28.53	34.524	4.71	21.884	594.1	.060		
44	24.61	34.714	5.14	.04	3.			462.2	20	27.87	34.520	4.75	22.098	573.7	.118		
75	22.58	34.829	5.11	.06	4.			397.2	30	26.57	34.582	4.92	22.562	529.3	.174		
105	21.27	34.795	4.85	.17	4.			364.8	50	24.09	34.750	5.13	23.445	444.9	.271		
140	20.41	34.860	4.88	.13	4.			338.0	75	22.58	34.829	5.11	23.945	397.2	.377		
170	19.15	34.841	5.21U	.09	4.			308.1	100	21.45	34.803	4.89	24.242	368.9	.474		
200	18.72	34.855	4.78	.23	4.			296.6	125	20.77	34.832	4.87	24.447	349.3	.564		
235	18.23	34.844	4.67	.32	5.			285.8	150	19.97	34.854	4.87	24.678	327.4	.650		
261	17.79	34.834	4.65	.32	6.			276.2	200	18.72	34.855	4.78	24.678	327.4	.650		
310	16.99	34.800	4.57	.42	7.			260.3	250	17.98	34.838	4.66	25.000	296.6	.809		
377	15.69	34.699	4.43	.63	11.			239.1	300	17.16	34.809	4.59	25.349	280.3	.957		
452	14.02	34.566	4.22	.87	17.			214.3	400	15.22	34.661	4.37	25.682	263.4	1.098		
527	11.86	34.419	4.00	1.17	25.			184.1	500	12.65	34.466	4.10	26.069	195.1	1.582		
601	10.08	34.357	3.36	1.63	43.			158.2	600	10.10	34.358	3.37	26.453	158.6	1.771		
676	8.2	34.240	3.09	1.95	55.			138.2	700	7.71	34.234	2.93	26.736	131.7	1.929		
749	6.82	34.239	2.58	2.28	73.			119.4	800	5.95	34.232	2.25	26.974	109.2	2.060		
845	5.29	34.234	1.99	2.60	93.			101.3	1000	3.97	34.347	1.59	27.292	79.0	2.267		
963	4.21	34.324	1.61	2.79	115.			83.1	1200	3.24	34.428	1.53	27.428	66.1	2.430		
1099	3.50	34.397	1.52	2.93	130.			70.8	1500	2.62	34.516	1.79	27.554	51.1	2.636		
1242A	3.17	34.438	1.53	2.82	136.			64.7	2000	2.07	34.594	2.44	27.662	43.9	2.926		
1437A	2.73	34.501	1.72	2.85	145.			56.2	2500	1.75	34.641	3.03	27.725	38.0	3.177		
1681A	2.37	34.549	2.02	2.79	149.			49.6	3000	1.56	34.669	3.38	27.761	36.6	3.407		
1926A	2.13	34.582	2.31	2.54	145.			45.2	3500	1.52	34.677	3.54	27.771	33.6	3.630		
2218A	1.90	34.621	2.79	2.45	149.			40.6	4000	1.55	34.677	3.59	27.769	33.8	3.858		
2513A	1.74	34.641	3.04	2.77	149.			37.9									
2808A	1.61	34.659	3.22	2.72	150.			35.6									
3104A	1.545	34.672	3.45	2.63	149.			34.2									
3403A	1.514	34.678	3.52	2.67	149.			33.5									
3705A	1.53	34.674	3.58	2.64				33.9									
4009A	1.55	34.677	3.59	2.62	148.			33.8									
4316A	1.571	34.680	3.62	2.64	148.			33.7									
4419A	1.581	34.680	3.62	2.59	148.			33.8									

A) CAST 11.

B) TEMPERATURE INFERRED FROM PRESSURE THERMOMETER AND WIRE LENGTH.

Z	LATITUDE 32 15.2N			LONGITUDE 136 30.9E			MO/DAY/YR 07/16/71			MESSENGER TIME 1223 1407GMT			BOTTOM 4150M	WIND 270	SPEED 10KT	WEATHER 1	DOMINANT WAVES 270 03		DD
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD				
0	28.18	34.581	4.75	.03	3.			579.0	0	28.18	34.581	4.75	22.042	579.0	0				
21	26.79	34.459	4.88	.03	3.			544.9	10	27.66	34.489	4.81	22.143	569.4	.057				
46	23.65	34.714	5.07	.06	3.			435.0	20	26.88	34.459	4.87	22.369	547.7	.113				
77	22.55	34.772	4.86	.14	4.			400.5	30	25.64	34.528	4.96	22.812	505.4	.166				
107	21.45	34.830	4.86	.14	3.			367.0	50	23.42	34.732	5.05	23.629	427.4	.260				
142	20.59	34.832	4.72	.18	4.			344.6	75	22.57	34.774	4.88	23.904	401.1	.364				
173	19.98	34.841	4.69	.212	4.			328.6	100	21.69	34.818	4.86	24.185	374.3	.462				
203	19.29	34.846	4.78	.24	5.			311.1	125	20.97	34.835	4.79	24.397	354.1	.554				
239	18.52	34.843	4.89	.31	5.			292.7	150	20.43	34.834	4.71	24.541	340.4	.642				
265	18.18	34.8432	4.922	.26	5.			284.7	200	19.36	34.845	4.77	24.830	312.8	.808				
315	17.70	34.833	4.83	.35	6.			274.2	250	18.36	34.843	4.91	25.081	288.9	.962				
380	16.55	34.764	4.59	.52	8.			253.3	300	17.85	34.838	4.87	25.204	277.2	1.108				
455	14.991	34.633	4.33	.77	12.			229.2	400	16.18	34.733	4.53	25.519	247.3	1.382				
529	12.864	34.499	3.83	1.16	26.			196.7	500	13.74	34.554	4.01	25.916	209.6	1.623				
603	10.639	34.313	3.89	1.46	31.			170.7	600	10.72	34.319	3.89	26.315	171.7	1.827				
677	9.0	34.294	3.16	1.89	52.			146.0	700	8.38	34.262	3.03	26.657	139.2	1.996				
752	7.057	34.202	2.78	2.20	68.			125.3	800	6.22	34.211	2.43	26.923	114.0	2.134				
849	5.568	34.239	2.07	2.60	90.			104.1	1000	4.15	34.305	1.51	27.239	84.0	2.352				
970	4.356	34.284	1.58	2.90	111.			87.6	1200	3.35	34.414	1.43	27.406	68.2	2.522				
1113	3.602	34.381	1.40	3.01	128.			72.9	1500	2.71	34.504	1.80	27.537	55.8	2.735				
1275A	3.199	34.434	1.51	2.97	138.			65.3	2000	2.08	34.592	2.51	27.660	44.1	3.030				
1473A	2.760	34.497	1.77	2.75	140.			56.7	2500	1.72	34.644	2.93	27.729	37.6	3.280				
1719A	2.358	34.550	2.03	2.86	152.			49.4	3000	1.53	34.671	3.46	27.766	34.1	3.508				
1966A	2.110	34.586	2.462	2.85	154.			44.8	3500	1.50	34.682	3.68	27.776	33.2	3.728				
2261A	1.848	34.626	2.78	2.73	153.			39.8	4000	1.53	34.683	3.64	27.775	33.2	3.953				
2558A	1.697	34.646	2.97	2.68	152.			37.2											
2855A	1.557	34.666	3.37	2.63	152.			34.7											
3155A	1.513	34.674	3.52	2.60	151.			33.8											
3458A	1.504	34.681	3.69	2.642	151.			33.2											
3763A	1.504	34.682	3.61	2.60	150.			33.1											
4132A	1.548	34.683	3.66	2.57	149.			33.4											

Z	LATITUDE 31 53.3N			LONGITUDE 136 31.3F			MO/DAY/YR 07/16/71			MESSENGER TIME 1756 1905GMT			BOTTOM 4157M	WIND 250	SPEED 17KT	WEATHER 1	DOMINANT WAVES 250 01 09		DD
	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD				
0	28.07	34.506	4.66	.04	4.			580.9	0	28.07	34.506	4.66	22.022	580.9	0				
20	27.49	34.486	4.81	.032	4.			564.3	10	28.00	34.500	4.73	22.040	579.2	.058				
45	24.30	34.628	5.04	.092	5.			459.5	20	27.49	34.486	4.81	22.195	564.3	.115				
76	23.13	34.730	4.85	.08	4.			419.4	30	26.26	34.522	4.92	22.614	524.3	.170				
107	22.02	34.774	4.74	.142	5.			386.1	50	24.00	34.652	5.02	23.397	449.4	.267				
142	21.11	34.824	4.68	.162	4.			358.6	75	23.14	34.729	4.86	23.707	419.9	.377				
173	20.38	34.841	4.70	.18	5.			338.6	100	22.26	34.766	4.76	23.989	393.0	.479				
203	19.56	34.843	4.94	.162	4.			318.0	125	21.52	34.802	4.70	24.220	371.0	.576				
238	18.97	34.843	4.79	.39	6.			303.5	150	20.92	34.830	4.69	24.405	353.3	.668				
264	18.44	34.829	4.65	.31	6.			291.8	200	19.64	34.843	4.92	24.756	319.9	.839				
313	17.69	34.818	4.62	.37	7.			275.0	250	18.72	34.836	4.72	24.985	298.1	.997				
379	16.39	34.722	4.35	.61	12.			252.6	300	17.88	34.822	4.63	25.184	279.1	1.146				
453	15.17	34.685	4.37	.64	13.			229.1	400	16.07	34.717	4.36	25.532	246.1	1.420				
528	13.11	34.499	3.93	1.10	25.			201.4	500	13.93	34.574	4.11	25.890	212.0	1.662				
602	10.99	34.358	3.77	1.432	35.			173.4	600	11.05	34.361	3.77	26.289	174.1	1.869				
677	9.0	34.252	3.38	1.84	48.			149.1	700	8.46	34.235	3.23	26.624	142.4	2.040				
750	7.41	34.2132	2.88	2.18	65.			129.2	800	6.49	34.199	2.52	26.878	118.3	2.182				
847	5.78	34.200	2.21	2.572	87.			109.5	1000	4.44	34.294	1.64	27.200	87.7	2.409				
968	4.67	34.273	1.72		107.			91.7	1200	3.47	34.399	1.49	27.383	70.3	2.586				
1111	3.81	34.357	1.48	2.97	125.			76.5	1500	2.78	34.493	1.72	27.523	57.1	2.805				
1267A	3.28	34.4242	1.502	3.132	137.			66.7	2000	2.12	34.588	2.43	27.653	44.8	3.106				
1467A	2.84	34.485	1.67	3.08	146.			58.3	2500	1.77	34.635	2.94	27.718	38.6	3.362				
1716A	2.43	34.539	1.95	2.96	152.			50.8	3000	1.59	34.663	3.30	27.755	35.2	3.595				
1966A	2.15	34.583	2.38	2.90	153.			45.3	3500	1.52	34.677	3.54	27.770	33.7	3.821				
2266A	1.91	34.614	2.73	2.88	154.			41.2	4000	1.53	34.681	3.61	27.773	33.4	4.048				
2564A	1.74	34.639	2.99	2.80	152.			38.0											
2863A	1.637	34.657	3.17	2.75	151.			36.0											
3159A	1.545	34.668	3.43	2.70	151.			34.5											
3455A	1.522	34.675	3.52	2.67	151.			33.8											
3750A	1.526	34.680	3.60	2.60	150.			33.4											
3944A	1.524	34.680	3.61	2.72	150.			33.4											
4138A	1.545	34.681	3.63	2.69	149.			33.5											

A) CAST II.

B) TEMPERATURE INFERRED FROM PRESSURE THERMOMETER AND WIRE LENGTH.

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES		
31 34.1N		136 28.5E		07/16/71		2203 0009GMT		4260M	310	15KT			DT	DD	
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	28.06	34.445	4.66	.04	3.			585.0	0	28.06	34.445	4.66	21.979	585.0	0
20	27.95	34.443	4.68	.03	3.			581.7	10	28.00	34.444	4.67	21.997	583.4	.058
45	25.28	34.643	5.02	.06	3.			486.7	20	27.95	34.443	4.68	22.014	581.7	.117
75	22.75	34.814	5.10	.04	3.			402.9	30	27.02	34.508	4.81	22.362	548.4	.173
105	21.68	34.810	5.04	.09	3.			374.5	50	24.78	34.679	5.03	23.186	469.6	.275
141	20.96	34.856	4.82	.14	3.			352.4	75	22.75	34.814	5.10	23.885	402.9	.385
172	20.02	34.873	4.81	.18	3.			327.2	100	21.79	34.816	5.05	24.156	377.0	.483
201	19.11	34.854	4.72	.24	4.			306.1	125	21.27	34.834	4.91	24.315	361.9	.577
242	18.57	34.844	4.84	.29	4.			293.8	150	20.70	34.863	4.82	24.490	345.2	.666
308	17.61	34.806	4.53	.41	6.			274.1	200	19.14	34.854	4.72	24.894	306.8	.833
384	16.11	34.724	4.46	.58	8.			246.4	250	18.47	34.841	4.81	25.054	291.5	.986
466	14.32	34.579	4.22	.87	15.			219.3	300	17.74	34.812	4.58	25.211	276.6	1.133
556	11.64	34.393	3.97	1.26	27.			182.1	400	15.79	34.700	4.42	25.583	241.2	1.402
658	9.38	34.260	3.54	1.70	41.			154.3	500	13.31	34.503	4.13	25.964	205.0	1.638
759	7.54	34.214	2.94	2.40	61.			130.9	600	10.59	34.326	3.80	26.344	168.9	1.838
883	5.43	34.228	2.07	2.69	91.			103.4	700	8.58	34.233	3.31	26.604	144.3	2.008
1007	4.37	34.285	1.62	2.91	110.			87.6	800	6.78	34.210	2.64	26.849	121.0	2.153
1157	3.61	34.378	1.42	3.01	128.			73.2	1000	4.41	34.282	1.64	27.194	88.3	2.384
1326	3.11	34.444	1.54	3.06	139.			63.7	1200	3.46	34.398	1.43	27.384	70.3	2.561
1503	2.76	34.496	1.72	3.01	145.			56.8	1500	2.76	34.496	1.72	27.526	56.8	2.779
1541A	2.74	34.490	1.73	2.91	146.			57.1	2000	2.11	34.589	2.37	27.654	44.7	3.079
1785A	2.35	34.551	2.03	2.82	148.			49.3	2500	1.75	34.638	2.94	27.722	38.2	3.333
2074A	2.05	34.598	2.49	2.80	150.			43.4	3000	1.58	34.664	3.25	27.756	35.1	3.565
2365A	1.83	34.628	2.81	2.79	150.			39.5	3500	1.53	34.676	3.52	27.769	33.8	3.791
2658A	1.68	34.647	3.06	2.68	149.			37.0	4000	1.53	34.678	3.60	27.771	33.7	4.019
2953A	1.595	34.662	3.21	2.66	148.			35.3							
3252A	1.535	34.670	3.43	2.65	148.			34.3							
3556A	1.53	34.676	3.53	2.60	147.			33.8							
3865A	1.528	34.677	3.58	2.63	146.			33.7							
4180A	1.543	34.679	3.61	2.62	147.			33.6							
4191A	1.556	34.682	3.61	2.59	148.			33.5							

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER		DOMINANT WAVES		
31 15.6N		136 29.0E		07/17/71		0343 0525GMT		4564M	260	17KT	1		260	04	04
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
0	27.94	34.430	4.69	.08	2.			582.3	0	27.94	34.430	4.69	22.007	582.3	0
20	27.12	34.345	4.83	.09	2.			563.1	10	27.71	34.420	4.74	22.075	575.9	.058
45	24.02	34.820	5.21	.06	2.			437.7	20	27.12	34.345	4.83	22.208	563.1	.115
76	22.38	34.850	5.26	.08	2.			390.3	30	25.92	34.495	4.99	22.698	516.3	.169
106	21.39	34.843	4.95	.13	2.			364.5	50	23.65	34.848	5.22	23.650	425.3	.263
141	20.53	34.864	4.82	.16	3.			340.8	75	22.41	34.854	5.26	24.013	390.7	.366
173	19.93	34.855	4.76	.19	3.			326.3	100	21.56	34.845	5.02	24.244	368.7	.462
203	19.34	34.850	4.67	.26	4.			312.0	125	20.89	34.854	4.86	24.433	350.7	.553
243	18.65	34.830	4.57	.37	5.			296.8	150	20.35	34.862	4.80	24.583	336.4	.640
308	17.41	34.788	4.49	.47	6.			270.8	200	19.40	34.850	4.68	24.824	313.4	.805
384	16.27	34.723	4.40	.63	9.			249.9	250	18.51	34.825	4.56	25.030	293.8	.961
465	14.44	34.588	4.25	.85	14.			221.1	300	17.56	34.793	4.50	25.240	273.8	1.108
554	11.903	34.427	3.81	1.30	27.			184.3	400	15.95	34.700	4.38	25.546	244.7	1.378
654	9.212	34.255	3.47	1.74	43.			152.1	500	13.47	34.524	4.09	25.948	206.5	1.616
753	7.402	34.223	2.86	2.18	63.			128.3	600	10.60	34.337	3.66	26.350	168.4	1.817
876	5.489	34.216	2.10	2.65	87.			104.9	700	8.30	34.232	3.20	26.646	140.3	1.984
1000	4.384	34.298	1.61	2.87	111.			86.8	800	6.60	34.212	2.55	26.874	118.7	2.125
1148	3.652	34.369	1.41	3.00	125.			74.3	1000	4.38	34.298	1.61	27.210	86.8	2.352
1319	3.112	34.438	1.50	3.04	137.			64.2	1200	3.46	34.392	1.44	27.378	70.8	2.528
1497	2.702	34.499	1.69	3.01	145.			56.1	1500	2.70	34.500	1.69	27.535	56.0	2.746
1651A	2.49	34.537	1.94	2.92	146.			51.5	2000	2.08	34.591	2.32	27.659	44.3	3.042
1847A	2.261	34.562	2.13	2.89	150.			47.8	2500	1.72	34.641	3.03	27.727	37.8	3.293
2091A	1.988	34.607	2.45	2.74	153.			42.3	3000	1.56	34.668	3.27	27.760	34.7	3.522
2335A	1.794	34.634	2.86	2.72	151.			38.8	3500	1.52	34.678	3.71	27.772	33.6	3.744
2629A	1.678	34.644	3.12	2.72	151.			37.2	4000	1.54	34.681	3.68	27.773	33.5	3.971
2922A	1.581	34.663	3.26	2.62	148.			35.1	4500	1.58	34.683	3.63	27.771	33.7	4.207
3218A	1.531	34.677	3.35	2.58	149.			33.7							
3517A	1.517	34.700U	3.73	2.58	148.										
3818A	1.533	34.681	3.56	2.53	148.			33.4							
4123A	1.553	34.681	3.76	2.62	148.			33.5							
4356A	1.569	34.682	3.62	2.60	148.			33.6							
4589A	1.594	34.682	3.64	2.57	148.			33.8							

A) CAST II.

ANTIPODE EXPEDITION LEG IV

The objective of Leg IV of ANTIPODE Expedition was to investigate the influence of productivity, as reflected in zooplankton standing crop, on the distribution of deep-sea fishes in the western Pacific Ocean. On each of the hydrographic stations single Nansen bottle casts, each with 13 bottles, were lowered to approximately 1600 meters.

ANTIPODE IV was sponsored by the National Science Foundation.

The Nansen bottles were more widely spaced than usual. An expendable bathythermogram (XBT) was used on most stations to aid in determining the temperature at standard levels above 450 meters. Only observed values of salinity and oxygen are reported.

Personnel participating in the expedition were:

Ship's Captain:

Ferris, Noel L.

Scientific personnel:

Rosenblatt, Dr. R. H. (Chief scientist)
Butler, C. M.
Copp, J. F.
Dockins, D. M.
Greenbaum, M. H.
Hartwick, R. F.
Hester, A. W.
Johnson, R. K.
Karig, Dr. D. K.
Liebertz, P. J.
Nolan, R. S.
O'Neill, P. V.
Saban, D. D.

Publications resulting from ANTIPODE IV are:

Johnson, Robert Karl, and Richard H. Rosenblatt, 1971. A new Melanos-
tomiatid fish, *Eustomias gibbsi*, from the central and western Pacific
Ocean. *Copeia*, 1971: 307-311.

Johnson, Robert Karl, and Michael A. Barnett, 1972. Geographic meristic
variation in *Diplophos taenia* Gunther (Salmoniformes: Gonostomatidae).
Deep-Sea Res., 19: 813-821.

Johnson, Robert Karl, 1974. Five new species and a new genus of alepisauroid fishes of the Scopelarchidae (Pisces: Myctophiformes). *Copeia*, 1974: 449-457.

Johnson, Robert Karl, 1975. Revision of the alepisauroid family Scopelarchidae (Pisces: Myctophiformes). *Fieldiana, Zool.*, 66: 1-249.

Johnson, Robert Karl, 1975. A new Myctophid fish, *Bolinichthys distofax*, from the western and central North Pacific Ocean, with notes on other species of *Bolinichthys*. *Copeia*, 1975: 53-60.




FIGURE 4

RV MELVILLE

ANTIPODE EXPEDITION IV

51

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
4	27.02	34.561	4.64					544.5	0	27.02					
50	22.79	34.748	5.26					408.8	10	26.67					
101	18.79	34.847	4.97					298.9	20	25.96					
152	18.19	34.856	4.93					284.0	30	25.07					
203A	18.06	34.864	4.74					280.3	50	22.79					
305A	17.19	34.816	4.71					263.7	75	20.57					
407A	15.56	34.687	5.11					237.2	100	18.85					
512A	13.20	34.50	4.25					203.1	125	18.51					
									150	18.21					
									200	18.06					
									250	17.76					
									300	17.25					
									400	15.69					
									500	13.50					

RV MELVILLE

ANTIPODE EXPEDITION IV

52

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
4	27.55	34.361	4.70					575.2	0	27.55					
50	22.20	34.707	5.04					395.8	10	27.55					
103	19.62	34.851	4.97					318.9	20	27.55					
154	18.25	34.865	4.84					284.7	30	26.93					
208	17.60	34.837	4.89					271.6	50	22.20					
310	16.42	34.759	4.62					250.6	75	20.98					
415	14.42	34.603	4.33					219.6	100	19.77					
520	12.21	34.44	4.0					188.9	125	18.92					
623	9.42	34.273	3.45					154.0	150	18.32					
831	5.45	34.236	2.04					103.0	200	17.67					
1039	3.75	34.355	1.37					76.3	250	17.16					
1248	3.14	34.431	1.52					65.0	300	16.55					
1666	2.35	34.544	1.80					49.8	400	14.74					
									500	12.66					
									600	10.05					
									700	7.69					
									800	5.90					
									1000	3.94					
									1200	3.23					
									1500	2.60					

RV MELVILLE

ANTIPODE EXPEDITION IV

53

LATITUDE		LONGITUDE		MO/DAY/YR		MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES		
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
6	27.82	34.952	4.50					541.1	0	27.82					
51	26.82	34.825	4.72					519.4	10	27.82					
104	20.25	34.865	4.94					333.6	20	27.81					
156	18.39	34.845	4.83					289.5	30	27.80					
207	17.85	34.838	4.83					277.3	50	26.89					
309	16.45	34.755	4.62					251.6	75	23.89					
413	14.34	34.594	4.42					218.7	100	20.76					
516	12.04	34.458	4.27					184.5	125	19.15					
618	9.56	34.235	3.80					159.0	150	18.45					
824	5.66	34.164	2.12					110.8	200	17.89					
1030	3.95	34.298	1.39					82.5	250	17.33					
1237	3.15	34.410	1.22					66.6	300	16.60					
1656	2.34	34.540	1.78					50.1	400	14.63					
									500	12.41					
									600	9.99					
									700	7.79					
									800	6.02					
									1000	4.10					
									1200	3.25					
									1500	2.51					

A) CAST II.

RV MELVILLE

ANTIPODE EXPEDITION IV

54

Z	LATITUDE			MO/DAY/YR	MESSENGER			TIME GMT	BOTTOM	WIND			SPEED	WEATHER				DOMINANT WAVES			
	T	S	O2		P04	S103	NO2			NO3	DT	Z		T	S	O2	SIGT	DT	DD		
	23	46.4N	142	11.2E	09/02/70			0935		2994M		110									
5	28.51	34.885	4.56					567.6		0		28.51									
49	25.96	34.928	5.02					486.2		10		28.47									
99	21.19	34.965	5.14					350.5		20		28.38									
148	19.01	34.888	4.79					301.2		30		28.29									
198	17.54	34.827	4.68					270.9		50		25.83									
298	15.56	34.690	4.57					237.0		75		22.99									
397	12.81	34.457	4.34					198.8		100		21.13									
496	9.62	34.227	3.93					160.5		125		19.83									
595	6.95	34.113	3.11					130.5		150		18.94									
795	4.54	34.206	1.58					95.3		200		17.50									
995	3.59	34.360	1.17					74.4		250		16.48									
1196	3.02	34.438	1.32					63.4		300		15.51									
1602	2.20	34.562	1.89					47.3		400		12.71									
										500		9.50									
										600		6.86									
										700		5.34									
										800		4.51									
										1000		3.57									
										1200		3.01									
										1500		2.36									

RV MELVILLE

ANTIPODE EXPEDITION IV

56

Z	LATITUDE			MO/DAY/YR	MESSENGER			TIME GMT	BOTTOM	WIND			SPEED	WEATHER				DOMINANT WAVES			
	T	S	O2		P04	S103	NO2			NO3	DT	Z		T	S	O2	SIGT	DT	DD		
	20	58.2N	138	42.4E	09/04/70			1358		4575M		190									
5	28.00	34.497	4.54					579.4		0		28.00									
51	23.42	34.882	4.98					416.5		10		27.97									
103	20.73	34.875	4.77					345.1		20		27.92									
154	18.25	34.856	4.55					285.4		30		26.93									
206	17.37	34.818	4.55					267.7		50		23.61									
309	14.64	34.588	4.39					225.2		75		21.71									
412	10.99	34.314	3.79					176.6		100		20.78									
515	8.31	34.166	3.20					145.2		125		19.55									
618	6.36	34.168	2.12					118.9		150		18.41									
825	4.55	34.325	1.42					86.5		200		17.44									
1032	3.53	34.432	1.44					68.4		250		16.34									
1239	2.98	34.507	1.77					57.8		300		14.92									
1658	2.39	34.587	2.40					46.9		400		11.41									
										500		8.65									
										600		6.65									
										700		5.43									
										800		4.67									
										1000		3.65									
										1200		3.06									
										1500		2.53									

RV MELVILLE

ANTIPODE EXPEDITION IV

63

Z	LATITUDE			MO/DAY/YR	MESSENGER			TIME GMT	BOTTOM	WIND			SPEED	WEATHER				DOMINANT WAVES			
	T	S	O2		P04	S103	NO2			NO3	DT	Z		T	S	O2	SIGT	DT	DD		
	18	18.4N	133	42.7E	09/09/70			0705		5970M		100									
5	28.70	34.557	4.51					597.2		0		28.70									
51	28.57	34.554	4.53					593.3		10		28.69									
104	26.69	34.807	4.69					516.8		20		28.66									
156	23.55	34.918	4.29					417.5		30		28.63									
209	20.27	34.943	4.33					328.5		50		28.57									
313	16.47	34.753	4.52					252.2		75		27.53									
417	12.17	34.385	3.84					192.2		100		26.80									
520	8.79	34.223	2.84					148.1		125		25.58									
624	6.80	34.243	1.96					118.9		150		23.98									
831	4.59	34.413	1.66					80.3		200		20.75									
1038	3.67	34.492	1.92					65.2		250		19.36									
1245	3.08	34.548	2.10					55.6		300		17.16									
1665	2.46	34.603	2.47					46.2		400		12.81									
										500		9.36									
										600		7.17									
										700		5.78									
										800		4.81									
										1000		3.78									
										1200		3.19									
										1500		2.61									

RV MELVILLE		ANTIPODE EXPEDITION IV													
LATITUDE 18 36.5N		LONGITUDE 130 06.0E		MO/DAY/YR 09/10/70		MESSENGER 1728		TIME GMT	BOTTOM 5946M	WIND 130	SPEED 11KT	WEATHER		DOMINANT WAVES	
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
5	28.13	34.429	4.46					588.4	0	28.13					
51	28.04	34.444	4.52					584.5	10	28.13					
103	24.77	34.881	4.41					454.7	20	28.12					
153	21.60	34.954	4.33					362.0	30	28.10					
205	18.97	34.909	4.33					298.7	50	28.04					
308	15.70	34.682	4.39					240.6	75	27.25					
413	11.15	34.318	3.64					179.1	100	25.08					
517	7.89	34.186	2.66					137.8	125	23.28					
622	6.14	34.246	1.74					110.4	150	21.77					
832	4.45	34.395	1.54					80.2	200	19.19					
1041	3.65	34.508	1.96					63.8	250	17.46					
1250	3.02	34.556	2.09					54.5	300	15.93					
1668	2.40	34.608	2.44					45.4	400	11.71					
									500	8.33					
									600	6.42					
									700	5.32					
									800	4.60					
									1000	3.77					
									1200	3.15					
									1500	2.55					

RV MELVILLE		ANTIPODE EXPEDITION IV													
LATITUDE 18 43.5N		LONGITUDE 127 28.0E		MO/DAY/YR 09/12/70		MESSENGER C301		TIME GMT	BOTTOM 4974M	WIND 49	SPEED 01KT	WEATHER 1		DOMINANT WAVES	
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
5	28.99	34.355	4.50					620.9	0	29.02					
52	28.89	34.356	4.47					617.7	10	28.98					
103	25.75	34.789	4.58					490.0	20	28.96					
155	21.94	34.864	4.42					377.5	30	28.94					
208	19.60	34.872	4.60					316.8	50	28.89					
311	16.00	34.710	4.37					245.0	75	27.71					
415	12.35	34.405	3.81					194.1	100	25.99					
516	9.25	34.242	2.99					153.6	125	24.08					
621	6.48	34.197	2.05					118.2	150	22.29					
827	4.47	34.392	1.53					80.6	200	19.89					
1032	3.55	34.499	1.82					63.5	250	18.06					
1237	2.99	34.553	2.08					54.4	300	16.35					
1649	2.37	34.607	2.48					45.2	400	12.86					
									500	9.71					
									600	6.97					
									700	5.38					
									800	4.57					
									1000	3.65					
									1200	3.07					
									1500	2.52					

RV MELVILLE		ANTIPODE EXPEDITION IV													
LATITUDE 19 02.0N		LONGITUDE 125 45.0E		MO/DAY/YR 09/13/70		MESSENGER 0905		TIME GMT	BOTTOM 5422M	WIND 090	SPEED 10KT	WEATHER		DOMINANT WAVES	
Z	T	S	O2	PO4	SI03	NO2	NO3	DT	Z	T	S	O2	SIGT	DT	DD
42	29.35	34.322	4.47					634.9	0	29.5					
122	25.08	34.744	4.48					473.6	10	29.46					
156	22.74	34.854	4.33					399.8	20	29.43					
215	19.61	34.906	4.23					314.6	30	29.39					
314	16.28	34.732	4.38					249.5	50	29.08					
420	12.07	34.396	3.69					189.6	75	28.01					
523	9.08	34.263	2.88					149.5	100	26.60					
628	7.17	34.298	2.01					119.6	125	24.87					
834	5.28	34.400	1.80					88.8	150	23.15					
1040	4.25	34.512	1.98					69.4	200	20.31					
1247	3.39	34.533	1.96					59.5	250	18.33					
1650	2.64	34.590	2.36					48.7	300	16.70					
1661	2.64	34.591	2.39					48.6	400	12.85					
									500	9.65					
									600	7.59					
									700	6.32					
									800	5.48					
									1000	4.41					
									1200	3.56					
									1500	2.76					

RV MELVILLE

ANTIPODE EXPEDITION IV

68

Z	LATITUDE			MO/DAY/YR	MESSENGER			TIME GMT	BOTTOM	WIND	SPEED	WEATHER			DOMINANT WAVES		
	18	52.0N	0N		123	57.0E	0E					NO2	NO3	02	SIGT	OT	DD
5	29.25	34.159	4.38	09/14/70				643.4	0	29.25							
51	29.04	34.209	4.42					633.0	10	29.23							
103	26.29	34.697	4.52					512.7	20	29.18							
154	23.21	34.833	4.50					414.2	30	29.14							
206	21.45	34.899	4.42					362.0	50	29.04							
309	17.50	34.825	4.53					270.1	75	27.96							
413	13.71	34.506	3.85					212.5	100	26.49							
517	10.35	34.305	3.27					166.5	125	24.90							
620	7.59	34.222	2.48					130.9	150	23.43							
827	5.02	34.320	1.55					91.9	200	21.62							
1034	4.02	34.464	1.76					70.7	250	19.79							
1242	3.36	34.532	2.03					59.3	300	17.85							
1650	2.49	34.596	2.43					47.0	400	14.17							
1660	2.50	34.597	2.45					47.0	500	10.86							
									600	8.07							
									700	6.27							
									800	5.20							
									1000	4.12							
									1200	3.47							
									1500	2.63							

RV MELVILLE

ANTIPODE EXPEDITION IV

69

Z	LATITUDE			MO/DAY/YR	MESSENGER			TIME GMT	BOTTOM	WIND	SPEED	WEATHER			DOMINANT WAVES		
	19	10.1N	1E		122	57.6E	0E					NO2	NO3	02	SIGT	OT	DD
5	28.83	34.438	4.46	09/15/70				609.9	0	28.83							
51	28.84	34.473	4.39					607.7	10	28.83							
104	26.67	34.739	4.59					521.1	20	28.83							
155	24.72	34.868	4.24					454.2	30	28.84							
208	21.58	34.871	4.38					367.5	50	28.84							
311	16.46	34.734	4.24					253.3	75	28.01							
415	11.70	34.354	3.79					186.0	100	26.87							
519	9.23	34.254	3.01					152.4	125	25.91							
623	7.55	34.296	2.02					124.9	150	24.93							
830	4.68	34.365	1.55					84.9	200	22.08							
1038	3.68	34.511	1.94					63.9	250	19.39							
1246	3.09	34.534	1.96					56.7	300	16.97							
1651	2.47								400	12.30							
1662	2.45	34.600	2.45					46.4	500	9.57							
									600	7.88							
									700	6.34							
									800	5.02							
									1000	3.78							
									1200	3.19							
									1500	2.67							

RV MELVILLE

ANTIPODE EXPEDITION IV

70

Z	LATITUDE			MO/DAY/YR	MESSENGER			TIME GMT	BOTTOM	WIND	SPEED	WEATHER			DOMINANT WAVES		
	18	05.5N	1E		119	24.0E	0E					NO2	NO3	02	SIGT	OT	DD
3	28.66	33.239	4.53	09/17/70				690.6	0	28.66							
50	28.12	33.409	4.49					661.4	10	28.58							
100	24.79	34.295	3.58					497.5	20	28.46							
154	20.00	34.550	3.28					350.1	30	28.35							
207	16.02	34.616	3.24					252.3	50	28.12							
312	12.09	34.481	3.03					183.7	75	26.70							
415	10.00	34.434	2.79					151.3	100	24.79							
518	8.48	34.409	2.29					129.7	125	22.60							
621	7.48	34.440	1.90					113.2	150	20.36							
828	5.60	34.485	1.90					86.1	200	16.49							
1035	4.24	34.536	2.03					67.5	250	13.98							
1241	3.45	34.570	2.11					57.3	300	12.36							
1649	2.75								400	10.23							
1660	2.73	34.601	2.29					48.6	500	8.71							
									600	7.66							
									700	6.72							
									800	5.83							
									1000	4.43							
									1200	3.57							
									1500	2.94							

ANTIPODE EXPEDITION LEG XII

The objective of ANTIPODE XII was to determine the seismic anisotropy of compressional velocity of the upper mantle. The hydrographic work comprised one station made up of two casts with the deeper cast lowered to near the bottom.

ANTIPODE XII was sponsored by the Office of Naval Research and the National Science Foundation.

The single hydrographic station was made to study principally the deep and near-bottom region, therefore the observations in the shallower portion of the cast are more widely spaced than usual. Temperature interpolations have been made with the aid of an expendable bathythermogram (XBT) record to 500m depth. Salinity and oxygen interpolations should be used with caution because of the wider-than-usual spacing of the observations.

Personnel participating in the expedition were:

Ship's Captain:

Phinney, Alan W.

Scientific personnel:

Sclater, Dr. J. G. (Co-chief scientist)
Raitt, Dr. R. W. (Co-chief scientist)
Baba, K.
Butler, C. M.
Forsman, K. G.
Foster, T. D.
Henry, A.
Hester, A. W.
Hohnhaus, G. W.
Hubenka, F.
Kirk, H. K.
McGowan, D. D.
Newhouse, D. A.
O'Neill, P. V.
Walsh, T. J.

A paper utilizing data from ANTIPODE XII is:

Raitt, R. W., G. G. Shor, Jr., H. K. Kirk and M. Henry, 1972.

Anisotropy of the oceanic upper mantle. Geological Society of America, Abstracts with Programs, 4: 222. (Abstract only)




FIGURE 5

LATITUDE 2 48.0S		LONGITUDE 98 47.5E		MO/DAY/YR 05/27/71	MESSENGER TIME 0257 0705GMT		BOTTOM 5705M	WIND	SPEED	WEATHER	DOMINANT WAVES				
Z	T	S	OZ	PO4	SI03	NO2	NO3	OT	Z	T	S	OZ	SIGT	DT	DD
0	29.38	33.991	5.71					659.6	0	29.38	33.991	5.71	21.201	659.6	0
104	26.30	34.824	3.78					503.8	10	29.38	33.991	5.71	21.201	659.6	.066
206	14.50	35.066	1.63					187.4	20	29.38	33.991	5.71	21.201	659.6	.132
307	11.48	34.963	1.79					137.3	30	29.38	33.991	5.70	21.201	659.6	.198
513	9.21	34.879	1.60					105.8	50	29.38	33.991	5.70	21.201	659.6	.330
770	7.57	34.921	1.30					78.6	75	29.00	34.180	5.10	21.470	633.8	.493
1028	6.12	34.900	1.51					61.3	100	27.60	34.420	3.98	22.110	572.5	.644
1540	4.05	34.824	2.33					43.9	125	20.75	35.040	3.11	24.611	333.7	.759
2054	2.59	34.770	3.16					34.7	150	18.20	35.070	2.47	25.295	268.6	.835
2567	2.02	34.747	3.55					31.9	200	14.80	35.067	1.68	26.085	193.5	.953
3083	1.67	34.731	3.86					30.6	250	13.00	35.025	1.70	26.431	160.7	1.045
3392	1.49	34.726	3.89					29.7	300	11.64	34.970	1.78	26.652	139.6	1.124
3687A	1.24	34.720	4.40					28.5	400	10.09	34.911	1.75	26.887	117.4	1.260
3795A	1.20	34.720	4.48					28.2	500	9.27	34.881	1.62	27.002	106.4	1.382
3899A	1.17	34.717	4.61					28.3	600	8.57	34.889	1.47	27.120	95.3	1.494
4006A	1.15	34.716	4.52					28.2	700	7.94	34.906	1.36	27.230	84.9	1.596
4113A	1.16	34.715	4.18					28.3	800	7.39	34.919	1.31	27.321	76.2	1.689
4219A	1.16	34.714	4.09					28.4	1000	6.27	34.903	1.47	27.463	62.8	1.856
4324A	1.16	34.716	4.97U					28.3	1200	5.33	34.875	1.76	27.559	53.7	2.002
4430A	1.15	34.715	4.58					28.3	1500	4.18	34.830	2.26	27.654	44.7	2.194
4535A	1.17	34.714	4.67					28.5	2000	2.71	34.775	3.08	27.753	35.3	2.462
4641A	1.17	34.714	4.61					28.5	2500	2.06	34.750	3.51	27.788	32.1	2.691
4746A	1.19	34.715	4.62					28.5	3000	1.72	34.733	3.82	27.801	30.7	2.906
4852A	1.195	34.713	4.62					28.7	3500	1.39	34.723	4.07	27.818	29.2	3.110
4956A	1.20								4000	1.15	34.716	4.53	27.828	28.2	3.302
5062A	1.208	34.714	4.56					28.7	4500	1.16	34.714	4.65	27.826	28.4	3.493
5166A	1.226	34.714	4.73					28.8	5000	1.20	34.714	4.58	27.823	28.7	3.691
5270A	1.240	34.715	4.64					28.9	5500	1.27	34.716	4.62	27.820	29.0	3.899
5374A	1.242	34.715	4.67					28.9							
5478A	1.269	34.716	4.61					29.0							
5581A	1.276	34.717	4.70					28.9							
5684A	1.285	34.716	4.75					29.1							

A1 CAST II.

ANTIPODE EXPEDITION LEG XIII

The objective of ANTIPODE XIII was to determine the age and the mean heat flow of the western Philippine Basin. The two hydrographic stations were made up of multiple casts with the deepest cast lowered to the bottom.

ANTIPODE XIII was sponsored by the National Science Foundation.

These hydrographic stations were made to study principally the deep and near-bottom region, therefore, the observations in the shallower portion of the casts are more widely spaced than usual. Temperature interpolations have been made with the aid of the expendable bathythermogram (XBT) to 500m depth. Salinity and oxygen interpolations should be used with caution because of the wider-than-usual spacing of the observations.

Personnel participating in the expedition were:

Ship's Captain:

Bonham, John W.

Scientific personnel:

Sclater, Dr. J. G. (Chief scientist)

Baba, K.

Dixon, F. S.

Henry, A. J.

Hester, A. W.

Hilde, T. W.

Hubenka, F.

Isezaki, N.

Karig, D. E.

McKinney, D.

Rogers, J. E.

Trier, R. M.

Walsh, T. J.

Yasui, M.

Papers utilizing data from ANTIPODE XIII are:

Sclater, J. G., D. Karig, L. A. Lawver and K. Loudon, 1976. Heat flow, depth and coastal thickness of the west Philippine Basin. *J. Geophys. Res.*, 81: 309-318.

Loudon, K. E., 1976. Magnetic Anomalies in the West Philippine Basin. P. 253-267 in *The Geophysics of the Pacific Ocean Basin and Its Margin* G. H. Sutton, M. H. Manghnani, R. Moberly, editors. Geophysical Monograph 19 (Woollard Volume). American Geophysical Union, Washington, D.C., 480 pp.




FIGURE 6

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER		TIME	BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES						
6 39.3N		120 08.2E		06/30/71	0928	2350GMT		4523M				Z	T	S	O2	SIGT	DT	CD
0	28.42	33.742	4.75				646.9		0	28.42	33.742	4.75	21.334	646.9				0
100	22.77	34.232	2.81				445.5		10	28.42	33.742	4.75	21.334	646.9				.065
202	14.83	34.462	1.93				238.3		20	28.42	33.742	4.75	21.334	646.9				-.129
302	12.83	34.466	1.60				198.5		30	27.65	33.831	4.56	21.650	616.6				-.193
402	11.73	34.462	1.69				178.6		50	25.70	34.060	4.14	22.440	541.0				-.309
503	10.99	34.454	1.71				166.3		75	23.91	34.188	3.52	23.076	480.2				-.437
704	10.25	34.449	1.74				154.2		100	22.77	34.232	2.81	23.439	445.5				-.554
893A	10.10	34.450	1.66				151.7		125	21.89	34.243	2.49	23.693	421.2				-.663
909	10.11	34.451	1.69				151.8		150	18.25	34.330	2.23	24.717	323.6				-.757
1009	10.09	34.451	1.68				151.5		200	14.90	34.461	1.94	25.598	239.8				-.901
1092A	10.06	34.452	1.62				150.9		250	13.46	34.464	1.71	25.904	210.7				1.016
1111	10.08	34.451	1.64				151.3		300	12.85	34.466	1.60	26.029	198.8				1.123
1212	10.07	34.456	1.57				150.8		400	11.75	34.462	1.69	26.238	179.0				1.320
1294A	10.08	34.454	1.54				151.1		500	11.01	34.454	1.71	26.369	166.6				1.503
1314	10.08	34.455	1.50				151.0		600	10.53	34.451	1.72	26.450	158.8				1.678
1417	10.09	34.458	1.58				150.9		700	10.26	34.449	1.74	26.498	154.3				1.849
1497A	10.09	34.458	1.50				150.9		800	10.17	34.450	1.70	26.512	152.9				2.019
1519	10.10	34.459	1.52				151.0		1000	10.09	34.451	1.68	26.528	151.5				2.361
1699A	10.12	34.462	1.42				151.1		1200	10.07	34.456	1.59	26.535	150.8				2.710
1724	10.11	34.464	1.46				150.8		1500	10.09	34.458	1.50	26.533	151.0				3.246
1903A	10.13	34.463	1.42				151.2		2000	10.15	34.466	1.46	26.529	151.3				4.182
1929	10.14	34.465	1.42				151.2		2500	10.21	34.471	1.38	26.524	151.9				5.167
2106A	10.17	34.469	1.51				151.4		3000	10.29	34.473	1.34	26.511	153.1				6.204
2136	10.16	34.467	1.47				151.4		3500	10.36	34.473	1.38	26.498	154.3				7.295
2342	10.18	34.469	1.38				151.6		4000	10.44	34.473	1.36	26.484	155.6				8.438
2360A	10.19	34.471	1.39				151.6		4500	10.52	34.472	1.36	26.469	157.1				9.634
2367B	10.18	34.470	1.39				151.5											
2569B	10.22	34.472	1.38				152.0											
2615A	10.22	34.473	1.38				152.0											
2771B	10.26	34.472	1.38				152.7											
2819A	10.24	34.475	1.38				152.1											
2975B	10.28	34.472	1.35				153.0											
3023A	10.29	34.473	1.60U				153.1											
3179B	10.31	34.475	1.28				153.3											
3229A	10.32	34.472	1.36				153.7											
3282B	10.32	34.471	1.36				153.8											
3383B	10.34	34.473	1.51				153.9											
3433A	10.35	34.473	1.36				154.1											
3485B	10.36	34.473	1.38				154.3											
3589B	10.37	34.472	1.40				154.5											
3638A	10.39	34.473	1.37				154.8											
3692B	10.38	34.473	1.42				154.6											
3795B	10.42	34.472	1.37				155.3											
3843A	10.41	34.473	1.38				155.1											
3898B	10.43	34.472	1.39				155.5											
4002B	10.44	34.473	1.36				155.6											
4047A	10.46	34.476	1.35				155.7											
4107B	10.47	34.473	1.40				156.1											
4211B	10.48	34.471	1.36				156.4											
4252A	10.48	34.475	1.36				156.1											
4316B	10.51	34.473	1.37				156.8											
4421B	10.52	34.473	1.38				156.9											
4458A	10.52	34.472	1.37				157.0											
4526B	10.53	34.472	1.35				157.2											

A) CAST III.
B) CAST II.

ANTIPODE EXPEDITION XIII

NV MELVILLE

LATITUDE		LONGITUDE		MO/DAY/YR	MESSENGER TIME		BOTTOM	WIND	SPEED	WEATHER	DOMINANT WAVES				
3 57.0N		122 15.2E		07/02/71	0227	1250GMT	4972M								
Z	T	S	O2	P04	S103	N02	N03	DT	Z	T	S	O2	SIGT	DT	DD
								624.6	0	28.46	34.069	5.01	21.566	624.6	0
								504.2	10	28.46	34.069	5.01	21.566	624.6	.062
								216.6	20	28.46	34.069	5.01	21.566	624.6	.125
196	13.96	34.518	3.19					124.3	30	28.46	34.069	5.01	21.566	624.6	.188
387	8.39	34.463	2.11					97.8	50	28.20	34.070	4.96	21.652	616.4	.312
577	6.87	34.538	2.36					84.6	75	27.89	34.177	4.77	21.834	598.9	.465
766	5.83	34.561	2.37					75.5	100	25.49	34.638	4.51	22.939	493.2	.602
952	5.12	34.553	2.28					66.4	125	20.91	34.619	4.18	24.249	368.2	.711
1139	4.37	34.568	2.26					62.3	150	19.20	34.508	3.83	24.614	333.4	.800
1327	4.01	34.574	2.22					60.0	200	13.95	34.518	3.15	25.843	216.5	.940
1515	3.81	34.579	2.25					58.7	250	12.50	34.500	2.71	26.124	189.8	1.044
1706	3.70	34.582	2.29					58.2	300	10.65	34.480	2.39	26.453	158.4	1.135
1897	3.65	34.582	2.19					57.8	400	8.20	34.468	2.13	26.846	121.3	1.282
2095	3.62	34.584	2.26					57.6	500	7.17	34.512	2.26	27.031	103.8	1.402
2196	3.62	34.586	2.35					57.6	600	6.72	34.540	2.36	27.116	95.7	1.510
2297	3.60	34.584	2.29					56.8	700	6.15	34.544	2.37	27.195	88.2	1.611
2369A	3.56	34.590	2.24					57.5	800	5.69	34.543	2.35	27.252	82.8	1.707
2399	3.61	34.587	2.30					57.3	1000	4.91	34.557	2.27	27.356	72.9	1.884
2502	3.59	34.587	2.25					56.8	1200	4.22	34.572	2.24	27.443	64.7	2.045
2570A	3.57	34.591	2.22					57.4	1500	3.82	34.580	2.25	27.491	60.1	2.269
2607	3.59	34.585	2.37					57.1	2000	3.63	34.584	2.23	27.514	58.0	2.637
2726B	3.59	34.589	2.27					57.1	2500	3.59	34.588	2.25	27.521	57.3	3.015
2772A	3.59	34.589	2.25					56.8	3000	3.59	34.592	2.25	27.524	57.0	3.408
2928B	3.59	34.593	2.25					57.0	3500	3.63	34.593	2.20	27.522	57.2	3.820
2973A	3.59	34.591	2.26					57.1	4000	3.68	34.590	2.28	27.515	57.9	4.252
3127B	3.60	34.591	2.20					56.9	4500	3.74	34.592	2.29	27.509	58.4	4.706
3176A	3.60	34.593	2.20					56.9							
3327B	3.62	34.596	2.20					57.4							
3377A	3.62	34.589	2.22					57.2							
3529B	3.63	34.593	2.20					57.5							
3580A	3.64	34.590	2.22					57.5							
3730B	3.65	34.591	2.18					57.7							
3782A	3.67	34.591	2.25					57.8							
3831B	3.68	34.591	2.42					57.7							
3933B	3.68	34.593	2.16					58.0							
3985A	3.68	34.589	2.32					57.7							
4033B	3.67	34.591	2.18					57.9							
4086A	3.69	34.591	2.17					57.9							
4135B	3.70	34.592	2.17					58.2							
4187A	3.70	34.589	2.18					58.0							
4236B	3.71	34.592	2.20					58.3							
4290A	3.72	34.590	2.31					58.3							
4338B	3.73	34.591	2.19					58.4							
4391A	3.74	34.591	2.20					58.1							
4439B	3.74	34.595	2.21					58.4							
4493A	3.74	34.591	2.30					58.6							
4540B	3.76	34.591	2.22					58.7							
4594A	3.77	34.591	2.25					58.7							
4643B	3.77	34.591	2.22					58.7							
4696A	3.77	34.591	2.22					58.5							
4746B	3.78	34.595	2.18					58.8							
4848B	3.802	34.593	2.23					59.0							
4951B	3.814	34.592	2.22												

A) CAST 111.
B) CAST 11.

LITERATURE CITED

- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for Winkler dissolved oxygen method. *Limnol. and Oceanogr.*, 10: 141-143.
- Klein, Hans T., 1973. A new technique for processing physical oceanographic data. *SIO Ref.* 73-14.
- Matthews, D. J., 1939. Tables of the velocity of sound in pure water and sea water for use in echo-sounding and sound-ranging. Second Edition. Hydrographic Department, Admiralty, H. D. 282: 52pp.
- Rattray, Maurice, Jr., 1962. Interpolation errors and oceanographic sampling. *Deep-Sea Res.*, 9: 25-37.
- Strickland, J. D. H. and T. R. Parsons, 1968. A practical handbook of seawater analysis. *Fish. Res. Board of Canada, Bull. No. 167*: 311pp.
- University of Washington, 1960. *Univ. of Wash. Dept. of Oceanogr.*, Oct. 1960. *Tech. Rep. No. 66 UW Ref. 60-18.*

DISTRIBUTION LIST

Inter-American Tropical Tuna Commission
(c/o Scripps Institution of Oceanography)

Dr. James Joseph
Dr. Merritt Stevenson

National Marine Fisheries Service
(c/o Scripps Institution of Oceanography)

Dr. E. H. Ahlstrom
Dr. Alvariño de Leira
Dr. Ronald Lynn
Dr. Robert W. Owen, Jr.
Mr. Nelson C. Ross, Jr.
Director's Office
Library (2)

Scripps Institution of Oceanography

Mr. Arnold E. Bainbridge
Dr. Edward Brinton
Mr. Edward H. Coughran
Dr. Richard W. Eppley
Dr. Abraham Fleminger
Mr. Richard H. Greenbaum
Miss Margaret D. Knight
Mr. Arnold W. Mantyla
Dr. John A. McGowan
Prof. Joseph L. Reid
Dr. Richard H. Rosenblatt
Mr. Richard A. Schwartzlose
Mr. George H. Snyder
Dr. Mizuki Tsuchiva
Director's Office
Library, SIO, Archives
Library, SIO, (Chris Scott) (3)

Distribution List

AFRICA

Oceanographic Research Institute
Centenary Aquarium Bldgs.
2 West Street
Durban, Natal, South Africa

AUSTRALIA

Dr. John A. T. Bye
Flinders Institute for Atmospheric and Marine Sciences
The Flinders University of S.A.
Bedford Park 5042, S. A.
Australia

Prof. R. Radok, Director
Horace Lamb Institute
of Oceanography
P. O. Box 167
Kingswood 5062, S. A.
Australia

Dr. Malvern Gilmartin, Director
Australian Institute of Marine Science
P. O. Box 1104
Townsville, Queensland 4810
Australia

CANADA

Director
Biological Station
Fisheries Research Board
of Canada
P. O. Box 100
Nanaimo, B. C., Canada

Dr. G. L. Pickard
Institution of Oceanography
University of British Columbia
Vancouver, B.C., Canada V6T 1W5

Dr. C. S. Wong, Head
Ocean Chemistry Division
Pacific Region Mar. Sci. Branch
Department of the Environment
211 Harbour Road
Victoria, B.C., Canada V9A 3S2

Dr. Cedric R. Mann
Bedford Institution
of Oceanography
Dartmouth, N. S., Canada

Dr. Gordon A. Riley
Institute of Oceanography
Dalhousie University
Halifax, N. S., Canada

Library
Science Services
Dalhousie University
Halifax, N. S., Canada

GERMANY

Akademie der Wissenschaften der
DDR Institut für Meereskunde
Bibliothek
253 Warnemünde
East Germany

Deutsches-Hydrographisches
Institut Tauschstelle
Bernhard-Nocht-Str. 78
2 Hamburg 4
West Germany

Dr. Reimer Simonsen
Institut für Meeresforschung
285 Bremerhaven
Am Handelshafen 12
West Germany

GREAT BRITAIN

Library
Subscription Department
New South Wales Government
Offices, 66 Strand
London, WC2N 5LZ, England, U.K.

British Museum
Dept. of Printed Books-SB
Stechert-Hafner, Inc.
London, W. C. 1, England, U.K.

Mr. Arthur J. Lee
Fisheries Laboratory
Ministry of Agriculture,
Fisheries and Food
Lowestoft, Suffolk
England, U. K.

Library
Fisheries Laboratory
Ministry of Agriculture,
Fisheries and Food
Lowestoft, Suffolk
England, U. K.

Library
Inst. of Oceanographic Science
Wormley, Near Godalming
Surrey, England, U. K.

Dr. J. C. Swallow, F. R. S.
Inst. of Oceanographic Sciences
Wormley, Near Godalming
Surrey, England, U. K.

Library
Dept. of Agriculture and
Fisheries for Scotland
Marine Laboratory
P. O. Box 101, Victoria Road
Torry, Aberdeen
Scotland, U. K.

ICELAND

Dr. Unnsteinn Stefánsson
Hafrannsóknastofnunin
Skúlagata 4
Reykjavik, Iceland

JAPAN

Dr. Kiyomitsu Kitano
Hokkaido Regional Fisheries
Research Laboratory
Yoichi, Hokkaido, Japan

Environmental Science
Institution of Hyogo
Arata 2, Hyogo
Kobe, 652 Japan

Director,
Kobe Marine Observatory
Nakayamate 7
Kobe, 650 Japan

Dr. Hideo Kawai
Nansei Regional Fisheries
Research Laboratory
Kochi Branch
Kochi-shi, Japan

Mr. Hajime Yamanaka
Far Seas Fisheries Research Lab.
Orido 1000, Shimizu-shi
Shizuoka-ken, Japan

Dr. M. Uda
College of Marine Science
and Technology
Tokai University
1000 Orido, Shimizu-shi
Shizuoka-ken, Japan

Oceanography Division
Japan Meteorological Agency
Tokyo, Japan

Dr. Daitaro Shoji, Counselor
Japanese Hydrographic Office
5-Chome, Tsukiji, Chuo-ku
Tokyo, Japan

Director
Japanese Oceanographic
Data Center
Hydrographic Department
Maritime Safety Agency
No. 3-1, 5 Chome, Tsukiji,
Chuo-ku, Tokyo, Japan

Dr. Kozo Yoshida
Geophysical Institute
University of Tokyo
Hongo, Tokyo, Japan

Mr. Koji Hidaka
Ocean Research Institute
University of Tokyo
1-15-1, Minamidai, Nakano-ku
Tokyo 164, Japan

KOREA

Library
Fisheries Research and
Development Agency
16-2ka, Namhang dong,
Youngdo-ku Busan 606, Korea

MEXICO

Biblioteca
Centro de Investigación Científica y Educación Superior de Ensenada
Apartado Postal 2732
Ensenada, B. C., Mexico

Biblioteca
Instituto Nacional de Pesca
Centro de Promoción Pesquera
Apartado Postal 1306
Ensenada, B. C., Mexico

Biblioteca
Unidad de Ciencias Marinas
Universidad Autónoma
de Baja California
Apartado de Correos 453
Ensenada, B. C., Mexico

Biblioteca
Centro de Promoción Pesquera
Apartado Postal 396
Mazatlán, Sinaloa, Mexico

Director
Estacion de Investigación
Pesquera
Apartado Postal 396
Mazatlán, Sinaloa, Mexico

Estacion de Investigación
Pesquera
Seccion de Hidrologia
Apartado Postal 396
Mazatlán, Sinaloa, Mexico

American Embassy (4)
Regional Fishery Attache
Apartado Postal 88-bis
Mexico 1, D. F., Mexico

Biblioteca
Departamento de Pesea
Alvaro, Oregon 269
Mexico 7, D. F., Mexico

Biblioteca
Universidad Nacional Autónoma
de Mexico
Apartado Postal 70-223
Mexico 20, D. F., Mexico

Director
Inst. de Geofisica
Torre de Ciencias, 3er Piso
Universidad Nacional Autónoma
de Mexico
Villa Obregon, D. F., Mexico

NEW CALEDONIA

Mr. Henri Rotschi
Centre O.R.S.T.O.M.
B. P. A5
Nouméa, New Caledonia

NEW ZEALAND

Mr. J. W. Brodie, Director
New Zealand Oceanographic
Institute
P. O. Box 8009
Wellington, New Zealand

PERU

Biblioteca, Instituto del Mar
Apartado Postal 3734
Lima, Peru

U. S. A.

Alaska

Director
Institute of Marine Science
University of Alaska
College, AK 99701

Dr. K. M. Rae, Vice-President
Research
University of Alaska
College, AK 99701

California

Professor James A. Gast
Division of Natural Resources
Humboldt State University
Arcata, CA 95521

Mr. Edmund H. Smith, Director
Pacific Marine Station
Dillon Beach, CA 94929

Intersea Research Corp.
P. O. Box 2389
La Jolla, CA 92037

Marine Technical Information
Center
Department of Fish and Game
350 Golden Shore
Long Beach, CA 90802

Dr. Donn S. Gorsline
Department of Geology
Univ. of Southern California
Los Angeles, CA 90007

Hancock Library of Biology
and Oceanography
Univ. of Southern California
Los Angeles, CA 90007

Prof. Dale F. Leipper, Chairman
Department of Oceanography
U.S. Naval Postgraduate School
Monterey, CA 93940

Dr. Robert G. Paquette
Department of Oceanography
U.S. Naval Postgraduate School
Monterey, CA 93940

Environmental Prediction
Research Facility
U.S. Naval Postgraduate School
Monterey, CA 93940

Captain C. R. Ward,
Commanding Officer
Fleet Numerical Weather Central
U.S. Naval Postgraduate School
Monterey, CA 93940

Mr. Gunter R. Seckel
Pacific Environmental Group
NMFS, NOAA
c/o Fleet Numerical
Weather Central
U.S. Naval Postgraduate School
Monterey, CA 93940

Library
Moss Landing Marine Laboratories
P. O. Box 223
Moss Landing, CA 95039

Library
Geology-Oceanography Dept.
Calif. State University
Northridge, CA 91324

Phillip Seelinger
Code 3144, Bldg. 514
Pacific Missile Range
Point Mugu, CA 93042

Officer in Charge (Code L31)
Civil Engineering Laboratory
Naval Construction Battalion Ctr.
Port Hueneme, CA 93043

Mr. John Radovich, Head
Operations Research Branch
Department of Fish and Game
1416 Ninth Street
Sacramento, CA 95814

Library
Lockheed Marine Laboratory
3380 N. Harbor Drive
San Diego, CA 92101

Pacific Support Group
U.S. Naval Oceanographic Office
San Diego, CA 92152

Mr. William E. Batzler
Code 0101
Department of the Navy
Naval Ocean Systems Center
San Diego, CA 92152

Commander
Department of the Navy
Naval Ocean Systems Center
Attn: Technical Library,
Code 6565
San Diego, CA 92152

Mr. Owen S. Lee
Code 503
Department of the Navy
Naval Ocean Systems Center
San Diego, CA 92152

Library
Department of the Navy
Naval Ocean Systems Center
San Diego, CA 92152

Director
San Diego Society of
Natural History
P. O. Box 1390
San Diego, CA 92112

Dr. David Farris
Department of Biology
San Diego State University
San Diego, CA 92182

Library
Serials Department
San Diego State University
San Diego, CA 92115

Library
California Academy of Sciences
Golden Gate Park
San Francisco, CA 94118

Dr. Keith B. Macdonald
Department of Geology
University of California
Santa Barbara, CA 93106

Dr. Kenneth S. Norris, Director
Coastal Marine Laboratory
University of California
Santa Cruz, CA 95064

Falconer Biology Library
Stanford University
Stanford, CA 94305

NMFS, NOAA
Tiburon Laboratory
P. O. Box 98
Tiburon, CA 94920

Connecticut

Dr. George Veronis, Editor
Journal of Marine Research
Box 2161, Yale Station
New Haven, CT 06520

Florida

Library
Southeast Fisheries Center,
NMFS, NOAA
75 Virginia Beach Drive
Miami, FL 33149

Library
Institute of Marine Science
University of Miami
4600 Rickenbacker Causeway
Miami, FL 33149

Hawaii

Dr. Richard A. Barkley
Honolulu Laboratory
Southwest Fisheries Center,
NMFS, NOAA
Box 3830
Honolulu, HI 96812

Library
Southwest Fisheries Center
NMFS, NOAA
P. O. Box 3830
Honolulu, HI 96812

Maryland

Secretary for Publications
Chesapeake Bay Institute
The John Hopkins University
Baltimore, MD 21218

Dr. Glenn A. Flittner, Chief
Oceanic Services Div. (W16)
Office of Meteorology
and Oceanography
National Weather Service
8060 13th Street
Silver Spring, MD 20910

Library
Technical Processes Branch-
D823 NOAA
8060 13th Street - Room 806
Silver Spring, MD 20910

Massachusetts

Dr. John M. Edmond
Department of Earth and
Planetary Sciences
Bldg. 54, Room 1314
Mass. Institute of Technology
Cambridge, MA 02139

Professor Henry M. Stommel
Mass. Institute of Technology
Bldg. 54, Room 1416
Cambridge, MA 02139

Woods Hole Oceanographic Inst.
Document Library S-206
Woods Hole, MA 02543

Mr. Frederick C. Fuglister
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

Dr. Bruce A. Warren
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

Mr. L. Valentine Worthington
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

New York

Dr. Gerhard Neumann
Department of Meteorology
and Oceanography
New York University
New York, NY 10453

Dr. Arnold L. Gordon
Lamont-Doherty Geological
Observatory
Columbia University
Palisades, NY 10964

Oregon

Library
Research Laboratory
Oregon Fish Commission
17330 S. E. Evelyn Street
Clackamas, OR 97015

Pattullo Study
Department of Oceanography
Oregon State University
Corvallis, OR 97331

Dr. Ricardo M. Pytkowicz
Department of Oceanography
Oregon State University
Corvallis, OR 97331

Pacific Marine Fish. Commission
342 State Office Building
1400 S. W. Fifth Avenue
Portland, OR 97201

Rhode Island

Pell Marine Science Library
University of Rhode Island
Narragansett Bay Campus
Narragansett, RI 02882

Texas

Mr. John D. Cochrane
Department of Oceanography
Texas A&M University
College Station, TX 77843

Dr. Sayed El-Sayed
Department of Oceanography
Texas A&M University
College Station, TX 77843

Library
Department of Oceanography
Texas A&M University
College Station, TX 77843

Dr. Worth D. Nowlin, Jr.
Department of Oceanography
Texas A&M University
College Station, TX 77843

Virginia

Library
Virginia Inst. of Marine Sciences
Gloucester Point, VA 23062

Professor Ronald E. Johnson
Institute of Oceanography
Old Dominion University
Norfolk, VA 23508

Washington

Dr. Laurence K. Coachman
Department of Oceanography
University of Washington
Seattle, WA 98195

Mr. Gunnar I. Roden
Department of Oceanography
University of Washington
Seattle, WA 98195

Dr. Bruce A. Taft
Department of Oceanography
University of Washington
Seattle, WA 98195

Library
Fisheries-Oceanography
University of Washington
151 Oceanography Teaching Bldg.
Seattle, WA 98195

Washington, D. C.

British Navy Staff
British Embassy
3100 Massachusetts Ave. N.W.
Attn: Scientific Information
Officer
Washington, DC 20008

Mr. Robert Schoning, Director
National Marine Fisheries
Service NOAA
Washington, DC 20235

Director
National Oceanographic Data Ctr.
National Oceanic and Atmos-
pheric Administration
Washington, DC 20235

Director (6)
World Data Ctr. A., Oceanography
National Oceanic and Atmos-
pheric Administration
Washington, DC 20235

Commander
Naval Weather Service Hdqtrs.
Washington Navy Yard
Washington, DC 20374

Commanding Officer
U. S. Coast Guard
Oceanographic Unit
Bldg. 159-E, Navy Yard Annex
Washington, DC 20590

Dr. Robert H. Gibbs, Jr.
Division of Fisheries
U. S. National Museum
Washington, DC 20560

Commander, (2)
U.S. Naval Oceanographic Office
Library Code 3330
Washington, DC 20373