North Atlantic Right Whale Sighting Survey (NARWSS) and Right Whale Sighting Advisory System (RWSAS) 2002 Results Summary

by Timothy V.N. Cole, Alison Stimpert, Liz Pomfret, Kelly Houle, and Misty Niemeyer

National Marine Fisheries Serv, Woods Hole Lab, 166 Water St, Woods Hole MA 02543-1026

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration National Marine Fisheries Service Northeast Fisheries Science Center Woods Hole, Massachusetts

October 2007

Northeast Fisheries Science Center Reference Documents

This series is a secondary scientific series designed to assure the long-term documentation and to enable the timely transmission of research results by Center and/or non-Center researchers, where such results bear upon the research mission of the Center (see the outside back cover for the mission statement). These documents receive internal scientific review, and most receive copy editing. The National Marine Fisheries Service does not endorse any proprietary material, process, or product mentioned in these documents.

All documents issued in this series since April 2001, and several documents issued prior to that date, have been copublished in both paper and electronic versions. To access the electronic version of a document in this series, go to *http://www.nefsc.noaa.gov/nefsc/publications/*. The electronic version is available in PDF format to permit printing of a paper copy directly from the Internet. If you do not have Internet access, or if a desired document is one of the pre-April 2001 documents available only in the paper version, you can obtain a paper copy by contacting the senior Center author of the desired document. Refer to the title page of the document for the senior Center author's name and mailing address. If there is no Center author, or if there is corporate (*i.e.*, non-individualized) authorship, then contact the Center's Woods Hole Laboratory Library (166 Water St., Woods Hole, MA 02543-1026).

This volume is part of a larger document containing five separate results summaries for five separate years. There is no analysis across the years included in this volume. This is the first publication of the collected data; future reports will be published annually in separate volumes.

This document's publication history is as follows: manuscript submitted for review October 10, 2007; manuscript accepted through technical review October 10, 2007; manuscript accepted through policy review October 10, 2007; and final copy submitted for publication October 10, 2007. This document may be cited as:

Cole TVN, Stimpert A, Pomfret L, Houle K, Niemeyer M. 2007. North Atlantic Right Whale Sighting Survey (NARWSS) and Right Whale Sighting Advisory System (RWSAS) 2002 results summary. US Dept Commer, *Northeast Fish Sci Cent Ref Doc*. 07-18a; 6 p. Available from: National Marine Fisheries Service, 166 Water Street, Woods Hole, MA 02543-1026.

Table of Contents (Volume A)

A. North Atlantic Right Whale Sighting Survey (NARWSS) and Right Whale Sighting	
Advisory System (RWSAS) 2002 Results SummaryA-T	L

Tables

Table 1.	Summary of the flight hours and flight types for 2002 NARWSS flights	A-2
Table 2.	Total sightings reported to the RWSAS in 2002	A-5

Figures

Figure 1.	Completed track lines and right whale sighting locations for 2002 NARWSS flights
	separated by season
Figure 2.	Synopsis of the systematic broadscale surveys conducted for the NARWSS in 2002,
	showing the resulting Sightings Per Unit Effort (SPUE) analysis A-4
Figure 3.	Sightings reported to the RWSAS in 2002 by source, month and region
Figure 4.	Map of Sightings reported to the RWSAS in 2002 in the Northeast region and
	Canadian waters

A. North Atlantic Right Whale Sighting Survey (NARWSS) and Right Whale Sighting Advisory System (RWSAS) 2002 Results Summary

By Timothy V.N. Cole, Alison Stimpert, Liz Pomfret and Kelly Houle

Overview – The North Atlantic Right Whale Sighting Survey (NARWSS) is a NOAA Fisheries program which locates and records the seasonal distribution of right whales off the northeastern United States. The Right Whale Sighting Advisory System (RWSAS) is designed to reduce collisions between ships and right whales by alerting mariners to the presence of the right whales via fax, email, the Internet, Broadcast Notice to Mariners (BNM), NOAA Weather Radio, and the Mandatory Ship Reporting system (MSR). These reports are obtained from a variety of sources including the NARWSS, whale watch vessels, Coast Guard, fishing vessels, commercial ships, and the general public. The results from both the NARWSS and the RWSAS programs in 2002 are summarized in the following tables and figures.

Table 1 – This table provides information on: (a) the total number of the NARWSS flight hours accomplished in each month during 2002; (b) the number of the NARWSS flights conducted in each month, by survey type; and (c) the total number of right whales sighted on all the NARWSS flights during each month in 2002. There were three primary types of surveys flown: (1) broadscale; (2) focused surveys in the Great South Channel (GSC) region; and (3) focused surveys over potential and realized Dynamic Area Management (DAM) closure zones. Broadscale surveys were flown along systematic east-west track lines that covered all Federal waters west of the Hague Line, from south of Long Island, New York, to Eastport, Maine. These surveys were flown to obtain a synoptic view of the distribution of right whales off the northeastern Atlantic coast; a completed series indicates coverage of the entire area. Surveys focused in the GSC served the dual purpose of providing commercial shipping traffic with the current locations of right whale aggregations, and obtaining photographic data of individual right whales for use in vital rate models of the population. DAM confirmation flights included flights made to investigate reported sightings of right whale aggregations outside existing closures, as well as to monitor the duration of residence of aggregations within established DAM zones.

Figure 1 – This figure shows, by season, all the NARWSS survey track lines and right whale sighting locations in 2002. Seasonal right whale closure areas in effect during each period are shown as heavy bold lines. Closure areas in effect for only a portion of the period are represented by medium bold lines. The duration of each closure area is as follows: Cape Cod Bay: Jan 1 - May 15; Great South Channel: April 1 - June 30; Seasonal Area Management (SAM) West: March 1 - April 30; Seasonal Area Management (SAM) East: May 1 - July 31.

Figure 2 – Presents a synopsis of the systematic broadscale surveys conducted during both the spring and fall of 2002. The data were grouped by ten-minute latitude by ten-minute longitude geographic cells. Effort levels within each cell were ranked according to the nautical miles of surveys completed within them, excluding circling. Cells with higher effort levels were shaded more darkly, while areas with no effort were left blank. To make sighting levels between cells with different effort levels comparable, the number of right whales sighted within a cell was divided by the nautical miles of survey completed in the same cell. The resulting Sighting Per Unit Effort (SPUE) within each cell was then ranked, with higher SPUE levels indicated by

darker shading. Seasonal right whale closure areas in effect during each period are shown as heavy bold lines. Closure areas in effect for only a portion of the period are represented by medium bold lines.

Table 2 – This table lists the number of right whale sightings reported to the RWSAS in 2002, by reporting source, and indicates the number of unconfirmed and late reports by source. Unconfirmed and late reports did not produce an alert. Often sightings were combined into a single alert. A total of 110 alerts were broadcast in 2002.

Figure 3a – This figure depicts the total number of right whale sightings reported to the RWSAS in 2002, by month and source, in the Northeast (*i.e.*, from Maine through New York) and Canada region.

Figure 3b – This figure depicts the total number of right whale sightings reported to the RWSAS in 2002, by month and source, in the Mid-Atlantic region (*i.e.*, from New Jersey through North Carolina).

Figure 4 – This figure illustrates the locations of all right whale sightings reported to the RWSAS in 2002 in the Northeast and Canada region (including unconfirmed and late reports). The number of whales reported in each sighting is indicated via graduated symbols for each reporting source. Shipping lanes, the Hague Line and the Cape Cod Bay and Great South Channel Critical Habitat areas are included for reference, as are the 50-fathom and 100-fathom depth contours.

Month in 2002	Flight hours	# Flights *		Broadscale	GSC	DAM	
		broadscale	focused	other	 series completed 	surveys completed	confirmation flights
March	35	2	3	2		•	1
April	92	10	7		1	1	3
May	89	9	8	1	1	3	3
June	141	15	11	1	2	4	
July	36	4	4			3	1
August	0						
September	47	9			1		
October	44	7	. 1		1		
November	25	2	3			1	1
December	18	1	3				3
totals	527	59	40	4	6	12	12

 Table 1. Summary of the flight hours and flight types for 2002 NARWSS flights

* Flights that had both broadscale and focused survey time were counted as broadscale flights. Of the focused flights, 17 were strictly 'management' flights totaling 82 hours; these included DAM confirmations, disentanglement support, and carcass checks. Other flights included ferrying flights, telemetry testing, and a Congressional review flight. **Figure 1**. Completed track lines and right whale sighting locations for 2002 NARWSS flights separated by season. Thin lines represent track lines and bull's-eyes represent right whale sighting locations.





Figure 2. Synopsis of the systematic broadscale surveys conducted for the NARWSS in 2002, showing the resulting Sightings Per Unit Effort (SPUE) analysis





A-4

Report source	# Reports	Unconfirmed	Late
Aerial survey	145		
Shipboard survey	34		1
Whale Watch	21		2
Opportunistic	31	3	5
Coast Guard	7		
Commercial Ship	6	4	1
Fishing Vessel	1		
totals	245	7	9

 Table 2.
 Total sightings reported to the RWSAS in 2002

Figure 3. Sightings reported to the RWSAS in 2002 by source, month and region







A-6