

1 Title: Conducting a drought-specific THIRA (Threat and Hazard Identification and Risk
2 Assessment): A powerful tool for integrating all-hazard mitigation and drought planning efforts
3 to increase drought mitigation quality.

4

5 Elliot D. Wickham ^{*,a,b}, Deborah Bathke ^b, Tarik Abdel-Monem ^c, Tonya Bernadt ^b, Denise
6 Bulling ^c, Lisa Pytlik-Zillig ^c, Crystal Stiles ^d, Nicole Wall ^b

7

8 a School of Natural Resources, University of Nebraska-Lincoln, Lincoln, Nebraska

9

10 b National Drought Mitigation Center, University of Nebraska-Lincoln, Lincoln, Nebraska

11

12 c University of Nebraska Public Policy Center, University of Nebraska-Lincoln, Lincoln,
13 Nebraska

14

15 d High Plains Regional Climate Center, University of Nebraska-Lincoln, Lincoln, Nebraska

16

17 * Corresponding Author: Elliot D. Wickham

18

19 Email: elliot.wickham@huskers.unl.edu<<mailto:elliot.wickham@huskers.unl.edu>>

20

21 Address: 249 Hardin Hall

22

23 3310 Holdrege Street

24

25 Lincoln, Nebraska 68583-0988 U.S.A.

1 Title: Conducting a drought-specific THIRA (Threat and Hazard Identification and Risk
2 Assessment): A powerful tool for integrating all-hazard mitigation and drought planning efforts
3 to increase drought mitigation quality.

4

5

6

7 Declarations of interest: none

8

9

10

11

12

1
2 Abstract:

3 In the United States, drought is the second costliest natural disaster, which leads to the need for
4 increased drought mitigation efforts over time. However, drought planning has lagged behind
5 other hazard mitigation efforts, which is likely due to the lack of a national drought planning
6 policy. Although the Federal Emergency Management Agency (FEMA) requires all jurisdictions
7 have a hazard mitigation plan (HMP) to receive pre-disaster mitigation funds, drought has only
8 recently been a requirement in HMPs. In 2012, Nebraska witnessed its worse drought in recent
9 history, which exposed the gaps in drought planning effectiveness at all jurisdictional levels. To
10 address potential drought planning gaps, we developed, conducted, and evaluated a Threat and
11 Hazard Identification and Risk Assessment (THIRA), a FEMA risk assessment process, which
12 solely focused on drought. This drought-specific THIRA consisted of a one-day workshop in
13 which stakeholders and agency experts from the Platte River Basin in Nebraska worked
14 collaboratively to determine the necessary resources for successfully managing a worst-case
15 drought scenario in the region. We analyzed the findings of this workshop and compared them
16 against the current drought planning activities in the Platte River Basin and found that the current
17 drought planning activities would not be effective against a worst-case drought, in terms of
18 reducing drought vulnerability and increasing preparedness and response efforts. Our use of a
19 drought-specific THIRA and drought plan evaluation provides both a quality process to increase
20 drought mitigation efforts and a process to strengthen the integration between stand-alone
21 drought plans and hazard mitigation plans.

22
23 Keywords: Drought, Hazard Mitigation Plan (HMP), THIRA, Mitigation, Planning
24
25
26
27
28
29
30
31
32
33
34

1 1. Introduction

2 Drought is a natural hazard that causes a deficit of expected water availability resulting in water
3 shortages for some activity or group [1]. It is a complex and often misunderstood phenomenon
4 because its characteristics differ greatly from other hazards. Other hazards tend to be more
5 clearly defined and have definitive beginning and ending points, expected durations, and easily
6 distinguishable direct and indirect impacts. None of these characteristics hold true for drought [1-
7 2]. First, drought does not have a universal definition. The National Drought Mitigation Center
8 (NDMC) at the University of Nebraska - Lincoln provides five definitions for drought (Table 1),
9 which reflect ways to measure or track the effects of drought [3]. Second, drought lacks
10 definitive beginning and ending points. Drought has a relatively slow onset and it can be difficult
11 to determine if a period of “drier than normal” conditions will manifest into a drought [4].
12 Furthermore, a rain event does not necessarily mean that a drought is over, although it may help
13 alleviate drought conditions. It may take weeks, months, or years for water supplies to return to
14 normal conditions, making it difficult to know when a drought ends [1]. Third, some droughts
15 last months while others can continue for multiple years, making it difficult to forecast an
16 expected duration for any specific drought [2]. Finally, drought impacts are often much harder to
17 classify compared to other hazards. With essentially all other hazards, direct impacts are easily
18 identified by structural damages or loss of life, while indirect impacts are identified by asking
19 how the direct impacts affect society and the economy [2]. Drought impacts are less obvious and
20 spread across larger geographic areas than most other hazards. The most quantifiable impacts of
21 drought are losses to agriculture and, relatedly, economic downturn. Other impacts, such as a
22 decrease in the quality of life, mental health problems, or ecosystem stress are more difficult to
23 quantify [5].

24

25 Table 1. Drought Type and description.

Drought Type	Description
Meteorological	Meteorological drought is determined by the lack of precipitation and how conditions such as temperature and winds affect the amount of moisture. It is expressed in relation to the average conditions for a region. Meteorological drought is region specific since precipitation is highly variable from region to region.
Agricultural	This type of drought links the characteristics of meteorological drought to agriculture or landscapes. Agricultural drought focuses on precipitation shortages, evaporative demand, and soil moisture deficits. This type of drought is also dependent upon plant type, stage of growth, and soil properties.
Hydrological	Hydrological drought is associated with the effects of rain and snow shortfalls on streamflow, reservoir and lake levels, and groundwater. Because it takes longer for precipitation deficiencies to show up in other components of the hydrological system, this type of drought can be out of phase with the other types of drought.

Socio-economic	Socio-economic drought includes the impact of drought on the economy related to supply and demand. While people typically think of agricultural products, drought can also affect hydroelectric energy generation, ethanol production, and numerous other items. In addition, drought impacts tourism, public health, infrastructure, and many other components of society.
Ecological	This type of drought results from prolonged and widespread deficits in naturally available water supplies that create multiple stresses across ecosystems. Also, this type of drought emphasizes the link between people and nature in the context of drought. It captures the environmental consequences of drought and its feedback into natural and human systems.

1

2 1.1 Hazard Planning

3 Regardless of the type of hazard, the best way to reduce natural hazard impacts is to have a plan
 4 [6-7]. In the United States, the Federal Emergency Management Agency (FEMA) requires
 5 hazard mitigation planning among state, tribal, and local governments as a condition of federal
 6 disaster assistance support [6-8]. Hazard planning efforts take two forms: hazard mitigation plans
 7 (HMPs) and emergency operations plans (EOPs). “The purpose of [HMPs] is to identify local
 8 policies and actions that can be implemented over the long term to reduce risk and future losses
 9 from hazards” [6 p.1-2], while “EOPs are plans that define the scope of preparedness and
 10 emergency management activities necessary for the jurisdiction” [9 p. 3-1]. In other words, an
 11 HMP is a plan that takes steps to reduce risk to hazards before they happen, while EOPs are
 12 plans that outline what operations will take place during a hazard event.

13 Hazard mitigation planning has substantially increased since 2000, especially at the local level.
 14 At the time of writing this publication, FEMA reported that 20,977 local governments have
 15 approved local mitigation plans, accounting for approximately 87% of the nation [10]. Although
 16 the number of people covered under the scope of HMPs has increased, it does not guarantee that
 17 an HMP will remove the associated risks from natural disasters. HMPs vary in quality. Plan
 18 evaluation research [11-14] has shown that hazard plan goals and implementation are not always
 19 adequate to effectively mitigate against or reduce impacts of future hazard events [11-13],
 20 especially in rural areas with limited resources [14]. Similarly, the limited research evaluating
 21 drought plan quality finds drought plans do not necessarily lead to reduced drought vulnerability
 22 [15-17]. However, Brody [12] did find that local HMP plan quality can improve over time when
 23 an area includes lessons learned from past experiences and increases public participation in their
 24 next plan update.

25

26 1.2 Drought Planning in the United States

27 In the United States, a federal requirement for drought planning does not exist. Instead, drought
 28 planning happens at multiple levels of government and across jurisdictions [18]. For example,
 29 drought plans have been created by states; sub-state jurisdiction, such as counties, natural

1 resource districts, and communities; and at the river basin levels, crossing political boundaries.
2 Drought planning efforts at the state level have evolved over time. For example, in 1982 there
3 were three states with drought plans, while there are currently 45 states with drought plans [19-
4 20]. However, each entity plans for drought differently in that some drought plans focus on
5 mitigation while others are response focused [20]. A mitigation plan implements actions and
6 policies to reduce drought impacts before a drought occurs, while a response plan implements
7 actions and policies to reduce impacts while a drought is occurring [21].

8 Just as drought planning efforts have grown over time, drought planning efforts at smaller scales
9 and in different planning regimes have changed. At first, drought planning efforts were found in
10 “stand-alone” plans that focused only on drought management at the state level. Over time,
11 drought planning efforts have become more integrated with water management planning at
12 various jurisdictional levels due to the close link between water resources and drought impacts
13 [22-23].

14

15 1.3 Hazard and Drought Planning

16 In contrast to water planning and drought planning integration, hazard planning and drought
17 planning have been slower to integrate. The Disaster Mitigation Act (DMA) of 2000 does not
18 mandate drought planning as a requirement in hazard planning; thus, jurisdictions do not have to
19 include drought in their hazard planning efforts [24]. However, when a state is creating or
20 updating a hazard mitigation plan, they must include all natural hazards that pose a threat to the
21 state, including drought if relevant [8]. If a state does include drought in their HMP, then all sub-
22 state level HMPs within that state, such as city- or county-level HMPs, must include drought
23 because sub-state jurisdictions must include every hazard in their plan that appears in the state
24 level plan [6]. This has led to an increase in the number of jurisdictions at multiple levels that
25 have some form of drought planning activity. However, while increased drought mitigation
26 planning efforts are a step in the right direction, their existence does not necessarily lead to
27 reduced drought vulnerability and impacts. To take advantage of these trends in planning, this
28 paper fills two research gaps: A lack of research evaluating the quality of drought planning
29 within the context of all-hazard planning and identifying potential approaches for increasing
30 drought plan quality in all-hazard planning. To fill these research gaps, this paper builds upon the
31 findings of the project presented in the next section.

32

33 1.4 Project Background

34 The year 2012 holds the record as Nebraska’s driest year since the beginning of the
35 climatological record in 1895 [25]. Despite having a statewide drought mitigation plan in place,
36 the rapid onset and severity of this drought challenged management efforts, causing devastating
37 impacts to agricultural production, water supplies, ecosystems, public health, energy production,
38 and tourism and recreation [26-27]. To help understand the resources needed to manage a
39 drought of great severity and long duration, a research team from the University of Nebraska’s

1 Public Policy Center (PPC), National Drought Mitigation Center (NDMC), and High Plains
2 Regional Climate Center (HPRCC) developed and conducted a drought-specific Threat and
3 Hazard Identification and Risk Assessment (THIRA) for the Platte River Basin in Nebraska. The
4 team included experts in disaster preparedness and planning, climate science, drought planning,
5 and public engagement. Although examples that include drought in a multi-hazard THIRA can
6 be found (e.g. City of Philadelphia and Allen County, Indiana), to our knowledge, a drought-
7 specific THIRA has not been conducted within the state of Nebraska, and only a few other
8 jurisdictions across the nation have convened drought THIRAs [28-29]. A THIRA is a FEMA
9 risk assessment process that allows a specific planning jurisdiction to understand their risk and
10 determine the level of capability they need in order to address those risks [30]. THIRA applies
11 the 32 core capabilities from the National Preparedness Goal, with each core capability falling
12 under one of five mission areas: prevention, protection, mitigation, response, and recovery [30].
13 A common approach for a THIRA is to address these core capabilities using a worst-case
14 scenario for a common hazard because if jurisdictions plan and prepare for the worst case, they
15 should have the capacity to address a less severe event. Accordingly, the Nebraska research team
16 created a drought-specific scenario using three time points to help decision makers and
17 responders understand their vulnerability and the capabilities needed to prepare for and respond
18 to a worst-case drought scenario. Efforts focused on the Platte River Basin in Nebraska because
19 the basin stretches the full length of the state from west to east and encompasses rural and urban
20 areas and a variety of uses (Figure 2). Additionally, significant concerns over water availability
21 have been occurring throughout the Platte River Basin for decades. Most of the basin
22 encompasses regions which have been designated as fully or over appropriated by the state due
23 to high usage rates and limited amounts of projected streamflow and hydrologically-connected
24 water [31]. Applying the drought THIRA to a large river basin encouraged participants to
25 consider how drought manifesting upstream affects overall water availability, as well as other
26 cascading effects of drought, therefore testing trans-jurisdictional drought management and
27 planning.

Platte River Basin, Nebraska Study Area for Drought Specific THIRA




Figure 1. Natural Resource Districts (NRDs) of Nebraska, highlighting the study area of this drought-specific THIRA (the Platte River Basin NRDs).

To challenge the state's resources and management capabilities, the project team created a five-year intense drought scenario by merging two recent drought events from Nebraska's history: the 2002-2004 drought and the 2012 drought (Figure 2). The scenario included actual drought impacts that took place in the past, such as crop failure, decreased water supplies, extreme heat, reduced power production, and public health decline. The scenario included three different time points so participants could consider the resources needed to cope with drought during (1) emergence, (2) intensification to peak extent and severity, and (3) abatement and recovery. These three time points correspond to the three THIRA mission areas in Table 2. Finally, a Stakeholder Advisory Group (SAG), comprised of sector experts and decision makers, provided input for the location and timing of sectoral drought impacts to help ensure that the scenario represented a worst-case drought for the region, yet remained plausible.




Figure 2. U.S. Drought Monitor Time Series map of Nebraska, 2000-present [32].

The drought scenario was presented at a one-day workshop with stakeholders from across the Platte River Basin and representing various sectors such as water management, agricultural production, energy production, municipalities, and emergency management. The scenario provided the context to discuss the resources required for 16 of the 32 core capabilities (Table 2) at the three time points (emergence, intensification, recovery). At the workshop, participants discussed and categorized the available (existing) and needed (missing) resources to manage the drought in light of the 16 core capabilities, providing the foundation for building capability targets. A capability target is a goal that a community or planning jurisdiction works toward to manage a threat or hazard successfully [33]. The capability target discussion includes what resources a jurisdiction has available and still needs to reduce vulnerability. Because the present workshop examined three time points in the scenario, participants set three capability targets for each core capability.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

1

2 Table 2. THIRA Mission Areas and Core Capabilities that were applicable for this research.

THIRA Core Capabilities ¹		
Mitigate	Respond	Recover
Planning*	Planning*	Planning*
Public Information and Warning*	Public Information and Warning*	Public Information and Warning*
Operational Coordination*	Operational Coordination*	Operational Coordination*
Community Resilience	Infrastructure Systems* Critical Transportation Environmental Response / Health and Safety Fire Management and Suppression Mass Care Services Logistics and Supply Chain Management Public Health and Medical Services Situational Assessment	Infrastructure Systems* Economic Recovery Health and Social Services Housing Natural and Cultural Resources

3 ¹For full list of THIRA Mission Areas and Core Capabilities, please visit

4 <https://www.fema.gov/core-capabilities> [33].

5 *There are multiple capability targets that appear in multiple mission areas, denoted with an
6 asterisk. Although some of these core capabilities appear in more than one mission area, only
7 three capability targets were used for each core capability in this analysis (except for situational
8 assessment, which only had one capability target).

9

10 After the workshop, the SAG reviewed each of the capability targets for feasibility (is it
11 achievable?) and effectiveness (will it reduce drought vulnerability within the Platte River
12 Basin?), based on their collective experience. Feasible capability targets are essential. If a
13 planning jurisdiction creates an effective capability target to reduce vulnerability but does not
14 have the resources to meet the capability target, then the capability target is not accomplishable
15 and will serve no purpose in reducing vulnerability. The SAG concluded that the capability
16 targets were both achievable and effective for reducing drought vulnerability in the Platte River
17 Basin.

18

19 2. Methodology

20 With the approval of the capability targets created from the workshop, the project team reviewed
21 current existing drought planning efforts in the Platte River Basin to determine if and to what
22 degree these planning efforts successfully took measures to achieve the capabilities needed to
23 reduce vulnerability to a “worst case scenario” drought such the one identified in the THIRA

1 workshop. Thirty plans were reviewed: two stand-alone drought plans, six hazard mitigation
2 plans, and 22 emergency operations plans. All 22 emergency operation plans were county-based.
3 Five of the six hazard mitigation plans and one of the drought-specific plans were developed by
4 Natural Resource Districts (NRDs), political subdivisions governed by locally-elected boards
5 responsible for natural resource management. The remaining hazard mitigation plan and drought
6 plan were developed by the State of Nebraska.

7 Plans were scored using a method similar to McEvoy et al. [17], who analyzed ecological
8 drought planning efforts in the Missouri Headwaters region of Montana. In this study, plan
9 triggers (i.e., thresholds for when plan action items are implemented), were given a score of 0
10 through 3 to indicate the level of explanation and implementation of using triggers for drought
11 response actions. Their results indicate that this method was useful for showing differences in the
12 level of description and implementation of ecological drought monitoring and triggers, resulting
13 in different plan scores.

14 Similarly, our process was designed to show variation among plans. Instead of analyzing
15 monitoring efforts and plan triggers, we emphasized drought mitigation and preparedness
16 activities based on the degree to which each of the capability target resources were addressed and
17 whether or not plan actions were implemented. Each plan was scored based on its description of
18 the resources needed to meet the capability targets for the core capabilities addressed in the
19 workshop. Our study focused on 16 of FEMA's 32 core capabilities. Three capability targets,
20 corresponded to the three time points in the scenario (except for *situational assessment*, which
21 only had one capability target), were created for each of these 16 core capabilities resulting in a
22 potential score of 46. Thus, each plan was scored for its ability to achieve 46 different capability
23 targets (Table 4).

24 A score of 0 – 4 was assigned based on the extent to which the plan addressed or met the
25 capability target and whether the strategies and resources discussed in the plan were allocated
26 specifically for drought or were allocated for another hazard but could be applicable to drought
27 (Table 5). This differentiation allowed us to evaluate how various planning jurisdictions
28 addressed drought preparedness, in terms of developing drought-specific mitigation actions, and
29 how they could increase preparedness by leveraging resources for other hazards to meet the
30 capability statements. An example of plan scores based on ability to meet capability targets is
31 shown in Table 6. Based on this scoring scheme, each plan could have a maximum of 184 points
32 (4 points x 46 capability targets) (Table 4).

33

34 Table 3. Plans included in this analysis grouped by type of plan, with corresponding year of
35 implementation or last update.

Plan Type	Planning Jurisdiction	
Drought Plans	➤ Lower Platte South NRD (2015) ➤ State of Nebraska (2000)	
Hazard Mitigation Plans	➤ North Platte NRD (2016) ➤ Twin Platte NRD (2016)	➤ Lower Platte North NRD (2015) ➤ Lower Platte South NRD (2015)

	➤ Central Platte NRD (2017)	➤ State of Nebraska (2014)	
Emergency Operations Plans*	➤ Arthur (2017) ➤ Banner (2012) ➤ Boone (2014) ➤ Buffalo (2014) ➤ Butler (2015) ➤ Colfax (2015) ➤ Custer (2014) ➤ Dawson (2015)	➤ Garden (2013) ➤ Hall (2015) ➤ Hamilton (2017) ➤ Howard (2013) ➤ Keith (2017) ➤ Lincoln (2014) ➤ Madison (2012)	➤ McPherson (2017) ➤ Morrill (2014) ➤ Nance (2014) ➤ Platte (2016) ➤ Polk (2015) ➤ Saunders (2014) ➤ Scotts Bluff (2015)

*Emergency Operation Plans are all at the county level in this analysis.

1
 2 Table 4. Possible plan scores based on the number of capability targets for each core capability
 3 and the possible score for each capability target.

Core Capability	Number of Capability Targets	Possible score for each Capability Target	Highest Possible Score
Planning	3	4	12
Public Information and Warning	3	4	12
Operational Coordination	3	4	12
Community Resilience	3	4	12
Infrastructure Systems	3	4	12
Critical Transportation	3	4	12
Environmental Response / Health and Safety	3	4	12
Fire Management and Suppression	3	4	12
Mass Care Services	3	4	12
Logistics and Supply Chain Management	3	4	12
Public Health and Medical Services	3	4	12
Situational Assessment	1	4	4
Economic Recovery	3	4	12
Health and Social Services	3	4	12
Housing	3	4	12
Natural and Cultural Resources	3	4	12
Total Possible Plan Score			184 .

4
 5

1

2 Table 5. Scoring Rubric for each capability target in relation to each plan evaluated.

Score	Description
4	A definitive plan action, mitigation strategy, or resource that can meet a capability target and is implemented specifically for drought .
3	A definitive plan action, mitigation strategy, or resource that can meet a capability target for drought but is implemented for another hazard .
2	A definitive plan action, mitigation strategy, or resource that can meet a capability target and is referenced specifically for drought , but not implemented.
1	A definitive plan action, mitigation strategy, or resource that can meet a capability target for drought but is referenced for another hazard , but not implemented.
0	Nothing in the plan addressed a mitigation action or resource that could be used for meeting a capability target.

3 *Also referred to as a “mitigation alternative” in the plans.

4

5

6 Table 6. Action items in the given plan that allowed them to receive the corresponding score for
7 each Capability target.

Core Capability	Capability Target	Plan statement	Score
Environmental Response / Health and Safety	Increase number of trained fire fighters available for deployment to fire sites in Nebraska by 1% (n=138)	Increase number of fire fighters and training for urban fire (all hazard context). ¹	1
Natural and Cultural Resources	Establish and ensure water conservation plans and policies are enforced statewide	Create drought specific plans, which may be focused on water conservation (in mitigation alternatives section). ²	2
Housing	Activate cooling shelters with necessary support and functional needs services in affected communities to serve up to 12,000 people throughout periods of excessive heat	Constructing/ updating shelters and having backup generators (all hazard context). ³	3

Health and Social Services	Deploy psychological first aid (PFA) trained community members to support community resiliency efforts in communities	Provide hotlines for Mental Health in regards to drought impacts. ⁴	4
----------------------------	---	--	---

1 ¹Lower Platte South HMP (p. 73)

2 ²Twin Platte (p. 70).

3 ³Central Platte HMP (p. 17).

4 ⁴ Nebraska State Drought plan (Appendix A, p. 2).

5

6 3. Results

7 Upon analyzing the 30 applicable plans in the study area; we found; 1) overall plan scores in this
 8 analysis were low; 2) leveraging resources from other hazard for drought mitigation results in
 9 better plan scores; 3) planning focus and planning language influence plan scores, and; 4) EOPs
 10 generally do not address drought and therefore they are not equipped to reduce drought impacts
 11 adequately. Based on the capability targets and resource requirements identified in the workshop,
 12 none of the evaluated plans received high scores for preparing for a worst-case scenario drought,
 13 such as the one used in the THIRA workshop. Low plan scores are more likely attributable to
 14 these plans not using an all-hazards or drought specific THIRA risk assessment process in their
 15 planning processes. Out of 184 possible points, plan scores ranged from 27 points to 46 points
 16 (Table 7). The State of Nebraska HMP, Lower Platte North NRD HMP, and Lower Platte South
 17 NRD received the highest scores. The state HMP had the highest score because it had the highest
 18 amount of total implemented resources (drought and non-drought specific) of any plan (Figure
 19 3).


20

21 Table 7. Resource count for each plan, including weighted score (resource count x score value)
 22 for each plan.

Criteria	Score Value	North Platte NRD HMP	Twin Platte NRD HMP	Central Platte NRD HMP	Lower Platte North NRD HMP	Lower Platte South NRD HMP	Lower Platte South Drought Plan	Nebraska HMP	Nebraska Drought Plan
Drought specific strategy implemented	4	1	1	1	3	3	3	6	6
Non-drought strategy implemented	3	4	5	5	3	3	0	6	0

Drought specific strategy referenced	2	2	2	2	2	3	12	0	1
Non-drought strategy referenced	1	10	10	4	12	10	0	4	1
WEIGHTED SCORE		30	33	27	37	37	36	46	27

1



2

3 Figure 3. Plan score composition.


4

5 Figure 3 shows the variation in each plan scores regarding how each mitigation strategy
6 discussed (suggested or implemented) and the focus of each mitigation strategy (drought or non-
7 drought specific). This table shows that the Lower Platte North NRD HMP and the Lower Platte
8 South NRD HMP had the same plan score (37 points) and had the second highest scores (behind
9 the State of Nebraska HMP, which had the highest plan score) due to a combination of a greater
10 number of drought-specific strategies implemented and referencing resources that could be
11 leveraged for drought (Figure 3, Figure 4, and Figure 5). This means that these two plans had
12 higher plan scores than the other NRD level HMPs and both of the stand-alone drought plans.
13 The Lower Platte North NRD HMP and the Lower Platte South NRD HMP had the highest plan
14 scores of all the NRD HMPs because they had more drought specific strategies implemented in
15 the plan, meaning these two HMPs were more drought focused than the other three NRD HMPs.
16 Furthermore, these two plans scored higher than the two stand-alone drought plans because they


1 had mitigation resources from other hazards that could be leveraged for drought, while the stand
2 alone drought plans had either none or minimal discussion about other hazard resources that
3 could be leveraged for drought. This resulted in lower plan scores for the stand-alone drought
4 plans.

5 It initially seems counterintuitive that the state drought plan tied for the lowest score since it has
6 the most drought-specific implemented mitigation strategies or resources compared to all other
7 plans in this analysis (Table 5). This result can be explained by differences in the planning
8 language and the weighting used in the scoring rubric (Table 5). Although this plan received the
9 most points for implemented drought specific mitigation actions, it received few points for
10 suggesting mitigation alternatives (i.e., referencing actions that could be implemented in the
11 figure) for droughts and other hazards (Figure 5). Since this plan mainly focused on
12 implementing drought specific mitigation actions, it did not include language referencing all-
13 hazard resources that have the potential to be leveraged towards drought mitigation, which in
14 turn, lead to a lower plan score.

15



16
17 Figure 4. Plan score variation in total amount of suggested and implemented mitigation actions
18 or resources.
19



1
2 Figure 5. Plan score variation for drought specific and other hazard mitigation actions or
3 resources.

4
5
6 It is interesting that there is a nine-point range between the NRD HMP scores since the same
7 consulting company wrote all of these plans within a three-year time span. The newest plan,
8 Central Platte NRD HMP (2017) received the lowest score, while the three oldest plans (Lower
9 Platte North NRD HMP, Lower Platte South NRD HMP, and Lower Platte South stand-alone
10 drought plan, all 2015), received the highest sub-state scores. In general, the eastern NRD Plans
11 (Lower Platte North HMP, Lower Platte South HMP, and Lower Platte South stand-alone
12 drought plan), scored higher than the western NRD Plans (North Platte HMP, Twin Platte HMP,
13 and Central Platte HMP). The variation in the NRD HMPs and stand-alone drought plans is due
14 to the differences in planning language for mitigation actions and resources (suggested and
15 implemented) and the varying focus on implemented mitigation actions (drought and non-
16 drought specific). Since the eastern NRD HMPs discuss more drought-specific mitigation actions
17 and strategies and they use planning language that links other hazard mitigation to drought
18 mitigation, these plans had higher scores than the western NRD HMPs.

19 While county-level EOPs were initially part of this analysis (Table 3), results are not shown
20 because of a minimal relationship, if any to drought, leading to low plan scores (<5). When
21 evaluating each of the county EOPs, we found that only a few mentioned drought in a vague
22 context when discussing all hazards, while most of the plans did not mention drought at all.
23 Furthermore, none of the EOPs discussed mitigation or response actions specifically for drought.

24
25
26 **4. Discussion**

27 Overall, low plan scores are most likely because none of the eight plans in this analysis
28 conducted an all-hazards or drought-specific THIRA risk assessment for their vulnerability
29 assessments. Therefore, plan scores would automatically be lower because they used a different

1 risk assessment technique than our drought-specific THIRA vulnerability assessment, leading to
2 different approaches in drought preparedness. However, since the aim of our drought-specific
3 THIRA was to evaluate the preparedness of the Platte River Basin for a worst-case scenario, it is
4 worth evaluating how well the current drought planning activities could handle this worst-case
5 scenario.

6 Although the overall scores of the plans were low, the findings of this research are similar to past
7 hazard and drought plan evaluation research [13-16]. In their evaluation of hazard mitigation
8 plans in rural counties in the United States Southeast, Horney et al. [14] found that most plans
9 scored low in their analysis. This finding matched our plan evaluations in that much of Nebraska
10 is rural, including much of the area within the Platte River Basin, with the exception of the city
11 of Grand Island in the Central Platte NRD and the city of Lincoln in the Lower Platte South
12 NRD. The lower plan quality in rural areas is most likely due to a lack of available personnel and
13 financial resources compared to more urban areas that can be used for adequate hazard
14 mitigation [14, 34]

15 Additionally, Fu et al. [16], found that many of the current state drought plans still focused on
16 addressing drought during the event (crisis management) rather than planning for drought before
17 an event takes place (risk management). Although our work did not categorize plans into a focus
18 of risk or crisis management, we did find that drought mitigation planning efforts were much
19 lower than the needed level of drought planning across the Platte River Basin that was discussed
20 in the project workshop. Similar to Fu and Tang [15], our study found that even though drought
21 planning efforts are increasing, the level of plan quality for drought mitigation needs to improve
22 along with an increase in drought planning efforts. This finding is also consistent with Lyles et
23 al. [13] in that hazard mitigation efforts are increasing but that does not necessarily mean that
24 effective hazard mitigation is increasing.

25 We suggest that the variation among scores between similar plan types (HMPs and stand-alone
26 drought plans) may be attributed to jurisdictional resource availability, geography, and plan age.
27 For example, Janssen [34] suggest that rural communities may have a less diversified economic
28 base and fewer financial resources to support disaster mitigation practices or rebuilding efforts.
29 Case in point, the State of Nebraska HMP scored higher than the NRD HMPs because it likely
30 has more resources to leverage for drought mitigation to meet capability targets than a Natural
31 Resource District, county, or municipality. Additionally, the eastern NRDs had relatively higher
32 plan scores than the NRDs in the central and western parts of Nebraska (Figure 1). The Lower
33 Platte North and Lower Platte South NRDs are in the more densely populated eastern parts of the
34 state, where larger municipalities have fewer planning obstacles such as more fiscal resources,
35 greater government capacity, newer or maintained infrastructure, and increased communication
36 owing to greater geographic distances between communities and cross-jurisdiction coordination
37 [34-35].

38 Geography may have affected the plan scores. The eastern NRDs are located downstream,
39 meaning they are vulnerable to drought induced low flows, which could lead to more awareness
40 for drought mitigation and result in higher plan scores. Jurisdictions further upstream, the
41 western and central NRDs, are also vulnerable to drought, particularly because of the semi-arid

1 climate of western Nebraska. However, these areas are mostly rural, likely resulting in fewer
2 available resources for drought mitigation, which results in lower plan scores.

3 At the state level, it may seem odd that the State of Nebraska HMP scored higher than the stand-
4 alone drought plan for meeting the capability targets of this analysis. This is primarily due to the
5 sole focus on drought in the stand-alone plans. The stand-alone drought plan contained very
6 little, if any, resources or plan actions that focused on other natural hazards that could be
7 leveraged for drought mitigation to meet the capability targets. With few scores given for other
8 hazard mitigation items that could be or were implemented that applied to drought (scores 1 and
9 3 in the rubric (Table 5), the stand-alone drought plan did not score as high as the HMPs that
10 received scores for drought-specific resources and plan actions, along with resources and plan
11 actions that could be leveraged for drought. It is worth noting the difference in the age of the
12 plans. The Nebraska state drought plan dates back to 2000, while the state HMP is from 2014.
13 The Nebraska State drought plan is most likely out of date, in terms of its vulnerability analysis
14 and what resources would be needed to increase drought preparedness, compared to the more
15 current HMP. Additionally, the HMP has gone through several update cycles (as required by law
16 every five years), likely incorporating lessons learned in the process, which would serve to
17 increase plan quality [12] and result in higher scores in our rubric.

18 The two stand-alone drought plans provide further evidence for the importance of regularly
19 updating plans. The Lower Platte South NRD stand-alone plan scored 10 points higher than the
20 Nebraska State Drought plan, which tied for the lowest score (Table 7). Given that a state would
21 have access to a greater number of resources, we would expect the state plan to score higher.
22 The answer to this most likely lies in the different ages of the two drought plans. The Lower
23 Platte South NRD drought plan is from 2015, while the state drought plan dates back to 2000.

24 The EOPs scores were not included in the results due to a minimal or no mention of drought,
25 with all the EOPs receiving a score of five or less. EOPs are plans that take effect during a
26 hazard event and the lack of drought response in these types of plans shows that emergency
27 managers do not have a plan for responding to drought, potentially leaving it to water managers
28 to respond to drought. Since our drought-specific THIRA workshop brought multiple sectors and
29 planning agencies together, this process allows for integration between hazard and water
30 planning for increased drought response. Furthermore, a drought-specific THIRA could allow
31 quality drought preparedness to increase in both HMPs and EOPs, leading to further integration
32 between hazard planning and drought planning.

33

34 5. Conclusion

35 Although the plans in this analysis scored low for drought mitigation efforts, the opportunity
36 exists to improve plan quality for drought. Since FEMA requires HMPs to be updated every five
37 years, conducting a drought-specific THIRA during the next update period may increase drought
38 mitigation efforts and lead to better integration between hazard planning and drought planning
39 for the plans in this analysis, both of which may lead to increased drought planning quality
40 within HMPs. This integration has potential benefits. First, using a drought-specific THIRA in an

1 HMP not only allows the jurisdiction to focus on specific drought mitigation efforts, it also
2 allows them to evaluate and leverage other efforts and resources for drought by linking drought
3 mitigation to other hazard mitigation efforts. Second, including drought mitigation planning in an
4 HMP allows for more drought planning exposure for decision makers, planners, and the public,
5 leading to increased drought awareness understanding. Third, using a FEMA vulnerability
6 assessment within a stand-alone drought plan may lead to more coordination between drought
7 and hazard planners. Finally, using a drought-specific THIRA provides a process that any
8 planning jurisdiction can use to prepare for future droughts and may serve to increase overall
9 plan quality. We suggest that the use of a drought-specific THIRA has the ability to increase
10 drought planning quality efforts for both hazard mitigation plans and stand-alone drought plan
11 and the increase the integration between them, for any jurisdictional level.

12

13 Acknowledgement: This project would not have been possible without the involvement of the
14 Stakeholder Advisory Group for the THIRA workshop. Thank you for all your professional
15 guidance in this research and enthusiasm for creating a collaborative environment for increasing
16 drought preparedness.

17 Funding: This research was supported by the NOAA Climate Program Office (CPO) Sectoral
18 Applications Research Program (SARP) competitive grant no. NA16OAR4310129 and is part of
19 the “Drought Risk Management Research Center,” and is supported by the National Oceanic and
20 Atmospheric Administration (NOAA) Competitive Grant no. NA15OAR4310110 in support of
21 the National Integrated Drought Information System (NIDIS).

22

1 References

2 [1] Wilhite, D. A. *Drought: A Global Assessment*. London: Routledge, 2000.

3 [2] Mishra, A. K. and Singh, V. P. (2010). A Review of Drought Concepts. *Journal of*
4 *Hydrology*. 391(1-2): 202-216.

5 [3] National Drought Mitigation Center. (2019). Drought in Depth: Types of Drought.
6 <https://drought.unl.edu/Education/DroughtIn-depth.aspx>

7 [4] Wilhite, D. A., Pulwarty, R. S. "Drought as Hazard: Understanding the Natural and Social
8 Context." *Drought and Water Crises*. Ed. Donald A. Wilhite, Ed. Roger S. Pulwarty.
9 Boca Rotan: CRC Press, (2018). 3-20. Print

10 [5] Wilhite, D. A., Vanyarkho, O. "Drought: Pervasive Impacts of a Creeping Phenomenon."
11 *Drought Volumne 1: A Global Assessment*. Ed. Donald A. Wilhite. London: Routledge,
12 (2000). 245-255. Print.

13 [6] Federal Emergency Management Agency (FEMA). (2013). Local Mitigation Planning
14 Handbook. https://www.fema.gov/media-library-data/20130726-1910-25045-9160/fema_local_mitigation_handbook.pdf

16 [7] National Drought Mitigation Center. (2019). Drought Planning: Why Plan for Drought?
17 <https://drought.unl.edu/droughtplanning/AboutPlanning/WhyPlan.aspx>

18 [8] FEMA. (2015). State Mitigation Plan Review Guide. https://www.fema.gov/media-library-data/1425915308555-aba3a873bc5f1140f7320d1ebefbd18c6/State_Mitigation_Plan_Review_Guide_2015.pdf

21 [9] FEMA. (2010). Developing and Maintaining Emergency Operations Plans. Comprehensive
22 Preparedness Guide (CPG) 101.

23 [10] FEMA. (2018). Hazard Mitigation Plan Status. <https://www.fema.gov/hazard-mitigation-plan-status>

25 [11] Berke, P., Smith, G., and Lyles, W. (2012). Planning for Resiliency: Evaluation of State
26 Hazard Mitigation Plans under the Disaster Mitigation Act. *Natural Hazards Review*.
27 13(2): 139-149.

28 [12] Brody, S. D. (2003). Are We Learning to Make Better Plans? A Longitudinal Analysis of
29 Plan Quality Associated with Natural Hazards. *Journal of Planning Education and*
30 *Research*. 23: 191-201.

31 [13] Lyles, W., Berke, P., and Smith G. (2014). A Comparison of Local Hazard Mitigation Plan
32 Quality in Six States, USA. *Landscape and Urban Planning*. 122: 89-99.

33 [14] Horney, J., Nguyen, M., Salvesen, D., Dwyer, C., Cooper, J., and Berke, P. (2017). Assessing
34 the Quality of Rural Hazard Mitigation Plans in the Southeastern United States. *Journal of*
35 *Planning Education and Research*. 37(1) 56-65.

1 [15] Fu, X. and Tang, Z. (2013). Planning for Drought-Resilient Communities: An Evaluation of
2 Local Comprehensive Plans in the Fastest Growing Counties in the US. *Cities*. 32: 60-69.

3 [16] Fu, X., Svoboda, M., Tang, Z., Dai, Z., and Wu, J. (2013). An Overview of US State
4 Drought Plans: Crisis or Risk Management. *Natural Hazards*. 69(3): 1607-1627.

5 [17] McEvoy, J., Bathke, D.J.; Burkardt, N., Cravens, A.E., Haigh, T., Hall, K.R., Hayes, M.J.,
6 Jedd, T., Poděbradská, M., Wickham, E. (2018). Ecological Drought: Accounting for the
7 Non-Human Impacts of Water Shortage in the Upper Missouri Headwaters Basin,
8 Montana, USA. *Resources*. 7(1), 14.

9 [18] Folger, P., Cody, B., and Carter, N. (2013). Drought in the United States: Causes and Issues
10 for Congress. *Congressional Research Service*. 1-36.

11 [19] Wilhite, D. A., Hayes, M. J., Knutson, C., Smith, K. H. (2000). Planning for Drought:
12 Moving from Crisis to Risk Management. *Journal of the American Water Resources
13 Association*. 36(4): 697- 710.

14 [20] National Drought Mitigation Center. (2019). Drought Planning: Info by State.
15 <https://drought.unl.edu/droughtplanning/InfobyState.aspx>

16 [21]Vogt, J. V., and Somma, F. *Drought and Drought Mitigation in Europe*. Dordrecht: Springer
17 Science and Business. 2000. Print.

18 [22] Wilhite, D. A., Diodato, D. M., Jacobs, K., Palmer, R., Raucher, B., Redmond, K., Sada, D.,
19 Smith, K. H., Warwick, J., and Wilhelmi, O. (2007). Managing Drought: A Roadmap for
20 Change in the United States. *The Geological Society of America*. 1-31.

21 [23] Schwab, J. (2013). Planning and Drought. *Chicago: APA Planning Advisory Service Report*,
22 574.

23 [24]. FEMA. 2000. Disaster Mitigation Act of 2000. <https://www.fema.gov/media-library-data/20130726-1524-20490-1790/dma2000.pdf>

25 [25] NOAA National Centers for Environmental Information. (2013). Sate of the Climate:
26 Drought for Annual 2012, Published online January 2013.
27 <https://www.ncdc.noaa.gov/sotc/drought/201213>

28 [26] National Drought Mitigation Center. (2019). Drought Impact Reporter.
29 <https://droughtreporter.unl.edu/map/>

30 [27] Fuchs, B. Wood, D., and Ebbeka, D. (2015). From Too Much to Too Little: How the
31 Central U.S. Drought of 2012 Evolved out of one of the Most Devastating Floods on
32 Record in 2011. University of Nebraska-Lincoln.

33 [28] City of Philadelphia Office of Emergency Management (2017). City of Philadelphia All
34 Hazard Mitigation Plan. <https://www.phila.gov/media/20170517145926/Hazard-Mitigation-Plan-2017-FINAL.pdf>

1 [29] Allen County Office of Homeland Security. (2015). Threat and Hazard Identification and
2 Risk Assessment (THIRA).

3 http://www.savi.org/savi/documents/Polis%20docs/THIRA_Complete%20Plan.pdf

4 [30] United States Department of Homeland Security. (2018). Threat and Hazard Identification
5 and Risk Assessment (THIRA) and Stakeholder Preparedness Review (SPR) Guide.
6 Comprehensive Preparedness (CPG) 201. https://www.fema.gov/media-library-data/1527613746699-fa31d9ade55988da1293192f1b18f4e3/CPG201Final20180525_508c.pdf

9 [31] Nebraska department of Natural Resources. (2017). Annual Review of Availability of
10 Hydrologically Connected Water Supplies. <https://dnr.nebraska.gov/water-planning/annual-evaluation-availability-hydrologically-connected-water-supplies-fab-report>

13 [32] National Drought Mitigation Center. (2019). United States Drought Monitor: Time Series.
14 <https://droughtmonitor.unl.edu/Data/Timeseries.aspx>

15 [33] FEMA. (2019). Core Capabilities. <https://www.fema.gov/core-capabilities>

16 [34] Janssen, D. (2006). Disaster Planning in Rural America. *Public Manager*. 35(3): 40–43.

17 [35] Caruson, K. and MacManus, S. A. (2008). Disaster Vulnerabilities: How Strong a Push
18 Toward Regionalism and Intergovernmental Cooperation? *The American Review of Public
19 Administration*. 38(3): 286–306.

20

21