

LETTER • **OPEN ACCESS**

Housing market dynamics of the post-Sandy Hudson estuary, Long Island Sound, and New Jersey coastline are explained by NFIP participation

To cite this article: Sandeep Poudel *et al* 2023 *Environ. Res. Lett.* **18** 094009

View the [article online](#) for updates and enhancements.

You may also like

- [Toward economic flood loss characterization via hazard simulation](#)
Jeffrey Czajkowski, Luciana K Cunha, Erwann Michel-Kerjan *et al.*
- [Estimating muscle activation from EMG using deep learning-based dynamical systems models](#)
Lahiru N Wimalasena, Jonas F Braun, Mohammad Reza Keshtkaran *et al.*
- [Predicting support for flood mitigation based on flood insurance purchase behavior](#)
Wanyun Shao, Kairui Feng and Ning Lin

The Breath Biopsy® Guide
Fourth edition

FREE

DOWNLOAD THE FREE E-BOOK

BREATH BIOPSY

OWLSTONE MEDICAL

ENVIRONMENTAL RESEARCH
LETTERS

LETTER

OPEN ACCESS

RECEIVED
25 April 2023REVISED
16 July 2023ACCEPTED FOR PUBLICATION
25 July 2023PUBLISHED
8 August 2023

Original content from
this work may be used
under the terms of the
[Creative Commons
Attribution 4.0 licence](#).

Any further distribution
of this work must
maintain attribution to
the author(s) and the title
of the work, journal
citation and DOI.

Housing market dynamics of the post-Sandy Hudson estuary,
Long Island Sound, and New Jersey coastline are explained by
NFIP participationSandeep Poudel¹ , Conner Caridad¹, Rebecca Elliott² and James Knighton^{1,*} ¹ Department of Natural Resources and the Environment, University of Connecticut, Storrs, CT 06269, United States of America² Department of Sociology, London School of Economics and Political Science, London WC2A 2A3, United Kingdom

* Author to whom any correspondence should be addressed.

E-mail: james.knighton@uconn.edu**Keywords:** socio-environmental modeling, housing prices, flood insurance, flooding risk, risk perceptionSupplementary material for this article is available [online](#)**Abstract**

How flooding affects home values can determine the path of economic recovery for communities and have lasting impacts on national and global financial systems. Yet, our understanding of how flood insurance, community risk perception, and past flooding events shape future housing prices (HPs) remains limited. To explore this, we used a socio-environmental (SE) model and studied the temporal impacts of flooding on mean housing values across 496 coastal census tracts of New York, Connecticut, and New Jersey, US, from 1970 to 2021. The modeling exercise demonstrated that the initial economic impact of Hurricane Sandy was largely absorbed by the National Flood Insurance Program (NFIP); however, the region then exhibited a long-term decline in home values, which was well described by an interrupted time series model. We found significant correlations between SE model parameters describing HP change and those describing tract-scale behaviors and perceptions, suggesting that the salience of past flooding events and NFIP participation may be important regional drivers of HPs. Tracts with greater post-flood change in active insurance policies exhibited larger decreases in mean home values than those with more stable NFIP participation. An improved understanding of relationships between HPs, flood insurance, and community perceptions could support more equitable distributions of resources and improved policy interventions to reduce flooding risk.

1. Introduction

Homeownership lies at the core of the American dream. The ability to purchase a home, and the expectation that the value of that home will grow over time, underpins the economic security and social mobility of millions of people. Homeownership is connected to ideas of citizenship and belonging (McCabe 2016, Taylor 2019). For decades, social policy has targeted the expansion of homeownership through both direct and indirect measures, making it the cornerstone of social provision in the US (Conley and Gifford 2006, Martin 2008, Quinn 2019, Kohl 2020). Homeownership is consequential not only for individual fates, but also for collective prosperity. States and municipalities often rely heavily on

value-assessed property taxes in order to fund public goods like schools, libraries, fire departments, hospitals, and so forth (Martin 2019).

Climate change threatens all of this for flood exposed communities. Flooding has long been the costliest natural disaster in the US (Smith 2020). Now, across the country, both the magnitude (Hodgkins *et al* 2019) and seasonality of flooding hazards (Basu *et al* 2023) are changing. Communities with exposure to flood hazards that are increasing (e.g., low elevation areas within proximity of rising sea levels) are anticipated to experience decreases in the value of flood exposed properties, which could end catastrophically if a seller is unable to find willing buyers or to sell at a loss (Siders *et al* 2019). In 2016, Freddie Mac issued a ponderous report entitled 'Life's

a Beach,' (Freddie Mac 2016) which warned that rising sea levels and expanding flood plains 'appear likely to destroy billions of dollars in property and to displace millions of people. The economic losses and social disruption may happen gradually, but they are likely to be greater in total than those experienced in the housing crisis and Great Recession.' As the 2007–8 housing crisis laid plain, the losses may not be contained: what happens to home values can have dramatic effects on the national and global financial system (Thomson et al 2023). In a context where homeownership constitutes an economic, political, and cultural pillar of society, it is therefore crucial to examine how hazards interact with coastal housing markets, which are in turn shaped by risk perceptions and community responses (Keenan et al 2018, Keys and Mulder 2020).

There is evidence that home values are impacted by both past exposures to flooding as well as perceptions of future risk (Bin et al 2008, de Koning et al 2019). Flooding often results in an initial decrease in property values which recover across years to decades as the memories of floods held by residents fade (Atreya et al 2013, Bin and Landry 2013, Beltrán et al 2019, Chandra-Putra and Andrews 2020). Perceptions of future flood risk and access to flood insurance can have varied impacts on the value of housing markets. For example, the publication of floodplain maps which delineate risk zones, determine insurance rates, and set limitations on development, can have negative effects on property values (Elliott 2019). Increasing National Flood Insurance Program (NFIP) premiums have been negatively correlated with home values, possibly due to perceptions of increased risk (de Koning et al 2019, Colby and Zipp 2021). Another study suggested that positive correlations between home values and the number of active insurance policies was due to the option for homeowners to default on a mortgage (Liao and Mulder 2021). Home value therefore serves as a cap on total flood losses, possibly discouraging the purchase of insurance policies for low value properties.

Across the northeastern US, there is evidence that recent changes in coastal housing prices (HPs) have been driven more by perceptions of risk rather than actual hazard regimes (Bakkensen and Barrage 2022). Hurricane Sandy caused the highest storm surge within the period of record for several coastal tidal gauging stations (NOAA 2022b); however, sedimentary records suggest that Sandy should not be discounted as an outlier as five surges of similar magnitude have impacted the region within the past 600 years (Donnelly et al 2001, Brandon et al 2014). In the immediate aftermath of Hurricane Sandy, the prices of impacted properties initially decreased, possibly reflecting an updated objective understanding of coastal flood risk, but then showed evidence of price recovery (Ortega and Taşpınar 2018, Cohen et al 2021, Chun et al 2022, Pradhan et al 2023). Similarity in the post-Sandy price discounting of both flooded

and non-impacted properties further suggests that perceptions of risk have shaped home value recovery (Ortega and Taşpınar 2018, Fang et al 2023). A successful recovery and future flood mitigation must adopt an approach that seeks to understand why home values and objective estimates of flood risk are decoupled across the region.


Conceptual and numerical socio-environmental (SE) models have helped to map relationships between flooding hazards, community perceptions of flooding, community actions taken in response to flooding (e.g., levee construction, insurance uptake), and economic losses (e.g., damage to structures and property) (Yu et al 2017, Taberna et al 2020, Bertassello et al 2021). However, numerical implementations of these models possibly remain overly simplistic (Baldassarre et al 2015, Barendrecht et al 2019). New approaches are required that explicitly consider the dominant causal processes defining flooding risk to support equitable flood hazard mitigation (Ranasinghe 2020, Keenan and Maxwell 2022), with particular attention to the economization of flood risk. Critically, there have been few attempts to develop SE models to capture the effects of flooding events on future HPs in years immediately following flooding events, which then support estimates of future loss and risk perception conditioned on altered mean home values.

Our study focuses on coastal communities in New Jersey, New York, and Connecticut, US that were impacted by Hurricane Sandy to understand if HP changes observed across the region could be attributed to community-scale perceptions of risk. We first estimated community perceptions of flooding with a SE model applied to 496 census tracts. Calibration of an SE model to SE datasets allows for estimation of community flood perceptions (Barendrecht et al 2019, Knighton et al 2021). The SE modeling was validated with publicly available socioeconomic datasets of population density (US census), flood insurance claims and policies (US NFIP), and HP estimates (National Historical Geographic Information System and Zillow). Next, we evaluated four competing model representations of the relationship between flooding loss, community perception, and mean house value. We then used the most representative model to test if model parameters controlling HP responses to flooding hazards were correlated with parameters controlling changes in community flood perceptions.

2. Methodology

2.1. Study region

This study centered on 496 coastal census tracts across New York, New Jersey, and Connecticut (figure 1). The average number of housing units per census tract was relatively stable with a mean of 1890 units in the year 2000 reaching a peak of 2031 units in 2010 and



then dropping to 1970 in 2020 (Steven *et al* 2022, U.S. Census Bureau 2022a). Median HPs increased from \$274 500 in 2000 to \$504 100 in 2010 and \$581 700 in 2020 (Steven *et al* 2022, U.S. Census Bureau 2022b).


This region has a documented history of flooding from storm surge, riverine, and pluvial flooding (Depietri *et al* 2018). The spring season is characterized by moderately intense precipitation on snow, potentially inducing riverine or pluvial flooding. Late summer and fall are characterized by heavy tropical storms that bring both intense precipitation and wind-driven storm surge. Nor'easter cyclones are most common during the winter season and can cause elevated storm surge and intense precipitation. The average annual maximum daily precipitation was $7.4 \text{ cm}^1 \text{ day}^{-1}$ with nine precipitation events exceeding $10 \text{ cm}^1 \text{ day}^{-1}$ from 1970–2021 (NOAA 2022a). Mean high tide at the battery, NY is 0.76 m MSL. From 1970 to 2021, the region experienced an average annual maximum storm surge of 1.57 m MSL, with three events exceeding 2 m MSL (figure S1) (1992, 2011, 2012) (NOAA 2022b).

From 1979 to 2021, the average annual number of flood insurance claims submitted through NFIP in this region was $3,476 \text{ claims}^1 \text{ year}^{-1}$ with an average annual claim total of \$112 million. Historical NFIP flood losses were highest with 75 247 claims in 2012, due to rainfall and storm surge from Hurricane Sandy

(peak water elevation of 3.5 m MSL at Battery, NY). Reported NFIP claims in this year were approximately \$4.86 billion. Following Hurricane Sandy the rate of new NFIP flood insurance policies decreased from a maximum of 182 530 insurance policies held in 2013–144 954 in 2021 (US FEMA 2022).

2.2. SE modeling of community flood dynamics

We studied relationships between HP dynamics and community awareness of flooding with a SE model (Baldassarre *et al* 2015, Barendrecht *et al* 2019). This model simulates annual economic losses (L), population density (D), community flood awareness (A), and flood preparedness (P) based on a time series of peak annual flood hazards (figure 2). Flood hazards (i.e., high surge elevations, extreme rainfall, (W)) above some threshold (T) result in a simulated loss (L), based on current housing density (D) and a parameter controlling the hazard to loss ratio (β_R). Losses greater than 0 cause A (and preparedness, P) to increase and D to decrease. In the absence of floods, A and P gradually decay and D increases. This model structure has been shown to accurately simulate human-flood dynamics across a variety of case studies (Barendrecht *et al* 2019, Knighton *et al* 2021). Datasets used in model development are presented in section S1.



For application to the study region, we modified this model to separate the effects of surge- and rainfall-driven flooding events, which yielded a significant improvement in simulations across the study region (figure S3). A full description of this modification is presented in section S2. We hereafter refer to the SE model with this modification as the base model. The SE model was also adapted to include three separate approaches to simulating temporal changes in HPs due to flooding impacts: a sigmoid recovery (Pryce *et al* 2011), an interrupted time series (ITS) recovery, and a K-shaped recovery (Beltrán *et al* 2019) (figure 2). A full description of time varying HP models is presented in section S3. We calibrated the SE model for each census tract individually with data spanning 1970–2021. The difference between normalized total annual NFIP claims and simulated L were summarized with the Kling-Gupta Efficiency (KGE_L) (equation 1), where r is the linear correlation coefficient between simulated and observed values,

σ_{sim} is the standard deviation of simulated values, σ_{obs} the standard deviation of observed values, μ_{sim} the average of simulated values, and μ_{obs} the average of observed values

$$KGE = 1 - \sqrt{(r-1)^2 + \left(\frac{\sigma_{sim}}{\sigma_{obs}} - 1\right)^2 + \left(\frac{\mu_{sim}}{\mu_{obs}} - 1\right)^2}. \quad (1)$$

KGE_A was computed between annual simulated awareness (A) and the normalized value of active NFIP policies. KGE_D was computed between simulated population density (D) and normalized observed population density. KGE_{HP} was computed between simulated HPs and normalized observed HPs. All metrics were first compared to the KGE mean observational benchmark, above which models have predictive skill (Knoben *et al* 2019). We then evaluated the relative performance of each HP model through Mann Whitney U-tests comparing all KGE scores

across all census tracts. This calibration approach was used to determine which HP model was most appropriate and to estimate relationships between HP dynamics and community perceptions of flooding.

2.3. Relationship between SE model HP and behavior parameters

Integration of housing models into an SE model supports an exploration of relationships between housing market values, external flooding hazards, and perceptions of future risk. Through model calibration, we estimated parameters related to community-scale flood behaviors. Anxiousness (a_A) and forgetfulness (μ_A) control how population density changes immediately following a flood-related loss and through periods of no loss, respectively. The decay of precautionary measures (μ_P) controls how floods impact simulated awareness (A) and preparedness (P) (figure 2) which in turn impacts the loss from future surges. We also estimated parameters related to HP change. Parameters b_2 and b_3 which control initial drop in HPs due to flooding and the rate of HP recovery, respectively. We examined relationships between these calibrated model parameters to those parameters describing temporal changes in the housing market using Spearman's ranked correlation.

3. Results

3.1. Simulation of regional HP responses to flooding

Calibration of the models to observed NFIP claims, policies, population density, and mean HPs demonstrated that the ITS model provided the most accurate representation of flooding dynamics across the study region (see section S3 for further details). Each model was capable of adequately simulating the period of rising HPs from 1970 through 2011, with some disagreement on the impact of minor flooding events (figures 3(a)–(d)). Each model simulated different HP responses to flood events in 2011 (tropical storm Lee) and 2012 (hurricane Sandy). The Sigmoid and K-shaped models each imposed immediate drops in HPs and monotonic recoveries starting in 2013 (figures 3(b) and (d)). As this pattern was not evident in the observed data, the calibration algorithm minimized model residuals by estimating parameters for each model that predicted small losses and limited recovery (figures 3(b) and (d)). Calibration of the ITS model similarly reproduced the case of a limited initial impact on HPs followed by a period in which HPs steadily declined (figure 3(c)).

3.2. Relationships between housing values and community perceptions of flooding

We compared correlations between SE model parameters describing community perceptions and responses to floods, and parameters describing changes in housing values (figure 4). The analysis


was performed with calibrated ITS model parameter values across the 496 census tracts within the study region (figure S6 and S7). Across all tracts, the b_2 parameter describing the initial drop in HPs immediately following a flood loss was significantly positively correlated with anxiousness (a_A), effectiveness of preparedness (a_R), forgetfulness (μ_A), and decay of precautionary measures (μ_P) (figure 4(a)). The b_3 parameter describing the gradual decrease in HPs after flooding was significantly positively correlated with a_A , μ_A , and μ_P (figure 4(a)). State-level variations in the relationships between model parameters describing flood risk perceptions and HP dynamics are evident. The regional patterns are driven largely by NY (figure 4(c)). In NJ and CT, there are similar significant positive correlations between a_A and b_2 (figures 4(b) and (d)). In CT, μ_P and b_3 are significantly positively correlated (figure 4(d)).

4. Discussion

4.1. Post-sandy HP dynamics

Understanding HP dynamics is critical for regional flood mitigation planning. From 1970 to 2012, the study region experienced a steady increase in HPs, which were potentially temporarily slowed by several minor flood events occurring in the 1980s and 1990s (figures 3(a) and (c)). In the absence of substantial flooding losses between 1970 and 2012, regional awareness of flooding risk may have gradually decreased (Meyer et al 2014), resulting in an inaccurate discounting of the negative impacts of flood risk on property values (Lamond and Proverbs 2006).

After Hurricane Sandy in 2012, HPs continued to rise, but more gradually than in the preceding 30 years (figure S2) (U.S. Census Bureau 2022b), which has been proposed as evidence of the limited effect of flooding on coastal property values (Murfin and Spiegel 2020). Our findings generally support the idea that the region exhibited a lower immediate impact of flooding on housing values; however, we observed a clear drop in relative HPs (figures 3 and S2). This result is similar to a study in Brisbane which found increasing home values after a flood, but also a sustained differential between the prices of flood-impacted and non-impacted properties (Eves and Wilkinson 2014). The observed trend of home values after Hurricane Sandy is counter to the frequent observation of immediate decreases in home values followed by relatively quick recoveries in other case studies (Atreya and Ferreira 2015, Beltrán et al 2019, Chandra-Putra and Andrews 2020). The slow decline in HPs after Hurricane Sandy relative to the national mean HP may be related to the capacity for NFIP to limit the exposure of residents to economic losses related to flooding. Surveys conducted 5 years after Hurricane Sandy indicated that coastal residents in the region slightly underestimated flooding risks and that coastal prices exceeded expected prices by



6%–13% (Bakkensen and Barrage 2022), suggesting that HPs have not been corrected to the true flood risk profile as the memory of Hurricane Sandy fades.


The coastal communities of the study region remain highly vulnerable to flooding under climate change (Kirshen *et al* 2008, Sweet *et al* 2022). Future regional precipitation will likely be characterized by more intense rainfall interspersed with extended droughts (Hayhoe *et al* 2008, Xue and Ullrich 2022). Predictions of coastal storm surge are less certain with some forecasts suggesting increased (Michaelis *et al* 2017) or stable (Lin *et al* 2019) wave and surge inundation regimes. In aggregate, the region is likely to experience more frequent flooding and economic loss. The SE model developed in this research suggests that the immediate negative consequences of an isolated intense flooding event may continue to be absorbed by NFIP; however, predicted changes to the

flooding regime may result in a sustained decreases in property values.

4.2. Relationships between housing values and community perceptions of flooding

Flood risk is the aggregation of compound flooding events (Ghanbari *et al* 2021), variations in community exposure and resilience (Knighton *et al* 2021, Tate *et al* 2021, Wing *et al* 2022), perceptions of flooding (Merz *et al* 2015), and governance (Tullos 2018, Snel *et al* 2020). Risk perception itself is intricate, with the characteristics that shape it being both unclear and specific to research problem and applied methods (Lechowska 2018). These complexities necessitate that we study SE systems with tools that consider how these processes interact.

Significant positive correlations between the SE model parameter describing changes community risk



awareness in response to flooding losses (a_A) and the initial drop in HPs post-flood ($b2$) suggested that census tracts in which individuals were most flood-aware (and increased NFIP policy uptake) experienced the largest immediate changes in HP. Similarly, positive correlations between $b2$, $b3$, forgetfulness (μ_A) and the decay of precautionary measures (μ_P) possibly suggested that awareness of flooding reflected by NFIP participation is correlated with the memory of past floods that is encoded in housing market values. Both μ_A and μ_P are related to the lapse rate of NFIP policies in the years after floods. Where these parameters indicated a greater lapse in NFIP policies, HPs were more likely to decrease than those with less variability in the number of active policies. Together, these correlations possibly suggest that increases in the participation in NFIP across the study region was driving short-term perceptions of increased risk which then steadily drove down housing values over the next decade (Colby and Zipp 2021). Positive correlations between effectiveness of preparation (a_R) and HP changes ($b2$) further reinforced that housing values in the region were driven more by perceptions and NFIP participation than

actual changes to flood hazards. Variations in correlations across the states may be due to differences in social vulnerability, which in turn drives variations in NFIP participation (Dixon et al 2017). Alternately, the variations may be related to the number of tracts (n) considered from each state, where more tracts in NY could support more robust statistical inferences (figure 4).

While NFIP appears to have shielded the housing market from a substantial immediate economic loss (figure 3) it possibly had the unintended consequence of conditioning housing values on perceived risks (figure 4). There is empirical evidence that regional perceptions of risk across the study region are decoupled from actual risk (Bakkensen and Barrage 2022). Though they are often treated as objective information about the world, property values are unavoidably and fundamentally subjective determinations. They can reflect all manner of human biases—from cognitive heuristics that shape natural hazard risk perception (Kahneman et al 1982, Slovic 1987, Kunreuther et al 2001), to prejudices that associate the presence of racial/ethnic minorities with ‘riskiness,’ as the history of redlining has shown (Rothstein

2017). As Freddie Mac noted in its 2016 report, it is therefore hard to predict, in the context of climate change, the time path of house prices (Freddie Mac 2016). Perhaps house prices will decline gradually as the expected life of the property becomes shorter as we observed post-Sandy (figure 3). Or perhaps they will reach a tipping point and plummet when a cautious mortgage lender or insurer refuses to underwrite a property, or when homeowners begin to sell defensively.

4.3. Incorporating time-varying housing values into an SE flood model

The development of an SE model to predict time-varying HPs as a function of both external floods and community perceptions could substantially contribute to our understanding of socio-economic disparities in flood risk related to home value (Siders *et al* 2019) and the capacity for communities to recover (Ranasinghe 2020). The ITS model which best reproduced the combined NFIP and housing market system throughout the study period (figure 3(c) and S4) has the flexibility to simulate a sudden drop in HPs, but also a lagged decrease in value (figures 2 and 3). In contrast, the Sigmoid (Pryce *et al* 2011) and K-shaped (Beltrán *et al* 2019) models each imposed an initial sudden drop in value followed by a monotonically increasing recovery (figures 2, 3(b) and 4(d)). The housing value dynamics described by the Sigmoid and K-shaped models may prove to be more appropriate in other settings where housing markets have incurred sudden losses and then steadily recovered (Pryce *et al* 2011, Atreya *et al* 2013, Beltrán *et al* 2019, Chandra-Putra and Andrews 2020). The sigmoid and K-shaped recovery models may be most appropriate for systems not modulated by insurance, or for modeling systemic losses incurred across both the housing and insurance markets (Thomson *et al* 2023).

Studies have demonstrated that complex feedbacks can emerge between flood insurance uptake and home values (Petrolia *et al* 2013, Gallagher 2014, de Koning *et al* 2019, Indaco *et al* 2019). We therefore anticipated that simulating time-varying house prices would improve the representation of NFIP losses and policy uptake in subsequent years over that provided by the base model. Simulating flood impacts on HPs significantly improved the simulations of both HPs (KGE_{HP}) and community awareness (KGE_A) (figure S5), supporting this concept. This result was also in agreement with observations of flood-induced insurance uptake (Gallagher 2014). We observed trade-offs between KGE_{HP} and loss (KGE_L) (figure S8), indicating the models evaluated did not support simultaneously reproducing all aspects of the housing and NFIP system (figure S4). This may be caused by imperfect forcing data (i.e., overly generalized surge elevations), imperfect census and NFIP data (i.e., missing or incomplete records), or possibly an

overly-simplistic model formulation. Alternatively, this result may be due to the lack of large flooding events in sequence within the historical record and not necessarily a deficiency of the model or input data.

5. Conclusions

We developed a SE model to assess the impact of floods on future HPs, which then feeds back to the estimate of future flood loss. The model incorporates both precipitation and storm surge flood hazard and includes four HP response scenarios: (1) a model assuming no impact, and models assuming initial losses followed by (2) a sigmoid recovery, (3) an ITS recovery, and (4) a K-shaped recovery. The ITS recovery model best captured flooding dynamics in the study region. We found that the immediate impact of 2012 Hurricane Sandy on the housing market was largely absorbed by the NFIP; however, the region experienced a sustained decline in housing values afterwards. We also observed significant correlations between model parameters representing changes in housing values post-floods and those describing community behavior and perceptions. Census tracts with greater change in insurance uptake following floods witnessed larger decreases in mean home values compared to those with more stable NFIP participation. These findings suggest that the memory of past flooding and participation in NFIP may be important regional drivers of future HPs.

Data availability statement

No new data were created or analysed in this study.

Acknowledgments

Funding for this work was provided by Connecticut Sea Grant, University of Connecticut through Award No. NA22OAR4170093, Project No. R/CH-2. All model code is publicly available (https://github.com/jknigh0813/SocioHydro_Model).

ORCID iDs

Sandeep Poudel  <https://orcid.org/0009-0005-8342-7935>

James Knighton  <https://orcid.org/0000-0002-4162-996X>

References

- Atreya A and Ferreira S 2015 Seeing is believing? Evidence from property prices in inundated areas *Risk Anal.* **35** 828–48
- Atreya A, Ferreira S and Kriesel W 2013 Forgetting the flood? An analysis of the flood risk discount over time *Land Econ.* **89** 577–96
- Bakkensen L A and Barrage L 2022 Going underwater? Flood risk belief heterogeneity and coastal home price dynamics *Rev. Financ. Stud.* **35** 3666–709

- Baldassarre G D, Viglione A, Carr G, Kuil L, Yan K, Brandimarte L and Blöschl G 2015 Debates—perspectives on socio-hydrology: capturing feedbacks between physical and social processes *Water Resour. Res.* **51** 4770–81
- Barendrecht M H, Viglione A, Kreibich H, Merz B, Vorogushyn S and Blöschl G 2019 The value of empirical data for estimating the parameters of a sociohydrological flood risk model *Water Resour. Res.* **55** 1312–36
- Basu B, Das Bhowmik R and Sankarasubramanian A 2023 Changing seasonality of annual maximum floods over the conterminous us: potential drivers and regional synthesis *J. Hydrol. Eng.* **28** 04023007
- Beltrán A, Maddison D and Elliott R 2019 The impact of flooding on property prices: a repeat-sales approach *J. Environ. Econ. Manage.* **95** 62–86
- Bertassello L, Levy M C and Müller M F 2021 Sociohydrology, ecophysiology, and the space-time dynamics of human-altered catchments *Hydrol. Sci. J.* **66** 1393–408
- Bin O, Kruse J B and Landry C E 2008 Flood hazards, insurance rates, and amenities: evidence from the coastal housing market *J. Risk Insur.* **75** 63–82
- Bin O and Landry C E 2013 Changes in implicit flood risk premiums: empirical evidence from the housing market *J. Environ. Econ. Manage.* **65** 361–76
- Brandon C M, Woodruff J D, Donnelly J P and Sullivan R M 2014 How unique was hurricane sandy? Sedimentary reconstructions of extreme flooding from New York harbor *Sci. Rep.* **4** 7366
- Chandra-Putra H and Andrews C J 2020 An integrated model of real estate market responses to coastal flooding *J. Ind. Ecol.* **24** 424–35
- Chun Y, Hauptert T and Fox-Dichter S 2022 An uneven recovery: residential real estate prices in the aftermath of hurricane sandy (available at: <https://papers.ssrn.com/abstract=4164749>)
- Cohen J P, Barr J and Kim E 2021 Storm surges, informational shocks, and the price of urban real estate: an application to the case of hurricane sandy *Reg. Sci. Urban Econ.* **90** 103694
- Colby S J and Zipp K Y 2021 Excess vulnerability from subsidized flood insurance: housing market adaptation when premiums equal expected flood damage *Clim. Change Econ.* **12** 2050012
- Conley D and Gifford B 2006 Home ownership, social insurance, and the welfare state *Sociol. Forum* **21** 55–82
- de Koning K, Filatova T and Bin O 2019 Capitalization of flood insurance and risk perceptions in housing prices: an empirical agent-based model approach *South Econ. J.* **85** 1159–79
- Depietri Y, Dahal K and McPhearson T 2018 Multi-hazard risks in New York city *Nat. Hazards Earth Syst. Sci.* **18** 3363–81
- Dixon L et al 2017 The cost and affordability of flood insurance in New York city: economic impacts of rising premiums and policy options for one- to four-family homes (available at: www.rand.org/pubs/research_reports/RR1776.html)
- Donnelly J P et al 2001 700 yr sedimentary record of intense hurricane landfalls in southern New England *GSA Bull.* **113** 714–27
- Elliott R 2019 ‘Scarier than another storm’: values at risk in the mapping and insuring of US floodplains *Br. J. Sociol.* **70** 1067–90
- Eves C and Wilkinson S 2014 Assessing the immediate and short-term impact of flooding on residential property participant behaviour *Nat. Hazards* **71** 1519–36
- Fang L, Li L and Yavas A 2023 The impact of distant hurricane on local housing markets *J. Real Estate Finance Econ.* **66** 327–72
- Freddie Mac 2016 Life’s a Beach (available at: www.freddiemac.com/research/insight/20160426-lifes-a-beach)
- Gallagher J 2014 Learning about an infrequent event: evidence from flood insurance take-up in the united states *Am. Econ. J. Appl. Econ.* **6** 206–33
- Ghanbari M, Arabi M, Kao S-C, Obeysekera J and Sweet W 2021 Climate change and changes in compound coastal-riverine flooding hazard along the U.S. coasts *Earth’s Future* **9** e2021EF002055
- Hayhoe K, Wake C, Anderson B, Liang X-Z, Maurer E, Zhu J, Bradbury J, DeGaetano A, Stoner A M and Wuebbles D 2008 Regional climate change projections for the Northeast USA *Mitig. Adapt. Strateg. Glob. Change* **13** 425–36
- Hodgkins G A, Dudley R W, Archfield S A and Renard B 2019 Effects of climate, regulation, and urbanization on historical flood trends in the United States *J. Hydrol.* **573** 697–709
- Indaco A, Ortega F and Taşpınar S 2019 The effects of flood insurance on housing markets *Cityscape* **21** 129–56
- Kahneman D, Slovic P and Tversky A 1982 *Judgment under Uncertainty: Heuristics and Biases* (Cambridge University Press) (available at: www.cambridge.org/core/books/judgment-under-uncertainty/6F9E814794E08EC43D426E480A4B412C)
- Keenan J M, Hill T and Gumber A 2018 Climate gentrification: from theory to empiricism in miami-dade county, Florida *Environ. Res. Lett.* **13** 054001
- Keenan J M and Maxwell K 2022 Rethinking the design of resilience and adaptation indicators supporting coastal communities *J. Environ. Plan. Manage.* **65** 2297–317
- Keys B J and Mulder P 2020 Neglected no more: housing markets, mortgage lending, and sea level rise (available at: www.nber.org/papers/w27930)
- Kirshen P, Watson C, Douglas E, Gontz A, Lee J and Tian Y 2008 Coastal flooding in the Northeastern United States due to climate change *Mitig. Adapt. Strateg. Glob. Change* **13** 437–51
- Knighton J, Hondula K, Sharkus C, Guzman C and Elliott R 2021 Flood risk behaviors of United States riverine metropolitan areas are driven by local hydrology and shaped by race *Proc. Natl Acad. Sci.* **118** e2016839118
- Knoben W J M, Freer J E and Woods R A 2019 Technical note: inherent benchmark or not? Comparing nash–sutcliffe and Kling–Gupta efficiency scores *Hydrol. Earth Syst. Sci.* **23** 4323–31
- Kohl S 2020 The political economy of homeownership: a comparative analysis of homeownership ideology through party manifestos *Socio-Econ. Rev.* **18** 913–40
- Kunreuther H, Novemsky N and Kahneman D 2001 Making low probabilities useful *J. Risk Uncertain.* **23** 103–20
- Lamond J and Proverbs D 2006 Does the price impact of flooding fade away? *Struct. Surv.* **24** 363–77
- Lechowska E 2018 What determines flood risk perception? A review of factors of flood risk perception and relations between its basic elements *Nat. Hazards* **94** 1341–66
- Liao Y and Mulder P 2021 What’s at stake? Understanding the role of home equity in flood insurance demand (<https://doi.org/10.2139/ssrn.3756332>)
- Lin N, Marsooli R and Colle B A 2019 Storm surge return levels induced by mid-to-late-twenty-first-century extratropical cyclones in the Northeastern United States *Clim. Change* **154** 143–58
- Martin I W 2008 *The Permanent Tax Revolt: How the Property Tax Transformed American Politics* (Stanford University Press)
- Martin I W 2019 Land, power, and property tax limitation *The Politics of Land* (Research in Political Sociology) vol 26 (Emerald Publishing Limited) pp 39–65
- McCabe B J 2016 *No Place like Home: Wealth, Community and the Politics of Homeownership* (Oxford University Press) (<https://doi.org/10.1093/acprof:oso/9780190270452.001.0001>)
- Merz B, Vorogushyn S, Lall U, Viglione A and Blöschl G 2015 Charting unknown waters—On the role of surprise in flood risk assessment and management *Water Resour. Res.* **51** 6399–416
- Meyer R J, Baker J, Broad K, Czajkowski J and Orlove B 2014 The dynamics of hurricane risk perception: real-time evidence from the 2012 Atlantic hurricane season *Bull. Am. Meteorol. Soc.* **95** 1389–404

- Michaelis A C, Willison J, Lackmann G M and Robinson W A 2017 Changes in winter North Atlantic extratropical cyclones in high-resolution regional pseudo-global warming simulations *J. Clim.* **30** 6905–25
- Murfin J, Spiegel M and Scheinkman J 2020 Is the risk of sea level rise capitalized in residential real estate? *Rev. Financ. Stud.* **33** 1217–55
- NOAA 2022a CPC unified gauge-based analysis of daily precipitation over CONUS (available at: <https://psl.noaa.gov/data/gridded/data.unified.daily.conus.html>)
- NOAA 2022b NOAA Tides and Currents Online (available at: <https://tidesandcurrents.noaa.gov/>)
- Ortega F and Taşpınar S 2018 Rising sea levels and sinking property values: hurricane sandy and New York's housing market *J. Urban Econ.* **106** 81–100
- Petrolia D R, Landry C E and Coble K H 2013 Risk preferences, risk perceptions, and flood insurance *Land Econ.* **89** 227–45
- Pradhan S, Arneson E, Valdes-Vasquez R and Mahmoud H 2023 How construction and socioeconomic resource availability affected housing recovery after hurricane sandy *Nat. Hazards Rev.* **24** 05023004
- Pryce G, Chen Y and Galster G 2011 The impact of floods on house prices: an imperfect information approach with myopia and amnesia *Hous. Stud.* **26** 259–79
- Quinn S L 2019 *American Bonds* (Princeton University Press)
- Ranasinghe R 2020 On the need for a new generation of coastal change models for the 21st century *Sci. Rep.* **10** 2010
- Rothstein R 2017 *The color of law* (Liveright) (available at: <https://www.norton.com/books/the-color-of-law/>)
- Siders A R, Hino M and Mach K J 2019 The case for strategic and managed climate retreat *Science* **365** 761–3
- Slovic P 1987 Perception of risk *Science* **236** 280–5
- Smith A B 2020 U.S. billion-dollar weather and climate disasters, 1980—present (NCEI Accession 0209268) (available at: <https://accession.nodc.noaa.gov/0209268>)
- Snel K A W, Witte P A, Hartmann T and Geertman S C M 2020 The shifting position of homeowners in flood resilience: from recipients to key-stakeholders *WIREs Water* **7** e1451
- Steven M, Schroeder J, Van Riper D, Kugler T and Ruggles S 2022 National historical geographic information system: version 17.0 (available at: www.nhgis.org/)
- Sweet W V et al 2022 Global and regional sea level rise scenarios for the united states (National Oceanic and Atmospheric Administration) (available at: <https://oceanservice.noaa.gov/hazards/sealevelrise/noaa-nostechrpt01-global-regional-SLR-scenarios-US.pdf>)
- Taberna A, Filatova T, Roy D and Noll B 2020 Tracing resilience, social dynamics and behavioral change: a review of agent-based flood risk models *Socio-Environ. Syst. Modelling* **2** 17938
- Tate E, Rahman M A, Emrich C T and Sampson C C 2021 Flood exposure and social vulnerability in the United States *Nat. Hazards* **106** 435–57
- Taylor K-Y 2019 *Race for Profit: How Banks and the Real Estate Industry Undermined Black Homeownership* (UNC Press Books)
- Thomson H, Zeff H B, Kleiman R, Sebastian A and Characklis G W 2023 Systemic financial risk arising from residential flood losses *Earth's Future* **11** e2022EF003206
- Tullos D 2018 How to achieve better flood-risk governance in the United States *Proc. Natl Acad. Sci.* **115** 3731–4
- U.S. Census Bureau 2022a Housing units: 2010–2021 (The United States Census Bureau) (available at: <https://data.census.gov/table?q=Housing+Units&tid=ACSDT1Y2021.B25001>)
- U.S. Census Bureau 2022b Housing value: 2010–2021 (The United States Census Bureau) (available at: <https://data.census.gov/table?q=housing+value&tid=ACSDT1Y2021.B25075>)
- US FEMA 2022 OpenFEMA data sets (FEMA.gov) (available at: www.fema.gov/about/openfema/data-sets#nfip)
- Wing O E J, Lehman W, Bates P D, Sampson C C, Quinn N, Smith A M, Neal J C, Porter J R and Kousky C 2022 Inequitable patterns of US flood risk in the Anthropocene *Nat. Clim. Change* **12** 156–62
- Xue Z and Ullrich P A 2022 Changing trends in drought patterns over the northeastern united states using multiple large ensemble datasets *J. Clim.* **35** 7413–33
- Yu D J, Sangwan N, Sung K, Chen X and Merwade V 2017 Incorporating institutions and collective action into a sociohydrological model of flood resilience *Water Resour. Res.* **53** 1336–53