NOAA Technical Memorandum NMFS



MAY 1993

THE HAWAIIAN MONK SEAL AND GREEN TURTLE AT PEARL AND HERMES REEF, 1990 AND 1991

Michele A. Finn John R. Henderson Brenda L. Becker Timothy J. Ragen

NOAA-TM-NMFS-SWFSC-182

U.S. DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration National Marine Fisheries Service Southwest Fisheries Science Center

NOAA Technical Memorandum NMFS

The National Oceanic and Atmospheric Administration (NOAA), organized in 1970, has evolved into an agency which establishes national policies and manages and conserves our oceanic, coastal, and atmospheric resources. An organizational element within NOAA, the Office of Fisheries is responsible for fisheries policy and the direction of the National Marine Fisheries Service (NMFS).

In addition to its formal publications, the NMFS uses the NOAA Technical Memorandum series to issue informal scientific and technical publications when complete formal review and editorial processing are not appropriate or feasible. Documents within this series, however, reflect sound professional work and may be referenced in the formal scientific and technical literature.

NOAA Technical Memorandum NMFS



This TM series is used for documentation and timely communication of preliminary results, interim reports, or special purpose information; and have not received complete formal review, editorial control, or detailed editing.

MAY 1993

THE HAWAIIAN MONK SEAL AND GREEN TURTLE AT PEARL AND HERMES REEF, 1990 AND 1991

Michele A. Finn, John R. Henderson Brenda L. Becker, Timothy J. Ragen

Honolulu Laboratory,SWFSC National Marine Fisheries Service, NOAA 2570 Dole Street Honolulu, Hawaii 96822-2396

NOAA-TM-NMFS-SWFSC-182

U.S. DEPARTMENT OF COMMERCE

Ronald H. Brown, Secretary

National Oceanic and Atmospheric Administration
D. James Baker, Under Secretary for Oceans and Atmosphere

National Marine Fisheries Service

William W. Fox, Jr., Assistant Administrator for Fisheries

THE HAWAIIAN MONK SEAL AND GREEN TURTLE AT PEARL AND HERMES REEF, 1990 AND 1991

Michele A. Finn John R. Henderson Brenda L. Becker Timothy J. Ragen

Honolulu Laboratory, SWFSC National Marine Fisheries Service 2570 Dole Street Honolulu, Hawaii 96822-2396

ABSTRACT

On 8-9 June 1990, research was conducted on the Hawaiian monk seal (Monachus schauinslandi) and the green turtle (Chelonia mydas) at Pearl and Hermes Reef in the Northwestern Hawaiian Islands. Two atoll-wide surveys resulted in monk seal counts of 46.0 and 32.0 seals, excluding pups and 55.0 and 40.0 seals, including pups. Ten pups were sighted, including 7 that had weaned and 3 that were still nursing. Six of the 7 weaned pups were tagged. Although no mortalities or entanglements were observed in monk seals, 4 injuries were noted.

During the 1991 field season, the Hawaiian monk seal and the green turtle were studied from 1 August to 13 September. Excluding pups, atoll-wide beach counts of seals ranged from 33 to 60 animals ($\bar{x}=46.5$, SD = 8.4), and counts including pups ranged from 40 to 75 seals ($\bar{x}=53.6$, SD = 9.8). Two yearlings and 8 2-yr-olds were weighed and measured, and 21 weaned pups and 14 unknown-age juveniles and subadults were tagged. Two seals that had lost a tag were retagged. Although no monk seal deaths were noted, 6 injuries, including 2 entanglement scars, were observed. Twelve green turtles were tagged, and 37 previously tagged green turtles were resighted. Three turtles were seen with severe shark-inflicted injuries; one of these died.

INTRODUCTION

Pearl and Hermes Reef (lat. 27°55'N, long. 175°45'W), located within the Northwestern Hawaiian Islands, is one of eight known breeding, pupping, and haul-out sites for the endangered Hawaiian monk seal, Monachus schauinslandi. The threatened green turtle, Chelonia mydas, uses Pearl and Hermes Reef as a foraging, basking, and nesting site. Population studies have been conducted on the Hawaiian monk seal and green turtle by the National Marine Fisheries Service (NMFS) since 1982 (Kam 1986, Forsyth et al. 1988, Choy and Hiruki 1992).

The primary objectives at Pearl and Hermes Reef in 1990 were limited to conducting atoll-wide seal censuses, resighting tagged seals, tagging weaned pups, and surveying and destroying debris capable of entangling seals or turtles. In addition to these objectives, efforts in 1991 included retagging seals with broken or missing tags, tagging unknown-age seals, weighing and measuring immature seals, and bleach-marking seals for identification purposes. Also, interatoll movement, survival, injuries, and entanglements of seals were monitored, seal scats and spews were collected, basking turtles were tagged, and previously tagged turtles were resighted. This report summarizes the data collected during 1990 and 1991.

MATERIALS AND METHODS

Data were collected during 8-9 June 1990 and 1 August-13
September 1991 at Pearl and Hermes Reef. This coral atoll is
composed of four vegetated and three non-vegetated sand islands
surrounded by a fringing reef (Fig. 1). Sandbars associated with
some of the islands appear and disappear on a seasonal basis.
Amerson et al. (1974) describes the history, geology, and
biodiversity of Pearl and Hermes Reef. During both years, field
camps were established on Southeast Island and North Island. The
itinerary of both 1990 and 1991 fieldwork is presented in
Appendix A.

Individual Seal Identification

Stone (1984) describes the procedures for Hawaiian monk seal identification and size classification. Tags and natural markings were used to identify individual seals and, when possible, seals were classified by size and sex. Weaned pups were tagged with a light-blue, plastic Temple Tag® on each hind flipper by the method described by Gilmartin et al. (1986). In 1991, most pups also received two Passive Integrated Transponder (PIT) tags injected subcutaneously in each ankle. Untagged juveniles and subadults were tagged on each hind flipper with light blue, plastic Temple Tags on an opportunistic basis. Whenever possible, photographs were taken and scar cards were drawn for individual seals to supplement the individual identification files. Additionally, untagged adult and immature seals were bleach-marked to facilitate identification.

Seal Censuses and Patrols

Census data were recorded on the standard census form

(Forsyth et al. 1988) following the 1990 coding instructions in

Lee et al. (1993). Atoll-wide censuses were conducted on both

days spent at Pearl and Hermes Reef in 1990; additional sightings

of identified animals were recorded as incidental sightings on

separate census sheets. In 1991, full atoll counts were

conducted twice a week, and all atoll censuses were completed in

a single day. North, Little North, and Southeast Islands were

censused daily. Again, sightings of identified seals obtained

during incidental patrols were documented on separate census

forms.

Seal Measurements

In 1991, weaned pups, yearlings, and 2-yr-old seals were weighed and measured for axillary girth and straight dorsal length (American Society of Mammologists 1967, Gilmartin et al. 1986).

Turtle Research

During censuses and patrols in 1990 and 1991, turtle sightings were recorded on the same census forms used for seal counts. However, turtle research was limited in 1990 to basking turtle counts, turtle tag resightings, and turtle pit documentation. In 1991, tagged turtles were resighted, turtle injuries and nesting behavior were documented, and basking turtles were tagged and measured.

Collection of Samples

As described by Johanos and Kam (1986), all nets, lines, ropes, and other debris capable of entangling seals or turtles were accumulated, cataloged, and destroyed during both field seasons on every island with the exception of Seal-Kittery Island in 1990 when debris were destroyed but not cataloged. In 1990, tissue plugs obtained during tagging operations were retained, frozen, and returned to Honolulu for DNA analysis and evaluation of population structure. And in 1991, monk seal scats and spews were collected and processed as described in Forsyth et al. (1988). All collected samples are currently being analyzed.

RESULTS AND DISCUSSION

Monk Seals

Census Data

In 1990, beach counts were 46.0 and 32.0, excluding pups and 55.0 and 40.0, including pups. In 1991, atoll counts of seals other than pups ranged from 33 to 60 animals ($\bar{\mathbf{x}} = 46.5$, n = 11, SD = 8.4; Table 1). Including pups, the counts ranged from 40 to 75 ($\bar{\mathbf{x}} = 53.6$, n = 11, SD = 9.8; Table 1). Separate island censuses for both 1990 and 1991 are presented in Appendix B.

Reproduction

Of 10 pups sighted in 1990, 7 had weaned and 6 of those were flipper-tagged (5 males, 1 female; Tables 2 and 3); the remaining 3 were not tagged because they were still nursing.

In 1991, 21 pups were tagged with plastic Temple Tags (9 males, 12 females; Tables 2 and 3), and 19 also received PIT tags.

Measurements and Non-Pup Tagging Effort

In 1991, 10 unknown-aged juveniles and 4 subadults of unknown ages were also tagged with Temple Tags. Two seals observed to have lost a tag were retagged (Table 3).

Axillary girth, straight dorsal length, and weight measurements for 21 weaned pups, 2 yearlings, and 8 2-year-olds are listed in Table 4. All of these measurements were made in 1991.

Interatoll Movement

In 1990, an adult male seal, originally bleach-marked at Kure Atoll, was observed at Pearl and Hermes Reef, and an adult male originally tagged at Pearl and Hermes Reef was sighted at Laysan Island (Table 5).

Five interatoll movements to or from Pearl and Hermes Reef were documented in 1991 (Table 5). Three adults originally tagged at Pearl and Hermes Reef and observed there in 1990 had emigrated by 1991: one male and one female to Midway Islands and one female to Laysan Island. Additionally, two seals originally tagged at Kure Atoll, an adult female and a juvenile female, were observed at Pearl and Hermes Reef in 1991.

Population Estimate

In 1991, 77 previously tagged (and permanently identified) seals were resighted at Pearl and Hermes Reef; 3 of these had been tagged as pups at other locations. Five untagged seals that

had previously been given permanent identities were recognized by scar patterns. In addition, permanent identities were given to seals tagged during the field season, including 21 pups and 14 seals of unknown age, and to 4 seals with scars that were sufficiently distinct to allow future recognition of these individuals. By the end of the 1991 season, 121 seals were permanently identified. In addition, 34 other seals were known temporarily (within the 1991 season) on the basis of bleach The number of seal identified either on a permanent or temporary basis was, therefore, 155. An estimated 5-10 seals remained untagged and unmarked when personnel departed at the end of the season. Thus, the total population estimate for Pearl and Hermes Reef in 1991 was 160-165 seals. The composition of the known population consisted of 21 pups (12 females, 9 males), 28 juveniles (12 females, 16 males), 36 subadults (15 females, 21 males), and 72 adults (38 females, 34 males).

Injuries, Deaths, and Survival

All four injuries observed on Hawaiian monk seals at Pearl and Hermes Reef in 1990 (Table 6) were probably inflicted by adult males. Of the four monk seal injuries documented in 1991 (Table 6), two were probably male-inflicted injuries, and one was attributed to a cookie cutter shark (*Isistius brasiliensis*). The cause of the remaining injury was unknown. Also, blood was observed around the penile aperture of an adult male seal, but the nature of the presumed injury was not apparent.

No seal deaths were documented in 1990 or 1991. Table 7 summarizes survival by cohort since 1983 and includes seals originally sighted at Pearl and Hermes Reef and documented at other locations.

Entanglements

No entanglements were observed in 1990. However, an adult seal was seen hauled-out on a pile of netting that was attached to the reef in the middle of the atoll between Southeast and North Islands. In 1991, 2 monk seals were observed with neck scars attributed to entanglement in marine debris (Table 8).

Green Turtles

In 1990, 2 previously tagged turtles were resighted, and 2 turtle pits were documented on North Island. During the 1991 field effort, 37 previously tagged turtles were resighted (31 adult and 6 immature), and 12 turtles were tagged (6 adult and 6 immature). In addition, 1 turtle was observed backfilling a pit on Southeast Island, and three shark-inflicted injuries to adult male turtles were recorded. All three injuries resulted in amputation of a hind flipper and part of the tail. In one case, the injury was fatal, a necropsy was performed, and results will be reported elsewhere.

Samples Collected

Six tissue plug samples were collected from weaned pups in 1990. In 1991, necropsy samples from an adult male turtle were preserved and transported to Honolulu, and 18 seal scats and 1 spewing were collected. Also, 262 samples of potentially entangling marine debris were documented and destroyed in 1990,

and 572 pieces of debris were documented, sampled, and destroyed during the 1991 field season.

ACKNOWLEDGMENTS

We thank the captain, officers, and crew of the NOAA Ship

Townsend Cromwell for their logistical support. We also
acknowledge the support of the U.S. Fish and Wildlife Service

Hawaiian Islands National Wildlife Refuge Staff. Special thanks
go to Richard Bauer, Sheila Conant, Vanessa Gauger, Jennifer

Glueck, Leona Laniawe, Maggie Lee, Karen Lombard, Marie Morin,

Ken McDermond, Ken Niethammer, Leslie Timme, and Richard

Van Toorenburg for their aid in data collection.

REFERENCES

- American Society of Mammalogists, Committee on Marine Mammals. 1967. V. B. Scheffer (ed.), Standard measurements of seals. J. Mammol. 48:459-462.
- Amerson, A. B., Jr., R. C. Clapp, and W. O. Wirtz, II.
 1974. The natural history of Pearl and Hermes Reef,
 Northwestern Hawaiian Islands. Atoll Res. Bull. 174,
 306 p.
- Choy, B. K., and L. M. Hiruki.

 1992. The Hawaiian monk seal and green turtle at Pearl and
 Hermes Reef, 1988. U.S. Dep. Commer., NOAA Tech. Memo.
 NMFS-SWFSC-175, 18 p.
- Forsyth, R. G., D. J. Alcorn, T. Gerrodette, and W. G. Gilmartin. 1988. The Hawaiian monk seal and green turtle on Pearl and Hermes Reef, 1986. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-SWFC-107, 24 p.
- Gilmartin, W. G., R. J. Morrow, and A. M. Houtman.

 1986. Hawaiian monk seal observations and captive
 maintenance project at Kure Atoll, 1981. U.S. Dep.
 Commer., NOAA Tech. Memo. NMFS-SWFC-59, 9 p.

- Johanos, T. C., and A. K. H. Kam.

 1986. The Hawaiian monk seal on Lisianski Island: 1983.

 U.S. Dep. Commer., NOAA Tech. Memo. NMFS-SWFC-58,

 37 p.
- Kam, A. K. H.
 1986. The green turtle, Chelonia mydas, at Laysan Island,
 Lisianski Island, and Pearl and Hermes Reef, summer
 1982. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-SWFC65, 49 p.
- Lee, M. M., L. K. Timme, R. A. Van Toorenburg and Brenda Becker. In prep. The Hawaiian monk seal on Lisianski Island, 1988 and 1990.
- Stone, H. S.
 1984. Hawaiian monk seal population research, Lisianski
 Island, 1982. U.S. Dep. Commer., NOAA Tech. Memo.
 NMFS-SWFC-146, 54 p.

Table 1.--Hawaiian monk seal atoll counts at Pearl and Hermes Reef (M = male, F = female, and U = unknown sex).

	A	dul	t		Sub dul		Juv	eni	le		Pup			Total	
Date	M	F	Ū	M	F	U	M	F	U	M	F	U	Nonpup	Pup	Combined
							-		199	0					
6/08	7	11	8	4	8	2	0 1	3	3	5 3	1	3	46	9	55
6/09ª	5	11	5	6	3	1	1	0	0	3	1	4	32	8	40
									199	1					
8/06	5	10	7	10	9	2	7	4	6	8	3	4	60	15	75
8/09	8	9	2	5	5	3	3	3	3	6	4	2	42 ^b	12	54
8/13	8	11	4	8	4	2	3	3	1	3	0	0	44	3	47
8/15	7	10	1	7	2	0	2	3	1	3	4	0	33	7	40
8/21	8	10	1	10	1	0	3	2	0	4	4	0	35	8	43
8/24	10	12	2	6	5	1	4	2	1	4	2	0	43	6	49
8/28	17	10	1	5	8	0	6	3	0	5	1	0	50	6	56
8/31	10	9	3	10	4	1	4	4	1	3	0	0	46	3	49
9/1	10	11	1	9	7	1	6	2	0	3	5	0	47	8	55
9/6	11	14	6	9	4	1	2	6	2	3	4	0	55	7	62
9/8	13	13	7	6	4	3	4	4	2	2	2	0	56	4	60

^{*}Totals exclude Bird Island.

bTotal includes some seals which were not placed in any size class.

Table 2.--Birth summary of Hawaiian monk seal pups at Pearl and Hermes Reef (M = male, F = female, U = unknown sex, AG = axillary girth, and SL = straight dorsal length).

(6.)	118.0	118.0	118.0 123.0	118.0 123.0 128.0 121.0	118.0 123.0 121.0 134.0	118.0 123.0 128.0 121.0 134.0	118.0 128.0 121.0 134.0 0	118.0 123.0 128.0 121.0 134.0	118.0 123.0 128.0 121.0 134.0
	89.0	89.0	89.0 78.0 109.0	89.0 78.0 109.0	89.0 78.0 109.0 104.0	89.0 78.0 109.0 113.0	89.0 78.0 109.0 1113.0	89.0 78.0 109.0 113.0	89.0 78.0 109.0 113.0
1990	i I		111	1111	11111	11111	111111		11111111
199	1 1	i i	111	1111	11111	111111	 SK/3	SK/3	SK/3
					9 9 9 9 9				. U
		1.1	1 1:1	1111		1 1 1 1	111111		80/9>
	i	1 1	F 1 6					V	V V
	<pre><6/08 89.0 118.0 6/08 89.0 118.0</pre>	<pre><6/08 </pre>	<pre><6/08 </pre>	<pre><6/08 </pre>	<pre><6/08</pre>	<pre><6/08</pre>	<pre><6/08</pre>	<pre><6/08</pre>	<pre><6/08</pre>

Table 2. -- Continued.

	Mother	ID	1	!	!	!	1
	Weight	(kg)	45.4	31.8	47.2	51.7	61.7
8 (#2)	(CIII.)	\mathbf{SL}	124.0	116.0	129.0	132.5	125.0
Moseuromonte (cm) 8	. callelle	AG	87.0	76.0	92.5	95.2	100.0
TI SE ON	ricasar	Date	60/6	90/8	8/09	8/25	90/8
Nireina	natsing	(days)	1	!	1	1	1
Weaning	Telet/	Sector	:	1	1	!	!
Wea		Date	<8/05	<8/06	90/8>	<8/05	90/8>
Birth	Telet/	Sector	!	;	1	1	!
Bi		Date	i	!	1	1	1
		Sex	Æ	ſΞij	¥	দ	×
	£	No.	BZ35	BZ39	BZ43	BZ45	BZ50

*Measurements and weights taken after weaning. bSK = Seal-Kittery Island. cStill nursing at end of field season. dNI = North Island. AG measurement taken on 8/07; SL and weight taken on 8/29.

Table 3.--Hawaiian monk seals tagged at Pearl and Hermes Reef. All tags are newly applied unless other wise noted (S = subadult, J = juvenile, W = weaned pup, M = Male, and F = female).

			E	Lef	Left tag	Righ	Right tag	E E
No.	Size	Sex	Temp.	Tag No.	PITp	Tag No.	$ m PIT^{b}$	Date
					1990			
BG70	3	ţŦ	ł	G70	!	G71	!	_
BG72	X	¥	ŀ	G72	i	G73	!	_
BG74	3	×	!	G74	i	G75	!	_
BG76	3	×	!	676	;	G77	!	80/9
BG78	X	×	1	G78	!	679	t 1	_
B2AI	3	¥	!	2AI	1 1	2AJ	1	_
					1991			
BZ00	3	×	;		7F7D01687B	201	7F7D016838	0
BZ02	M	X	;		7F7D020D27	203	7F7D015269	2
BZ04	M	¥	!!		7F7F7F206C	202	7F7D02590B	2
BZ06	×	ഥ	!		7F7D1D266D	202	7D1E1C	2
BZ08	M	ÍΨ	1		7F7D1D7C32	502	7F7D1E176E	2
BZ10	×	F.	!	210	!	211	-	2
BZ12	3	ኴ	1	212	7F7D1D122A	Z13	7F7D1E112A	8/10
BZ14	3	ᄄ	!	Z14	:	Z15	!	二
BZ16	*	ഥ	1	Z16	325	217	7F7D1D4342	₹
BZ18	3	Ħ	!	218	4	219	∞	7
BZ20	3	Œ	1	220	7F7D1E2516	Z21	7F7D1D2314	2
BZ22	3	X	!	222	F7D1	223	7F7D1E2425	2
BZ26	3	×	1	226	\sim	227	7F7F7A6C69	~
BZ29	3	¥	!	229	7F7D1E3168	Z30	9	_
BZ31	3	ĹΉ	ł	Z31	307	232	~	_
BZ33	3	ഥ	!	Z33	F7D1E33	Z34	70103	_
3	3	E	!	235	F7D1D283	Z36	7F7DIE301C	_
3	3	Œ	!	Z39	F7D01712	240	7F7D1E2C00	~
4	Z	¥	!	243	F7D1E227	Z44	-	_
BZ45	3	ഥ	!	245	F7D1E239	246	F7D1E4	8/25
S	3	Σ	!	250	7F7D1E2A3E	Z51	7F7D1E3605	_

Table 3.--Continued.

t e	Date	8/09	8/11	8/13	8/15	8/28	9/01	8	9/02	8	9/04	8/22	8/22	8/23	8/24	9/01	9/11
Right tag	$\mathrm{PIT}^{\mathrm{b}}$		1	1	!	1	7F7D1D186A	! !	;	1		i i	;	1 1	:	1	i
Righ	Tag No.ª	1AD	1AH	1 A J	1AL	1AN	1AP	1AW	2AB	2AD		2AN	2AP	2AR	2AT	056	L81
Left tag	PITb	1	!	1	ŀ	;	7F7D1D4166	1	!	!	!	1	1	:	!	;	1
Lef	Tag No.ª	1AC									2AG	2AM	2 A O	2AQ	2AS	U24	F06
Ë	No.	1	1	1	!		!	1	!	!	!	1	1	!	!	1	1
	Sex	¥	ഥ	[* 4	¥	দ	×	X	Σ	ſ±ι	ഥ	ഥ	Œ	Σ	ഥ	ᄕᅭ	X
	Size	ם	ט	တ	ഗ	ט	ט	ט	ß	ט	ט	ט	ט	ņ	တ	လ	ຜ
£	No.	BIAC	B1AG	BIAI	BIAK	BIAM	B1A0 ^k	BlAU	$B2AA^1$	B2AC	B2AG	B2AM	B2A0	B2AQ	B2AS	BU24m	BL06n

Type of tag is Temple unless otherwise noted. Color of tag is blue unless otherwise noted.

Passive Integrated Transponder.

8/11. 0 applied applied tag Temple tag applied on 8/07; PIT

8/16. applied on

8/07. applied on dremple tag applied on 8/08; PIT tag Temple tag applied on 8/10; PIT tag fremple tag applied on 8/04; PIT tag

on 8/27. applied Temple tag applied on 8/04; PIT tag hremple tag applied on 8/04; PIT tag

applied on 8/09. Temple tag applied on 8/16; PIT tag applied on 9/03.

Originally tagged as a weanling on 8/04 but removed 1991 cohort tags and replaced with unknown age tags on Also, pit tags were applied at original tagging. One digit missing from the number. 9/01.

Unable to insert Temple Tag on left hind flipper.

"Right tag (U25) was missing and was replaced with U56. Right tag (LO7) was missing and was replaced with L81.

Table 4.--Measurements and weights of immature Hawaiian monk seals at Pearl and Hermes Reef (M = male, F = female, AG = axillary girth, STDL = standard/ventral length, and SL = straight/dorsal length). All measurements taken in 1991.

			Meas	urements	(cm)	
ID No.	Sex	Date	AG	STDL	SL	Weight (kg)
			2-year	-olds		
BU10	M	8/21	106.0		168.0	92.5
BU12	F	8/15	103.0		168.0	89.4
BU14	M	8/20	104.0		152.0	70.8
BU16	F	8/09	101.0		152.0	73.5
BU18	M	9/04	110.0		165.0	82.6
BU20	M	-	121.0		151.5	
BU24	F	8/26	120.0		162.0	118.6
BU30	M	8/08	101.0		153.0	65.8
			Yearl:	ings		
BG70	F	8/07	90.0	-	145.0	64.4
BG72	M	8/08	94.0	-	144.0	61.2

Table 5.--Interisland movement of Hawaiian monk seals at Pearl and Hermes Reef (A = adult, S = subadult, J = juvenile, M = male, F = female, L = left, and R = right).

		{	,				Movemer	Movement from	Movem	Movement to
Ę	CIII CIII	Tag	Tag No.	<u>ک</u> و ا				Date		Date
S	No.	ı	æ	color	Size	Sex	Location	last seen	Location	first seen
							1990			
BT18	210	1	T18	Ф	Ą	E	P&H	6/22/88	Laysan	5/02/90
K610	15	-	!	;	Ą	¥	Kure	3/06/90	ФКН	06/60/9
						+	1991			
BL32	ŀ	L32	L33	æ	Ą	ĺ¥	P&H	06/80/9	Laysan	4/05/91
BK01	!	K00	K01	Д	Ą	Σ	P&H	06/80/9	Midway	3/01/91
BK33	!	K33	K32	В	Ą	Ŀ	P&H	06/80/9	Midway	3/27/91
TU04	ļ	U04	U05	₽	လ	Σ	Laysan	6/04/89	P&H	8/07/91
K143	!	032	033	×	Ą	ᄄ	Kure	5/20/90	P&H	8/31/91
KG08	:	G08	G07	×	ם	ഥ	Kure	7/17/90	P&H	8/07/91

"Tag colors: B = blue, K = gray, and T = tan. b P&H = Pearl and Hermes Reef.

Table 6.--Injuries of Hawaiian monk seals at Pearl and Hermes Reef (A = adult, S = subadult, W = weaned pup, M = male, and U = unknown sex).

	:						Descrip	Description of injury	injury	
Injury No.	Date	Age of injury	Size	Sex	ID No.	Type	Type ^a Location ^b	Depth° layer	Dimension (cm) (1 x w or diam)	Probable cause
							1990			
001	80/9	;	3	Σ	BG74	LAC	LAT	SB	!	
002	6/08	!	3	Σ	BG76	LAC	LAT	SB	!	
003	6/08	;	3	Σ	BG78	LAC	R/LAT	SB	1	
004	80/9	!	ď	D	B	LAC	·Ω	SB	;	male HMS
							1991			
001	8/09	Fresh	Ŋ	Σ	BK21	CIR	L/LAT	Ф	5 diam.	cc shark ^f
002	8/17	Fresh	ď	Σ	473°	LAC	·Ω	SB	20 length	male HMS
003	9/01	old	ď	Σ	511	ABC	RHF	SB	3 diam.	male HMS
004	90/6	+	A	Σ	BL21	OTH^{δ}	RHF	1	1	unknown
Codes fc ABC = a LAC = 1 CIR = c OTH = o	for Type: abcess laceration circular wound	wound		COC R D RHF LAT	odes for I = left = righ = dors F = righ T = late	Codes for Location: L = left R = right D = dorsal RHF = right hindflipper LAT = lateral	n: Elipper		Codes for Depth: SB = skin broken B = blubber	

^dHMS = Hawaiian monk seal.

"Temporary identification.

CC Shark = cookie cutter shark (Isistius brasiliensis).

One lobe missing.

Table 7.--Hawaiian monk seal cohort survival at Pearl and Hermes Reef at Pearl and Hermes Reef (M = male, F = female, and U = unknown sex).

Voon		Known births	Pups	No.	of	tags	res	sight	ed b	у ує	ar
Year tagged	Sex	(No.)	tagged (No.)	84	85	86	87	88	89	90	91
1983	F	2	2	1	1	1	1	1	1	1	1
	M	8	8	6	6	6	6	6	6	5	5
1984	F	8	8		8	6	4	4	4	4	4
	M	5	5		4	4	4	4	4	4	4
1985	F	7	6			5	5	5	5	5	5
	M	9	9			8	8	· 7	7	7	5 7
	U	3	0			_	-	_	_	_	_
1986	F	7	7				7	7	7	7	7
	M	10	10				7	6	6	4	4
	U	1	1				1	0	0	0	0
1987	F	7	7					6	5	4	4
	M	14	14					10	10	9	9
1988	F	5	5						5	5	5
	M	12	12						11	9	9
	Ū	3	0						_	-	_
1989	F	6	6							5	5
	M	8	8							6	6
1990	F	1	1								1
	M	5	5								5
	U	4	0								-
1991	F	12	12								
	M	9	9								

Table 8.--Hawaiian monk seal entanglements in debris at Pearl and Hermes Reef (A = adult, M = male, U = unknown sex, ESC = escaped by itself.

Field No.	Date	Size	Sex	ID No.	Islet/ Sector	Type of debris	Part of body entangled	Status
					1990			,
			N	o entan	glements	observed	·	
					1991			
001	8/06	W	M	BZ50	GR/2ª		Neck ^c	ESC
002	8/26	A	U		NI/5 ^b		$Neck^c$	ESC

^{*}GR=Grass Island.

bNI=North Island.

Neck scar only.




Figure 1.--Pearl and Hermes Reef, Northwestern Hawaiian Islands.

APPENDIXES

Appendix A.--Itinerary of fieldwork conducted by the National Marine Fisheries Service at Pearl and Hermes Reef.

Date	Event
	1990
6/08	NOAA Ship Townsend Cromwell arrives at Pearl and Hermes Reef. B. Becker and M. Morin disembark to conduct research on North Island and establish an overnight field camp. S. Conant, L. Laniawe, K. Niethammer, and R. Van Toorenburg disembark to conduct research on Southeast Island. M. Lee, K. Lombard, K. McDermond, and L. Timme disembark to conduct research on Seal-Kittery, Grass, Bird, and Sand Islands.
6/09	Two field parties deployed. Lee, Glueck, Timme conduct research on Southeast Island. Lombard, McDermond, Niethammer, and Van Toorenburg conduct research on Seal-Kittery, Grass, Bird, and Sand Islands. Becker and Morin conduct censuses on North and Little North Islands. All personnel embark in the evening, and the NOAA Ship Townsend Cromwell departs.
	1991
8/01	NOAA Ship Townsend Cromwell arrives at Pearl and Hermes Reef. R. Bauer, M. Finn, V. Gauger, J. Henderson, and L. Laniawe disembark and establish a field camp on Southeast Island.
8/02	First patrol of Southeast Island is conducted.
8/03	Field camp is established on North Island with Bauer and Laniawe. First census conducted of North and Little North Islands.
8/05	Change of personnel. Finn arrives at North Island field camp, and Bauer arrives at Southeast Island field camp.
8/06	First complete atoll count completed.
8/11	Change of personnel. Bauer and Gauger arrive at North Island field camp, and Finn and Laniawe arrive at Southeast Island field camp.
8/19	Change of personnel. Finn and Henderson arrive at North Island field camp, and Bauer and Gauger arrive at Southeast Island field camp.
8/26	Change of personnel. Bauer and Laniawe arrive at North Island field camp, and Finn and Henderson arrive at Southeast Island field camp.

Appendix A.--Continued.

Date

9/04 Change of personnel. Finn and Henderson arrive at North Island field camp, and Bauer and Laniawe arrive at Southeast Island field camp.

Event

- 9/09 North Island field camp disbanded. Finn and Henderson arrive at Southeast Island field camp.
- 9/13 NOAA Ship Townsend Cromwell arrives, Southeast Island field camp disbanded. Bauer, Finn, Gauger, Henderson, and Laniawe embark.

Appendix B.--Hawaiian monk seal counts for individual islands at Pearl and Hermes Reef (M = male, F = female, and U = unknown sex).

	7	\du	lt	ā	Suk idu:		Ju	ven	ile		Pup			Tota	1
Date	M	F	U	M	F	U	М	F	U	М	F	U	Nonpup	Pup	Combined
									199	90					
								Noi	th I	[sla	nd				
6/08 6/09	1 0	3 3	1 0	0 0	1	0	0 0	0 0	0 0	5 3	1 1	3 4	6 3	9 8	15 11
							Lit	tle	Nor	th :	Isla	and			
6/08 6/09	2 1	4 2	2 0	1 2	1	0	0 1	0	0 0	0	0	0	10 6	0 0	10 6
							80	uti	neasi	t Is	lan	d			
6/08 6/09	2 1	1	1 2	1 2	2	1	0 0	1	0 0	0 0	0	0	9 9	0 0	9 9
							Sea	1-K	itte	ry :	Isla	and			
6/08 6/09	1 2	3 3	0 2	2 2	3 2	1	0	1	0 0	0	0	0	11 11	0 0	11 11
								Gra	ass I	[sla	nd				
6/08 6/09	0 1	0	2 0	0 0	0 1	0	0	0	0	0	0	0	2 2	0	2 2
								Sa	nd I	sla	nđ				
6/08 6/09	0 0	0	1 1	0	0	0	0 0	0 0	2 0	0	0 0	0 0	3 1	0	3 1
								Вi	rđ I	sla	nđ				
6/08	1	0	1	0	1	0	0	1	1	0	0	0	5	0	5
									199						
								No	rth :	Isla	nd				
8/05 8/06 8/07 8/09	1 1 0 0	0 3 1 3	0 2 0 0	1 1 3 0	0 0 1 1	0 0 0	0 2 0 1	0 0 1 1	0 0 1 0	1 2 2 2	0 3 0 2	0 3 1 2	2 9 7 6	1 8 3 6	3 17 10 12

Appendix B.--Continued.

	Adult			Sub- adult			Juvenile				Pup			Tota	1
Date	M	F	U	M	F	U	М	F	U	М	F	U	Nonpup	Pup	Combined
8/13	1	1	1	0	0	1	1	0	1	0	0	0	6	0	6
8/14	1	4	0	1	0	0	1	0	0	1	3	0	7	4	11
8/15 8/16	1 0	3 4	0	0 2	0 0	0 1	1 2	0	0 0	0	4	0 0	5 9	4 5	9 14
8/18	2	3	0	1	0	0	0	1	1	1 1	4 2	0	8	3	11
8/20	2	3	Ö	ī	1	o	1	ō	ō	Ō	3	Ö	8	3	11
8/21	ō	3	Ō	ī	ō	Ö	1	1	ō	1	3	Ö	6	4	10
8/23	0	4	0	0	0	0	1	1	0	1	2	0	6	3	9
8/24	0	5	0	2	0	1	2	1	0	1	1	0	11	2	13
8/25	2	5	0	2	1	0	1	2	0	1	4	0	13	5	18
8/26	2	7	1	1	1	1	1	2	0	1	4	0	16	5	21
8/27	2	7 2	1	2	1	0	4	2	1	1	3	0	20	4	24
8/28 8/29	1 1	4	0 2	1 2	0	0	0 2	0 2	0 0	1 1	1 3	0 0	4 13	2 4	6 17
8/30	2	8	Õ	1	0	0	3	1	1	0	3	0	16	3	19
8/31	ō	5	1	2	ō	ĭ	1	2	ō	1	ō	Ö	12	1	13
9/01	0	1	1	1	0	1	2	1	0	0	5	Ō	7	5	12
9/02	2	3	1	0	1	0	1	2	0	2	3	0	10	5	15
9/05	1	2	0	0	0	0	0	3	0	0	2	0	6	2	8
9/06	1	4	0	0	0	0	0	3	0	1	4	0	8	5	13
9/07 9/08	1 2	1 4	0 0	0 1	0	0 1	0 2	3 2	0 1	0	3 2	0	5 14	3 2	8 16
J, 00	_	•	J	-	-	_							+ 4	2	10
							Lit	tle	Noı	rth	Isl	and			
8/06	0	1	4	2	1	0	0	1	3	1	0	1	12	2	14
8/09	0	1 1	1 1	0 1	0	0	1 0	0	0	0	1	0	3	1	4
8/13 8/15	1 0	1	1	1	0	0	0	0	0	1 0	0	0	4 3	1 0	5 3
8/18	1	ō	1	1	1	o	1	ő	Ö	1	0	0	5 5	1	5 6
8/20	1	Ō	ō	1	ō	Ō	1	ō	Ö	ī	Ŏ	Ö	3	1	4
8/21	1	1	0	1	0	0	1	0	0	0	0	0	4	ō	4
8/23	1	2	0	1	0	1	1	0	0	0	0	0	6	0	6
8/24	0	2	0	0	2	0	0	0	0	0	0	0	4	0	4
8/25	1	1	0	0	0	0	0	0	0	1	0	0	2	1	3
8/28 8/29	3 3	2 3	0	0	2 1	0	2	2	0	1	0	0	11	1	12
8/31	1	0	0 1	1 0	0	0	1 0	0 0	0 1	2 1	1 0	0	9 3	3 1	12
9/01	ī	1	ō	1	0	0	0	0	Ō	1	0	0	3	1	4 4
9/05	ī	ī	2	ī	2	ŏ	í	ŏ	ŏ	ō	ŏ	Ö	8	ō	8
9/06	2	3	0	2	0	0	0	1	0	1	ō	Ō	8	1	9
9/07	2	2	0	1	0	0	0	1	0	1	1	0	6	2	8
9/08	2	2	0	1	1	0	0	1	1	1	0	0	8	1	90

Appendix B.--Continued.

	A	Adult			Sub- adult			Juvenile			Pup		Total			
Date	M	F	U	M	F	U	M	F	U	M	F	U	Nonpup	Pup	Combine	
							80	utl	east	t Is	lan	đ				
8/06	2	3	1	2	3	1	4	2	2	1	0	0	20	1	21	
8/09	2	1	1	1	2	0	1	1	0	1	0	0	9	1	10	
8/10	1	2	1	1	1	0	0	0	0	0	0	0	6	0	6	
8/11	5	3	0	2	1	0	1	1	0	0	0	0	13	0	13	
8/12	4	0	0	3	2	1	1	0	0	1	0	0	11	1	12	
8/13	3	3	0	1	1	1	1	0	0	0	0	0	10	0	10	
8/14	3	1	0	2	0	0	0.	0	0	0	0	0	6	0	6	
8/15	2	0	0	3	1	0	1	0	0	0	0	0	7	0	7	
8/16	7	0	0	4	1	0	0	1	0	0	0	0	13	0	13	
8/18	2	0	0	3	1	1	0	0	0	1	1	0	7	2	9	
8/20	2	1	0	4	0	0	1	1	0	1	0	0	9	1	10	
8/21	4	1	0	4	1	0	1	0	0	0	1	0	11	1	12	
8/22	2	2	2	3	1	0	1	1	0	0	0	0	12	0	12	
8/24	6	1	0	4	1	0	2	1	0	1	1	0	15	2	17	
8/25	1	2	2	3	1	0	1	1	0	0	1	0	11	1	12	
8/28	4	1	0	2	2	0	1	1	0	2	0	0	11	2	13	
8/29	3	5	0	3	2	0	0	1	0	0	1	0	14	1	15	
8/30	3	3	0	4	3	0	0	2	0	0	0	0	15	0	15	
8/31	3	1	0	6	1	0	1	0	0	1	0	0	12	1	13	
9/01	3	2	0	6	3	0	2	0	0	1	0	0	16	1	17	
9/02	3	2	0	6	2	0	0	0	0	0	0	0	13	0	13	
9/05	2	0	1	1	1	0	0	0	0	0	0	0	5	0	5	
9/06	4	3	3	3	1	0	1	1	0	1	0	0	16	1	17	
9/08	4	3	2	3	0	2	1	0	0	1	0	0	15	1	16	
9/10	3	1	1	0	0	1	0	0	0	0	0	0	6	0	6	
9/11	6	2	0	0	3	0	0	0	0	1	0	0	11	1	12	
9/12	6	2	1	1	2	1	1	0	1	0	0	0	15	0	15	
							Sea	1-K	itte	ry	Isla	and				
8/04	1	1	6	1	0	1	0	0	0	2	0	0	10	2	12	
8/06	1	2	0	2	3 1	1	0	0	0	1	0	0	9	1	10	
8/09	3	3	0	0		2	0	0	2	1	0	0	11	1	12	
8/13	2	6	2	3	1	0	1	1	0	0	0	0	16	0	16	
8/15	1	4	0	0	0	0	0	0	1	1	0	0	6	1	7	
8/21	1	4	0	3	0	0	0	1	0	2	0	0	9	2	11	
8/24	3	2	1	0	1	0	0	0	1	2 2 1	0	0	8	2 1	10	
8/28	4		1	2	2 1	0	0	0	0	1	0	0	11	1	12	
8/31	2	2 2 3	0	1	1	0	1	1	0	0	0	0	8	0	8	
9/01	2 3	3	0	1	1	0	1 1	0	0	1	0	0	9	1	10	
9/06	2	3	1	3	1	0	1	1	0	0	0	0	12	0	12	
9/08	3	0	3	0	1	0	0	0	0	0	0	0	7	0	7	

Appendix B.--Continued.

	Adult			Sub- Adult adult				Juvenile			Pup		Total			
Date	M	F	U	M	F	U	M	F	U	M	F	U	Nonpup	Pup	Combined	
								Gr	ass	Isla	nd					
8/04	1	3	1	3	1	1	0	0	0	1	0	1	10	2	12	
8/06	0	0	0	3	2	0	1	0	1	3	0	0	7	3	10	
8/09	3	1	0	4	1	1	0	0	0	2	1	0	10	3	13	
8/13	1	0	0	2	2	0	0	1	0	2	0	0	6	2	8	
8/15	3	2	0	3	1	0	0	1	0	2	0	0	10	2	12	
8/21	2	2	1	1	0	0	1	0	0	1	0	0	7	1	8	
8/24	1	1	1	0	1	0	0	0	0	0	0	0	4	0	4	
8/28	3	3	0	1	1	0	2	0	0	0	0	0	10	0	10	
8/31	2	1	0	1	1	0	1	0	0	0	0	0	6	0	6	
9/01	2	2	0	0	2	0	1	0	0	0	0	0	7	0	7	
9/06	1	1	2	1	2	0	0	0	0	0	0	0	7	0	7	
9/08	1	4	2	0	1	0	0	0	0	0	0	0	8	0	8	
								Sa	nd :	Isla	nđ					
8/06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8/09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8/13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8/15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8/28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8/31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9/01	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
9/06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9/08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								Ві	.rd	Isla	nd					
8/06	1	1	0	0	0	0	0	1	0	0	0	0	3	0	3	
8/09	0	0	0	0	0	0	0	1	1	0	0	0	3ª	0	3	
8/13	0	0	0	1	0	0	0	0	0	0	0	0	1	0	ĺ	
8/15	0	0	0	0	0	0	0	1	0	0	0	0	ī	Ō	ī	
8/21	0	0	0	0	0	0	0	0	0	0	0	0	0	ō	ō	
8/24	0	1	0	0	0	0	0	0	0	0	0	0	1	Ö	i	
8/28	1	0	0	0	1	0	1	0	0	0	0	0	3	0	3	
8/31	1	0	1	0	1	0	0	1	0	0	0	0	4	Ō	4	
9/01	1	1	0	0	1	0	0	1	0	0	0	0	4	0	4	
9/06	0	0	0	0	0	1	0	0	2	0	0	0	3	0	3	
9/08	0	0	0	0	0	0	1	1	0	0	0	0	2	0	2	

Appendix B.--Continued.

Date	Adult			Sub- adult			Juvenile			Pup			Total		
	M	F	ט	M	F	U	М	F	U	M	F	U	Nonpup	Pup	Combined
						**************************************			Oth	er ^b				,	· · · · · · · · · · · · · · · · · · ·
8/6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/13	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1
8/15	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1
8/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/28	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1
8/31	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1
9/1	0	1	0	0	0	0	0	Q	0	0	0	0	1	0	1
9/6	1	0	0	1	0	0	0	0	0	0	0	0	2	0	2
9/8	1	0	0	1	1	0	0	0	0	0	0	0	3	0	3

^{*}Total includes some seals which were not placed in any size class. bIndicates sandbars, rocks, and reef haul-out areas.

RECENT TECHNICAL MEMORANDUMS

Copies of this and other NOAA Technical Memorandums are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22167. Paper copies vary in price. Microfiche copies cost \$4.50. Recent issues of NOAA Technical Memorandums from the NMFS Southwest Fisheries Science Center are listed below:

- NOAA-TM-NMFS-SWFSC-172 A compilation of historical monk seal, *Monachus schauinslandi*, counts.

 L.M. HIRUKI and T.J. RAGEN
 (September 1992)
 - 173 Results of the Mexican Sportfish Economic Survey.C.J. THOMSON and S.I. GOMEZ (November 1992)
 - 174 The nearshore physical oceanography off the central California coast during April-June, 1988: A summary of CTD data from juvenile rockfish surveys. C.M. JOHNSON, F.B. SCHWING, S. RALSTON, D.M. HUSBY and W.H. LENARZ (November 1992)
 - 175 The Hawaiian monk seal and green turtle at Pearl and Hermes Reef, 1988.B.K. CHOY and L.M. HIRUKI (November 1992)
 - 176 Distribution of ichthyoplankton around Southeast Hancock Seamount, central North Pacific, in summer 1984 and winter 1985: data report. G.W. BOEHLERT and B.C. MUNDY (December 1992)
 - 177 Hawaiian monk seal observations at French Frigate Shoals, 1984. J.J. ELIASON and J.R. HENDERSON (December 1992)
 - 178 The Hawaiian monk seal at French Frigate Shoals, 1988-89.
 M.P. CRAIG, D.J. ALCORN, R.G. FORSYTH, T. GERRODETTE,
 M.A. BROWN, B.K. CHOY, L. DEAN, L.M. DENNLINGER, L.E. GILL,
 S.S. KEEFER, M.M. LEE, J.S. LENNOX, C.R. LORENCE,
 G.L. NAKAI and K.R. NIETHAMMER
 (December 1992)
 - 179 The Hawaiian monk seal on Lisianski Island, 1988 and 1990.
 M.M. LEE, L.K. TIMME, R. VANTOORENBURG, and B.L. BECKER (March 1993)
 - 180 Report of ecosystem studies conducted during the 1992 eastern tropical Pacific common dolphin survey on the research vessels David Starr Jordan and McArthur.
 V.A. PHILBRICK, P.C. FIEDLER, S.B. REILLY, R.L. PITMAN, and L.T. BALLANCE (April 1993)
 - 181 Summary of cetacean survey data collected between the years of 1974 and 1985.
 T. LEE

(May 1993)