

NOAA Technical Memorandum NWS WR-104



OBJECTIVE AIDS FOR FORECASTING MINIMUM TEMPERATURES
AT RENO, NEVADA, DURING THE SUMMER MONTHS

Christopher D. Hill

National Weather Service Western Region
Salt Lake City, Utah
January 1976

noaa

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION

National Weather
Service



NOAA TECHNICAL MEMORANDA
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 23 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS.

Papers 1 to 23, except for 5 (revised edition) and 10, are available from the National Weather Service Western Region, Scientific Services Division, P. O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84111. Papers 5 (revised edition), 10, and all others beginning with 24 are available from the National Technical Information Service, U. S. Department of Commerce, Sills Building, 5285 Port Royal Road, Springfield, Virginia 22151. Prices vary for all paper copy; \$2.25 microfiche. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda

- WRTM 1 Some Notes on Probability Forecasting. Edward D. Diemer, September 1965. (Out of print.)
WRTM 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.
WRTM 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
WRTM 4 Use of Meteorological Satellite Data. March 1966.
WRTM 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (revised November 1967, October 1969). (PB-17800)
WRTM 6 Improvement of Forecast Wording and Format. C. L. Glenn, May 1966.
WRTM 7 Final Report on Precipitation Probability Test Programs. Edward D. Diemer, May 1966.
WRTM 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (revised January 1967). (Out of print.)
WRTM 9 A Collection of Papers Related to the 1966 NMC Primitive-Equation Model. June 1966. (Out of print.)
WRTM 10 Sonic Boom. Loren Crow (6th Weather Wing, USAF, Pamphlet), June 1966. (Out of print.) (AD-479366)
WRTM 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
WRTM 12 A Comparison of Fog Incidence at Missoula, Montana, with Surrounding Locations. Richard A. Dightman, August 1966. (Out of print.)
WRTM 13 A Collection of Technical Attachments on the 1966 NMC Primitive-Equation Model. Leonard W. Snellman, August 1966. (Out of print.)
WRTM 14 Application of Net Radiometer Measurements to Short-Range Fog and Stratus Forecasting at Los Angeles. Frederick Thomas, September 1966.
WRTM 15 The Use of the Mean as an Estimate of "Normal" Precipitation in an Arid Region. Paul C. Kangieser, November 1966. (Out of print.)
WRTM 16 Some Notes on Acclimatization in Man. Edited by Leonard W. Snellman, November 1966.
WRTM 17 A Digitalized Summary of Radar Echoes Within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966.
WRTM 18 Limitations of Selected Meteorological Data. December 1966.
WRTM 19 A Grid Method for Estimating Precipitation Amounts by Using the WSR-57 Radar. R. Granger, December 1966. (Out of print.)
WRTM 20 Transmitting Radar Echo Locations to Local Fire Control Agencies for Lightning Fire Detection. Robert R. Peterson, March 1967. (Out of print.)
WRTM 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparanis, April 1967.
WRTM 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.
WRTM 23 "K" Chart Applications to Thunderstorm Forecasts Over the Western United States. Richard E. Hambidge, May 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- WBTM 24 Historical and Climatological Study of Grinnell Glacier, Montana. Richard A. Dightman, July 1967. (Out of print.) (PB-178071)
WBTM 25 Verification of Operational Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)
WBTM 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)
WBTM 27 Objective Minimum Temperature Forecasting for Helena, Montana. D. E. Olsen, February 1968. (PB-177827)
WBTM 28 Weather Extremes. R. J. Schmidl, April 1968 (revised July 1968). (PB-178928)
WBTM 29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB-178425)
WBTM 30 Numerical Weather Prediction and Synoptic Meteorology. Capt. Thomas D. Murphy, U.S.A.F., May 1968. (AD-673365)
WBTM 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belasky, July 1968. (PB-179084)
WBTM 32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB-179289)
WBTM 33 Objective Forecasting. Philip Williams, Jr., August 1968. (Out of print.) (AD-680425)
WBTM 34 The WSR-57 Radar Program at Missoula, Montana. R. Granger, October 1968. (Out of print.) (PB-180292)
WBTM 35 Joint ESSA/FAA ARTC Radar Weather Surveillance Program. Herbert P. Benner and DeVon B. Smith, December 1968 (revised June 1970). (AD-681857)
WBTM 36 Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (Out of print.) (PB-183055)
WBTM 37 Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB-183057)
WBTM 38 Climate of Phoenix, Arizona. R. J. Schmidl, P. C. Kangieser, and R. S. Ingram, April 1969. (Out of print.) (PB-184295)
WBTM 39 Upper-Air Lows Over Northwestern United States. A. L. Jacobson, April 1969. (PB-184296)
WBTM 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L. W. Snellman, August 1969. (PB-185068)
WBTM 41 High Resolution Radiosonde Observations. W. S. Johnson, August 1969. (PB-185673)
WBTM 42 Analysis of the Southern California Santa Ana of January 15-17, 1966. Barry B. Aronovitch, August 1969. (PB-185670)
WBTM 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB-185762)
WBTM 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB-187763)
WBTM 45/1 Precipitation Probabilities in the Western Region Associated with Winter 500-mb Map Types. Richard A. Augulis, December 1969. (PB-188248)

NOAA Technical Memorandum NWS WR-104

OBJECTIVE AIDS FOR FORECASTING MINIMUM TEMPERATURES
AT RENO, NEVADA, DURING THE SUMMER MONTHS

Christopher D. Hill

Weather Service Forecast Office
Reno, Nevada
January 1976

UNITED STATES
DEPARTMENT OF COMMERCE
Rogers C. B. Morton, Secretary

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION
Robert M. White, Administrator

NATIONAL WEATHER
SERVICE
George P. Cressman, Director



TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| List of Figures and Tables | iii |
| I. Introduction | 1 |
| II. Discussion | 1 |
| III. Development of the Forecast Charts | 1-2 |
| A. June | 2-3 |
| B. July | 3 |
| C. August | 3-4 |
| D. September | 4 |
| IV. Summary | 4 |
| V. Conclusions | 4 |
| VI. Reference | 4 |

LIST OF TABLE AND FIGURES

| | <u>Page</u> |
|--|-------------|
| Table 1. Performance Summary of Forecast Curves on Ten Years of Dependent Data. | 4 |
| Figure 1. Joint Relationship in June Between Predictors (Reno 2100 GMT Dry-Bulb and Dew-Point Temperatures) and the Reno Minimum Temperature Occurring the Following Morning. | 5 |
| Figure 2. Joint Relationship in July Between Predictors (Reno 2100 GMT Dry-Bulb and Dew-Point Temperatures) and the Reno Minimum Temperature Occurring the Following Morning. | 6 |
| Figure 3. Joint Relationship in August Between Predictors (Reno 2100 GMT Dry-Bulb and Dew-Point Temperatures and Previous Morning Minimum Temperature) and the Reno Minimum Temperature the Following Morning. | 7 |
| Figure 4. Joint Relationship in September Between Predictors (Reno 2100 GMT Dry-Bulb and Dew-Point Temperatures) and the Reno Minimum Temperature the Following Morning. | 8 |
| Figure 5. Flow Diagram Summarizing the Use of the Objective Aids. | 9 |

OBJECTIVE AIDS FOR FORECASTING MINIMUM TEMPERATURES AT RENO, NEVADA, DURING THE SUMMER MONTHS

I. INTRODUCTION

Objective methods for relating meteorological parameters at some afternoon hour to forecast the subsequent minimum temperature are well known [1]. In the early 1960s staff members at Reno WSFO began using dry-bulb and dew-point temperature measurements taken at 2100 GMT as predictors of the minimum temperature for the following morning for a number of winter months. In this same vein, objective forecast aids for the summer months have now been developed with some additional refinements.

II. DISCUSSION

The HO-60 temperature dew point sensing equipment used by Reno WSFO is located at approximately the lowest elevation in a basin whose floor is at 4,400 ft. above sea level, sloping slightly downward to the north and east. To the west, the massive Sierra Nevada rise to elevations of nine-to eleven-thousand feet while to the east the Virginia Mountains reach six-to seven-thousand feet above sea level. As a result, weak drainage flow during the night is the general rule with the coldest air settling in the vicinity of the sensors by morning. Differences of ten or more degrees in morning temperatures have been noted between the primary HO-60 and standard minimum thermometers in the National Weather Service (NWS) shelter about one-fourth mile to the west. Minimum temperatures are very sensitive to low-level mixing and cloud cover during the night and especially near sunrise. However, during nonadvective conditions which are predominate over the Great Basin during the summer months, utilization of the 2100 GMT dry-bulb, dew-point measurements as gauges of the air-mass characteristics which govern the rate of radiational cooling was found to work quite well.

III. DEVELOPMENT OF THE FORECAST CHARTS

On an individual month-by-month basis for June through September, cases were singled out which met the following criteria: (a) skies were fair and no catabatic (or downslope) winds were occurring at the time the predictors were measured, (b) the subsequent morning had clear skies and surface winds were five knots or less from 0800 GMT through sunrise. In this study downslope winds are defined as winds having a sustained speed of ten knots or greater with a direction between 220 and 320 degrees and not associated with a cumulonimbus cloud or thunderstorm.

All the cases from the period 1963 through 1972 which met criteria (a) and (b) above were then used as a basis for developing scattergrams for each of the four months. It was found that for the months of August and September, a combination of this technique weighted equally with persistence yielded improved skill over the basic scattergram or simple persistence.

Cases where downslope winds, a common phenomena at Reno during the summer months, were occurring at the time the predictors were read were then examined. It was found that the forecast curves had an overall bias of a positive error in these instances and a refinement was developed for each month to compensate for this. The presence of downslope at the time the predictors are measured produces by adiabatic compression a dry-bulb reading that is higher than is actually representative of the air-mass characteristics. This is supported by the observation that if the winds develop later in the afternoon or during the evening, no such bias is evident.

The small percentage of cases where clouds or wind persisted through the night were then considered. No additional variables or criteria have been developed to compensate for the large negative bias given by the forecast scheme when applied to these cases. It was found, however, that adding nine degrees Fahrenheit yielded the largest reduction of error on the dependent data.

A. June:

Figure 1 is the resultant scattergram for June based on all cases which met criteria (a) and (b). Area B is the refinement for cases which fall in the downslope category. When the 2100 GMT dry-bulb and dew-point readings of a downslope case fall in area B, five degrees are subtracted from the value obtained from the curves to obtain the forecast minimum temperature. Interpreting areas A and B physically, it is noted that a dry-bulb temperature above 75 degrees (area A) depicts relative humidities below fifteen percent. As a result, the air mass is sufficiently dry that higher dry-bulb readings due to the downslope effect are of little consequence when the nocturnal radiation process begins. The normal or expected 2100 GMT dry-bulb temperature is slightly above 80 degrees. In view of this, area A below 75 degrees can be interpreted as often delineating cases where observed winds fit the downslope definition but in actuality are pressure driven or synoptic scale winds and an advection term is at work. If the winds have reached the surface indicating considerable mixing in the lower levels of the atmosphere and the dew point remains relatively high, this would indicate the air mass has sufficient moisture content to inhibit the normal radiational cooling process.

An alternate physical explanation can also be set forth. Downslope winds rarely commence as early as 2100 GMT at Reno unless the thermal surface trough is over the Great Basin. In these instances the pressure gradient force is enhancing the drainage of cold air from off the Sierra Nevada through the night. This would account for the positive bias given by the forecast curves.

Cases which met the criteria for development of the scattergram comprised sixty percent of the total June cases on the ten years of dependent data and yielded an average absolute error of 2.6 degrees Fahrenheit. Positive or negative error bias was nonexistent with 43 percent of the cases having a positive error and 43 percent a negative error. Downslope cases comprised twenty percent of the total. Use of the five-degree correction

when a downslope case fell in area B resulted in an average error of 2.5 degrees. The remaining twenty percent of the June cases were when clouds or winds persisted through the night and using the 9-degree correction yielded an average error of 3.1 degrees. Thus on the ten years of dependent data the total average absolute error for the month of June was 2.7 degrees.

B. July:

Figure 2 was derived in the same fashion as Figure 1. Seventy percent of the cases met criteria (a) and (b) and produced an average error of 2.9 degrees on the dependent data. It was found that for the 17 percent of the cases which fit the downslope category, a simple subtraction of four degrees from the value obtained from Figure 2 worked best. The fact that the correction is applicable throughout the entire spectrum of predictor values is an indication that the second physical explanation set forth in the previous section may be predominate during July. When the surface thermal trough is east of the Sierra Nevada, the pressure-gradient force aids in maximum drainage of cold air into the valleys of western Nevada.

The average error on the downslope cases is 2.5 degrees. Again the cases used to arrive at the scattergram showed a lack of bias in the error analysis with 41 percent positive and 42 percent negative; the remaining 13 percent of the total July cases were those where clouds or winds persisted through the night and the average error obtained using the plus 9-degree correction was 3.9 degrees Fahrenheit. The total average error for all cases was 3.0 degrees.

C. August:

The same procedure was followed as in the cases of June and July. However, the resultant scattergram showed much lower skill on the dependent data. It was found that a combination of the scattergram curves and persistence gave much better results. The cases where skies were fair and winds were light and variable at 2100 GMT followed by a night where skies were clear and winds were light comprised 79 percent of the dependent data. These were used to construct Figure 3 and yields an absolute average error of 2.9 degrees. Downslope cases were poorly correlated, possibly due to the introduction of another predictor. However, a blanket correction of minus two degrees for cases which met the criteria gave the largest reduction of error on the dependent data resulting in an average error of 3.9 degrees. The remaining 6 percent of the August cases were where skies remained cloudy or winds persisted through the night. The nine-degree correction gave an average error of 3.7 degrees on these cases. Thus the total average error for all August cases was 3.1 degrees.

To use Figure 3, enter the graph with the 2100 GMT dew point from the left and the dry-bulb temperature from the bottom. From the point where these two values intersect, follow parallel to the dashed guidelines up or down to the point opposite the value equal to the observed morning low temperature as indicated along the right side of the graph. At the

intersection of the appropriate guideline and the morning low, interpolate the forecast minimum temperature from the labeled solid curves. For example, with a 2100 GMT dew point of 35 degrees, a dry-bulb reading of 85 degrees and a morning low of 36 degrees, the graph yields a forecast minimum of 40 degrees.

D. September:

Development of the forecast curves was the same as for the month of August. Seventy percent of the total dependent data met the previously established criteria necessary to be used in preparing the scattergram. Figure 4 is used in the same manner as Figure 3 and yields an average absolute error of 2.6 degrees on the developmental cases. On the 18 percent of the total which fit the downslope category, a blanket subtraction of three degrees produced an average error of 3.5 degrees. The remainder of the cases, where clouds or winds persisted through the night, gave an average error of 3.5 degrees with the plus nine-degree correction. Combining all September data yields an average error of 2.9 degrees.

IV. SUMMARY

The following table summarizes the performance of the forecast curves on the ten years of dependent data in terms of absolute average error and percent of total cases in parentheses.

TABLE I

| MONTH | FAIR | DOWNSLOPE | CLOUDY | TOTAL |
|-----------|----------|-----------|----------|-----------|
| JUNE | (60) 2.6 | (20) 2.5 | (20) 3.1 | (100) 2.7 |
| JULY | (70) 3.0 | (17) 2.5 | (13) 3.9 | (100) 3.0 |
| AUGUST | (79) 2.9 | (15) 3.9 | (06) 3.7 | (100) 3.1 |
| SEPTEMBER | (70) 2.6 | (18) 3.3 | (12) 3.5 | (100) 2.8 |
| TOTALS | (70) 2.8 | (18) 3.0 | (12) 3.3 | (100) 2.9 |

Figure 5 gives flow diagram of the use of objective aids.

V. CONCLUSIONS

An objective method for forecasting minimum temperatures at Reno during the summer months has been developed. The forecast aid performs satisfactorily during the predominance of cases where fair weather persists throughout the night. Objective methods compensating for downslope cases have also been incorporated into the aid. Cases where the radiational process is inhibited by clouds or surface wind must be treated subjectively; however, objective constants have been determined.

VI. REFERENCE

[1] SUTTON, O. G. *Micrometeorology*, 1953.




FIGURE 1. JOINT RELATIONSHIP IN JUNE BETWEEN PREDICTORS (RENO 2100 GMT DRY-BULB AND DEW-POINT TEMPERATURES) AND THE RENO MINIMUM TEMPERATURE OCCURRING THE FOLLOWING MORNING. IF 2100 GMT WIND IS ≥ 10 KNOTS FOR 220 TO 320 DEGREES AND POINT DETERMINED BY DRY-BULB AND DEW-POINT TEMPERATURE FALLS IN AREA B, SUBTRACT 5 DEGREES FROM VALUE GIVEN BY ISOLINES.




FIGURE 2. JOINT RELATIONSHIP IN JULY BETWEEN PREDICTORS (RENO 2100 GMT DRY-BULB AND DEW-POINT TEMPERATURES) AND THE RENO MINIMUM TEMPERATURE OCCURRING THE FOLLOWING MORNING.




FIGURE 3. JOINT RELATIONSHIP IN AUGUST BETWEEN PREDICTORS (RENO 2100 GMT DRY-BULB AND DEW-POINT TEMPERATURES AND PREVIOUS MORNING MINIMUM TEMPERATURE) AND THE RENO MINIMUM TEMPERATURE THE FOLLOWING MORNING.




FIGURE 4. JOINT RELATIONSHIP IN SEPTEMBER BETWEEN PREDICTORS (RENO 2100 GMT DRY-BULB AND DEW-POINT TEMPERATURES) AND THE RENO MINIMUM TEMPERATURE THE FOLLOWING MORNING.




FIGURE 5. FLOW DIAGRAM SUMMARIZING THE USE OF THE OBJECTIVE AIDS.

Western Region Technical Memoranda: (Continued)

- No. 45/2 Precipitation Probabilities in the Western Region Associated with Spring 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189434)
- No. 45/3 Precipitation Probabilities in the Western Region Associated with Summer 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189414)
- No. 45/4 Precipitation Probabilities in the Western Region Associated with Fall 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189435)
- No. 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB-190476)
- No. 47 Statistical Analysis as a Flood Routing Tool. Robert J. C. Burnash, December 1969. (PB-188744)
- No. 48 Tsunami. Richard P. Augulis, February 1970. (PB-190157)
- No. 49 Predicting Precipitation Type. Robert J. C. Burnash and Floyd E. Hug, March 1970. (PB-190962)
- No. 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB-191743)
- No. 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB-193102)
- No. 52 Sacramento Weather Radar Climatology. R. G. Pappas and C. M. Veliquette, July 1970. (PB-193347)
- No. 53 Experimental Air Quality Forecasts in the Sacramento Valley. Norman S. Benes, August 1970. (Out of print.) (PB-194128)
- No. 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- No. 55 Application of the SSARR Model to a Basin Without Discharge Record. Vail Schermerhorn and Donald W. Kuehl, August 1970. (PB-194394)
- No. 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Worner J. Heck, September 1970. (PB-194389)
- No. 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB-194710)
- No. 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM-71-00017)
- No. 59 Application of P.E. Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM-71-00016)

NOAA Technical Memoranda NWS

- No. 60 An Aid for Forecasting the Minimum Temperature at Madford, Oregon. Arthur W. Fritz, October 1970. (COM-71-00120)
- No. 61 Relationship of Wind Velocity and Stability to SO₂ Concentrations at Salt Lake City, Utah. Werner J. Heck, January 1971. (COM-71-00232)
- No. 62 Forecasting the Catalina Eddy. Arthur L. Eichelberger, February 1971. (COM-71-00223)
- No. 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM-71-00349)
- No. 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- No. 65 Climate of Sacramento, California. Wilbur E. Figgins, June 1971. (COM-71-00764)
- No. 66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM-71-00829)
- No. 67 Precipitation Detection Probabilities by Los Angeles ARTC Radars. Dennis E. Ronne, July 1971. (Out of print.) (COM-71-00925)
- No. 68 A Survey of Marine Weather Requirements. Herbert P. Benner, July 1971. (Out of print.) (COM-71-00889)
- No. 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (Out of print.) (COM-71-00956)
- No. 70 Predicting Inversion Depths and Temperature Influences in the Helena Valley. David E. Olsen, October 1971. (Out of print.) (COM-71-01037)
- No. 71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM-72-10433)
- No. 72 A Paradox Principle in the Prediction of Precipitation Type. Thomas J. Weitz, February 1972. (Out of print.) (COM-72-10432)
- No. 73 A Synoptic Climatology for Snowstorms in Northwestern Nevada. Bert L. Nelson, Paul M. Fransioli, and Clarence M. Sakamoto, February 1972. (Out of print.) (COM-72-10338)
- No. 74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM-72-10554)
- No. 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM-72-10707)
- No. 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM-72-11140)
- No. 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM-72-11136)
- No. 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM-72-11146)
- No. 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM-72-10920)
- No. 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM-72-10021)
- No. 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM-73-10150)
- No. 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972. (COM-73-10251)
- No. 83 A Comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM-73-10669)
- No. 84 Southwestern United States Summer Monsoon Source--Gulf of Mexico or Pacific Ocean? John E. Hales, Jr., March 1973. (COM-73-10769)
- No. 85 Range of Radar Detection Associated with Precipitation Echoes of Given Heights by the WSR-57 at Missoula, Montana. Raymond Granger, April 1973. (COM-73-11030)
- No. 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM-73-11264)
- No. 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y. G. Lee, June 1973. (COM-73-11276)
- No. 88 A Surge of Maritime Tropical Air--Gulf of California to the Southwestern United States. Ira S. Brenner, July 1973.
- No. 89 Objective Forecast of Precipitation Over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, September 1973. (COM-73-11946/3AS)
- No. 90 A Thunderstorm "Warm Wake" at Midland, Texas. Richard A. Wood, September 1973. (COM-73-11845/AS)
- No. 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM-74-10465)

NOAA Technical Memoranda NWSWR: (Continued)

- No. 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM-74-11277/AS)
- No. 93 An Operational Evaluation of 500-mb Type Stratified Regression Equations. Alexander E. MacDonald, June 1974. (COM-74-11407/AS)
- No. 94 Conditional Probability of Visibility Less Than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM-74-11555/AS)
- No. 95 Climate of Flagstaff, Arizona. Paul W. Sorenson, August 1974. (COM-74-11678/AS)
- No. 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM-75-10428/AS)
- No. 97 Eastern Pacific Cut-Off Low of April 21 - 28, 1974. William J. Alder and George R. Miller, January 1976.
- No. 98 Study on a Significant Precipitation Episode in the Western United States. Ira S. Brenner, April 1975. (COM-75-10719/AS)
- No. 99 A Study of Flash Flood Susceptibility--A Basin in Southern Arizona. Gerald Williams, August 1975. (COM-75-11360)
- No. 100 A Study of Flash-Flood Occurrences at A Site Versus Over A Forecast Zone. Gerald Williams, August 1975. (COM-75-11404/AS)
- No. 101 Digitized Eastern Pacific Tropical Cyclone Tracks. Robert A. Baum and Glenn E. Rasch, September 1975. (COM-75-11479/AS)
- No. 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB 246 902/AS)
- No. 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976.