NOAA Technical Memorandum NWS WR-102

1





A SET OF RULES FOR FORECASTING MINIMUM TEMPERATURES IN NAPA AND SONOMA COUNTIES

Wesley L. Tuft

National Weather Service Western Region Salt Lake City, Utah October 1975



NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

National Weather Service



NOAA TECHNICAL MEMORANDA National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers I to 23 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS.

Papers 1 to 23, except for 5 (revised edition) and 10, are available from the National Weather Service Western Region, Scientific Services Division, P. O. Box III88, Federal Building, 125 South State Street, Salt Lake City, Utah 84111. Papers 5 (revised edition), 10, and all others beginning with 24 are available from the National Technical Information Service, U. S. Department of Commerce, SIIIs Building, 5285 Port Royal Road, Springfield, Virginia 22151. Prices vary for all paper copy; \$2,25 microfiche. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda

- WRTM I
- WRTM 2
- Some Notes on Probability Forecasting. Edward D. Diemer, September 1965, (Out of print.) Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965, Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, WRTM 3 March 1966.
- WRTM 4 Use of Meteorological Satellite Data. March 1966.
- Use of Meteorological Satellite Data. March 1966. Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (revised November 1967, October 1969). (PB-17800) Improvement of Forecast Wording and Format. C. L. Gienn, May 1966. Final Report on Precipitation Probability Test Programs. Edward D. Diemer, May 1966. Interpreting the RAREP. Herbert P. Benner, May 1966 (revised January 1967). (Out of print.) A Collection of Papers Related to the 1966 NMC Primitive-Equation Model. June 1966. (Out of print.) Sonic Boom. Loren Crow (6th Weather Wing, USAF, Pamphlet), June 1966. (Out of print.) (AD-479366) Some Electrical Processes in the Atmosphere. J. Latham, June 1966. A Comparison of Fog Incidence at Missoula, Montana, with Surrounding Locations. Richard A. Dightman, August 1966. (Out of print.) WRTM 5
- WRTM 6
- WRTM 7 WRTM 8
- WRTM 9
- WRTM 10
- WRTM 11
- WRTM 12
- August 1966. (Out of print.) A Collection of Technical Attachments on the 1966 NMC Primitive-Equation Model. Leonard W. Snellman, WRTM 13
- August 1966. (Out of print.) WRTM 14 Application of Net Radiometer Measurements to Short-Range Fog and Stratus Forecasting at Los Angeles.
- WRTM 15
- WRTM 16
- Application of Net Radiometer Measurements to Short-Range Fog and Stratus Forecasting at LoS Angeles. Frederick Thomas, September 1966. The Use of the Mean as an Estimate of "Normal" Precipitation in an Arid Region. Paul C. Kangleser, November 1966. (Out of print.) Some Notes on Acclimatization in Man. Edited by Leonard W. Snellman, November 1966. A Digitalized Summary of Radar Echoes Within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966. Limitations of Selected Meteorological Data. December 1966. A Grid Method for Estimating Precipitation Amounts by Using the WSR-57 Radar. R. Granger, December 1966. WRTM 17
- WRTM 18
- WRTM 19 (Out of print.) Transmitting Radar Echo Locations to Local Fire Control Agencies for Lightning Fire Detection. Robert R.
- WRTM 20 Peterson, March 1967. (Out of print.) An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October.
- WRTM 21
- WRTM 22
- D. John Coparanis, April 1967. Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967. "K" Chart Applications to Thunderstorm Forecasts Over the Western United States. Richard E. Hambidge, WRTM 23 May 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- WBTM 24 Historical and Climatological Study of Grinnell Glacier, Montana. Richard A. Dightman, July 1967.
- (Out of print.) (PB-178071) Verification of Operational Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, WBTM 25 October 1967. (PB-176240)
- WRTM 26
- A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830) Objective Minimum Temperature Forecasting for Helena, Montana, D. E. Olsen, February 1968. (PB-177827) Weather Extremes. R. J. Schmidli, April 1968 (revised July 1968). (PB-178928) Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB-178425) WBTM 27
- WBTM 28
- WBTM 29
- Numerical Weather Prediction and Synoptic Meteorology. Capt. Thomas D. Murphy, U.S.A.F., May 1968. WBTM 30
- Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. WBTM 31 (PB-179084)
- WBTM 32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District.
- WBTM 33
- Harold S. Ayer, July 1968. (PB-179289) Objective Forecasting. Philip Williams, Jr., August 1968. (Out of print.) (AD-680425) The WSR-57 Radar Program at Missoula, Montana. R. Granger, October 1968. (Out of print.) (PB-180292) Joint ESSA/FAA ARTC Radar Weather Surveillance Program. Herbert P. Benner and DeVon B. Smith, December 1968 (revised June 1970). (AD-681857) WBTM 34 WBTM 35
- Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (Out of WBTM 36
- print.) (PB-183055) Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB-183057) WRTM 37
- Climate of Phoenix, Ariozna. R. J. Schmidli, P. C. Kangieser, and R. S. Ingram, April 1969. (Out of print.) (PB-184295) Upper-Air Lows Over Northwestern United States. A. L. Jacobson, April 1969. (PB-184296) WBTM 38
- WBTM 39
- The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L. W. Snellman, August 1969. (PB-185068) High Resolution Radiosonde Observations. W. S. Johnson, August 1969. (PB-185673) Analysis of the Southern California Santa Ana of January 15-17, 1966. Barry B. Aronovitch, August 1969. WBTM 40
- WBTM 41
- WBTM 42 (PB-185670)
- Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB-185762) Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangleser, October 1969. (PB-187763) WBTM 43 WRTM 44
- WBTM 45/1 Precipitation Probabilities in the Western Region Associated with Winter 500-mb Map Types. Richard A. Augulis, December 1969. (PB-188248)

NOAA Technical Memorandum NWS WR-102

A SET OF RULES FOR FORECASTING MINIMUM TEMPERATURES IN NAPA AND SONOMA COUNTIES

Wesley L. Tuft

Weather Service Office (Agriculture) Riverside, California October 1975

UNITED STATES DEPARTMENT OF COMMERCE Rogers C. B. Morton, Secretary

۰D

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION Robert M. White, Administrator NATIONAL WEATHER SERVICE George P. Cressman, Director



TABLE OF CONTENTS

	Page
List of Tables and Figures	111
Editor's Note	iv
Abstract	1
I. Introduction	.1
II. Discussion	1-4
III. Summary	4
IV. Acknowledgments	4
V. Reference	4
Appendix	9

LIST OF TABLES AND FIGURES

Table I.	Distribution of Minimum Temperatures with Respect to 4 P.M. Dew Point when the Hygrometric Formula Estimate was Below 35°F, and Observed Nighttime Conditions at the Napa Key Temperature Station was Clear and Calm (1969-1974)
Table 2.	Distribution of Minimum Temperatures with Respect to Observed Nighttime Weather Conditions and Sea-Level Pressure Difference Between San Francisco and Medford when the 4 P.M. Dew Point was Below 45°F and the Hygrometric Formula Estimate for the Napa Key Temperature Station was Below 35°F (1969-1974)
Table 3.	Distribution of Minimum Temperatures with Respect to Observed Nighttime Weather and the Existence of a Surface Front for Cases when the 4 P.M. Dew Point was Below 45°F, the Hygrometric Formula Estimate was Below 35°F, and Delta P was Between -2 and 4 mbs (1969-1971 and 1974)
Figure I.	Probability Percentage of Clear and Windy Conditions Overnight as Function of 4 P.M. 850 mb Oakland Wind Speed and Surface Pressure Difference Between San Francisco and Medford
Figure 2.	Four P.M. Surface Chart, April 1, 1974
Figure 3.	Four P.M. Surface Chart, April 18, 1971
Figure 4.	Four P.M. Surface Chart, March 28, 1975

Page

EDITOR'S NOTE

The author's transmittal letter accompanying this paper contained the following remarks which I thought would be of interest to the reader.

L. W. Snellman, Chief Scientific Services Division

"This is the only paper that I know of that explains to meteorologists outside of agricultural work how a good hygrometric formula is used when forecasting minimum temperatures. It is not, as you suggest, a matter of modifying the formula to come up with a minimum temperature forecast. The formula depends heavily upon the dew point. And, for all practical purposes, forecasting minima above or below critical in Napa and Sonoma Counties can be made by the methods discussed in the paper, excluding the use of the formula. The value of the formula is to determine what temperature to forecast AFTER it has been decided whether it will be clear and calm.

"There is indeed no new forecast methods used in the paper. In fact, the methods are kept as simple as possible. Yet, as far as I can determine, this paper is the first of its kind in the Frost Service! The use of the word <u>approach</u> in the original title related to the method of organizing pertinent data so as to easily recognize the forecast problem on a given night. No similar approach appears to have been developed in any other districts of the Frost Service. Therefore, this paper could be used as an example of a method that makes it easier on forecasters new to the Frost Service or to a district, and that makes more time available at forecast time by eliminating the need to analyze every piece of information that is available in order to recognize what the forecast problem is.

/s/ Wesley L. Tuft"

A SET OF RULES FOR FORECASTING MINIMUM TEMPERATURES IN NAPA AND SONOMA COUNTIES

ABSTRACT

If it is assumed that dew points are conserved and that above 850 mbs the only concern is the presence or absence of clouds, then a few parameters can be used to forecast with reasonable accuracy whether or not overnight minimum temperatures in the agricultural areas of Napa and Sonoma Counties will be above critical.

1. INTRODUCTION

From mid-March until mid-May, agricultural forecasts for the two counties are oriented toward minimum temperatures for the following morning. Minima above 34°F are considered "warm" temperatures since crop protection usually begins at 34°F. This Technical Memorandum concerns the use of forecast rules to determine whether minima will be above or below 34°F.

Data used in this Technical Memorandum are part of the data collected for a research study to develop objective methods of forecasting minimum temperatures throughout Napa and Sonoma Counties. Data collection and research were begun in 1969 by Ron Hamilton, Meteorologist in Charge, Riverside Weather Service Office, and was continued by the author beginning in 1973. In addition to the collection of daily observational data, surface and upperair charts were plotted. Charts for the 1972 and 1973 seasons are lost and there has been no apparent reason to retrieve the chart data or to replot the charts.

II. DISCUSSION

The Napa hygrometric formula estimate [1] can be used as the "first guess" for forecasting the overnight minimum temperature. Of 28 nights studied when the formula estimate was above 34°F, clear and calm conditions occurred on only 8 nights. Of those 8 nights, 1 had a minimum of 34°F at the Napa Key Temperature Station while the 7 other nights had minima above 34°F. Thus warm nights are to be expected whenever the hygrometric formula estimate is above 34°F. A discussion of the Napa formula is given in the appendix.

Since temperatures forecast above 34°F are grouped together, many forecasts can be based upon dew point alone. It has long been known that even with clear skies and calm winds, minima seldom fall to 34°F unless the 4 p.m. dew point on the previous day is less than 45°F (Table 1). This is due to the heat of condensation effectively counteracting radiative cooling. In addition, fog or stratus often forms to further reduce cooling.

With dew points less than 45°F, overnight minima depend upon sky cover and wind. The formula estimate is accurate when skies are clear and calm; all other conditions keep the observed minimum above the formula estimate.

Clouds or winds of any duration will usually keep minima above 34°F since minima seldom drop below 30°F even under ideal radiative conditions. Of 31 clear and windy nights studied, only three had minima below 32°F, and only one had a temperature below 30°F.

Since Napa and Sonoma Counties are located along the California coast, weather conditions there often are dependent upon either an onshore flow or an offshore flow. A good indicator of the type of flow is the 4 p.m. sealevel pressure difference between San Francisco and Medford:

 $(P_{sfo} - P_{mfr} = \Delta P).$

Observational data, given in Table 2, can be summarized into the following three categories:

A strong onshore flow, i.e., ΔP greater than 4 mbs: This condition is often associated with a low-pressure area north of California and a nearby surface front giving cloudy conditions.

· · · ·

A strong offshore flow, i.e., ΔP less than -2 mbs: This usually means high pressure lies to the north resulting in either clear and calm or clear and windy conditions.

If ΔP is between 4 and -2 mbs, high pressure generally lies offshore, resulting in either clear and calm or cloudy conditions.

When delta P is between 4 and -2 mbs, overnight conditions sometimes can be made more specific by taking into account any fronts over western United States and eastern Pacific Ocean on the 4 p.m. surface chart for the preceding day. The following rule applies:

If no front is present between 112° and 130°W longitude, clear and calm conditions can be expected overnight. If a front is present, then either clear and calm or cloudy conditions can be expected (Table 3).

Whenever delta P is less than -2 mbs, the probability of clear and windy conditions increases as low-level wind speeds increase and low-level stability decreases. Low-level wind speeds change, of course, when the surface pressure-gradient changes and also whenever the vertical temperature structure changes, with or without changes in delta P. Delta P can change without changes in low-level wind speeds when the pressure field configuration changes over the Pacific Northwest. For example, clockwise rotation of the field changes the flow from a stable marine flow toward an unstable continental flow dropping down the west slopes of the Sierra Mountains. Therefore, clear and windy conditions are more likely when low-level winds are:

-2-

(1) strong due to a strong pressure gradient, (2) strong due to the vertical temperature structure, or (3) from the east. The complex interaction can be represented by an assumed linear relationship between delta P, the 4 p.m. OAK 850-mb wind speed, and the occurrence of clear and windy conditions. The probability of a clear and windy night for these parameters are given in Figure 1.

Daily surface charts show promise as type maps for determining windy conditions since overnight winds appear to be dependent upon the low-level air trajectory. For example, Figure 2 is a case when even with a strong pressure gradient, calm conditions occurred because the flow was cool and stable. Surface charts are of particular interest as type maps when the probability from Figure 1 is near 50 percent. As an example, note the low-level flow in Figure 3 as compared to that in Figure 4. Data from Figure 3 give a 47% probability of a clear, windy night, yet winds were calm. As was the case in Figure 2, these calm conditions were associated with a cool, stable flow. Data from Figure 4 give only a 41% probability of a clear, windy night. Yet, despite an 850-mb wind speed of only 10 knots, it was windy overnight. In this latter case an unstable easterly flow existed. Hopefully, further cataloguing of surface charts will determine more accurately which map types are associated with windy conditions.

The above generalizations can be summarized as a set of forecast rules:

- Whenever the 4 p.m. dew point is 45°F or higher or the hygrometric formula estimate is 35°F or higher, forecast minima above 34°F.
- If ΔP is more than 4 mbs, forecast cloudy with minima above 34°F.
- 3. When the 4 p.m. dew point is less than 45°F and the formula estimate is less than 35°F, then:
 - a. If ΔP is less than -2 mbs, obtain the probability percentage of a clear and windy night from Figure 1.

b. If ΔP is between -2 and 4 mbs, and:

 no front is present between 112° and 130°W, forecast ' clear and calm.

- a front is present, the forecast is indeterminate: it can be either clear and calm or cloudy.
- c. If the forecast is for clear and calm, forecast minimum temperatures by use of the hygrometric formula estimate; otherwise, forecast minima above 34°F.

-3-

The forecast rules serve only as a guide and individual situations may dictate deviation from them. For example, the rules may be invalid when conditions are determined primarily by upper-level phenomena, such as a closed-low aloft producing cloudy conditions or a strong baroclinic field producing windy conditions.

The rules are generally very useful and will provide a high percentage of correct forecasts as to warm or cold nights. Application of the rules on independent data for the 1975 season resulted in the correct forecast on 36 to 41 nights, 88 percent accuracy. (Clear and windy forecasts were based upon a probability of 50 percent or higher.) Of the 5 incorrect forecasts, 2 resulted from a closed-low aloft producing cloudy conditions. On 6 nights, rule 3.b.2 was in effect and no verification was made. When this rule is in effect, reliance must be placed upon satellite and other information received from WSFOs.

111. SUMMARY

During springtime, a high percentage of minimum temperature forecasts for Napa and Sonoma Counties can be based upon dew point, the hygrometric formula estimate, sea-level pressure difference from San Francisco to Medford, and the presence or absence of a surface front, all at 4 p.m. the day before. More qualifications could possibly be developed to reduce the risk of using rules inappropriately.

IV. ACKNOWLEDGMENTS

Appreciation is expressed to Mr. Ronald S. Hamilton, Meteorologist in Charge, Weather Service Office, Riverside, California, who collected much of the data used in this memorandum and to Scientific Services Division, Western Region Headquarters, for their reviews and helpful suggestions.

V. REFERENCE

 ELLISCN, E. S. A Critique On the Use of Minimum-Temperature Formulas. Monthly Weather Review, Vol. 56, No. 12, pp. 485 -495, December 1928.

	Number o	f Nights	
4 p.m. dew point for previous day	Minimum 34°F or Less	Minimum Above 34°F	
45°F or Above	3	3*	
Less than 45°F	61	3	

Table I. Distribution of minimum temperatures with respect to 4 p.m. dew point when the hygrometric formula estimate was below 35°F, and observed nighttime conditions at the Napa Key Temperature Station were clear and calm (1969-1974).

*The formula estimate is seldom below 34°F when the dew point is 45°F or above.

Observed Condition	Delta P, 4 p.m., SFO-MFR (mbs)			
	<6	-6 to -1	-2 to 4	>4
*Cloudy Fog or Stratus Clear and Calm Clear and Windy	0 0 2 15	0 1 20 10	19 6 40 2	17 2 2 0

Table 2. Distribution of minimum temperatures with respect to observed nighttime weather conditions and sea-level pressure difference between San Francisco and Medford (SFO-MFR) when the 4 p.m. dew point was below 45°F and the hygrometric formula estimate for the Napa Key Temperature Station was below 35°F (1969-1974).

*Exclusive of fog or stratus.

Observed Condition	No Front	Front*
+Cloudy	2	6
Fog or Stratus	2	0
Clear and Calm	25	7

Table 3. Distribution of minimum temperatures with respect to observed nighttime weather and the existence of a surface front for cases when the 4 p.m. dew point was below 45° F, the hygrometric formula estimate was below 35° F, and delta P was between -2 and 4 mbs (1969-1971 and 1974).

*See text for criteria as to the presence or absence of a front. +Exclusive of fog or stratus.





Figure 2. Four p.m. Surface Chart, April 1, 1974. Shaded area is Napa and Sonoma Counties.



Figure 3. Four p.m. Surface Chart, April 18, 1971. Shaded area is Napa and Sonoma Counties.



Figure 4. Four p.m. Surface Chart, March 28, 1975. (On the morning of the 29th, frost damage was reported in many agricultural areas of California, but no known damage occurred in either Napa or Sonoma Counties.)

å

APPENDIX

The hygrometric formula estimate now used for Napa and Sonoma Counties was developed by Jack Janofsky. It is assumed that the formula was developed by the methods described by E. S. Ellison [1]. The original formula, developed in 1938 and modified in 1944, is still in use today.

Originally, temperature and relative humidity readings were taken at 4:30 p.m. at the key temperature station in the city of Napa. In subsequent years, readings have been taken at 4 p.m. at various locations throughout the Napa Valley. No appreciable change in accuracy was noticed by change of either time or location. This suggests that dew points are fairly uniform throughout the valley at 4 p.m.; dew points are usually conserved overnight, and, consequently, very little advection occurs after 4 p.m. Observations at various locations have confirmed that the dew point is usually both uniform and conserved.

The following tables were abstracted from the 1944 report for Napa County:

Hygrometric Formula Used at Napa

For clear or partly cloudy nights: $T = (D+V) + (V^{\dagger}-H+25)$.

- T represents the expected minimum temperature in Fahrenheit degrees.
- D represents the 4:30 p.m. dew point in Fahrenheit degrees.
- H represents the 4:30 p.m. relative humidity in percent.
- V and V! are variables depending upon the value of the dew point and relative humidity.

Values of (L	<u>)+V)</u>	Values of (V)	<u>– H + 25)</u>
Dew Point (°F)	(D+V)	R.H. (%) (VI	- H + 25)
60-59	50	64 and Higher	-12
58-57	49	63-47	-11
56-55	48	46-40	-10
54-53	47	39-34	-9
52-51	46	33-32	-8
50-48	45	31-30	-7
47 ~ 45	44	Cold Types	
44-43	43	29-15	-7
42-41	42	Warm Types (includes wind)	
40-39	41	29-15	0
38-37	40	All Types	
36-35	39	15-10	0
34-33	38		
32-31	37	With clope skips in proceed	the day point
30-29	36	tomponeture is often a notice	, me dew porm
28-27	35	remperature is often a reflat	
26-25	34	ture is such conditions usually follow	
24-20	33	dew points of 469 and lower During	
19-14	32	normal seasons, the formula i very accurate, but in unusua	is considered

-9-

seasons it will average 2° or 3° too high.

Western Region Technical Memoranda: (Continued)

No. 45/2 Precipitation Probabilities in the Western Region Associated with Spring 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189434) Precipitation Probabilities in the Western Region Associated with Summer 500-mb Map Types. Richard No. 45/3 P. Augulis, January 1970. (Out of print.) (PB-189414) Precipitation Probabilities in the Western Region Associated with Fall 500-mb Map Types. Richard P. No. 45/4 Precipitation Probabilities in the Western Region Associated with Fall 500-mb Map Types. Richard Augulis, January 1970. (Out of print.) (PB-189435) Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB-190476) Statistical Analysis as a Flood Routing Tool. Robert J. C. Burnash, December 1969. (PB-188744) Tsunami. Richard P. Augulis, February 1970. (PB-190157) Predicting Precipitation Type. Robert J. C. Burnash and Floyd E. Hug, March 1970. (PB-190962) Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB-191743) Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB-195102) No. 46 No. 47

No. 48

No. 49

No. 50

No. 51 July 1970. (PB-193102)

Sacramento Weather Radar Climatology. R. G. Pappas and C. M. Veliquette, July 1970. No. 52 No. 53 Experimental Air Quality Forecasts in the Sacramento Valley. Norman S. Benes, August 1970. (Out of

print.) (PB-194128) A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. No. 54

Aronovitch, August 1970. Application of the SSARR Model to a Basin Without Discharge Record. Vail Schermerhorn and Donald W. No. 55 Kuehl, August 1970. (PB-194394)

No. 56

Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB-194389) Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB-194710) Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. No. 57

No. 58 (COM-71-00017)

Application of P.E. Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM-71-00016)

NOAA Technical Memoranda NWS

An Aid for Forecasting the Minimum Temperature at Medford, Oregon. Arthur W. Fritz, October 1970. (COM-71-00120)

Relationship of Wind Velocity and Stability to SO₂ Concentrations at Salt Lake City, Utah. Werner J. Heck, January 1971. (COM-71-00232)

Forecasting the Catalina Eddy. Arthur L. Eichelberger, February 1971. (COM-71-00223) 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, No. 62

700-mb Warm Air Advection as a February 1971. (COM-71-00349) No. 64

Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971. Climate of Sacramento, California. Wilbur E. Figgins, June 1971. (COM-71-00764) A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. No. 65 No. 66 (COM-71-00829)

Precipitation Detection Probabilities by Los Angeles ARTC Radars. Dennis E. Ronne, July 1971. (Out of print.) (COM-71-00925) No. 67

A Survey of Marine Weather Requirements. Herbert P. Benner, July 1971. (Out of print.) (COM-71-00889) National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (Out of print.) No. 69 (COM-71-00956)

Predicting Inversion Depths and Temperature Influences in the Helena Valley. David E. Olsen, October 1971. (Out of print.) (COM-71-01037) Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., Fébruary 1972. (COM-72-No. 70

A Paradox Principle in the Prediction of Precipitation Type. Thomas J. Weitz, February 1972. (Out of No. 72

No. 73

A Paradox Principle in the Prediction of Precipitation Type. Thomas J. Weitz, February 1972. (Out of print.) (COM-72-10432) A Synoptic Climatology for Snowstorms in Northwestern Nevada. Bert L. Nelson, Paul M. Fransioli, and Clarence M. Sakamoto, February 1972. (Out of print.) (COM-72-10338) Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM-72-10554) A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM-72-10707) No. 74 No. 75

May 1972. (COM-72-10107) Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles Internation! Airport. Donald M. Gales, July 1972. (COM-72-11140) A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM-72-11136)

No. 77

Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough,

July 1972. (COM-72-11146) Climate of Stockton, California. Robert C. Nelson, July 1972. (COM-72-10920) Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM-72-10021)

An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November

An Ald for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM-73-10150) Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972. (COM-73-10251) A Comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM-73-10669)

Southwestern United States Summer Monsoon Source--Gulf of Mexico or Pacific Ocean? John E. Hales, Jr.,

Range of Radar Detection Associated with Precipitation Echoes of Given Heights by the WSR-57 at Missoula, Montana. Raymond Granger, April 1973. (COM-73-1103D) Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. No. 86

(COM-73-11264) A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y.

G. Lee, June 1973. (COM-73-11276) A Surge of Maritime Tropical Air--Gulf of California to the Southwestern United States. Ira S. Brenner,

July 1973. Objective Forecast of Precipitation Over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, September 1973. (COM-73-11946/3AS) A Thunderstorm "Warm Wake" at Midland, Texas. Richard A. Wood, September 1973. (COM-73-11845/AS) Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM-74-10465) No. 89

No. 90

No. 91

NOAA Technical Memoranda NWSWR: (Continued)

- No. 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM-74-11277/AS)
- No. 93 An Operational Evaluation of 500-mb Type Stratified Regression Equations. Alexander E. MacDonald, June 1974. (COM-74-11407/AS)
- No. 94 Conditional Probability of Visibility Less Than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM-74-11555/AS)
- No. 95 Climate of Flagstaff, Arizona. Paul W. Sorenson, August 1974. (COM-74-11678/AS)
- No. 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM-75-10428/AS)
- No. 97 Eastern Pacific Cut-Off Low of April 21 28, 1974. William J. Alder and George R. Miller.
- No. 98 Study on A Significant Precipitation Episode in the Western United States. Ira S. Brenner, April 1975. (COM-75-10719/AS)
- No. 99 A Study of Flash-Flood Susceptibility--A Basin in Southern Arizona. Gerald Williams, August 1975.
- No. 100 A Study of Flash-Flood Occurrences at A Site Versus Over A Forecast Zone. Gerald Williams, August 1975.
- No. 101 Digitized Eastern Pacific Tropical Cyclone Tracks. Robert A. Baum and Glenn E. Rasch, September 1975.