

NOAA Technical Memorandum
NWS ER-83



**A HISTORICAL ACCOUNT OF TROPICAL CYCLONES THAT HAVE
IMPACTED NORTH CAROLINA SINCE 1586**

JAMES D. STEVENSON

National Weather Service Office
Wilmington, North Carolina
July, 1990

**LIBRARY
COPY**

**U.S. DEPARTMENT OF
COMMERCE**

/ **National Oceanic and
Atmospheric Administration**

/ **National Weather
Service**

NOAA TECHNICAL MEMORANDA
National Weather Service, Eastern Region Subseries

The National Weather Service Eastern Region (ER) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready for formal publications. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to ER personnel, and usually will not be widely distributed.

Papers 1 to 22 are in the former series, ESSA Technical Memoranda, Eastern Region Technical Memoranda (ERTM); papers 23 to 37 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 38, the papers are now part of the series, NOAA Technical Memoranda NWS.

Papers 1 to 22 are available from the National Weather Service Eastern Region, Scientific Services Division, 630 Johnson Avenue, Bohemia, NY 11716. Beginning with 23, the papers are available from the National Technical Information Service, U.S. Department of Commerce, Sills Bldg., 5285 Port Royal Road, Springfield, VA 22161. Prices vary for paper copy and for microfiche. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda

- | | | |
|------|-------|--|
| ERTM | 1 | Local Uses of Vorticity Prognoses in Weather Prediction. Carlos R. Dunn. April 1965. |
| ERTM | 2 | Application of the Barotropic Vorticity Prognostic Field to the Surface Forecast Problem. Silvio G. Simplicio. July 1965. |
| ERTM | 3 | A Technique for Deriving an Objective Precipitation Forecast Scheme for Columbus, Ohio. Robert Kuessner. September 1965. |
| ERTM | 4 | Stepwise Procedures for Developing Objective Aids for Forecasting the Probability of Precipitation. Carlos R. Dunn. November 1965. |
| ERTM | 5 | A Comparative Verification of 300 mb. Winds and Temperatures Based on NMC Computer Products Before and After Manual Processing. Silvio G. Simplicio. March 1966. |
| ERTM | 6 | Evaluation of OFDEV Technical Note No. 17. Richard M. DeAngelis. March 1966. |
| ERTM | 7 | Verification of Probability of Forecasts at Hartford, Connecticut, for the Period 1963-1965. Robert B. Wassall. March 1966. |
| ERTM | 8 | Forest-Fire Pollution Episode in West Virginia, November 8-12, 1964. Robert O. Weedfall. April 1966. |
| ERTM | 9 | The Utilization of Radar in Meso-Scale Synoptic Analysis and Forecasting. Jerry D. Hill. March 1966. |
| ERTM | 10 | Preliminary Evaluation of Probability of Precipitation Experiment. Carlos R. Dunn. May 1966. |
| ERTM | 11 | Final Report. A Comparative Verification of 300 mb. Winds and Temperatures Based on NMC Computer Products Before and After Manual Processing. Silvio G. Simplicio. May 1966. |
| ERTM | 12 | Summary of Scientific Services Division Development Work in Sub-Synoptic Scale Analysis and Prediction - Fiscal Year 1966. Fred L. Zuckerberg. |
| ERTM | 13 | A Survey of the Role of Non-Adiabatic Heating and Cooling in Relation of the Development of Mid-Latitude Synoptic Systems. Constantine Zois. July 1966. |
| ERTM | 14 | The Forecasting of Extratropical Onshore Gales at the Virginia Capes. Glen V. Sachse. August 1966. |
| ERTM | 15 | Solar Radiation and Clover Temperatures. Alex J. Kish. September 1966. |
| ERTM | 16 | The Effects of Dams, Reservoirs and Levees on River Forecasting. Richard M. Greening. September 1966. |
| ERTM | 17 | Use of Reflectivity Measurements and Reflectivity Profiles for Determining Severe Storms. Robert E. Hamilton. October 1966. |
| ERTM | 18 | Procedure for Developing a Nomograph for Use in Forecasting Phenological Events from Growing Degree Days. John C. Purvis and Milton Brown. December 1966. |
| ERTM | 19 | Snowfall Statistics for Williamsport, Pa. Jack Hummel. January 1967. |
| ERTM | 20 | Forecasting Maturity Date of Snap Beans in South Carolina. Alex J. Kish. March 1967. |
| ERTM | 21 | New England Coastal Fog. Richard Fay. April 1967. |
| ERTM | 22 | Rainfall Probability at Five Stations Near Pickens, South Carolina, 1957-1963. John C. Purvis. April 1967. |
| WBTM | ER 23 | A Study of the Effect of Sea Surface Temperature on the Areal Distribution of Radar Detected Precipitation Over the South Carolina Coastal Waters. Edward Paquet. June 1967. (PB-180-612). |
| WBTM | ER 24 | An Example of Radar as a Tool in Forecasting Tidal Flooding. Edward P. Johnson. August 1967 (PB-180-613). |
| WBTM | ER 25 | Average Mixing Depths and Transport Wind Speeds over Eastern United States in 1965. Marvin E. Miller. August 1967. (PB-180-614). |
| WBTM | ER 26 | The Sleet Bright Band. Donald Marier. October 1967. (PB-180-615). |
| WBTM | ER 27 | A Study of Areas of Maximum Echo Tops in the Washington, D.C. Area During the Spring and Fall Months. Marie D. Fellechner. April 1968. (PB-179-339). |
| WBTM | ER 28 | Washington Metropolitan Area Precipitation and Temperature Patterns. C.A. Woollum and N.L. Canfield. June 1968. (PB-179-340). |
| WBTM | ER 29 | Climatological Regime of Rainfall Associated with Hurricanes after Landfall. Robert W. Schoner. June 1968. (PB-179-341). |
| WBTM | ER 30 | Monthly Precipitation - Amount Probabilities for Selected Stations in Virginia. M.H. Bailey. June 1968. (PB-179-342). |
| WBTM | ER 31 | A Study of the Areal Distribution of Radar Detected Precipitation at Charleston, S.C. S.K. Parrish and M.A. Lopez. October 1968. (PB-180-480). |
| WBTM | ER 32 | The Meteorological and Hydrological Aspects of the May 1968 New Jersey Floods. Albert S. Kachic and William Long. February 1969. (Revised July 1970). (PB-194-222). |
| WBTM | ER 33 | A Climatology of Weather that Affects Prescribed Burning Operations at Columbia, South Carolina. S.E. Wasserman and J.D. Kanupp. December 1968. (COM-71-00194). |
| WBTM | ER 34 | A Review of Use of Radar in Detection of Tornadoes and Hail. R.E. Hamilton. December 1969. (PB-188-315). |
| WBTM | ER 35 | Objective Forecasts of Precipitation Using PE Model Output. Stanley E. Wasserman. July 1970. (PB-193-378). |
| WBTM | ER 36 | Summary of Radar Echoes in 1967 Near Buffalo, N.Y. Richard K. Sheffield. September 1970. (COM-71-00310). |
| WBTM | ER 37 | Objective Mesoscale Temperature Forecasts. Joseph P. Sobel. September 1970. (COM-71-0074). |

(CONTINUED ON INSIDE REAR COVER)

NOAA Technical Memorandum NWS ER-83

**A HISTORICAL ACCOUNT OF TROPICAL CYCLONES THAT HAVE
IMPACTED NORTH CAROLINA SINCE 1586**

JAMES D. STEVENSON

**National Weather Service Office
Wilmington, North Carolina**

**Scientific Services Division
Eastern Region Headquarters
Bohemia, New York
July, 1990**

**United States
Department of Commerce
Robert A. Mosbacher
Secretary**

**National Oceanic and
Atmospheric Administration
John A. Knauss
Under Secretary**

**National Weather Service
Elbert W. Friday, Jr.
Assistant Administrator**



TABLE OF CONTENTS

	<u>Page</u>
Introduction	1
16TH Century Tropical Cyclones	3
17TH Century Tropical Cyclones	4
18TH Century Tropical Cyclones	5
19TH Century Tropical Cyclones	9
20TH Century Tropical Cyclones	27
Summary	60
Acknowledgments	61
Appendix 1 (Abbreviations and Saffir/Simpson Scale)	62
Appendix 2 (North Carolina Tropical Cyclone Chronology by Month)	65
Appendix 3 References	71

INTRODUCTION

This report is a compilation of the tropical cyclones for which historical information could be found that have struck North Carolina, had any effect on the state, or passed close enough offshore to have been a serious threat to the coastal area. The decision as to whether some early storms met these criteria was made rather subjectively, since information as to both path and effects was incomplete and highly variable.

Where available, information on maximum (or near maximum) wind speed experienced in connection with the storm is given. Prior to about 1870, actual measurements were not made, so only descriptive statements as could be gleaned from news accounts are given. All too often, these news accounts described the winds as having been the strongest in the memory of the oldest inhabitants. In the days of the U.S. Signal Corps, and even the Weather Bureau until about 1940, the highest wind given for a storm was usually the "maximum velocity", which was an average over a 5-minute period. In recent years, the highest sustained wind used by the National Weather Service is an average over 1-minute period. When available, the speed of the highest instantaneous gust is also listed. It should be kept in mind that where a value for "maximum velocity" is given, the 1-minute average and the peak gusts probably would be higher.

The descriptions of the early storms may reflect their severity, but are also dependent on the amount of material which could be located. Even in the early 20th century, the availability of news accounts varied greatly, and the likelihood of the occurrences of unrecorded significant storms is quite high prior to about 1870. Obviously, there were many storms in the 17th, 18th and 19th centuries of which no records could be found.

The principle source of descriptive information prior to about 1910 was files of North Carolina newspapers, none of which are complete prior to 1879. Early newspaper accounts were usually delayed, due to temporary breakdown of communications and disruption of travel due to impact of the storms. For a number of cases, North Carolina newspapers carried lengthy dispatches of storm news from Savannah, Charleston, Norfolk and New York City, with little or no information on the storm effects in North Carolina. This may have been due to poor communications with immediate coastal regions, especially the Outer Banks of North Carolina. A complete listing of the sources of informations used in this report is given in Appendix 3. This includes books, scientific journals, technical reports, newspapers, etc.

Hurricane season for North Carolina is from June 1st through November 30th. The category listed for each hurricane is the intensity of the storm at the time it was influencing North Carolina. A hurricane is defined as a tropical cyclone in which the maximum sustained surface wind (1-minute average) is 74 mph (64 knots) or greater.

With the advent of the Saffir/Simpson Scale in 1971, hurricanes were categorized by using numbers one through five, based on the intensity of the hurricane. The Saffir/Simpson Scale is based on wind speed, storm surge, or central pressure of the hurricane. The scale also gives potential property damage and expected flooding. The Saffir/Simpson Scale is described in Appendix 1. Based on the Saffir/Simpson Scale, hurricanes affecting North Carolina from 1899-1989 have been categorized in this publication. Some of the hurricanes before 1899 have one word descriptions; such as major, great or extreme. These descriptive words were based mostly on property damage and/or deaths associated with the storms. The descriptive abbreviations used in this report are also listed in Appendix 1. Note that the categorization (e.g., Saffir/Simpson scale) of all storms in this publication are based on the strength at the time of their impact on North Carolina.

SIXTEENTH CENTURY

Accounts of storms that affected North Carolina during the first two centuries following the discovery of America are few. The three known 16th century storms, all very likely tropical hurricanes, occurred within a 6 year period. They are known because of the expeditions to Roanoke Island.

June 23-26, 1586

Sir Francis Drake arrived offshore at Roanoke Island, and "...there arose a great storm (which they said was extraordinary and very strange and last 3 days together) and put our fleet in great danger."

August 31, 1587

"There arose such a tempest at northeast that our Admiral (Drake), then riding out of harbor, was forced to cut his cables and put to sea, where he lay beating off and on 6 days before he could come to us again."

August 26, 1591

Roanoke Island was again beset by a severe storm. "For at this time the wind blew at north-east and direct into the harbor so great a gale that the sea broke extremely on the bar, and the tide went out forcibly at the entrance."

SEVENTEENTH CENTURY

Three hurricanes also are known to have affected North Carolina during the 17th century, all occurring within a 4-year period. The first storm was first recorded as two separate storms, due to confusion of dates from the change to the Gregorian calendar.

September 6, 1667

A great storm struck at least the northern part of the Outer Banks, destroying the corn and tobacco crops and demolishing or damaging a number of buildings. There are detailed accounts of the storm in Virginia, but only fragmentary accounts for North Carolina. Twelve days of rain was said to have followed the storm in Virginia.

August 18, 1669

A hurricane was reported to have struck the northern Outer Banks.

August 6, 1670

The northern Outer Banks again felt the fury of a hurricane.

In addition a severe hurricane hit South Carolina on an unknown date in 1699. It probably also had some effects on North Carolina.

EIGHTEENTH CENTURY

September 16-17, 1713

There were several accounts of a violent hurricane affecting Charleston and northward at this time, with the following remark indicating the storm's greatest violence may have struck the Cape Fear area: "ships were drove from their anchors far within land, particularly a sloop in North Carolina was drove three miles over marshes into the woods."

August 13, 1728

A severe storm was reported to have done much damage at Charleston. Many ships were lost, one as far north as a few miles off Ocracoke.

October 18-19, 1749

A severe hurricane moved through the middle Atlantic coastal waters, causing damage as far south as Ocracoke, where nine ships were said to have been lost. Very high tides were reported on the Outer Banks.

August 18, 1750

Referred to in Colonial accounts as the "Great Storm of August 18, 1750," this terrible tempest among other damage wrecked or drove onto the North Carolina coast five ships of the Spanish Flota.

A letter from Governor Dobbs to the Earl of Loudoun, July 10, 1756, states, "Last summer...I found a violent storm about 5 years ago had carried away Beacon Island, which was near 2 miles long, and all the banks here in time may be liable to the like fate..." Possibly this was the storm of August 18, 1750, or one of the September 1752 storms.

September 15, 1752

This storm was very destructive at Charleston, but accounts of its effects in North Carolina are confused, and difficult to separate from those of a second storm on September 30th.

September 30-October 1, 1752

On the southern North Carolina coast: "The wind blew so hard it stemmed the Gulf Stream in its northern course and threw it on the shores." "At 9 o'clock the flood came rolling in with great impetuosity and in a short time the tide rose 10 feet above the high water mark of the highest tide."

This was presumably at or in the vicinity of Wilmington. This appears to have been the storm that destroyed the Onslow County seat, then on the coast, so that it was rebuilt at an inland location.

Five other storms, known to have caused damage in nearby areas, may have been felt to some degree in North Carolina. These occurred on: September 1753, October 1757, August 23, 1758, May 4, 1761 and June 1, 1761.

September 23, 1761

A hurricane of great intensity raked the coast of North Carolina, causing much damage both ashore and at sea. A new inlet cut at a place called the Haul-Over, between Cedar House and Bald Head, was 18 feet deep at high water and nearly a mile wide. This inlet remained open for more than 100 years.

A hurricane on the Virginia coast on September 11, 1766, may also have struck in North Carolina.

September 6-7, 1769

Unprecedented tides and winds of terrible force attended this hurricane on the North Carolina coast. Information is available primarily for the New Bern area, where the Governor spoke of the "...calamities arising from the extreme violence of the late storm..." and the destruction of the banks of their two rivers. The tide was said to have risen 12 feet higher than ever before and the wind blew so that nothing could stand before it. Two-thirds of the effects of New Bern were destroyed; houses in town were undermined by water and floated away or collapsed. One entire street of houses was swept off with some of the inhabitants. Many thousands of trees were blown down. Many houses were said to have blown down in the general area, including the Court House of Brunswick County.

Damage was probably general throughout at least the coastal area, for in response to his request for aid to New Bern, the House of Representatives informed Governor Tryon: "But the calamities, losses and misfortunes occasioned thereby being general, we cannot...think of granting them (New Bern) assistance in preference to any other part of the Province..."

September 2, 1775

The Congress advanced forty shillings to each volunteer from Pasquotank County, N. C., because they were hard up to purchase corn and other provisions..."the same being almost totally destroyed by a storm of the 2nd day September last (1775), the notoriety of which this Congress being sensible of..."

August 10, 1777

One meteorological source lists a tropical storm or hurricane as having occurred in the Carolinas. No confirmation could be located.

August 11, 1778

At New Bern there came "A violent gale of wind attended by heavy rain, which continued with great fury until morning". There was not much damage in town, but it was feared that many vessels had suffered considerable damage at Ocracoke Bar. Corn and fodder in the New Bern area were almost ruined, having been stripped by the wind. Apparently there followed an extended period of rainy weather, for "...the rains continued forty days and forty nights at least and the damage has occasioned scarcity".

August 10, 1781

Storm of moderate intensity is well reported at Charleston, where at least two ships were sunk. At Wilmington, gales are reported with veering directions indicating a path moving northward inland.

October 7-8, 1783

Available wind reports indicate that a hurricane center moved northward through eastern North Carolina, causing extreme damage in the Wilmington-Cape Fear area and as far west as Winston-Salem, where the storm "during the night assumed the proportions of a hurricane, damaging buildings, fences and blowing down many trees in the woods".

September 23-24, 1785

A hurricane center appears to have passed over Ocracoke Bar, causing a major break in the sand dunes and drowning a large number of cattle.

July 23-24, 1788

Widespread damage to the central coastal area of North Carolina was caused by a storm whose center apparently passed east and north of the Cape Hatteras. One report indicates six vessels destroyed, eleven driven ashore and two dismasted at Ocracoke Inlet. Another report lists 22 out of 30 ships dismasted. Many vessels were stranded in the Pamlico Sound as the northwesterly gales forced the water out of the sound.

April 10, 1789

In the Albemarle Sound area there was on this date "a very violent gale of wind, with an amazing rise of tide, supposed to be about 9 feet above common high water mark". A number of ships headed out of the Chowan River area for ports to the north were lost along the Outer Banks. At least two of these wrecks resulted in the death of the entire crew. It is not known whether this storm was of tropical or extra-tropical origin but the date suggests the latter.

August 2, 1795

Severe in at least the Hatteras-Ocracoke area, this hurricane drove eighteen vessels of the Spanish fleet onto shoals at Hatteras.

September 5, 1797

This storm apparently affected the entire North Carolina coast, for it caused damage at least as far south as Charleston and caused the loss of a sloop as far north as Currituck Inlet.

NINETEENTH CENTURY

September 7-8, 1804

This severe hurricane caused more than 500 deaths by drowning in South Carolina, but was very likely much less intense when it reached North Carolina. The center apparently moved inland between Savannah and Charleston and followed a northeast course through North Carolina and Virginia to eastern Maryland.

September 28, 1806

A hurricane struck the coast, wrecking a large number of ships at Ocracoke Inlet.

September 10, 1811

Known as the "Cuba Hurricane", this storm was accompanied by a very severe tornado at Charleston, S. C., where many were killed and the damage was very heavy. Inland at Columbia, S. C., it was "...a perfect hurricane..." and "...never before equaled here within the recollection of our oldest citizen." From its severity over inland South Carolina, it can be assumed that this storm caused some damage in North Carolina.

August 27-28, 1813

One of the most destructive storms in the city's history struck Charleston, and hurricane winds were also reported at Georgetown and Camden. Later reports of gales as far north as Maryland make it apparent that the storm moved across inland portions of North Carolina.

July 1, 1814

A tropical storm of unknown path spawned a tornado near Charleston, and prolonged heavy rain is known to have fallen on parts of North Carolina.

September 3-4, 1815

Often confused with the historic New England hurricane of later in the same month, this appears to have been a major storm in its own right. The center apparently moved northward somewhat to the east of Wilmington, passing very close to New Bern and Elizabeth City. Many trees were blown down. Tides at New Bern reached ten or more feet above normal, covering waterfront streets with several feet of water which demolished and carried away a number of buildings.

September 10-11, 1820

A tropical storm apparently moved inland on the northern South Carolina coast and back out to sea near Hatteras, causing gales and heavy rains over much of coastal North Carolina.

September 2-3, 1821

A fast moving hurricane which journeyed from just south of Puerto Rico on the 1st in a typical recurving path across North Carolina from Cape Lookout to Norfolk on the 3rd, causing considerable damage at Morehead City and very likely to all of the North Carolina coast north of there. It was a "tremendous storm" in Norfolk, causing much wind damage in town and to ships in the harbor. Its path took it to the New York City area where severe damage resulted, and thence into New England.

August (date unknown), 1822

The center of this storm probably remained offshore and apparently there were no severe effects on the state.

September 27-28, 1822

A very severe storm moved inland with its center north of Charleston, apparently proceeding rapidly northward across central North Carolina. Violent winds and torrential rains are known to have affected Raleigh and Hillsborough, with trees blown down and roofs damaged.

June 3-4, 1825

This early season hurricane spread destruction from Cuba to New England. In North Carolina the tide rose six feet at New Bern and fourteen feet at Adams Creek. More than 20 vessels were driven ashore at Ocracoke, 27 near Washington and a number at New Bern. Coastal plantations were inundated near the South River and there was much loss of crops and livestock. There was considerable damage near the waterfront in New Bern.

November 17-18, 1825

The schooner Harvest was wrecked on the North Carolina coast, probably near Nags Head, and five or more persons lost in what may have been a late season hurricane.

July 30, 1827

A storm of unknown path or intensity perhaps had some effect on North Carolina on this date.

August 24-25, 1827

A hurricane from the Windward Islands struck the coast at Hatteras, breaking the Diamond Shoals Lightship loose from its moorings. Two of the ship's crew were washed overboard and drowned. The ship was driven southwestward by the storm across the shoals and all the way to Portsmouth, where she was grounded at night. Although she survived the rough journey without complete destruction, the lightship was never launched again, and treacherous Diamond Shoals was without a lightship for several years.

Severe both on and offshore, the storm caused damage at least from Charleston to Baltimore, including "...considerable mischief..." at and near Wilmington, and extending inland as far as Winston-Salem.

August 15-17, 1830

The first effects of this storm were felt on the North Carolina coast on the 15th, although it was severe at Charleston, S. C. on the 16th and at New York on the 17th. At New Bern all vessels were blown from their moorings and many damaged. At Wilmington "...the water in the river rose, it is said, higher than known for 20 years " and there was much wind damage in town. The storm was..."terrible"... at Smithville (Southport).

Many vessels were driven ashore on the south coast. Recently constructed jetties, presumably near Wilmington or Smithville (Southport) were swept away.

In the Edenton area damage was mostly to crops.

September 4, 1834

A small hurricane came inland near the North Carolina-South Carolina line. Wilmington received the full brunt of the storm. Very heavy rains inland produced heavy flooding on the Cape Fear and Neuse Rivers and the wind blew down trees in central North Carolina.

August 18-20, 1837

The following information from the press, mostly from the Wilmington Advertiser: "On the afternoon of Friday, the 18th, the wind shifted to the northeast...before midnight the storm increased...uprooted trees, streets washed into gullies, roads obstructed and bridges carried out...two new inlets are formed opposite M'Rae's of Peden Sound."

"The community and neighboring country have suffered from a storm which we fear has been felt throughout the country." On Friday the 18th, easterly winds and heavy rains...during the night, northeasterly winds and very heavy rain. Before midnight the wind had become ruinous...not a bridge standing between Wilmington and Waynesborough

(Goldsboro) except over Smith's Creek. A bridge three miles south of Washington, N. C. was swept away, as were most of the water mills in the area. A brig was driven ashore at Smithville (Southport).

"The gale was certainly the most violent we have ever witnessed and the quantity of water...greater than has ever been known."

"The storm was less severe at Charleston and Norfolk than at Wilmington. The Northeast (Cape Fear) River...has been four feet higher than ever known to be."

October 9, 1837

A hurricane known as "Racer's Storm", whose history can be traced from near Jamaica across the Yucatan Peninsula to the Texas coast, thence back eastward across the Gulf States to the Atlantic, lay offshore near the North Carolina coast on October 9.

Off the North Carolina coast it destroyed the passenger steamboat Home, bound from New York to Charleston, with the loss of about 90 of its 130 passengers and crew. At least two other vessels were lost: the Home was wrecked at Ocracoke, the Cumberland at Core Bank, and the Enterprise at Bodie Island.

October 29, 1837

Another severe storm is listed for this month, reported felt at Hatteras on this date. There is no information on its force or damage.

August 28-30, 1839

A hurricane moved up the Atlantic Coastal waters, apparently passing just offshore from Hatteras. Trees were blown down and bridges washed out in the Elizabeth City area, and 15 vessels at Ocracoke only three escaped damage. Winds of tremendous force were reported at Washington, N. C.

July 12-15, 1842

A very destructive hurricane swept the entire North Carolina coast, apparently with the most force in the Ocracoke-Portsmouth area. Many ships are believed to have been lost and many persons drowned, but in most of these cases there is no record as to names of ships or persons.

Many houses were wrecked and washed away, and many livestock on the Outer Banks drowned. For destruction affecting the inhabitants of the Banks, this is believed to have been one of the most severe storms of history.

August 24, 1842

A hurricane of similar severity to that of July struck about the same area, causing the known loss of three ships and eight persons. The brig Kilgore was wrecked at Currituck, the Pioneer at Ocracoke and the Congress at Cape Hatteras.

September 7-8, 1846

A hurricane moving up from the south had apparently approached slowly, and the long northeasterly fetch had piled up an unusual amount of water into the Sounds. Then on September 7 about 11 AM, the wind shifted and came from the southwest, piling the waters onto the Banks and sweeping them back over the Ocean. Thus were created the present Hatteras and Oregon Inlets, the former on the night of September 7 and latter on September 8. The schooner Mary Anna was lost off Hatteras on September 8.

October 12, 1846

The Great Hurricane of 1846 struck the Florida Keys with great violence and then moved up inland across central North Carolina. There is no information on damage in the state, but some must have occurred inland as the storm passed, since it later did extensive damage at Baltimore, Philadelphia and New York.

July 18, 1850

Dispatchers from Wilmington and Elizabeth City mentioned a "tremendous storm" and "great damage" from a storm which later hit New England.

August 24, 1850

A severe gale from this storm was reported in Wilmington, where the damage to the town itself was apparently light. However, the railroad bridge over Quankey Creek was "...lifted and thrown down by the wind". Much corn was blown down.

The schooner H. Wescott was driven ashore in the gale at the entrance to Cape Fear. A pilot boat sank after colliding with a steamer in the gale near Smithville (Southport).

August 23-27, 1851

Having moved northward from Florida, this storm caused gales on at least the southern portion of the North Carolina coast.

September 7, 1853

First detected in the Cape Verde Islands area on August 30, the path of this storm can be traced through September 11. After following a path toward the northwest through the tropical Atlantic, the center recurved toward the north on the 6th near 30°N, passed off Cape Hatteras on the 7th, and then moved off toward the northeast.

Very heavy rains occurred in at least the southern coastal section of North Carolina and a brig was lost off Cape Hatteras on the 7th.

September 7-9, 1854

A very destructive hurricane swept the Atlantic Coast from Florida to New York. It caused much damage and gave extraordinarily high tides at Charleston on the 7th and was felt at Norfolk on the 9th. Presumably this storm raked the North Carolina coast principally on the 8th.

September 4-5, 1856

A "perfect tempest" accompanied this hurricane in the Wilmington area, where the wind blew hard from the north or northeast for about two days and then veered to south or southwest.

There was considerable damage to crops, especially rice. At that time Wrightsville Beach was said to have been one-half mile wide and covered with live oak trees. Water swept across Wrightsville, washing away most of the oaks (the remainder died within a few days) and sweeping debris across the Sound unto the mainland. Breakers, it is told, beat on areas one-half mile inland from the Sound and at an elevation of 30 feet.

September 9-12, 1857

Newspaper accounts credit this hurricane with being one of the most violent in recent years and state that it was most severely felt near Cape Hatteras on the 9th and 10th and other parts of the North Carolina coast on the 11th and 12th. Several ships were lost.

At Wilmington the storm was quite violent as was the case at New Bern, where the tide rose above the wharves and into the streets. Even though merchants moved their goods to upper store rooms, the height of the tide was such that barrels of turpentine and other goods drifted into the streets.

November 1-(date unknown), 1861

Seventy-five vessels, up to that time the largest fleet ever assembled under a U. S. commander, were scattered by a terrific gale encountered off Cape Hatteras. At least two vessels sank and at least seven men drowned. One or more vessels was wrecked and salvaged by Confederates. The strong winds associated with this storm apparently lasted several days.

August 18-22, 1871

The effects of this storm were prolonged, lasting in the southern coastal areas from the 18th until the 22nd. Very high tides began in the Wilmington area on the 18th and heavy rains and strong winds began on the 19th, lasting until the 22nd. The winds were most severe at Smithville (Southport) on the night of the 19th (Saturday), rocking houses and throwing down large trees. Two little schooners were capsized and sunk near Smithville (Southport).

October 25, 1872

A storm moved out of the Gulf of Mexico directly across Florida at Jacksonville, thence back inland near Charleston and northward across North Carolina east of Raleigh. Winds of gale force occurred over a considerable area and very heavy rains ranging from four to eight inches fell at Weldon, Tarboro and Norfolk, Va.

September 19-20 and 23-24, 1873

Two storms of similar paths passed in rapid succession through the coastal waters of North Carolina. Both originated in the Gulf of Mexico, moved across Florida and passed near Cape Fear and Cape Hatteras. Neither seems to have had any direct severe effect on the state, but, perhaps as forerunner of the storm which passed near Cape Fear on the night of the 19-20th, a severe squall, with indications of tornadoes, struck near Wilmington during the very early morning of the 19th. At Wrightsville Sound, where a "perfect hurricane" blew for an hour, it was the "severest ever experienced".

September 28, 1874

The center of this hurricane passed just east of Charleston and west of Wilmington and Norfolk, Va. Highest winds (maximum velocity) at Wilmington were southeast 45 mph then southwest 50 mph and at Cape Hatteras southeast 75 mph. The destruction was very great in the Wilmington area, with large trees uprooted and carried a considerable distance. At places along Water Street the waves on the Cape Fear River were above the wharf. At Smithville (Southport) the storm was reported very disastrous, with several houses blown down, the warehouses on the garrison wharf completely destroyed, and the

Oceanhouse demolished. The Spanish barque "Arrina" was blown over in ten fathoms of water. Telegraph lines and several railroad bridges were destroyed, and the corner of the new post office blown down. One-third of the rice crop along the river was damaged.

November 10, 1875

A tropical storm moved from the Gulf of Mexico, passing through an inland path from just west of Wilmington to Elizabeth City. Severe gales occurred on the Atlantic Coast. At Wilmington the weather was "extremely bad". Heavy rains fell, causing a considerable rise in the Cape Fear River.

September 17, 1876

A severe hurricane struck the coast near the North Carolina-South Carolina line and followed a northward path similar to that of Hurricane Hazel (1954). It was not, however, as destructive as Hazel, especially inland. The anemometers at Wilmington and Cape Hatteras were disabled after indicating north 60 and southwest 73 mph respectively. The British bark "Excelsior" was driven ashore two miles below Wilmington. The military camp at New River was destroyed and two men drowned. At Wilmington, where the full fury of the storm struck very early in the morning, it was the most fearful in many years. Trees were uprooted, buildings were shaken and uprooted. A bridge on Market Street was washed away. Two box cars and a shed were said to have been driven uphill by the wind. Water rose "unprecedentedly" high in the sounds, "flooding everything in reach". Marsh hens were driven inland and many killed with sticks; some took refuge in houses. There was great damage at Masonboro Sound, Wrightsville, Smithville (Southport) and Brunswick. Many ships were lost. Captain C. C. Morse at Wrightsville lost 1400 terrapins.

September 29, 1877

Meteorological reports track this storm along a typical path considerably offshore from Wilmington to Hatteras. Owing to a slow rate of movement it was severely felt from Cape Lookout to Cape Henry, where steady northeast gales and high seas persisted. News accounts said that the path was similar to that of the storm of September 16-19, 1876. In the Wilmington area, heavy rains began on the morning of the 27th and continued at least until the 29th; the gales in this area blew with considerably severity on the night of the 28th. All roads in the area were flooded and streams greatly swollen.

October 3-4, 1877

Believed to have been the same storm observed over St. Vincent and Grenada on September 21st, this long-lived and violent hurricane crossed the Gulf of Mexico and moved inland near New Orleans October 2. It moved northeastward across North Carolina just east of the mountains, causing a terrific storm in the vicinity of the Albemarle Sound. The atten-

dant floods carried away all bridges and wharves in that area and seriously damaged crops remaining in fields. The steamship Magnolia foundered off Hatteras, and ships were wrecked all along the Atlantic coast northward to New England.

September 12, 1878

This hurricane moved almost due north from Florida Keys to Lake Erie. A great many ships were disabled and wrecked. The steamer City of New York reported the hurricane lasted 40 hours between Cape Hatteras and Charleston. Highest reported winds were as follows: Smithville (Southport) southeast 48 mph, Wilmington southeast 30 mph, Sloop Point 65 mph and Cape Lookout southeast 75 mph.

October 23, 1878 ("MAJOR")

After crossing Cuba on the 21st and moving generally northward, this hurricane moved inland between Wilmington and Morehead City. The storm was very severe at sea and struck the Outer Banks with full hurricane force. Maximum winds of 100 mph were recorded at Cape Lookout and 82 mph at Portsmouth, both from the southeast. On the coast of the mainland winds apparently were much lighter; the maximum registered at Smithville (Southport) was 32 mph from the east and at Wilmington 36 mph from the northwest. The steamer City of Houston was lost on Frying Pan Shoals and a great many ships were damaged or lost in the storm all along the coast.

August 18, 1879 ("EXTREME")

A severe hurricane, charted from a position over the Bahamas on the 17th on a typical coastwise path to a position off Eastport, Maine, on the 19th.

Although the center was plotted as passing inland near Wilmington and back out to sea near Norfolk, Va. winds were highest at Cape Lookout. At 6 am the anemometer cups were blown away when indicating 138 mph and the wind was afterward estimated to have reaches 168 mph. Anemometers were also destroyed at Hatteras, Fort Macon, Kitty Hawk, Portsmouth and Cape Henry, with speeds estimated at 100 mph or more. A ship report indicated waves forty feet high from the trough to the crest. This storm was perhaps most destructive in the Morehead City-Beaufort area, where damage is reported to have included two hotels destroyed, the Atlantic and Ocean View, and 1000 feet of railroad track torn up. All wharves were washed away and the chimneys of most houses were blown away. One schooner is known to have been wrecked on Cape Hatteras and wrecks of others were said to have been in view from near Beaufort. On the Outer Banks, the storm caused great destruction at Diamond City, which was near Cape Lookout.

August 27, 1881

Although not of extraordinary intensity according to meteorological reports from North Carolina stations (maximum wind reported at Smithville (Southport) east 50 mph, at Fort Macon 38 mph) this storm must have been of tremendous size and intensity at sea. It was reported from Morehead City that the skies were blackened with sea birds moving inland thirty hours in advance of the storm, and that the fish also retreated inland, passing up the Newport River in such numbers that they became so wedged in the following day "...that they could not move either up or down". This fishy story is from the Report of the Chief Signal Officer; the original source is not given.

Heavy losses of life and property were reported on the Georgia and South Carolina coast, and considerable damage along the southern part of North Carolina coast. The storm center moved inland near Savannah, where maximum winds of 60 mph were recorded, and continued as an identifiable low pressure area westward to Memphis and up the Mississippi River Valley into Canada.

September 9, 1881

The center of this severe hurricane moved northward across Wilmington-Wrightsville Beach area about 1 pm, and proceeded slowly northward to near Norfolk, Va. and then northeast out to sea. Maximum five-minute wind recorded at Smithville (Southport) was northeast 60 mph. At Smithville (Southport) it was reported as the most violent storm in 50 years, with the town "covered with fallen trees, scattered fences and the debris of demolished buildings.

" All pilot boats in the harbor were sunk, and loaded vessels driven ashore." At Wrightsville the tide "marked a height never before witnessed", water washed over the turnpike, carrying large quantities of earth out to sea making the road impassable; some bath houses were washed away and others destroyed. The wind blew with extreme violence, shifting from easterly through south to westerly around noon "blowing with redoubled fury, crushing buildings and tearing up the largest trees." At Wilmington the wind recorder had been indicating a speed of 90 mph for four minutes when the anemometer wires broke. It was considered the most severe storm there since 1822 and 1838, and property damage was estimated at \$100,000, a considerable sum in those days.

September 10-11, 1882

A tropical cyclone moved across Cuba to the central Gulf of Mexico then turned to a northeasterly movement. It crossed central Georgia and western sections of South Carolina on the 10th and entered North Carolina near Charlotte on the 11th. The storm continued moving northeast and moved offshore near the lower end of the Chesapeake Bay.

Newspaper articles on this storm were mainly for coastal southeast North Carolina. On Sunday the 10th the weather was described as "extremely disagreeing" and caused many people to passing up going to church. At Wrightsville Beach and Masonboro Sound the wind blew quite a gale, heavy rain fell and the tide was quite high. At Topsail Beach a cyclone (possible tornado) destroyed two houses and damage to crops, trees, fences and other property was considerable. At Middle Sound (near Wilmington) the gale caused great destruction to trees and fences and fallen trees blocked roads. At Smithville (Southport) there was a series of storms with wind and rain of short duration. On Monday Wilmington had quite windy weather with threatening skies with the barometer falling rapidly during the afternoon.

September 21-23, 1882

A tropical storm formed near the northern Bahama Islands and moved north. The storm moved into North Carolina near Cape Lookout on the 22nd then moved into the Chesapeake Bay before moving out to sea on the 23rd.

Newspaper articles on this storm were few. On Friday the 22nd the storm signal was flying. The weather had quite a stormy appearance. A gentleman from one of the sounds (Wilmington area) reported that geese had taken refuge on the sounds; a sure sign of a storm on the coast. The heaviest rainstorm since 1842 fell at Tarboro in the northern coastal plain.

The storm caused immense damage to crops. Bridges were swept away and the Wilmington and Weldon railroads suffered extensive damage. A train ran into a washout and was smashed, seriously injuring the express messenger. Rainfall in a few hours totaled 7.70 inches.

October 11-13, 1882

A tropical cyclone moved over western Cuba to northern Florida on the 11th and moved across southeast Georgia out to sea. The storm moved parallel to the southeast coast of North Carolina on the 12th and moved well out to sea on the 13th.

Newspaper articles on this storm were primarily for the Wilmington area. On Wednesday the 11th rain poured in torrents for a good portion of the day. A hurricane in south Georgia was expected to make landfall at Wilmington. The storm signal was raised early in the day and shipping was warned to prepare for a gale.

Rainfall for 24-hours at the Signal Office Wilmington was 4.30 inches. The gale though not amounting to a cyclone (hurricane) was pretty severe Wednesday night. Wilmington reported wind 26 mph (5-minute average), Smithville (Southport) 35 mph and Fort Macon 42 mph. The Signal Service line between Wilmington and Fort Macon was down but up again on Thursday.

September 11, 1883 ("MAJOR")

First identified at Martinique on the 4th, this hurricane moved steadily on a curved path northwest, swinging north, and passed inland near Smithville (Southport) on the 11th. Maximum winds at Smithville (Southport) were from the southeast at 93 mph at 820 AM EST. Newspaper accounts stated that the wind blew at a speed of 81 mph for seven hours. Many fences and buildings of light construction were destroyed and trees uprooted. Telegraph and telephone lines were blown down. Leaves on trees afterward looked as if frostbitten, due to the effect of salt spray. The damage at Smithville (Southport) was reported at \$8,000 to \$10,000, but this evidently did not include many vessels which broke from their moorings and were driven ashore in the vicinity. The storm was reported very disastrous to vessels between Hatteras and Wilmington, with much wreckage drifting onto shore near Wilmington. The land on the western side of the Cape Fear River was reported "flooded by the immense body of water driven up the river". Considerable crop damage due to violent wind and rain was reported as far inland as Harnett County. There were 53 deaths in North Carolina.

August 25, 1885 ("EXTREME")

Discovered in the Bahamas on the 23rd, this severe hurricane moved inland near Savannah and passed across North Carolina just west of Wilmington and Hatteras. Maximum 5-minute winds of 98 mph were recorded at Smithville, 92 mph at Fort Macon and 52 mph at Wilmington and Hatteras, all from the south or southwest. At Smithville (Southport) the anemometer was blown away at 515 PM with the 98 mph wind, and winds were estimated to have reached 125 mph during the next half hour. The damage at Smithville (Southport) was estimated at over \$100,000, while that at Charleston, S. C. was estimated at \$1,690,000. The storm was severe in Wilmington and there was considerable damage to property at Morehead City. As a result of this destructive storm it was proposed that a weather reporting network be set up in the West Indies and Mexico.

October 12, 1885

A disturbance initially observed southwest of Florida on the morning of the 10th strengthened and moved slowly north through that state, passing west of Jacksonville and Savannah, reaching southwestern Virginia about midnight of the 12th. Northeasterly to southeasterly gales resulted all along the North Carolina coast, giving maximum velocities from 44 to 56 mph. High tides at Smithville (Southport) submerged the entire waterfront and flooded a few stores. At both Wilmington and Smithville (Southport) the tide was reported as the highest in ten years. Some flooding occurred in New Bern. A schooner was wrecked at Hatteras Inlet.

June 19-20, 1886

Although it struck land in northwest Florida, this hurricane retained much force as it moved northeast just east of the North Carolina mountains causing heavy rains and widespread squally weather throughout the state. "Dangerous winds" were reported offshore. The highest wind recorded on land was 40 mph from the northeast at Kitty Hawk.

June 30-July 1, 1886

Being quite similar to the previous case, this hurricane retained considerable strength as it moved over land from northwest Florida to North Carolina, this time through the piedmont. Heavy rains and gales occurred. A maximum wind of 47 mph from the northeast was recorded at Fort Macon on June 30, and of 42 mph from the southeast at Kitty Hawk on July 1.

August 20, 1887

Damage was heavy from this severe hurricane which was first spotted several hundred miles northeast of Puerto Rico on the 16th, then moved rapidly along practically the classic path, passing east of Hatteras on the 20th. Maximum five-minute wind was 82 mph at Hatteras. The storm was said to have been severe in the Pamlico Sound area, where many vessels were lost and houses blown down. News dispatches indicated that "The storm of Saturday did great damage to the coast." The anemometer blew away at Kitty Hawk, where the observer stated that the fury of the storm was indescribable. As was usually the case when a hurricane struck or passed nearby, the Outer Banks telegraph line was damaged, so that little or no information came from that area for at least several days.

Another storm followed nearly the same path a few days later, but lay somewhat farther offshore and so had much less effect on land areas.

October 20, 1887

This hurricane which moved inland on the Gulf coast near New Orleans swept across Georgia and the Carolinas and then out to sea. Damage in North Carolina, if any was likely slight.

October 31, 1887

Increasing in intensity after crossing the Florida Peninsula from the Gulf of Mexico on the 29th, this storm moved northeast at some distance Off the Atlantic Coast, "accompanied by heavy gales, especially on the coasts of North Carolina and Virginia". The wind reached a velocity of 70 mph at Kitty Hawk, with heavy rain; telegraph poles were blown down on the Outer Banks.

October 11, 1888

A hurricane first noted in the eastern Gulf of Mexico on the 10th moved rather rapidly northeast, crossing North Carolina just west of a Wilmington-Norfolk line. In spite of the inland path, the storm produced a maximum 5-minute wind of 60 mph at Wilmington on the 11th and was "attended during the 11th and 12th by a destructive hurricane over the adjacent ocean".

November 25, 1888

A disturbance moved with increasing force from several hundred miles east northeast of Puerto Rico on the 17th to the Bahamas on the 22nd, then turned northeast and passed off Hatteras at a distance of one or two hundred miles on the 25th. In spite of the distance offshore, the maximum 5-minute wind at Hatteras was 66 mph on the 25th, and at Norfolk 50 mph on the 26th. Some damage was reported to shipping off the North Carolina coast, and at Norfolk high tides were reported as flooding the lower part of the city, with very destructive winds, telegraph lines blown down, and vessels blown from moorings.

September 9-12, 1889

Believed to have originated about September 1st to the east of the Windward Islands, the center of this hurricane was near Puerto Rico on the 5th and moved to a position off the Virginia Capes about the 10th, where it stagnated for several days. Most of the force of the storm was felt from Virginia to New York, where it was very destructive but gales and unusually high tides and swells were reported along the northern half of the North Carolina coast. At Nags Head the storm was said to have been severe but no great damage was done except for cutting of a new (or re-opening of an old) inlet. Communications lines to Hatteras were down.

September 24, 1889

A hurricane moved inland on the Gulf coast on the 22nd and passed northeast across western North Carolina on the 24th. This must have been a very large storm, as it caused southeasterly gales along the south Atlantic Coast. Cautionary signals were ordered at Wilmington, and a steamer arriving there reported very rough weather off Frying Pan Shoals. Winds (presumably at Frying Pan) are reported to have blown from the south southeast at 70 mph between 7 and 8 AM on the 24th.

June 16, 1893

After crossing northern Florida from the Gulf of Mexico, the center of this hurricane skirted the coast of Georgia and the Carolinas, passing out to sea again near or north of Hatteras. Winds at Southport reached a maximum velocity of 55 mph from the south. Damage was apparently light.

August 23, 1893

A hurricane advanced over the southern Atlantic to the West Indies and passed to the east of Hatteras on the 23rd, causing wind velocities of 70 mph from the northeast at Kitty Hawk and 60 mph from the north at Hatteras. No damage of consequence was reported.

August 27-29, 1893 ("Great")

Skirting the east coast of Florida and moving inland between Jacksonville and Savannah, this hurricane passed near Charlotte and then curved to the northeast. There was much destruction in the south Atlantic states. Wind velocities reached 72 mph from the south at Southport on the 28th and 50 mph from the south at Kitty Hawk on the 28th and 29th. Newspaper accounts stated the velocity was 72 mph from the south at Wilmington.

A number of ships were lost at sea off the North Carolina coast and several were wrecked on the coast in the Cape Fear area. Wrightsville Beach was generally evacuated. The following report came from Kernersville: "A terrific cyclone struck here at five o'clock this morning (the 28th). A hundred houses wrecked and a woman killed. Many were injured. Factories, stores and residences were unroofed and some were blown away." At Oxford a large brick warehouse was wrecked. These storms were probably tornadoes spawned in the fringes of the hurricane. At Wilmington, "The river tide was the highest ever known here. All the wharves being submerged, a number of vessels were wrecked on the coast." Rainfall totaling three to eight inches accompanied the hurricane over practically the entire state, with amounts up to five inches in 24 hours. 1,000 to 2,000 lives were lost in South Carolina.

October 13, 1893 ("Great")

The hurricane which passed northward across North Carolina on October 13, 1893, was similar to Hurricane Hazel of 1954, except that the path was a little more to the west and the damage not quite as severe. Crossing the South Carolina coast somewhat north of Charleston, the storm center moved directly northward, its eye passing nearly over Raleigh.

The highest reported wind in North Carolina was 94 miles per hour at Southport. In the Wilmington area, the tide and overflow of water were reported as the highest known to date, being 16 inches above the high water mark of 1853. Damage to the Wilmington waterfront was estimated at \$150,000. Great destruction was reported to forests, crops, property, and shipping. Two children were crushed when a tree fell on a house in Sampson County. A total of 22 lives were lost in North Carolina from this storm.

October 22, 1893

First spotted north of the Bahamas on the 21st, this storm of less than hurricane force moved rapidly north, passing inland somewhat west of Hatteras on the afternoon of the 22nd. The highest reported wind was 54 mph from the northeast on the 22nd at Kitty Hawk.

September 27-28, 1894

Moving in a sweeping curve across San Domingo (now the Dominican Republic), Haiti and Cuba, the hurricane center went briefly out to sea again after crossing Florida and then struck the coast between Savannah and Charleston. It moved northeastward just a short distance inland through South Carolina and southeastern North Carolina, entering the ocean again a few miles north of Hatteras. Maximum 5-minute wind velocities reached 60 miles per hour at Kitty Hawk and 54 mph at Southport from the southeast on the 27th. Schooners were reported wrecked in the Ocracoke and Cape Fear areas.

October 9-10, 1894

First noted off the coast of Panama and Colombia on the 1st and having crossed the coast of northwest Florida on the 8th, this hurricane then moved northeastward, passing across eastern North Carolina on the 9th. Although it had been over land for a few days, it retained sufficient strength to cause winds with maximum velocities of 58 mph from the southeast at Kitty Hawk on the 9th and 60 mph from the southwest at Hatteras and 58 mph from the southwest at Kitty Hawk on the 10th.

September 29, 1896

A hurricane moved north from the western tip of Cuba, entered Florida near Cross City, then continued north through the central Carolinas and central Virginia. Evidently this storm had minimum effects on North Carolina. No other data is available.

September 21-24, 1897

Although there is some doubt as to its path, the center of this tropical storm probably passed near Hatteras. Highest reported wind was 50 mph (maximum, 5-minute velocity) at Hatteras. According to ship reports the storm was very intense a short distance offshore. High winds and high water were reported at New Bern.

October 20, 1897

A rapidly moving storm of tropical origin passed northeastward just off Hatteras on this date, causing maximum winds of 44 mph at Hatteras and 60 mph at Cape Henry, Virginia. Rains of from one to seven inches fell on the North Carolina Coastal Plain, with the heaviest amounts on the immediate coast.

October 24-26, 1897

Moving northeast and well off the coast, this storm seemed to offer little threat to North Carolina on the 24th; then it took a turn to the northwest, brushed Hatteras, and moved north to a position off the Virginia Capes. Then, perhaps not content with its brief visit to North Carolina, the storm apparently turned a complete loop out in the ocean during the 25th and moved west onto the coast a little north of Hatteras by the morning of the 26th.

October 2, 1898

Although the hurricane center moved inland on the Georgia coast, it caused heavy surf far enough north to wash across Carolina Beach, destroying some property there.

August 16-18, 1899 (CAT 4)

The hurricane which moved slowly northward across the Outer Banks in the vicinity of Hatteras during August 16 - 18 was one of the most severe on record for that area.

After causing tremendous destruction and loss of life in Puerto Rico, the storm moved northward in a curving path off the south Atlantic coast. Approaching Hatteras, its forward movement slowed considerably, while at the same time it increased in strength.

By early morning of the 17th, the wind was blowing from the northeast 70 mph at Hatteras; by early afternoon it had reached 93 mph, with extreme velocities of 120 to 140 mph. The anemometer then blew away but stronger winds probably occurred. The Weather Bureau Observer at Hatteras reported that "the entire island" was covered with water to a depth of 4 to 10 feet; there were not more than four houses in which the tide did not rise to a depth of 1 to 4 feet. All fishing piers and equipment were destroyed. All bridges were swept away. A great proportion of homes on the island were damaged. About ten vessels, including a large steamship, were wrecked. There was much destruction at Diamond City, which was located in the vicinity of Cape Lookout.

Flooding of much of the coastal areas and strong winds and heavy rains inland as far as Raleigh did great damage to crops.

It was reported that it was impossible to estimate the damage in dollars and cents. A number of lives were lost, the estimate being slightly under 25.

October 30-31, 1899 (CAT 2)

Following almost exactly the same path as that taken by Hazel 55 years later, the hurricane which struck the North Carolina Coast on the morning of October 31, 1899, caused great destruction and damage.

After forming in the Caribbean Sea on the 28th, the storm moved north, passing over Cuba and then up to the Carolina coast. The point where the center crossed is unknown, but from the behavior of the winds at coastal and inland points and from the fact the tides were very high at Wrightsville Beach, the center probably hit the coast somewhere below Wrightsville Beach, then moved across the state, very likely passing somewhat east of Raleigh.

Highest wind reported was 72 mph (sustained 5-minute velocity) at Kitty Hawk, but sustained winds of 40 mph were reported inland to the center of the state. At Wrightsville Beach, water was reported as 8 feet above normal high tide and 2 feet higher than in the August hurricane "or ever before". Water came over the wharves in Wilmington and flooded some streets and there was much flooding and damage in New Bern, Morehead City and Beaufort. At Southport, it was "the worst storm ever". One steamer was wrecked on the coast and ten smaller vessels were driven ashore. Inland, many trees were uprooted.

One person was reported killed and damage was conservatively estimated as more than \$200,000.

TWENTIETH CENTURY

October 13, 1900 (CAT 1)

A disturbance of less than hurricane strength passed northward across Florida, entering the Atlantic again near Jacksonville. It struck land again on the North Carolina coast near Hatteras. There are no records of damage or unusually strong winds in the state.

July 11, 1901 (CAT 1)

Although not severe in the Caribbean area where it formed, this hurricane strengthened rapidly as it moved northward off the south Atlantic coast. When it reached the latitude of North Carolina, it abruptly changed course, turned toward the west and moved inland.

No record of damages. Highest wind (maximum velocity) was 62 mph from the west at Hatteras.

September 15, 1903 (CAT 1)

The origin and intensity of this storm is somewhat obscure, but it probably advanced northwestward from the subtropical ocean south of Bermuda. Recurving near 35°N, the center passed east of Hatteras. Winds on the 15th reached maximum velocities of 60 mph, northwest, at Hatteras and 72 mph, east, at Kitty Hawk. News dispatches in North Carolina papers stated that the storm was disastrous in Florida and very bad in Delaware. Lack of damage reports from North Carolina may have been due to failure of communications on the Outer Banks, which frequently occurred during storms.

September 14, 1904 (CAT 1)

Having formed over the tropical Atlantic Ocean, this hurricane gathered force north of the West Indies and moved northwestward, passed inland somewhere between Charleston, South Carolina and the North Carolina border, then crossed the eastern section of the state and re-entered the ocean near Norfolk, Virginia. Maximum velocity (wind) reported in North Carolina was southwest 51 mph at Hatteras. Wind and rain did considerable damage to crops in eastern and central North Carolina. Apparently the storm gained additional strength as it moved northward along the Middle Atlantic Coast, where winds were reported as high as 100 mph. Severe storms or "cyclones" were reported at Mt. Olive, Faison and Durham along with considerable damage and one death. These may have been tornadoes in the general hurricane circulation. Trains were halted by high water on the Neuse River.

November 13, 1904 (CAT 3)

The Caribbean Sea was the spawning ground for this hurricane, which formed on the 9th, increased in intensity and moved northward. The center passed near Cape Hatteras on the morning of the 13th, causing high winds and tides and heavy precipitation. Heavy seas pushed onshore by the storm swept away the Life-Saving station at New Inlet, drowning four of the men stationed there. Four lives were lost in the wreck of the Schooner Missouri near Washington, N.C.; two schooners were wrecked near Cape Fear. Several persons drowned on Hatteras Island when their fishing lodge was washed away. Eight men drowned when a yacht foundered in one of the sounds. The storm was reported to be very severe at Fort Caswell. Hatteras reported the strongest wind in the storm, a maximum velocity of 68 mph from the southwest. Cold air from the north was pulled into the western portion of the general storm circulation, causing an early snowstorm over much of the state.

September 17, 1906 (CAT 3)

There was considerable damage to shipping along the coast from Charleston to Wilmington. As this hurricane approached the coast from the east-southeast, the center moved inland probably a little south of Myrtle Beach, S.C. Winds reached maximum velocities of 50 mph, northeast, at Wilmington on the 17th. Cottages, a hotel and other property were damaged at Wrightsville Beach as breakers swept across the island and sound and rolled "high up on the Mainland". The trolley car trestle to Wrightsville gave way. There was some damage at Southport and Carolina Beach. Estimated sea level pressure at Cape Fear was 27.90 inches.

July 30, 1908 (CAT 1)

After skirting the east coast of Florida, and moving northeastward in a curved path off the coasts of Georgia and the Carolinas, the center of this hurricane passed somewhat east of Hatteras. Highest reported wind (maximum velocity) was 58 mph at Hatteras, but apparently the storm piled-up considerable water on the North Carolina coast to the south of Hatteras. This, combined with torrential downpours (10.73 inches in 72 hours at New Bern and 9 inches at Kinston) caused much flooding in the eastern counties. Wind driven water covered Wrightsville Beach (which had been evacuated) and destroyed considerable property. Damage was "immense", but no injuries or fatalities were reported. At New Bern, this was the "worst storm in history". This "great storm" raged over all of eastern North Carolina and the extensive flooding brought all forms of travel to a standstill.

August 31-September 1, 1908 (CAT 1)

The storm center was apparently close to Hatteras on the morning of September 1, having approached from the south. It was reported to have caused abnormally high tide at Wrightsville Beach. No sustained winds of more than 50 mph were reported. Flooding on the lower Cape Fear at this time, due to heavy rainfall several days earlier and probably aggravated by the storm tides, was "by far the worst flooding in history".

October 19-20, 1910 (CAT 1)

A hurricane of considerable intensity when it struck Cuba and crossed the Florida Peninsula in mid-October retained sufficient force as it passed northeastward off the Carolina coast to cause unusually high tides in the Wilmington area. The maximum wind was only 24 mph there, but seas caused some damage on the beaches, including the partial destruction of a steel pier.

September 3, 1913 (CAT 1)

After moving from a location northeast of the Bahama Islands to off the North Carolina coast, this severe hurricane turned toward the west and moved inland between Hatteras and Beaufort early on September 3, passing south of Raleigh that afternoon. Highest wind reported was southeast 74 mph (maximum velocity) at Hatteras.

There was great damage to property and crops over the eastern portion of the state, especially the Pamlico Sound area, due to high water from the sound. The greatest losses were in the vicinity of Washington and New Bern, where wind-driven water was said to have risen 10 feet above previous high water marks. Large railroad bridges at Washington and New Bern were washed away. Communication lines were downed over a large area; for a time it was feared that all people on Ocracoke had perished. Crops suffered severely, with considerable wind and rain damage as far west as Durham. At Goldsboro the storm was "the worst in history"; it was very severe in Tarboro, Wilson, Farmville and Durham.

Five lives were lost; property damage was estimated at \$3,000,000.

July 14-16, 1916 (TS)

The known history of this hurricane is brief and its known path short; it was northeast of the Bahama Islands on July 12, and is charted as having moved directly northwest, across the South Carolina coast on the 14th and into the North Carolina mountains on the 15th. It exhausted itself in the mountains, causing the heaviest rainfall of record.

The greatest amount recorded was at Altapass, where 22.22 inches fell in the 24-hour period ending at 2 PM on the 16th. This was at the time the greatest 24-hour amount known for the entire United States. Landslides occurred in the mountains, killing several persons; crops, highways, bridges and railroads suffered great damage. A maximum wind of 60 mph from the east was recorded at Charlotte on the 14th. No damage of consequence occurred on the North Carolina coast.

July 19, 1916 (CAT 1)

Northward movement from the Windward Islands took this hurricane some distance off Hatteras on the 19th, causing maximum winds from the north at 50 mph. The effects of the storm on the North Carolina coast were minor.

September 6, 1916 (TS)

A tropical storm moving north from the Bahamas crossed the North Carolina coast near Southport; then continued north through the coastal plains before beginning to dissipate near the Virginia line. No other information is available on this storm.

September 22, 1920 (CAT 1)

Of obscure origin, but apparently approaching from the southeast, this was a hurricane of small diameter as it crossed the North Carolina coast during the night of the 22nd, probably passing inland between Wilmington and Morehead City. Winds were said to have reached 72 mph at the mouth of the Cape Fear River, carrying the lightship several miles west of the position where it was anchored. A steamship off the coast estimated the wind at 90 mph.

A house was blown off its foundation and demolished in Wilmington, perhaps by a small tornado spawned by the larger storm. Similar small severe windstorms were reported in Pitt County, where 1 person was killed and many injured and a number of buildings wrecked.

August 25, 1924 (CAT 1)

North Carolina felt strong fringe effects of this hurricane, which moved rapidly north northeast from the Bahamas and passed just east of Hatteras during the evening of the 25th. The highest reported winds were at Hatteras, where a maximum velocity of 74 mph from the northwest was recorded. Damage to the coast was apparently light, but two drownings were reported. Ocracoke was partially inundated by the high water.

December 2, 1925 (CAT 1)

The path of this hurricane took it from the Caribbean Sea across southern Florida and then north northeast along the coast to North Carolina, where it moved inland between Wilmington and Hatteras about 6 PM on December 2nd.

After passing through the northern coastal counties, the storm center moved out to sea again near Cape Henry, Va. Hatteras reported a maximum velocity of 62 mph from the west. Damage was considered to be slight. It is rare for a true hurricane to occur so late in the year.

September 18-19, 1928 (CAT 1)

Although this severe hurricane caused much destruction and more than 1800 fatalities as it moved north through Florida, it lost much of its wind force as it passed through coastal Georgia and South Carolina and into eastern North Carolina. However, it caused very heavy rains in North Carolina. Resulting floods were severe and the highest on record on

at least parts of the Cape Fear River. At Fayetteville, where the bankful stage is 35 feet, the river reached a height of 64.7 feet; at Elizabethtown, the river rose to 41.3 feet compared to a bankful stage of 20 feet. Flooding at Lumberton was "the worst in history". Many highways were closed due to flooding and washouts of roads and bridges.

October 1-2, 1929 (CAT 1)

Following a prolonged and erratic journey which included slow westward movement through the Bahamas and the Florida Straits, this hurricane turned northeast and struck land near Panama City, Florida, late on September 30th, from which point it recurved toward the northeast. As was the case in the previous year, the storm weakened greatly in wind force as it moved inland, coming into North Carolina from the southwest, causing very heavy rains and severe floods. Stages on the Cape Fear River were almost as high as the record set the previous year. At Fayetteville, the river rose 41 feet in a 24-hour period. Rainfall was "record breaking" and caused thousands of dollars damage to roads, crops and businesses. North Carolina "floundered in flood".

September 12, 1930 (CAT 1)

The "Santo Domingo Hurricane", so called from its passage directly across that city early in its path, swept through Haiti and along the entire length of Cuba. The storm then turned northeast and passed across the Florida Peninsula, its center moving through the offshore waters of the North Carolina coast on September 12. Maximum winds at Hatteras were from the north at 60 mph, and two ships off Diamond Shoals reported hurricane force winds. Scattered minor wind damage was reported from Atlantic Beach to Hatteras.

August 22-23, 1933 (CAT 2)

This hurricane originated well to the east of the Windward Islands and after a long journey over the Atlantic Ocean it crossed the North Carolina coast moving from the southeast. The center passed almost directly over Cape Hatteras, where the maximum wind velocity was 64 mph. There was "great damage" in northeast North Carolina, due to "severe gales and high tides, largely the latter". Many localities were swept by the "worst gale in years". Tides rose several feet above normal in Norfolk. There was considerable crop damage as far inland as Granville County. Storm damage was estimated at \$250,000.

September 15-16, 1933 (CAT 3)

A hurricane which formed near the Leeward Islands on the 10th moved northwest and then north, increasing in intensity and striking the coast a little west of Hatteras about 8 AM on the 16th. The maximum wind velocity was 76 mph, estimated because a portion of the anemometer had blown away. Winds were estimated up 125 mph in New Bern and Beaufort. Damage was heavy from a short distance south of New Bern to the Virginia line. Wind and high water did great damage at New Bern where water reached a height of 3 to

4 feet in some streets, said to be 2 feet higher than the previous record which occurred in September 1913. Old residents in Beaufort said the storm was the worst they had ever experienced. Up to 13 inches of rain fell on the Outer Banks.

At least 21 lives were lost and damage totaled at \$3,000,000. High winds and waves and piling up of water in the Pamlico and Albemarle Sounds, caused the deaths and left hundreds without food or shelter. It was reported that in several coastal towns hardly a building was standing.

September 8, 1934 (CAT 1)

This hurricane moved up from the south and passed over or slightly east of Cape Hatteras, causing a maximum wind velocity of 65 mph at Hatteras. There was no known loss of life; and damage was apparently slight. Rains of up to 10 inches fell in the Beaufort area.

September 5-6, 1935 (TS)

This hurricane was known as the "great labor day hurricane" but evidently had minimum effect on North Carolina. The hurricane dates ranged from the 29th of August to September 10th. The hurricane crossed the Bahamas; then moved up the west coast of Florida north into central portions of the Carolinas before moving out to sea near the Virginia Capes. No additional information is available.

September 18, 1936 (CAT 2)

This was one of the most severe hurricanes on record at Hatteras, where it caused an average 5-minute wind speed of 80 mph, with gusts much higher. Winds of 90 mph were reported at Manteo. Since the storm center passed over or slightly east of Hatteras, damage was confined principally to the northern half of the coast and was estimated at \$25,000 to roads and bridges and \$30,000 to buildings and piers. Damage to crops was heavy. The highway from Currituck to Norfolk was washed out. There was some damage in Elizabeth City. Tides were very high at Manteo and Hatteras. About 35 feet of beach was cut away at Nags Head.

September 21, 1938 (CAT 1)

"The Great New England Hurricane of 1938" passed north a short distance off Hatteras on September 21, causing maximum winds from the northwest at 61 mph. Heavy rains fell on eastern North Carolina from the 16th through the 21st, gales, rough seas and high tides affected the northern coast as the hurricane passed.

Another low pressure storm following one of the typical hurricane paths from the Yucatan across Florida and passing up the Carolina coasts on September 29 was apparently not of great intensity nor of clearly tropical character. A similar storm followed a nearly similar path late October, passing just inland of Hatteras on the 24th.

August 11-17, 1940 (CAT 1)

A severe hurricane which drove inland at Savannah the 11th drifted in a horseshoe pattern over the North Carolina mountains and back out to sea north of Hatteras on the 17th. The winds gradually subsided, but torrential rains fell for several days over North Carolina, causing one of the most serious general river flood situations in the history of the State. Wind damage was negligible in North Carolina.

August 1, 1944 (CAT 1)

A hurricane formed east of the Bahamas on July 30, then moved northwest over open water until it struck the North Carolina coast in the vicinity of Southport about 8 PM on August 1.

The storm was of small diameter. At Oak Island, where the wind indicator failed, the wind was estimated at 80 mph. Wilmington reported an extreme one-minute velocity of 52 mph with gusts to 72 mph.

Damage at Carolina Beach was extensive, and was due mainly to the unusually high tide and heavy seas washing the beach and battering to pieces or undermining many dwellings and business places. Two fishing piers were also demolished. Damage at Wrightsville Beach was less extensive, but two piers were partially wrecked and many roofs damaged. Thousands fled to Wilmington to escape the danger. In Wilmington, many roofs and windows were damaged and power and communication lines downed. In Brunswick, New Hanover, Pender and Onslow counties damage to corn was estimated at 35%, tobacco 15% and cotton 10%. Total damage was estimated at \$2,000,000. Several persons were injured but there were no fatalities and more than 10,000 people were evacuated from beach areas in advance of the storm.

September 14, 1944 (CAT 3)

The "Great Hurricane" of September 1944 caused destruction to 900 miles of the Atlantic coast from Hatteras north. Moving up from the south, the center of the hurricane passed, fortunately, a short distance east of Hatteras, causing a wind velocity of 110 mph (extreme, estimated) and the lowest barometric pressure on record at that locality to that date. Cape Henry, Va. reported a wind velocity of 134 mph (extreme) with gusts estimated to 150 mph.

Because the center passed slightly east of Hatteras, damage to the south coast was slight, but the central and northern coastal areas suffered a loss of 108 buildings destroyed and about 675 damaged, amounting to an estimated \$450,000 loss. Crop losses were estimated at \$1,000,000. There was heavy damage in Elizabeth City and the Nags Head area. Damage to property and crops west of the 77th meridian was negligible. One person was killed in North Carolina and four were injured. The Coast Guard cutters Jackson and Bedloe capsized and sank while protecting a Liberty Ship torpedoed off the North Carolina coast.

October 20, 1944 (TS)

The third tropical storm to affect North Carolina in 1944 was of minor intensity with maximum winds at Wilmington from the south at 37 mph when the storm center passed just west of there. It moved directly across the Coastal Plain to Norfolk causing up to four inches of rain but little wind damage.

June 25, 1945 (CAT 1)

After weakening as it passed across Florida from the Gulf of Mexico, this hurricane regained strength when it reached the Atlantic, but weakened again as it struck the North Carolina coast very near Hatteras about midnight June 25. The maximum wind was 52 mph from the northwest at Hatteras, with gusts to 70 mph reported from Oak Island. Rains of around eight inches fell in the southern coastal area with 8.24 inches in 18 hours at Wilmington. Wrightsville Beach and Carolina Beach were evacuated. Most coastal communication lines were down. No deaths or injuries were reported.

September 17, 1945 (CAT 1)

This severe hurricane, first noted in the Leeward Islands on September 11th, passed from south to north through Florida, then north through the central sections of South and North Carolina on the 17th. Although the force of the storm had diminished greatly before reaching North Carolina, it produced torrential rains of as much as 8 inches in the state. Having been preceded by a 3 to 5 day period of heavy rains, the hurricane's precipitation fell on ground already saturated and most of it ran off into the streams. Major flooding occurred on rivers in the eastern half of North Carolina which were already in flood state from preceding rains. The Cape Fear River reached the highest levels of record. Moncure reached 39.0 feet on the 18th (flood stage 20 feet); Fayetteville 68.9 feet on the 21st (flood stage 35 feet) and Elizabethtown 43.2 feet on the 23rd (flood stage 20 feet).

Loss of life was reported as "small", but economic losses "very large". Large areas of crop lands were flooded and water reached the eaves of many dwellings in the lower Cape Fear Basin. Small dams broke in Richmond County, resulting in flash floods of exceptional height.

July 6, 1946 (TS)

A small tropical disturbance moved north northeast along the coast of South Carolina during July 5, and passed inland over North Carolina near Wilmington early on the 6th. Winds up to 66 mph were reported at Elizabeth City, but highest winds were only 50 to 60 mph at Carolina and Wrightsville Beaches. This storm caused heavy rains in the coastal areas, ranging up to 7.84 inches at Manteo. This storm gained greater strength after moving northeast out of North Carolina.

No deaths or injuries resulted and damage was slight at Wilmington and the beach areas.

October 9, 1946 (XT)

This hurricane passed over the western tip of Cuba in a northerly direction moving into Florida around Tampa, then continued north through the central Carolinas. The storm crossed the North Carolina line just east of Charlotte, becoming extratropical, then moved northeast to the coast just south of Norfolk, VA. The storm must have had minimum effects on the state. No other information is available.

October 12-15, 1947 (CAT 1)

After striking southern Florida on October 11, this hurricane moved northeast to a point well off the South Carolina coast, then took a sharp turn to the west striking the coast near Savannah, Ga. Although the center remained well to the south of North Carolina throughout its entire life, as it headed toward Georgia wind-driven seas caused water to pile up along the South Carolina and southern portion of the North Carolina coasts. Lowlands along the North Carolina coast were flooded, waters pushed up the mouth of the Cape Fear River surging into the streets of Wilmington. Waterfront homes in Morehead City were evacuated. Rains up to 7 inches fell in a 3-day period at Hatteras and along the southeastern slopes of the mountains in southwestern North Carolina.

No deaths or injuries resulted in North Carolina; damages apparently were light.

August 24, 1949 (CAT 1)

A hurricane which formed about 300 miles north of Puerto Rico on the 21st moved first toward the west northwest, then curved north, passing directly over Diamond Shoals Lightship, off Cape Hatteras, on the 24th, then turned northeast out to sea.

The wind reached 73 mph at Hatteras and rains up to 4 inches fell in that area, but there were almost no effects a few miles inland. An estimated \$50,000 damage to property resulted, mostly in and near Buxton. Thousands of trees were broken in Buxton woods. Two deaths were attributed to the storm.

August 28, 1949 (TS)

The remnant of a hurricane which did great damage in Florida the night of August 26 passed across North Carolina from Charlotte to Winston-Salem on the 28th. Winds in this State were barely gale force, but several small tornadoes developed in the Eastern Piedmont section of North Carolina, destroying many farm buildings and a few homes. Rainfall amounts up to six inches fell in connection with the decaying hurricane, causing some of the heaviest river flooding in several years.

1950 and 1951

In each of these years tropical storms passed northward at some distance off Hatteras, having only slight effect on the North Carolina coast.

August 31, 1952 - ABLE (TS)

No hurricane had any serious wind effect on North Carolina in 1952. Hurricane Able entered the South Carolina coast on August 30 and passed through central North Carolina with greatly diminished force on the 31st, causing rains up to about 6 inches in the Piedmont and western Coastal Plain. This resulted in considerable flooding of streams and an estimated \$50,000 in damages, mostly to highway bridge approaches.

August 13, 1953 - BARBARA (CAT 1)

Hurricane Barbara formed northeast of the Bahama Islands on August 11, increased in force and moved northward to a position east of Florida on the 12th and struck the coast of North Carolina between Morehead City and Ocracoke about 10:00 PM on the 13th. After sweeping northward along the Outer Banks to near the Virginia line, the storm took a northeasterly course out to sea. Highest reported winds were gusts to 90 mph at Hatteras and Nags Head. Torrential rains fell, ranging from 6 or more inches on the coast down to a mere sprinkle 100 miles inland.

Property damage was estimated at \$100,000, mostly to coastal dwellings of poorer construction. Crop damage was an estimated \$1,000,000, mostly due to corn blown down in fields.

One death was attributed to the storm, a man having been swept from a pier at Wrightsville Beach and presumably drowned. There were two injuries.

August 30, 1954 - CAROL (CAT 2)

After forming near the northeastern Bahama Islands on August 26, hurricane Carol drifted slowly northward for several days. It then began an accelerating north-northeast movement and passed just to the east of Cape Hatteras about 9 or 10 PM on the 30th. The North

Carolina coastal areas were thus on the weaker side (the west) of the storm: highest wind speeds on land were gusts to 55 mph at Wilmington, 65 mph at Cherry Point and 90 to 100 mph at Cape Hatteras.

The effect of hurricane Carol on the North Carolina coast was not severe and the property damage at any given locality was light. Over the length of the coast, however, damage totaled an estimated quarter of a million dollars. Crop damage resulted mostly from corn and soybeans being blown down in fields. Property damage consisted mostly of fishing piers and roofs and television antennas in the coastal areas. About 1000 feet of paved highway was undermined on the Outer Banks by high tides.

There was no loss of life in North Carolina, but great destruction and 60 deaths resulted in the New England states where Carol struck on the 31st.

September 10, 1954 - EDNA (CAT 1)

Hurricane Edna followed a similar but slightly more eastward path than that of Carol. The center passed about 60 miles east of Cape Hatteras early in the night of September 10. Highest winds were around 75 mph in gusts on the Outer Banks.

The damage to North Carolina from Edna was minor but widespread in the coastal area. Television aerials, roofs and piers were damaged along most of the coastline. A section of the Outer Banks highway was washed out and the corn crop was damaged 2 to 3% over a large area. Total property damage was estimated at \$75,000 and crop damage at \$40,000. There were no deaths due to Edna in North Carolina, but as was the case with Carol, New England suffered severely when this hurricane hit that section on the 11th.

October 15, 1954 - HAZEL (CAT 4)

Hurricane Hazel, the most destructive storm in the history of North Carolina, left death and devastation in its wake from Haiti to southeast Canada. The following are excerpts from the official report of the Raleigh Weather Bureau Office concerning this storm:

The storm center entered the North Carolina coast at a point almost exactly coincident with the South Carolina line with a central pressure of somewhat lower than 28 inches of mercury at about 10 AM. From there it moved north in slightly curved path that took the center east of Whiteville and Clinton, west of Goldsboro, Wilson and Nashville, and across the Virginia line in or near Warren County, NC. about 230 PM, the lowest pressure having risen to about 28.50. The center was apparently quite large, since "eye" characteristics were reported from points ten to fifteen miles on either side of the path just described.

Wind-driven tides devastated the immediate ocean front from the South Carolina line to Cape Lookout. All traces of civilization on that portion of the immediate waterfront between the state line and Cape Fear were practically annihilated. Grass-covered dunes some 10 to 20 feet high along and behind which beach homes had been built in a con-

tinuous line five miles long simply disappeared, dunes, houses and all. The paved roadway along which the houses were built was partially washed away, partially buried beneath several feet of sand. The greater part of the material from which houses had been built was washed from one to two hundred yards back into the edge of the low-lying woods which cover the leeward side of the islands. Some of this material is identifiable as having been parts of houses, but the greater portion of it is ground to unrecognizable splinters and bits of masonry. Of the 357 buildings which existed on Long Beach, 352 were totally destroyed and the other five damaged.

Similar conditions prevailed on Holden Beach, Ocean Isle, Robinson and Colonial Beach. In most cases it is impossible to tell where the buildings stood. Where grassy dunes stood, there is now only flat, white, sandy beach.

Northeastward up the coast from Cape Fear to Cape Lookout the degree of devastation is not as great, but ocean front property is damaged an average of perhaps fifty percent along the entire stretch. North of Cape Lookout beach damage is relatively light. Tidewater rose into the lower lying portions of cities along broadmouthed rivers emptying on the coast; considerable damage was done to residential and business property in Washington, and some lesser flooding occurred in New Bern and Elizabeth City. Inland, out of reach of the rising waters, a tremendous area of North Carolina received damage from high winds. An estimated one-third of all buildings east of the 80th meridian received some damage. Roofs were the most likely hit, with damage ranging from one loose shingle or a bent TV aerial to the entire frame and cover lifted off. Radio towers, outdoor theaters and signboards were overturned, twisted, or otherwise damaged.

It is impossible to evaluate the loss of timber and shade trees. In the city of Raleigh alone, an average of two or three trees fell per block. Remarkably few fell on houses, but those few did real destruction. A dozen other cities in the eastern two-thirds of the state fared similarly, while few old country estates with orderly arrangements of oaks or elms escaped the loss of one or more.

In the forests the damage is variable, but its total is tremendous. In the worst places, hundreds of trees per mile can be counted simply in driving along the highway; most of these are uprooted and thrown flat to the ground, but many were blown down by a straight-line windstorm, while in others small-scale tornadic action is apparent. Most of the latter that we have actually seen is in the area around Goldsboro, where young pine forests are dotted with fifty-foot swaths where every tree is twisted off at ten to twenty feet above the ground.

At least ten stations in North Carolina reported the highest 24-hour rainfall amounts of record in connection with "Hazel". These record amounts ranged from around six and a half inches at Burlington, High Point and Lexington up to 9.72 inches at Carthage, located in the Sandhills. The U. S. Geological Survey reports that their special rain gage at Robbins, several miles north of Carthage, measured 11.25 inches. This gage is not a part of the Weather Bureau cooperative network. Rainfall in the eastern half of the storm was as-

tonishingly light, several stations reporting less than an inch. There are few wind records available for comparison. Wilmington, which has moved to a new location within the past few years, reports a top gust of 98 mph, fastest mile 82 mph, and maximum five minutes 61 mph, all from the southeast, at 1042 AM. The previous fastest mile at Wilmington is listed as 65 mph. At Raleigh-Durham wind speeds are indicated only by dial; this was watched closely during the height of the storm, and gusts to 90 mph were observed.

Estimates based on observation of the dial give a highest one-minute speed of 73 mph and a maximum five-minute speed of 62 mph. All these maxima were from the west northwest, and occurred between 130 and 135 PM. The previous fastest mile on record in Raleigh was 66 mph, and the maximum five-minute speed 56 mph. Winds during Hazel were estimated as high as 120 mph in gusts by observers in Goldsboro, Kinston and Faison. No barometric low pressure records are known to have been broken.

"There are nineteen known dead in North Carolina because of the hurricane; most of them were at or near the beach, but two or three were inland, dying from electrocution, falls or falling objects. An estimated 200 persons were injured. Property damage estimates are still on unofficial basis, and vary. An Associated Press survey of the beaches indicates \$36,000,000 damage on the North Carolina beach area.

The wide coverage of wind damage inland is borne out by the fact that thirty North Carolina counties report damage to school buildings. We believe that the total inland crop and property damage in North Carolina is close to \$100,000,000."

August 12, 1955 - CONNIE (CAT 3)

Hurricane Connie moved north onto the North Carolina coast very close to Cape Lookout about 830 AM on August 12. The storm center passed north through the coastal counties, passing just east of Oriental, Belhaven, Plymouth and Elizabeth City and crossing the Virginia line near Norfolk about midnight.

For several days Connie had traveled a sluggish path which, combined with the large-scale wind pattern over the North Atlantic, piled up a wall of high water along the North Carolina coast. This slow movement of the storm through the state aggravated the situation and thousands of acres of farm land were flooded, as well as low lying residential areas around the sounds. The prolonged pounding of high waves against the coast caused tremendous beach erosion estimated to have been worse than that caused by Hazel in 1954. Tides on the immediate coast from Southport to Nags Head were reported at about 7 feet above normal, while the water of the sounds and near the mouths of rivers rose an estimated 5 to 8 feet above normal.

While the hurricane was still out to sea, a tornado struck at Penderlea on the evening of August 10, destroying 5 buildings and injuring one person. Highest winds directly associated with Connie when the storm reached North Carolina were barely of hurricane force, the highest reliable report being northeast 72 mph with gusts to 83 mph at Wilmington.

This storm brought torrential rains, which ranged from around 12 inches near Morehead City down to 1 to 2 inches in the eastern Piedmont.

No deaths or injuries were directly attributable to this storm in North Carolina.

Hurricane Diane followed so closely after Connie that it was impossible to assess damage due to each storm. The official estimate of losses from the two hurricanes was 80 million dollars, including 60 million in crops (and salt water damage to crop lands) and 20 million in beach and other property damage.

August 17, 1955 - DIANE (CAT 2)

Even before the damage from hurricane Connie could be properly estimated, hurricane Diane struck North Carolina.

Hurricane Diane entered the coast near Carolina Beach about about 6 AM on August 17. The storm center then followed a nearly straight line course north northwest across Wilmington, passed west of Clinton and Raleigh, directly across Durham and thence to the Virginia line slightly west of Danville, leaving the state about 630 PM.

The highest wind reported was northeast 74 mph at Wilmington Airport. Structural damage due to wind alone was rather light, but crops previously windblown in Connie were further damaged as far west as near Raleigh.

Tides in connection with Diane were in general more severe than those with Connie, both on the ocean and in the sounds and rivers. Tides ranged from 5 to 9 feet above mean low water on the beaches and estimated 5 to 9 feet above normal in parts of the sounds and the rivers emptying into the sounds. Water was 3 feet above floor level in the business district of Belhaven, while water was "waist deep" in parts of Washington and New Bern.

Beach erosion caused by Diane was severe. Thousands of acres of farmland were again flooded with salt water. One thousand people were evacuated from low lying sections of towns on the sounds and adjoining rivers.

Heavy rains fell near the path of the storm center, amounting generally to 4 to 8 inches during the period August 15 - 18.

No deaths or injuries were officially attributed to hurricane Diane in North Carolina.

Since Diane followed Connie so closely, it was impossible to assess damage due to the individual storms. For damage estimates on the two storms, see the report on Connie, above.

September 19, 1955 - IONE (CAT 3)

The center of hurricane Ione entered the North Carolina coast from the south near Salter Path, about 10 miles west of Morehead City, about 5 AM on September 19.

Moving slowly and somewhat erratically north, the center passed a little west of Cherry Point, Oriental and Belhaven, then curved to the northeast, passing to the southeast of Elizabeth City and leaving our coast near the Virginia line very early on the 20th.

When Ione entered North Carolina, its highest winds were a little over 100 mph in gusts. The storm weakened steadily as it passed through the state; highest winds were near 70 mph when it moved out to sea. The highest sustained (one-minute) wind speed was north northeast 75 mph at Cherry Point, with gusts to 107 mph.

Structural damage due to wind alone was rare, although many roof shingles were blown off and television antennas damaged, mostly in the eastern half of the Coastal Plain. The principle damage was due to water. Since the approach of Hurricane Connie on August 10, North Carolina had been repeatedly drenched with heavy rains. More than 30 inches fell on the wettest portions of the state between the 10th and the approach of Ione; the additional 16 inches that fell on those same areas in connection with Ione brought 45-day rainfall totals up to figures without precedent in North Carolina weather history. In the 41-day period, August 11 through September 20, the cooperative weather substation at Hofmann Forest (6 miles southwest of Maysville) received a total of 48.90 inches of rain.

Approximately one-third of the unprecedented amount of rain fell in about 30 hours with hurricane Ione. At the same time, prolonged easterly winds drove tide water onto the beaches and into the sounds and their estuaries to height of 3 to 10 feet above normal. The result was inundation of the greatest area of eastern North Carolina ever known to have been flooded. At New Bern the depth of water was the greatest of record, being about 10 1/2 feet above mean low water, with 40 city blocks flooded. Thousands of acres of farmland were flooded and thousands of homes were invaded by water to depths ranging up to 4 ft. Several hundred homes were washed away.

A total of 7 deaths in North Carolina were attributed to Ione, 5 from drowning and 2 from automobile accidents brought on by flood water. Injuries from the storm were negligible.

Estimates of property damage from hurricane Ione were:

Agricultural loss	\$46,000,000
Public Utilities	1,000,000
Highways and Bridges	1,000,000
Beach Property	10,000,000
Other Property	30,000,000
TOTAL	\$88,000,000

September 26-27, 1956 - FLOSSY (XT)

Originating near Yucatan and moving north across the Gulf of Mexico, Flossy was of considerably less than hurricane force when she reached North Carolina on September 26, having crossed northwest Florida, Georgia and South Carolina on the way from the Gulf. Peak wind gusts in central and eastern North Carolina were 45 to 60 mph from the north-east, tapering off westward to 20 mph in the mountains. Rain was the most important feature of the storm in North Carolina, and this fell heaviest in the western half of the state. Coming after two months of dry weather, the rain was largely beneficial. Tides did not exceed about 5 feet, and no damage was reported from minor flooding which occurred on the Outer Banks. Crops in fields in eastern North Carolina were blown about, with some loss in quality and possibly some reduction in yield.

September 27, 1958 - HELENE (CAT 3)

Helene was one of the fiercest hurricanes of recent history as it passed just off the North Carolina coast from Wilmington to Hatteras. Fortunately, the eye of the storm remained offshore at all times. Even so, the highest winds of record were recorded at Wilmington, with peak gust at 135 mph and fastest mile 85 mph. There was some beach erosion due to seas and tides, but this was minimized by the passage of the storm at the time of astronomical low tide. Highest tides on the ocean beaches were generally estimated at three to five feet above normal. Tides were higher on the southern edge of the Pamlico Sound, where a sudden rise following the wind shift as the storm center passed brought the tides to 7 or 8 feet above normal. Structural and crop damage, due almost entirely to the high winds, was estimated at \$11,000,000. A few houses on the coast were completely destroyed, but most structural damage was to roofs.

September 30, 1959 - GRACIE (TS)

Hurricane Gracie entered the South Carolina coast south of Charleston, crossed the North Carolina line west of Charlotte just after midnight on the morning of September 30, and moved rapidly north across the state in a few hours. Tides reached two to three feet above normal on the southern coast of North Carolina on the 29th. Storm rainfall was light on the coast, but ranged upward to eight or nine inches at a few places in the mountains.

July 29, 1960 - BRENDA (TS)

The center of tropical storm Brenda moved into North Carolina at about 5 PM July 29 at the junction of the North Carolina-South Carolina line with the Atlantic Coast, moving northeast out of the state near Norfolk, about midnight. Heaviest rain was 7.50 inches at Wilson, NC. There were gusts to 62 mph at New Topsail Beach. Little damage was reported.

September 11, 1960 - DONNA (CAT 3)

One of the most destructive storms in United States history, Hurricane Donna affected the entire length of the Atlantic coast from Florida to Maine. In North Carolina the center passed inland over the coast between Wilmington and Morehead City. Tides of 6 to 8 feet above normal, combined with winds, caused severe damage at many points. Maximum winds were of hurricane force, with Wilmington reporting a peak gust of 97 mph. The storm center moved north during the night of the 11th along a path slightly east of a line from Wilmington to Norfolk. Wind gusts were in excess of 100 mph and tides four to eight feet above normal. Coastal communities suffered heavy structural damage from Wilmington to Nags Head, with considerable beach erosion. The corn crop was badly blown from the coast to fifty miles inland, some trees were down and there was scattered damage to houses about the same distance. One person was electrocuted, three drowned, two crushed by falling trees and two killed in a traffic accident in which weather was a factor. An estimated 100 persons were injured sufficiently to require medical attention. Two tornadoes were observed in connection with Donna in North Carolina, one in Bladen County and one in Sampson. Estimated damages were well up in the millions.

September 20, 1961 - ESTHER (CAT 1)

The eye of Hurricane Esther remained well off the North Carolina coast throughout its northward course, being more than 100 miles from the nearest point on the Outer Banks at its closest approach on September 20. At this distance, the western side of the storm was rather dry, and rainfall in North Carolina was light. Winds were in no case destructive over any North Carolina land area, and no deaths, injuries or serious property damage have been attributed to the storm.

Tides on the North Carolina coast at the height of the storm ranged one to five feet above normal, mostly around 3 ft. Some of the flooding of the Outer Banks highway and some minor beach erosion resulted from these tides and accompanying seas. Lowest sea level pressure reported at a land station was 29.48 inches at Cape Hatteras at 4 AM September 20; highest winds at Hatteras were 36 mph from the north at 456 AM September 20. Sustained winds of 36 mph were also reported from Nags Heads, with gusts to 58 mph. These were from the northwest at 1210 PM on the 20th.

August 28, 1962 - ALMA (TS)

Alma, a tropical storm of considerably less than hurricane strength, moved in a typical northeast path across northeast North Carolina, its center passing from near Atlantic Beach to Nags Head in about three hours. Highest wind gusts recorded were from the north northeast at 35 mph at Nags Head. No deaths or injuries were reported, and only minor property damage.

October 18-19, 1962 - ELLA (NR)

Although the center of Hurricane Ella never came within 200 miles of the North Carolina coast, near gale winds and pounding seas affected the coast for two days. The large size of the storm, the fact that it stood nearly stationary for more than two days, and the presence of high pressure over inland areas to the north caused persistent northeast winds occasionally up to gale force, above normal tides and rough seas. Damage was mostly confined to beach erosion.

October 19-27, 1963 - GINNY (NR)

This storm was remarkable mainly for the long period of time its seas and tides pounded the North Carolina coast. First discovered north of Puerto Rico on the 16th, it moved steadily north for three days, then turned northwest with its center reaching a point about 200 miles southeast of Cape Hatteras late on the 19th. There it slowly described a small circle to the right, remaining from 50 to 200 miles off the North Carolina coast through the 22nd. Then it described a larger, roughly elliptical figure, which carried it to a position about 75 miles off St. Augustine, Florida early on the 24th and thence back northeast through the coastal waters, curving with the coastline and remaining 50 to 100 miles offshore. Having completed the ellipse at a position off Wilmington, NC on the 26th, it moved slowly east, then finally north, reaching Nova Scotia on the 29th. Rough seas affected the North Carolina coast for more than a week causing extensive erosion. One beach house was undermined and fell in the surf, but otherwise, there was little structural damage. There was some damage to unharvested crops. Heavy rain was confined to areas near the coast and no destructive winds reached the shore.

August 29-September 1, 1964 - CLEO (NR)

A small but moderately intense hurricane came from Cuba directly north up the Florida east coast, crossed Georgia and entered western South Carolina, passing over into North Carolina near Charlotte on the 30th. From there it moved in a broad curve northeast and east past Elizabeth City about midnight of the 31st. There were no direct winds of destructive force in North Carolina, but associated tornadoes struck the State at three different times. The most serious destroyed several blocks of Laurinburg, injuring 15 people, on the afternoon of the 29th. Heavy rains accompanied Cleo, especially in northeast North Carolina, causing some flash-flooding and some damage to crops. In nearby parts of Tidewater Virginia ten to fourteen inches fell, most of it in a 12-hour period.

September 13, 1964 - DORA (NR)

This large and powerful storm moved inland south of Jacksonville, Florida on the 9th, passed slowly west and northwest to southeast Alabama on the 12th. Then it moved rapidly northeast and directly up the North Carolina coastline, passing offshore north of Hatteras on the night of the 13th.

The storm was weakened in passing over land, and winds in North Carolina were not generally of destructive force. However, associated with its approach and passage were a waterspout and two small tornadoes near the coast. Seas and tides were sufficient to cause some beach erosion and heavy rains on the northern coast flooded the beach highway halting traffic for 48 hours.

September 21-23, 1964 - GLADYS (NR)

This storm, whose center remained well offshore throughout its entire history, was nevertheless sufficiently powerful to be felt on the Outer Banks. Lying several hundred miles to the southeast on the 20th, it approached the North Carolina coast very slowly and recurved, the center reaching its nearest point at about 140 miles off Hatteras on the 22nd. The long period of onshore winds as the storm approached and passed caused high tides and rough seas which broke over the dunes at numerous places on the Outer Banks. There were no destructive winds or heavy rain on land.

October 16, 1964 - ISBELL (CAT 1)

Isbell moved from western Cuba northeast across southern Florida, turning gradually north and inland near Morehead City on the 16th. The storm was weakening and its path across North Carolina was rather indefinite. Apparently it passed either into coastal Virginia or seaward near Elizabeth City before noon on the 17th. Notwithstanding Isbell's weakness, it caused the lowest pressure and the highest winds recorded in North Carolina in connection with any of the 1964 tropical cyclones. Gusts to 75 mph from the northeast were recorded at Elizabeth City at 10 AM on the 16th. No wind damage of importance was reported. Rainfall was erratic and not generally extremely heavy. Some local amounts, however, were sufficient to cause flash-flooding and considerable damage was reported to have occurred to peanuts in northeast North Carolina due to wet soils.

June 11 - 12 1966 - ALMA (CAT 1)

Widely publicized as the earliest in the season of any hurricane ever to cross a United States coastline, Alma did not cross the coastline of North Carolina. Passing from the Gulf across northwest Florida and southeast Georgia the center, weakened in crossing land and entered the Atlantic near the southern tip of South Carolina, passing about 50 miles south of Wilmington the morning of the 11th. That night it regained hurricane force and moved first east, then north, past Hatteras at a distance of 100-200 miles. Highest gusts on land in

North Carolina were about 60 mph and highest tides near 5 feet above normal. Coastal sections of North Carolina had 4 to 8 inches of rain. There were no deaths or injuries and both beach erosion and property damage were light.

September 10,16-17, 1967 - DORIA (TS)

Hurricane Doria was one of the most erratic storms ever observed. Doria moved in every direction around the compass at some time or other during its life crossing its previous track twice.

Doria formed about 250 miles east of Jacksonville, Florida on the 4th of September and reached tropical storm force on the 9th then began moving rapidly to the northeast. Doria reached hurricane intensity on the 10th of September and passed 100 miles southeast of the North Carolina Capes. Damage along the North Carolina coast was minor.

Doria moved due east on the 11th and diminished to less than hurricane force. It stalled on the 12th and regained hurricane force. The storm began moving in a westerly direction on the 13th reaching the Virginia Capes on the 16th, then diminished to tropical storm strength. It moved south making landfall near the Virginia-North Carolina border and continued south across the North Carolina Capes and back to the sea on the 17th. Damage was minor with water levels about 2 feet above normal on the sounds.

June 7-13, 1968 - ABBY (NR)

Abby was a minimal hurricane that began just off the coast of Honduras. The storm moved north crossing the western tip of Cuba and continued north making landfall just south of Tampa, Florida. The storm crossed Florida then turned northwest moving across southeast Georgia and into the Carolinas. The storm reached North Carolina on the 9th near Charlotte. Abby then recurved across extreme northeast South Carolina and into the offshore waters before returning to a northeast course. The depression then skimmed across the North Carolina outer banks and out into the Atlantic during the 12th and 13th. Rainfall up to five inches were reported along the path of the storm in North Carolina. Charlotte reported 5.11 inches of rain. A tornado touched down near Monroe and again near Charlotte on the 7th. Damage in the Charlotte area was estimated in excess of \$30,000. Charlotte reported a wind gust of 46 mph from the northwest on the 9th. Asheville reported just over two inches of rain.

October 19-20, 1968 - GLADYS (CAT 1)

Hurricane Gladys developed in the western Caribbean Sea. The storm moved north crossing the western section of Cuba and reached a position just west of Tampa, Florida late on the 18th of the month. Gladys crossed Florida exiting just south of Jacksonville on the morning of the 19th. The storm then moved northeast along the coast skirting the North Carolina outer banks on the 20th.

North Carolina benefited the most from Hurricane Gladys. Weather Service Offices at Cape Hatteras and Wilmington reported that the storm did minor damage and there were no deaths or injuries reported in the state. For most of the two day period moderate rain soaked into previously dry soil. Total rainfall during the two days ranged generally from 2 to 5 inches but there were some reports up to 8 inches. Wind gusts to 98 mph from the north were reported by the Coast Guard Stations at Ocracoke and Cape Hatteras.

The following wind gusts were reported: Cape Hatteras Weather Station 79 mph, Cape Lookout 90 mph, Atlantic Beach 69 mph, Topsail Beach 63 mph, Wilmington Weather Station 39 mph and Carolina Beach 53 mph. With the winds mostly from northwest to north directions tides ran only 2 to 3 feet above normal with only minor beach erosion. Sea level pressure readings ranged from a low of 29.17 inches at Cape Hatteras Weather Station to a high of 29.58 at Wilmington Weather Station.

September 8, 1969 - GERDA (NR)

Hurricane Gerda originated off the African coast, moved to the Bahamas, then into central Florida as a tropical depression. From Florida the storm moved northeast 100 miles off the coast of South Carolina. Charleston reported winds of only 20 mph. The storm increased to hurricane strength about 210 miles south southwest of Cape Hatteras on the 8th, then moved rapidly northeast with a forward speed of 40 mph. While winds close to the storm's center were about 90 mph, winds at Cape Hatteras, some 60 miles to the west, were 27 mph with gusts to 36 mph from the north northeast. Tides were 1 1/2 feet above normal at Ocracoke Island. Rainfall at Cape Hatteras was 1.32 inches. Lowest sea level pressure ranged from 29.51 inches at Cape Hatteras to 29.70 at Wilmington. Wilmington reported winds of 11 mph from the southwest and a rainfall total of 0.79 inch.

1970

No hurricanes affected North Carolina. However a tropical depression, the remnants of Hurricane Alma, moved from the Gulf of Mexico across north central Florida, through eastern Georgia, then passed through the central sections of the Carolinas on the 26th of May before moving out to sea near Norfolk.

July 5, 1971 - ARLENE (NR)

Tropical storm Arlene formed 120 miles off Cape Hatteras on the 5th of July and moved northeast with little or no effect on the North Carolina coast.

August 13-14, 1971 - BETH (NR)

Beth formed off the Florida coast on August 9th moved northeast; well to the east of the North Carolina outer banks on the 13th and 14th and increased to hurricane force. The storm made landfall in Nova Scotia

August 27, 1971 - DORIA (TS)

Doria spawned off the the African coast and moved east to 200 miles east of Daytona Beach, Florida on the 25th before increasing to tropical storm force on the 26th. The storm moved in a northerly direction, making landfall near Atlantic Beach on the 27th. Wind gusts of 69 mph were measured at Atlantic Beach and gusts to 58 mph were reported along the Outer Banks and the shores of the Pamlico and Albemarle Sounds. Winds at Wilmington gusted to 30 mph from the north. Cape Hatteras had gusts to 54 mph from the south and Elizabeth City reported gusts to 60 mph. Rainfall totals ranged from 4.17 inches at Cape Hatteras to 2.19 inches at Wilmington. Lowest pressure was 989 mb at Atlantic Beach.

Streets and highways in many areas were blocked by flood waters and some mudslides. Considerable damage was done to water and sewer systems. In some areas flooding severely damaged residential and industrial properties. In most areas wind damage was minimal.

September 30-October 1, 1971 - GINGER (CAT 1)

Ginger will be noted for its longevity. The storm was tracked for 31 days, during 20 of which it was a hurricane. Ginger developed just east of the Bahamas moved east and south of Bermuda to well east of Bermuda, then curved back west moving just south of Bermuda on the 23rd. The storm stopped its southwest movement on the 27th and headed to the northwest toward the North Carolina coast, making landfall on the 30th near Atlantic Beach. The landfall was near the same place where Doria moved inland one month earlier. The storm was a dissipating depression by the 1st of October. On the second it moved into southern Virginia, then turned east and moved out to sea.

As Ginger approached the North Carolina coast wind gusts to 92 mph were reported by Atlantic Beach. Gusts from 40 to 75 mph were common along the Outer Banks and the shores of the Pamlico sound. Maximum sustained winds were less than 50 mph over eastern North Carolina and southern Virginia. The following wind gusts were reported: Atlantic Beach northwest 92 mph, Cape Hatteras southeast 70 mph, Topsail west northwest 58 mph, Holden Beach west northwest 35 mph, Wilmington west northwest 44 mph, Raleigh north 46 mph and Charlotte north northeast 30 mph.

Water levels on the Pamlico Sound and its estuaries ran 4 to 7 feet above normal. At Washington, Aurora, New Bern and Cherry Point, tides were all 6 feet or more above normal. Tides on the ocean front ran 2 to 4 feet above normal from Norfolk to Morehead City.

Rainfall was heaviest along the shores of the Pamlico Sound, where 10 to 13 inches doused several east central North Carolina counties. It was here that crops suffered heavily. Thousands of acres of corn and soybeans were seriously affected with damage of ten million dollars. This was the greatest impact of any hurricane on North Carolina since Donna

in September of 1960. Rainfall totals greater than 10 inches were reported at Bayboro, Belhaven, Aurora and on Roanoke Island. Cape Hatteras reported 9.68 inches of rain, Raleigh 3.50, Charlotte 2.21 and Wilmington 1.19 inches. Property damage was minor in most areas. In areas of flooding, it was termed light to moderate.

There were no deaths or injuries related to the storm in North Carolina.

June 20-21, 1972 - AGNES (TS)

Agnes developed off the Yucatan Peninsula moved north, making landfall near Panama City, Florida. The storm weakened to tropical depression status upon making landfall on the 19th. The depression moved northeast through central Georgia and central South Carolina and into the coastal plains of North Carolina on the 21st.

The depression increased to tropical strength over northeast North Carolina before moving out to sea near Norfolk, Virginia the night of the 21st.

On the 21st, while the storm was over the Carolinas, a secondary low developed to the west of Agnes. These combined to give western sections of the Carolinas some of the worst floods on record.

Heaviest rains occurred along the eastern slopes of the Blue Ridge Mountains from about Greenville, South Carolina to Lake Lure, North Carolina northeast to the Danbury-Reidsville area. Rain fell from the 19th through the 21st but much of the total rainfall occurred in less than 48 hours. Mt. Mitchell, North Carolina had a storm total of 10.6 inches. Throughout the eastern Carolinas rain was relatively light. East of a line Charleston-Columbia-Raleigh totals were generally less than four inches with even less along the coast. Wilmington had a storm total of 2.52 inches while Cape Hatteras had only 0.43 of an inch.

Major river flooding followed flash flooding of mountain and piedmont streams. Severe flooding occurred on the Yadkin-Pee Dee system and the Dan River. Lesser flooding occurred along the Catawba, Saluda, Rock, Congree, Lumber and Broad Rivers.

The Yadkin River on the 22nd crested 14.6 feet above flood level and reached Yadkin College on the afternoon of the 22nd. The Pee Dee River caused severe flooding from Blewett Lake, North Carolina (near the South Carolina line) to Cheraw, South Carolina. The flooding began on the 22nd and continued for four days.

Winds in the storm were generally light with gusts mostly 30 to 35 mph. However, Cape Hatteras reported a gust to 62 mph from the west northwest on the 21st as the storm increased to tropical strength.

The Yadkin River in North Carolina flooded more than 86,000 acres. Total losses in the Basin were estimated at 4.22 million dollars with more than 3.5 million mainly to agriculture (growing crops). Street flooding in Elkin, Yadkin College and other river towns ac-

counted for the remainder. Two deaths occurred in North Carolina: one in Surry county when a canoe overturned and another in Iredell County when a man driving a tractor was swept away in the flood waters. Estimates of flooding in the Catawba, Congaree and Reedy River Basins totaled \$32,000 which was mostly minor home and trailer home damage and some crop damage. Total damage in North Carolina was estimated at 4.28 million dollars.

September 8- 9, 1972 - DAWN (NR)

Dawn originated off the African coast and moved to the southeast coast of Florida. It then recurved and moved well to the northeast of Cape Hatteras, increasing to hurricane strength on the 7th. The storm looped to the west coming within 200 miles of Cape Hatteras on the 8th and 9th. Gale force winds occurred along the outer banks of Cape Hatteras but none were reported inland. No significant damage or loss of life occurred with Dawn. The storm then moved southeast and eventually by the 13th to the southwest crossing northern Florida as a dissipating storm.

October 25-26, 1973 - GILDA (NR)

Tropical storm Gilda moved from the northwest Caribbean across central Cuba and continued on a northeast course reaching a midway point between Cape Hatteras and Bermuda on the 25th. The storm then became extratropical before continuing its northeast movement. Seas and swells generated by the storm pounded Atlantic Beaches from New Jersey to Florida, causing minor beach erosion. Gale force winds effected the northern outer banks of North Carolina. There were no deaths or injuries from the storm in North Carolina.

1974

No tropical cyclones effected land areas of North Carolina. However, a depression that developed off the African coast moved to a position 225 miles east southeast of Cape Hatteras and developed into a tropical storm (ELAINE) on September 9th. It then moved off on a northeast track.

June 28, 1975 - AMY (TS)

Tropical Storm Amy developed off the east coast of Florida on June 26th. Amy then moved northeast reaching a point off the North Carolina coast on the 28th. It then meandered slowly to the east before moving northeast. The high winds and heavy rains remained off the North Carolina coast, however, the slow movement caused prolonged northeast wind flow which produced large swells and tides of 2 to 4 feet above normal on the North Carolina outer banks. The swells and high tides caused some beach erosion and temporary flooding of roads, but damage was minor.

October 1-2, 1975 - GLADYS (NR)

Hurricane Gladys originated off the African coast on the 17th of September and moved west northwest toward the east coast of Florida before turning north on the 1st of October. The storm continued in a north northeasterly direction passing well to the east of the North Carolina Outer Banks on the 2nd. The eye of Gladys appeared on the Cape Hatteras radar 225 miles to the east on the 2nd of October. Gladys was a major hurricane but because of the distance from land no casualties or damage associated with the storm were reported.

October 26-27, 1975 - HALLIE (TS)

Hallie developed just north of the Bahamas on the 24th and moved in a northerly direction, remaining about 100 miles off the Florida and Georgia coasts. As the storm approached the Carolinas it turned to a northeasterly direction and skirted the North Carolina Outer Banks on the 27th. Tides ran 1 to 2 feet above normal along the Virginia and North Carolina coasts but damage was not significant, and there were no casualties.

August 9, 1976 - BELLE (NR)

Originating off the African coast on the 28th of July the storm moved westward to a position just east of the Bahamas on the 5th of August. Belle reached tropical storm strength on the evening of August the 6th and hurricane strength late afternoon on the 7th.

Belle moved in a northerly direction, passing within 100 miles of the North Carolina Outer Banks on the 9th. With the passage of the storm on the 9th, Cape Hatteras had a sustained one-minute average wind speed of 37 mph with gusts to 63 mph. Frisco and Hatteras Place on the Outer Banks reported estimated wind gusts to 75 mph. Farther south, Wilmington reported northwest wind 16 mph with gust to 18 mph. Total rainfall from the storm at Cape Hatteras was 3.70 inches. Wilmington did not report any rainfall associated with the storm.

Lowest pressure readings ranged from 29.38 inches at Cape Hatteras to 29.74 inches at Wilmington. Tides of 3 feet above the road surface were observed at points along the North Carolina Outer Banks. Damage in North Carolina was minor with no deaths or injuries reported with the storm.

August 20-21, 1976 - DOTTIE (TS)

Dottie originated in the Gulf of Mexico about 150 miles northwest of Key West, Florida on August 17, moved southwest to the Florida Keys, then into southern Florida. The storm then began moving in a northerly direction moving into the Atlantic near Palm Beach. The storm continued moving north making landfall near Charleston, South Carolina on the evening of the 20th. Dottie weakened to a low pressure center in South Carolina and moved south into the Atlantic on the 22nd.

Wind gusts 40 to 45 mph were recorded at beach locations near Wilmington. Tides at Atlantic Beach were reported as 3 1/2 ft above normal but generally ran 1 to 2 feet above normal. Carolina Beach had a storm rainfall of 7.78 inches with amounts of 4 to 6 inches over the remainder of coastal North Carolina near Wilmington. Wilmington had a total storm rainfall of 4.28 inches.

Damage from the storm, mainly beach erosion, was minor. No deaths or injuries were reported in North Carolina.

1977

There were no significant tropical cyclones that affected North Carolina.

However, a tropical depression developed near Charleston, South Carolina on the 5th of September and moved northeast skirting Cape Fear and then turned to a east northeast movement. The storm continued on this course and developed into a tropical storm well to the east of the Outer Banks late on the 7th and became hurricane (CLARA) on the 8th.

The remnants of another tropical storm that moved from the Gulf Coast approached southeast North Carolina from the west late on the 8th of September. The combination of the two systems helped produce over four inches of rain (4.37) at Wilmington from the 5th through the 9th. Wilmington recorded a fastest mile of 25 mph from the southwest on the 7th. In the Cherry Point/Morehead City area winds gusted to 26 mph.

September 1-2, 1978 - ELLA (NR)

Hurricane Ella formed in the central North Atlantic Ocean on the 28th of August and moved in a west northwest direction. The storm was within 400 miles of the North Carolina Outer Banks on the 1st of September. However, Ella changed to a northeast movement on the morning of the 2nd and moved at a forward speed increasing to 40 mph.

The only damage was some beach erosion on the Outer Banks. Tourism suffered, since this was a Labor Day Weekend, and a hurricane watch had been posted for the Outer Banks of North Carolina on the 1st.

September 5, 1979 - DAVID (TS)

Hurricane David originated near the Cape Verde Islands on August 25th, moved in a westerly direction, then changed to a northwest direction and made landfall near Palm Beach, Florida on September 3rd. The storm moved back out to sea near Cape Canaveral and moved north making landfall again near Savannah, Georgia on September 4th. Diminished to tropical strength, David moved through the central Carolinas on the 4th and 5th of September; then continued on a northeast track through New England. David was a large storm and even though it remained well inland over North Carolina gale force winds were produced well out to sea.

Damage in North Carolina was primarily beach erosion and flooding along the coastal sections. No major damage was reported but gale force winds were observed along the coast. The following wind gusts were reported: Wrightsville Beach southeast 60 mph, Wilmington southeast 46 mph, New River south southeast 54 mph, Atlantic Beach south southeast 53 mph, Cherry Point south 41 mph, Cape Hatteras south 43 mph and Raleigh east 36 mph. Tides ran 3 to 5 ft above normal. Water levels on the Pamlico River ranged from 2 to 7 feet. Rainfall over the coastal sections ranged from 7 to 10 inches. In the piedmont section Raleigh reported 2.67 inches.

No deaths or injuries were reported in North Carolina.

1980

There were no significant tropical cyclones affecting North Carolina. However, Hurricane Charley developed from an extratropical low pressure center east of Cape Hatteras on the 20th of August and moved rapidly to the east.

August 20-21, 1981 - DENNIS (TS)

Dennis originated off the African coast and moved west to south of Cuba then turned to a northerly track. The storm crossed Cuba on the 16th and moved into south Florida and back out to sea near Cape Canaveral on the 19th.

The storm moved in a northerly direction skirting the Carolina coasts on the 20th and 21st. The highest wind reported along the North Carolina coast was a gust to 45 mph at Cedar Island. Rainfall amounts of around 5 to 10 inches were reported along the Carolina coasts. Damage was minor.

June 18-19, 1982 (ST)

A tropical disturbance moving north into the central Gulf of Mexico on June 17th interacted with a strong upper-level trough and moved rapidly northeast across northern Florida as a developing subtropical storm on the morning of June 18th. The subtropical storm skirted the North Carolina coast on June 19th and raced northeast, passing south of Nova Scotia on June 20th.

Damage along the North Carolina coast was minor. Cape Hatteras reported a 1-minute wind speed of 25 mph from the south on the 18th and 19th. Rainfall at Cape Hatteras for the two days totaled 3.70 inches with 3.03 inches of the total falling on the 18th. On the morning of June 19th a tug about 100 miles east of Cape Hatteras reported hurricane-force gusts and seas 30 to 35 feet. Wilmington reported a 1-minute wind speed of 23 mph from the southwest on the 19th. Rainfall at Wilmington for the 18th and 19th totaled 3.73 inches with 2.72 of the total amount falling on the 18th.

1983

There were no significant tropical cyclones that affected North Carolina

September 9-14, 1984 - DIANA (CAT 2)

Diana was first observed as a developing low on the end of a frontal trough just north of the Bahama Islands September 8th. On the 9th Diana approached within 150 miles of the Florida coast. On September 10th Diana had intensified to hurricane force and was moving north northeast on a course parallel to the Georgia and South Carolina coasts. Over the next two days (11th and 12th) Diana intensified to a category (high) 3 and moved close to Cape Fear. The hurricane stalled off Cape Fear for about 30 hours making an anticyclonic loop. Diana crossed the North Carolina coast near Long Beach as a minimal category 2 hurricane around 3 AM EDT Thursday September 13th during low tide. After making landfall Diana weakened to tropical storm strength and then moved northeast along the coastal sections of North Carolina exiting into the Atlantic near Oregon Inlet.

Damage over southeast North Carolina amounted to around \$80,000,000 with about one third of the amount agricultural damage. There was considerable roof damage in New Hanover and Brunswick Counties...especially on the Barrier Islands. Widespread tree and power line damage occurred in New Hanover County.

Spotty tree and structural damage also occurred in Pender, Sampson, Bladen, and Columbus counties. The falling trees also resulted in property damage throughout all these counties. Damage in New Hanover County amounted to around \$30,000,000 and in Brunswick County around \$20,000,000.

Severe beach erosion occurred from southern Pender County south along the New Hanover county beaches. Hurricane tide around 5 1/2 feet occurred at Carolina Beach. Widespread fresh water flooding occurred in New Hanover, Brunswick, Pender, Columbus, Bladen, Sampson and Duplin Counties. Rainfall amounts up to 15 1/2 inches were reported. The National Weather Service Office in Wilmington reported 13.72 from 9/11 0500 EDT to 9/14 0715 EDT. The heavy rainfall in association with the winds caused widespread tree uprootings and months of cleanup work.

Dam failures occurred at Boiling Springs (Brunswick County), Roseboro (Sampson County) and Faison (Duplin County). The lower reaches of the Cape Fear River reached levels at or a little above bankful. There were no confirmed tornadoes associated with Hurricane Diana in North Carolina.

There were three deaths related to Diana: a person preparing for the storm suffered a fatal heart attack, and two people were killed in accidents on water covered roads including the Shelter Manager in Brunswick County.

The highest sustained wind occurred while Diana was still out to sea. Oak Island Coast Guard Station on the 11th reported a sustained wind speed of 115 mph. When Diana made landfall the highest sustained wind was around 92 mph. Around the time of landfall the National Weather Service Office in Wilmington reported a sustained wind of 46 mph with a gust to 74 mph. The National Weather Service Office at Cape Hatteras reported a sustained wind speed of 31 mph with a gust to 45 mph on the morning of the 14th. Diana exited the North Carolina coast on the morning of the 15th.

October 12-15, 1984 - JOSEPHINE (NR)

A depression formed just east of the Bahama Islands on October 7th. Drifting west on the 8th, the storm increased to tropical storm strength. It turned north on the 9th and increased to hurricane strength on the 10th. Josephine was a large and long-lived storm and affected the major shipping lanes of the North Atlantic for several days.

The combination of Hurricane Josephine and a large high-pressure system to the north, while the storm was moving slowly parallel to the east coast, created strong winds over an extensive area. The winds combined with abnormally high astronomical tides and large waves produced damage to marine installations and caused severe beach erosion along the Outer Banks of North Carolina.

July 24-26, 1985 - BOB (NR)

Bob became a tropical storm in the Gulf of Mexico southwest of Fort Myers, Florida on July 22. Bob crossed the Florida peninsula near Fort Myers on the 23rd and headed north. It increased to minimal hurricane force before making landfall near Beaufort, South Carolina late on the 24th. The storm weakened over land and moved north through the central Carolinas reaching western sections of Virginia on the 26th.

Even though Bob made landfall far to our south the highest wind from the storm in the Carolinas was a wind gust to 83 mph at Holden Beach produced by spiral bands. The National Weather Service in Wilmington reported a sustained wind speed of 29 mph with a gust to 43 mph. Wilmington had a storm total of nearly 2 1/2 inches of rain and Red Springs in Robeson County reported nearly 6 1/2 inches.

There were only minor damage and no deaths attributed to Bob.

September 26-27, 1985 - GLORIA (CAT 3)

Hurricane Gloria originated as a tropical depression off the west coast of Africa September 15th and drifted west across the Atlantic. The storm increased to hurricane strength on the 22nd and turned to a northwesterly movement. In the early morning hours of the 26th Gloria was about 400 miles southeast of Cape Hatteras and moving northwest. The storm turned to a more northerly course and moved over Cape Hatteras on the Outer Banks

about 2 AM EDT on the 27th. After making landfall at Cape Hatteras, the storm turned to a northeasterly movement making landfall again on the south shore of Long Island, New York.

Damage over North Carolina amounted to around 8,000,000 dollars with severe beach erosion and flooding on the Outer Banks. One death was attributed to the storm when a tree fell on a mobile home killing a man.

The strongest winds occurred to the east of storm. Diamond Shoals Tower about 15 miles southeast of Cape Hatteras recorded a sustained wind speed of 98 mph with a gust to 120 mph. Cape Hatteras had a low pressure reading of 947.5 MB (27.98 inches) making Gloria a category 3 hurricane. Cape Hatteras reported sustained wind speed of 74 mph with a gust to 86 mph. Norfolk, Virginia Naval Air Station reported sustained winds of 67 mph with a gust to 91 mph. Frying Pan Tower about 50 miles southeast of Wilmington reported 62 mph sustained wind with a gust to 71 mph. Jacksonville had a gust to 49 mph, while Wilmington had a sustained wind of only 26 mph.

Highest tides were about 4 ft above normal in the Wilmington area, 6 ft in the Cherry Point area and 6 to 8 ft on the Outer Banks.

The heaviest rainfall was 7.09 at New Bern followed by 7.00 inches at Cherry Point and 3.36 at Jacksonville. Cape Hatteras reported only 2.10 inches and Wilmington only 1.46 inches.

November 22, 1985 - KATE (TS)

Kate originated just northeast of the Virgin Islands between the 13th and 14th. Kate increased to hurricane force on the 16th and began moving west. Kate moved to the north central coast of Cuba on the 19th and then moved in a northerly direction making landfall in the Florida Panhandle near Mexico Beach on the 21st. Kate weakened to tropical force over the Florida Panhandle and then moved northeast across south Georgia and into the Carolina coastal waters on the 22nd. The storm turned to an easterly direction and continued to weaken with the remnants of the storm passing over Bermuda on the 24th.

This storm had little effect on North Carolina. On the 22nd the National Weather Service in Wilmington reported a sustained wind speed of 29 mph with a gust to 40 mph. Frying Pan Tower about 50 miles southeast of Wilmington had a sustained wind of 43 mph with a gust to 47. Wilmington had nearly two inches of rain (1.83 inches).

June 7- 8, 1986 - ANDREW (TS)

Andrew originated as a tropical depression near the northern Bahama Islands on the 5th of June. The storm moved in a northerly direction and increased to tropical storm force on the 6th. As the storm approached the Carolinas it turned to a northeasterly direction with the center passing about 60 miles to the east of Cape Hatteras. The storm dissipated at sea east of Cape Hatteras.

The highest winds were to the east of the storm with no sustained gale force winds occurring over land. The storm had little effect on North Carolina. However, a drowning death in the state was attributed to Andrew.

August 17-18, 1986 - CHARLEY (CAT 1)

Charley originated in the eastern Gulf of Mexico just west of Tampa, Florida on the 12th as a tropical depression. The depression moved into south Georgia then moved east exiting Georgia around Savannah on the 15th. Charley increased to tropical storm force on the 16th and drifted in an easterly direction south of North Carolina. The storm increased to hurricane force on the 17th and turned north and moved across the Outer Banks. Charley then decreased to less than hurricane force and moved northeast. Charley was classified as a hurricane for only 24 hours.

Hurricane Charley barely reached hurricane force as it crossed the Outer Banks. Sustained wind speeds did not reach hurricane force as reported by land stations. Winds gusting from 75 to 80 mph were recorded from Swan Quarter in Hyde County north along the Outer Banks. Cape Lookout and Atlantic Beach reported gusts to 58 mph and farther south Wilmington had a gust to 29 mph.

Rainfall from the storm ranged from around 1/2 inch at Wilmington to around 2 3/4 inches on the Outer Banks. Damage in North Carolina was relatively light, resulting primarily from tidal flooding and downed trees. One death in North Carolina was attributed to Charley: a motorist attempting to cross a flooded causeway near Maneto.

1987 and 1988

There were no significant tropical storms affecting North Carolina.

September 21-22, 1989 - HUGO (CAT 3)

Hugo originated off the African coast and moved to near the Cape Verde Islands and developed into a tropical depression on the 10th. It continued moving west and became a tropical storm on the 11th and a hurricane on the 13th. On the 15th Hugo turned to a west northwest course and moved across the northeast tip of Puerto Rico on the morning of the

18th. After moving past Puerto Rico the storm turned to a northwesterly course and was a few hundred miles east of Florida on the 21st. Hugo continued to move to the northwest, heading for the Carolinas.

Hugo made landfall near Charleston, South Carolina at Sullivans Island around 12 PM EDT (MIDNIGHT) on the 21st. After making landfall Hugo began to weaken and turned to a north northwest course passing near Shaw Air Force Base (Sumter, South Carolina) around 4 AM EDT and had weakened to tropical storm force just south of Charlotte by 6 AM EDT. As Hugo moved into North Carolina its forward speed began to increase and by late afternoon was moving at 40 mph to the north. Hugo moved rapidly across extreme western Virginia, West Virginia, eastern Ohio and to near Erie, Pennsylvania by evening on the 22nd where it transformed into an extratropical storm.

Hurricane Hugo made landfall near Charleston as a category 4 hurricane. Hugo was estimated to be minimal category 3 in Brunswick County, North Carolina (due to storm surge and battering of beach front homes) and was tropical storm force in the Charlotte area. Damage figures are astronomical and Hugo is the costliest hurricane ever to make landfall on the U. S. mainland. Damage in South Carolina was estimated at 4 billion dollars; in the Charlotte area and the surrounding counties to Hickory damage was around 1 billion dollars. Some wind damage was also reported in the southern coastal plains of North Carolina. Damage in the coastal counties of North Carolina was primarily in Brunswick County where over 70 million dollars damage was reported. Over 120 homes on the beaches of Long Beach and Ocean Isle Beach were destroyed by the battering of the storm surge or condemned because of the damage. Several homes on Holden Beach suffered the same effects.

Severe beach erosion occurred in Brunswick County, North Carolina with many sections of the barrier island beaches dune system cut or eliminated. Some beach erosion occurred from New Hanover County to Onslow County. Oceanfront fishing piers were severely damaged in Brunswick, New Hanover, Pender and Onslow counties. Hugo was the costliest hurricane ever to strike North Carolina.

Damage from Hurricane Hugo could run as high as 7 billion dollars for the U. S. mainland and two billion for Puerto Rico and the U.S. Virgin Islands and one half billion for the other island countries in the Caribbean.

The total number of deaths associated with Hurricane Hugo is estimated at 82 as follows: South Carolina 27, North Carolina 7, Virginia 6, New York 1, Puerto Rico 12, U. S. Virgin Islands 6, Antigua and Barbuda 1, Guadeloupe 11, Montserrat 10 and St Kitts and Nevis 1.

When Hugo made landfall near Charleston the highest sustained wind speed (1-minute average) was estimated to be around 138 mph. A ship anchored in the Sampit River five miles west of Georgetown reported a sustained wind speed of 120 mph (anemometer was

on the ship's mast at 61 feet elevation). Gusts of 99 mph were reported in Columbia and a gust to 109 mph at Shaw Air Force Base (Sumter). Folly Beach C-Man station had a sustained wind speed of 85 mph with a gust to 107 mph.

In North Carolina Charlotte reported the highest sustained wind speed 69 mph with a gust to 87 mph. Hickory had a gust of 81 mph. A 70 mph gust was reported on the Cape Fear River by a pilot boat between Southport and Ft. Caswell. Other wind gusts reported include: Holden Beach 59 mph, Greensboro 54 mph, Wilmington 53 mph, and Cape Hatteras 35 mph.

Storm tides in South Carolina were as follows: Bulls Bay near 20 ft, McClellanville 13 to 16 ft, Myrtle Beach 13 ft, Folly Beach 10 to 12 ft, and Charleston 10 1/2 ft.

Storm tides in North Carolina were highest in Brunswick County ranging from 8 to 10 ft. From New Hanover County north along the coast storm tides were around 5 ft.

The following storm total rainfalls were reported in South Carolina: 8.10 inches near Charleston and at 5.98 inches at Summerville.

Storm total rainfalls for North Carolina were as follows: Boone 6.91, Charlotte 3.16, Asheville 1.93, Greensboro 1.43, Wilmington 0.79, Cape Hatteras 0.60, and Raleigh 0.45.

SUMMARY

North Carolina tropical cyclone days (days that the storm affected North Carolina) in the 19th and 20th centuries totaled 275 (Data prior to 1800 was not used due to scarcity of data)

For June through December (None occurred before June), the total tropical cyclone days, and percentage of occurrences by month follows:

June	=	23 Tropical cyclone days	8.4%
July	=	16 Tropical cyclone days	5.8%
August	=	65 Tropical cyclone days	23.6%
September	=	103 Tropical cyclone days	37.5%
October	=	62 Tropical cyclone days	22.5%
November	=	5 Tropical cyclone days	1.8%
December	=	1 Tropical cyclone days	0.4%

81.1% of the tropical cyclone days occurred from mid August through October.

19th and 20th century North Carolina Hurricane extremes:

Earliest	June 3-4, 1825
Latest	December 1, 1925
Most Intense	Hazel (CAT 4) October, 1954
Costliest	Hugo (CAT 3) September, 1989
Highest Wind	August 18, 1879 Cape Lookout estimated winds of 168 mph. (Several reports of 150 mph occurred with Hazel in 1954)
Most Deaths	53 deaths were recorded September 11, 1883
Highest Storm Tide	18 feet at Calabash associated with Hazel in 1954

Dating back to 1899 no category five hurricane has made landfall in North Carolina.

In the 20th century only two category five hurricanes have struck the U. S. mainland: One struck the Florida Keys September 1935 and Hurricane Camille made landfall on the coasts of Louisiana/Mississippi August 1969.

The most intense hurricane ever recorded in the Atlantic was Hurricane Gilbert (CAT 5) September 1988. Highest winds 184 mph (160 knots). It had the lowest pressure ever recorded 26.13 inches (885 mb).

Most deaths associated with a hurricane in the U. S. was 6,000 in Galveston, Texas on August 1900.

ACKNOWLEDGMENTS

The author thanks Albert Hinn for providing statistical data and Russell Ketterman for help in preparation of this report. The author also thanks the entire staff at Weather Service Office Wilmington for providing time for me to complete the study.

APPENDIX 1

Abbreviations used in this study to classify tropical cyclones affecting North Carolina are:

CAT = Category (Using Saffir/Simpson Scale 1 - 5)

TS = Tropical Storm (A tropical cyclone in which the maximum sustained surface wind (1-minute mean) ranges from 39 to 73 mph.) (34 to 63 knots)

ST = Subtropical Storm (A subtropical cyclone in which the maximum sustained surface (1-minute mean) is equal to or greater than 39 mph.) (34 knots)

XT = Extratropical storm (Tropical cyclones modified by interaction with a nontropical environment. No wind speed criteria. Wind may exceed hurricane force.)

NR = Not Rated (Cyclone in dissipation stage or minimal effects.)

A listing, by month, of all storms described in this report is given in the Appendix 2, along with a page number reference.

SAFFIR-SIMPSON HURRICANE SCALE

CATEGORY ONE HURRICANE -- WEAK

Winds: 75 - 95 mph (65 - 82 knots) at standard anemometer elevations (30 ft). Damage is primarily to shrubbery, trees, foliage and unanchored mobile homes. No real damage occurs to building structures. Some damage is done to poorly constructed signs.

Central pressure: 980 MB (28.94 inches) or greater.

Storm Surge: Nominally is 4 - 5 ft above normal. Low-lying coastal roads are inundated, minor pier damage occurs, some small craft in exposed anchorages break moorings.

CATEGORY TWO HURRICANE -- MODERATE

Winds: 96 - 110 mph (83 - 95 knots) at standard anemometer elevations (30 ft). Considerable damage is done to shrubbery and tree foliage, some trees are blown down. Major structural damage occurs to exposed mobile homes. Extensive damage occurs to poorly constructed signs. Some damage is done to roofing material, windows and doors; no major damage occurs to building structures.

Central pressure: 965 - 979 MB (28.50 - 28.91 inches)

Storm Surge: Nominally is 6 - 8 ft above normal. Coastal roads and low-lying escape routes inland are cut by rising water 2 - 4 hrs before arrival of center. Considerable pier damage occurs and marinas are flooded. Small craft in unprotected anchorages break moorings. Evacuation of some shoreline residences and low-lying island areas is required.

CATEGORY THREE HURRICANE -- STRONG

Winds: 111 - 130 mph (96 - 113 knots) at standard anemometer elevations (30 ft). Damage occurs to shrubbery and trees: foliage is blown off trees and large trees are blown down. Some roofing material damage occurs with some window and door damage occurs. Some structural damage occurs to small residences and utility buildings. Mobile homes are destroyed. There is a minor amount of curtainwall failure.

Central pressure: 945 - 964 MB (27.91 - 28.47 inches)

Storm Surge: Nominally is 9 - 12 ft above normal. Serious flooding occurs at the coast with many smaller structures near the coast destroyed. Larger structures are damaged by battering of floating debris. Low-lying escape routes inland are cut by rising water 3 to 4 hrs before the center arrives. Flat terrain lower than 5 ft above sea level may be flooded inland 8 miles or more. Evacuation of low-lying residences within several blocks of the shoreline may be required.

CATEGORY FOUR HURRICANE -- VERY STRONG

Winds: 131 - 155 mph (114 - 135 knots) at standard anemometer elevations (30 ft.). Shrubs and trees are blown down and all signs are down. Extensive roofing material damage occurs with complete failure of roof structures on many small residences. Extensive window and door damage occurs. Complete destruction of mobile homes occurs. Some curtainwalls experience failure.

Central pressure: 920 - 944 MB (27.17 - 27.88 inches)

Storm Surge: Nominally is 13 - 18 ft above normal. Terrain continuously lower than 10 ft above sea level may be flooded inland as far as 6 miles. Major damage occurs to lower floors of structures near the shore due to flooding and battering action. Low-lying escape routes inland may be cut by rising water 3 - 5 hours before the storm center arrives. Major erosion of beach areas occurs. Massive evacuation of all residences within 500 yards of the shoreline may be required and single-story residences on low ground within 2 miles of the shoreline may need to be evacuated.

CATEGORY FIVE HURRICANE -- DEVASTATING

Winds: Greater than 155 mph (135 knots) at standard anemometer elevations (30 ft.). Shrubs and trees are down. Roofing damage is considerable. All signs are down. Very severe and extensive window and door damage occur. Complete failure of roof structures occurs on many residences and industrial buildings. Extensive glass failures occur. There is some complete building failure and small buildings are overturned and blown away. Complete destruction of mobile homes occurs.

Central pressure: less than 920 MB (27.17 inches)

Storm Surge: Height is nominally greater than 18 ft above normal. Major damage occurs to lower floors of all structures located less than 15 ft above sea level and within 500 yards of the shoreline. Low-lying escape routes inland are cut by rising waters 3 to 5 hours before the storm center arrives. Massive evacuations of residential areas situated on low ground within 5 to 10 miles of the shoreline may be required.

APPENDIX 2

NORTH CAROLINA TROPICAL CYCLONE CHRONOLOGY BY MONTH

(NOTE: The rating given to storms in this report reflect the storm's intensity at the time it impacted North Carolina.)

<u>Date</u>	<u>Year</u>	<u>Rating</u>	<u>Name</u>	<u>Landfall/Track</u>	<u>Page</u>
<u>APRIL</u>					
10	1789	XT		Northeast NC	8
<u>MAY</u>					
None					
<u>JUNE</u>					
3-4	1825	NR		Gen. coastal NC	10
7-13	1968	NR	ABBY	GA-Inland NC	46
7-8	1986	TS	ANDREW	Offshore NC	57
11-12	1966	CAT 1	ALMA	Offshore NC	45-46
16	1893	NR		Gulf/Exit NC	22
18-19	1982	ST		Along coast NC	53
19-20	1886	NR		FL-Western NC	21
20-21	1972	TS	AGNES	FL-Inland NC	49-50
23-26	1586	NR		Offshore NC	3
25	1945	CAT 1		Gulf-Outer Banks	34
28	1975	TS	AMY	Offshore NC	50
30-7/1	1886	NR		FL-Coastal NC	21
<u>JULY</u>					
1	1814	NR		Unknown	9
5	1971	NR	ARLENE	Offshore NC	47
6	1946	TS		New Hanover County	35
11	1901	CAT 1		Outer Banks	27
12-15	1842	NR		Along coast NC	12-13
14-16	1916	TS		SC-Western NC	29
18	1850	NR		Along coast NC	13
19	1916	CAT 1		Offshore NC	29
23-24	1788	NR		Offshore NC	7
24-26	1985	NR	BOB	SC-Inland NC	55
29	1960	TS	BRENDA	SC/NC Border	43
30	1827	NR		Unknown	10
30	1908	CAT 1		Offshore NC	28

NORTH CAROLINA TROPICAL CYCLONE CHRONOLOGY BY MONTH

<u>Date</u>	<u>Year</u>	<u>Rating</u>	<u>Name</u>	<u>Landfall/Track</u>	<u>Page</u>
<u>AUGUST</u>					
?	1822	NR		Offshore NC	10
1	1944	CAT 1		Brunswick County	33
2	1795	NR		Offshore NC	8
6	1670	NR		Outer Banks	4
9	1976	NR	BELLE	Offshore NC	51
10	1777	NR		Along coast NC	7
10	1781	NR		SC-Inland NC	7
11	1778	NR		Outer Banks	7
11-17	1940	CAT 1		GA/SC Border	33
12	1955	CAT 3	CONNIE	Outer Banks	39-40
13	1728	NR		SC & Along coast NC	5
13	1953	CAT 1	BARBARA	Carteret County	36
13-14	1971	NR	BETH	Offshore NC	47
15-17	1830	NR		SC-Southeast NC	11
16-18	1899	CAT 4		Outer Banks	25
17	1955	CAT 2	DIANE	New Hanover County	40-41
17-18	1986	CAT 1	CHARLEY	Carteret County	57
18	1669	NR		Outer Banks	4
18	1750	NR		Along coast NC	5
18-20	1837	NR		SC-Coastal NC	11-12
18-22	1871	NR		Southeast NC	15
18	1879	EXTREME		New Hanover County	17
20	1887	NR		Offshore NC	21
20-21	1976	TS	DOTTIE	South Carolina	51-52
20-21	1981	TS	DENNIS	Along coast NC	53
22-23	1933	CAT 2		Outer Banks	31
23-27	1851	NR		FL-Offshore NC	13
23	1893	NR		Offshore NC	23
24-25	1827	NR		Outer Banks	11
24	1842	NR		Along coast NC	13
24	1850	NR		Southeast NC	13
24	1949	CAT 1		Offshore NC	35
25	1885	EXTREME		Eastern NC	20
25	1924	CAT 1		Offshore NC	30
26	1591	NR		Offshore NC	3
27-28	1813	NR		SC-Inland NC	9
27	1881	NR		GA/SC Border	18

NORTH CAROLINA TROPICAL CYCLONE CHRONOLOGY BY MONTH

<u>Date</u>	<u>Year</u>	<u>Rating</u>	<u>Name</u>	<u>Landfall/Track</u>	<u>Page</u>
<u>AUGUST</u>					
27-29	1893	GREAT		GA-Inland NC	23
27	1971	TS	DORIA	Carteret County	48
28-30	1839	NR		Offshore NC	12
28	1949	TS		FL-Central NC	36
28	1962	TS	ALMA	Carteret County	44
29-9/1	1964	NR	CLEO	GA-Central NC	44
30	1954	CAT 2	CAROL	Offshore NC	36-37
31	1587	NR		Offshore NC	3
31-9/1	1908	CAT 1		Near Outer Banks	28
31	1952	TS	ABLE	SC-Central NC	36
<u>SEPTEMBER</u>					
1-2	1978	NR	ELLA	Offshore NC	52
2	1775	NR		Northeast NC	6
2-3	1821	NR		Coastal NC	10
3-4	1815	NR		Coastal NC	9
3	1913	CAT 1		Carteret County	29
4	1834	NR		SC/NC Border	11
4-5	1856	NR		Southeast NC	14
5	1797	NR		SC & Along Coast NC	8
5-6	1935	TS		FL-Coastal NC	32
5	1979	TS	DAVID	GA/SC Border	52-53
6	1667	NR		Outer Banks	4
6-7	1769	NR		Brunswick County	6
6	1916	TS		Brunswick County	30
7-8	1804	NR		SC-Inland NC	9
7-8	1846	NR		Offshore NC	13
7	1853	NR		Offshore NC	14
7-9	1854	NR		Coastal NC	14
8	1934	CAT 1		Near Outer Banks	32
8	1969	NR	GERDA	Offshore NC	47
8-9	1972	NR	DAWN	Offshore NC	50
9-12	1857	NR		Offshore NC	14
9	1881	NR		New Hanover County	18
9-12	1889	NR		Offshore NC	22
9-14	1984	CAT 2	DIANA	New Hanover County	54-55
10	1811	NR		SC-Inland	9

NORTH CAROLINA TROPICAL CYCLONE CHRONOLOGY BY MONTH

<u>Date</u>	<u>Year</u>	<u>Rating</u>	<u>Name</u>	<u>Landfall/Track</u>	<u>Page</u>
<u>SEPTEMBER</u>					
10-11	1820	NR		SC-Outer Banks	10
10-11	1882	NR		Gulf-Inland NC	18-19
10	1954	CAT 1	EDNA	Offshore NC	37
10 and 16-17	1967	TS	DORIA	NC/VA Border	46
11	1883	MAJOR		Brunswick County	20
11	1960	CAT 3	DONNA	Southeast NC	43
12	1878	NR		FL-Inland NC	17
12	1930	CAT 1		Offshore NC	31
13	1964	NR	DORA	GA-Coastal NC	45
14	1904	CAT 1		SC-Eastern NC	27
14	1944	CAT 3		Offshore NC	33-34
15	1752	NR		SC-Along Coast NC	5
15	1903	CAT 1		Offshore NC	27
15-16	1933	CAT 3		Outer Banks	31-32
16-17	1713	NR		SC-Inland NC	5
17	1876	NR		SC/NC Border	16
17	1906	CAT 3		Nrn. SC/NC Border	28
17	1945	CAT 1		FL-Central NC	34
18-19	1928	CAT 1		GA-Eastern NC	30-31
18	1936	CAT 2		Near Outer Banks	32
19-20	1873	NR		FL-Coastal NC	15
19	1955	CAT 3	IONE	Carteret County	41-42
20	1961	CAT 1	ESTHER	Offshore NC	43
21-23	1882	NR		Outer Banks	19
21-24	1897	NR		Near Outer Banks	24
21	1938	CAT 1		Offshore NC	32
21-23	1964	NR	GLADYS	Offshore NC	45
21-22	1989	CAT 3	HUGO	SC-Inland NC	57-59
22	1920	CAT 1		Southeast NC	30
23	1761	NR		Brunswick County	6
23-24	1785	NR		Outer Banks	7
23-24	1873	NR		FL-Coastal NC	15
24	1889	NR		Gulf-Western NC	22
26-27	1956	XT	FLOSSY	Gulf-Eastern NC	42
26-27	1985	CAT 3	GLORIA	Outer Banks	55-56
27-28	1822	NR		SC-Inland NC	10

NORTH CAROLINA TROPICAL CYCLONE CHRONOLOGY BY MONTH

<u>Date</u>	<u>Year</u>	<u>Rating</u>	<u>Name</u>	<u>Landfall/Track</u>	<u>Page</u>
<u>SEPTEMBER</u>					
27-28	1894	NR		SC-Outer Banks	24
27	1958	CAT 3	HELENE	Offshore NC	42
28	1806	NR		Outer Banks	9
28	1874	NR		SC-Coastal NC	15
29	1877	NR		Offshore NC	16
29	1896	NR		FL-Central NC	24
30-10/1	1752	NR		Onslow County	5-6
30	1959	TS	GRACIE	SC-Central NC	42
30-10/1	1971	CAT 1	GINGER	Carteret County	48-49
<u>OCTOBER</u>					
1-2	1929	CAT 1		FL-Central NC	31
1-2	1975	NR	GLADYS	Offshore NC	51
2	1898	NR		Georgia	25
3-4	1877	NR		LA-Western NC	16-17
7-8	1783	NR		North Carolina	7
9	1837	NR		Offshore NC	12
9-10	1894	NR		Gulf-Eastern NC	25
9	1946	XT		FL-Central NC	35
11-13	1882	NR		GA-Along Coast NC	19
11	1888	NR		Gulf-Coastal NC	22
12	1846	NR		FL-Inland NC	13
12	1885	NR		FL-Eastern NC	20
12-15	1947	CAT 1		Offshore NC	35
12-15	1984	NR	JOSEPHINE	Offshore NC	55
13	1893	GREAT		SC-Central NC	23
13	1900	CAT 1		Outer Banks	27
15	1954	CAT 4	HAZEL	Brunswick County	37-39
16	1964	CAT 1	ISBELL	Carteret County	45
18-19	1749	NR		Along Coast NC	5
18-19	1962	NR	ELLA	Offshore NC	44
19-20	1910	CAT 1		Offshore NC	29
19-27	1963	NR	GINNY	Offshore NC	44
19-20	1968	CAT 1	GLADYS	FL-Exit NC	46-47
20	1887	NR		LA-Exit NC	21
20	1897	NR		Offshore NC	25
20	1944	TS		Brunswick County	34

NORTH CAROLINA TROPICAL CYCLONE CHRONOLOGY BY MONTH

<u>Date</u>	<u>Year</u>	<u>Rating</u>	<u>Name</u>	<u>Landfall/Track</u>	<u>Page</u>
<u>OCTOBER</u>					
22	1893	NR		Outer Banks	24
23	1878	MAJOR		Southeast NC	17
24-26	1897	NR		Outer Banks	25
25	1872	NR		FL-Inland NC	15
25-26	1973	TS	GILDA	Offshore NC	50
26-27	1975	TS	HALLIE	Outer Banks	51
29	1837	NR		Offshore NC	12
30-31	1899	CAT 2		Brunswick County	26
31	1887	NR		FL-Offshore NC	21
<u>NOVEMBER</u>					
1-?	1861	NR		Offshore NC	15
10	1875	NR		Gulf-Inland NC	16
13	1904	CAT 3		Near Outer Banks	28
17-18	1825	NR		Outer Banks	10
22	1985	TS	KATE	FL-Offshore NC	56
25	1888	NR		Offshore NC	22
<u>DECEMBER</u>					
2	1925	CAT 1		FL-Coastal SE NC	30

APPENDIX 3

SOURCES OF INFORMATION

- Bennett, D.K, Chronology of North Carolina, James M. Edney, New York, 1858.
- Colonial Records of North Carolina, Vols. 4, 5, 8 and 10.
- Cry, G. W., W. H. Haggard, and H. S. White, North Atlantic Tropical Cyclones, Technical Paper No. 36, U. S. Weather Bureau 1959.
- Dunn, G. E., and B. I. Miller, Atlantic Hurricanes, Louisiana State University Press, 1960.
- Frost, R. L., Hurricanes of Cape Fear, Unpublished Manuscript, 1957.
- Garriott, E. B., West Indian Hurricanes, Bulletin H, U. S. Weather Bureau, 1900.
- Ludlum, David M., Early American Hurricanes, American Meteorological Society, Boston, 1963.
- Mitchell, C. L., West Indian Hurricanes and Other Tropical Cyclones of the North Atlantic Ocean, Monthly Weather Review Supplement No. 24, U. S. Weather Bureau, 1924.
- Purvis, John C, South Carolina Hurricanes, South Carolina Civil Defense Agency, 1964.
- Stick, D., Graveyard of the Atlantic, University of North Carolina Press, Chapel Hill, 1952.
- Stick, D., The Outer Banks of North Carolina, University of North Carolina Press, 1958.
- Tannehill, I. R., Hurricanes, Their Nature and History, 9th edition, Princeton University Press, 1956.
- U. S. Army, Report of the Chief Signal Officer, 1872 - 1878.
- U. S. Weather Bureau, Monthly Weather Review, Vols. 1 - 88.
- U. S. Weather Bureau, Monthly Climatological Data, North Carolina Section, 1896 - 1961.
- U. S. Weather Bureau, Climatology of the United States, Bulletin Q, 1906.
- Weatherwise, Volume 13, 1960.
- Newspapers: Files of Newspapers, (in the original or on microfilm), dating in some cases from 1799, were consulted at the State Library in Raleigh and The News and Observer Office, at the University of North Carolina in Chapel Hill and the Public Library in Wilmington. None of the files are complete, especially prior to 1879. Newspapers consulted were: Raleigh Register and North Carolina Gazette; News and Observer (Raleigh); Chronicle (Wilmington); Morning Star (Wilmington); Journal (Wilmington); Messenger (Wilmington); Evening Star (Wilmington).
- Carney, Charles B., and Albert V. Hardy, North Carolina Hurricanes A Listing and Description of Tropical Cyclones which have Affected the State (Revised August 1967).
- Tropical Cyclones of the North Atlantic Ocean, 1871 - 1980; U. S. Department of Commerce - NOAA.
- Mariners Weather Log - U.S. Department of Commerce - NOAA: Winter 1982 Volume 26 Number 1, Winter 1983 Volume 27 Number 1, Winter 1985 Volume 29 Number 1, Winter 1986 Volume 30 Number 1 and Winter 1988 Volume 32 Number 1.
- Sugg, Arnold L., Leonard G. Pardue and Robert L. Carrodus Memorable Hurricanes of The U.S. Since 1873 NOAA Technical Memorandum NWS SR-56.
- NOAA National Hurricane Operations Plan (FCM-P12-1989) U. S. Department of Commerce, 1989.

NOAA WSOM Chapter C-41, U. S. Department of Commerce, 1989.
Hurricane Doria September 8 - 18, 1967 (Preliminary Report with Advisories and Bulletins), U. S. Department of Commerce, ESSA, Weather Bureau.
Hurricane Abby June 1 - 13, 1968 (Preliminary Report).
Hurricane Gladys October 13 - 21, 1968 (Preliminary Report).
Hurricane Gerda September 5 - 10, 1969 (Preliminary Report).
The Atlantic Hurricane Season of 1973, Reprinted from Weatherwise Vol. 27, No. 1, February 1974.
Monthly Weather Review - Atlantic Hurricane Seasons 1971 Vol. 99, No. 4; 1972 Vol. 100, No. 4; 1973 Vol. 101, No. 4; 1974 Vol. 102 - Vol. 116 1988.
 Gray, William M., Summary of 1988 Atlantic Tropical Cyclone Activity and Verification of Author's Seasonal Forecast, Department of Atmospheric Science, Colorado State University, Fort Collins, Co. 80523.
Hurricane Gloria September 26 - 27, 1985, Disaster Survey Report to The Assistant Administrator for Weather Services, NOAA.
 Lawrence, Miles, Preliminary Report Hurricane Hugo September 10 - 22, 1989, National Hurricane Center, October 26 1989.

NOAA Technical Memoranda NWS

- NWS ER 38 Use of Primitive Equation Model Output to Forecast Winter Precipitation in the Northeast Coastal Sections of the United States. Stanley E. Wasserman and Harvey Rosenblum. December 1970. (COM-71-00138).
- NWS ER 39 A Preliminary Climatology of Air Quality in Ohio. Marvin E. Miller. January 1971. (COM-71-00204)
- NWS ER 40 Use of Detailed Radar Intensity Data in Mesoscale Surface Analysis. Robert E. Hamilton. March 1971. (COM-71-00573).
- NWS ER 41 A Relationship Between Snow Accumulation and Snow Intensity as Determined from Visibility. Stanley E. Wasserman and Daniel J. Monte. (COM-71-00763).
- NWS ER 42 A Case Study of Radar Determined Rainfall as Compared to Rain Gage Measurements. Martin Ross. July 1971. (COM-71-00897).
- NWS ER 43 Snow Squalls in the Lee of Lake Erie and Lake Ontario. Jerry D. Hill. August 1971. (COM-72-00959).
- NWS ER 44 Forecasting Precipitation Type at Greer, South Carolina. John C. Purvis. December 1971. (COM-72-10332).
- NWS ER 45 Forecasting Type of Precipitation. Stanley E. Wasserman. January 1972. (COM-72-10316).
- NWS ER 46 An Objective Method of Forecasting Summertime Thunderstorms. John F. Townsend and Russell J. Younkin. May 1972. (COM-72-10765).
- NWS ER 47 An Objective Method of Preparing Cloud Cover Forecasts. James R. Sims. August 1972. (COM-72-11382).
- NWS ER 48 Accuracy of Automated Temperature Forecasts for Philadelphia as Related to Sky Condition and Wind Direction. Robert B. Wassall. September 1972. (COM-72-11473).
- NWS ER 49 A Procedure for Improving National Meteorological Center Objective Precipitation Forecasts. Joseph A. Ronco, Jr. November 1972. (COM-73-10132).
- NWS ER 50 PEATMOS Probability of Precipitation Forecasts as an Aid in Predicting Precipitation Amounts. Stanley E. Wasserman. December 1972. (COM-73-10243).
- NWS ER 51 Frequency and Intensity of Freezing Rain/Drizzle in Ohio. Marvin E. Miller. February 1973. (COM-73-10570).
- NWS ER 52 Forecast and Warning Utilization of Radar Remote Facsimile Data. Robert E. Hamilton. July 1973. (COM-73-11275).
- NWS ER 53 Summary of 1969 and 1970 Public Severe Thunderstorm and Tornado Watches Within the National Weather Service, Eastern Region. Marvin E. Miller and Lewis H. Ramey. October 1973. (COM-74-10160)
- NWS ER 54 A Procedure for Improving National Meteorological Center Objective Precipitation Forecasts - Winter Season. Joseph A. Ronco, Jr. November 1973. (COM-74-10200).
- NWS ER 55 Cause and Prediction of Beach Erosion. Stanley E. Wasserman and David B. Gilhousen. December 1973. (COM-74-10036).
- NWS ER 56 Biometeorological Factors Affecting the Development and Spread of Plant Diseases. V.J. Valli. July 1974. (COM-74-11625/AS).
- NWS ER 57 Heavy Fall and Winter Rain In The Carolina Mountains. David B. Gilhousen. October 1974. (COM-74-11761/AS).
- NWS ER 58 An Analysis of Forecasters' Propensities In Maximum/Minimum Temperature Forecasts. I. Randy Racer. November 1974. (COM-75-10063/AS).
- NWS ER 59 Digital Radar Data and its Application in Flash Flood Potential. David D. Sisk. March 1975. (COM-75-10582/AS).
- NWS ER 60 Use of Radar Information in Determining Flash Flood Potential. Stanley E. Wasserman. December 1975. (PB250071/AS).
- NWS ER 61 Improving Short-Range Precipitation Guidance During the Summer Months. David B. Gilhousen. March 1976. (PB256427)
- NWS ER 62 Locally Heavy Snow Downwind from Cooling Towers. Reese E. Otts. December 1976. (PB263390/AS).
- NWS ER 63 Snow in West Virginia. Marvin E. Miller. January 1977. (PB265419/AS).
- NWS ER 64 Wind Forecasting for the Monongahela National Forest. Donald E. Risher. August 1977. (PB272138/AS).
- NWS ER 65 A Procedure for Spraying Spruce Budworms in Maine during Stable Wind Conditions. Monte Glovinsky. May 1980. (PB80-203243).
- NWS ER 66 Contributing Factors to the 1980-81 Water Supply Drought, Northeast U.S. Solomon G. Summer. June 1981. (PB82-172974).
- NWS ER 67 A Computer Calculation and Display System for SLOSH Hurricane Surge Model Data. John F. Townsend. May 1984. (PB84-198753).
- NWS ER 68 A Comparison Among Various Thermodynamic Parameters for the Prediction of Convective Activity. Hugh M. Stone. April 1985. (PB85-206217/AS).
- NWS ER 69 A Comparison Among Various Thermodynamic Parameters for the Prediction of Convective Activity, Part II. Hugh M. Stone. December 1985. (PB86-142353/AS).
- NWS ER 70 Hurricane Gloria's Potential Storm Surge. Anthony G. Gigi and David A. Wert. July 1986. (PB86-226644/AS).
- NWS ER 71 Washington Metropolitan Wind Study 1981-1986. Clarence Burke, Jr. and Carl C. Ewald. February 1987. (PB87-151908/AS).
- NWS ER 72 Mesoscale Forecasting Topics. Hugh M. Stone. March 1987. (PB87-180246/AS).
- NWS ER 73 A Procedure for Improving First Period Model Output Statistics Precipitation Forecasts. Antonio J. Lacroix and Joseph A. Ronco, Jr. April 1987. (PB87-180238/AS).
- NWS ER 74 The Climatology of Lake Erie's South Shoreline. John Kwiatkowski. June 1987. (PB87-205514/AS).
- NWS ER 75 Wind Shear as a Predictor of Severe Weather for the Eastern United States. Hugh M. Stone. January 1988. (PB88-157144).
- NWS ER 76 Is There A Temperature Relationship Between Autumn and the Following Winter? Anthony Gigi. February 1988. (PB88-173224).
- NWS ER 77 River Stage Data for South Carolina. Clara Cillentine. April 1988. (PB88-201991/AS).
- NWS ER 78 National Weather Service Philadelphia Forecast Office 1987 NOAA Weather Radio Survey & Questionnaire. Robert P. Wanton. October 1988. (PB89-111785/AS).
- NWS ER 79 An Examination of NGM Low Level Temperature. Joseph A. Ronco, Jr. November 1988. (PB89-122543/AS).
- NWS ER 80 Relationship of Wind Shear, Buoyancy, and Radar Tops to Severe Weather 1988. Hugh M. Stone. November 1988. (PB89-122419/AS).
- NWS ER 81 Relation of Wind Field and Buoyancy to Rainfall Inferred from Radar. Hugh M. Stone. April 1989. (PB89-208326/AS).
- NWS ER 82 Second National Winter Weather Workshop, 26-30 Sept. 1988: Postprints. Laurence G. Lee. June 1989. (PB90-147414/AS).

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications:

PROFESSIONAL PAPERS—Important definitive research results, major techniques, and special investigations.

CONTRACT AND GRANT REPORTS—Reports prepared by contractors or grantees under NOAA sponsorship.

ATLAS—Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS—Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

TECHNICAL REPORTS—Journal quality with extensive details, mathematical developments, or data listings.

TECHNICAL MEMORANDUMS—Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



Information on availability of NOAA publications can be obtained from:

NATIONAL TECHNICAL INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
5285 PORT ROYAL ROAD
SPRINGFIELD, VA 22161