This paper has been printed as manuscript in limited quantity for preliminary use. As this reproduction does not constitute formal scientific publication, any reference to the paper in published articles and scientific literature should identify it as a manuscript of the U. S. Weather Bureau Southern Region.

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION
U. S. Weather Bureau

Southern Region Technical Memorandum No. 26, Sept. 1966

RELATIVE HUMIDITY IN GEORGIA

Horace S. Carter
Weather Bureau State Climatologist
And
Research Associate, Agricultural Engineering Department
University of Georgia

TABLE		Page
Table 1.	Changes in Relative Humidity With Changes in Temperature Without Changes in Vapor Content or Pressure	4
Table 2.	Average Hourly Relative Humidity by Seasons	5
Table 3.	Percent of Time Relative Humidity is Below the Indicated Values	6
Tables of Temperature-Relative Humidity Occurrences		
Table 4A	January -- Atlanta and Augusta	7
Table 4A	January -- Macon and Savannah	8
Table 4B	April -- Atlanta and Augusta	9
Table 4B	April -- Macon and Savannah	10
Table 4C	July -- Atlanta and Augusta	11
Table 4C	July -- Macon and Savannah	12
Table 4D	October -- Atlanta and Augusta	13
Table 4D	October -- Macon and Savannah	14

RELATIVE HUMIDITY IN GEORGIA

Horace S. Carter
Weather Bureau State Climatologist
And
Research Associate, Agricultural Engineering Department
University of Georgia

Humidity is a measure of the water vapor content of the air. The humidity may be expressed as vapor pressure, absolute humidity, specific humidity, relative humidity, mixing ratio or dew point temperature. The most widely used, and possibly the best understood, of these terms is relative humidity. The relative humidity is the ratio, expressed in percent, of the actual water vapor in the air to the amount required to saturate the air at the existing temperature.

The capacity of the air to hold water vapor increases with an increase in temperature. The relative humidity therefore decreases with an increase in temperature when there is no change in the water vapor content of the air or in the atmospheric pressure. The effect of temperature on relative humidity is shown by the data in Table 1. Starting with saturation, or 100 percent relative humidity, at several temperatures, this table shows what happens to the relative humidity when the temperature is increased by 10° intervals. These are the changes that would occur with no changes in water vapor content of the air or in the atmospheric pressure. Although these conditions seldom, if ever, occur in nature, the table illustrates the important effect that changes in temperature have on relative humidity.

Many requests for information on relative humidity are received by the Weather Bureau. This is not surprising when the effect of humidity on human comfort and well-being is considered. Those suffering from certain types of diseases are especially sensitive to humidity and changes in humidity. Relative humidity is also important in poultry and livestock production and may be a factor in the growth and development of field crops. The incidence and spread of certain fungi, diseases and insects are often directly related to relative humidity. Many manufacturing processes, especially in the textile industry, are affected by relative humidity. This report is prepared with the hope that it will be useful in answering some of the requests for information on relative humidity in Georgia.

Relative humidity is measured and recorded by the Weather Bureau at only a few places in Georgia. This is not too great a problem, however, since the variation from one part of the State to another is comparatively small, on the average. For example, the diurnal, or daily, variation at any one place is much larger than the variation from one part of the State to another. This large daily variation is, of course, related to the large daily temperature variation but is inverse to the temperature variation; that is, the relative humidity is highest in the early morning when the temperature is lowest and is lowest in mid-afternoon when the temperature is highest. Seasonal variations of relative humidity at any one place are also small when compared with diurnal variations.

Table 2 shows the average hourly relative humidity by season for several Georgia cities. An examination of the data presented in this table makes possible several interesting statements:

1. The average diurnal, or daily, range of relative humidity is greater than 30 percent at all reporting stations and in all seasons, except in Atlanta and Athens where it is 24 and 26 percent respectively in winter.

2. Daily ranges are largest in fall, when they reach 43 percent at Macon and Augusta, and are smallest in winter.

3. The average relative humidity is highest in summer and, for most of the day, lowest in spring.

4. Hourly averages are highest from 5 to 8 a.m., when they reach the low 90's in all areas in summer, and are lowest from 2 to 4 p.m. when spring averages are only 50 percent, or less, in all areas.

5. Averages are slightly higher in the coastal area during most hours and in all seasons than in other parts of the State. However, for a few hours around midday, averages are higher at Athens and Atlanta, in both summer and winter, than at Savannah.

6. The greatest difference between any two stations at any one time is only 13 percent. This occurs at 6 to 7 p.m. between Savannah and Macon. Surpisingly, the statewide range is only 2 percent at one or more hours during each season and is less than 5 percent for several morning hours of each season.

The duration, or percentage frequency, of relative humidity below, or above, certain values is of importance in some operations. Table 3 shows, for the same locations given in Table 2, the percent of time, by season, that the relative humidity is below 30%, 50%, 70%, 80% and 90% respectively. Since some activities are confined to daytime, percentages are shown separately for all hours and for daytime hours (7 a.m. to 6 p.m.). The comparatively small variation from one place to another, especially during daytime hours, is again noteworthy.

The percent of time that the relative humidity is between successive values shown at the top of the Table is easily determined by subtraction. For example, the daytime relative humidity at Athens during spring is between 50% and 70%, 26 percent of the time. (64 minus 38).

The importance, from a comfort standpoint, of the simultaneous occurrence of certain temperature-relative humidity values is well known, especially to those suffering from arthritic or

respiratory ailments. The combination of these elements may also be a factor in manufacturing processes as well as industrial and agricultural operations. Table 4 gives the frequency of hourly occurrences of certain temperature-humidity combinations for Atlanta, Augusta, Macon and Savannah. Temperatures are shown by 5-degree intervals and the relative humidity breakdown is the same as in Table 3. To show the seasonal variation in temperature-relative humidity occurrences, Table 4 has been prepared for the middle month of each season--January, April, July and October. Total occurrences of relative humidity and temperature within each interval, and for the period of record, are shown at the bottom and right side of the Table, respectively. The periods of record are 1956-1961 for Macon and 1951-1960 for the other three places. The percent of the time that the relative humidity and temperature fell within each table interval, as well as the accumulated percent, is also shown at the bottom and the right side of the Table. The accumulated line, or column, will show at a glance the percent of time that relative humidity or temperature was above, or below, the values in the table headings.

The number of occurrences of, or the percent of the time with, temperature and relative humidity below, or above, the values in the Table headings, can easily be obtained from Table 4. For example to determine the number of hourly occurrences of both temperature less than 85° and relative humidity less than 80%, add table entries in, and above, the temperature line 80-84° and in, and to the left of, the relative humidity column 70-79%. For Atlanta during July, this total is 2684 hours for the 10 year period, or 36 percent of the time. (Table 4 C).

Although relative humidity is regularly recorded at only a few places in Georgia, satisfactory estimates of averages or frequencies for other places over the State can be interpolated from the above tables. Except for diurnal variations, large changes in temperature and moisture content, the major controls of relative humidity, occur only with changes in air masses. The geographic dimensions of air masses are such that large areas of the State are usually under the influence of the same air mass. It is for this reason that relative humidity averages and frequencies show only small variations over large areas.

Additional information on Georgia's climate may be obtained from the office of Weather Bureau State Climatologist, Agricultural Engineering Center, University of Georgia, Athens, Georgia 30601.

TABLE 1. Changes in Relative Humidity With Changes in Temperature Without Changes in Vapor Content or Pressure

Temp. °F	Relative Humidity in Percent						
30°	100						
40°	66	100					
50°	43	68	100				
60°	32	47	69	100			
70°	22	33	49	71	100		
80°	16	24	35	51	72	100	
90°		17	25	37	52	73	100
100°			19	27	38	53	74

TABLE 2. Average Hourly Relative Humidity by Seasons (Based on 4 years, 1961-1964)

	Mid	1a	2a	3a	4a	5a	6a	7a	8a	9a	10a	11a	Noon	1p	2p	3p	4p	5p	6p	7p	8p	9p	10p	11p	Daily Range
Spring																									
Athens	74	76	79	81	82	83	84	84	78	72	66	60	57	53	51	49	49	50	53	59	64	68	70	72	35
Atlanta	72	72	75	77	78	79	80	80	76	72	66	61	57	54	52	50	49	50	52	55	62	65	68	70	31
Augusta	78	80	81	83	85	87	86	85	79	70	63	57	53	49	47	46	45	46	49	58	67	71	73	75	42
Macon	73	77	78	81	83	84	86	85	79	71	63	56	51	47	45	43	43	44	47	52	59	64	67	70	43
Savannah	82	83	84	85	86	87	88	86	80	71	63	57	54	51	50	50	51	54	59	65	71	75	79	81	38
Area Range	10	11	9	8	8	8	8	6	4	2	3	5	6	7	7	7	8	10	12	13	12	11	12	11	
Summer																									
Athens	87	89	90	91	93	94	94	92	85	78	72	66	62	60	57	56	57	60	63	72	78	82	84	86	38
Atlanta	85	86	88	89	90	91	91	90	85	80	74	69	65	63	61	60	60	61	64	68	75	79	82	83	31
Augusta	86	88	89	90	91	92	93	90	83	76	69	63	58	56	56	55	55	57	61	67	75	80	82	84	38
Macon	84	86	88	89	91	92	93	90	85	76	68	62	57	54	52	52	53	55	58	63	71	75	79	81	41
Savannah	89	90	91	92	93	93	93	91	85	77	70	64	61	59	59	60	63	66	71	76	81	84	86	88	34
Area Range	5	4	3	3	3	3	3	2	2	4	6	7	8	9	9	8	10	11	13	13	10	9	7	7	
Fall																									
Athens	80	82	84	85	87	88	88	88	84	76	68	60	56	53	51	50	50	54	61	67	70	73	75	78	38
Atlanta	77	78	80	81	81	82	83	84	81	75	67	61	56	53	51	50	50	52	57	63	68	71	74	75	34
Augusta	86	87	88	89	90	90	91	91	86	78	68	59	54	51	49	48	48	51	61	70	76	79	82	84	43
Macon	81	83	85	86	88	89	89	89	86	77	66	58	53	49	47	46	46	48	55	62	68	72	76	78	43
Savannah	85	85	86	87	88	88	88	89	85	77	68	61	57	54	53	53	55	59	67	74	78	81	82	83	36
Area Range	8	7	8	8	9	8	8	7	5	3	2	3	4	5	6	7	9	11	12	12	10	10	8	9	
Winter																									
Athens	75	77	79	80	80	81	82	82	81	78	71	67	62	59	57	56	56	58	63	66	69	71	72	74	26
Atlanta	72	74	75	75	76	77	77	78	78	75	71	65	61	58	56	55	54	56	59	62	66	68	69	71	24
Augusta	79	80	80	81	82	83	84	84	84	79	72	65	60	57	54	53	53	55	62	69	72	74	76	77	31
Macon	75	77	79	80	81	81	82	83	82	77	71	64	58	54	52	51	50	51	56	60	64	67	69	73	33
Savannah	81	82	83	83	84	85	85	86	85	80	73	66	60	57	55	54	55	58	65	70	75	77	79	80	32
Area Range	9	8	8	8	8	8	8	8	7	5	2	3	4	5	5	5	6	7	9	10	11	12	10	9	

TABLE 3. Percent of Time Relative Humidity is Below the Indicated Values

	Less than 30%		Less than 50%		Less than 70%		Less than 80%		Less than 90%	
	All hours	Daytime	All hours	Daytime	All hours	Daytime	All hours	Daytime	All hours	Daytime
Spring										
Athens	4	7	24	38	51	64	65	75	78	84
Atlanta	6	11	29	43	56	67	69	77	81	87
Augusta	4	8	25	43	49	69	62	79	77	89
Macon	8	15	30	47	54	69	68	79	82	89
Savannah	3	6	19	34	43	66	57	79	75	89
Summer										
Athens	*	*	12	22	38	61	53	76	73	87
Atlanta	1	1	16	29	46	66	63	80	81	92
Augusta	*	1	14	28	39	68	53	81	71	92
Macon	*	1	17	31	42	66	57	79	78	92
Savannah	*	*	7	14	33	61	49	78	72	91
Fall										
Athens	1	3	15	28	40	59	55	71	72	82
Atlanta	3	6	19	33	47	62	63	73	78	84
Augusta	2	3	16	29	35	59	48	71	64	83
Macon	4	7	20	34	43	62	57	73	75	84
Savannah	1	1	10	19	32	55	47	70	68	84
Winter										
Athens	3	5	20	31	48	57	62	68	74	78
Atlanta	3	5	20	29	48	56	63	69	76	79
Augusta	2	5	19	33	44	60	57	71	74	82
Macon	7	12	27	39	53	63	67	74	81	85
Savannah	2	5	16	28	41	58	56	70	75	82
Year										
Athens	2	4	18	30	45	61	60	73	74	83
Atlanta	3	6	21	34	49	64	64	76	79	86
Augusta	2	4	18	33	41	64	54	76	70	87
Macon	5	9	24	38	49	66	63	77	80	88
Savannah	2	3	14	24	38	60	53	74	73	86

* Less than 1

TABLE 4A Temperature-Relative Humidity Occurrences, January

Atlanta

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
10-14			12	7	1		20	*	*
15-19		4	44	8			56	1	1
20-24		14	82	37	1		134	2	3
25-29	1	50	246	74	17	3	391	5	8
30-34	1	133	304	150	137	105	830	11	19
35-39	10	144	359	309	195	331	1348	18	37
40-44	23	153	361	190	178	331	1236	17	54
45-49	20	236	279	127	156	269	1087	15	69
50-54	28	194	156	114	130	332	954	13	82
55-59	36	102	102	69	107	293	709	9	91
60-64	15	45	79	56	82	174	451	6	97
65-69	1	28	54	39	34	26	182	2	99
70-74		8	17	12	4		41	1	100
75-79			1				1	*	100
Total	135	1111	2096	1192	1042	1864	7440		
%	2	15	28	16	14	25			
Acc %	2	17	45	61	75	100			

Augusta

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
15-19			9	12	14	10	45	1	1
20-24			39	38	89	58	224	3	4
25-29		30	100	71	124	83	408	6	10
30-34	1	55	168	94	141	219	678	9	19
35-39	8	114	220	149	186	235	912	12	31
40-44	21	140	318	175	218	302	1174	16	47
45-49	20	171	277	146	136	329	1079	15	62
50-54	13	211	212	94	160	289	979	13	75
55-59	41	178	124	76	104	234	757	10	85
60-64	33	102	112	59	101	147	554	7	92
65-69	11	67	119	86	75	41	399	5	97
70-74	4	38	102	28	4		176	2	99
75-79		9	43				52	1	100
80-84			3				3	*	100
Total	152	1115	1846	1028	1352	1947	7440		
%	2	15	25	14	18	26			
Acc %	2	17	42	56	74	100			

TABLE 4A Temperature-Relative Humidity Occurrences, January

Macon

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
15-19			18	6	1		25	1	1
20-24		9	39	12	9	3	72	2	3
25-29	2	23	119	60	25	2	231	6	9
30-34	6	76	130	46	43	22	323	9	18
35-39	20	90	139	100	80	60	489	13	31
40-44	36	98	136	98	69	140	577	15	46
45-49	36	105	127	76	95	140	579	16	62
50-54	41	110	109	64	88	115	527	14	76
55-59	39	87	58	43	51	113	391	11	87
60-64	23	49	49	25	32	63	241	6	93
65-69	12	27	42	18	39	24	162	4	97
70-74	4	18	34	20	2		78	2	99
75-79		7	13	1			21	1	100
80-84			4				4	*	100
Total	219	699	1017	569	534	682	3720		
%	6	19	27	15	15	18			
Acc %	6	25	52	67	82	100			

Savannah

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
15-19			4	4	2		10	*	*
20-24		1	20	27	26	2	76	1	1
25-29		5	94	62	80	15	256	3	4
30-34		27	191	71	109	79	477	7	11
35-39	4	78	161	136	172	155	706	9	20
40-44	13	140	231	180	183	234	981	13	33
45-49	24	156	238	156	185	322	1081	15	48
50-54	31	179	224	128	179	396	1137	15	63
55-59	38	175	186	112	129	379	1019	14	77
60-64	30	87	169	110	143	298	837	11	88
65-69	12	78	135	89	90	72	476	7	95
70-74		54	142	58	11		265	4	99
75-79		15	85	2			102	1	100
80-84		11	6				17	*	100
Total	152	1006	1886	1135	1309	1952	7440		
%	2	14	25	15	18	26			
Acc %	2	16	41	56	74	100			

TABLE 4B Temperature-Relative Humidity Occurrences, April

Atlanta

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
30-34			2		1		3	*	
35-39		6	13	42	15		76	1	1
40-44		15	125	72	28	24	264	4	5
45-49	2	69	201	60	60	40	432	6	11
50-54	11	157	242	102	96	133	741	10	21
55-59	32	229	278	143	143	380	1205	17	38
60-64	68	310	264	165	232	445	1484	21	59
65-69	114	237	257	185	216	142	1151	16	75
70-74	92	266	330	130	50		868	12	87
75-79	118	279	231	13	2		643	9	96
80-84	54	207	32				293	4	100
85-89	9	29	2				40	*	
Total	500	1804	1977	912	843	1164	7200		
%	7	25	27	13	12	16			
Acc %	7	32	59	72	84	100			

Augusta

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
30-34					4	11	15	*	*
35-39				13	25	70	108	1	1
40-44		4	46	51	61	132	294	4	5
45-49		19	77	74	83	164	417	6	11
50-54	3	55	153	89	138	186	624	9	20
55-59	11	109	206	120	177	362	985	14	34
60-64	34	191	204	134	228	460	1251	17	51
65-69	72	199	233	175	268	271	1218	17	68
70-74	58	239	284	191	118	22	912	13	81
75-79	58	255	310	68	8	1	700	10	91
80-84	56	273	161	1			491	7	98
85-89	21	136	21				178	2	100
90-94		6	1				7	*	100
Total	313	1486	1696	916	1110	1679	7200		
%	4	21	24	13	15	23			
Acc %	4	25	49	62	77	100			

TABLE 4B Temperature-Relative Humidity Occurrences, April

Macon

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
30-34					1	2	3	*	*
35-39			4	10	3	1	18	1	1
40-44		5	29	28	9	9	80	2	3
45-49		11	55	33	54	48	201	6	9
50-54	4	31	67	67	74	43	286	8	17
55-59	18	50	78	62	62	64	334	9	26
60-64	30	73	114	85	148	176	626	17	43
65-69	76	116	129	101	165	99	686	19	62
70-74	92	108	160	96	47	20	523	15	77
75-79	70	118	159	26	1		374	10	87
80-84	56	190	63				309	9	96
85-89	25	115	12				152	4	100
90-94	2	6					8	*	100
Total	373	823	870	508	564	462	3600		
%	10	23	24	14	16	13			
Acc %	10	33	57	71	87	100			

Savannah

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
35-39				4	9		13	*	*
40-44			15	33	36	22	106	1	1
45-49		11	64	68	106	59	308	4	5
50-54	3	29	114	75	161	90	472	7	12
55-59	17	74	179	94	174	261	799	11	23
60-64	19	151	176	125	289	663	1423	20	43
65-69	48	224	205	168	404	576	1625	23	66
70-74	57	176	279	234	201	111	1058	15	81
75-79	35	203	423	140	26		827	11	92
80-84	40	168	272	9			489	7	99
85-89	6	44	17				67	1	100
90-94		12	1				13	*	100
Total	225	1092	1745	950	1406	1782	7200		
%	3	15	24	13	20	25			
Acc %	3	18	42	55	75	100			

TABLE 4C Temperature-Relative Humidity Occurrences, July

Atlanta

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
60-64			7	5	7		19	*	*
65-69			38	52	73	183	346	5	5
70-74		7	117	174	547	1324	2169	29	34
75-79		44	321	543	731	181	1820	25	59
80-84	1	150	832	393	66	1	1443	19	78
85-89	5	334	632	20			991	13	91
90-94	4	396	151				551	8	99
95-99	18	72					90	1	100
100-104	10	1					11	*	100
Total	38	1004	2098	1187	1424	1689	7440		
%	1	13	28	16	19	23			
Acc %	1	14	42	58	77	100			

Augusta

R.H.% / T°F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc%
55-59					2	10	12	*	*
60-64					29	30	59	1	1
65-69			7	17	54	209	287	4	5
70-74		2	35	45	257	1315	1654	22	27
75-79		10	80	325	851	562	1828	25	52
80-84		50	409	589	202	8	1258	17	69
85-89	9	198	860	112	4		1183	16	85
90-94	2	396	472	2			872	12	97
95-99	8	208	30				246	3	100
100-104	10	28					38	*	100
105-109	3						3	*	100
Total	32	892	1893	1090	1399	2134	7440		
%	*	12	25	15	19	29			
Acc %	*	12	37	52	71	100			

TABLE 4C Temperature-Relative Humidity Occurrences, July

Macon

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc %
60-64					2	1	3	*	*
65-69				4	14	47	65	2	2
70-74			1	27	203	737	968	26	28
75-79			32	202	530	202	966	26	54
80-84		5	236	281	61		583	16	70
85-89		91	463	22			576	15	85
90-94	1	253	196				450	12	97
95-99	3	101	5				109	3	100
Total	4	450	933	536	810	987	3720		
%	*	12	25	14	22	27			
Acc %	*	12	37	51	73	100			

Savannah

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc %
65-69			1	7	31	57	96	1	1
70-74			5	40	275	1348	1668	22	23
75-79		4	46	262	1058	831	2201	30	53
80-84	1	29	382	729	353	8	1502	20	73
85-89	1	108	973	143	4		1229	17	90
90-94		165	426	1			592	8	98
95-99	1	123	18				142	2	100
100-104		10					10	*	
Total	3	439	1851	1182	1721	2244	7440		
%	*	6	25	16	23	30			
Acc %	*	6	31	47	70	100			

TABLE 4D Temperature-Relative Humidity Occurrences, October

Atlanta

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc %
30-34		1	7	13	5		26	*	*
35-39		13	17	16	16	4	66	1	1
40-44	2	19	43	28	57	24	173	2	3
45-49	4	45	98	106	140	41	434	6	9
50-54	10	83	245	158	155	244	895	12	21
55-59	19	127	303	169	263	366	1247	17	38
60-64	38	207	297	218	259	419	1438	19	57
65-69	50	247	322	189	203	388	1399	19	76
70-74	54	179	274	117	137	158	919	13	89
75-79	33	202	199	80	24	7	545	7	96
80-84	8	74	125	9	1		217	3	99
85-89		46	16				62	1	100
90-94		17					17	*	100
95-99		2					2	*	100
Total	218	1262	1936	1103	1260	1661	7440		
%	3	17	26	15	17	22			
Acc %	3	20	46	61	78	100			

Augusta

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc %
20-24						5	5	*	*
25-29				1	2	5	8	*	*
30-34			1	4	15	38	58	1	1
35-39		1	11	8	18	132	170	2	3
40-44		9	15	28	71	156	279	4	7
45-49		18	27	66	125	181	417	6	13
50-54	11	18	98	109	156	334	726	10	23
55-59	5	50	171	115	198	504	1043	14	37
60-64	10	95	157	132	269	617	1280	17	54
65-69	29	202	149	175	210	496	1261	17	71
70-74	45	189	219	110	137	287	987	13	84
75-79	43	131	239	88	65	9	575	8	92
80-84	24	170	190	44	3		431	6	98
85-89	3	72	75				150	2	100
90-94		27	13				40	*	100
95-99		10					10	*	100
Total	170	992	1365	880	1269	2764	7440		
%	2	13	19	12	17	37			
Acc %	2	15	34	46	63	100			

TABLE 4D Temperature-Relative Humidity Occurrences, October

Macon

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc %
30-34				1	8		9	*	*
35-39			2	3	6	5	16	*	*
40-44			4	15	29	13	61	2	2
45-49		2	11	33	53	13	112	3	5
50-54		5	68	69	69	103	314	8	13
55-59		25	93	93	152	185	548	15	28
60-64	7	56	98	109	121	317	708	19	47
65-69	24	74	153	89	136	236	712	19	66
70-74	25	99	138	67	80	141	550	15	81
75-79	29	105	130	55	33	23	375	10	91
80-84	12	112	86	9			219	6	97
85-89		74	17				91	3	100
90-94		4	1				5	*	100
Total	97	556	801	543	687	1036	3720		
%	3	15	21	15	18	28			
Acc %	3	18	39	54	72	100			

Savannah

R.H.% / T° F.	0-29	30-49	50-69	70-79	80-89	90-100	Total	%	Acc %
25-29				1			1	*	*
30-34			1	5	7		13	*	*
35-39			4	6	17	2	29	*	*
40-44	1	13	17	13	60	24	128	2	2
45-49	2	13	28	49	118	64	274	4	6
50-54	4	14	55	88	143	101	405	5	11
55-59	7	27	126	143	241	314	858	12	23
60-64	4	64	192	163	319	553	1295	17	40
65-69	8	134	182	170	335	739	1568	21	61
70-74	7	187	255	194	273	504	1420	19	80
75-79	12	110	309	174	123	72	800	11	91
80-84		122	292	72	8		494	7	98
85-89	2	43	73	2			120	2	100
90-94		23	12				35	*	
Total	47	750	1546	1080	1644	2373	7440		
%	1	10	21	14	22	32			
Acc %	1	11	32	46	68	100			