


NOAA Technical Memorandum NMFS-SEFSC-320



*A Bibliography of Research on St. Andrew Bay,
Its Tributaries, and the Nearby Coastal Waters
of Bay County, Florida*



Rosalie N. Shaffer

March 1993

U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Marine Fisheries Service
Panama City Laboratory
3500 Delwood Beach Road
Panama City, Florida 32408



NOAA Technical Memorandum

NMFS-SEFSC-320

**A Bibliography of Research on St. Andrew Bay,
Its Tributaries, and the Nearby Coastal Waters
of Bay County, Florida**

Rosalie N. Shaffer

March 1993

**U.S. DEPARTMENT OF COMMERCE
Ronald H. Brown, Secretary
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
D. James Baker, Administrator
NATIONAL MARINE FISHERIES SERVICE
Nancy Foster, Assistant Administrator for
Fisheries**

Technical Memorandums are used for documentation and timely communication of preliminary results, interim reports, or special-purpose information, and have not received complete formal review, editorial control, or detailed editing.

NOTICE

The National Marine Fisheries (NMFS) does not approve, recommend, or endorse any proprietary product or material mentioned in this publication. No reference shall be made to NMFS, in any advertising or sales promotion which would indicate or imply that NMFS approves, recommends, or endorses any proprietary product or proprietary material mentioned herein or which has as its purpose any intent or cause directly or indirectly the advertised product to be used or purchased because of NMFS publication.

This report should be cited as follows:

Shaffer, Rosalie N. 1993. A bibliography of research on St. Andrew Bay, its tributaries, and the nearby coastal waters of Bay County, Florida. NOAA Technical Memorandum NMFS-SEFSC-320, 62 pp.

Copies may be obtained by writing:

National Marine Fisheries Service
Southeast Fisheries Science Center
Panama City Laboratory
3500 Delwood Beach Road
Panama City, FL 32408

or

National Technical Information Service
5258 Port Royal Road
Springfield, VA 22161

Addendum to NOAA Technical Memorandum NMFS-SEFSC-320:

Shortly after this publication went to press, two important works regarding St. Andrew Bay were published. Please add this page to the Technical Memorandum.

Hydroqual, Inc., and Barry A. Vittor & Assoc. 1993. Environmental studies in St. Andrew Bay, Florida. Bay County Utilities Dept., Panama City, FL, 4 v. [Replaces ref. no. 199]

A thorough examination of the bay's ecology and water quality. The most comprehensive study to date. Includes information regarding water quality parameters, hydrography, seagrasses, benthic invertebrates, and sediments.

Law Environmental, Inc. 1993. Final report: A thermal plume characterization and environmental assessment: Warren Bayou and West Bay, St. Andrew Bay Lansing Smith Electric Generating Plant, Panama City, Florida. Law Environmental Inc., Kennesaw, GA, 46 p. + appends. [Performed for Gulf Power Co.]

A study of the effects of the Lansing Smith Plant's thermal discharge upon the aquatic life in the receiving waters of the bay. Includes data regarding the hydrography of the thermal plume, water quality, the seagrass communities, sediments, and benthic invertebrates. Comparisons are made between this study and previous studies on this discharge.

INTRODUCTION

This indexed bibliography is one of a three-part project, the goal of which is to collect and to make available the research that has been performed on St. Andrew Bay. In addition to the bibliography, there is a physical collection of this material housed at the Panama City Laboratory Library of the National Marine Fisheries Service, and available to the public by appointment. Also, this material is accessible on a computer database (ANDREW), and searchable by keyword and author. The software used is Pro-Cite.

While many bay systems have been studied extensively, and have the advantage of a nearby university with a staff of scientists, St. Andrew Bay has received comparatively little attention, except for governmental agencies, free-lance scientists, and consulting firms. Many of the publications are considered "gray literature"--they have not appeared in professional, refereed journals. As a result, much of the literature is difficult to access by means of the traditional scientific indexes. It is hoped that this compendium will serve as a guide to what has been accomplished so far in understanding the biota and ecology of St. Andrew Bay, its tributaries, and the nearby coastal waters.

In cases where authors have used more than one form for their names in publications, these names have been standardized to the fuller form (e.g., John L. Smith rather than J. L. Smith).

ACKNOWLEDGMENTS

I thank everyone who contributed to this effort by providing documents, or allowing me to rummage through their collections. Special thanks go to the U.S. Fish & Wildlife Service, Panama City, Florida Office for their support in the printing of this document.

1. Abbott, R. Tucker. 1986. "Cantharus multanquulus new subspecies grandanus from northwest Florida (Buccinidae)." Nautilus 100(4):120-121.
A description of a newly discovered marine mollusc collected from St. Joseph Bay and St. Andrew Bay.
2. Addy, Sunit K., and J. Lamar Worzel. 1979. "Gas seeps and subsurface structure off Panama City, Florida." AAPG Bulletin 63(4):668-675.
[American Assoc. of Petroleum Geologists]
An investigation of the presence of natural gas, using seismic profiles and core sampling. Gas seeps were found in waters of 50-200 meter depths. Includes information regarding sediments.
3. Addy, Sunit K., J. Lamar Worzel, and Daniel A. Goodwin. 1979. "Seismic stratigraphy and structure off Panama City, Florida." AAPG Bulletin 63(3): 409.
[American Assoc. of Petroleum Geologists]
A seismic profile of the bottom topography in the vicinity of Destin Dome and De Soto Canyon. (Abstract only).
4. Allison, Donald T. 1961. List of fishes from St. Andrew Bay system and adjacent Gulf of Mexico. Florida State University, Tallahassee, FL, 63 p.
[Unpublished report]
A report of fish collections made during the period August 1958 - September 1959.
5. Austin, George B., and Robert H. Payne. 1962. Results of a field study of the tide line mechanism. U.S. Navy Mine Defense Laboratory, Panama City, FL, Research and Development Report no. 165, 34 p.
An investigation into the properties of this interface between St. Andrew Bay waters and the gulf.
6. Bader, Richard G. 1956. Sedimentary analysis of Panama City samples. Texas A&M Univ., Dept. of Oceanography, College Station, TX, Unpagged.
Analysis of bottom samples taken during a research cruise off of Panama City.
7. Balech, Enrique. 1967. "Dinoflagellates and tintinnids in the northeastern Gulf of Mexico." Bulletin of Marine Science 17(2):280-298.
Most of these planktonic organisms were collected off of Panama City, May-September 1964. Approximately 170 species were identified.
8. Balsillie, James H. 1975. Analysis and interpretation of littoral environment observation (LEQ) and profile data along the western panhandle coast of Florida. U.S. Army Corps of Engineers, Fort Belvoir, VA, Technical Memorandum no. 49, 104 p.
A 100-mile segment of the Florida panhandle coast was studied, from St. Andrew Bay to Pensacola Bay. Includes information on beach profiles, longshore transport and currents, winds and storms.

9. Barnett, Ernest L., and John S. Gunter. 1986. Comprehensive shellfish growing area survey for North Bay, Bay County, Florida. Editors: Charles R. Futch, John W. Schneider, and David C. Heil. Florida Dept. of Natural Resources, Shellfish Environmental Assessment Section, Tallahassee, FL, 159 p.
Includes information regarding pollution sources, water quality, hydrography and biota of North Bay.
10. Barr, Douglas E., and Jeffry R. Wagner. 1981. Reconnaissance of the ground water resources of southwestern Bay County. Northwest Florida Water Management District, Havana, FL, Technical File Report no. 81-8, 28 p.
A survey of the aquifer and wells of southeastern Bay County.
11. Baskerville-Donovan Engineers, Inc. 1988. Report of operating performance at the Military Point Lagoon, Bay County, Florida. Baskerville-Donovan, Panama City, FL, 33 p.
[Prepared for the Board of County Commissioners of Bay County, FL.]
This assessment of the wastewater treatment lagoon includes data regarding flow, total suspended solids (TSS), biochemical oxygen demand (BOD), and fecal coliform bacteria.
12. Baskerville-Donovan Engineers, Inc. 1989. North Bay County sewerage and treatment facilities feasibility study. Baskerville-Donovan Eng., Panama City, FL, 42 p. + maps and append.
[Prepared for the Bay County Board of County Commissioners]
An evaluation of the wastewater treatment needs of this area and the different options available.
13. Baskerville-Donovan Engineers, Inc. 1989. Report on system capacity needs of the Bay County domestic wastewater treatment system, Bay County, Florida. Baskerville-Donovan, Pensacola, FL, 42 p.
[Prepared for the Board of County Commissioners, Bay County, Florida]
A report on the projected sewage treatment needs of the county, and the various options available. Includes population projections to the year 2010.
14. Baskerville-Donovan Engineers, Inc. 1988. Report of recommended actions at the Military Point Lagoon system. Baskerville-Donovan, Pensacola, FL, 32 p.
[Prepared for Bay County, FL]
This report presents plans and options for improving this wastewater treatment facility.
15. Baskerville-Donovan, Inc. 1991. Pre-draft environmental document prepared for the Bay County Bridge Authority. Baskerville-Donovan, Panama City, FL, 123 p., incl. maps.
[Prepared in association with Sanford Young & Assoc., Vittor & Assoc., Inc., on behalf of Figg Engineers, Inc.]
A study of the proposed new bridge across St. Andrew Bay, and its potential ecological impacts. Includes information concerning the environmental communities in the vicinity of the proposed routes.

16. Bay County Wastewater System Review Committee. 1987. Final report. The Committee, Panama City, FL, 18 p. + append.
Discusses the wastewater treatment needs and options for Bay County.
17. BCM Converse, Inc.
[See also: publications by Reidenauer; Converse, J.B., Inc.]
18. BCM Converse, Inc. 1987. Bay County, Florida, sewage treatment expansion study. BCM Converse, Panama City, FL, unpagued.
[Project no. 05-2000-86]
A study of the existing and future sewage needs of Bay County.
19. BCM Converse, Inc. 1987. St. Andrew Bay system environmental database. BCM Converse, Panama City, FL, Various pag.
[Submitted to the U.S. Environmental Protection Agency]
A collection of reports on the water quality, hydrography, sediments and biota of St. Andrew Bay.
20. Bennett, Carl M., and F. C. W. Olson. 1971. An assay of environmental data collected off Panama City, Florida from 1962 to 1968. Naval Ship Research and Development Lab., Panama City, FL, NSRDL/PC no. 3444, 314 p.
[A joint effort of the Texas A&M Univ., Office of Naval Research, and the Naval Ship Research and Development Lab.]
Presents oceanographic and meteorological data collected from the offshore research stages off of Panama City.
21. Bigger, Charles H. 1980. "Interspecific and intraspecific acrorhagial aggressive behavior among sea anemones: a recognition of self and not-self." Biological Bulletin 159(1):117-134.
Includes Anemonia sargassensis, collected from the jetties at the entrance to St. Andrew Bay.
22. Bock, Wayne D. 1982. "Coexistence of deep- and shallow-water foraminiferal faunas off Panama City, Florida." Geological Soc. of America Bulletin 93(3): 246-251.
A study of the species composition of benthic foraminifera, taken from offshore sediments at depths of 37-192 m.
23. Boston, Noel E. J. 1964. Observations of tidal periodic internal waves over a three day period off Panama City, Florida. Texas A&M Univ. Dept. of Oceanography & Meteorology, College Station, TX, Project 286-D, Ref. no. 64-20T, 49 p.
[Also produced as a Master's Thesis, Texas A&M Univ., 1963]
A report on studies conducted during June 19-22, 1962.

24. Bousfield, Edward L. 1991. "New sandhoppers (Crustacea: Amphipoda) from the gulf coast of the United States." Gulf Research Reports 8(3):271-283. Includes a newly-discovered species from Panama City Beach.
25. Brandes, Robert J., and Howard D. Andrews. 1976. Water quality analysis of St. Andrew Bay, Florida. Water Resources Engineers, Inc., Austin, TX, 29 p. [Prepared in support of the 201 Wastewater Treatment Facilities Studies, Bay County, FL, for J.B. Converse & Co., Panama City, FL.]
An analysis of projected water quality conditions in St. Andrew Bay, using a mathematical model.
26. Branham, Joseph M. 1958. An ecological survey of the ascidians of Alligator Harbor, Florida, and the adjacent Gulf of Mexico. Florida State Univ., Tallahassee, FL, 71 p.
[M.S. Thesis]
Includes 3 species of these tunicates taken from St. Andrew Bay and offshore waters.
27. Briggs, John C., and David K. Caldwell. 1957. "Acanthurus randalli, a new surgeon fish from the Gulf of Mexico." Bulletin of the Florida State Museum (Biological Sciences) 2(4):43-51.
Describes a newly discovered species found at the jetties of St. Andrews State Park.
28. Brim, Michael S. n.d. Species lists for the course, "Sea Life of St. Andrew Bay". Compiled by Michael S. Brim, from various sources, Panama City, FL, unpagged.
Lists of species to accompany the author's course given at Gulf Coast Community College. Includes sponges, coelenterates, molluscs, crustaceans, echinoderms, fishes, and sea birds.
29. Brim, Michael S. 1981. "A special park in the panhandle." Florida Sportsman 13(5):54-61.
Describes the fishing and diving opportunities at St. Andrews State Park.
30. Brim, Michael S. 1985. Student/citizen handbook of environmental laws affecting Bay County's saltwater resources. Gulf Coast Community College, Panama City, FL, 50 p.
A compendium of federal and state laws and regulations.
31. Broutman, Marlene A., and Dorothy L. Leonard. 1988. The quality of shellfish growing waters in the Gulf of Mexico. U.S. Dep. Commer., NOAA, National Ocean Service, Rockville, MD, 43 p.
[National Estuarine Inventory Program]
Includes data on oyster acreage and water quality in St. Andrew Bay.

32. Brown, Maurice V. 1962. "Seismic profile in St. Andrew Bay." Journal of Geophysical Research 67(11):4513-4515.
Analysis of sound waves yielded information regarding the bottom sediment layers of St. Andrew Bay.
33. Bruno, Richard O. 1971. Longshore current system, Panama City to Pensacola, Florida. Florida State Univ., Tallahassee, FL, 167 p.
[M.S. Thesis]
An analysis of the longshore current, based on one year's data from six beach observation stations, including one at St. Andrews State Park. Data is given regarding waves and wind.
34. Brusher, Harold A., and Larry H. Ogren. 1976. "Distribution, abundance, and size of penaeid shrimps in the St. Andrew Bay system, Florida." Fishery Bulletin 74(1):158-166.
Presents distribution and abundance information regarding eight species of shrimp occurring in the various areas of the bay. Also includes some hydrographic data.
35. Brusher, Harold A., Lee Trent, and Mark L. Williams. 1978. "Recreational fishing for king mackerel in Bay County, Florida, during 1975." In: Austin, C. B., et al. (Editors), Mackerel workshop report, Miami, FL, April 28-29, 1977. Univ. Miami Sea Grant Report no. 14, p. 120-142.
[Workshop sponsored by the National Marine Fisheries Service]
Presents statistics and analysis based upon a survey of charter boats, party boats and privately owned boats.
36. Bullis, Harvey R., Jr., and Robert M. Ingle. 1959. "A new fishery for scallops in western Florida." Proceedings of the Gulf & Caribbean Fisheries Institute 11:75-78.
Report of a fishing survey for calico scallops, from St. Andrew Bay to Cape San Blas.
37. Burch, Terry. 1981. Significant environmental investigations in the Northwest Florida Water Management District: a bibliography. Northwest Florida Water Management District, Havana, FL, Water Resources Special Report no. 81-2, 56 p.
Includes published and unpublished reports. Indexed by county and river basin.
38. Burdin, Walter W. 1977. "Surge effects from Hurricane Eloise." Shore & Beach 45(2):3-8.
[Also published in The Proceedings of the Mississippi Water Resources Conference, Mississippi State Univ., 1976]
The impact of this hurricane on Panama City Beach.

39. Burgess, Bob. 1990. "Panama City potpourri." Florida Sportsman 22(12):30-35. Fishing the wrecks and reefs off of Panama City. Includes Loran coordinates for selected reefs.
40. Burgess, Robert F. 1977. "Submerged forests." Oceans 10(5):46-49. Discusses the discovery of submerged fossil trees, some dating over 37,000 years old, off of Panama City and in the entrance channel to St. Andrew Bay.
41. Butts, Glenn L. 1989. A benthic macroinvertebrate assessment of Grand Lagoon, Bay County, in vicinity of the Venture Out WWTP discharge. Florida Dept. of Environmental Regulation, Northwest District, Pensacola, FL, 10 p. A survey of invertebrate populations near a wastewater treatment plant discharge. Includes water quality data.
42. Butts, Glenn L., and Laurence W. Donelan. 1983. Hydrolab survey of lower St. Andrews Bay - Panama City, Bay County, August 26, 1983. Florida Dept. of Environmental Regulation, 5 p. + map
A study of water quality in various locations in the lower bay. Data is given for temperature and dissolved oxygen.
43. Cairns, Duncan J., and Cynthia W. McAnnally. 1990. The surface water improvement and management plan for the Deer Point Lake watershed. Northwest Florida Water Management District, Havana, FL, Various pag.
This watershed management plan provides a description of the area, including pollution sources, ecology and land uses, along with management plans and projects to protect the watershed.
44. Caldwell, David K. 1959. "Observations on tropical marine fishes from the northeastern Gulf of Mexico." Quarterly Journal of the Florida Academy of Sciences 22(1):69-74.
Reports on seven tropical fishes that occur during the summer in Panama City and Destin waters.
45. Caldwell, David K., and John C. Briggs. 1957. "Range extensions of western north Atlantic fishes with notes on some soles of the genus Gymnachirus." Bulletin of the Florida State Museum (Biological Sciences) 2(1):1-11.
Reports on fish collections made in various locations, including Panama City and Destin.
46. Chandler, Charlie R. 1983. Effects of three substrate variables on two artificial reef fish communities. Texas A&M Univ., College Station, TX, 79 p.
[M.S. Thesis]
An investigation of the fish populations at artificial reefs offshore of Panama City.

47. Chayes, Charles M. 1989. "Shellfishing--a Bay County tradition." Bay Biz (Winter):7-10.
Discusses the fishery for shellfish such as oysters, shrimp and crabs.
48. Clemens, Linda A., James B. Dalton, and Russell D. Fendick. 1989. Ambient ground water quality in northwest Florida. Part I: Ground water sampling and analysis. Rev. ed. Northwest Florida Water Management District, Havana, FL, Water Resources Special Report no. 87-1, 232 p.
This report of the Ambient Ground Water Monitoring Program includes information on Bay County's ground water, obtained by sampling 15 wells for chemical, metal and bacterial content.
49. Collard, Sneed B. 1989. Sorting and identifying macroinvertebrates, St. Andrew Bay. Unpublished, Unpagged.
[Data sheets from a project contracted by the Florida Dept. of Environmental Regulation]
Enumerates the species of annelids, molluscs, arthropods and other invertebrates found at 10 stations in St. Andrew Bay.
50. Collard, Sneed B. 1992. Characteristics of seagrass meadows in St. Andrew (Crooked Island) Sound, northern Gulf of Mexico: preliminary findings. University of West Florida, Pensacola, FL, 19 p.
[Sponsored by the Air Force Office of Scientific Research]
A survey of the population and distribution of the seagrasses and their fauna. Includes preliminary lists of species.
51. Converse, J. B., & Co.
[See also: BCM Converse, Inc.]
52. Converse, J. B., & Co. 1976. Bay County, Florida facilities plan, Section 201, PL 92-500, EPA Project no. C120545010. J.B. Converse, Mobile, AL, 2 v.
[See also: BCM Converse]
A consultant's study of the wastewater treatment needs and planning for Bay County. Includes environmental, economical, and biological information.
53. Cooley, Nelson R. 1974. "Occurrence of snook on the north shore of the Gulf of Mexico." Florida Scientist 37(2):98-99.
Discusses the range of snook, including a record from St. Andrew Bay.
54. Cosper, Terry C. 1972. "The identification of tintinnids (Protozoa: Ciliata: Tintinnida) of the St. Andrew Bay system, Florida." Bulletin of Marine Science 22(2):391-418.
Describes 21 species of these planktonic organisms, and presents a key for their identification. Includes scanning electron photomicrographs.

55. Crittenden, Edward. 1958. "A pre-impoundment fishery study of North Bay and associated waters, Bay County, Florida." Proceedings of the Annual Conference, Southeastern Assoc. of Game and Fish Commissioners 11:211-219. A report on a collection of fishes that was made before the construction of the dam in North Bay.
56. Crittenden, Edward, James M. Barkuloo, and J. B. Copeland. 1957. Fish population studies of North Bay and its tributaries. Florida Game and Fresh Water Fish Commission, Lake and Stream Survey, Tallahassee, FL, 75 p. [Included as part of: Florida Game and Fresh Water Fish Commission, Report on North Bay and associated waters, Bay County, Florida.] A fish population survey done prior to the impoundment of Deer Point Lake.
57. Culpepper, Thomas J., and Willis E. Pequegnat. 1969. A taxonomic and ecological study of selected benthonic gammarid crustaceans from the northeastern Gulf of Mexico. Texas A&M Univ. Dept. of Oceanography, College Station, TX, Project 286-6, Ref. no. 69-3T, 102 p. Collections of these amphipods were made off of Panama City.
58. Culter, James K., and S. Mahadevan. 1982. Long-term effects of beach nourishment on the benthic fauna of Panama City Beach, Florida. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Miscellaneous Report no. 82-2, 94 p. [Performed by the Mote Marine Laboratory, Sarasota, FL] Includes hydrographic data, sediment composition, and benthic fauna lists and counts.
59. Dean, Robert G. 1986. Sediment budget principles and applications. University of Florida, Coastal & Oceanographic Engineering Dept., Report no. UFL/COEL-86/019, 51 p. A study of beach profiles and shoreline changes due to the action of waves, currents, tides and sediment supply. Among the localities studied was the entrance channel to St. Andrew Bay.
60. Demski, Leo S., and J. G. Dulka. 1983. "Underwater observations on color patterns and spawning in a synchronous hermaphroditic sea bass." American Zoologist 23(4):881. This study of the reproductive behavior of the belted sandfish was performed in St. Andrew Bay.
61. Desenclos, Jean-Claude A., and others. 1991. "A multistate outbreak of hepatitis A caused by the consumption of raw oysters." American Journal of Public Health 81(10):1268-1272. An account of an outbreak associated with oysters harvested from the Panama City area.

62. Douglas, Barry A. 1989. Prediction of shoreline changes near tidal inlets. University of Florida, Coastal & Oceanographic Engineering Dept., Report no. UFL/COEL-89/024, 131 p.
Investigates shoreline changes near several tidal inlets along Florida's east and west coasts, including that of St. Andrew Bay.
63. Dowling, George B. 1966. Low frequency shallow water internal waves at Panama City, Florida. U.S. Navy Mine Defense Lab., Panama City, FL, Research Report no. 313, 59 p.
A study of the physical properties of internal waves, at depths of 60 to 100 ft. in Panama City offshore waters. Includes isotherm temperature data.
64. Doyle, Larry J., and others. 1984. Living with the west Florida shore. Duke Univ. Press, Durham, NC, 222 p.
[Publication supported by the Florida Coastal Management Office]
A study of shoreline management and hurricane protection along the west Florida coast, including Panama City Beach.
65. Duffee, Ernest M., Robert A. Baldwin, Douglas L. Lewis, and William B. Warmack. 1984. Soil survey of Bay County, Florida. U.S. Dept. of Agriculture, Soil Conservation Service, Washington, DC, 152 p. + maps
Comprehensive study Bay County soils. Also includes information regarding habitats, agriculture, forestry, and water management.
66. Durham, Donald L., and Robert O. Reid. 1967. Analysis of tidal current observations over the northeastern shelf of the Gulf of Mexico. Texas A&M Univ., Dept. of Oceanography, Project 286, Ref. no. 67-1T, 117 p.
Observations on the currents associated with tides off of Panama City.
67. El-Sayed, Sayed Z. 1967. On the biological productivity of the Gulf of Mexico with special reference to the region off Panama City, Florida. Texas A&M Univ., Dept. of Oceanography, Project 382, Ref. no. 67-12-F, 51 p.
Examines chlorophyll levels, primary productivity, nutrient levels, and phytoplankton standing crop.
68. Environmental Protection Agency.
[See: U.S. Environmental Protection Agency]
69. Environmental Protection Systems, Inc. 1985. Final report: Lake Powell environmental monitoring study. Environmental Protection Systems, Inc., Pensacola, FL, 267 p.
[Submitted to the Lake Powell Improvement Corp.]
Comprehensive study of the biota, ecology, and water quality of this estuary adjacent to St. Andrew Bay.

70. Environmental Science and Engineering, Inc. 1974. 316 variance study program, phase I--Literature survey and personal contacts for Lansing-Smith Station. ESE, Gainesville, FL, 2 v.
[Prepared for Gulf Power Co., Pensacola, FL]
A description of the plant and a survey of its effects upon the local environment. Includes lists of species, with their abundance and temperature tolerances. Vol. 2 is a compilation of published and unpublished reports.
71. Environmental Science and Engineering, Inc. 1977. An assessment of water quality in Bay County, Florida. ESE, Gainesville, FL, 185 p.; summary, 19 p.
[Prepared for the Florida Dept. of Environmental Regulation]
Assessment of the water quality of various locations in St. Andrew Bay, including its bayous and creeks.
72. Fable, William A., Jr., Harold A. Brusher, Lee Trent, and Joe Finnegan. Jr. 1981. "Possible temperature effects on charter boat catches of king mackerel and other coastal pelagic species in northwest Florida." Marine Fisheries Review 43(8):21-26.
This study correlates temperature with catches in Panama City, Destin, and Orange Beach, AL.
73. Feuillede, C., Wayne A. Kinney, and Donald R. DelBalzo. 1990. "Shallow-water matched-field localization off Panama City, Florida." Journal of the Acoustical Society of America 88(1):423-433.
Results of an underwater acoustic experiment, performed in Panama City offshore waters.
74. Finucane, John H., Harold A. Brusher, and L. Alan Collins. 1980. "Spawning of bluefish, Pomatomus saltator, in the northeastern Gulf of Mexico." Northeast Gulf Science 4(1):57-59.
A study of the reproduction of bluefish taken from the Panama City area.
75. Florida Dept. of Environmental Regulation.
[See also publications by: Butts; Florida State Environmental Quality Lab.; Hand; Kobylinski; Livingston; McCaffrey; Wieckowicz; Young]
76. Florida Dept. of Environmental Regulation, Biological Section. 1981.
Bioassays of Southwest Forest Industries/Arizona Chemicals Company complex, Panama City. Florida DER, Tallahassee, FL, 22 p.
A report of environmental monitoring at this site.
77. Florida Dept. of Environmental Regulation, Biological Section. 1982.
Bioassays of Arizona Chemical Company stormwater retention area overflow ditch and saltwater ditch outfall to St. Andrew Bay, Panama City, Bay County, Florida. Florida DER, Tallahassee, FL, 16 p.
A report of environmental monitoring at this site.

78. Florida Dept. of Environmental Regulation, Biology Section. 1983, 1985, 1987, 1988, 1989. Bioassays of Bay County Wastewater Treatment Plant, Panama City, Florida. Florida DER, Tallahassee, var. p.
A series of reports in which samples of effluent from the treatment plant's aeration lagoon were evaluated for their effects on test organisms.
79. Florida Dept. of Environmental Regulation, Biology Section. 1984. Bioassays of the Majette Landfill sludge pond and pond overflow samples, Panama City, Bay County, Florida. Florida DER, Tallahassee, 15 p.
A sample collected from the sludge pond was evaluated for its effect on test organisms. Includes chemical analysis data.
80. Florida Dept. of Environmental Regulation, Biology Section. 1985, 1987, 1989. Bioassays of Panama City Beach Sewage Treatment Plant, Panama City Beach, Bay County, Florida. Florida DER, Tallahassee, var. p.
The effluent of this facility was evaluated for its effect on test organisms. These reports include water quality data.
81. Florida Dept. of Environmental Regulation, Biology Section. 1985, 1987. Bioassays of the St. Andrews Wastewater Treatment Plant, Panama City, Bay County, Florida. Florida DER, Tallahassee, FL, var. p.
Two reports of environmental monitoring at this site.
82. Florida Dept. of Environmental Regulation, Biology Section. 1986, 1989. Bioassays of the Lynn Haven Wastewater Treatment Plant, Bay County, Florida. Florida DER, Tallahassee, var. p.
The effluent of this facility was evaluated for its effect on test organisms. These two reports include water quality data.
83. Florida Dept. of Environmental Regulation, Biology Section. 1988, 1989, 1992. Bioassays of the Naval Coastal Systems Center Wastewater Treatment Plant, Panama City Beach, Bay County, Florida. Florida DER, Tallahassee, var. p.
Samples from this facility were evaluated for their effects on test organisms. These reports include water quality and metal analysis.
84. Florida Dept. of Environmental Regulation, Biology Section. 1990, 1991. Bioassays of Bay County Wastewater Treatment Plant aeration lagoon, Military Point, Tyndall AFB, Bay County, Florida. Florida DER, Tallahassee, var. p.
In these two reports, water from this facility was evaluated for its effect on test organisms.
85. Florida Dept. of Environmental Regulation, Biology Section. 1991. Bioassays of Stone Container Corporation, Panama City, Bay County, Florida. Florida DER, Tallahassee, 11 p.
Effluent samples were evaluated for their effects on test organisms.

86. Florida Dept. of Environmental Regulation, Biology Section. 1992. Bioassays of Stone Container Corporation groundwater monitoring wells, Panama City, Bay County, Florida. Florida DER, Tallahassee, FL, 12 p. + data sheets. Samples of groundwater from monitoring wells at this facility were evaluated for their effects on test organisms. Includes chemical and metal analysis.
87. Florida Dept. of Environmental Regulation, Biology Section. 1992. Biological water quality of the Deer Point Lake drainage basin, Bay County, Florida. Florida DER, Tallahassee, FL, 89 p.
[Performed in cooperation with the Northwest Florida Water Management District]
Results of a broad-based study of the water quality and biological community health of the lake and its tributaries. Includes chemical data and lists of species.
88. Florida Dept. of Natural Resources.
[See also publications by: Barnett; Futch; Gunter; Heath; Hughes; Kobylinski; Musgrove; Schmidt; Toler]
89. Florida Dept. of Natural Resources, Bureau of Submerged Lands and Preserves. 1991. St. Andrews State Park Aquatic Preserve management plan, adopted May 14, 1991. Florida DNR, Tallahassee, FL, 86 p.
Includes a comprehensive description of the park and its fauna, flora and habitats, and measures taken to preserve them.
90. Florida Dept. of Natural Resources, Coastal Coordinating Council. 1973. Marine environmental studies of Florida's gulf coast: summary and selected bibliography. Florida DNR, Tallahassee, FL, 20 p.
Publications are listed by geographic region.
91. Florida Dept. of Natural Resources, Division of Recreation and Parks. 1976. Vertebrates identified in St. Andrews State Recreation Area. Florida DNR, 12 p.
Includes birds, mammals, reptiles and amphibians.
92. Florida Dept. of Natural Resources, Marine Resources Division. 1977. Shellfish harvesting area atlas. Florida Dept. of Natural Resources, Tallahassee, FL, unpagged.
A series of county maps showing shellfish harvesting areas. Includes three maps of Bay County waters.
93. Florida Game and Fresh Water Fish Commission.
[See also publications by: Crittenden; Hardin; Krummrich; Woodward; Young, N.]

94. Florida Game and Fresh Water Fish Commission, Lake and Stream Survey. 1957. Report on North Bay and associated waters, Bay County, Florida. Florida GFWFC, Tallahassee, FL, 75 p. + append.
A pre-impoundment survey of North Bay. Includes information on water quality, hydrology, and fish populations.
95. Florida Sea Grant College Program.
[See publication by: Pybas]
96. Florida State Environmental Quality Laboratory. 1983. Hydrographic studies of St. Andrew Bay, Florida: a training exercise, March 21-25, 1983. Unpublished report, 14 p. + figures.
The results of an exercise in the use of hydrographic techniques to monitor the outfall of wastewater treatment plants. Dyes were used to study the velocity, dispersal and dilution of the discharge; salinity measurements were taken.
97. Florida State University.
[See publications by: Allison; Jones]
98. Fonseca, Mark S., W. Judson Kenworthy, and Gordon W. Thayer. 1987. Transplanting of the seagrasses Halodule wrightii, Syringodium filiforme, and Thalassia testudinum for sediment stabilization and habitat development in the southeast region of the United States. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS, Technical Report no. EL-87-8, 62 p.
A seagrass transplantation study conducted at various sites in Florida, including two in St. Andrew Bay.
99. Fonseca, Mark S., Gordon W. Thayer, and W. Judson Kenworthy. 1987. "The use of ecological data in the implementation and management of seagrass restorations." Florida Marine Research Publications 42:175-187.
An additional report on the preceding study.
100. Foster, John M. 1986. "Sea grass meadows." Underwater Naturalist 16(1):16-22.
This article describes the living community in the seagrass beds of St. Andrew Bay.
101. Foster, John M. 1989. "Acanthohaustorius uncinus, a new species of sand-burrowing amphipod from the northern Gulf of Mexico, with notes on its ecology (Haustoriidae: Haustoriinae)." Gulf Research Reports 8(2):189-197.
Describes a newly-discovered species of amphipod crustacean, from the sediments of St. Andrew Bay.

102. Foster, John M. 1990. "Life on a gulf coast jetty." Underwater Naturalist 18(4):10-15.
Describes the plants and animals found at the jetties in St. Andrews State Park.
103. Foster, John M., and Sara E. Lecroy. 1991. "Haustorius jaynae, a new species of haustoriid amphipod from the northern Gulf of Mexico, with notes on its ecology at Panama City Beach, Florida U.S.A." Gulf Research Reports 8(3): 259-270.
Describes a newly-discovered species of amphipod crustacean, collected from various sites, including St. Andrew Bay and Panama City Beach. Includes a key for identification of species in the genus Haustorius.
104. Fuss, Charles M., Jr., and Larry H. Ogren. 1966. "Factors affecting activity and burrowing habits of the pink shrimp, Penaeus duorarum Burkenroad." Biological Bulletin 130(2):170-191.
Observations on the behavior of pink shrimp from St. Andrew Bay.
105. Futch, Charles R., and Joseph Martina. Jr. 1967. A survey of the oyster resources of Bay County, Florida, with special reference to selection of cultch planting sites. Florida Board of Conservation, Div. of Salt Water Fisheries, Marine Lab. Special Scientific Report no. 16, 25 p. + suppl., 6 p.
This survey of oyster populations includes hydrographic data for St. Andrew Bay.
106. Gaul, Roy D. 1962. "Fixed platform research off Panama City, Florida." In: Gorsline, D. S. (Editor), Proceedings of the First National Coastal and Shallow Water Research Conference, Baltimore, MD; Los Angeles, CA; Tallahassee, FL, October, 1961. p. 480-483.
[Sponsored by the National Science Federation and the Office of Naval Research, Tallahassee, FL]
A summary of research projects using the two Navy offshore stages.
107. Gaul, Roy D. 1962. Instrumentation and data handling system for environmental studies off Panama City, Florida. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 62-1T, 54 p.
Oceanographic research methods used in these studies.
108. Gaul, Roy D. 1963. Status of environmental research off Panama City, Florida. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 63-2T, 82 p.
Facilities and research progress of a program conducted from the Navy's offshore stages.

109. Gaul, Roy D. 1965. Air-sea environmental studies off Panama City, Florida. Unpublished report, Texas A&M Univ., Dept. of Oceanography and Meteorology, 11 p.
A description of the projects being conducted from the Navy's offshore stages.
110. Gaul, Roy D. 1966. Circulation over the continental margin of the northeast Gulf of Mexico. Texas A&M Univ., Dept. of Oceanography, Project 286-D, Ref. no. 66-18T, 116 p.
The circulation of these waters was determined by measurements taken from the offshore stages, and also from oceanographic vessels.
111. Gaul, Roy D. 1966. Environmental research off Panama City, Florida. Texas A&M Univ., Dept. of Oceanography, Project 286-D, Ref. no. 66-21F, 69 p.
Describes the facilities and general results of the research program conducted from the Navy's offshore stages.
112. Gaul, Roy D., and R. E. Boykin. 1964. Northeast Gulf of Mexico hydrographic survey data collected in 1963. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 64-26T, 81 p.
Hydrographic data collected off of Panama City.
113. Gaul, Roy D., and R. E. Boykin. 1965. Northeast Gulf of Mexico hydrographic survey data collected in 1964. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 65-8T, 85 p.
114. Gaul, Roy D., R. E. Boykin, and D. E. Letzring. 1966. Northeast Gulf of Mexico hydrographic survey data collected in 1965. Texas A&M Univ., Dept. of Oceanography, Project 286-D, Ref. no. 66-8T, 202 p.
115. Gaul, Roy D., A. D. Kirwan Jr., and Noel E. J. Boston. 1962. Opportunities for environmental research off Panama City, Florida. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 62-5T, 18 p. + 10 figures
A report on research planned and in progress, using the Navy's offshore stages.
116. Gaul, Roy D., and Norman G. Vick. 1964. Sessile organism accumulation in a nearshore water column during a one year period. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 64-10T, 16 p. + 27 figures
An account of the species composition of fouling organisms on floats set near the Navy's Stage II research platform.

117. Geo-Marine, Inc. 1973. A program of field measurements to define the thermal and dissolved oxygen distribution at the Lansing Smith Plant on West Bay/St. Andrew Bay. Geo-Marine, St. Petersburg, FL, 27 p.
[Prepared for Gulf Power Co.]
Hydrographic and meteorological data from the vicinity of the power plant.
118. Geo-Marine, Inc. 1976. A program of field measurements to define the thermal and dissolved oxygen distribution at the Lansing Smith Plant on West Bay/St. Andrew Bay. Geo-Marine, St. Petersburg, FL, 45 p.
[Prepared for Gulf Power Co.]
A continuation of the study in the 1973 report.
119. Gorsline, Donn S. 1966. "Dynamic characteristics of west Florida gulf coast beaches." Marine Geology 4:187-206.
Information on 15 beaches in northwest Florida, including Panama City Beach. Includes observations on beach profiles, sediments, wave conditions and longshore sand drift.
120. Grady, John R. 1981. "Properties of sea grass and sand flat sediments from the intertidal zone of St. Andrew Bay, Florida." Estuaries 4(4):335-344.
Investigates the composition and texture of the sediments of both vegetated and unvegetated substrates.
121. Greenwood, Edwin L. 1976. Natural resources conservation, Tyndall Air Force Base, Florida, Air Defense Weapons Center. Tyndall Air Force Base, Panama City, FL, 106 p.
A report that details the conservation program at Tyndall. Includes information regarding habitats, pollution control, water resources, fish and wildlife, forestry and outdoor recreation.
122. Grimes, Churchill B., John M. Foster, Joseph Fox, Linda Fox, John L. Taylor, and Kennard Watson, Editors. 1991. Lake/Baywatch: a citizen volunteer water quality monitoring program for Bay County, Florida. Report no. 1 (1990-91). St. Andrew Bay Resource Management Assoc., Panama City, FL, 57 p. + append.
Report of a comprehensive water quality sampling program for St. Andrew Bay.
123. Guinasso, Norman L., Jr., and Denis A. Wiesenburg. 1988. Analysis of nearshore bathymetry and optical data from TUPS. Texas A&M Univ., Dept. of Oceanography, Project 13518E, Technical Report no. 88-174, 128 p.
An oceanographic study conducted off of Panama City, using a towed underwater pumping system (TUPS). Includes data regarding light measurements and bottom contours.

124. Gunter, John S., and Ernest L. Barnett. 1986. Comprehensive shellfish harvesting area survey for East Bay, Bay County, Florida. Editors: Charles R. Futch, John W. Schneider, and David C. Heil. Florida Dept. of Natural Resources, Shellfish Environmental Assessment Section, Tallahassee, FL, 124 p.
Includes information regarding pollution sources, hydrography, and biota of East Bay.
125. Gunter, John S., and Ernest L. Barnett. 1986. Comprehensive shellfish harvesting area survey for West Bay, Bay County, Florida. Editors: Charles R. Futch, John W. Schneider, and David C. Heil. Florida Dept. of Natural Resources, Shellfish Environmental Assessment Section, Tallahassee, FL, 126 p.
Includes information regarding pollution sources, hydrography, and biota of West Bay.
126. Hall, Roland. 1990. "The St. Andrews State Park jetties." Bay Biz (Summer): 22-23.
Discusses the creation of the channel uniting the bay with the gulf, and the uses of the jetties.
127. Hand, Joe, Victoria Tauxe, Mark Friedemann, and Leland Smith. 1990. Water quality assessment for the state of Florida. Technical appendix. Florida Dept. of Environmental Regulation, Division of Water Management, Tallahassee, FL, 321 p.
[Submitted in accordance with the Federal Clean Water Act, Section 305(b)]
Includes water quality information for St. Andrew Bay.
128. Hardin, Scott. 1981. Movement and ecological effects of grass carp introduced into an open reservoir system. Final report, 1975-1980. Florida Game and Fresh Water Fish Commission, Tallahassee, FL, 70 p.
[Cover title: Ecological effects of grass carp introduction in Deer Point Lake 1975-1980]
This study also includes information concerning fish and invertebrate populations, food habits of various fishes, sediment composition, vegetation, and water quality data.
129. Hastings, Philip A., and Stephen A. Bortone. 1980. "Observations on the life history of the belted sandfish, Serranus subligarius (Serranidae)." Environmental Biology of Fishes 5(4):365-374.
Many of these fishes were collected from the jetties of St. Andrews State Park.
130. Hastings, Robert W. 1979. "The origin and seasonality of the fish fauna on a new jetty in the northeastern Gulf of Mexico." Bulletin of the Florida State Museum, Biological Sciences 24(1):1-122.
[Also issued as a Ph.D. Dissertation, Florida State Univ., 1972]
Surveys the fish fauna on a new jetty at East Pass, Choctawhatchee Bay.
Includes records of species found at the jetties in St. Andrews State Park.

131. Hastings, Robert W., Larry H. Ogren, and Michael T. Mabry. 1976. "Observations of the fish fauna associated with offshore platforms in the northeastern Gulf of Mexico." Fishery Bulletin 74(2):387-402.
A survey of the fish species associated with the two Navy research stages off of Panama City.
132. Heath, Richard C., and E. Turner Wimberly. 1971. Selected flow characteristics of Florida streams and canals. Florida Dept. of Natural Resources, Bureau of Geology, Tallahassee, FL, Information Circular no. 69, 595 p.
Contains data regarding flow duration, lowest and highest discharges for Econfina Creek, 1936-1965.
133. Hicks, Delbert B., and T. R. Cavinder. 1975. Finger-fill canal studies, Florida and North Carolina. U.S. Environmental Protection Agency, Surveillance and Analysis Div., Athens, GA, Pub. no. EPA 904/9-76-017, 427 p.
A study of the environmental aspects of these types of canals, including sites in Woodlawn, Hentz, and Pretty Bayou canals.
134. Hicks, Delbert B., Philip Murphy, and Don Lawhorn. 1978. Sediment oxygen demand studies: Mobile, Alabama and Panama City, Florida. U.S. Environmental Protection Agency, Athens, GA, Unpaged.
Results of a study done in central St. Andrew Bay, and in the vicinity of Stone Container's paper mill.
135. Hogge, E. A. 1966. Recent oceanographic work at the U. S. Navy Mine Defense Laboratory. U.S. Navy Mine Defense Lab., Panama City, FL, Research Technical Note no. 99, 4 p., 11 figs.
A summary of current oceanographic research conducted by the Navy in St. Andrew Bay and the nearby coastal waters.
136. Holmes, Charles W., and Horace G. Goodell. 1964. "The prediction of strength in the sediments of St. Andrew Bay, Florida." Journal of Sedimentary Petrology 34(1):134-143.
The strength (cohesion) of sediments from cores taken from ten sites in St. Andrew Bay.
137. Hopkins, Thomas L. 1962. "Plankton research in St. Andrew Bay, Florida." In: Gorsline, D. S. (Editor), Proceedings of the First National Coastal and Shallow Water Research Conference, Baltimore, MD; Los Angeles, CA; Tallahassee, FL, October, 1961. p. 404-406.
[Sponsored by the National Science Federation and the Office of Naval Research, Tallahassee, FL]
Research report on a comprehensive study of the plankton of St. Andrew Bay.

138. Hopkins, Thomas L. 1963. "The variation in the catch of plankton nets in a system of estuaries." Journal of Marine Science 21(1):39-47.
A study of the variability in the catch of copepods during a tidal cycle at 17 stations in St. Andrew Bay.
139. Hopkins, Thomas L. 1966. "The plankton of the St. Andrew Bay system, Florida." Publications of the Institute of Marine Science (Univ. Texas) 11: 12-64.
[Also issued as a Ph.D. Dissertation, Florida State Univ., 1964]
A comprehensive study of the bay's plankton, both plant and animal.
140. Hsaio, Shu-Chi V. 1978. On the transformation mechanisms and the prediction of finite-depth water waves. Univ. Florida, Gainesville, FL, Coastal & Oceanographic Engineering Dept., Report no. UFL/COEL-78-010, 123 p.
[Ph.D. Dissertation]
The physics of wave action off of Panama City Beach.
141. Hughes, G. H. 1970. Hydrologic setting of Deer Point Lake near Panama City, Florida. Florida Dept. of Natural Resources, Bureau of Geology, Tallahassee, FL, Map Series no. 38, 1 sheet.
[Prepared by the U.S. Geological Survey, in cooperation with the Florida DNR Bureau of Geology]
A description of the lake and its chemical and hydrologic data. Includes two maps, text, and tabular and graphic depictions of data regarding the lake and its tributaries.
142. Hulings, Neil C. 1961. "The barnacle and decapod fauna from the nearshore area of Panama City, Florida." Quarterly Journal of the Florida Academy of Sciences 24(3):215-222.
A survey of benthic invertebrates collected from nearshore bottoms.
143. Hulings, Neil C., and Harbans S. Puri. 1964. "The ecology of shallow water ostracods of the west coast of Florida." Pubblicazioni della Stazione Zoologica di Napoli 33(suppl.):308-344.
Includes specimens of these crustaceans collected off of Panama City Beach, and from St. Andrew Bay.
144. Ichiye, Takashi. 1962. "Some results of oceanographic surveys at Stage II off Panama City, Florida." In: Gorsline, D. S. (Editor), Proceedings of the First National Coastal and Shallow Water Research Conference, Baltimore, MD; Los Angeles, CA; Tallahassee, FL, October, 1961. p. 406-407.
[Sponsored by the National Science Foundation and the Office of Naval Research, Tallahassee, FL]
Preliminary results of four hydrographic surveys.

145. Ichiye, Takashi, and Meredith L. Jones. 1961. "On the hydrography of the St. Andrew Bay system, Florida." Limnology & Oceanography 6(3):302-311.
A comprehensive study of the temperature, salinity and currents in the various areas of St. Andrew Bay.
146. Johnson, Allen E., James H. Duke Jr., and Frank D. Masch. 1974. Waste allocation study, St. Andrew Bay, Florida. Water Resources Engineers, Austin, TX, 86 p.
[Report to the Florida Dept. of Pollution Control]
This study developed a mathematical model to simulate the estuarine water quality response to waste discharges into St. Andrew Bay.
147. Johnson, Allyn G., and Carl H. Saloman. 1984. "Age, growth, and mortality of gray triggerfish, Balistes capricus, from the northeastern Gulf of Mexico." Fishery Bulletin 82(3):485-492.
A study based on 2,808 triggerfish taken from the Panama City area.
148. Jones, Meredith L., and Takashi Ichiye. 1960. Hydrographic data of the St. Andrew Bay system, Florida. Florida State Univ., Tallahassee, FL, Oceanographic Institute, Contribution no. 143, 56 p.
[Report prepared under contract with the Office of Naval Research]
Contains information on salinity, temperature, depths, and currents.
149. Kamykowski, Daniel. 1980. "Sub-thermocline maximums of the dinoflagellates Gymnodinium simplex (Lohmann) Kofoid and Swezy and Gonyaulax polygramma Stein." Northeast Gulf Science 4(1):39-43.
A study of the vertical movements of dinoflagellate algae during the day. Includes some hydrographic data. This study was performed from the former research platform Stage I, off of Panama City.
150. Kennedy, Leonard R. 1982. Rainfall summary for the Northwest Florida Water Management District. Northwest Florida Water Management District, Havana, FL, Water Resources Special Report no. 82-3, 55 p.
Includes rainfall data for Panama City, by month, year, and average, for the years 1899-1980.
151. Keppner, Edwin J. 1986. "New species of free-living marine nematodes (Nematoda: Enoplida) from Bay County, Florida, U.S.A." Transactions of the American Microscopical Society 105(4):319-337.
Describes specimens taken from St. Andrew Bay and Lake Powell.
152. Keppner, Edwin J. 1987. "Another new species of free-living marine nematode (Nematoda: Enoplida) from northwest Florida, U.S.A." Transactions of the American Microscopical Society 106(4):348-353.
A new species of nematode worm is described, collected from St. Andrew Bay.

153. Keppner, Edwin J. 1987. "Five new and one known species of free-living marine nematodes of the family Oncholaimidae (Nematoda: Enoplida) from northwest Florida, U.S.A." Transactions of the American Microscopical Association 106(3):214-231.
Describes specimens collected from St. Andrew Bay and Lake Powell.
154. Keppner, Edwin J. 1987. "Five new species of free-living marine nematodes (Nematoda: Enoplida) from a northwest Florida, U.S.A. estuary." Transactions of the American Microscopical Society 106(4):333-347.
Describes specimens collected from St. Andrew Bay.
155. Keppner, Edwin J. 1987. "Observations on three known free-living marine nematodes of the family Ironidae (Nematoda: Enoplida) and a description of Thalassironus lynnae n. sp. from northwest Florida." Proceedings of the Biological Society of Washington 100(4):1023-1035.
Describes specimens taken from St. Andrew Bay.
156. Keppner, Edwin J. 1988. "Six new species of free-living marine nematodes (Nematoda: Araeolaimida: Enoplida) from two estuaries in northwest Florida, U.S.A." Transactions of the American Microscopical Association 107(1):79-95.
Specimens were collected from St. Andrew Bay and Lake Powell.
157. Keppner, Edwin J. 1988. "Thoonychus longisetosus and Oxyonchus striatus, new species of free-living marine nematodes (Nematoda: Enoplida) from northwest Florida, U.S.A." Proceedings of the Biological Society of Washington 101(1): 183-191.
Two new specimens collected from St. Andrew Bay and the nearby Gulf of Mexico.
158. Keppner, Edwin J. 1989. "Four new species of free-living marine nematodes in the genus Pareurystomina (Nematoda: Enoplida) with observations on other members of the genus." Proceedings of the Biological Society of Washington 102(1):249-263.
Describes specimens collected from St. Andrew Bay and the nearshore waters of the Gulf of Mexico.
159. Keppner, Edwin J. 1991. "A new species of free-living marine nematode, Thalassironus thalassinus n. sp. (Nematoda: Ironidae), from northwest Florida, U.S.A." Transactions of the American Microscopical Association 110(4):364-367.
Describes a new species from St. Andrew Bay.
160. Keppner, Edwin J. 1992. "Eleven new species of free-living marine nematodes of the genus Halalaimus De Man, 1888 (Nematoda: Enoplida) from Florida with keys to the species." Gulf Research Reports 8(4):333-362.
Describes newly discovered species of these worms, taken from St. Andrew Bay sediments.

161. Keppner, Edwin J. 1992. "Some free-living marine nematodes from northwest Florida, U.S.A. with descriptions of three new species (Nematoda: Chromadorida, Trefusiida)." Transactions of the American Microscopical Society 111(3):199-210.
A description and taxonomic account of four species of nematode worms, collected from the subtidal sediments of St. Andrew Bay, and the nearby Gulf of Mexico.
162. Keppner, Edwin J., and Lisa A. Keppner. 1988. "A redescription of Oncholaimoides elongatus Hopper, 1961 (Nematoda: Enoplida) with descriptions of the other two members of the genus." Gulf Research Reports 8(2):137-144. Specimens were collected from shallow-water sediments of St. Andrew Bay and the nearshore waters of the adjacent Gulf of Mexico.
163. Kirst, A. Jr, and Roy D. Gaul. 1964. Summary of automated environmental data collected off Panama City, Florida, June 1962 - December 1964. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 65-2T, 54 p.
Summary of the data collected by an automated system, using the Navy's offshore stages.
164. Kirst, A. Jr, and Charles W. McMath Jr. 1966. Automated environmental data collected off Panama City, Florida, June 1962 - December 1964. Texas A&M Univ., Dept. of Oceanography, Project 286-D, Ref. no. 66-9T, 92 p.
A summary of environmental air-sea data collected off of Panama City.
165. Kirst, A. Jr, and Charles W. McMath Jr. 1966. Automated environmental data collected off Panama City, Florida, January 1965 - April 1966. Texas A&M Univ., Dept. of Oceanography, Project 286-D, Ref. no. 66-12T, 118 p.
A summary of environmental air-sea data collected off of Panama City, using an automated system.
166. Kittaka, Jiro. 1981. "Large scale production of shrimp for releasing in Japan and in the United States and the results of the releasing programme at Panama City, Florida." Kuwait Bulletin of Marine Science 2:149-163.
A study of the former shrimp farming operation at Marifarms, in West Bay.
167. Klima, Edward F., and Donald A. Wickham. 1971. "Attraction of coastal pelagic fishes with artificial structures." Transactions of the American Fisheries Society 100(1):86-99.
Artificial structures positioned off of Panama City proved effective in attracting a variety of fishes.
168. Kobylinski, Gerard J. 1980. Martin Bayou: intensive survey documentation. Florida Dept. of Environmental Regulation, Tallahassee, FL, Water Quality Technical Series, v. 1, no. 20, unpagued.
A water quality study of Martin Bayou (Martin Lake) and Charles Lake, in eastern Panama City.

169. Kobylinski, Gerard J. 1981. Beatty Bayou wasteload allocation documentation (Bay County). Florida Dept. of Environmental Regulation, Water Quality Technical Series, v. 2 no. 61, 51 p.
[See also: publication by Wieckowicz, 1986]
Results of a study done to evaluate the effects of a proposed sewage discharge from the city of Lynn Haven on Class II waters in St. Andrew Bay (North Bay).
170. Kobylinski, Gerard J. 1981. Panama City Beach: intensive survey and wasteload allocation documentation. Florida Dept. of Environmental Regulation, Tallahassee, FL, Water Quality Technical Series, v. 1 no. 55, Unpaged.
[Prepared in support of the City of Panama City Beach 201 Facilities Plan; see also: publication by Wieckowicz, 1983]
A study performed for a proposed new sewage outfall. Includes water quality data.
171. Kobylinski, Gerard J., Woodward W. Miley II, Jesse M. Van Dyke, and Andrew J. Leslie Jr. 1980. The effects of grass carp (Ctenopharyngodon idella Val.) on vegetation, water quality, zooplankton, and macroinvertebrates of Deer Point Lake, Bay County, Florida. Florida Dept. of Natural Resources, Bureau of Aquatic Plant Research and Control, Tallahassee, FL, 114 p.
The final report of this study of the effects of stocking grass carp, a fish used to control aquatic vegetation, on the ecology of the lake.
172. Krummich, Jerry T. 1975. Deer Point Lake vegetation studies. Florida Game & Fresh Water Fish Commission, Northwest Region, DeFuniak Springs, FL, 15 p.
A survey of the aquatic vegetation of the lake done prior to the stocking of grass carp.
173. Law Engineering Testing Co. 1975. Seagrass bed study in West Bay near the Lansing Smith Power Plant. Law Engineering Testing Co., Marietta, GA, 51 p.
[Prepared for Gulf Power Co.]
A survey of the seagrass beds, including information on hydrography, benthic invertebrates, and fishes.
174. Law Engineering Testing Co. 1976. Thermal impacts of a fossil-fueled electric power plant discharge on seagrass bed communities: an "older unit" 316(a) demonstration. Law Engineering Testing Co., Marietta, GA, Special Technical Publication E-1, 13 p.
A summary of LETC's studies in West Bay.
175. Law Engineering Testing Co. 1977. A 316(b) study of the Lansing Smith Steam Plant: final report. Law Engineering Testing Co., Marietta, GA, 58 p. + append.
[Prepared for Gulf Power Co.]
Environmental study of the area surrounding the steam plant: North Bay, West Bay, and Alligator Bayou. Includes water quality and biological data.

176. Law Engineering Testing Co. 1980. Larval fish investigation--Lansing Smith Plant. Law Engineering Testing Co., Marietta, GA, 6 p.
[Prepared for Gulf Power Co.]
Larval fish were collected in the vicinity of the power plant. Includes a list of species and their abundance.
177. Law Engineering Testing Co. 1982. Thermal study of Warren Bayou and West Bay. Law Engineering Testing Co., Marietta, GA, 142 p. + append.
[Prepared for Gulf Power Co.]
A study of the thermal discharge of the Lansing Smith Electric Generating Plant, and its effects on the ecology of the surrounding waters. Includes water quality, hydrographic information, and lists of species and their abundance.
178. Lawrence, Marc A. 1974. The submerged forests of the Panama City, Florida area--a paleoenvironmental interpretation. Univ. of Florida, Gainesville, 120 p.
[M.S. Thesis]
A study of submerged fossil tree remains in the entrance channel of St. Andrew Bay. Includes analysis of sediment samples, and a discussion concerning ancient shorelines in the area.
179. Lawrence, Marc A., and Harold K. Brooks. 1976. "Submerged relict forests off northwest Florida coast--paleoenvironmental significance." AAPG Bulletin 60(4):691.
[American Assoc. of Petroleum Geologists]
Discusses the remains of submerged fossil trees found in the entrance channel to St. Andrew Bay.
180. Leslie, Andrew J., Jr., and Gerard J. Kobylinski. 1985. "Benthic macroinvertebrate response to aquatic vegetation removal by grass carp in north-Florida reservoir." Florida Scientist 48(4):220-231.
A study of the changes in the bottom invertebrate community of Deer Point Lake due to the introduction of the grass carp.
181. Leslie, Andrew J., Jr., Jesse M. Van Dyke, Rue S. Hestand III, and Boyd Z. Thompson. 1987. "Management of aquatic plants in multi-use lakes with grass carp (Ctenopharyngodon idella)." Lake and Reservoir Management 3:266-276.
This study of the environmental effects of the stocking of grass carp in Deer Point Lake and other lakes in Florida.
182. Leslie, Andrew J., Jr., Jesse M. Van Dyke, and Larry E. Nall. 1982. "Current velocity for transport of grass carp eggs." Transactions of the American Fisheries Society 111(1):99-101.
A study of the current speed needed for the hatching of grass carp eggs. This study was performed in Econfina Creek.

183. Lillycrop, W. Jeff, Julie D. Rosati, and David D. McGehee. 1989. A study of sand waves in the Panama City, Florida, entrance channel. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS, Technical Report no. CERC-89-7, 56 p.
Discusses sand waves as a navigation problem, and ways of altering the entrance channel to reduce the need for dredging.
184. Little, Frank J., Jr. 1963. "The sponge fauna of the St. George's Sound, Apalachee Bay, and Panama City regions of the Florida gulf coast." Tulane Studies in Zoology 11(2):30-71.
[Also issued as a Master's Thesis, Florida State Univ., 1958]
Comprehensive study of the sponges found in northwest Florida. Includes a key for identification.
185. Livingston, Eric, Ellen McCarron, Michael Scheinkman, and Sue Sullivan. 1988. Florida nonpoint source assessment and management plan. Florida Dept. of Environmental Regulation, Bureau of Surface Water Management, Tallahassee, FL, 2 v.
A detailed assessment of the impact of nonpoint sources of pollution (e.g., stormwater runoff, erosion, septic tanks) on water bodies in Florida. Volume 1 contains information on this problem in St. Andrew Bay and its tributaries.
186. Loftin, Horace G. 1982. Survey of flowering plant resources of the Naval Coastal Systems Center, Panama City, Florida. Naval Coastal Systems Center, Panama City, FL, 43 p.
A taxonomic listing of plants, including notes on their description and occurrence.
187. Loftin, Horace G., and Daniel F. Lott. 1980. A summary of results of the NCSC base survey of water quality: January 1975 to October 1979. U.S. Naval Coastal Systems Center, Panama City, Florida, Technical Note, unpagged.
The results and discussion of monthly monitoring of selected water quality parameters in the waters adjacent to the Naval Coastal Systems Center. Includes data regarding temperature, salinity, dissolved oxygen, pH, turbidity, coliform bacteria, and biochemical oxygen demand (BOD).
188. Loftin, Horace G., Stephen J. Stedman, and Thomas L. Francis. 1987. An annotated check-list of the birds of Bay County, Florida (including St. Andrews State Recreation Area). Bay County Audubon Society, Panama City, FL, 34 p.
[Cover title: Birds of Bay County]
A listing of birds, with notes on their abundance and seasonality.

189. Loftin, Horace G., and Susan M. Tuovila. 1981. A procedure for using polychaete annelids for environmental monitoring and assessment in the nearshore Panama City, Florida, area. Naval Coastal Systems Center, Panama City, FL, Technical Memorandum no. NCSC TM 318-81, 61 p.
Presents a new method of using data regarding polychaete worm populations to indicate environmental changes over time. Study areas included Panama City Beach and Mexico Beach.
190. Lott, Daniel F., and Horace G. Loftin. 1982. Water quality conditions in St. Andrew Bay near the Naval Coastal Systems Center. Naval Coastal Systems Center, Panama City, FL, Technical Memorandum no. NCSC TM 359-82, 39 p.
Hydrographic and water quality information gathered from 1973-1977.
191. Louisiana State Univ.
[See publication by: McArthur]
192. Lyzenga, David R., Robert A. Shuchman, and R. A. Arnone. 1979. "Evaluation of an algorithm for mapping bottom features under a variable depth of water." Proceedings of the 13th International Symposium on Remote Sensing of the Environment, Ann Arbor, MI, April 23-27, 1979. Environmental Research Institute of America, Ann Arbor, MI, p. 1767-1780.
Multispectral data was used to produce a bottom map of St. Andrew Bay.
193. Maristany, Agustin E., Jeffrey R. Wagner, and Michelle Moustakas. 1984. Statistical summary and inventory of streams and lakes in northwest Florida. Northwest Florida Water Management District, Havana, FL, Water Resources Special Report no. 84-4, 198 p.
Includes information regarding lake level for Deer Point Lake, and streamflow data for Econfina Creek.
194. Marmelstein, Allan D. 1966. Photoperiodism, and related ecology, in Thalassia testudinum. Texas A&M Univ., College Station, TX, 54 p.
[M.S. Thesis]
Observations on turtle grass blooms in St. Andrew Bay, Biscayne Bay and Tarpon Springs, FL.
195. May, Nelson, Lee Trent, and Paul J. Pristas. 1976. "Relation of fish catches in gill nets to frontal periods." Fishery Bulletin 74(2):449-453.
This study relates gill net catches with atmospheric frontal periods, air and water temperatures, from Sept. - Dec. 1973. Lists species and numbers of fishes caught.
196. Mayes, Sudderth and Etheredge, Inc. 1978. Analysis of water quality and assimilative capacity. Bay County 208 Program, Panama City, FL, unpagged.
A study of the existing and projected water quality in Deer Point Lake and its tributaries. Information is given for such parameters as dissolved oxygen, suspended solids, nitrogen, and phosphorus. Includes a discussion of water quality and pollution in St. Andrew Bay.

197. McArthur, David S. 1969. Sand movement in relation to beach topography. Louisiana State Univ., Coastal Studies Institute, Baton Rouge, LA, Technical Report no. 67, 26 p.
A study of the movement of sediment along the shore of Hurricane (Shell) Island.
198. McCaffrey, Patrick M. 1981. Studies on the composition and organization of the demersal ichthyofauna of the continental shelf zone in the northeastern Gulf of Mexico. Florida Dept. of Environmental Regulation, Tallahassee, FL, Technical Series, v. 6 no. 1, 576 p.
[Also issued as a Ph.D. Dissertation, Florida State Univ., 1977]
This comprehensive study of bottom fish populations included collecting stations off of Panama City.
199. McLellan, Steven A. (ed.). 1993 (In preparation). St. Andrew Bay water quality and biological study. Bay County Utilities Dept., Panama City, FL.
Expected to be the most comprehensive study to date.
200. McNulty, J. Kneeland, William N. Lindall Jr., and James E. Sykes. 1972. Cooperative Gulf of Mexico estuarine inventory and study, Florida: Phase I, Area description. U.S. Dept. of Commerce, NOAA Technical Report NMFS CIRC-368, 126 p.
This comprehensive study includes information on St. Andrew Bay.
201. Means, Susan M., and Andrew J. McErlean. 1987. An environmental bibliography of northwest Florida, 1900-1985. Gulf Breeze, FL, 314 p.
[Sponsored by the Sierra Club, the Bream Fisherman Assoc., and the Florida Dept. of Community Affairs]
An annotated bibliography of published and unpublished reports. Indexed by author and keyword.
202. Mechler, Linda S., and John R. Grady. 1984. "Recent foraminifera of St. Andrew Bay, Florida." Transactions- Gulf Coast Assoc. of Geological Societies 34:385-394.
[Also produced as an M.S. Thesis by Linda Mechler, Univ. Texas at Arlington, 1984]
An analysis of the species of these protozoans found in St. Andrew Bay sediments. Includes some hydrographic data.
203. Minch, Virgil A. 1952. Industrial waste survey report: International Paper Company, Southern Kraft Division Pulp and Paper Mill, Panama City, Florida. A study of the characteristics of the individual and combined wastes of a Kraft pulp and paper mill, March 17 to April 10, 1952. U.S. Public Health Service, Environmental Health Center, Cincinnati, OH, 104 p.
[On microfiche]
An early study of the paper mill in Panama City (Stone Container). Includes a description of the paper making process and an analysis of the waste discharges.

204. Moffler, Mark D. 1976. "Sexual reproduction in Florida Thalassia (seagrass)." Florida Scientist 39(suppl. 1):6.
[Abstract only]
This brief summary reports flowering and developing fruits on 30% of the turtle grass in St. Andrew Bay.
205. Morgan, William H. 1962. The seacoast of northwest Florida: a geographic appraisal. Univ. of Florida, Gainesville, FL, 185 p.
[Ph.D. Dissertation]
This thesis contains a wealth of information on the physical and social aspects of the Florida Panhandle coast, including Panama City/St. Andrew Bay. Topics covered include: geomorphology, topography, hydrography, shoreline processes, climate, history, economics, and a discussion of submerged lands and land use management.
206. Musgrove, Rufus H., James B. Foster, and L. G. Toler. 1965. Water resources of the Econfina Creek basin area in northwestern Florida. Florida Geological Survey, Tallahassee, FL, Report of Investigations no. 41, 51 p.
A study of the Econfina Creek basin, a region which includes most of Bay County.
207. Musgrove, Rufus H., James B. Foster, and L. G. Toler. 1968. Water resource records of the Econfina Creek Basin area, Florida. Florida State Board of Conservation, Div. of Geology, Tallahassee, FL, Information Circular no. 57, 127 p.
Presents information on wells, well water and surface water, including streamflow and chemical composition.
208. Nakamura, Eugene L. 1976. "Scombrid fishes of St. Andrew Bay, Florida." Bulletin of Marine Science 26(4):619-621.
Six species of scombrid fishes (mackerel and tuna) were collected from St. Andrew Bay.
209. Nakamura, Eugene L. 1985. "Saltwater fishing in Bay County." Bay Biz (Autumn):13-14.
A brief summary of the sport fishing resources of Bay County, and the work of the National Marine Fisheries Service.
210. National Marine Fisheries Service.
[See: U. S. Dept. of Commerce, NOAA, National Marine Fisheries Service]
211. National Oceanic and Atmospheric Administration, National Ocean Service.
[See: U.S. Dept. of Commerce, NOAA, National Ocean Service]

212. Naughton, Steven P., and Carl H. Saloman. 1978. "Fishes of the nearshore zone of St. Andrew Bay, Florida, and adjacent coast." Northeast Gulf Science 2(1):43-55.
A comprehensive study of fishes caught with a beach seine at 17 locations during 1974-1975. Nearly 100,000 fish representing 88 species were collected. Temperature and salinity were recorded.
213. Naval Coastal Systems Station.
[See publications by: Austin; Bennett; Dowling; Hogge; Loftin; Lott; Ritchie; Salsman; Tolbert; Toon]
214. Nelson, David M., et al. 1992. Distribution and abundance of fishes and invertebrates in Gulf of Mexico estuaries. Vol. 1: Data summaries. U.S. Dept. of Commerce, NOAA, National Ocean Service, ELMR Report no. 10, 273 p. Includes information regarding species occurrence and abundance in St. Andrew Bay.
215. Northwest Florida Water Management District.
[See also publications by: Barr; Burch; Cairns; Clemens; Kennedy; Maristany; Rains; Rodriguez; Snowden; Wagner]
216. Northwest Florida Water Management District. 1988. Surface water improvement and management plan for Deer Point Lake. Northwest Florida Water Management District, Havana, FL, Program Development Series no. 89-1, 104 p. Includes information on the ecology, water quality, pollution sources, and management of the lake and its watershed.
217. Northwest Florida Water Management District. 1988. Surface water improvement and management priority list, April 1, 1988. (draft). Northwest Florida Water Management District, Havana, FL, various pag.
[Inside title: Identification of priority water bodies in the Northwest Florida Water Management District pursuant to the Surface Water Improvement and Management Act of 1987.]
Pages A-27 to A-32 give a description and current pollution problems in St. Andrew Bay and Deer Point Lake.
218. O'Connor, Thomas P., and Charles N. Ehler. 1991. "Results from the NOAA National Status and Trends Program on distribution and effects of chemical contamination in the coastal and estuarine United States." Environmental Monitoring and Assessment 17:33-49.
Includes contaminant information for St. Andrew Bay.
219. Ogren, Larry H. 1975. "Midwater structures for enhancing recreational fishing." In: Colunga, Laura, and Richard Stone (Editors), Proceedings of an International Conference on Artificial Reefs, Houston, TX, March 20-22, 1974. Texas A&M Univ., Sea Grant Pub. no. 74-103, p. 65-67.
The efficacy of using midwater artificial structures for attracting game fish, based on studies performed off of Panama City.

220. Ogren, Larry H. 1977. "Concealment behavior of the Spanish lobster, Scyllarides nodifer (Stimpson), with observations on its diel activity." Northeast Gulf Science 1(2):115-116.
Observations were made on these lobsters (also called slipper lobsters) inhabiting a limestone ledge off of Panama City.
221. Ogren, Larry H., and Harold A. Brusher. 1977. "The distribution and abundance of fishes caught with a trawl in the St. Andrew Bay system, Florida." Northeast Gulf Science 1(2):83-105.
Analysis of a collection of fishes obtained by using a bottom trawl. Includes tabular fish data on the collection, and some hydrographic information. Over 200,000 fish were caught, representing 128 different species.
222. Olson, F. C. W., and Bob Wilder. 1961. "Gases in bottom sediments." Bulletin of Marine Science of the Gulf and Caribbean 11(2):207-209.
Analysis of the gases found in the bottom sediments of shallow water in St. Andrew Bay.
223. Pait, Anthony S., Daniel R. G. Farrow, Jamison A. Love, and Percy A. Pecheco. 1989. Agricultural pesticide use in estuarine drainage areas: a preliminary summary for selected pesticides. U.S. Dept. of Commerce, NOAA, Rockville, MD, 134 p.
[The National Coastal Pollutant Discharge Inventory Program]
Includes information on agriculture and pesticide use that impacts St. Andrew Bay.
224. Palik, Thomas F., and J. Thomas Kunneke. 1984. Northwestern Florida ecological characterization: an ecological atlas. U.S. Fish & Wildlife Service, Office of Biological Services Report no. FWS/OBS-82/47.1, 302 p. + maps
A comprehensive ecological study of the Florida panhandle.
225. Pate, Johnny. 1992. "The inside story." Florida Sportsman 24(10):22-27.
Sport fishing for grouper in St. Andrew Bay.
226. Pequegnat, Willis E. 1966. Biofouling studies off Panama City, Florida. I. Texas A&M Univ., Dept. of Oceanography, Project 286-1, Ref. no. 66-17T, 33 p.
Examines fouling organism growth and populations on test floats. Compares biofouling on unprotected floats with those treated with an organotin compound.
227. Pequegnat, Willis E., R. S. Gaille, and Linda H. Pequegnat. 1967. Biofouling studies off Panama City, Florida. II. The two mile offshore station. Texas A&M Univ., Dept. of Oceanography, Project 286-6, Ref. no. 67-18T, 47 p.
A continuation of the studies reported in Ref. 66-17T.

228. Pequegnat, Willis E., and Linda H. Pequegnat. 1968. Ecological aspects of marine fouling in the northeastern Gulf of Mexico. Texas A&M Univ., Dept. of Oceanography, Project 286-6, Ref. no. 68-22T, 80 p.
A study conducted off of Panama City of fouling organisms as ecological communities--their growth and diversity, and the effects of anti-fouling compounds. Includes lists of invertebrates, temperature and salinity data.
229. Platt, Jonathan L. 1989. Estimating the economic impacts of hypothetical grouper bag limits in the Destin/Panama City, Florida charterboat fishery. U.S. Dept. of Commerce, NOAA Technical Memorandum NMFS-SEFC-227, 72 p.
A study of the potential impacts of grouper fishery regulation on this industry in Destin and Panama City, utilizing a database derived from a survey of charterboat customers.
230. Pristas, Paul J., and Lee Trent. 1977. "Comparisons of catches of fishes in gill nets in relation to webbing material, time of day, and water depth in St. Andrew Bay, Florida." Fishery Bulletin 75(1):103-108.
A study of the variation in catch rates for the 12 most abundant fish species in St. Andrew Bay, September - December, 1972.
231. Pristas, Paul J., and Lee Trent. 1978. "Seasonal abundance, size, and sex ratio of fishes caught with gill nets in St. Andrew Bay, Florida." Bulletin of Marine Science 28(3):581-589.
An analysis of a collection of 11,230 fishes representing 70 species, taken from St. Andrew Bay, January - December 1973.
232. Pruitt, Bruce A. 1988. St. Andrews Bay seagrass study, Panama City, Florida, June 16-19, 1988. U.S. Environmental Protection Agency, Marine and Wetlands Unit, Interim report, Unpaged.
A study of the seagrass population of East Bay. Includes light transmission data.
233. Puri, Harbans S., and Neil C. Hulings. 1957. "Recent ostracode facies from Panama City to Florida Bay area." Transactions, Gulf Coast Assoc. of Geological Societies 7:167-190.
A collection and analysis of the ostracod fauna collected from sediments off of Panama City Beach and other Florida sites. Includes some hydrographic information.
234. Putnam, B. J. 1981. "The charter and headboat operators' viewpoint." Florida Sea Grant College Report no. 41:67-69.
[Paper presented at a conference on artificial reefs]
Discusses artificial reefs and their importance to the charter and party boat industry.

235. Pybas, Donald W. 1991. Atlas of artificial reefs in Florida. 4th ed. Florida Sea Grant College Program, Gainesville, FL, Sea Grant Extension Bulletin no. 20, 40 p.
Includes a map and coordinates for reefs off of Panama City.
236. Quinn, Heather, John P. Tolson, C. John Klein, S. Paul Orlando, and Charles Alexander. 1989. Susceptibility and status of Gulf of Mexico estuaries to nutrient discharges. Summary report: NOAA/EPA Team on Near Coastal Waters. U.S. Dept. of Commerce, NOAA, National Ocean Service, Rockville, MD, 36 p. [Strategic Assessment of Near Coastal Waters]
Information regarding St. Andrew Bay may be found on p. 20. Data is presented concerning the bay's physical characteristics, nutrients, land use, and susceptibility to nutrient pollution.
237. Rains, Luann, and Tyler L. Macmillan. 1991. Deer Point Lake watershed land use/cover assessment. Final report. Northwest Florida Water Management District, Havana, FL, Water Resources Special Report no. 91-7, 32 p. + appendices.
[Cover title: Land use assessment, Deer Point Lake watershed.]
A report on the current and historical land use in this area. Includes maps derived from satellite imagery.
238. Rains, Luann, and Debi Wiley. 1990. Surface Water Improvement and Management (S.W.I.M.) Program project, Deer Point Lake. Preliminary land use and nonpoint source assessment. Final draft. Northwest Florida Water Management District, Havana, FL, 68 p.
This report includes a description of the watershed, its land use, and sources of pollution.
239. Register and Cummings, and Henry Van Oesen & Assoc. 1973. Analysis and report: beach erosion and restoration, Panama City Beach, Florida. Register and Cummings, Jacksonville, FL, 32 p. + append.
[Prepared for the City of Panama City Beach]
A consultants' study of beach erosion, with recommendations for control and restoration.
240. Reid, Robert O., and Roy D. Gaul. 1964. Installation of wave staff at shore site near Panama City, Florida. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 360, Ref. no. 64-23F, 15 p.
This report describes the wave measuring system installed at St. Andrews Pier, Panama City.

241. Reidenauer, Jeffrey A. 1988. Port Panama City deepwater port master plan environmental assessment for Panama City Port Authority, Panama City, Florida. BCM Converse, Inc., Panama City, FL, 33 p. + append.
[BCM Project no. 05-2003-29]
A study of the water quality, sediments, and biological resources in the vicinity of Port Panama City. Includes extensive water and sediment chemistry data, including the presence of pesticides, PCBs, hydrocarbons, and metals.
242. Research Planning Institute, Inc. 1984. The sensitivity of coastal environments and wildlife to spilled oil in the west Florida region. Research Planning Inst., Inc., Columbia, SC, 41 p. + appends., maps.
[Prepared for the Florida Dept. of Community Affairs, Div. of Resource Planning and Management]
A report on the coastal ecosystems, flora and fauna, in northwest Florida that may be impacted by oil spills. Includes a discussion of how St. Andrew Bay should be protected.
243. Reynolds, Kenneth C. 1951. Report on tidal entrances. Unpublished report by Dr. Kenneth C. Reynolds, Los Angeles, CA, 18 p. + 16 tables
[Report to the U.S. Army Corps of Engineers, Beach Erosion Board]
Compilation of historical data on inlets, including the entrance channel to St. Andrew Bay.
244. Ritchie, Adelia E., and Horace G. Loftin. 1984. A summary of results of the NCSC base survey of water quality, May 1980 to December 1983. Naval Coastal Systems Center, Panama City, FL, Technical note no. NCSC TN 711-84, 116 p.
The results of quarterly monitoring of selected water quality parameters in the waters of St. Andrew Bay adjacent to the Naval Coastal Systems Center.
245. Roberts, Thomas H. 1991. Habitat value of man-made coastal marshes in Florida. U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, MS, Technical report no. WRP-RE-2, 42 p.
Includes information on the marsh at Bay Point, Panama City Beach.
246. Rodriguez, J. Alberto, and Tien-Shuenn Wu. 1990. Initial analysis of circulation and flushing characteristics of the St. Andrew Bay system. Northwest Florida Water Management District, Havana, FL, Water Resources Special Report no. 90-1, 105 p.
The hydrodynamics of St. Andrew Bay. Includes an inventory of point sources of water pollution.
247. Rubin, David M., and Ralph E. Hunter. 1982. "Bedform climbing in theory and nature." Sedimentology 29:121-138.
Analysis of the downcurrent decrease in the size of tidal sand waves in St. Andrew Bay.

248. Saloman, Carl H. 1975. Annotated bibliography of the St. Andrew Bay system and adjacent Gulf of Mexico, including manuscripts on file at the National Marine Fisheries Service, Gulf Coastal Fisheries Center, Panama City Laboratory, Panama City, Florida. Unpublished manuscript, National Marine Fisheries Service, Panama City Beach, FL, 18 p.
Contains 52 references, arranged alphabetically by author.
249. Saloman, Carl H. 1975. A selected bibliography of the nearshore environment: Florida west coast. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Miscellaneous Paper no. 5-75, 268 p.
A broad collection of works on the oceanography and biota of western Florida. While most of the citations refer to the Tampa Bay area, many are pertinent to the panhandle. No indexes; arranged by subject.
250. Saloman, Carl H. 1976. The benthic fauna and sediments of the nearshore zone off Panama City Beach, Florida. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Miscellaneous Report no. 76-10, 256 p.
A comprehensive study of the hydrography, sedimentology and benthic fauna of Panama City Beach. Includes information on the effect of Hurricane Eloise on the benthic fauna.
251. Saloman, Carl H. 1979. "New records of caridean shrimps (Decapoda, Caridea) from the nearshore area of Panama City Beach, Florida, U.S.A." Crustaceana, Supplement 5:147-152.
Reports on the occurrence of five shrimps not previously recorded from this area.
252. Saloman, Carl H. 1981. "Aspects of the biology of Spilocuma salomani (Cumacea: Boditriidae)." Northeast Gulf Science 4(2):99-104.
A study of this benthic crustacean, using samples collected from nearshore Panama City Beach sediments.
253. Saloman, Carl H., and William A. Fable Jr. 1981. Length-frequency distributions of recreationally caught reef fishes from Panama City, Florida in 1978 and 1979. U.S. Dept. of Commerce, NOAA Technical Memorandum NMFS-SEFC-61, 22 p.
A series of bar charts depict the length frequency of over 10,000 fishes, representing 13 species of reef fishes.
254. Saloman, Carl H., and Steven P. Naughton. 1977. "Effect of Hurricane Eloise on the benthic fauna of Panama City Beach, Florida, USA." Marine Biology 42(4):357-363.
Compares the populations of organisms inhabiting the swash zone, before and after the hurricane that struck in September 1975.

255. Saloman, Carl H., and Steven P. Naughton. 1978. "Benthic macroinvertebrates inhabiting the swash zone of Panama City Beach, Florida." Northeast Gulf Science 2(1):65-72.
A collection and analysis of the invertebrates found in the swash zone (area of the beach washed by waves) of Panama City Beach.
256. Saloman, Carl H., and Steven P. Naughton. 1984. Beach restoration with offshore dredged sand: effects on nearshore macroinfauna. U.S. Dept. of Commerce, NOAA Technical Memorandum NMFS-SEFC-133, 20 p.
A study on the ecological effects of beach restoration at Panama City Beach after Hurricane Eloise.
257. Saloman, Carl H., Steven P. Naughton, and John L. Taylor. 1982. Benthic community response to dredging borrow pits, Panama City Beach, Florida. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Miscellaneous Report no. 82-3, 138 p.
An ecological study of the beach invertebrate populations before and after dredging for beach nourishment. Includes hydrographic and sediment data.
258. Saloman, Carl H., Steven P. Naughton, and John L. Taylor. 1982. Benthic faunal assemblages of shallow water sand and seagrass habitats, St. Andrew Bay, Florida. Performed for the U.S. Fish & Wildlife Service, Panama City, FL, 565 p.; summary, 27 p.
Species occurrence and populations at 149 stations in St. Andrew Bay. Includes information regarding the seagrasses and sediments.
259. Salsman, Garrett G. 1962. "A note on periodic temperature variations in the Gulf of Mexico off Panama City, Florida." In: Gorsline, D. S. (Editor), Proceedings of the First National Coastal and Shallow Water Research Conference, Baltimore, MD; Los Angeles, CA; Tallahassee, FL, October 1961. p. 442.
[Sponsored by the National Science Foundation and the Office of Naval Research, Tallahassee, FL]
Bathythermograph observations indicated the existence of a thermocline off of Panama City Beach.
260. Salsman, Garrett G. 1962. "Temperature variations in the Gulf of Mexico off Panama City, Florida." Journal of Geophysical Research 67(9):3595.
[Abstract only]
The water temperature off of Panama City was studied from November 1959 to August 1961.
261. Salsman, Garrett G., and A. J. Ciesluk. 1978. Environmental conditions in coastal waters near Panama City, Florida. Naval Coastal Systems Center, Panama City, FL, Technical Report no. NCSC-TR-337-78, 89 p.
A comprehensive summary of information regarding the coastal waters. Includes topics such as: hydrography, meteorology, bottom characteristics, tides, currents, waves, and biofouling.

262. Salsman, Garrett G., and Walter W. Howard. 1989. Hydrographic survey report, Watson Bayou Marina in Bay County, Florida. The Authors, Panama City, FL, 24 p.
[Produced for the Watson Bayou Marina proposal]
A study of the tides, currents, rainfall and runoff, with flushing rate computations for this area in East Bay.
263. Salsman, Garrett G., and William H. Tolbert. 1961. On the nearshore microtopography of the sea bottom adjacent to Panama City, Florida. U.S. Mine Defense Laboratory, Panama City, FL, Technical Paper no. TP-192, 23 p.
Scuba divers made observations regarding the bottom configuration.
264. Salsman, Garrett G., and William H. Tolbert. 1963. Surface currents in the northeastern Gulf of Mexico. U.S. Navy Mine Defense Lab., Panama City, FL, Research and Development Report no. 209, 43 p.
A study of the ocean currents off of Panama City, during Sept. 1960 - Dec. 1962, using drift bottles released from the offshore research platform (Stage I). Includes information regarding winds and sea surface temperature.
265. Salsman, Garrett G., and William H. Tolbert. 1965. "Observations on the sand dollar, Mellita quinquiesperforata." Limnology & Oceanography 10(1):152-155.
A study of the population and behavior of a species of sand dollar off of Panama City Beach.
266. Salsman, Garrett G., William H. Tolbert, and R. G. Villars. 1966. "Sand-ridge migration in St. Andrew Bay, Florida." Marine Geology 4:11-19.
An investigation into the series of uniform sediment ridges found on the bottom of St. Andrew Bay.
267. Sanders, Richard M., Jr., Charlie R. Chandler, and Andre M. Landry Jr. 1985. "Hydrological, diel and lunar factors affecting fishes on artificial reefs off Panama City, Florida." Bulletin of Marine Science 37(1):318-328.
[Also produced as an M.S. Thesis by Sanders, Texas A&M Univ., 1983.]
Fish surveys were conducted on two sunken barges off of Panama City, and relationships were established between the varying populations and environmental conditions.
268. Schmidt, Walter, and Murlene W. Clark. 1980. Geology of Bay County, Florida. Florida Dept. of Natural Resources, Bureau of Geology, Bulletin no. 57, 96 p.
Comprehensive summary of the geology and stratigraphy of Bay County.
Includes economic information.
269. Shier, Daniel E. 1964. "Marine Bryozoa from northwest Florida." Bulletin of Marine Science of the Gulf and Caribbean 14(4):603-662.
A comprehensive study of these "moss animals" taken from beaches and inshore waters of northwest Florida. Includes samples from St. Andrews State Park.

270. Smith, Tim M. 1955. The distribution and breeding of the chaetognaths of the northwest coast of Florida. Florida State Univ., Tallahassee, FL, 41 p. [M.S. Thesis]
Collections of these planktonic invertebrates were taken from Alligator Harbor, St. Andrew Bay and nearby Gulf waters.
271. Snowden, Cynthia M., and Duncan J. Cairns. 1991. The surface water improvement and management plan for the Deer Point Lake watershed. Northwest Florida Water Management District, Havana, FL, Program Development Series no. 91-4, Various pag.
Includes a comprehensive description of the watershed, water quality information, and management strategies.
272. Spain, Carol M., and Steven A. McLellan. 1987. Impacts of Bay County aerated lagoon discharge on St. Andrew Bay water quality from Redfish Point to DuPont Bridge. Bay County Wastewater System (Bay County Utilities Dept.), Panama City, FL, 51 p. + 35 p. append.
A study of the water quality in the area of the bay impacted by the Bay County Wastewater Treatment Plant's lagoon discharge. Parameters are given for salinity, temperature, dissolved oxygen, chlorophyll a, color, suspended solids, BOD5, nitrogen, phosphorus, fecal coliform bacteria, and ammonia; current velocity readings are also given.
273. St. Andrew Bay Resource Management Association.
[See also publications by: Grimes; Watson]
274. St. Andrew Bay Resource Management Association. 1988. A preliminary feasibility study of spray field irrigation to treat municipal wastewater in Bay County. St. Andrew Bay Resource Management Assoc., Panama City, FL, 29 p.
A study of this wastewater treatment method.
275. Stanic, S., K. B. Briggs, Peter Fleischer, R. I. Ray, and W. B. Sawyer. 1988. "Shallow-water high-frequency bottom scattering off Panama City, Florida." Journal of the Acoustical Society of America 83(6):2134-2144.
A sonar study of bottom topography in offshore waters.
276. Stapor, Frank. 1973. "History and sand budgets of the barrier island system in the Panama City, Florida, region." Marine Geology 14:277-286.
History of the beach erosion/deposition patterns on Shell and Crooked Islands.
277. State University System of Florida, Institute of Oceanography (coordinator). 1973. A summary of knowledge of the eastern Gulf of Mexico. SUSFIO, St. Petersburg, FL, various paginations.
This comprehensive work includes information on the Panama City coastal and offshore area.

278. Stith, Lloyd. 1988. Impacts of hovercraft operations on Tyndall Air Force Base. U.S. Fish & Wildlife Service, Atlanta, GA, 26 p.
An investigation of the environmental effects of the operation of the Naval Coastal Systems Center's hovercrafts on the biological communities of the coastal barriers at East and West Crooked Islands. Includes a description of the various communities, and the operation's effects on the vegetation, birds and other wildlife, and beach erosion. Appended are lists of observed shore birds.
279. Sullivan, J. H., Jr., and T. W. Duncan Jr. 1975. An investigation of sediment deposits in St. Andrews Bay. Water and Air Research, Inc., Gainesville, FL, 49 p. + append.
[Prepared for the International Paper Co., Panama City, FL]
A study of the bottom sediments and deposits of the bay in the vicinity of the paper mill.
280. Sutherland, Doyle F. 1977. Catch and catch rates of fishes caught by anglers in the St. Andrew Bay system, Florida, and adjacent coastal waters, 1973. U.S. Dept. of Commerce, NOAA Technical Report NMFS SSRF-708, 9 p.
Results of a survey of fishermen in various locations on shore and on charter boats. Includes listing of fishes caught.
281. Sutherland, Doyle F. 1978. Estimated average daily instantaneous numbers of recreational and commercial fishermen and boaters in the St. Andrew Bay system, Florida, and adjacent coastal waters, 1973. U.S. Dept. of Commerce, NOAA Technical Report NMFS SSRF-724, 23 p.
This census of fishermen includes data regarding their numbers, location, methods used and target species.
282. Swanson, Vernon E., and James G. Palacas. 1965. "Humate in coastal sands of northwest Florida." U.S. Geological Survey Bulletin 1214-B:29 p.
The distribution and probable origin of water-soluble organic material in the shallow subsurface sands of the Florida Panhandle. Includes sites in St. Andrew Bay.
283. Tanner, William F. 1964. "Nearly-ideal drift system along the Florida panhandle coast." Zeitschrift fur Geomorphologie 8(3):334-342.
A study of the sediment transport system along this coast, including the Panama City area.
284. Taxonomic Associates, Inc. 1985. Mixing zone analysis, Bay County Water and Wastewater Systems. Taxonomic Assoc., Mobile, AL, 29 p.
[Prepared for BCM Converse, Inc.]
An analysis of water mixing and dilution in the vicinity of the sewage outfall in East Bay. Includes water quality and hydrographic data.

285. Taylor Biological Co., Inc. 1982. Michigan Avenue sewer outfall. Environmental monitoring study, report no. 1. Taylor Biological Co., Lynn Haven, FL, 166 p.
[Prepared for the Panama City Engineering Dept.]
First in a series of studies that monitored the environmental conditions, sediments, water quality, benthic invertebrates, and seagrasses in the vicinity of a new sewerage outfall.
286. Taylor Biological Co., Inc. 1983. Michigan Avenue sewer outfall environmental monitoring study, report no. 2. Taylor Biological Co., Lynn Haven, FL, 223 p.
287. Taylor Biological Co., Inc. 1984. Michigan Avenue sewer outfall environmental monitoring study, report no. 3. Taylor Biological Co., Lynn Haven, FL, 390 p.
288. Taylor Biological Co., Inc. 1987. Michigan Avenue sewer outfall environmental monitoring study, report no. 4--final report. Taylor Biological Co., Lynn Haven, FL, 444 p.
289. Texas A&M University, Dept. of Oceanography.
[See publications by: Bader; Boston; Culpepper; Durham; El-Sayed; Gaul; Guinasso; Kirst; Pequegnat; Reid; Vick]
290. Tolbert, William H. 1959. On the concentration and size distribution of particulate matter in sea water. U.S. Navy Mine Defense Laboratory, Panama City, FL, Technical Paper no. TP168, 38 p.
An analysis of the particulate composition of the sea water from St. Andrew Bay and offshore of the entrance channel, and a discussion of the attenuation of light and sound due to these particles.
291. Tolbert, William H., and George B. Austin. 1956. Oceanographic data collected off Panama City Beach, Florida, during period 12 April 1955 through 28 December 1955. U.S. Navy Mine Defense Laboratory, Panama City, FL, Data Report no. 5602(GX-14), 175 p.
The data were collected from two offshore stations and one in St. Andrew Bay.
292. Tolbert, William H., and George B. Austin. 1959. On the nearshore marine environment of the Gulf of Mexico at Panama City, Florida. U.S. Navy Mine Defense Laboratory, Panama City, FL, Technical Paper no. 161, 104 p.
Hydrography, sedimentology and weather data for the Panama City region.

293. Tolbert, William H., and George B. Dowling. 1962. "Review of the oceanographic program at the U.S. Navy Mine Defense Laboratory." In: Gorsline, D. S. (Editor), Proceedings of the First National Coastal and Shallow Water Research Conference, Baltimore, MD; Los Angeles, CA; Tallahassee, FL, October 1961. p. 436-441.
[Sponsored by the National Science Foundation and the Office of Naval Research, Tallahassee, FL.]
A summary of the research conducted from the offshore stages.
294. Tolbert, William H., and Garrett G. Salsman. 1964. "Surface circulation of the eastern Gulf of Mexico as determined by drift-bottle studies." Journal of Geophysical Research 69(2):223-230.
A study of ocean circulation off of Panama City.
295. Toler, L. G. 1965. "Use of specific conductance to distinguish two base-flow components in Econfina Creek, Florida." U.S. Geological Survey Professional Paper 525-C:206-208.
A mathematical formula is used to distinguish between the two water sources for Econfina Creek.
296. Toler, L. G., Rufus H. Musgrove, and James B. Foster. 1964. "Freshening of Deer Point Lake, Bay County, Florida." Journal of the American Water Works Assoc. 56(8):984-990.
A study of the salinity changes brought about by the construction of the dam in North Bay.
297. Toler, L. G., and W. J. Shampine. 1965. Quality of water from the Floridan aquifer in the Econfina Creek Basin area, Florida, 1962. Florida Board of Conservation, Div. of Geology, Map Series no. 10, 1 sheet containing 5 maps and text.
Information is provided concerning the quality of the water supply in this area. Includes tabular data showing mineral content.
298. Toon, Brian. 1965. The planktonic organisms found in St. Andrews Bay and the nearshore gulf waters surrounding Panama City, Florida. U.S. Navy Mine Defense Laboratory, Panama City, FL, Technical Note no. 72, 112 p., including microphotographs.
[Performed as part of the Buships-Field Activities Cooperative Student Trainee Program for Engineers and Scientists]
Analysis of plankton samples taken from the bay and gulf. A total of 103 species, both plant and animal, were identified and photographed.
299. Trent, Lee, and Paul J. Pristas. 1977. "Selectivity of gill nets on estuarine and coastal fishes from St. Andrew Bay, Florida." Fishery Bulletin 75(1):185-198.
The varying catches of 11 gill nets, each of a different mesh size. Includes tabular data on 22 fish species, their length, and the mesh size used to capture them.

300. Turner, Jefferson T., Sneed B. Collard, John C. Wright, D. Victor Mitchell, and Phillip Steele. 1979. "Summer distribution of pontellid copepods in the neuston of the eastern Gulf of Mexico continental shelf." Bulletin of Marine Science 29(3):287-297.
This study of these planktonic crustaceans includes a list of eight species collected off of Panama City, with notes on their distribution and abundance.
301. Tyndall Air Force Base.
[See publication by Greenwood]
302. U. S. Army Corps of Engineers.
[See also publications by: Balsillie; Culter; Fonseca; Lillycrop; Roberts]
303. U. S. Army Corps of Engineers. 1971. National shoreline study: regional inventory for the south Atlantic-Gulf region, Puerto Rico and the Virgin Islands. U.S. Army Engineer Div., Atlanta, GA, Various pag.
Appendix D contains a comprehensive summary and history of the beach erosion problems in Bay County.
304. U. S. Army Corps of Engineers. 1976. Panama City beaches, Florida; interim feasibility report for beach erosion control and hurricane protection. U.S. Army Corps of Engineers, Mobile, AL, v. 1, 85 p.; v. 2, append., various pag.
A comprehensive study of beach erosion and hurricane protection at Panama City Beach. Also includes information regarding economics and natural resources.
305. U. S. Army Corps of Engineers. 1979. The ports of Panama City and Pensacola, FL and Pascagoula and Gulfport, MS. Government Printing Office, Washington, DC, 130 p.
[Prepared by the Board of Engineers for Rivers and Harbors]
A description of St. Andrew Bay in the vicinity of the port. Includes lists of piers, wharves, docks and cargo facilities.
306. U. S. Army Corps of Engineers, Jacksonville District. 1986. Determination of navigability, Econfina Creek, Florida. U.S. Army COE, Jacksonville, FL, 13 p. + illus.
Includes a history of the Econfina Creek area, the creek's commercial use and navigability.
307. U. S. Dept. of Agriculture, Soil Conservation Service.
[See publication by: Duffee]
308. U. S. Dept. of Agriculture, Soil Conservation Service. 1981. Twenty-six ecological communities of Florida. U.S. Dept. of Agriculture, Ft. Worth, TX, 146 p. + append.
Includes ecological information for Bay County habitats. Appendix contains species listings for each community type.

309. U. S. Dept. of Commerce, NOAA, National Marine Fisheries Service.
[See publications by: Brusher; Fable; Finucane; Fuas; Grady; McNulty;
Nakamura; Naughton; Ogren; Platt; Pristas; Saloman; Sutherland; Trent]
310. U. S. Dept. of Commerce, NOAA, National Ocean Service.
[See also publications by: Broutman; Nelson; Pait; Quinn; Williams]
311. U. S. Dept. of Commerce, NOAA, National Ocean Service. 1985. National estuarine inventory data atlas: vol. 1: Physical and hydrologic characteristics. NOAA, Rockville, MD, various paginations.
Includes information concerning St. Andrew Bay.
312. U. S. Dept. of Commerce, NOAA, National Ocean Service. 1987. A summary of selected data on chemical contaminants in tissues collected during 1984, 1985, and 1986. NOAA Technical Memorandum NOS OMA 38, var. pag.
[National Status & Trends Program for Marine Environmental Quality]
Includes pollution information for St. Andrew Bay, obtained by analyzing oyster tissue. Data is provided for metals, PCBs, and pesticides.
313. U. S. Dept. of Commerce, NOAA, National Ocean Service. 1988. A summary of selected data on chemical contaminants in sediments collected during 1984, 1985, 1986, and 1987. NOAA Technical Memorandum NOS OMA 44, var. pag.
[National Status & Trends Program for Marine Environmental Quality]
Includes pollution information for St. Andrew Bay. Data is provided for metals, PCBs, and pesticides.
314. U. S. Dept. of Commerce, NOAA, National Ocean Service. 1989. A summary of data on tissue contamination from the first three years (1986-1988) of the mussel watch program. NOAA Technical Memorandum NOS OMA 49, var. pag.
[National Status & Trends Program for Marine Environmental Quality]
Includes pollutant information for St. Andrew Bay, obtained by analyzing oyster tissue. Includes information regarding heavy metals, PCBs, and pesticides.
315. U. S. Dept. of Commerce, NOAA, National Ocean Service. 1991. The 1990 National Shellfish Register of classified estuarine waters. NOAA, Rockville, MD, 100 p.
Contains information on shellfish bed acreage and pollution sources for St. Andrew Bay.
316. U. S. Dept. of Commerce, NOAA, National Ocean Service. 1991. Second summary of data on chemical contaminants in sediments from the National Status and Trends Program. NOAA Technical Memorandum NOS OMA 59, var. pag.
[National Status & Trends Program for Marine Environmental Quality]
Includes pollution information for St. Andrew Bay, providing data regarding metals, pesticides, PCBs, organic carbon and grain size of sediments.

317. U. S. Environmental Protection Agency.
[See also publications by: Hicks; Pruitt; Walsh]
318. U. S. Environmental Protection Agency, Office of Enforcement. 1975. Water quality study, St. Andrew Bay, Florida. EPA Report no. 330/2-75-003, 94 p. [Performed by the EPA National Enforcement Investigations Center, Denver, CO, for the Enforcement Division, EPA Region IV, Atlanta, GA.]
A comprehensive bacteriological, water quality, and remote sensing study of St. Andrew Bay.
319. U. S. Environmental Protection Agency, Region IV, Environmental Services Division. 1983. Technical evaluation, Bay County wastewater treatment plant, Bay County, Florida. EPA, Athens, GA, 21 p. + append.
An analysis and critique of Bay County's Wastewater Treatment Plant no. 1. Includes water quality data for the plant's effluent and lagoon, as well as for the effluent from Southwest Forest Industries (Stone Container), Wastewater Treatment Plant no. 2 and the Millville Wastewater Treatment Plant.
320. U. S. Environmental Protection Agency, Region IV, Environmental Services Division. 1985. Follow-up diagnostic evaluation, Bay County WWTP no. 1, Panama City, Florida FL0002631, June-July 1985. EPA, Athens, GA, 31 p. + append.
An evaluation of the wastewater treatment facility. Data is provided with regard to the Biochemical Oxygen Demand-5 Day (BOD5), suspended solids, pH, fecal coliform bacteria, and metals. Calculations are provided for the lagoon retention time.
321. U. S. Environmental Protection Agency, Region IV, Environmental Services Division. 1988. Benthic study, Bay County wastewater discharge, St. Andrew Bay, Florida. EPA, Athens, GA, 53 p. + append.
A study of the wastewater plant discharge and a survey of the bottom sediments, seagrasses and benthic invertebrates.
322. U. S. Environmental Protection Agency, Region IV, Environmental Services Division. 1988. Dilution study and toxicity testing, Bay County wastewater discharge, St. Andrew Bay, Florida. EPA, Athens, GA, 72 p. + append.
A comprehensive study of the water quality, benthic invertebrates and seagrasses.
323. U. S. Fish & Wildlife Service.
[See also publications by: Palik; Stith; Wolfe]
324. U. S. Fish and Wildlife Service. 1988. Natural resource inventory: Tyndall Air Force Base. U. S. Fish and Wildlife Service, Panama City, FL, 73 p. + append.
A comprehensive survey of the ecology of this area.

325. U. S. Geological Survey.
[See: publication by Hughes]
326. Uebelacker, Joan M., and Paul G. Johnson, eds. 1984. Taxonomic guide to the polychaetes of the northern Gulf of Mexico. U.S. Minerals Management Service, Metairie, La., OCS Study no. MMS 84-0049, 7 vols.
[Prepared under contract to Barry A. Vittor & Assoc., Mobile, AL]
Comprehensive descriptions, keys and illustrations of the polychaete worms in this region. Maps show the species' distributions off of Panama City.
327. University of Florida.
[See also publications by: Dean; Douglas; Hsiao; Walton; Wang]
328. University of Florida, Coastal Engineering Laboratory. 1958. Model study for the improvement of the jetties of the St. Andrews Bay entrance channel. Univ. of Florida, Gainesville, FL, 11 p. + illus.
[Prepared for the Florida Board of Parks and Historic Memorials]
This project studied ways of dealing with the erosion of the western bank of the channel entrance. Includes information on waves and tides.
329. Van Dyke, Jesse M., Andrew J. Leslie Jr., and Larry E. Nall. 1984. "The effects of the grass carp on the aquatic macrophytes of four Florida lakes." Journal of Aquatic Plant Management 22:87-95.
The effects of stocking grass carp on the aquatic vegetation of Deer Point Lake and three other Florida lakes.
330. Vick, Norman G. 1964. The marine ichthyofauna of St. Andrew Bay, Florida, and nearshore habitats of the northeastern Gulf of Mexico. Texas A&M Univ., Dept. of Oceanography and Meteorology, Project 286-D, Ref. no. 64-19T, 77 p.
An annotated checklist of the fishes collected from these waters. Includes notes regarding abundance, occurrence, and behavior.
331. Wagner, Jeffrey R. 1988. Fundamental ground water conditions within the Northwest Florida Water Management District. Northwest Florida Water Management District, Havana, FL, Public Information Bulletin no. 88-1, 24 p.
An overview of the occurrence, movement, and quality of ground water in northwest Florida, including Bay County.
332. Wagner, Jeffrey R. 1988. Ground-water bibliography with selected geological references, northwest Florida. Northwest Florida Water Management District, Havana, FL, Technical File Report no. 89-1 (rev.), 29 p.
Bibliography of water resource documents, arranged by county.

333. Waller, Richard A. 1961. Ostracods of the St. Andrew Bay system. Florida State Univ., Tallahassee, FL, 46 p.
[M.S. Thesis]
A study of these benthic crustaceans. Also includes information on sediments and hydrography.
334. Walsh, Gerald E. 1989. Germination, survival, and production of marsh plant seedlings in pulp and paper mill effluent and in sediments from St. Andrews Bay, Florida. U.S. Environmental Protection Agency, Environmental Research Lab., Gulf Breeze, FL, Report no. EPA/600/X-89/032, 7 p.
This study of the effects of pulp and paper mill effluent on the growth and survival of marsh plants includes an analysis of the heavy metal content of the effluent.
335. Walton, Todd L., Jr., and Tsao Y. Chiu. 1979. Littoral sand transport on beaches. Univ. of Florida, Coastal & Oceanographic Engineering Dept., Report no. UFL/COEL/TR-041, 345 p.
This report presents a model for sand transport along Florida beaches. Includes information for St. Andrew Bay and Panama City Beach.
336. Wang, Yu-Hwa, Walter W. Howard, T. H. Chang, and M. Swutz. 1978. Littoral sand transport near Panama City Beach, Florida. Univ. of Florida, Coastal & Oceanographic Engineering Dept., Rep. no. UFL/COEL-78/011, 140 p.
A study performed to estimate the amount of sand moving along Panama City Beach.
337. Water and Air Research, Inc.
[See publication by: Sullivan]
338. Water Resources Engineers.
[See publications by: Brandes; Johnson]
339. Watson, Kennard, (Coordinator). 1991. 1991 sea turtle monitoring on Panama City Beach, Bay County, Florida. St. Andrew Bay Resource Management Assoc., Panama City, FL, 17 p. + append.
A report on the sea turtle activity during May-October 1991. Includes nesting, hatching, stranded turtles, hatchling disorientation, and weather information. Report no. 2, which covers the 1992 season, is currently in press.
340. Watson, Kennard, and Lorna Patrick. In press. "Seaweed cleanup on a sea turtle nesting beach." The 1992 Sea Turtle Symposium, Jekyll Island, GA, February 25-29, 1992.
A study of the effects of the cleanup on sea turtle nests and hatching success.

341. Wells, Harry W. 1966. "Barnacles of the northeastern Gulf of Mexico." Quarterly Journal of the Florida Academy of Sciences 29(2):81-95.
Specimens were collected from Franklin County waters and St. Andrew Bay.
Includes notes on their distribution and biology.
342. Wickham, Donald A., and Gary M. Russell. 1974. "An evaluation of mid-water artificial structures for attracting coastal pelagic fishes." Fishery Bulletin 72(1):181-191.
Studies were conducted off of Shell Island.
343. Wickham, Donald A., John W. Watson Jr., and Larry H. Ogren. 1973. "The efficacy of midwater artificial structures for attracting pelagic sport fish." Transactions of the American Fisheries Society 102(3):563-572.
Experiments with these structures were conducted off of Panama City Beach.
344. Wieckowicz, Richard. 1983. Panama City Beach intensive survey and wasteload documentation. Florida Dept. of Environmental Regulation, Water Quality Technical Series, v. 1 no. 65, 200 p.
[See also: publication by Kobylinski, 1981]
An environmental study the Panama City Beach Sewage Treatment Plant's discharge into public waters. Includes water quality data and wasteload allocation.
345. Wieckowicz, Richard. 1986. Lynn Haven, Beatty Bayou intensive survey documentation, Bay County. Florida Dept. of Environmental Regulation, Water Quality Technical Series, v. 1, no. 90, 106 p.
[See also: publication by Kobylinski, 1981]
A study of the Lynn Haven spray field discharge into Beatty Bayou and its effects on water quality.
346. Williams, Austin B., and Richard W. Heard. 1991. "Upogebia spinistipula, a new burrowing shrimp from the Florida shelf, northeastern Gulf of Mexico (Decapoda: Thalassinidea: Upogebiidae)." Proceedings of the Biological Society of Washington 104(1):49-54.
A description of a newly-discovered species of shrimp, taken from offshore sediment samples.
347. Williams, Christopher D. (and others). 1990. Distribution and abundance of fishes and invertebrates in eastern Gulf of Mexico estuaries. U.S. Dept. of Commerce, NOAA, National Ocean Service, ELMR Report no. 6, 105 p.
Includes information on the species occurring in St. Andrew Bay.

348. Windsor, John G., Jr. 1985. Nationwide review of oxygen depletion and eutrophication in estuarine and coastal waters: Florida region. Florida Institute of Technology, Dept. of Oceanography and Ocean Engineering, Melbourne, FL, 177 p.
[A report to Brookhaven National Laboratory and NOAA]
Includes water quality and pollution information for St. Andrew Bay on p. 140-145.
349. Wolfe, Steven H., Jeffrey A. Reidenauer, and D. Bruce Means. 1988. An ecological characterization of the Florida Panhandle. U.S. Fish & Wildlife Service, Biological Report no. 88(12), 277 p.
A comprehensive ecological description of the various habitats of the Florida panhandle.
350. Woodward, Allan R., and Clinton T. Moore. 1990. Statewide alligator surveys. Florida Game & Fresh Water Fish Commission, Tallahassee, FL, 19 p. + append.
Includes alligator population information for Deer Point Lake and Bear Creek.
351. Work, Robert C. 1969. "Systematics, ecology, and distribution of the mollusks of Los Roques, Venezuela." Bulletin of Marine Science 19(3):614-711.
This comprehensive study of tropical marine molluscs includes references to species found in the St. Andrew Bay/Panama City area (see p. 625, and the species accounts).
352. Yeater, Larry W. 1966. Studies of the ecology of the commensal crab Pinnotheres maculatus Say. Florida State Univ., Tallahassee, FL, 60 p. [M.S. Thesis]
Collections were made in Franklin County waters and in St. Andrew Bay.
353. Yerger, Ralph W. 1965. "The leatherback turtle on the gulf coast of Florida." Copeia 1965(3):365-366.
Observations on these turtles captured or sighted in west Florida, including several reported from St. Andrew Bay.
354. Young, Norman, and John Crew. 1973. Physical and biological parameters, Deer Point Lake. Florida Game & Fresh Water Fish Commission, Northwest Region, DeFuniak Springs, FL, 11 p.
A summary of information on the lake, including fish populations and the hydrography of its tributaries.
355. Young, Norman, and John Crew. Fish management report, Northwest Region. Florida Game and Fresh Water Fish Commission, Regional Fisheries Office, DeFuniak Springs, FL,
[Published annually, 1973 to present]
Most issues include information and studies on Deer Point Lake, such as fish surveys, aquatic vegetation, grass carp, etc.

356. Young, William T. Undated. Assessment of discharge impacts of the Bay County Wastewater Treatment Plant in St. Andrews Bay, June 14, 1983 and March 20, 1985. Florida Dept. of Environmental Regulation, Northwest District, Pensacola, FL, 9 p. + append.
A sampling study of the water quality in this area.
357. Young, William T. 1979. Biological and physicochemical assessment of Lansing Smith Power Plant's heated water discharge to public water in Bay County, June 21-23, August 22-24, 1978. Florida Dept. of Environmental Regulation, Northwest District, Pensacola, FL, 13 p. + appendix
An assessment of the environmental impacts of this plant's discharge. Includes water quality data, species lists.
358. Young, William T., Glenn L. Butts, Laurence W. Donelan, and Donald H. Ray. 1988. A special monitoring project basin survey: biological and physicochemical assessment of St. Andrew Bay estuaries 1986-1987. Florida Dept. of Environmental Regulation, Northwest District, Pensacola, FL, various pag.
This study includes surveys and assessments of the benthic macroinvertebrate community, sediments, seagrasses and water quality.
359. Young, William T., and John Sindo. 1974. In situ bioassay of International Paper Company effluent in St. Andrews Bay, January 17-18, 1974. Florida Dept. of Environmental Regulation, Northwest District, Pensacola, FL, 9 p.
A study performed to determine the toxicity of the paper mill effluent to fishes and shrimp. Includes water quality data.

INDEX

The subject headings in this index indicate the subject content of the entire work. For example, if a publication deals only or mostly with salinity, it is given the subject heading "Salinity". If it includes a variety of hydrographic parameters, including salinity, it will be headed "Hydrography". The subject heading "Water quality" includes such parameters as dissolved oxygen, bacteria counts, pH, temperature, salinity, visibility, etc. Therefore, if you do not find the subject you are looking for, or the entries seem few in number, you may want to look under the next broader category.

AGRICULTURE	142
	226
223	227
	341
ALGAE	
	BAY POINT
149	245
ALLIGATORS	
	BEACH EROSION
350	8
AMPHIPODS	59
	62
24	64
57	239
101	276
103	278
	303
AQUATIC WEEDS	304
	328
128	
171	BEACH NOURISHMENT
172	
180	257
181	
329	BEACH PROFILES
355	8
ARIZONA CHEMICAL CO.	59
	119
76	276
77	283
	336
ARTIFICIAL REEFS	
	BEACH RESTORATION
39	58
46	239
131	256
167	
219	BEAR CREEK
234	87
235	141
267	350
342	
343	BIBLIOGRAPHY
BACTERIA	37
	90
9	201
BARNACLES	
116	

	248		
	249		
	332		
BIRDS			CIRCULATION
	28		110
	188		294
	278		COASTAL GEOGRAPHY
BLUEFISH			205
	74		COASTAL ZONE MANAGEMENT
BOTTOM TOPOGRAPHY			64
	3		304
	32		CONSERVATION
	123		121
	192		COPEPODS
	247		138
	263		300
	266		CRABS
	275		47
BRIDGES			352
	15		CROOKED ISLAND
BRYOZOANS			50
	269		278
CANALS			CUMACEANS
	133		252
CHAETOGNATHS			CURRENTS
	270		8
CHARLES LAKE			23
	168		33
CHARTER BOATS			66
	35		110
	72		264
	229		294
CHLOROPHYLL			DEER POINT LAKE
	67		43
			87

69	202
70	
72	FORESTS, SUBMERGED
74	
94	40
124	178
125	179
128	
129	FOULING
130	
131	116
147	226
167	227
173	228
174	261
175	
176	GASES
195	
198	2
208	222
212	
214	GENERAL WORKS
221	
225	200
230	205
231	224
253	277
267	349
280	
299	GEOLOGY
324	
330	10
342	268
343	282
347	
354	GRASS CARP
355	128
FISHING	171
	180
29	181
35	182
39	329
72	355
209	
225	GROUPE
229	
280	225
281	229
FORAMINIFERA	HEPATITIS
22	61

HOVERCRAFTS	291
	292
	311
278	318
	333

HURRICANE ELOISE

38
250
254
256

HYDROLOGY

65
141
206

HURRICANES

64
304

INVERTEBRATES

1
9
19
21
24
26
28
34
36
41
49
50
57
58
69
70
100
101
103
104
105
116
124
125
128
138
142
143
151
152
153
154
155
156
157
158
159
160

HYDROGRAPHY

9
19
20
23
34
58
69
94
96
105
110
111
112
113
114
117
124
125
133
145
148
149
173
177
190
202
233
246
250
257
261
262
284

161
162
171
173
175
177
180
184
189
214
220
226
227
228
233
250
251
252
254
255
256
257
258
265
269
270
285
300
321
322
326
333
341
346
347
351
352
357
358

LANSING SMITH POWER PLANT

70
117
118
173
174
175
176
177
357

LAWS

30

LIGHT

123
232
290

LITTORAL DRIFT

335
336

LOBSTERS

220

LONGSHORE TRANSPORT

8
59
119
197
283
335
336

JETTIES

29
44
102
126
130
183
328

LYNN HAVEN

82
169
345

MACKEREL

35
72

LAKE POWELL

MAJETTE LANDFILL

79

MAPS

141

224

297

311

MARIFARMS

166

MARSH PLANTS

334

MARTIN LAKE & BAYOU

168

METALS

241

312

313

314

316

321

334

METEOROLOGY

20

117

150

195

261

291

292

339

MINERALS

241

297

MOLLUSCS

351

NAVAL COASTAL SYSTEMS CENTER

83

186

NEMATODES

151

152

153

154

155

156

157

158

159

160

161

162

NETS

230

231

299

NORTH BAY

9

12

55

94

169

175

296

NUTRIENTS

236

OCEANOGRAPHY

20

106

107

108

109

111

112

113

114

115	54
135	67
144	137
163	138
164	139
165	149
277	171
291	175
293	298
	300
OIL SPILLS	
242	
OSTRACODS	
143	89
233	186
333	324
OXYGEN	
117	9
118	31
134	76
	77
	85
	86
	122
OYSTERS	124
9	125
31	127
47	185
61	196
92	203
105	216
124	217
125	218
312	223
314	236
315	238
	241
	246
PESTICIDES	271
223	312
241	313
	314
	315
PIERS	316
305	318
	348
	359
PLANKTON	
7	
	PLANTS
	89
	186
	324
	POLLUTION
	9
	31
	76
	77
	85
	86
	122
	124
	125
	127
	185
	196
	203
	216
	217
	218
	223
	236
	238
	241
	246
	271
	312
	313
	314
	315
	316
	318
	348
	359
	POLYCHAETES
	189

326	70
	98
POPULATION	99
	100
13	120
	173
PORT	174
	177
241	194
305	204
	232
RAINFALL	258
	278
150	285
	321
SALINITY	322
	358
296	
	SEASHELLS
SAND DOLLARS	
	1
265	
	SEAWEED
SAND WAVES	
	340
183	
247	
266	
	SEDIMENTS
SANDBISH, BELTED	2
	6
	8
60	19
129	32
	58
SCALLOPS	59
	119
36	120
	128
SEA ANEMONES	136
	177
21	178
	183
SEA TURTLES	197
	202
339	222
340	241
353	247
	250
SEAGRASSES	257
	258
19	263
50	266

279	92
282	315
283	
285	SHIPS, SUBMERGED
292	
313	39
316	267
321	
333	SHRIMP
358	
	34
SEWAGE	47
	104
9	166
11	251
12	346
13	
14	SHOOK
16	
18	53
25	
41	SOIL
52	
78	65
80	
81	SOLES
82	
83	45
84	
96	SOUND
146	
169	5
170	73
272	290
274	
284	SOUND WAVES
285	
318	32
319	
320	SPONGES
321	
322	184
344	
345	ST. ANDREW SOUND
356	
	50
SHELL ISLAND	
	ST. ANDREWS STATE PARK
197	
276	29
	89
SHELLFISH	91
47	

102	
126	
130	
STONE CONTAINER	
76	
85	
86	
203	
279	
334	
359	
SURGEON FISH	
27	
TEMPERATURE	
70	
72	
117	
118	
177	
195	
259	
260	
264	
TIDAL INLETS	
62	
TIDES	
5	
23	
66	
328	
TINTINNIDS	
7	
54	
TRIGGERFISH	
147	
TUNICATES	
26	
	TURBIDITY
	290
	TYNDALL AIR FORCE BASE
	50
	121
	278
	324
	VISIBILITY
	5
	WATER QUALITY
	19
	25
	31
	41
	42
	48
	52
	69
	71
	79
	87
	94
	122
	127
	128
	133
	134
	146
	168
	170
	171
	175
	177
	187
	190
	196
	199
	216
	241
	244
	246
	271
	272
	284

285
297
318
319
320
321
322
344
345
348
356
357
358

WATER RESOURCES

10
37
48
206
207
216
297
331
332

WAVES

8
23
33
63
119
140
240
328
336

WELLS

10
48
207

WEST BAY

70
117
118
125
170
173

174
175
176
177
344
357

WETLANDS

245

WILDLIFE

89
91
124
125
324

WINDS

8
33
264